

```
mysql> use exp1;
Database changed
mysql> show tables;
+-----+
| Tables_in_exp1 |
+-----+
| course          |
| department      |
| faculty         |
| student         |
+-----+
4 rows in set (0.02 sec)
```

```
mysql> create table coordinators(
  -> Name VARCHAR(20),
  -> DeptName VARCHAR(15),
  -> Coordtype VARCHAR(8)
  -> );
Query OK, 0 rows affected (0.03 sec)
```

```
mysql> alter table coordinators add CoordId INT(6);
Query OK, 0 rows affected, 1 warning (0.06 sec)
Records: 0 Duplicates: 0 Warnings: 1
```

```
mysql> alter table course CourseType VARCHAR(10);
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'CourseType VARCHAR(10)' at line 1
```

```
mysql> desc course;
+-----+-----+-----+-----+-----+-----+
| Field      | Type      | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| CourseNo   | varchar(3) | YES  |     | NULL    |       |
| CourseDesc | varchar(14) | YES  |     | NULL    |       |
| CourseType | char(1)    | YES  |     | NULL    |       |
| SemNo      | char(1)    | YES  |     | NULL    |       |
| HallNo     | varchar(4) | YES  |     | NULL    |       |
| FacNo      | varchar(4) | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.01 sec)
```

```
mysql> desc course;
+-----+-----+-----+-----+-----+-----+
| Field      | Type      | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| CourseNo   | varchar(3) | YES  |     | NULL    |       |
| CourseDesc | varchar(14) | YES  |     | NULL    |       |
| CourseType | varchar(10) | YES  |     | NULL    |       |
| SemNo      | char(1)    | YES  |     | NULL    |       |
| HallNo     | varchar(4) | YES  |     | NULL    |       |
| FacNo      | varchar(4) | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.00 sec)
```

```
mysql> alter table course modify FacNo Int(6);
Query OK, 0 rows affected, 1 warning (0.07 sec)
Records: 0 Duplicates: 0 Warnings: 1
```

```
mysql> alter table course rename column CourseType to TypeOfCourse;
Query OK, 0 rows affected (0.01 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc course;
```

Field	Type	Null	Key	Default	Extra
CourseNo	varchar(3)	YES		NULL	
CourseDesc	varchar(14)	YES		NULL	
TypeOfCourse	varchar(10)	YES		NULL	
SemNo	char(1)	YES		NULL	
HallNo	varchar(4)	YES		NULL	
FacNo	int	YES		NULL	

```
6 rows in set (0.00 sec)
```

```
mysql> alter table course drop column CourseDesc;
Query OK, 0 rows affected (0.09 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc course;
```

Field	Type	Null	Key	Default	Extra
CourseNo	varchar(3)	YES		NULL	
TypeOfCourse	varchar(10)	YES		NULL	
SemNo	char(1)	YES		NULL	
HallNo	varchar(4)	YES		NULL	
FacNo	int	YES		NULL	

```
5 rows in set (0.01 sec)
```

```
mysql> rename table course to subject;
Query OK, 0 rows affected (0.02 sec)
```

```
mysql> insert into subject values ("B10","ordinary",'2',"H043",211);
Query OK, 1 row affected (0.01 sec)
```

```
mysql> insert into subject values ("B15","passive",'4',"H543",201);
Query OK, 1 row affected (0.01 sec)
```

```
mysql> insert into subject values ("C56","ordinary",'1',"F098",046);
Query OK, 1 row affected (0.00 sec)
```

```
mysql> select * from subject;
```

CourseNo	TypeOfCourse	SemNo	HallNo	FacNo
B10	ordinary	2	H043	211
B15	passive	4	H543	201
C56	ordinary	1	F098	46

```
3 rows in set (0.00 sec)
```

```
mysql> truncate table subject;
Query OK, 0 rows affected (0.04 sec)
```

```
mysql> select * from subject;
Empty set (0.00 sec)
```

```
mysql> insert into subject(CourseNo,TypeOfCourse,SemNo,HallNo,FacNo) values ("C56", "ordinary", '1', "F098", 046);
Query OK, 1 row affected (0.01 sec)
```

```
mysql> select * from subject;
+-----+-----+-----+-----+-----+
| CourseNo | TypeOfCourse | SemNo | HallNo | FacNo |
+-----+-----+-----+-----+-----+
| C56      | ordinary     | 1     | F098   | 46    |
+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)
```

```
mysql> insert into subject (TypeOfCourse,FacNo) values("passive",098);
Query OK, 1 row affected (0.01 sec)
```

```
mysql> select * from subject;
+-----+-----+-----+-----+-----+
| CourseNo | TypeOfCourse | SemNo | HallNo | FacNo |
+-----+-----+-----+-----+-----+
| C56      | ordinary     | 1     | F098   | 46    |
| NULL     | passive      | NULL  | NULL   | 98    |
+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```

```
mysql> delete from subject where HallNo = "F098";
Query OK, 2 rows affected (0.01 sec)
```

```
mysql> select * from subject;
+-----+-----+-----+-----+-----+
| CourseNo | TypeOfCourse | SemNo | HallNo | FacNo |
+-----+-----+-----+-----+-----+
| NULL     | passive      | NULL  | NULL   | 98    |
+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)
```

```
mysql> insert into subject values ("B10", "ordinary", '2', "H043", 211);
Query OK, 1 row affected (0.01 sec)
```

```
mysql> insert into subject values ("B15", "passive", '4', "H543", 201);
Query OK, 1 row affected (0.00 sec)
```

```
mysql> insert into subject values ("B10","ordinary",'2',"H043",211);
Query OK, 1 row affected (0.01 sec)

mysql> insert into subject values ("B15","passive",'4',"H543",201);
Query OK, 1 row affected (0.00 sec)

mysql> update subject set HallNo="G234",where FacNo=098;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual t
hat corresponds to your MySQL server version for the right syntax to use nea
r 'where FacNo=098' at line 1
mysql> update subject set HallNo="G234"where FacNo=098;
Query OK, 1 row affected (0.01 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> select * from subject;
+-----+-----+-----+-----+-----+
| CourseNo | TypeOfCourse | SemNo | HallNo | FacNo |
+-----+-----+-----+-----+-----+
| NULL     | passive      | NULL  | G234   | 98    |
| B10      | ordinary     | 2     | H043   | 211   |
| B15      | passive      | 4     | H543   | 201   |
+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> delete from subject;
Query OK, 3 rows affected (0.01 sec)

mysql> show tables;
+-----+
| Tables_in_exp1 |
+-----+
| coordinators   |
| department     |
| faculty        |
| student        |
| subject        |
+-----+
5 rows in set (0.00 sec)

mysql> select * from subject;
Empty set (0.00 sec)
```