




Read Text from PDF file using Langflow

Prompt in ICEPOT Technique



Output from TextOutput





Expose API and execute

Input Schema

Endpoint Name

An alternative name to run the endpoint

Expose API

Select which component fields to expose as inputs in this flow's API schema.

	N	Number of chat completions to generate for each prompt. Note that the API may not return the full n completions if duplicates are generated.	0
	Model	The name of the model to use. Add your Groq API key to access additional available models.	llama-3.1-8b-instant
	Enable Tool Models	Select if you want to use models that can work with tools. If yes, only those models will be shown.	☐

Text Output

LangFlow > http://localhost:7860/api/v1/run/1cbcad69-3fdb-42a1-b278-7d89944eae46?stream=false

POST http://localhost:7860/api/v1/run/1cbcad69-3fdb-42a1-b278-7d89944eae46

Docs Params Authorization Headers 11 Body Scripts Settings

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

```
1 {
2   "output_type": "chat",
3   "input_type": "chat",
4 }
5
```

Import cURL into a collection

```
1 curl --request POST \
2   --url 'http://localhost:7860/api/v1/run/
3     b9722bfd-7d62-4f16-babb-5ab705ac954c?stream=false' \
4   --header 'Content-Type: application/json' \
5   --header "x-api-key: YOUR_API_KEY_HERE" \
6   --data '{}'
```

Request name

http://localhost:7860/api/v1/run/b9722bfd-7d62-4f16-babb-5ab705ac954c?stream=false

Collection name

LangFlow

Import without saving Import into collection

Body Cookies

{ } JSON

```
1 {
2   "s
3   "o
4 }
5
6
7
8
9
10
```

results: {

Changed the model in API request in postman and got success response

The screenshot displays the Postman interface with a collection named 'LangFlow' selected. The active request is a POST method to the URL `http://localhost:7860/api/v1/run/b9722bfd-7d62-4f16-babb-5ab705ac954c`. The request body is set to 'raw' (JSON) and contains the following payload:

```
{
  "output_type": "text",
  "input_type": "text",
  "input_value": "hello world!",
  "tweaks": {
    "GroqModel-enUoa": {
      "model_name": "openai/gpt-oss-120b"
    }
  }
}
```

The response status is **200 OK** with a response time of 965 ms and a size of 2.84 KB. The response body is shown in JSON format:

```
{
  "inputs": {
    "input_value": "hello world!"
  },
  "outputs": [
    {
      "results": {
        "text": {
          "text_key": "text",
          "data": {
            "text": "**Extracted Issue Date and Total from the uploaded PDF**\n\n**Issue Date:** 15 Oct 2025 \n- **Total:** 5,000,000.00 \n\n(Formatted as requested: date in DD MMM YYYY format.)",
            "files": [],
            "sender": null,
            "sender_name": null,
            "session_id": "",
            "context_id": "",
            "timestamp": "2026-06-02 04:37:48 UTC",
            "flow_id": "b9722bfd-7d62-4f16-babb-5ab705ac954c",
            "error": false,
            "edit": false,

```