

Vibe coding in ask mode to check the impacted files

CHAT

CHECKBOX OPTION FOR TESTSCRIPT

Read my entire workspace and confirm me what are the files will be impacted if I want to add TestScript as a checkbox option along with feature file and Page/Page object checkbox. and user should be able to select the checkbox for TestScript and only then test script should generate just like existing functionalities of checkbox option

Inspecting relevant files

Checking UI and script code that manages checkbox options so I can list the affected files accurately.

Searched for regex patterns and reviewed files

Found the core generation mode logic and UI definition. Reading the exact checkbox and prompt wiring now.

Searched for regex and reviewed 2 files

I found the checkbox behaviour in `chat.js` ; now verifying the prompt registry and any generation mode constants.

Reviewed prompts.js and analyzed file updates

Confirming whether any other file reads the same checkbox name or generation mode.

Searched for regex in script files

Files impacted

1. `panel.html`

◦ Add a new checkbox input for `TestScript`.

◦ Keep it under the same `name="generationMode"` group so the existing selection logic can read it.

+ `JS content.js`

Describe what to build

CHAT

CHECKBOX OPTION FOR TESTSCRIPT

now implement the changes

Considered feature and test script logic

Reviewing how `getPromptKeys()` is consumed so I can wire the new prompt in the right place.

Searched for regex and reviewed integration details

Implementing checkbox UI, prompt selection logic, and new test script prompts.

Updated panel.html and inspected code issues `+122 -1`

One prompt insertion failed because the file text differed slightly from the expected context. Reading the exact region to patch it accurately.

Reviewed prompts.js and fixed file access issues

Verifying the UI and prompt selection logic edits before finalizing.

Reviewed 2 files

Adding the new prompt type constants so the new prompts can be referenced consistently.

Updated prompts.js and reviewed multiple lines `+2 -0`

Checking for syntax or parse problems in the modified files.

Checked `panel.html` , `chat.js` , `prompts.js` , no problems found

Implemented

+ `JS appConfig.js:3`

Describe what to build

Post Changes implemented

CHAT

CHECKBOX OPTION FOR TESTSCRIPT
Updated prompts.js and reviewed multiple lines +2 -0

Checking for syntax or parse problems in the modified files.

Checked `panel.html` , `chat.js` , `prompts.js` , no problems found

Implemented

- Added `Test Script` checkbox to `panel.html`
- Updated `chat.js` to detect `TESTSCRIPT` selection and include the appropriate prompt only when checked
- Added new prompt templates in `prompts.js` for:
 - `SELENIUM_JAVA_TESTSCRIPT_ONLY`
 - `PLAYWRIGHT_TYPESCRIPT_TESTSCRIPT_ONLY`
- Registered the new prompt keys in `CODE_GENERATOR_TYPES`

Result

- `Test Script` now behaves like the existing checkbox options
- Test script generation occurs only when `Test Script` is selected
- Existing feature/page generation remains unchanged

Files changed

- `panel.html`
- `chat.js`
- `prompts.js`

No syntax errors were detected in the edited files.

Raptor mini (Preview) • 1x

`JS` `appConfig.js:3`

Describe what to build

Verify in the UI

←

→

↻

🔍

leaf taps.com/opentaps/control/login

☆

📁

📄

🔍

🔗

🔒

⋮



Testleaf

Always Ahead

Leaf taps Login

The Following Errors Occurred:
username was empty reenter
password was empty reenter

Username

Password

Login

AI Browser Extension for Code Generation

Code Generator

Settings

☒ Feature File

☐ Page Class / Page Object

☐ Test Script

Provide additional information

Inspect

Generate

Test Scripts successfully implemented in any chosen Options

Testleaf

Always Ahead

LeafTaps Login

The Following Errors Occurred:
username was empty reenter
password was empty reenter

Username

Password

Login

AI Browser Extension for Code Generation

Code Generator

Settings

☐ Feature File

☐ Page Class / Page Object

☒ Test Script

Reset Chat

```
@Test
public void testLogin() {
    driver.get("https://leafTaps.com/opentaps/control/login");

    // Wait for the username field to be visible and enter a value
    WebElement username = wait.until(
        ExpectedConditions.visibilityOfElementLocated(By.id("username")));
    username.clear();
    username.sendKeys("DemoSalesManager");

    // Wait for the password field to be visible and enter a value
    WebElement password = wait.until(
        ExpectedConditions.visibilityOfElementLocated(By.id("password")));
    password.clear();
    password.sendKeys("crmsfa");

    // Wait for the Login button to be clickable and click it
    WebElement loginBtn = wait.until(
        ExpectedConditions.elementToBeClickable(By.cssSelector("input.decorativeSubmit[v
loginBtn.click());

    // Simple verification: after successful login, a link with text "CRM/SFA" should be pre
    // Adjust the locator/value based on the actual post-login page
```

AI Browser Extension for Code Generation

Code Generator

Settings

☒ Feature File

☒ Page Class / Page Object

☒ Test Script

Reset Chat

```
import io.cucumber.java.After;
import io.cucumber.java.Before;
import io.cucumber.java.en.*;

import org.openqa.selenium.*;
import org.openqa.selenium.chrome.ChromeDriver;
import org.openqa.selenium.support.ui.*;

import java.time.Duration;

public class LoginStepDefinitions {

    private WebDriver driver;
    private WebDriverWait wait;
    private static final String LOGIN_URL = "https://leafTaps.com/opentaps/control/login";

    @Before
    public void setUp() {
        // Assuming chromedriver is on the system PATH.
        driver = new ChromeDriver();
        wait = new WebDriverWait(driver, Duration.ofSeconds(10));
        driver.manage().window().maximize();
```



Leafaptaps Login

The Following Errors Occurred:
username was empty reenter
password was empty reenter

Username

Password

[Login](#)

AI Browser Extension for Code Generation

Code Generator

Settings

☒ Feature File ☒ Page Class / Page Object ☒ Test Script

Reset Chat

Feature: Login to OpenTaps

As a QA engineer I want to verify that users from South-India can log in successfully using valid credentials.

Scenario Outline: Successful login with valid credentials

Given I open the login page

When I type "<username>" into the Username field

And I type "<password>" into the Password field

And I click the Login button

Then I should be logged in successfully

Examples: South India realistic data

username	password
ramkumar	Ram@2023
sita.r	Sita#1234
prasad123	Prasad!567
nisha.p	Nisha\$890
vijaykumar	Vijay%321

[Copy](#)

packane.com/leafaptaps-standards