

Aim: Create and save simple HTML document & modifying the

- 1. background of HTML
- 2. Webpage with different colors.

### Description:

In this practical, we created a basic HTML document and applied CSS to change the background color of the webpage. Additionally, we used CSS properties to modify the color of different webpage elements like headers and paragraphs. This demonstrates the basic concept of styling HTML elements using CSS.

```
(!Doctype. html >
Khtml}
         (head)
                Ktitle > webpage (/title >
        (style)
                Body &
                       Background - color: red;
                h1 5
                      color: green;
                     color: Blye;
         (1style)
        1 lheads
        K POODY &
                (ht) this is an heading (1/h1)
(P) This is an Boagoaph </P)
```



# SILVER OAK UNIVERSITY EDUCATION TO INNOVATION

(160dy)

Conclusion:
In this experiment we successfully cocated a
Simple HTML document applied basic as too styling
and explored methods to change background and test
color this demonstrated the importance of ass in
on hamerna the visual presentation of web rage.
experiment provided a foundational understanding of
Hml styleture.
How can you apply different background images instead of a color to your webpage?
Ans: Body & Background - image : 121 (1)
Alls. ( Background in an and a tribal Cl 1)

2. How would you change the colors dynamically using JavaScript?

the colors of a webpage manipulate the are proporties of html element

Signature with Date of Completion			
Marks out of 10	- 1		NO.



EDUCATION TO INNOVATION

**EXPERIMENT NO: 2** 

Aim: Demonstrate use of

- 1. subscript,
- 2. super script,
- 3. align tag and
- 4. Format the text by using formatting tags like bold and italic.

### Description:

In this practical, we demonstrated how to use:

- Subscript (<sub>) and superscript (<sup>) tags to format text in mathematical and chemical notations.
- 2. Align attribute to control text alignment (center, right).
- 3. Formatting tags like bold (<b>) and italic (<1>) to emphasize specific parts of the text.

```
(head)

(head)

(lhead)

(lhead)

(body)

(p) water's chemical H(sub) 2/lsub) 0 (1p)

(p) The mathematical X(sup) 2/lsup) (1p)

(p) the mathematical X(sup) 2/lsup) (1p)

(p) tyle = "text-align: center;") centered text(1p)

(p) tyle = "text-align: right;") Right-aligned text

(p) This is (B) Bold (1B) text (1p)

(p) This is (i) italic (1i) text (1p)

(lbody)

(lhtml)
```



# SILVER OAK UNIVERSITY EDUCATION TO INNOVATION

#### Conclusion:

In this experiment we learned how to use Himl tag
for text formatting and alignment we successfully
implemented subscript and superscript tags. Tags like
bold and Italic to emphasize specific farts or text.
Post Practical Question:

- 1. Which tag is used to display text as a subscript in HTML?
- a) <sup>
- b) <sub>
- c) <script>
- d) <small>

Answer: 6. 1546 > 11

- 2. Which of the following tags is used to display text as superscript in HTML?
- a) <sub>
- b) <>
- c) <sup>
- d) <u>

C. (SYP)



# SILVER OAK UNIVERSITY EDUCATION TO INNOVATION

Answer:

- 3. What is the correct way to align text to the center in a paragraph using HTML?
- a) This is centered text
- b) This is centered text>
- c) This is centered text
- d) This is centered (ext

### Answer:

b. (Palign="center" > This is centered text 4. Which tag is used to make text bold in HTML?

- a) <b>
- b) <i>
- c) <u>
- d) <strong>

#### Answer:

a. 161

- 5. What is the purpose of the <i>tag in HTML?
- a) To underline the text
- b) To make the text bold
- c) To italicize the text
- d) To strike through the text

#### Answer:

c. To italicize the

- 6. Which tag is used to underline text in HTML?
- a) <i>
- b) <b>
- c) <1>
- d) <sub>

#### Answer:



**EDUCATION TO INNOVATION** 

- 7. Which of the following attributes is used to align text within a tag?
- a) text-align
- b) align
- c) style
- d) font-align

" A. text-align

Signature with Date of Completion	
Marks out of 10	



# EDUCATION TO INNOVATION

### **EXPERIMENT NO: 3**

## Aim: Draw the table as given format

### Description:

In this exercise, a table is created using the , , , , and tags. The table structure was enhanced with attributes like borders, cell padding, and cell spacing. This demonstrates the creation of structured data presentation using tables in HTML.

```
(titm1)
       thead >
              Ititles table Iltitles
       (Thead)
      (kody)
             ther sample table ther
            (table booder="1" cellfadding ="10" >
      (to)
           1th ) wame (1th)
           1th) Age 1th>
      11to)
      1tos
           1td > Alice 1/td>
          1td> 23 (1td)
      (Ito)
     1to> (td > Bob 1/td >
          1td>241/td>
     11to>
```



EDUCATION TO INNOVATION

(/table>

Conclusion:

In this experiment we successfully created stables, the table structure cohanced with outsibutes like booders, cell fadding

Post Practical Question: and cell spacing.

- 1. Which tag is used to create a table in HTML?
- a)
- b) <tab>
- c)
- d)

Answer:

A. (table)

- 2. What does the tag represent in an HTML table?
- a) A table cell
- b) A table row
- c) A table header
- d) A table caption

Answer:

B. A table row

- 3. Which tag is used to define a header cell in a table?
- a)
- b)
- c) <header>
- d) <cell>

Answer:

B. 1th>



EDUCATION TO INNOVATION

- 4. What attribute is used to add a caption to a table?
- a) <caption>
- b) <tablecaption>
- c) title
- d) description

### . Answer:

A. (caption)

- 5. Which attribute would you use to specify the border of a table in HTML?
- a) border
- b) border-style
- c) frame
- d) cellpadding

### Answer:

A. border

Signature with Date of Completion	
Marks out of 10	



Aim: Create web page using metadata &<! DOCTYPE html> tag.

### Description:

This practical demonstrates the use of the <!DOCTYPE html> declaration to specify the HTML version. It also covers the use of metadata tags like <meta> to define the character set, description, keywords, and other important information for the webpage. Metadata is essential for SEO and webpage responsiveness.

### Procedure:

<!Doctype html>
thtml>

thead x

/meta name = "description" content = "An example
of a web page using metadata;

/meta name = "keywoods" content = "HTML, metadata
web deviorment;

(title) meta data example ( ! title >

theady thereome to my web page this

(/html) ?/body>
Conclusion:

In this experiment are recorded the importance of

\*IDoct fee that & decreation which specifices thehtml version

se impremented various (meta) tags within the shead's

Section of the Html document to define essential infor

Post Practical Question: about the web page, such as the enabactes set keyword and author.



Aim: Create a Web page to display basic your resume

### Description:

In this practical, a simple webpage was created to showcase a basic resume layout. HTML tags such as <h1>, , and are used to structure sections like personal details, education, skills, and contact information. This is useful for creating personal portfolios or professional resumes online.

```
(IDoctype. html)
(titm1)
                                              1 body s
                                                                                        this my resume this

    Aha> Patel shami { | ha>
    Aha>
    Patel shami { | ha>
    Aha>
    Patel shami { | ha>
    Aha>
    Patel shami { | ha>
    Aha>
    Patel shami { | ha>
    Aha>
    Patel shami { | ha>
    Aha>
    Patel shami { | ha>
    Aha>
    Patel shami { | ha>
    Aha>
    Patel shami { | ha>
    Aha>
    Patel shami { | ha>
    Aha>
    Patel shami { | ha>
    Aha>
    Patel shami { | ha>
    Aha>
    Patel shami { | ha>
    Aha>
    Patel shami { | ha>
    Aha>
    Aha>
    Patel shami { | ha>
    Aha>
    Aha>

                                                                                    (h3) personal details (1h3)
                                                                                   1P>1b> Email: 11b> patidarshani692@gmail.com(p)
                                                                                 19>16> Phone: 1/6> 9316983207 1/9>
                                                                                  that Edycation (1ha)
                                                                                ttable border = "1" >
                                                                             1tos
                                                                                                    1td> B. SC It 1/td>
                                                                                                 1td> silver oak uni + /td>
                                                                                                1td x 2024 1/td>
                                                                       1tox
                                                                                                1td> High school + 1td>
                                                                                           1td> Gyaniyot 11td>
1td> 2019-2023 1/td>
```



**EDUCATION TO INNOVATION** 

(Itabie)

that skills that

1411

11i) HTML, CSS this

Klib Java Klib

Klix web Yllix

(1hody)

Post Practical Question:

Conclusion:

Signature with Date of Completion

Marks out of 10



Aim: Show the use of all tags and attributes of

- 1. ordered list
- 2. unordered list.

### Description:

This exercise demonstrates the use of ordered () and unordered () lists in HTML. The tag is used for list items. Attributes like type, start, and reversed for ordered lists, and bullet styling for unordered lists, are explored to enhance list formatting.

```
(IDoctype.html)
 1 htm 12
         (head)
                Ititle> list altitle>
        ( lhead >
        4body>
               (h2) ordered list (/h2)
              You type = "1" start = "3" reversed >
              <111> 3 < 111 >
              111/24/11x
             イバンユイノバト
             1017
                  that unordered list t/hat
                 (41) type = "ciocle" >
                    くじょ First イルント
                   4112 second 4/112
                   411> Third 4/11>
Ylhtmi 11body + 1/41>
```



Conclusion:

In this experiment the use of ordered and

ist items. bullet styling for unoodered list.

Post Practical Question:

- 1. Which tag is used to create an unordered list in HTML?
- a)
- b) <u1>
- c) <11>
- d) <list>

#### Answer:

R. (41)

- 2. What is the purpose of the <1i> tag in both ordered and unordered lists?
- a) To define the list itself
- b) To represent each item within a list
- c) To create a heading for the list
- d) To style the list items

Abswer: B. To perferent each item within a list

3. Which attribute can be used to specify the type of bullet in an unordered list?



**EDUCATION TO INNOVATION** 

- a) style
- b) type
- c) bullet
- d) list-style-type

#### Answer:

B. type

- 4. What tag is used to create an ordered list in HTML?
- a)
- b) <11>
- c) <01>

\*\*\*\*\*

d) <list>

#### Answer:

c. (01)

- 5. Which attribute can you use to change the numbering style of an ordered list?
- a) style
- b) type
- c) numbering \*
- d) format

Answer

B. type

Signature with Date of Completion	2		HI S I I
Marks out of 10			



Aim: Create webpage which shows the use of hyperlink.

Description:

In this practical, hyperlinks were created using the <a> tag. The href attribute was used to link to external and internal web pages, while the target attribute was used to control how the linked page opens (e.g., in a new tab). This exercise is key in learning how to navigate between web pages.

```
1! Doctype. ntmlx
    themes
           (head)
                  Ltitle > Links LItitle >
           11heads
           160dy this using Hyperlink 1/his
                 1Px visit an external website: <1Px
                 19 her = "https://www.google.com" target: "blank
                 19 herf="# section 1" > go to section 1 < 19>
                                                  900g1ex 19x
                 19 herf = "#sections" > go to section 21/9>
                 (h2) id = "section 1"> section 1 (/h2)
                 1Px This is section 1 1/Px
                 the id = "section 2" > section 2 1/he>.
                 1PX This is section 2 1/PX
          Thodyx
   (html)
Post Practical Question:
```



### **EDUCATION TO INNOVATION**

1. What are the security implications of using hyperlinks that open in a new tab (i.e., using target=" blank")?

Ans: Using target= "-blank" without rel= "noopener can expose the original Page to tob mabbing attaks, allowing the new page to manipulate as redirect it

2. How would you create an anchor link that scrolls to a specific section of the same webpage? Ans:

(!Doctype.html) 4 htmlx

theads

etitles Amchar link eltitles

1/head>

(body)

19 hearf="section 1" > go to section <19> (hald = "section 1" > section 2/h2>

1Px this is section 1 1/Px

1/body)

Signature with Date of Completion Marks out of 10



EDUCATION TO INNOVATION

EXPERIMENT NO: 8

Aim: Show the use of all tags related to images.

### Description:

This practical demonstrates the use of the <img> tag to display images on a webpage. Attributes like src (source), alt (alternative text), height, and width are explored to control the display of images. It also covers image alignment and linking an image to another page using the <a> tag.

### Procedure:

4/html)

,,,

(!Doctyte. htm!)

Thead>

Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>
Thead>

Post Practical Question:	ost	Practical	Ouestion
--------------------------	-----	-----------	----------

- 1. Which tag is used to embed an image in an HTML document?
- a) <img>
- b) <picture>
- c) <image>
- d) <src>

#### Answer:

2. What attribute is essential for the <img> tag to specify the image source?

- a) source
- b) src
- c) href
- d) file

#### Answer:

3. What attribute is used in the <img> tag to provide alternative text for an image?

- a) alt
- b) title
- c) description
- dient

### Answer:

A. Alt

- 4. How do you specify a caption for an image using HTML?
- a) Using the <figcaption> tag inside the <figure> tag
- b) Using the <caption> tag
- c) Using the alt attribute
- d) Using the <label> tag

#### Answer:

A. Using the 4 figca Ption > tag inside the 4 figure > tag

Signature with Date of Completion	
Marks out of 10	



EDUCATION TO INNOVATION

### EXPERIMENT NO: 9

Aim: Create a webpage and use the following TAG to perform operation.

- 1. Create a simple table with at least three rows and three columns.
- 2. Use the , , , and tags....
- 3. Add a caption to the table created above using the <caption> tag.
- 4. Add a border to your table using the border attribute in the tag.
- 5. Align the content of your table cells using the align and valign attributes.
- 6. Change the background color of your table and its cells using the bgcolor
- 7. Use the cellpadding and cellspacing attributes to adjust the spacing inside and between the table cells.
- 8. Create a nested table by inserting one table inside another table's cell.

### Description:

This practical focuses on creating a table with at least three rows and three columns using the , . , and tags. Features such as captions, borders, alignment, background colors, cellpadding, and cellspacing were demonstrated. Additionally, a nested table was created by placing one table inside a table cell.

```
Procedure:
```

```
(!Doctype.html)
1html $
         (head)
                 (title) table (/table)
         1/head >
         ( body >
                Itable booder="1"cellfadding="10" cellstring="5" bgcolor="Red"
                1 caption > 16> studen + Data 116> 11 captions
                ttal by color="blue"s
                   1th > align = "center" > Name ( 1th)
                   1th align = "center" > ID //th>
                   1th) align = "center" > Age 1/th)
              11tox
               ttobg color = "blue" 1
                1td blign = "center"; Alice 1/td;

(td align = "center"; Alice 1/td;

(td align = "center"; 21 1/td;
```



# EDUCATION TO INNOVATION

Station I II	u - la - elletail tale
Ktable booder = "1" cell Padding = "5"	"celyacing="2" bg color ="skyblye"
startd coins = "hellom"	11to)
thatign = "center" > sub (1th)	(Itable)
1th align = "center" & Grade 1/th)	रा tत >
(142)	11tox
(tax	≺/ table >
<pre> fnaths &lt; ltd &gt;</pre>	1/bodys
Conclusion: "center" > A+ (1td)	(Ihtm)>
_ In this experiment	we learned to create and
formet tables using ht	m) we successfully cocated
tables with multiple of	our and columns added captions
applied borders aligned	content using alignment
attributes and customis	zed the appearance with
back ground colors.	
Post Practical Question:	
	tables allows for cleaner de and Provide greater
flexibility and control	over asign.
usability?	ny rows and columns to improve readability and
lighting, Pagination and	
Signature with Date of Completion	Encode and
Marks out of 10	1 111



### **EDUCATION TO INNOVATION**

### **EXPERIMENT NO: 10**

Aim: Create a webpage and use the following TAG to perform operation.

- 1. Use the <frameset> tag to create a webpage with two frames.
- 2. Use the <frame> tag to define the content of each frame.
- 3. Specify different attributes like border, frameborder, framespacing, and marginwidth for the frames.
- 4. Set the width and height of the frames using the cols and rows attributes in the <frameset> tag.
- 5. Create a navigation menu in one frame and display the corresponding content in another frame using the target attribute in the <a> tag.

### Description:

This practical shows the use of the <frameset> and <frame> tags to create a webpage with two frames. The webpage includes a navigation menu in one frame and displays related content in another frame using the target attribute. Attributes like border, frameborder, framespacing, and marginwidth are also demonstrated to control the appearance and spacing of frames.

```
<!DoctyPe. html >
<html>
<html>
<framset rows. "20", 80"."
framsorder = "1" framsracing
border = "1" >
<framesrc = "menu. html" >
<framesrc = "content ntml rame
= "content" >
</frameset >
</frameset >
</html>
```

```
!Doctype.html >

(html )

(html >

(html >

(html >

(html )

(html >

(html >

(html )

(html )

(html >

(html )

(htm
```



EDUCATION TO INNOVATION

### Output:

· web Page layout

Conclusion: top frame (nowigation menul)

In this experiment we successfully created a webpage using the stramsets and strames tag to display two frames we used attributes like booder framebooder, frame spacing and margin width to customize Post Practical Question: the frames.

- 1. What are the drawbacks of using frames in modern web development, and what alternatives exist?
  - Ans: + Drawbacks of frames
- \* Alternatives

- · seo issyes
- · Ascessibilit problem
- · Browser compatibility issues
- · css layout
- · Javascript
- · HTml's semantic

How can you handle ssues related to frame security and browser compatibility?

Ans: frame security

1. Use HTTAS encoyption

2. set content security policy

3. We samtox attibute

· Browser compatibility

1. crose broweser testing

2. Java script Libaries.

Signature with Date of Completion	
Marks out of 10	



Aim: Create a webpage for online Jewellery shopping.

- 1. Display Menu in left frame.
- Clicking on menu should display related webpage in right frame.
- 3. Keep header and footer frames to display related information.

### Description:

In this exercise, a webpage is designed using frames to create a simple online jewelry shopping interface. The left frame displays the menu, and clicking on the items in the menu displays the related content in the right frame. Additionally, a header and footer are used to display additional information.

21htm1>

```
Procedure:
(IDoctype.html)
them1>
        thead >
               title> laptops / title>
                    (limk src = "style head" heaf = "style . ass")
        11 head >
        4 body x
                 x
11ix a hoef= "the captor" > he + lax dii >
                 xiix rahacf = "# Acercaptor" & Acerclarkliis
                 111> 1 a haef = "# msi Laptop" > this 1/9> 1/11>
             Y/UIL
            dmain)
                  dsection id = " hp laptop" >
                   thethe 165 thet
                  dimgsrc = "hp. ipg +
            d/main x
            footes, & copy, 2024 hp. 1/footes,
        4/body>
```



# Conclusion: Output:

- · header with title
- · navigation menu
- · main content with sections for rings etc.
- · footer with copy sight information

#### Post Practical Question:

1. How would you enhance the user experience by integrating JavaScript or CSS animations in your jewelry shopping website?

### Java script:

### css Animation.

- Product image 200m . Hover effects

• 360'- view

- · Product sliders
- Shopping Cat the How can you make your shopping website responsive for mobile and tablet devices? Ans:
  - \* HTm1/css 3 media queries
  - \* Boot strap/ foundation
- \* mobile First design
- \* Responsive images | videos etc.

Signature with Date of Completion	Collis San March
Marks out of 10	



Aim: Create web page for register online exam form filling process.

### Description:

This practical involves creating a form for registering for an online exam. The form uses various form elements like <input>, <select>, <textarea>, and buttons for user input. The exercise highlights form validation, data submission, and user interaction on a webpage.

```
Procedure:
(!Doctype.html)
< htmi>
                Ititle & online exam registeration Ititle &
        dstyles body & font - family: 08; a1; from &width: 50%; many in: 40 Pec auto padding: 20 Pe; booder: 1 Po
        1 Istyle>
        Alhead >
        Thoughthis omline exam registerationally
               (form)
                    tlabel > full mame: 1/19601>
                          1 imputtype="text"mame-"mame required >1/bo>
                    11abel > Email: 4/ label >
                          rimput type = "email" name = "n umber" > 1/box
                   dlabel > shome : 1/label >
                          timpet offe="mumber" mame = "mumber" required ? 14%
```

select name "exam" y liselect y 160x1/60x alabely passwoody labely 1 in 1 Atthe " Lars mary , sellised > 1 por 11 per 1 imputtype = "submit" value = "Register" Mhtmill Lay (140pm)

riopeix exam Allapeix



EDUCATION TO INNOVATION

A	CONTRACTOR OF
Conc	usion:
A	THE STREET

In this experiment we successfully designed an online exam registration from using various time from using such as sinputy, selectly, and stoucture are styled using Post Practical Question: CSS.

- 1. Which HTML tag is used to create a form in a webpage?
- a) <input>
- b) <form>
- c) <register>
- d) <fieldset>

Answer: b) <form>

- 2. What attribute is used to specify the method of form submission in HTML?
- a) action
- b) method
- c) submit
- d) enctype

#### Answer:

A. method

3. Which input type would you use for a text field where users can enter their names?

to the Third to be to be

the state of the s

- a) <input type="number">
- b) <input type="text">
- c) <input type="email">
- d) <input type="password">

Answer: -

B. I'mput type = "text")

software stated to the book of the box south



EDUCATION TO INNOVATION

4. Which CSS property would you use to change the background color of the form?

- a) color
- b) background
- c) bgcolor
- d) background-color

### Answer:

D. background - color

- 5. What is the purpose of the <label> tag in a form?
- a) To create a text input
- b) To provide a clickable area for form controls
- c) To define a form section
- d) To display error messages

Answer: B. To provide a clickable area for from controls

- 6. Which CSS property is used to adjust the spacing between the form fields?
- a) margin
- b) padding
- c) border
- d) spacing

#### Answer:

A. margin

- 7. How can you make a field required in a form?
- a) By adding the required attribute to the input tag
- b) By using the mandatory attribute
- c) By adding required="true" in the form tag
- d) By setting the validate attribute to true

#### Answer:

A. By adding the required attribute to the imput tog.



Aim: Create a Web page to display your resume.

<! Doctype. html>
<html>

thead)

Ititie> Resume < I title>

(Ihead)

1 body >

theader >

This your name this

Textoni Shani Ogmail. com tex

Textocation: city tex

11 header

dsection id = "symmaty">

1P> symmany about your serf 11p>

1/section>

disection id = "exprience">

they experience they

4 "40 CI 955 = "JOB" }

that job Title company name that

1Pt month year Present 11Pt

1017

tils achievement this

tlix achievement 2 tlis

11ir achievements 11ix



This practical involves creating a more detailed and formatted resume using HTML. Sections like personal details, education, work experience, and skills are presented using appropriate tags like <h1>, , <u1>, and . This showcasse how LTD ff showcases how HTML can be used to create professional online resumes.

### Procedure:

(section "d = "SKIIIS" > that skills t/hax 12116 411 x 5Kill 1 4/11 x 4117 SKill 2 4/117 Killy Ellinskilly 411x SHILL 4 1/11x 1/section > 1/41> 1 Footes > 1 P) @ 2023 Your mame 1/P> 11-footes >

1/body>

The provided Html and ess exectes a simple webpage to display a resume featoxing section for personal information education and skills

Post Practical Question:



### **EDUCATION TO INNOVATION**

What enhancements can you add to make the resume more interactive, such as using modal windows or downloadable sections?

and modal windows to display detailed in-formation about each job experience when cleared providing a more in depth over view with outh eluttering the main lage impetementing downlowdable sections such as a power sion of the resume could allow user to easily save or point a copy.

2. How would you update your resume in the future while maintaining consistency and formatting across devices?

Ans: To update your sesume in future and formatting a cross devices use responsive webdesign techinques to the layout for different screen sizes ensuring readability on desktols, tablets and smartphones.

In Plement a CSS frame work like Bootstrap to maintain appearance and ease of updates Additionary ultire a version content system like Crit to track thanges and efficiently ensuring a consistent

Signature with Date of Completion

Marks out of 10



Aim: Show the use of all tags and attributes of ordered list and unordered list.

Description:

In this practical, ordered and unordered lists were created using <01> and <u1> tags. Different attributes of lists were explored, such as the type attribute for ordered lists (e.g., numbers, letters) and various bullet styles for unordered lists. This practical highlights how to create and style lists on a webpage.

Procedure:

Albaythay

Bullet Listalhay

Bullet Listalhay

Bullet Listalhay

Conclusion:

Albaythay

Bullet Listalhay

Allay

Allay

Conclusion:

Allay

Albaythay

Bullet Listalhay

Allay

Al

In this experiment we demonstrated the creation an styling of ordered and unorded list using html and are explored various list types (1012, 14112) and attailed the applied custom styles to enhance their appearance this knowledge heirs in organizing and presenting content effectively are web pages improving readability and visual appeal.



# SILVER OAK UNIVERSITY EDUCATION TO INNOVATION

Post Practical Question:

1.	Which tag i	s used	to create	an ordered	list in	HTML 2	į
			the minerin	an oracical	1181 111	F1 1 3V1 1 7	

- a) <u1>
- b) <11>
- c) <01>
- d) <list>

### Answer:

2. What attribute can you use to specify the starting number of an ordered list?

- a) start
- b) type
- c) value
- d) number

#### Answer:

A. start

- 3. Which of the following tags is used to define each item in a list?
- a) <item>
- b) t-item>
- c) <1i>
- d) <element>

#### Answer:

C. Y11'>

- 4. What is the default bullet style for an unordered list created with the tag?
- a) Square
- b) Circle
- c) Disc
- d) None

#### Answer:

c. Disc



**EDUCATION TO INNOVATION** 

- 5. Which attribute can be used with the <01> tag to change the numbering style of the list?
- a) start
- b) type
- c) style
- d) numbering

### Answer:

B. type

Signature with Date of Completion	
Marks out of 10	