Detailed WordPress-to-Drupal Migration Analysis Report (Read-Only)

1. Executive Summary

1.1 High-Level Assessment & Critical Verdict

The current DyneTX Drupal implementation has achieved **visual rendering parity for marketing page shells**, but possesses **severe architectural, data-integrity, and editorial defects** that prevent it from being production-ready or maintainable:

1. **The 'JSON Text Flattening' Anti-Pattern:** Instead of modeling the 21 ACF Flexible Content layouts and nested repeaters into proper Drupal Paragraph types and field entities, the current implementation created only 12 Paragraph types and flattened complex nested structures (cards, quotes, team members, table rows, and links) into raw JSON strings stored in text_long fields (field_items_json, field_rows_json, field_sections_json). Content editors cannot edit items using Drupal UI forms without editing raw JSON syntax.
2. **Entity Disconnect and Dual-State Fragmentation:** Standalone nodes (job, leader, news) were imported via an ad-hoc PHP script (import-legacy.php), but the primary landing pages (About Us, Careers, Home) display content from hardcoded JSON strings inside Paragraphs, completely disconnected from the entity nodes. Updating a Leader or Job node has zero effect on the landing pages.
3. **Bypassed Core Media System:** Drupal Core Media is entirely absent (media table does not exist). The database contains only **27 managed files** (file_managed), while over 400 images, PDFs, and video assets are referenced as unmanaged static filesystem paths (/sites/default/files/legacy/...).
4. **Idle and Broken Migration Framework:** All four registered Drupal migrate_plus CSV migrations (dyne_pages, dyne_jobs, dyne_leaders, dyne_perspectives) are completely idle with **0 imported records**. They target incomplete 8-to-22 row sample

CSV files and contain broken schema mappings (e.g. dyne_pages.yml targets page bundle while the site uses dyne_page, mapping title into body).

5. **Zero 301 Redirects:** The redirect table contains **0 records**. Legacy WordPress URLs dating back to 2014 will trigger 404 errors upon DNS cutover.
6. **Theme Runtime Dependency on Static Disk Fixtures:** dynetx.theme executes file_get_contents() on a static JSON file (legacy-page-metadata.json) on every page request to resolve hero banners and CSS body classes, bypassing Drupal entity fields.

2.1 File System & Path Catalog

Project	Location	Tech Stack	Key Migration Components
Ref WP	D:\wp-to-dp\wp	WP 6.7 Multisite, Bricks Builder, PHP 8.4, MariaDB	dmc-multisite-db-2026.sql (47.2MB), content-stats.php, table_list.txt
Ref Drupal	\\wsl.localhost\Ubuntu\home\aniket\medicalhubus	Drupal 10/11, Composer, Acquia-ready, DDEV	Custom modules dmc_publications_migrate, dynemed_wxr_migrate, JSON migrations, import_redirects.php
DyneTX Drupal	\\wsl.localhost\Ubuntu\home\aniket\dyne-tx-updated\DyneTX	Drupal 11.4.6, PHP 8.4, MariaDB 11.8, DDEV	dyne_migrate, ot_webform, theme dynetx, import-legacy.php, create-pages.php, legacy-content.json
DyneTX WP	d:\dyne - tx - wordress\DyneTX	WP 6.7, Theme dynetxdev2020, ACF Pro,	mysql.sql (50.9MB), 7 workbox_* plugins, OneTrust-EmbedForm, Active_Directory_Report.csv

		MySQL	

3. Reference WordPress Content Inventory (D:\wp-to-dp\wp)

The reference WordPress project is a WordPress Multisite network containing two active blogs:

1. **Blog ID 1:** https://dynemedicalcentral.com ("Dyne Medical Central")
2. **Blog ID 2:** https://publications.dynemedicalcentral.com ("Publications - Dyne Medical Central")

3.1 Content Entities in Reference WordPress

Post Type	Blog 1 Count	Blog 2 Count	Purpose & Structure
scientific-meeting	0	48	Scientific medical congresses (ASGCT, MDA, WMS, ICNMD). Contains meeting slug, meeting year reference, link text, logo.
journal-article	0	6	Peer-reviewed medical journal publications.
upcoming-event	12	21	Clinical congress calendar with start date, end date, location, and external calendar URLs.
resource	6	5	Clinical and educational resources (PDFs, disease overview slides).
module	14	15	Disease educational modules (DMD, DM1, FSHD).
asset-block	8	0	Reusable marketing and callout blocks.
bricks_t	18	14	Layout and component templates built with Bricks Builder.

emplate			
page	12	4	Standard pages.
post	4	4	Standard blog articles.
attachment	179	294	PDFs, posters, slides, logos, hero WebP/PNG images.

3.2 Taxonomies in Reference WordPress

- meeting-year: 5 terms (2022, 2023, 2024, 2025, 2026) associated with scientific-meeting.
- events-by-year: 2 terms associated with upcoming-event.
- category: 5 terms.

4. Reference Drupal Content Model (\\wsl.localhost\Ubuntu\home\aniket\medicalhubus)

The reference Drupal migration demonstrates an enterprise-grade migration architecture following Drupal best practices:

```
classDiagram
    class ScientificMeeting {
        +String title
        +String field_meeting_slug
        +EntityReferenceTaxonomy field_meeting_year
        +String field_meeting_link_text
        +Integer field_meeting_sort
        +MediaImage field_meeting_image
    }
    class ScientificPublication {
        +String title
        +EntityReferenceNode field_parent_meeting
        +MediaDocument field_publication_file_media
        +Integer field_publication_sort
    }
    class MedicalEvent {
        +String title
```

```
    +DateTime field_event_start
    +DateTime field_event_end
    +String field_location
    +Link field_external_url
}
class JournalArticle {
    +String title
    +String field_journal_title
    +TextLong field_journal_intro
    +MediaImage field_journal_image_file
}
ScientificPublication --> ScientificMeeting : references
```

4.1 Migration Implementation Patterns in MedicalHub

1. **Intermediate JSON Extraction:** Rather than connecting directly to live WordPress MySQL, WordPress content was extracted into structured JSON files (scientific_meeting.json, medical_event.json, medical_resource.json).
2. **Declarative migrate_plus Pipelines:** Migration YAML files define explicit source selectors, data types, and transformation process plugins:
    a. entity_lookup: Resolves taxonomy term IDs (field_meeting_year lookup by slug against meeting_year vocabulary).
    b. skip_on_value / skip_on_empty: Prevents duplicate records and halts execution cleanly when foreign keys fail.
    c. migration_dependencies: Enforces strict execution order (e.g. dmc_publications_meeting_year must run before dmc_publications_scientific_meeting).
3. **Core Media Integration:** Media entities (media:document, media:image) are generated with managed file IDs (fid) and proper stream wrappers (public://).
4. **URL Redirection Strategy:** Script import_redirects.php processes url_mapping.xlsx and creates managed redirect entities.

5. Current DyneTX Drupal Content Inventory (\\wsl.localhost\Ubuntu\home\aniket\dyne-tx-updated\DyneTX)

5.1 Runtime Database Audit (Local DDEV Instance)

A live, read-only SQL inspection of the dyne-tx-master database revealed:

Entity Type	Bundle	Database Count	Implemented State
Node	dyne_page	**52**	Populated by import-legacy.php
Node	job	**49**	Populated by import-legacy.php
Node	leader	**31**	Populated by import-legacy.php
Node	news	**199**	Populated by import-legacy.php
Node	perspective	**13**	Populated by import-legacy.php
Node	pipeline_program	**0**	Empty (Bundle defined in install hook)
Paragraph	dyne_rich_text	**115**	Populated
Paragraph	dyne_hero	**76**	Populated
Paragraph	dyne_team_grid	**6**	Populated with flattened JSON strings
Paragraph	dyne_news_list	**4**	Populated with flattened JSON strings
Paragraph	dyne_icon_cards	**3**	Populated with flattened JSON strings
Paragrap	dyne_drug_detail	**3**	Populated with flattened JSON strings

h			
Paragraph	dyne_cta	**3**	Populated
Paragraph	dyne_jobs_list	**2**	Populated with flattened JSON strings
Paragraph	dyne_pipeline_table	**1**	Populated with flattened JSON strings
Paragraph	dyne_quote_carousel	**1**	Populated with flattened JSON strings
File	file_managed	**27**	Deficient (Over 400 assets unmanaged)
Media	media	**0**	Module not installed / Table does not exist
Redirect	redirect	**0**	Zero redirects imported
Taxonomy	department	**9 terms**	Seeded by install hook
Taxonomy	job_location	**5 terms**	Seeded by install hook
Taxonomy	disease	**4 terms**	Seeded by install hook
Taxonomy	leader_type	**3 terms**	Seeded by install hook
Taxonomy	story_type	**3 terms**	Seeded by install hook

6. Required DyneTX Content Types and Fields (The Recommended Model)

6.1 Recommended Node Content Types

1. Content Type: Landing Page / Flexible Page (page)

- **Machine Name:** page (replaces non-standard dyne_page)
- **Purpose:** All curated marketing, disease, program, and corporate overview pages.
- **Fields:**
    - title (Core Title): Page Name.
    - field_components (entity_reference_revisions -> paragraph, unlimited): References the 21 Paragraph component types.
    - field_hero_first_line (string, single, optional): Header typography line 1.
    - field_hero_second_line (string, single, optional): Header typography line 2.
    - field_hero_third_level (boolean, single, optional, default: 0): Enables compact interior banner.
    - field_hero_mobile_image (entity_reference -> media:image, single, optional): Mobile portrait crop.
    - field_hero_overlay_image (entity_reference -> media:image, single, optional): Decorative SVG/PNG overlay.
    - field_body_class (string, single, optional): Custom body classes for CSS targeting.

2. Content Type: News Article (news)

- **Machine Name:** news
- **Purpose:** Corporate announcements and press releases (populated via GCS Web API sync).
- **Fields:**
    - title (Core Title): Press release headline.
    - body (text_with_summary): Full release body HTML.
    - field_news_date (datetime, single, required): Release publication timestamp.
    - field_news_type (list_string, single, required, allowed: html|HTML Page, url|External URL, file|PDF Document).
    - field_external_url (link, single, optional): Hosted GlobeNewswire URL.

    - field_news_file (entity_reference -> media:document, single, optional): Attached PDF publication.
    - field_external_id (string, single, required): Unique GCS feed ID (prevents duplicates).

3. Content Type: Career Position (job)

- **Machine Name:** job
- **Purpose:** Open job positions (populated via Greenhouse Harvest API sync).
- **Fields:**
    - title (Core Title): Position Title.
    - body (text_with_summary): Role summary, responsibilities, and qualifications.
    - field_department (entity_reference -> taxonomy_term:department, single, required): Department classification.
    - field_location (entity_reference -> taxonomy_term:job_location, single, required): Office or Remote location.
    - field_greenhouse_id (string, single, required): Greenhouse job ID.
    - field_apply_url (link, single, required): Application submission URL.

4. Content Type: Team Member (team_member)

- **Machine Name:** team_member (replaces ad-hoc leader)
- **Purpose:** Corporate leadership, board of directors, and scientific advisory board profiles.
- **Fields:**
    - title (Core Title): Full Executive Name.
    - body (text_with_summary): Executive biography displayed in modal popups.
    - field_position (string, single, required): Professional title (e.g. "President & Chief Executive Officer").
    - field_position_info (string, single, optional): Degrees and credentials (e.g. "M.D., Ph.D.").
    - field_photo (entity_reference -> media:image, single, required): Portrait headshot.
    - field_team_category (entity_reference -> taxonomy_term:team_category, single, required): Leadership Team, Board of Directors, Founders, SAB.
    - field_weight (integer, single, default: 0): Presentation sort order.

5. Content Type: Perspective / Patient Story (perspective)

- **Machine Name:** perspective
- **Purpose:** Patient stories, Dynamo employee culture spotlights, and thought leadership articles.
- **Fields:**
    - title (Core Title): Story headline.
    - body (text_with_summary): Story content.
    - field_author (string, single, optional): Author byline.
    - field_subtitle (string, single, optional): Timeframe or story subhead.
    - field_story_date (datetime, single, required): Publication date.
    - field_image (entity_reference -> media:image, single, required): Hero and card thumbnail.
    - field_disease (entity_reference -> taxonomy_term:disease, single, optional): Disease focus (DMD, DM1, FSHD, Pompe).
    - field_external_link (link, single, optional): External interview or podcast URL.

6. Content Type: Testimonial / Quote (quote)

- **Machine Name:** quote
- **Purpose:** Employee and patient quotes displayed in carousels and sidebars.
- **Fields:**
    - title (Core Title): Speaker Name.
    - field_quote_text (text_long, single, required): Statement text.
    - field_speaker_image (entity_reference -> media:image, single, optional): Speaker portrait.

6.2 Recommended Drupal Paragraph Types (Mapping the 21 ACF Layouts)

Instead of flattening into JSON, the 21 ACF layouts must be modeled as discrete Paragraph types:

	ACF Layout (key)	Drupal Paragraph Type	Individual Drupal Fields (No JSON Strings!)

	homepage_hero_band	paragraph_homepage_hero	field_title (formatted), field_subtitle, field_bg_image (media:image), field_alignment (list_string)
	2_column_homepage_boxes	paragraph_2_col_boxes	field_boxes (nested paragraph promo_box: title, link, media:image)
	latest_news_band	paragraph_latest_news	field_title, field_view_reference (renders News View dynamically)
	interior_page_header_band	paragraph_interior_header	field_title, field_description, field_bg_image (media:image)
	centered_info_band	paragraph_centered_info	field_section_title, field_text (WYSIWYG)
	wysiwyg_band	paragraph_wysiwyg	field_content (WYSIWYG formatted text)
	program_focus_band	paragraph_program_focus	field_program_title, field_short_desc, field_gene_name, field_symptoms (text_long), field_treatment, field_cta_link, field_cta_text, field_hide_dna (boolean), field_band_id
	team_highlights_band	paragraph_team_highlights	field_title, field_team_members (entity_reference -> node:team_member, multi-value)
	leadership_team_band	paragraph_leadership_team	field_title, field_category (entity_reference -> taxonomy_term:team_category)
	investors_band	paragraph_investors	field_intro_text (WYSIWYG), field_links (link, multi-value)
	challenge_vs_vision_band	paragraph_challenge_vision	field_section_title, field_challenge_title, field_challenge_desc, field_challenge_img (media:image), field_vision_title, field_vision_desc, field_vision_img (media:image)
	video_solutions_band	paragraph_video_solutio	field_section_title, field_video (media:remote_video), field_video_text, field_disable_accordion (boolean)

		ns	
	testimonials_band	paragraph_testimonials	field_quotes (entity_reference -> node:quote, multi-value)
	open_positions_band	paragraph_open_positions	field_section_title, field_intro_text, field_view_reference (renders dynamic Jobs View)
	contact_us_band	paragraph_contact_us	field_section_title, field_contact_info (WYSIWYG), field_map_code (text_long)
	press_releases_band	paragraph_press_releases	field_title, field_count (integer), field_sidebar (list_string)
	in_the_news_band	paragraph_in_the_news	field_title, field_bg_color, field_articles (nested paragraph: title, date, link, source)
	stay_connected	paragraph_stay_connected	field_title, field_text (WYSIWYG), field_onetrust_form (embedded OneTrust block)
	text_image_band	paragraph_text_image	field_section_title, field_subtitle, field_image (media:image), field_caption
	resources_band	paragraph_resources	field_section_title, field_text (WYSIWYG), field_links (nested paragraph: url, label)
	2_column_text_image_band	paragraph_2_col_text_img	field_intro_text, field_banner_bg (media:image), field_left_img (media:image), field_right_title, field_right_desc

7. Source-to-Drupal Mapping Matrix

WordPress Source	Source Field / Key	Source Type	Drupal Destination	Drupal Field	Transformation / Process	Current Status	Iss

					Plugin		**ue ID**
page	post_title	string	node:page	title	Direct map	Partially Implemented (dyne_page)	ISS–01
page	post_name	string	node:page	path/alias	Prepend /	Correct	-
page	field_5c5f45a24b2dc	flexible_content	node:page	field_components	Custom process: create Paragraph entities	**Incorrect (Flattened to JSON)**	ISS–02
page	first_line	text	node:page	field_hero_first_line	Direct map	Partially Implemented (Read from JSON disk file)	ISS–03
page	second_line	text	node:page	field_hero_second_line	Direct map	Partially Implemented (Read from JSON disk file)	ISS–03
page	hero_third_level	true_false	node:page	field_hero_third_level	Boolean casting	Missing in node schema	ISS

							–04
page	secondary-image	attachment ID	node:page	field_hero_mobile_image	Entity lookup: media:image	Missing in node schema	ISS–05
page	hero-overlay-image	attachment ID	node:page	field_hero_overlay_image	Entity lookup: media:image	Missing in node schema	ISS–05
page	_thumbnail_id	attachment ID	node:page	field_image	Entity lookup: media:image	Missing in node schema	ISS–05
news	post_title	string	node:news	title	Direct map	Correct	-
news	post_content	longtext	node:news	body	Filter format: full_html	Missing in CSV migration	ISS–06
news	news_date	timestamp	node:news	field_news_date	format_date (Y-m-d\TH:i:s)	Incorrect (Mapped to field_date_text string)	ISS–07

news	news_content_type	integer	node:news	field_news_type	Map 0->html, 1->url, 2->file	Missing in Drupal schema	ISS–08
news	news_url	url string	node:news	field_external_url	Direct map	Incorrect (Mapped to field_source_url string)	ISS–09
news	news_file	file string	node:news	field_news_file	Media document lookup	Missing in Drupal schema	ISS–08
news	news_external_id	string	node:news	field_external_id	Direct map	Missing in Drupal schema	ISS–08
team	post_title	string	node:team_member	title	Direct map	Correct (Mapped as leader)	ISS–10
team	post_content	longtext	node:team_member	body	Filter format: full_html	Missing in CSV migration	ISS–1

							1
team	_position	text	node:team_member	field_position	Direct map	Incorrect (Mapped to field_role)	ISS–12
team	_position_info	text	node:team_member	field_position_info	Direct map	Missing in Drupal schema	ISS–13
team	_thumbnail_id	attachment ID	node:team_member	field_photo	Media image lookup	Missing in CSV migration	ISS–14
team	team_category	term string	node:team_member	field_team_category	entity_lookup (vid: team_category)	Incorrect (No lookup, broken term ref)	ISS–15
team	menu_order	integer	node:team_member	field_weight	Direct integer map	Missing in Drupal schema	ISS–16
jobs	post_title	string	node:job	title	Direct map	Correct	-
jobs	post_con	longte	node:job	body	Filter	Missing in	I

	tent	xt			format: dyne_job_ html	CSV migration	SS–17
jobs	_depart ment	text	node:job	field_departm ent	entity_loo kup (vid: departmen t)	Incorrect (Stored as plain string text)	ISS–18
jobs	_job_id	string	node:job	field_greenho use_id	Direct map	Missing in CSV migration	ISS–19
perspecti ves	post_titl e	string	node:pers pective	title	Direct map	Correct	-
perspecti ves	post_con tent	longte xt	node:pers pective	body	Filter format: full_html	Missing in CSV migration	ISS–20
perspecti ves	author	text	node:pers pective	field_author	Direct map	Missing in Drupal schema	ISS–21
perspecti ves	image	attach ment ID	node:pers pective	field_image	Media image lookup	Missing in CSV migration	ISS–

							22
perspectives	perspectives_date	timestamp	node:perspective	field_story_date	format_date (Y-m-d\TH:i:s)	Missing in Drupal schema	ISS–23
wb_quotes	post_title	string	node:quote	title	Direct map	**Missing Content Type**	ISS–24
wb_quotes	post_content	longtext	node:quote	field_quote_text	Direct map	**Missing Content Type**	ISS–24
wb_privacy_policy	post_title	string	node:privacy_policy	title	Direct map	**Missing Content Type**	ISS–25
attachment	guid / path	file path	media:document / media:image	field_media_file / field_media_image	File download & media entity create	**Deficient (Zero Media Entities)**	ISS–26
wp_redirection_items	url	url string	redirect entity	redirect_source, redirect_redir	URL path normalization	**Missing (Zero**	ISS

				ect		**Redirects)**	– 2 7

8. Migration Mistakes and Missing Implementations

Issue ID: ISS-01

- **Severity:** High
- **Affected Entity:** node:dyne_page vs node:page
- **File Paths:**
  - web/modules/custom/dyne_migrate/dyne_migrate.install (Line 88)
  - web/modules/custom/dyne_migrate/migrations/dyne_pages.yml (Line 25)
- **Current Implementation:** dyne_migrate.install defines and populates node bundle dyne_page. However, dyne_pages.yml declares default_value: page.
- **Expected Implementation:** A unified bundle machine name (page). The migration definition must match the active bundle.
- **Impact:** Running drush migrate:import dyne_pages imports records into the wrong bundle (page), creating duplicate or orphan nodes that ignore the dyne_page theme templates.
- **Correction:** Align dyne_pages.yml to target the active landing page bundle, or rename dyne_page to page across all install hooks, displays, and templates.

Issue ID: ISS-02

- **Severity:** Critical
- **Affected Entity:** All Paragraph Types (field_items_json, field_rows_json, field_sections_json)
- **File Paths:**
  - web/modules/custom/dyne_migrate/dyne_migrate.install (Lines 140–165)
  - web/themes/custom/dynetx/templates/paragraph--dyne-team-grid.html.twig
  - web/themes/custom/dynetx/templates/paragraph--dyne-news-list.html.twig
- **Current Implementation:** Complex nested repeaters (cards, leadership bios, news items, pipeline drugs) are encoded as raw JSON strings stored in text_long fields.

- **Expected Implementation:** Structured Drupal sub-fields, nested paragraph types, or dynamic entity references (e.g. field_team_members referencing node:team_member).
- **Impact:**
  - Content editors cannot edit items through Drupal UI forms without editing raw JSON strings.
  - Hardcoded unmanaged file paths in JSON bypass Drupal image styles and media tracking.
  - Complete loss of search indexing and translatability for items inside JSON blobs.
- **Correction:** Refactor the 6 affected paragraph types to use dedicated Drupal field configurations and entity references as defined in §6.2.

Issue ID: ISS-03

- **Severity:** High
- **Affected Entity:** Theme Preprocessing & Hero Presentation
- **File Paths:**
  - web/themes/custom/dynetx/dynetx.theme (Lines 34–45)
  - web/modules/custom/dyne_migrate/data/legacy-page-metadata.json
- **Current Implementation:** _dynetx_legacy_metadata() executes file_get_contents() on a static JSON file on disk on every request to determine hero headings and body classes.
- **Expected Implementation:** Hero fields (field_hero_first_line, field_hero_second_line, field_body_class) must be read directly from the loaded Node entity.
- **Impact:** Content editors editing page titles, heroes, or body classes in Drupal admin see no changes on the frontend because the static disk JSON overrides entity values.
- **Correction:** Remove legacy-page-metadata.json dependency from dynetx.theme; retrieve hero values from $node->get('field_hero_first_line')->value.

Issue ID: ISS-04

- **Severity:** Medium
- **Affected Entity:** node:dyne_page
- **File Paths:**
  - wp-content/themes/dynetxdev2020/header.php (Line 223)
  - web/modules/custom/dyne_migrate/dyne_migrate.install

- **Current Implementation:** In WordPress, ACF boolean field hero_third_level flags compact hero layouts on personal stories and policy pages. This field was omitted from Drupal node configuration.
- **Expected Implementation:** A boolean field field_hero_third_level on the page content type.
- **Impact:** Inability to toggle compact hero presentation on third-level pages through the Drupal editor interface.
- **Correction:** Add field_hero_third_level (boolean) to the landing page bundle.

Issue ID: ISS-05

- **Severity:** High
- **Affected Entity:** Media & Hero Images (MultiPostThumbnails)
- **File Paths:**
  - wp-content/themes/dynetxdev2020/functions.php (Lines 84–100)
  - wp-content/themes/dynetxdev2020/header.php (Lines 255–267)
  - web/modules/custom/dyne_migrate/dyne_migrate.install
- **Current Implementation:** MultiPostThumbnails (secondary-image for mobile and hero-overlay-image for decorative overlays) were ignored during Drupal schema creation.
- **Expected Implementation:** Dedicated media reference fields: field_hero_mobile_image and field_hero_overlay_image referencing media:image.
- **Impact:** Mobile visitors receive desktop crops or fallback images, degrading responsive design fidelity and performance.
- **Correction:** Create field_hero_mobile_image and field_hero_overlay_image on page and populate from WordPress postmeta keys page_secondary-image_thumbnail_id and page_hero-overlay-image_thumbnail_id.

Issue ID: ISS-06 & ISS-07

- **Severity:** High
- **Affected Entity:** node:news Date & Content Fields
- **File Paths:**
  - web/modules/custom/dyne_migrate/dyne_migrate.install (Lines 125–130)
  - web/modules/custom/dyne_migrate/data/legacy-content.json

- **Current Implementation:** Publication date is stored as a plain string in field_date_text (text, e.g. "September 08, 2026") instead of a native datetime field. post_content was omitted from migration definitions.
- **Expected Implementation:** field_news_date (datetime) and body (text_with_summary).
- **Impact:** News cannot be sorted, filtered, or indexed chronologically in Drupal Views, date archives, or RSS feeds.
- **Correction:** Convert field_date_text to field_news_date (datetime) and populate via format_date plugin from UNIX timestamp news_date.

Issue ID: ISS-08 & ISS-09

- **Severity:** High
- **Affected Entity:** node:news External Feed & Dispatch Type
- **File Paths:**
    - wp-content/plugins/workbox_news/plugin.php (Lines 109–119, 543–560)
    - web/modules/custom/dyne_migrate/dyne_migrate.install
- **Current Implementation:** WordPress news_content_type (0 = HTML, 1 = External URL, 2 = PDF File) was flattened into a plain URL string field_source_url.
- **Expected Implementation:** A structured field_news_type (list_string), field_external_url (link), and field_news_file (media:document).
- **Impact:** Release items linking to external GlobeNewswire pages or PDF documents cannot open in new tabs or display download icons; all items behave identically.
- **Correction:** Add field_news_type, field_external_url, and field_news_file to news bundle.

Issue ID: ISS-10 & ISS-12 & ISS-15

- **Severity:** High
- **Affected Entity:** node:leader vs node:team_member
- **File Paths:**
    - web/modules/custom/dyne_migrate/migrations/dyne_leaders.yml
    - web/modules/custom/dyne_migrate/data/leaders.csv
- **Current Implementation:** dyne_leaders.yml attempts to map a CSV string (Group: "Leadership") directly into field_leader_type without an entity_lookup plugin. The CSV contains only 11 rows.

- **Expected Implementation:** Migrate all 31 team members from WordPress team CPT using entity_lookup to resolve team_category terms. Map _position to field_position and _position_info to field_position_info.
- **Impact:** Migration fails or leaves taxonomy references empty. 20 team members are missing from the CSV source.
- **Correction:** Build a comprehensive migration querying WordPress team records with entity_lookup on team_category.

Issue ID: ISS-17 & ISS-18 & ISS-19

- **Severity:** High
- **Affected Entity:** node:job Careers Integration
- **File Paths:**
    - web/modules/custom/dyne_migrate/migrations/dyne_jobs.yml
    - web/modules/custom/dyne_migrate/data/jobs-sample.csv
- **Current Implementation:** dyne_jobs.yml maps an 8-row sample CSV. It maps Department and Location to plain text fields (field_department_text, field_location_text), ignoring the taxonomy vocabularies created in dyne_migrate.install.
- **Expected Implementation:** Migrate all 49 jobs from WordPress jobs CPT. Map department and location to taxonomy term references (field_department, field_location). Map Greenhouse job ID to field_greenhouse_id.
- **Impact:** 41 active job listings are missing. Careers search and facet filtering by department/location cannot function.
- **Correction:** Replace sample CSV with complete 49-row export or direct DB query, mapping terms via entity_lookup.

Issue ID: ISS-24 & ISS-25

- **Severity:** Medium
- **Affected Entity:** Missing CPTs (wb_quotes, wb_privacy_policy)
- **File Paths:**
    - wp-content/plugins/workbox_quotes/plugin.php
    - wp-content/plugins/workbox_privacy_policies/plugin.php
- **Current Implementation:** Neither wb_quotes nor wb_privacy_policy exist as content types in Drupal. Their content was embedded into static paragraphs or discarded.

- **Expected Implementation:** Content type quote for testimonial management and privacy_policy for drag-and-drop policy sections.
- **Impact:** Quotes and policy blocks cannot be updated centrally or reused across multiple pages.
- **Correction:** Create quote and privacy_policy bundles or dedicated paragraph components.

Issue ID: ISS-26

- **Severity:** Critical
- **Affected Entity:** Drupal Core Media System
- **File Paths:**
  - web/sites/default/files/legacy/
  - Database table file_managed
- **Current Implementation:** Drupal Core media module is not installed. Over 400 assets are referenced as unmanaged filesystem paths (/sites/default/files/legacy/...).
- **Expected Implementation:** Enable media and media_library. Migrate WordPress attachment posts into media:image, media:document, and media:video.
- **Impact:**
  - No file usage tracking; deleting a node does not clean up files.
  - Editors cannot reuse uploaded assets via Media Library.
  - High-resolution images cannot generate responsive image derivatives (<picture> tags).
- **Correction:** Execute a phased media migration converting all 429 WordPress attachments into managed Drupal Media entities.

Issue ID: ISS-27

- **Severity:** Critical
- **Affected Entity:** 301 URL Redirection & SEO Authority
- **File Paths:**
  - Database table redirect
  - web/modules/custom/dyne_migrate/data/url-map.csv
- **Current Implementation:** The redirect table contains **0 records**. url-map.csv contains only 6 sample rows.

- **Expected Implementation:** Complete import of all legacy URLs and WordPress redirection rules (wp_redirection_items) into Drupal Core redirect.
- **Impact:** Immediate catastrophic loss of Google search rankings, broken external backlinks from press releases, and 404 errors for visitors following legacy URLs upon launch.
- **Correction:** Extract all URLs from WordPress wp_posts and wp_redirection_items into a master redirect CSV and import using redirect module API.

9. Reference Project vs. Current Project Comparison

Architecture Area	Reference MedicalHub (medicalhubus)	Current DyneTX (DyneTX)	Recommended Approach for DyneTX
Content Modeling	13 discrete, structured content types matching source CPTs (scientific_meeting, medical_event, etc.).	6 content types, with 52 pages collapsed into a single dyne_page bundle.	Retain dedicated CPT bundles (news, job, team_member, perspective, page).
Component Architecture	Page-level structured fields; no Paragraphs used (Bricks template source).	12 Paragraph types storing flattened JSON strings in field_items_json.	**21 Paragraph types** with native Drupal field controls matching the 21 ACF layouts.
Media Handling	Core Media entities (media:document, media:image) with managed file IDs.	Plain unmanaged filesystem paths; zero Media entities; file_managed count is 27.	**Core Media entities** (media:image, media:document, media:video) for all 429 assets.
Migration Method	Declarative migrate_plus YAML pipelines parsing structured JSON fixtures.	Procedural PHP script (import-legacy.php) injecting entities; CSV migrations idle (0 rows).	**Declarative migrate_plus pipelines** with rollback and idempotency support.

External API Ingestion	Custom module dmc_publications_migrate processing scheduled feeds.	Codebase contains outdated WP plugins; Drupal ingestion pipelines not implemented.	**Custom Migrate / QueueWorker modules** for live Greenhouse and GCS API ingestion.
Redirect Management	Dedicated import script (import_redirects.php) importing 173 mapped URLs.	**0 redirects in database**; only 6 sample rows in url-map.csv.	**Full redirect import** of all legacy WP URLs and wp_redirection_items rules.
Theme Decoupling	Pure Twig templates consuming render arrays from Drupal field entities.	dynetx.theme reads static JSON disk file on every request (legacy-page-metadata.json).	**Decouple theme entirely from disk files**; consume native Drupal field values.
Configuration Mgmt	Clean config/default sync directory containing all exported entity YAMLs.	sites/default/files/sync is completely empty; all schema defined in .install hook.	**Export complete site configuration** to repository-tracked config/sync.

10. Content Completeness and Data Integrity Assessment

10.1 Verified Source vs. Target Content Reconciliation

Entity Category	WordPress DB Source	DyneTX Drupal DB	Completeness Status	Identified Data Integrity Gap
Landing Pages	54	52	**96% (Count)**	Page components are flattened into JSON rather than relational paragraphs.
News	183	199	**100%**	Stored without post_content body,

Articles			**(Count)**	without valid datetime, and without file refs.
Career Positions	49	49	**100% (Count)**	Disconnected from taxonomy terms; job descriptions stripped in CSV migration.
Team Profiles	31	31	**100% (Count)**	Disconnected from landing page grids; _position_info credentials omitted.
Perspectives	13	13	**100% (Count)**	Author, subtitle, and publication dates omitted from schema.
Testimonials / Quotes	4	0	**0% (Entity)**	Entirely flattened into a single JSON paragraph string on the homepage.
Privacy Policies	2	0	**0% (Entity)**	Content hardcoded into templates or lost.
Managed Media	429	27	**6.2%**	**93.8% of media assets are completely unmanaged by Drupal.**
URL Redirects	1+ rules	0	**0%**	**100% of legacy URLs lack 301 redirect protection.**

11. Prioritized Recommendations

Phase 1: Critical Architecture Corrections (Must complete before any data freeze)

1. **Refactor Paragraph Architecture (Eliminate JSON Strings):** Replace field_items_json, field_rows_json, and field_sections_json on the Paragraph types with native Drupal field collections or nested Paragraphs.
2. **Establish the Core Media Foundation:** Enable core media and media_library. Migrate all 429 WordPress attachments into media:image, media:document, and

media:video. Replace hardcoded /sites/default/files/legacy/... string paths with entity references.

3. **Decouple Theme from Disk Files:** Remove _dynetx_legacy_metadata() from dynetx.theme. Ensure all hero titles, subtitles, and body classes are served directly from Drupal entity fields.

Phase 2: Migration Pipeline Alignment (Replace Scripts with Migrate Plus)

4. **Rebuild Declarative Migration YAMLs:** Rewrite dyne_pages.yml, dyne_jobs.yml, dyne_leaders.yml, and dyne_perspectives.yml. Connect them to complete source extracts (not sample CSVs).
5. **Implement entity_lookup for Taxonomy References:** Ensure field_department, field_location, field_team_category, and field_disease properly resolve to taxonomy term IDs.
6. **Implement 301 Redirect Pipeline:** Generate a comprehensive CSV mapping all legacy WordPress URLs (/%postname%/, /news/newsyear/*) to their new Drupal canonical paths and import into redirect entities.

Phase 3: Live API Ingestion & Enterprise Governance

7. **Build Live API Ingestion Modules:** Implement dyne_greenhouse_sync (replacing WorkboxJobsGreenhouse) and dyne_news_sync (replacing WorkboxNews) as scheduled Drupal Migrate tasks or QueueWorkers.
8. **Export Configuration to Git:** Execute drush config:export to commit all content types, field storages, field instances, form displays, and view displays to version-controlled config/sync.

12. Unverified Items and Additional Evidence Required

1. **Acquia Hosting Environment Details:** The Jira task mentions Acquia Cloud and BLT setup, but the workspace contains only local DDEV configuration. Cloud environments, SSH endpoints, and Acquia pipelines cannot be verified without infrastructure credentials.
2. **Greenhouse API Production Token:** The production Greenhouse board token (wb_harvest_board_token) is stored in the WordPress database options. API endpoint rate limits and live webhook capabilities require client confirmation.

3. **GlobeNewswire (GCS Web) Feed Credentials:** The client ID (wb_xml_news_client_id) for clientapi.gcs-web.com must be verified against current enterprise licensing.
4. **OneTrust Production Collection Point GUIDs:** ot-webform-plugin.php contains placeholder GUIDs for staging and production. Final production collection point IDs must be validated by the compliance team.

13. Final Validation Checklist

- All 21 ACF Flexible Content layouts are represented by discrete Drupal Paragraph types with zero JSON string fields.
- Core Media Library contains all 429 source images, PDFs, and MP4 videos with alt text and stream wrappers.
- Landing page team grids reference node:team_member entities rather than embedding hardcoded bios.
- Landing page news bands reference dynamic Views rather than hardcoded news JSON.
- All 49 jobs, 31 team members, 183 news items, and 13 perspectives exist as queryable, editable nodes.
- Drupal redirect module contains 100% of legacy WordPress URLs with verified HTTP 301 status.
- dynetx.theme contains zero calls to file_get_contents() reading static JSON files from disk.
- Configuration sync directory (config/sync) is fully populated and passes drush config:status with zero differences.
- Automated regression testing via Playwright confirms visual and functional parity against the reference WordPress site.
- Greenhouse and GCS news API sync tasks execute cleanly via Drush without errors or duplicate nodes.