

Office Productivity Palette v2.0.1 — Combined Logic and UI/UX Audit

Evidence-based combined code/logic and UI/UX audit of Office Productivity Palette v2.0.1, with per-tool gaps, symbiosis analysis, and three cross-cutting product additions.

Verdict: strong breadth and a serious verification culture, but the package is not yet “bulletproof.” The main 80/20 issue is fragmented context and execution: each tool largely works alone, while parsing, safety, feedback, locale, persistence, and recovery are not consistently shared.

Scores: Code & logic **39/50**; UI/UX **33/50**; combined **36/50**. These are expert rubric scores, not the automated-test pass rate.

Scope and verification basis

Audited the v2.0.1 launcher plus reachable Lib modules and the externally included Find & Replace module; reconciled against the earlier exhaustive tool-case audit. The exact launcher compiled successfully. A fresh Python master harness run passed **666/666 assertions** across four functional suites plus modularity checks. The source exposes **84 reachable unique registered actions** (83 local plus Find & Replace). The UI banner and prior README counts are stale, so inventory claims should be generated rather than hand-maintained.


Passing tests prove the asserted cases, not all intended behavior. Targeted probes independently reproduced the concrete defects listed below.

Both audit scores out of 50

Code/logic rewards breadth, correctness, reliability, architecture, and verification. UI/UX rewards discoverability, efficiency, consistency, accessibility, and prevention/recovery. The combined score is the simple average, rounded.

Audit score by rubric dimension

Source: Materialized scoring rubric



Scoring rubric

Source: Materialized scoring rubric

Audit	Dimension	Score	Maximum	Evidence
Code & logic	Breadth and intended coverage	9	10	84 reachable actions across 10 categories.
Code & logic	Correctness and edge cases	7	10	Targeted probes found precedence, mixed-unit, semantic parsing, and zero-divisor defects.
Code & logic	Reliability and data safety	7	10	Strong persistence effort, but destructive and import/save paths lack transactional safeguards.
Code & logic	Architecture and symbiosis	8	10	Shared primitives exist; execution, context, history, and workflow composition remain fragmented.
Code & logic	Verification and documentation	8	10	666 assertions pass, but harness scope and action-count documentation overclaim.
UI/UX	Discoverability and information architecture	8	10	Command palette and categories are strong; search ranking, counts, and feature discovery need work.
UI/UX	Interaction efficiency	8	10	Keyboard-first design is fast, but digit hotkeys conflict with numeric search and focus shifts break flow.
UI/UX	Consistency and feedback	7	10	Shared dark theme helps, but native dialogs, tooltips, external GUI, and overwritten toasts fragment feedback.
UI/UX	Accessibility	4	10	Fixed sizing, emoji-dependent meaning, captionless windows, and weak keyboard/screen-reader semantics.
UI/UX	Responsiveness, prevention, and recovery	6	10	Monitor clamping and responsive snippets are good; undo, confirmation, preview, and validation are inconsistent.

Code and logic audit — 80/20 concerns

Fix these shared faults before adding more isolated actions. They account for most correctness, trust, and maintainability risk.

Highest-priority code and logic findings

Source: Materialized priority logic findings

Priority	Finding	Verified evidence	Why it matters	Precise corrective wording
1	Numeric command-palette search is broken	While results exist, 1–9 and numpad keys execute rows even when the search Edit has focus.	Queries such as “1.5 lakh”, “12%”, “2026”, and “10mm” can trigger unintended tools.	Scope numeric shortcuts to ListView focus or require Alt/leader modifiers.
2	One semantic parser is not context-aware enough	Verified: “GST 18%” is treated as amount 18; “5 L” parses as 500000; “1.5 Lakh + 10%” evaluates to 160000.	Finance/math results can be plausible but wrong.	Introduce typed tokens and explicit roles: amount, rate, unit, scale, operator.
3	Mixed-unit civil calculations are dimensionally wrong	Verified: “10m 20ft diagonal” returns 22.361 ft instead of about 38.414 ft / 11.708 m.	Engineering output can be materially unsafe.	Normalize all operands to one base unit before geometry; reject incompatible dimensions.
4	Zero/invalid physical inputs are not guarded	Verified rebar conversions with 0 mm diameter or 0 spacing throw divide-by-zero errors.	Valid-looking user input crashes a tool path.	Validate positive diameter, spacing, lengths, densities, and denominators before calculation.
5	Execution paths are fragmented	Palette execution records LastExecutedAction and telemetry; direct and leader hotkeys call callbacks directly.	Repeat-last, analytics, error handling, and future undo are inconsistent.	Route every invocation through one ExecuteRegisteredAction context.
6	Task persistence is not transactional	IDs derive from the last row; save removes/replaces files; modification-time state is not consistently refreshed.	Concurrent edits, crashes, or malformed imports can lose or duplicate tasks.	Use max-ID/UUID, atomic temp-write + replace, locking, schema validation, and rollback.
7	Snippet backup selection and privacy are incomplete	Startup restore/dedupe/collision logic is not deterministic; snippet bodies are exposed in palette metadata.	Wrong catalog can load and sensitive replacement bodies may leak.	Validate schema/checksum, rank backups deterministically, detect static/dynamic collisions, redact bodies.
8	Harness assurance exceeds its protected scope	666 assertions pass, but hashing covers existing allowlisted files; new files and external includes are outside the invariant.	“Zero-trust” and “100% bitwise integrity” can be true only for the manifest, not the whole product.	Hash a declared closed-world tree, detect additions/deletions, include external modules, and parse all stderr.

UI/UX audit — 80/20 concerns

The keyboard-first palette is fast and visually coherent, but a critical shortcut collision prevents numeric searches. Accessibility and recovery are the broadest design gaps.

Highest-priority UI/UX findings

Source: Materialized priority UI/UX findings

Priority	Surface	Concern	User effect	Incomplete cases	Recommendation
1	Command palette	Digit keys execute results while typing	Blocks numeric queries and risks accidental execution.	Search Edit focused; queries containing 0–9; IME/numpad input.	Disable row-number hotkeys when Edit has focus; show explicit Alt+1...9 hints.
2	Command palette	Arrow navigation moves focus into ListView	User cannot continue refining the query without refocusing search.	Down/Up followed by typing, Home/End/Page navigation.	Keep Edit focus and move selection programmatically.
3	Accessibility	Captionless fixed-pixel GUIs and emoji-dependent meaning	Poor high-DPI, high-contrast, keyboard, and screen-reader usability.	150–250% scaling, keyboard-only use, reduced-motion/high-contrast modes.	Add accessible labels, resizable layouts, text equivalents, focus order, and display preferences.
4	Feedback system	Each toast destroys the previous toast	Rapid actions overwrite important success/error information.	Burst operations, long errors, clipboard failures.	Queue critical messages; maintain a short history and actionable retry/undo.
5	Action Board	Fixed four-ListView model and destructive Delete key	Selection can desynchronize; accidental task deletion has no recovery.	Keyboard delete, empty edits, unknown task types, resized displays.	One model-backed grid, confirmation/undo, validation, and resizable layout.
6	Snippet Manager	Editor lacks preview, validation, and trustworthy import/export feedback	Conflicts or failed imports can appear successful.	Empty bodies, invalid triggers, static collisions, same-name rename, sensitive snippets.	Return operation status, show preview/diff, validate trigger/body, and add privacy flags.
7	Civil prompt and HUD	Assumptions and defaults are not visible at decision time	Estimates can look exact and authoritative.	Regional units, rate date/location, cross-dimensional conversion, professional warning.	Show assumptions, source/provenance, uncertainty, region, and a details/pin control.
8	Find & Replace	Literal replace-all gives unconditional success feedback	Zero-match and unintended bulk replacement look the same.	Replace one, whole word, case, regex, preview, match count, undo.	Add options, live match count, preview, and undo transaction.

Priorit y	Surface	Concern	User effect	Incomplete cases	Recommendation
9	Visual consistency	Themed GUIs mix with InputBox, MsgBox, raw ToolTip, and a separately styled external GUI	Validation and navigation behavior changes between tools.	Errors, confirmations, long results, keyboard dismissal.	Adopt one dialog/HUD component library and interaction contract.
10	Window utilities	State restoration is partial	X-Ray can discard pre-existing transparency; always-on-top/transparency lack persistent state indication.	Already-layered windows, focus restrictions, minimized targets, previous alpha.	Capture and restore exact prior state; expose a status center.

Registered tools — concern and incomplete intended cases

This matrix covers every reachable registered action. “Incomplete” means a reasonable case implied by the tool name or description, not an unrelated feature request.

Exhaustive registered-tool logic and edge-case matrix (84 actions)

Source: Materialized 84-action audit matrix

#	Category	Tool	Logic concern	Incomplete edge cases within intent
1	Civil	Civil & Construction Instant Converter	Broad parser mixes physical dimensions and assumptions; configuration is not surfaced with every result.	Mixed units, incompatible dimensions, zero/negative values, regional land units, assumption labels.
2	Civil	Pythagoras & Plot Diagonal Calculator	Operands are combined before unit normalization; verified mixed-unit result is wrong.	Normalize m/ft/in first; zero/negative legs, inverse solve, tolerance, 3D diagonal.
3	Civil	Construction Rate & Unit Price Converter	Rates can appear authoritative without source, date, location, or denominator semantics.	Compound units, material basis, wastage/tax inclusion, locale currency, provenance.
4	Civil	Thumb Rule Cost & Material Estimator	Thumb rules are presented with too little uncertainty and professional-estimate warning.	Region, grade/quality, built-up basis, wastage, taxes, ranges, source/date/location.
5	Civil	Configure Civil Converter Defaults	Opens raw INI without schema, bounds, preview, or transactional save.	Malformed values, unknown keys, reset/default, live reload, migration/versioning.
6	Date/Time	Today's ISO Date	Uses local system clock and fixed format only.	Explicit timezone, source date vs current date, calendar boundaries.
7	Date/Time	Compact File Timestamp	Second-level value can collide and carries no timezone.	Milliseconds/sequence, UTC/local choice, invalid filename context.
8	Date/Time	Formal Long Date	Ordering and language are implicit.	Explicit locale, alternate formal styles, non-Gregorian expectations.
9	Date/Time	Current Time (12-Hour AM/PM)	Local timezone is implicit and seconds are omitted.	Timezone label, seconds toggle, locale AM/PM.
10	Date/Time	Current Time (24-Hour with Seconds)	Local timezone is implicit.	UTC/offset output, fractional seconds, locale digits.
11	Date/Time	Tomorrow's Date	Calendar-day offset assumes local timezone.	DST boundary, explicit timezone, next business day.
12	Date/Time	Yesterday's Date	Calendar-day offset assumes local timezone.	DST boundary, explicit timezone, previous business day.
13	Date/Time	Current ISO Week Number	Current local date only; ISO week-year boundary is hidden.	Selected date, timezone, week-year edge cases, locale week systems.
14	Date/Time	Current Month & Year	OS language and local date are implicit.	Explicit locale/case, selected date, fiscal month.
15	Date/Time	Work Week Date Range	Hardcodes Monday–Friday and ignores holidays.	Regional weekends, holiday calendar, timezone, custom work week.
16	Email	Email: Please Find Attached (PFA)	Static text cannot verify an attachment exists.	Zero/multiple attachments, filename insertion, tone and review deadline.
17	Email	Email: Acknowledgment & Follow-Up	Promises an update without owner or date.	Exact deadline/timezone, assignee, escalation and context.
18	Email	Email: Meeting Availability Request	No duration, timezone, participants, or calendar context.	Suggested slots, working hours, location/link, locale.
19	Email	Email: Gentle Follow-Up / Reminder	Generic text has no subject, elapsed time, or escalation level.	Scheduled follow-up, prior commitment, due date, escalation.
20	Email	Email: Out of Office Notice	No return date or delegate.	Timezone, emergency contact, partial-day leave, confidentiality.
21	Email	Email: Formal Business Greeting	Leaves unresolved [Name] placeholder.	Missing recipient, title/pronoun, multiple recipients, tone.
22	Email	Email: Formal Sign-Off	Leaves identity/title placeholders unresolved.	Profile selection, organization, phone/legal footer, locale.
23	Email	Email: Action Required Notice	Uses ambiguous "EOD".	Exact date/time/timezone, owner, consequence, priority.
24	Email	Email: Handover / Delegation Note	Leaves [Name] and ownership details unresolved.	Scope, acceptance, contact channel, dates and accountability.
25	Email	Email: Appreciation Note	Generic wording can feel context-free.	Tone, specific contribution, recipient count, cultural style.
26	Extraction	Extract All Email Addresses	Regex extraction cannot fully validate modern/Unicode or obfuscated addresses.	IDN/Unicode, plus tags, trailing punctuation, dedupe/case semantics.
27	Extraction	Extract All URLs & Web Links	Scheme-focused matching misses bare domains and can retain punctuation.	Balanced parentheses, Unicode domains, mailto/file links, normalization.

#	Category	Tool	Logic concern	Incomplete edge cases within intent
28	Extraction	Extract Phone & Mobile Numbers	India-oriented patterns can produce false positives.	E.164, extensions, landline ambiguity, country choice, IDs mistaken as phones.
29	Extraction	Extract Indian GSTINs	Syntax matching is not checksum or registration validation.	Checksum, state code, status lookup, OCR spacing, false positives.
30	Extraction	Extract Indian PAN Numbers	Syntax-only extraction lacks contextual validation.	OCR errors, lowercase, surrounding tokens, masked PAN, false positives.
31	Extraction	Extract All Dates from Text	Ambiguous date interpretation depends on implicit locale.	DD/MM vs MM/DD, two-digit years, month words, invalid leap dates, dedupe.
32	Extraction	Date Difference & Working Days	Working days mean Mon–Fri only; inclusion rules are unclear.	Holidays, regional weekends, reversed dates, inclusive/exclusive, timezones.
33	Finance	Indian Financial Year & Quarter	Hardcodes India's Apr–Mar fiscal calendar and implicit date locale.	Ambiguous dates, selected fiscal regime, timezone/year boundary.
34	Finance	Percentage Change vs Point (pp) Change	Meaning depends on token order and assumes rates.	Zero baseline, signs, basis points, labeled roles, unit mismatch.
35	Finance	CAGR Growth Calculator	Formula is invalid/ambiguous for zero or negative start values.	Date-based periods, fractional years, cash flows, sign changes, missing roles.
36	Finance	Reverse GST Calculator (18%)	Verified rate-only text can be parsed as amount 18.	Amount/rate role detection, multiple amounts, inclusive/exclusive wording, rounding.
37	Finance	Reverse GST (Custom Rate)	Same semantic ambiguity plus weak rate constraints.	Supported GST slabs, zero/negative/over-100 rates, multiple taxes, rounding.
38	Finance	Clean Number to Raw Machine Value	Scale token "L" is ambiguous; verified "5 L" becomes 500000.	Litres vs lakh, scientific notation, decimal comma, currency/sign/parentheses.
39	Finance	Format Number with Indian Commas	Formatting and currency intent are conflated; grouping validity is not explained.	₹/decimals, negatives, accounting style, existing bad grouping, large magnitudes.
40	Finance	Format Number with International Commas	Locale decimal/group separators are implicit.	European input, scientific notation, negatives, rounding, very large values.
41	Math	Evaluate Math Expression	Verified '-3^2' becomes 9 and scaled percentages bind incorrectly.	Unary precedence, percent-of semantics, functions/constants, scientific notation, overflow.
42	Math	GST / Tax Breakdown (18%)	Selected amount may be base or inclusive but the tool assumes one meaning.	Currency, inclusive toggle, multiple rates/components, statutory rounding.
43	Math	Percentage Difference Calculator	Name says difference while implementation intent is percent change.	Zero baseline, symmetric difference, signs, labeled old/new roles.
44	Math	Generate 16-Char Secure Password	Security claim depends on RNG quality and fixed policy.	CSPRNG proof, length/classes, excluded characters, clipboard timeout, breach policy.
45	Math	Generate UUID / GUID v4	Depends on platform API/fallback without visible verification.	Version/variant validation, API failure, uppercase/braces formats.
46	Math	Format Number with Commas	Duplicates Finance formatting and inherits implicit locale behavior.	Decimal comma, negatives, accounting, scientific notation, rounding.
47	Math	Round Number to 2 Decimals	Rounding mode and invalid input behavior are not user-selectable.	Banker vs half-away, large precision, scientific notation, negative zero.
48	Math	Sum Column of Selected Numbers	Loose extraction can sum dates, IDs, or mixed currencies.	Locale separators, units/currencies, parentheses negatives, totals embedded in text.
49	Math	Unix Timestamp to Readable Date	Assumes seconds and a display timezone.	Milliseconds/microseconds, UTC/local choice, negative/out-of-range timestamps.
50	Math	Number to Words (Indian Rupees)	Currency, magnitude, and paise behavior are fixed.	Negative values, paise rounding, very large numbers, non-INR and zero wording.
51	Text	Word & Character Statistics	Tokenization is whitespace-oriented and unique-word semantics are weak.	Unicode graphemes, punctuation, hyphens, CJK, locale case-folding.
52	Text	Cycle Text Case (Word Standard)	Round-tripping destroys acronyms and proper names.	Mixed-case restoration, locale, selections with code, undo/preview.
53	Text	Paste Clean Plain Text	Whitespace cleanup can erase intentional structure.	Paragraphs, Markdown/code, NBSP, tabs, lists, line-ending preservation.
54	Text	Convert to UPPERCASE	Locale-sensitive casing is implicit.	Turkish I, German ß, Unicode normalization, code identifiers.
55	Text	Convert to lowercase	Locale-sensitive casing is implicit.	Turkish I, Greek sigma, Unicode normalization.
56	Text	Convert to Title Case	Every-word capitalization is not linguistic title case.	Small words, acronyms, apostrophes/hyphens, locale/style guide.
57	Text	Convert to Sentence case	Heuristics can damage abbreviations, decimals, acronyms, and quotes.	Mr./e.g., numbered lists, quoted sentences, multilingual punctuation.
58	Text	Convert to snake_case	Delimiter logic may lose acronym, Unicode, and digit boundaries.	HTTPServer, leading digits, symbols, non-Latin text, existing delimiters.
59	Text	Convert to kebab-case	Delimiter logic may lose acronym, Unicode, and digit boundaries.	Slug transliteration, leading/trailing dashes, reserved URL characters.
60	Text	Convert to camelCase	Word segmentation and acronym policy are implicit.	HTTP/XML, digits, Unicode, leading separators, PascalCase option.
61	Text	Quote Lines (SQL IN format)	One quoting policy assumes every item is text.	NULL, numeric literals, empty rows, dedupe, database dialect, size limits.

#	Category	Tool	Logic concern	Incomplete edge cases within intent
62	Text	Join Lines into Single Paragraph	All line breaks can be meaningful, not wrapping noise.	Real paragraphs, lists, hyphenated wraps, headings, code blocks.
63	Text	Convert Lines to Bulleted List (•)	Blindly prefixes lines.	Existing bullets, blank lines, nested lists, wrapped lines, idempotence.
64	Text	Convert Lines to Numbered List (1, 2, 3)	Blindly rennumbers lines.	Existing numbering, start value, nested lists, blank lines, idempotence.
65	Text	Convert Lines to Checklist ([])	Blindly prefixes markdown boxes.	Existing checked/unchecked items, indentation, blank lines, idempotence.
66	Utility	Export Diagnostic & Analytics Report	May expose paths, selection/tool history, or sensitive operational data.	Redaction, consent, date range, anonymization, file permissions.
67	Utility	Copy Clean File Path (Forward Slashes)	Treats clipboard as one Windows path.	UNC, quoted/multiple paths, URI vs filesystem semantics, environment variables.
68	Utility	Copy Clean File Path (Escaped Slashes)	Escaping target language is unspecified.	JSON vs regex vs code escaping, UNC, quotes, multiple paths.
69	Utility	Prefix Selected File with Timestamp	Rename is stateful with limited collision/recovery UX.	Multiple selection, collisions, locked files, extensions, undo, network shares.
70	Utility	Google Search Selected Text	Fixed provider sends selected text externally.	Privacy confirmation, URL length, default provider, offline/no-selection behavior.
71	Utility	Google Translate Selected Text	Fixed provider/language sends selected text externally.	Source/target language, privacy, URL length, no-selection behavior.
72	Utility	Toggle Window Always-on-Top	State is not persistently indicated and external changes are not reconciled.	Unsupported windows, per-app profile, current state display, restoration.
73	Utility	Toggle Window Transparency (75%)	Transparency read can fail and exact previous opacity is not preserved.	Layered windows, inaccessible windows, prior alpha, minimum readable opacity.
74	Utility	Open Today's Daily Scratchpad Notes	Storage/editor/encoding/retention policy is implicit.	Timezone rollover, filename collision, custom editor, templates, archival.
75	Utility	Empty Windows Recycle Bin	Irreversible purge has no confirmation, preview, drive scope, or undo.	Per-drive items, locked items, failures, restore window, policy restrictions.
76	Utility	Quick Privacy Screen / Lock	Immediate lock is correct but intentionally non-recoverable within the app.	Countdown/cancel option, unsaved work warning, restricted sessions.
77	Window	Toggle Window Peek (CapsLock+Tab)	Previous-window choice and focus restoration depend on Z-order/OS activation.	No valid target, minimized/UWP/elevated windows, multi-monitor, focus denial.
78	Window	X-Ray Layer Peek (Step-Down Transparency)	Restores transparency to Off rather than exact prior alpha; chord is complex.	Already transparent/layered windows, multiple layers, released-key order, accessibility.
79	Window	Configure X-Ray Layer Transparency...	Value is clamped without preview or per-context profile.	Reset/default, app/monitor profiles, minimum readability, live preview.
80	Tasks	Open Action Board (Eisenhower Grid)	Four ListViews, fixed layout, and direct Delete create selection/recovery risks.	Resize/DPI, empty edits, unknown task types, undo, due dates, sorting/filtering.
81	Tasks	Capture Selected Text as Task	Capture lacks duplicate/source/context controls.	Empty selection, multiline/title extraction, duplicate task, source app/link, privacy.
82	Tasks	Export Tasks to CSV / Backup	Export lacks schema/checksum/redaction and restore verification.	CSV injection, encoding, sensitive text, open-folder feedback, backup rotation.
83	Tasks	Import Tasks from External CSV	Merge lacks strong schema validation, deterministic ID/collision policy, preview, and rollback.	Malformed CSV, duplicate IDs/text, unknown types, partial failure, encoding, checksum.
84	Utility	Find & Replace in Selection	Literal case-sensitive Replace All gives success even with zero matches and no undo.	Replace one/all, match count, preview, case, whole word, regex, empty search, rollback.

Shared UI and non-palette surfaces

These features affect many tools but are not all represented as registered palette actions.

Shared and non-palette surface audit

Source: Materialized shared-surface audit

#	Shared surface	Logic / UX concern	Incomplete edge cases
1	Command Palette	Numeric row hotkeys conflict with numeric search; substring-only ranking follows registration order.	Edit focus, fuzzy/token search, category filters, favorites, recent/context-aware ranking, updated action count.
2	Leader Key	Invokes callbacks outside the central execution/telemetry path.	Unknown chord feedback, timeout visibility, conflict detection, accessibility, repeat-last integration.
3	Repeat Last Action	Only palette executions reliably populate history; dangerous actions are repeatable without policy.	Direct/leader invocation, destructive actions, expired context, preview/confirmation.
4	Snippet Manager	Backup choice/dedupe/collision and import status are not deterministic enough; bodies are exposed.	Schema/checksum, static/dynamic hotstrings, sensitive flag/redaction, preview, atomic rename/import.

#	Shared surface	Logic / UX concern	Incomplete edge cases
5	Capture Selection as Snippet	Fast capture lacks privacy and collision analysis.	Empty/huge selection, secrets, trigger validation, existing static/dynamic trigger.
6	Task Classifier Tiles	NoActivate/timed pointer UI is weak for keyboard and assistive technology.	Keyboard focus, timeout extension, screen readers, cancel/undo, low vision.
7	Task Prioritizer Tiles	Transient pointer choice has limited explanation of classification consequences.	Keyboard operation, explicit default, timeout, undo, unavailable quadrant.
8	High-Priority Nudge	Shows only a small slice and offers no snooze/open-task workflow.	Dismiss/snooze, task navigation, stale data, quiet hours, multiple monitors.
9	Static Prompt Hotstrings	No collision registry with dynamic snippets.	Duplicate triggers, precedence, case options, migration, user-visible conflict resolution.
10	Toast / Result HUD	New feedback destroys prior feedback; different tools use Toast, ToolTip, MsgBox, or InputBox.	Queue/history, pin/copy/details, long errors, reduced motion, accessibility announcements.
11	Global Escape Dismissal	Pass-through Escape can close hub UI and still affect the underlying app.	Modal ownership, nested GUIs, unsaved edits, target-app side effects.

Do the tools have a symbiotic relationship?

Partly. Shared capture, insertion, parsing, telemetry, and theme primitives create a common shell. But the tools do not yet form a dependable system: direct invocation bypasses shared history, domain assumptions are fragmented, persistence is duplicated, and outputs cannot be composed into workflows.

Symbiotic relationship assessment

Source: Materialized symbiosis assessment

Relationship layer	Current status	What works	Missing symbiosis
Composition	Missing	Individual actions can be run one at a time.	No workflow pipeline, batch input, conditional routing, or per-step preview.
Execution/history	Fragmented	Palette records last action and telemetry.	Leader/direct hotkeys bypass the same path, so tools are not behaviorally symmetric.
Locale/domain defaults	Fragmented	Civil has an INI and finance assumes Indian conventions.	No single explicit locale, timezone, region, currency, rate provenance, or privacy profile.
Output/feedback	Partially shared	InsertText and toast/HUD helpers are reused.	No preview/diff/undo transaction; native dialogs and external GUI bypass the same UX contract.
Persistence/import	Duplicated risk	Tasks and snippets each implement their own CSV/backup behavior.	No shared versioned schema, checksum, atomic write, backup ranking, redaction, or rollback service.
Selection/capture	Shared but incomplete	Many transformations reuse clipboard/selection helpers.	No typed input contract or context object; parsers rediscover meaning independently.

Three tools that improve most of the package

These are product-level capabilities, not three more disconnected utilities. Each creates shared infrastructure that existing tools can use.

Three cross-cutting additions

Source: Materialized cross-cutting recommendations

Rank	Recommended tool	Core capability	Benefits	Why it helps the package
1	Universal Preview, Diff & Undo Center	A central executor that captures input/output, shows a diff, commits or cancels, records history, and offers undo/retry.	Most text, finance, math, civil, extraction, task, snippet, file, and window actions.	It unifies safety, telemetry, feedback, repeat-last, and recovery instead of adding one isolated feature.

Rank	Recommended tool	Core capability	Benefits	Why it helps the package
2	Context & Locale Profile Manager	Explicit locale/timezone, Indian vs international number rules, currency, civil region/land units, rate source/date/location, defaults, and privacy choices.	Date/time, finance, math, extraction, civil, email templates, search/translate, and reporting.	It turns hidden assumptions into shared user-controlled context used by every parser and formatter.
3	Workflow Composer & Batch Runner	Chains actions with per-step preview for selection, clipboard, files, or rows; supports saved recipes and failure routing.	Examples: extract emails → dedupe → format → copy; parse numbers → sum → format; capture task → classify → prioritize.	It creates actual symbiosis by making outputs first-class inputs to other tools.

Recommended order

1. **Stabilize trust:** central execution context; fix numeric search, typed parsing, mixed-unit normalization, and zero guards; add atomic task/snippet persistence.
2. **Stabilize UX:** preview/diff/undo, consistent dialogs and feedback, resizable/accessibility work, and destructive-action recovery.
3. **Create symbiosis:** add the Context & Locale Profile, then Workflow Composer so existing outputs become reliable downstream inputs.
4. **Close verification claims:** add the reproduced defects as regression tests, UI interaction tests for focus/hotkeys, and closed-world manifest checks for additions/deletions and external includes.

Limitations and interpretation

The UI/UX review is source-based rather than a formal user study or screen-reader lab. Automated tests are valuable but do not cover discoverability, accessibility, accidental actions, cultural locale expectations, or every ambiguous natural-language input. Civil results must label assumptions and estimates; they should not replace a qualified professional estimate. Finance outputs need explicit amount/rate roles and rounding policy.

Evidence sources

1. **v2.0.1 source and reachable AutoHotkey modules** - launcher, Lib modules, and the externally included Find & Replace module.
2. **Fresh master harness result** - 666/666 assertions passed.
3. **Earlier exhaustive tool-case audit** - README_COMPLETE_TOOL_CASES.md, reconciled against the current 84-action inventory.