

# Rajalakshmi Engineering College

Name: Nishanthan V  
Email: 241801190@rajalakshmi.edu.in  
Roll no:  
Phone: 8667548481  
Branch: REC  
Department: I AI & DS FC  
Batch: 2028  
Degree: B.E - AI & DS

Scan to verify results



## NeoColab\_REC\_CS23221\_Python Programming

### REC\_Python\_Week 2\_CY

Attempt : 1  
Total Mark : 40  
Marks Obtained : 40

### Section 1 : Coding

#### 1. Problem Statement

Max is fascinated by prime numbers and the Fibonacci sequence. He wants to combine these two interests by creating a program that outputs the first n prime numbers within the Fibonacci sequence.

Your task is to help Max by writing a program that prints the first n prime numbers in the Fibonacci sequence using a while loop along with the break statement to achieve the desired functionality.

#### ***Input Format***

The input consists of an integer n, representing the number of prime Fibonacci numbers to generate.

#### ***Output Format***

The output displays space-separated first n prime numbers found in the Fibonacci sequence.

Refer to the sample output for the formatting specifications.

### **Sample Test Case**

Input: 5

Output: 2 3 5 13 89

### **Answer**

# You are using Python

```
def isPrime(num):
    if num<2:
        return False
    for i in range(2,int(num**0.5)+1):
        if num%i==0:
            return False
    return True

def fib(num):
    a,b=0,1
    count=0
    r=[]
    while True:
        fib=a+b
        a,b=b,fib
        if isPrime(fib):
            r.append(fib)
            count+=1
        if count==n:
            break
    print(" ".join(map(str,r)))

n=int(input())
fib(n)
```

**Status :** Correct

**Marks :** 10/10

## 2. Problem Statement

Gabriel is working on a wildlife research project where he needs to compute various metrics for different animals based on their characteristics. Each animal type requires a different calculation: a deer's distance traveled, a bear's weight based on footprint size, or a bird's altitude based on its flying pattern.

Conditions:

For Deer (Mode 'D' or 'd'): Distance = speed of sound \* time taken, where the speed of sound in air is 343 meters per second. For Bear (Mode 'B' or 'b'): Weight = footprint size \* average weight, where the average weight per square inch for a bear is 5.0 pounds. For Bird (Mode 'F' or 'f'): Altitude = flying pattern \* distance covered (in meters).

Write a program to help Gabriel analyze the characteristics of animals based on the given inputs.

### ***Input Format***

The first line of input consists of a character, representing the type of animal 'D/d' for deer, 'B/b' for bear, and 'F/f' for bird.

If the choice is 'D' or 'd':

The second line of input consists of a floating-point value T, representing the time taken from the deer's location to the observer.

If the choice is 'B' or 'b':

The second line of input consists of a floating-point value S, representing the size of the bear's footprint in square inches.

If the choice is 'F' or 'f':

1. The second line of input consists of a floating-point value P, representing the bird's flying pattern.
2. The third line consists of a floating-point value D, representing the distance covered by the bird in meters.

### ***Output Format***

The output prints one of the following:

If the choice is 'D' or 'd':

The output prints "Distance: X m" where X is a floating point value rounded off to two decimal places, representing the calculated distance traveled by the sound wave in meters.

If the choice is 'B' or 'b':

The output prints "Weight: Y lb" where Y is a floating point value rounded off to two decimal places, representing the estimated weight of the bear in pounds.

If the choice is 'F' or 'f':

The output prints "Altitude: Z m" where Z is a floating point value rounded off to two decimal places, representing the calculated altitude of the bird's flight in meters.

If the given choice is invalid, print "Invalid".

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: d

2.5

Output: Distance: 857.50 m

### ***Answer***

# You are using Python

```
n=input()
```

```
if n == 'd' or n == 'D':
```

```
    m = float(input())
```

```
    print(f"Distance: {343*m:.2f} m")
```

```
elif n == 'b' or n == 'B':
```

```
    m = float(input())
```

```
    print(f"Weight: {5.0*m:.2f} lb")
```

```
elif n == 'f' or n == 'F':
```

```
    m = float(input())
```

```
o = float(input())
print(f"Altitude: {m*o:.2f} m")
else:
    print("Invalid")
```

**Status :** Correct

**Marks :** 10/10

### 3. Problem Statement

Students are allowed to work on our computer center machines only after entering the correct secret code. If the code is correct, the message "Logged In" is displayed. They are not allowed to log in to the machine until they enter the correct secret code.

Write a program to allow the student to work only if he/she enters the correct secret code.

Note: Here, secret code means the last three digits should be divisible by the first digit of the number.

#### ***Input Format***

The input consists of an integer n, which represents the secret code.

#### ***Output Format***

The output displays either "Logged In" or "Incorrect code" based on the given condition.

Refer to the sample output for the formatting specifications.

#### ***Sample Test Case***

Input: 2345

Output: Incorrect code

#### ***Answer***

```
# You are using Python
n=int(input())
```

```
a=str(n)
n1=int(a[1:])
n2=int(a[0])

if n1%n2==0:
    print("Logged In")
else:
    print("Incorrect code")
#print(type(n1))
```

**Status :** Correct

**Marks :** 10/10

#### 4. Problem Statement

John is tasked with configuring the lighting for a high-profile event, where different lighting modes affect the ambiance of the venue. He can choose from three distinct lighting modes, each requiring a specific adjustment to the initial light intensity:

Ambient Lighting (Mode 1): The intensity level is multiplied by 1.5.  
Stage Lighting (Mode 2): The intensity level is multiplied by 2.0.  
Spotlight (Mode 3): The intensity level is multiplied by 1.8.

In the event that an invalid mode is provided, the program should output an error message indicating the invalid selection.

Your task is to write a program that reads the selected lighting mode and the initial intensity level, applies the appropriate adjustment, and prints the final intensity.

##### ***Input Format***

The first line of input is an integer  $n$ , representing the lighting mode.

The second line is a floating value  $m$ , representing the initial intensity level of the light.

##### ***Output Format***

The output displays "Intensity: " followed by a float representing the adjusted intensity level, formatted to two decimal places, if the mode is valid.

If the mode is invalid, the output should display "Invalid".

Refer to the sample output for formatting specifications.

***Sample Test Case***

Input: 1

10.0

Output: Intensity: 15.00

***Answer***

# You are using Python

```
n=int(input())
```

```
i=float(input())
```

```
if(n==1):
```

```
    print(f"Intensity: {i*1.5:.2f}")
```

```
elif(n==2):
```

```
    print(f"Intensity: {i*2:.2f}")
```

```
elif(n==3):
```

```
    print(f"Intensity: {i*1.8:.2f}")
```

```
else:
```

```
    print("Invalid")
```

***Status : Correct***

***Marks : 10/10***