

[chakra/getting-started] Introduction to Chakra Key features How-to guides

```

---
title: "Introduction to Chakra Key features How-to guides"
title_slug: "introduction-to-chakra-key-features-how-to-guides"
source_url: "https://support.hackerrank.com/articles/6908366644-introduction-to-chakra"
article_slug: "6908366644-introduction-to-chakra"
last_updated_exact: "Feb 11, 2026, 2:29 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
  - "Chakra"
  - "Getting Started"

```

Introduction to Chakra Key features How-to guides

Last updated: Feb 11, 2026, 2:29 PM (Last updated 2 months ago)

Chakra is an AI-powered interviewer that conducts fully autonomous interviews for technical and non-technical roles. It mirrors the structure and rigor of real-world interviews. It delivers consistent and unbiased candidate evaluations and supports high-volume hiring without compromising interview quality or integrity.

Key features

Chakra offers the following benefits:

- **Create and customize interviews:** Create interviews using a job description or role-specific prompts. Chakra identifies required skills, builds interview sections, and generates role-based questions. You can customize the interview structure and focus areas to match your hiring requirements.
- **Scalable and consistent interview experience:** Run interviews autonomously at scale. Chakra delivers a consistent interview experience for every candidate, regardless of volume.
- **Unbiased evaluation with standardized rubrics:** Evaluate candidates using a predefined, standardized rubric. Chakra applies the same scoring criteria to all candidates, reducing interviewer bias and enabling fair, consistent comparisons.
- **Built-in integrity checks:** Protect interview authenticity with built-in integrity and proctoring safeguards. Chakra monitors candidate behavior during the interview and flags suspicious activity for review.
- **Reduced interviewer effort:** Eliminate the need for live interviewers. Chakra adapts questions in real time and generates detailed candidate reports, allowing hiring teams to focus on review and decision-making instead of conducting interviews.

How-to guides

The following articles will help you get started with Chakra:

- [? Create an AI Interviewer](/articles/8041423965)
 - \
- [? Invite Candidates to an AI Interview](/articles/5542727476)
 - \
- [? View Candidate Report](/articles/6818900787)
 - \
- \

[chakra/integrations] Ashby - Chakra Integration User Guide Prerequisites Adding an

title: "Ashby - Chakra Integration User Guide Prerequisites Adding an AI Interviewer activity in Ashby Scheduling HackerRank AI Interview from Ashby Viewing Interview results"
title_slug: "ashby-chakra-integration-user-guide-prerequisites-adding-an-ai-interviewer-activity-in-ashby-scheduling-hackerrank-ai-interview-from-ashby-viewing-interview-results"
source_url: "https://support.hackerrank.com/articles/8472393759-ashby-chakra-integration-user-guide"
article_slug: "8472393759-ashby-chakra-integration-user-guide"
last_updated_exact: "Apr 22, 2026, 9:57 AM"
last_updated_relative: "Last updated 5 days ago"
breadcrumbs:
- "Chakra"
- "Integrations"

Ashby - Chakra Integration User Guide Prerequisites Adding an AI Interviewer activity in Ashby Scheduling HackerRank AI Interview from Ashby Viewing Interview results

Last updated: Apr 22, 2026, 9:57 AM (Last updated 5 days ago)

This guide outlines how to use the Ashby - HackerRank integration to schedule Chakra interviews and review interview results directly in Greenhouse.

Prerequisites

Before you begin, ensure you meet the following requirements:

- You have an active Chakra account. To enable it, contact HackerRank support at chakra-support@hackerrank.com.
- You have an active Ashby account.
- The HackerRank integration with Greenhouse is complete. For more information, see [? Ashby - HackerRank Integration Configuration Guide](/articles/4146164514).

Adding an AI Interviewer activity in Ashby

To add an AI Interviewer activity to a stage in the job interview plan:

1. Log in to your Ashby account using your credentials.
2. Go to the **Jobs** tab.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776775404766-image.png?Expires=253370764800&Signature=uKRYLD40o-RZ5rnZTDLo44XgOoPvMf5HbpeFPSzWutJyGmPZB76fK7rRV-AFshN~TPOaMBCxoIVOkP6t9ihu~iMYOJo79oYSMKS5kJ69P2C7iMbYMnLXgPhwazoWNhm3OjZBo4nJn43HPX1WX~yfUeIG1vls412ITCIUS45mh8qlqGXleFIHh5dhpTPw9ecnzf4SoaUq~su7Hq0laooes0eFcmA3Hu73iXfoWOVDY369s17xUpVdimFVZoQkKCCBcz9K0x5qleA1oz0YN0Rm61yYEBArRyWIZ1p~-FJ4qO2Vk2j2WM9YH86wm7TJ0IWAaMPA8Y6yol-kRN7ImKVvA__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Select the job you want to update.
4. Go to the **Interview Plan**.
5. Select the stage where you want to add the AI Interviewer activity.
6. Click **Add Activity** to [stage name].
7. Select **Add Activity** from the drop-down menu.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776775763408-image.png?Expires=253370764800&Signature=sShh07jeuq8zRWDAjUzBPnqNX71BlwluNbukmCd4p18Tag10D3hHmH~Dk7ltZPGMHRIBTrT0xeKJYk54Cj6hOFwxjpE09IMKCO8mMHPyShUI-feujhSDAFvcicomwzQvXUc~35CyxENID3b9MJTivYiwFxFWYRhZ-Eyer7BQucoZM-ygsOYX1UMIZMCTFclewY0uyDYBWE1zs2XM~PFBzbobngtrIcdAerE6nItojh-OBIDNxipeh3bWdWRWT-IPchdxGWdr1N~FwNVCEV82wTcHISqm8npafLn

ZABzMG7VlrTMxmX6n5wTw9~yrNGPYfhzbUOtjoOww2cUs5xbpfTw__&Key-Pair-Id=K3NV4LZ47N8M46)

8. In the **Add Activity** dialog, scroll down to **Integrations**.

9. Select **HackerRank**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776775898296-image.png?Expires=253370764800&Signature=XnxDp6p9OgNnohp3IL0Efw0RT5-PwHIZirTaolxaWR7VYdK5SaNoviFwyjw399aSA8uXFHt1R2~yU0q-4bTN5GipeKomepn-qmSEI13aYy4rTNR02ycvGR0fzxlbtJmnZ8apRiashxTGagz-K8bYUDDs-caDjUHDp6~crcCSxwvTmms111rOWPOqa-dR2RTMXrOHYddqr3lp4tDWCFkjaNr55pSubs6uVrrioC7if0M5dza5oHpMolIBpx~EMclc9b09AXopJiEWGhW95BXnbtS97IQ-y20llu176~F42b2oAS1~x7bEV9S8QFR56Abmzl5HOn5elD248UdOsyUyA__&Key-Pair-Id=K3NV4LZ47N8M46)

10. In the **Add Assessment Activity** dialog, select the AI interviewer from the **Assessment Type** drop-down.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776781791616-image.png?Expires=253370764800&Signature=sm6ch6M8P1JJ6rslliXKdy9Zv76QaChac3ZxIRrubC0WIMHkP0~DVUfVy2UZbx4k45ir9kworkjVlqe50Op~SDoirqfhPTO2qoiUJ8kYXINKIAVgWJ~g7EX5jHXPdjdSXcOWCLbUSDvUgcztCGsnfOn11GtdczkVhsd4o9KrpWiStWGS07U4IQM8rXsFrE8mv0Eb2sLIHN2C-4gZvB1HueGg7mJr2i-DNS5aA3yx1talUUCSqEX7SYBehPdqtqbqk0P5NX9q8BZ59n0CyQFpuWN18CO1sbO1ef6NjRp5IQZbL6U3Gk~k0tvzqXVvLayJlu2gDzSTjt2TOCNumBSXg4w__&Key-Pair-Id=K3NV4LZ47N8M46)

11. Click **Add Activity**.

Ashby adds the AI Interviewer activity to the selected stage.

Scheduling HackerRank AI Interview from Ashby

Note: Before you schedule an interview, ensure that the **AI Interviewer** activity is added to a stage in the job interview plan in Ashby. For more information, see [Adding HackerRank AI Interviewer activity in Ashby](https://support.hackerrank.com/articles/8472393759-ashby-chakra-integration-user-guide#adding-an-ai-interviewer-activity-in-ashby).

To schedule an AI interview in Ashby:

1. Go to **Candidates > Candidate Pipeline**
2. Select a candidate from the pipeline for the respective job.
3. Click **Change Stage**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776786629257-image.png?Expires=253370764800&Signature=ri1h-4yBEFXXZtSqUYaBwfmukkn~yROLzu1S4YnXOEjyfajG8IBLN9SEH2IG3DSujCiDVFuz0CVefODGmDzQ6QMvQmKLID4kvn4gftqr8ldmR-XbqMulhRTAj9r2BEpaTINbU015-YKRvYe~dzyeqiyYMcJMgxPFol9ZaJAxmJu5BjwB5ABzkgOH8DhF-8ZEMLDsQQv3JPgsWjaLwwkhj0YzXr3DL7DRKJlmkz-2W1Y-Lk005uBwd4ufzh9HMetQoOo0eWaonOalyM-oLGj1zZHgaGid6W7Gyhp7Tj8ejAymwbSqsCLq02tRzFp2~BeB5dlsNG-hj4Qwwy29-SajpsA__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Select the stage where you added the AI interviewer activity from the drop-down.

Ashby sends the candidate an email with the AI interview link.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776786006000-image.png?Expires=253370764800&Signature=N84PuukS2iMpV5azsRDo8HVS5tUT4mlct6m9LHiqmp0jWYVoFiklLmG5nPfmjQDjSQK7IzvprijEyqiY5Tp~UUUF EW2dRgyuHtuZ2NikiCjwNBKQf9RvRk~Vgv572Cj7HomNPeQ3owEhUTo2RFAQYQnjkrNUEUU4Bbk-EWsnP~Crau66WuJaObuXYpUc-4V7oam~kF7PJ6MTYSSfux4p1UQTjDmMHBBEwsBTsRT59n3NFLimpEjvhn91i4mIZfhVWEtTu1yBJm8APWLFVMO4sEfWmL76BFMrI78wW1yPX9xbgrUwoGGctWfxfmUL-Rgchs6XBSq84CGiWyzT8g__&Key-Pair-Id=K3NV4LZ47N8M46)

In Chakra, the candidate appears with the status **Invited**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776786202644-image.png?Expires=253370764800&Signature=DXEDlCAmegQ455E4EsLljQTejpp~jN3MDAYVNrbisAS~ipbgBHsU9klYqSOrueGCpvHrP7DsB0dkPHiDVX4B5uP9P7foSLqi8vZ7g6GNbhwBskXFiGc9~tX-AV8DYa1Jnrb5l-vL3YDRyCYOTCoa00IOZokjn80~2F~kXDD3bHsw739J1lwu~5Ou5cR-JgrtBYrsnbp4-9gDMJCjhBiedfFc0Gv4SGN81nhUxHtsvscGm2IRbRqfyuLiCgRUMHAbw8gnPJnNnXn5fbambWwauQHBF9yahPOD1-c5QvhulUec-O8iKuGkdT7hf6ZEursXRDcn~HitwFXraxnUHyw__&Key-Pair-Id=K3NV4LZ47N8M46)

Viewing Interview results

When a candidate completes an AI interview, Ashby displays the interview report in the candidate's profile.

To view the interview results in Ashby:

1. Open the candidate's profile in Ashby.
2. Go to the **Activities & Progress** tab.
3. Select the stage where the candidate completed the AI interview to view following details:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776786365428-image.png?Expires=253370764800&Signature=d-Lvk3a2etC~JJ6l8t666suE1ZJDwn7iuwfab8GakcPtFq7DUonpNiURdNxQzcgGzdqetS9U8-ZKUhnSpm7ej3UL0NSWfWpc2WqAlnQanMYZNblOqn7qrl40AFZXvrsWs4aOIs-rCZrgTdET9XwFLhqHKpEHlc3VDTphdWRD4R1gKcr6RkdcSPudqEIQuDgRU4NSVXcE4YZ-QqSArAc~4yu~fXxzlUQjxtfdcWv0K4pFD27NLkUp3VPbrxm713TR24yJLShCUnAXtXjomKk3v3p3gc4t6pmxGr0SoSuNy4agcsV2Be-PUTqg9ojYLC4e7oReOcTwXw4TONl3s3ug__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Status:** The status of the assessment.
- **Finished:** Date and time when the candidate completed the assessment.
- **Score:** Candidate's final interview score.
- **Report URL:** Click **View in HackerRank** to open the detailed report in Chakra.
- **Assessment Sent Date:** Date and time when the assessment was sent to the candidate.
- **Test Start Date:** Date and time when the candidate started the assessment.
- **Test Duration:** The total time taken to complete the assessment by the candidate.
- **Max Score:** The maximum score a candidate can achieve in the assessment.
- **Plagiarism:** Indicates whether potential plagiarism is detected

\

[chakra/integrations] Greenhouse - Chakra Integration User Guide Prerequisites Adding an AI Interviewer stage in Greenhouse Scheduling an AI Interview from Greenhouse Viewing interview results

title: "Greenhouse - Chakra Integration User Guide Prerequisites Adding an AI Interviewer stage in Greenhouse Scheduling an AI Interview from Greenhouse Viewing interview results"
title_slug: "greenhouse-chakra-integration-user-guide-prerequisites-adding-an-ai-interviewer-stage-in-greenhouse-scheduling-an-ai-interview-from-greenhouse-viewing-interview-results"
source_url: "https://support.hackerrank.com/articles/8491534135-greenhouse-chakra-integration-user-guide"
article_slug: "8491534135-greenhouse-chakra-integration-user-guide"
last_updated_exact: "Apr 22, 2026, 9:56 AM"
last_updated_relative: "Last updated 5 days ago"
breadcrumbs:
- "Chakra"
- "Integrations"

Greenhouse - Chakra Integration User Guide Prerequisites Adding an AI Interviewer stage in Greenhouse Scheduling an AI Interview from Greenhouse Viewing interview results

Last updated: Apr 22, 2026, 9:56 AM (Last updated 5 days ago)

This guide outlines how to use the Greenhouse - HackerRank integration to schedule Chakra interviews and review interview results directly in Greenhouse.

Prerequisites

Before you begin, ensure you meet the following requirements:

- You have an active Chakra account. To enable, contact HackerRank support at chakra-support@hackerrank.com.
- You have an active Greenhouse account.
- The HackerRank integration with Greenhouse is complete. For more information, see [? Greenhouse - HackerRank Integration Guide](/articles/1406188460).

Adding an AI Interviewer stage in Greenhouse

Interview plans in Greenhouse consist of multiple stages, such as Application Review, Interview, and Offer. You can add an **AI Interviewer** stage to allow candidates to complete a HackerRank AI interview as part of the hiring process.

To add an AI Interviewer stage to a job interview plan in Greenhouse:

1. Log in to your Greenhouse account using your credentials.
2. Go to the **Jobs** tab.
3. Select the job you want to update.
4. Go to **Job Setup** > **Interview Plan**.
5. Click **Add stage**.

6. In the **Add Stage** dialog, select **HackerRank Assessment**.

JTUbXQCzwWwYJtyqGwZs6yyGj9wdUNK-dBK~vq66s5QCQC0nEEudcZuyi3oSvoda5aJWJ8UJg2Da3skdse8rfqpPKoxZwrNoqOg
h3turU-Vc8pJ1SoyJLXfMY4jtzeveB6lYzq7ohMXGvpyXdrRZEYkliw__&Key-Pair-Id=K3NV4LZ47N8M46)

****Note:**** If ****HackerRank Assessment**** does not appear in the stage list, the integration is not configured correctly. For more information, see [? Greenhouse - HackerRank Integration Guide](/articles/1406188460).

7. Click ****Add****. Greenhouse adds the HackerRank Assessment stage to the interview plan.

8. Click the edit icon next to the stage to rename it to match your hiring workflow. For example, HackerRank AI Interviewer.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776789157149-image.png?Expires=253370764800&Signature=ZITLiiNjQW00KX2tH7a2pbQ532iRk6aoRap7f1AtRhR60iDaAxQU4IYztuwZzAGIn9J6ww-cWKXbhrQaled7O8nvA9YBH3o7x8VzOHL9AgQ3ymF~tnfegVWJFD28tpKMFBMs-fyaK2gqV~-gMZraKP-iZAMsPfsdoBPWRpptDv097tz9Kc0tGgQzjOJcNhYtatAhlU5FteeNU1ApoGUR7xnHUWHGRNKnLfSsIKHthUxy9CJHTkozufd~n8889W56UzgtOf-cQuQlQJgVreC0vF50ZbWJOBnbW-Dfn-WDnuegwLyPjAbBK70c~u-rH85CcUa5q9Hlko3huksRzqoQ__&Key-Pair-Id=K3NV4LZ47N8M46)

9. Click ****Edit Interview**** next to the ****AI Interviewer**** stage.

10. Select the AI interviewer from the ****Test name**** drop-down.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776789311168-image.png?Expires=253370764800&Signature=eQBrWfKGHYc4FSB4Ped6GoEp7emETb7dRNgeXZouvnG5su~vrJc2woHtS43foRybVFoeFWQhaoxSzog62Ws3qCGvSRhXReucyRdh6bgXqTVOqwjP3MUy0LjVyZj-4v6eCPsmuTASipZ8op96L6Vu-CRapLcyCogQP6001x9C~T9-yLURDmJFIW8eDnuJGPVROXSBz5yCp2yjfN~sR5xuGljQWeJIXV1obUTCXKpJGI9E5XxAhz3wW2t~lb~q7tHAy9jX6k2koEFzbyRv1G6pMthGYnqSLhLLZcPgdp5R~YA8Vo3mpBV4DPJh2MfHwxferbDeX49e22e1I1RhHngyA__&Key-Pair-Id=K3NV4LZ47N8M46)

****Tip:**** Move the ****AI Interviewer**** stage to the appropriate position in the interview plan.

Scheduling an AI Interview from Greenhouse

****Note**:** Before you schedule an interview, ensure that the ****AI Interviewer**** stage is added to the job interview plan in Greenhouse. For more information, see [Adding HackerRank AI interview stage in Greenhouse](https://support.hackerrank.com/articles/8491534135-greenhouse-chakra-integration-user-guide#adding-an-ai-interviewer-stage-in-greenhouse).

To schedule an AI interview in Greenhouse:

1. Open the candidate's profile in Greenhouse.
2. Go to the ****Stages**** tab.
3. Click ****Move stage**** and select the ****AI Interviewer**** stage.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776789643082-image.png?Expires=253370764800&Signature=OHAW-PaatFiYBQ5kAkJoEh5d4AAC5KsaCf2PsVtunRbdyikfYVQgTiXBOJEpblIZZBvtFBvYV1tgX6Gt9n7Mm8vJ5ziWw90nfwP1FbNxn72sGI4d2k~Y1jTtuW-P8kzr7rmCWWUg~IVBB8ZYW-4IP~tANtXBdRzf4tvlsOyjhC6EUHWLPujg1yx8EUnW0TMQB2MfKqBk0CHXTzWfUVAiXbKzkWCCDLHtdktSKpuv~lmnITtIGbYITCheDfWplkh~WDjzhwjQOHgIRWo8K0ECvnt5Az9arHueKcUcXAf-Mo76aGbsr8JQ01Fpi5FEPohZqKWN3p5VgYGTfI-6Y7wQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Greenhouse sends the candidate an email with the AI interview link.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776789804867-image.png?Expires=253370764800&Signature=mcTina~RBM025EJdq5EMJGq9XROVDU-xUPIkgfxWIMPINmKwt5fB6hVF8DDXeJ8vLFSH0vN0lhowDb75tySdb8EOUmbB9P9C9JC1vlyhobDKL84TorCTmy2il-3jWJNZU3fWQt3hWasxhMqk923FbX-jl6fhpmZCdKS8JGRDppxsP~eVHUvufeQRk91QbCtupSKgXgAEgFXkYVFv6Oo2w8v71vEu2hT6a0g1Bhx6RY5uKmkJi6qBOxwVKqINZ0sTH6MRmTBBA~mfb4sN~9NsRxt-GP0t6sqnN8Y9OlR~Ww506NHSGrOr-p3H1k59qgt1Y1x3y1w8mUqegiQgVTHjdQ__&Key-Pair-Id=K3NV4LZ47N8M46)

In Chakra, the candidate appears with the status ****Invited****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776789847643-image.png?Expires=253370764800&Signature=icyNnfx4LLYvJQq1G94Dogn~L5gwSbDSwiivR~atd0ORJsGYjAkXoQd22uh7ZYuHh0A1PPsKiUud1OOHHfr90DVq9WOiObgdxfQpNsyWBjsaX7nXGL7IPBn3etW6zW7KBBBFgXyY345S2aWtFi7qk7x81qRhSfaANzmeqigJpNCF6MqAa~Cc5lbaZv5EGZG6Te2rPYE2umsoBfp1C6AU2sksgPy1EqWLokiLDzrarlbEyKz6epjbGntetNn6VBAYbu8RssVMxFrjGWyWFTetiVxxAixzR8m89F-R11v6Xob7BidrGrHKxRRPiwyBulR7FybllldHBADPa3p6HuKw__&Key-Pair-Id=K3NV4LZ47N8M46)

Viewing interview results

When a candidate completes an AI interview, Greenhouse displays the interview report in the candidate's profile.

To view the interview results in Greenhouse:

1. Open the candidate's profile in Greenhouse.
2. Go to the **Stages** tab.
3. Select the **AI Interviewer** stage to view the candidate's score.
4. Click **Go to test** to view the detailed interview scorecard in Chakra.

Note: You can also view the AI interview report in the **Notes** panel.

\

[chakra/manage-chakra] Invite Candidates to an AI Interview Prerequisite Inviting can

title: "Invite Candidates to an AI Interview Prerequisite Inviting candidates to an AI interview Candidate experience"
title_slug: "invite-candidates-to-an-ai-interview-prerequisite-inviting-candidates-to-an-ai-interview-candidate-experience"
source_url: "https://support.hackerrank.com/articles/5542727476-invite-candidates-to-an-ai-interview"
article_slug: "5542727476-invite-candidates-to-an-ai-interview"
last_updated_exact: "Apr 22, 2026, 10:02 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
- "Chakra"
- "Manage Chakra"

Invite Candidates to an AI Interview Prerequisite Inviting candidates to an AI interview Candidate experience

Last updated: Apr 22, 2026, 10:02 AM (Last updated 4 days ago)

Chakra allows recruiters to invite candidates to an AI interview through an interview link. Candidates can use this link to start the interview.

You can share the link directly with candidates or distribute it through supported channels such as email, your ATS, or your careers page.

Prerequisite

You must have created an AI interview in Chakra. For more information, see [? Create an AI Interviewer](/articles/8041423965).

Inviting candidates to an AI interview

To invite candidates to an AI interview in Chakra:

1. Log in to [Chakra](https://www.hackerrank.com/ai-interviews) using your credentials.
2. Click the sidebar icon and select ****My Interviewers****.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770795260545-image.png?Expires=253370764800&Signature=eUmr0VFHnJcCN3MW28unEGFAJWSlzkGpVBXHUuUYOIh5x0PZWjBFQBC~ANrVAHXYPbMEwS9gANqfGr1zoyf6Cd2g32INBdrpBTWoy6hH-9HIOOeAwQ4-bjNuyeDzCVRGanN0F4bEbYXvGXozX4TNRpo5AKQkDAV-KISVZKToobshkx3sfw8QK2gWJo~iz4C-5amgWwa1aU8Is7fS63oAQjml-EmDtFb9ZllhJ~JpoRehkSH5p38JkukVuoTVv3jYNEPKMyzue6T~VbcMddqrJflXweEGu95W7XbP4tdHi8DjRB0dlfaz~vpErl70eqym11feUvhEYzE1omA-a-2Q__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Locate the interviewer you want to invite candidates to.

4. Click the copy link icon.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770795281468-image.png?Expires=253370764800&Signature=S5y1Z2pwqz6lMxFfb2Z9DK5CnlgBsDbifphfBG~45Egs062BBCVo7pJ1LR2yORvpceEEFBijddvH1cvXkyORwkPn8MeYrbioTd8B0N-R4ZpIFaiQWE4PF~wfCoM3bvZUSBegcX8tQLCpoAwqaLQJz65QB8pGYDZz7amgQ~wWyQLK~~7nufLShcUelJrp9PyRSSjynxliSMYMorOcuDaTaO83oZu1ksAy4cVAjr2mCP57So0ccyuhVXEfwww0en4X9BcBaqRHTchaAopNHPbOjUtz45Y~CLYMOJcPOoH7PiUtUS7RUq-ATcb9ZUetJnYH2zHT59qMNIupoKeokzmQ__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Share the copied link with candidates (For example, through email, your ATS, or your careers page).

****Note:**** You can also copy the interview link from the ****Overview**** page after you open the interviewer.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770795290727-image.png?Expires=253370764800&Signature=AVb76oNiE7Lc02uGkPLsR9jBkqDTLraQ137hlzvtcGUZFved2eb5GSBtrUjwojCI-xDRp04gdsTAHWBraCliA~UamQGjJQP42AR-8rvTn9swfsRz7U~mhELTfF0Gi80lP9WlFllMm-M8qCUWxDpdfaxSLV3JnjWyRUrFMZzbBuj~0X2Svy9YZxYdYwZHYcgznJzIjmqLkmf6Pq0pD-MkAmpuVAJcBGteiznslykQJypnZ~QxC~SSPsTj5DXFUNbQQoXZSupl4Y38LgdvducmbCIm64S-uyWuEzyLFLVOetKVLdRvD5~aTskDlXxnFbZcBSjxOVA2P7aY7FNXabzWQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Candidate experience

When candidates click the interview link, the system directs them to the interview page. Before the interview starts, candidates can

enter the required details and grant permission for webcam, microphone, screen sharing, and multiple-monitor detection.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770795307201-image.png?Expires=253370764800&Signature=QyYIKABmq9Aq4C9mfg0Uz-9U6MmobZCS8adhMkROMjaLTx6naL8onUgnlDOEeFORvAxe0D-s0Q2XdwKMm9yXEctSv~SmJmJbYdMN0Wu3VcgfXYcBACf906leogsGMDHHNGa48E1YRHIsCte6tZCY3Z37N5~JhQI19ELU9mcd9PXYoAWnruXO3lEE6xmelj1lvV4DgdXdW-8CndvKEzcBB8vLVYA7faiJEYyWcJuhudknf~rayGODhzK~AFRS~YsFTRT4-3m5JuZDyhdPbx7CNhcetIzycHBi9SzFVT3CQDKXAYJQT-Zhk0qVcBihzC0yR4C9BdELKa4W-G8c07VbRw___&Key-Pair-Id=K3NV4LZ47N8M46))

The AI interviewer opens the session by:

- Introducing the interview
- Explaining the interview agenda
- Describing what the interview covers
- Answering any initial candidate questions

During the interview, the AI interviewer maintains a natural, conversational flow. It:

- Asks follow-up questions in real time
- Probes deeper based on candidate responses
- Adapt questions to personalize the discussion
- Tracks elapsed and remaining time to manage pacing and cover all topics within the allotted duration

The interview supports multimodal interaction and responds dynamically as the conversation progresses.

Throughout the session, live proctoring and integrity monitoring run in the background to help ensure a fair and consistent interview experience.

[chakra/manage-chakra] View Candidate Report in Chakra Viewing candidate report C

title: "View Candidate Report in Chakra Viewing candidate report Candidate report components"
title_slug: "view-candidate-report-in-chakra-viewing-candidate-report-candidate-report-components"
source_url: "https://support.hackerrank.com/articles/6818900787-view-candidate-reports"
article_slug: "6818900787-view-candidate-reports"
last_updated_exact: "Apr 22, 2026, 10:02 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
- "Chakra"
- "Manage Chakra"

View Candidate Report in Chakra Viewing candidate report Candidate report components

Last updated: Apr 22, 2026, 10:02 AM (Last updated 4 days ago)

The candidate report summarizes a completed AI interview. It organizes evidence and feedback so you can quickly evaluate a candidate's performance and integrity.

You can use the report to review recommendations, interview responses, integrity signals, and section-level feedback in one place.

Note: You can view AI Interview reports only for candidates who complete the interview.

Viewing candidate report

To access candidate reports:

1. Log in to [Chakra](https://www.hackerrank.com/ai-interviews) using your credentials.
2. Click the sidebar icon and select **My Interviewers**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770791036441-image.png?Expires=253370764800&Signature=AFLX~778GkUMGeMd~nu0k2eF3kkGbYyLo4cJqwJ~nvjmS2pfd11ELHaZ5-BG2C5QIDqn44-LDKMKH31JhJJp8V8limAKav2LFYoPR3WByz~2TWh3mxpq6L5Ohkc9VIXsAxms1hv-uaZ0Hsode8L8jpeYg995KXxBs6JLHs0Ru1tAe~TA5Drm60X2KsZR67YbuVkj1vk0UNmCBh5GNHa~HH9ce5o4x1iKxmt5zqQwjTqsoTis-UkwP~jA7AoPuS-A2pC9C7AWEKNxEIHP5bOU11ahrtoyvK-DHd0jVyAYGjQflnv~NrTfhaENAWLPIFxHeMVk3EXul3j9dSc1wLobA__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Select the interview for which you want to view candidate reports.

4. Go to the **Candidates** tab.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776687502029-image.png?Expires=253370764800&Signature=gf~xZuc8Erqk2PonxSJCavDmmZxCqvXSpvYibP0l0zJWwwiIn~Z4obXuRseUC6fKt0EkMHYPi11QOvxEEbb4KB3zKmNzn4~g0lcoAmL8v2MQwfanG1MkKVh2fhUmGJoHOjVpjY1KnopRnAwLic2njbWFltT~nE9d0U55BRg-v79vLWQnDCSIM-lq19x88GuH0EFKx9Wur~sYgV1XN2FDw9z8XSOG3mvXzD6sUTun9AMmZY5OJ69TT4wuhQYQVJfIHGvjR~IR8e1FQlxb1LxsDkgRd2Up3wgG6NhXcNYI-x7sjhQRTY~lbVtyDvc4v8F1lAOtBLI1vsanahLLKdGdoQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Note:

- Use the search bar to find a specific candidate.
- Use the following filters to refine results:

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776687425173-image.png?Expires=253370764800&Signature=jIHGsrUAtoAt~wRm1CuufySx~8BpbwEUQ93W4MSLixYY7KVix0eWIIHhmlEdUyfYI1A8mKj9UxJma44ysIV9gfSwMzDPJ7M7A7snmEXLkNWPICieohalxWwYFG~sz52xp0EYQe39Aqk7X5qWMg3kexi~5zxeB8MikfPgodDFzkvOig8gHAyomR9UQ4e8A~bg78o3OldrzaFfOHkv7QhPml4qt~jgwYaXWuU8WOJbpKSjg--q1pJ8vkUKLvLszfosvYFmXkm9MXvGFrB7aQdl5QmnmkguUqvw93tBQqNZxITzaPiPu3leHRHWrtV6oYBWNv~PfPserEo5vObQk3Fg__&Key-Pair-Id=K3NV4LZ47N8M46)


- **Status:** Filter by Invited, In Progress, Completed
- **Integrity Issue:** Filter by No issues detected, Medium, High

5. Select a candidate's name to open the candidate report.

Candidate report components

The candidate report includes the following components:


- **Overall recommendation:** The report displays an overall score on a 5-point scale to summarize the candidate's performance across all interview sections.




If the system detects a candidate for suspicious activity, a flag icon appears next to the recommendation. Click the flag icon to open the **Review Suspicious Activity panel** on the right. The panel displays integrity-related evidence from the interview, including screenshots, webcam images, and timestamps.

<!-- -->

- **Overall summary:** A short summary explains the hiring recommendation. It highlights the candidate's key strengths and areas for improvement.



- **Interview Recording and Transcript:** The report includes a full interview recording with a synchronized transcript.



You can:

- Play or pause the recording
- Scrub the timeline to navigate to specific points
- Adjust playback speed


The timeline aligns with interview sections. Hover over the timeline to view section names and timestamps.

The transcript appears in a side panel and stays synchronized with the recording. It highlights the current segment during playback.

Use **Go to** menu to navigate to a specific section in the transcript. Select **Download** to save the recording and transcript for offline review or sharing.

<!-- -->

- **Suspicious Activity Detected:** Highlights integrity-related signals captured during the interview. Common signals include:



- **Tab switch or full-screen exits**: Attempts to exit full-screen mode or switch browser tabs are automatically flagged and logged.
- **Webcam integrity issues**: Analyzes webcam images for potential violations, such as the candidate's face missing for an extended period, multiple faces visible, or secondary faces detected.
- **Screenshot analysis**: Reviews periodic screen captures for suspicious activity during the candidate session.

Click each signal to open the **Review Suspicious Activity** panel on the right. The panel displays supporting evidence, such as screenshots, webcam images, or timestamps.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770795620172-image.png?Expires=253370764800&Signature=kgm0tH7z-bRdQrORr-PCgliaRPJFIRcjzCilTdDuJPYSL8xf7i84OBRjL-H8Fzlsbt-nq3FuYHdZpOsY66u~ecLfDj4caWtSwotEhRtKs2rJm1oOVq6tPhv1EXESuAF0oXS40Lyletw1DMxy6L1395Xuzz~akQM5gbxez8dE-1hM7614uYbZ82Q22bA016ewldxuXgAOOem4AO3ML-e33laloguoiimuBLTuf-Ayy0eBj4OZ-xpXXOZp6Il367bby62ZFQM6ZZamlk93vG~OUymrwMNY1Go4cGceJ9SSLa63zqZl1YCg~2sAEgym2WFNrW6SWbWkLnr8gGE5E0Nop~w__&Key-Pair-Id=K3NV4LZ47N8M46)

Review the supporting evidence for each signal before drawing conclusions.

- **Section-based feedback**: The report organizes feedback by interview section.

!	[Structured	Section	Summaries
Chakra.gif	(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776693430395-StructuredSectionSummaries		
Chakra.gif	?Expires=253370764800&Signature=dIQc2xb6GD3Kykab9CM71JfAp3ewZZJJCKT-TjmJqaUBwLHM0PRU0GnJA83FGgb		
VSGZ3ptdT0ufZ3jQbwbeNWeC7Z15QPdkeTtJhTNuaHzIm5IDR-TD9ONsED4g3eVEoU4Oaa95dGEoFL6b17Bi-~gvetnWMSsBGB4gl			
jGP05y2lUXagnGB8piH6Lamz1GXOcejKStn5t7kZc-D0glxt73enU5ZUBYZAX6VPcAGYdVs5TvfJIMqBkgymJPU9Q9bhoCu8G8WGz0			
X00dVr6Mht402qybrHexCP21bqgG6Mwd5WlcetBUIsJadQZl-hybnkfYSjT4u-4E~z82txIVfuA__&Key-Pair-Id=K3NV4LZ47N8M46)			

Each section includes:

- A score on a 5-point scale
- Bullet points that summarize key aspects of the candidate's performance

Select a bullet point to view detailed insights that support the AI evaluation, including:

- Expected response or evaluation criteria
- Transcript references with timestamps
- Highlighted candidate responses

Use section-based feedback to understand the candidate's strengths and gaps at a granular level.

\

[chakra/manage-chakra] Create an AI Interviewer Creating an AI interviewer Editing an AI interviewer

```
---
title: "Create an AI Interviewer Creating an AI interviewer Editing an AI Interviewer"
title_slug: "create-an-ai-interviewer-creating-an-ai-interviewer-editing-an-ai-interviewer"
source_url: "https://support.hackerrank.com/articles/8041423965-create-an-ai-interviewer"
article_slug: "8041423965-create-an-ai-interviewer"
last_updated_exact: "Apr 22, 2026, 10:01 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
  - "Chakra"
  - "Manage Chakra"
---
```

Create an AI Interviewer Creating an AI interviewer Editing an AI Interviewer

Last updated: Apr 22, 2026, 10:01 AM (Last updated 4 days ago)

You can use Chakra to create an AI interviewer based on a job role or job description. Chakra analyzes your input and generates a structured interview plan that you can review and refine.

Creating an AI interviewer

To create an AI interviewer:

- 1. Log in to [Chakra](https://www.hackerrank.com/ai-interviews) using your credentials.
- 2. On the **Create your interviewer** page, describe the job role using one of the following input methods:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776244816929-image.png?Expires=253370764800&Signature=dlQcJehXODUGXbO3yF8RrxjKJZ~lbzLDX6mU5lbsl0X19i-Vi~8wellxzxm8CwtKsWWauXqswOIQCWVVzR1uf7j23l-i4xDC5Qlth3dLFV9~KZRHpyFc6tllKe3~s0JdXEYy1NyAC6~xgcfHTFVdyzlZDggjuy55EUtHqdnkOYAAB3WbTW3O83zhzYiiH1ZgOE6g4TtyY0wSNu0pvYfD6FFfrj9Hpc678eOPdboPt3riC5y7K5-ZFTIJsrDd6OnTV6ughGfxSn2IJJTxEM6einB7cwrH~Kul0PSY63jpXQRfxnq5nNk8H40xH91vvc9ra7ehjvQ1V6vDLQd-P-IDQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Text input:**

- 1. Type or paste the job description in the input field.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776245032385-image.png?Expires=253370764800&Signature=itXTK2G0ZLrB~fHW0JkAHgRvp3hVXCrZ1Xbgqog6pE6vYaieSUBwhV47fU48Bw8YpxYip6q3EQgygByV32w8HgG94kqaBKnpSBhT3WlI9M4DsQ3RhHlewpKfVZ~EEbDiJyogk4DuxNfDsxhFQok6kWZvB-9LXeU1EgZQrkPLXn82n1jriwE45gNodGyCTmIXk~buPB-ockrGxtqXC8HfbZs1r7SRUmVVImX-UKueUyG-yBoloJZW4BUApr0oCvzEqtRa7cglU1YhhoaH8uCSZfNuMSLDVG9rFOFdt2hK9Jok3O9kuXwML8xfqv0daGpg4FJYW1JzBqmOcQ~Cl9ds4Q__&Key-Pair-Id=K3NV4LZ47N8M46)

- 2. Click the send icon.

- **Speech input:**

- 1. Click the microphone icon to start recording.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776245149195-image.png?Expires=253370764800&Signature=NZoUSp1F4aTFTgbzyR~LoAIR-qyHKiBYenfBD-jQ9IVsLIsVNBcOmdz2IGWeuFQwQhbeBgZhGiJIZfDUaeBmDr4kXqs0hbyLDyl3oodhAA52ENLThP8hYqO6F9sLFggtrBbNuZQfPqZX7bmRujvhYA7m8Gn91ibz6zH5gsFclu6gw4AqMcVYYP5mpWw-SWho9f90C~rx3crf0p5CXJ4rlA~vR-b7jN3XdARbbAMvmWEYUQbYycOBampMLLvDi3Yh1IAVTZbjlP3fKwM~7IG9Td4q5~bnjW~XNQZb5ZnpD-ixCCaps7e3jtNmCN~hnX1Y3bEw4q4wsvhMd7InYQnl4g__&Key-Pair-Id=K3NV4LZ47N8M46)

- 2. Click the confirm icon to stop recording.

- 3. Review the transcript and click the send icon.

- 3. Provide additional details when prompted to refine the interview, such as:

- Candidate experience level

- Work location and schedule expectations
- Must-have and nice-to-have skills

<!-- -->

1. Enter your responses and click the send icon.
Chakra analyzes the role and displays the **Timeline of the interviewer** pane, which includes:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776245580118-image.png?Expires=253370764800&Signature=N-Ts4MUgStBNTFRchp9zl~W9WaaAK70tbbDhOdVAiORFYrxBbUvO01vBI~ITEzdMCfpmMtFtoBYkzDDW0~n7SeUXanjAaZ9aaAOAF1dYMHvQ7Va~0CI21SGzVfVsjMbH1TOyDpVHX9b3ZvvMU-dZQdH3M1GjSNee6-XZ1EQat8BiJTgu60A-LC8Sw5kLZxjbe-yscn-0DZgMtRt7b2~2IK809yZ0rVHx-R1STPKZNWMD7BUOWUG9YX1QOy0tDSUXZnbhFTuhQGgduYEhl1wSszv04oA3ZmCSEcHjHnFMU1J8KsOQ4UbAYIMmXQV8EhAuyxknPO5vtFWBqWAsCIGxA__&Key-Pair-Id=K3NV4LZ47N8M46)

- Interview sections
- Estimated duration for each section
- Evaluation goals for each section

<!-- -->

1. Review the generated interview plan.
2. (Optional) Enter prompts to refine the structure or content of the interview. For example,
 - Reorder interview sections
 - Modify the focus of a section
 - Change the question types in a section

The **Timeline of the interviewer** pane updates in real time as you provide input. You can continue refining the structure or content of the interview until you are satisfied with the output.

1. (Optional) Click **Sample Questions** to review sample questions for any interview section.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776245719484-image.png?Expires=253370764800&Signature=EkapVyMJ0VwqaPSICIHKMMUI4DW2-xPRQqs0EQ4ZU733GpkEIRvAir7ibkvk8NpdXaNndOFFXM1eeSLKW0Hypxh0ykhCUqkj0QDoYFlimJ8dqr7o7e0UC3lmJ~yBvjceGexTzAHsuGAPvnZAM7mWXATRBT~jbCHom030ehRI4k9lGIziVgfQKp4oifzzj jmpG10Fmi~h74AD-WDuczvsNOYIPelCN5B8zh7fTKW7mjO5oMh2mzuesX7W0t~zllMN39PYVtaLrJwXF~AWCb5QJgxzfXXmZUyK8hTXkl3ryakRjB~g1x~p-ETOIMsBaEvlSJYnSBkzcCqoDprWa~EfjQ__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

1. Click **Create Interviewer** to finalize the setup.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776245746215-image.png?Expires=253370764800&Signature=rcZ-F6Tx8kjULWsNSzOplCINkZenfvzyvwJhWkyoQ9wpRnzLi3E3J8dGGUPNkdXbGmVm4cF-StTznYOSawA8L88o6PmiVa3PIFYq97SUKgt5-mv0FKava5NmKrRS2N21k43F9512fldkzbfbDcgsXDPD~P9sjfYgJnRQA9YmV3-shvYIUHhmWrhErUJm7lcEZLmETIGCvBccktl2suK2bVLPyq0oaRkKkzz5Y5xbnvu1xRSNrRnyJdPgSzlwbj~RXPHBECpCF~mEZPC-cq1TxDhBehMfUkJ2U~KkmMarKNGemwHFj-0u4RCxF~alL4W1pF7hi-EN~Be6ZgKtIMITA__&Key-Pair-Id=K3NV4LZ47N8M46)

Chakra creates the AI interview and displays it under the **My Interviewers** tab.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776245858052-image.png?Expires=253370764800&Signature=fQTD8Y5GUcVQn55EAQ0lu90Hp58Pu3HfsOy3p6YAwOJh89vILjnDeXjzQs9Cb1bbzbBKa3yvQx3vDVVK4KEG8SkHuKai7-U~dBZRpwzxLSSimj3iWfl5ymhNENth8Ht9qzciFSxigzM5zC~dqKslvzUCpe6OUew9qbr1mXPppl-DV1LVdvUjGa3E5VSI89Ycf~XNsYW3ottQSwgRakb3Jl0IPgr5KJYvzh98irMeY43EQhaRQoo~Sx2sQR9qHFC9UxsJelPClJbous8jWLF4Sutj~laldiY5XBNMqTtiMW5rBPYcUn5BG~BQw3m-440QTePFqmQhi2oRSWg6VKKpg__&Key-Pair-Id=K3NV4LZ47N8M46)

To invite candidates to the Interview, see [? Invite Candidates to an AI Interview](/articles/5542727476).

****Note: ****

- Click ****Try Interviewer**** to experience the interview flow as a candidate.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770795039601-image.png?Expires=253370764800&Signature=oxFfNX50bkYPfrNpZOboXlelBM8cdblcMDS4Hqi8XMsfx-18ClftLkHDK1Q5nff7fxFTol90awNDdLX1~shLw4x8J0ijVi8TEuNPOfG8EMfPVIX-xg8uxr3yHqiDkqjWSAv-PRzcUysi8ZHiQwPRSXTEbDEAg0mT2cc9IBbIs3Z6niC3a4y9syxYFHY8hmCElpYW3ryhm71AqAFMpg4fQxfFWxJpdX5Kri93cwC5GS~vO2cByWX~29oXuEsAR4-7uO17-dJSTfInVlDukn2r72LFVNbADiaRpcefgfadUkQZR7n7-0wo0JVQ0NI4kjcHPVEbsFvU1N8OvxN-taRg__&Key-Pair-Id=K3NV4LZ47N8M46)

- To rename the interview, click the interview name and enter a new name.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770795054316-image.png?Expires=253370764800&Signature=hXubvHn8y0ZOau9r3yj~RuOzQLu~l0CVOgkCxp~Xi~cxkt6JtsVzqc6mlcao5g~wGLnagVzngSt1zyaXjhfdGrpjzr02gWwH0bAkyeOCIncUK4VxBA~WVNsnH4z4cF~2OLNaw~NkUa5eOZD0II75I2wIX-8L0PfOxmIbECGYQk5XOx0~vpJJ32a~OxRg54USILD5g371t0iryQ3xIB~YCs4SvfRp1jIU6YVqMc5ssnQUyiSYYKe4AMYAOvcSJG3y73wXiHCay7sxRRF~Fy0pkxCH0~fRcfAjouBe-yliMe8502WAquc502cNzIN2Fyk45PMXyY1wPhWpAV2XMemtw__&Key-Pair-Id=K3NV4LZ47N8M46)

Editing an AI Interviewer

To edit an AI Interviewer:

1. Click the sidebar icon and select ****My Interviewers****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776245918963-image.png?Expires=253370764800&Signature=dmcT1WDXd8~-~NQkVI-8A5CuHe3bmVNQyJNCm1fwdKeanDQF3B55xuWqKW-B9EIJGCD9MpFlgin68bIFetmhVQ~zciRR-zyqhm9GekaRC9gwoM5teBS0JqvYU3Nlt8AQc79-Wvhgg5ZA3MEUuc4mHM3-fKcOyONa2pblSKS6I7JpGU32u2~8iVpDyAM4lp9GHwRjEeVtbGfGI5nhiZ43g~atVnoAqs5V9YvRSAcxc5NEqpXoGsXrURdlivcUM-pcC44oUOoyEumv8va80mT14jBC7Kjdl2bLQMxgPDjca3ju3FyPdGEEqFF-LAKyi0kW8J40dkucwb6r3-fcaLfsA__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Select the AI Interviewer you want to update.

3. In the ****Overview**** tab, hover over a section under ****Interview Structure & Timeline****.

4. Click the edit icon to open the ****Edit Interviewer**** page.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770795090341-image.png?Expires=253370764800&Signature=GSYDyDVVUsTRG-9U779PolyBEIhuJ5dGNcr~bEQxh~8yPMEWDXi3viU2S9dSqfXSGbm662yUwgV1fsqY3H0wxQ4CC25cBK0K6vs-uusvPuQpLOmGhNRZjyxOdcf5FkbmTAI0jMLNROJpKtdNin~3z8szFQVuYf8E2B2W-H5IGI2ndvXFRAX3emSTlp~WDWPZTgYVjZwf7C42bUVCGbqmHICQHkPCUONShD1W5Ariy9W5o9~-0hn3SBEWkv2PquxFa98cEFtRUJU0Ln5kWaXiMTgvmKJ-BT~dP5eS-7pi0UfG1SAHNwHfllbSj37uvGxKS-walPKeIGx7vY5Dr-quQ__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Enter prompts to make the required changes.

6. Click ****Looks Good**** to apply the updates.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776246052660-image.png?Expires=253370764800&Signature=MRHI8xqyHTxz-iPLfBp9AM6RLOp~3wLKlcwRiAs-da55SfRSLWonN6UT1j3BWfGBdYbNqntq-4rbN9r0ipzD9s~0keUhAdl-ETLmTx6JyBPuDHFGtNiA7EHgBxvcHhC2dWriYtjWw-oYDSWqbjYXWC~SNjW56VN0JExc7u~eRkWtc6lcrmg8pBALJayGEWRloKI8zq6colHvkTEksWjGHKL~pGrnPq~QKL2fGxvshgri5NHsSlz84ExPPC0lv5SHnYIQPCCrGpvmqecjWHqvh5z~pMERbb5QKZgr8mBlniURXHtcMx0~HrFL68wanFFKoO~sOLolbnbcK1N~I7RNw__&Key-Pair-Id=K3NV4LZ47N8M46)

\

[chakra/manage-chakra] Clone an AI Interviewer Prerequisite Cloning an AI interviewer

```
---
title: "Clone an AI Interviewer Prerequisite Cloning an AI interviewer"
title_slug: "clone-an-ai-interviewer-prerequisite-cloning-an-ai-interviewer"
source_url: "https://support.hackerrank.com/articles/8961150967-clone-an-ai-interviewer"
article_slug: "8961150967-clone-an-ai-interviewer"
last_updated_exact: "Apr 22, 2026, 10:00 AM"
last_updated_relative: "Last updated 5 days ago"
breadcrumbs:
  - "Chakra"
  - "Manage Chakra"
---
```

Clone an AI Interviewer Prerequisite Cloning an AI interviewer

Last updated: Apr 22, 2026, 10:00 AM (Last updated 5 days ago)

Clone an AI interviewer to create a copy of an existing interviewer, including its prompts and sections. You can use the cloned version to adapt the setup for a different role without creating a new interviewer from scratch.


Prerequisite

Your organization must have created at least one AI interviewer.


Cloning an AI interviewer

To clone an AI interviewer:

1. Log in to [Chakra](https://www.hackerrank.com/ai-interviews) using your credentials.
2. Click the sidebar icon and select ****My Interviewers****.
3. Select the AI Interviewer you want to clone.
4. Click the more option menu in the upper-right corner.




5. Select ****Duplicate****.



Chakra creates a copy of the AI interviewer and opens it in a new window.

****Note**:** The cloned test name follows this format: ****Original Test Name (Clone)****.



After cloning, update the AI interviewer to match your requirements. For example, rename the interviewer, modify sections, and

update role-specific details.

[engage] Set Up a Microsite

```
---
title: "Set Up a Microsite"
title_slug: "set-up-a-microsite"
source_url: "https://support.hackerrank.com/articles/3958121708-setting-up-the-event-microsite"
article_slug: "3958121708-setting-up-the-event-microsite"
last_updated_exact: "Oct 15, 2025, 3:43 PM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
  - "Engage"
---
```

Set Up a Microsite

Last updated: Oct 15, 2025, 3:43 PM (Last updated 6 months ago)

You can set up a microsite to present your event details, customize the candidate experience, and promote your employer brand.


Setting up a microsite for coding challenges

To configure a microsite for a coding challenge event:

Steps 1: Access microsite editor

To access microsite editor:


1. Log in to **Engage** using your credentials.
2. Select the event you want to edit.
3. In the left panel, select **Microsite**.

[Screenshot 2025-09-24 at 7.26.07?PM.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760519883537-Screenshot2025-09-24 at 7.26.07PM.png?Expires=253370764800&Signature=C528oboUNCYZmF7mS48DLQT5WjO4aLJRScFbKk9dotTwZFy~9XmQTEfy1USRE5I35VxAB3AvmYiEZq3aEx1Yv-W5h-5PVsqb2OBAxm~F-0a1~c5-DchtzeldTCUKSTkxbhbnGhXQ0rMSlrE54XrM5w8d5rCnyxE-XI3i9cOt-so2PYWqDrIX67J9GwvG-I00dY-ofbumNKVufvr8I0etBmLT7sC1pMA85sM6zT4Dw-WrzvtgouCppR0XwhMjjVvpFkQUgXBQ7IVvXDv5ZDABnBxiMUp4QC0kxO8Imf6Mu6Fz7Pi~QKlyt-A3ztLZQvEuIYCX~mNyr9~SDiBpNdhM4w__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click **Edit**.

Steps 2: Update content layout

Use the **Content** tab to add or modify microsite sections:

[Screenshot 2025-09-24 at 7.27.50?PM.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760519910873-Screenshot2025-09-24 at 7.27.50PM.png?Expires=253370764800&Signature=DIWYJsKGP4Bb2j4V8R7ymFPgELswChZlcTqRSdojOtY0l2R79JhPkgs925qM7kzwjul0e4YCTP177ZrZELCFWj6LLOmzVLZh5vwTGFFiWELRVL08Co5DwBBqD40k5EH3zDoGJJHJdT-exU1CWcBYWDbXlORkXkDoKnLggb2-NfD6UFwID20aBbYkHcQv-zhByyS7wKGWCylaOj-loRbbZtVB3eFBMroYpgwS11u5uF4q1fDelKr9fGr1W1gafax5wyBZ6zjnQOOyQ5njGVh5iBG868-ylBM1kvY82lq1cR5aSzyJnU3~aBcLobLbIhyqQP1wx05LNdXE96lakFNTA__&Key-Pair-Id=K3NV4LZ47N8M46)

- Edit default sections such as **Event Details**, **About Company**, **Testimonials**, and **FAQs**.
- Generate a banner image using AI.

[engage3.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760521145731-engage3.gif?Expires=253370764800&Signature=ObsYu~dl071g~FVYbJJkyDjyOpinZJBXhtKt5a8hd-xFhUxYgpUGqxYEuZGHQc24Lbw88qx8Gitagi97RshWfAVBtnZemfVQDmGt5ukRxhn1oskf6GfT6B7YhLG7FUsjVj-mBPM6jPftU34Evdh3NAVgmWShvagfQQwwf-EpDNptSzoZpHtUcUkujNxE8jBKL9TQN2FQ4uZrDDf5YkyG3BB9OJnUDZPJue~bwQOnryy6GjMFr2r2dcleScul4FuTxuLELeO0zGo3XBEyycUYOiE0tByM6v~qXujWOYqNp3JGkiP2GQ3kWjdGQtMqzUIKikpL9jTNNaK34emXAf4UQ__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Edit the section that includes your event name.

2. In the **Cover Photo/Video** section, select the **Image** tab.
3. Describe the image you want in the provided textbox.
 - You can use the suggested prompts as inspiration, if needed.
 - (Optional) Click the picture icon to import your logo into the image prompt.
4. Click the green submit arrow button to generate the banner. The AI generates a customized banner that includes your event name.

Note:


- You can regenerate the banner image up to five times to explore alternate versions.
- If you prefer to use your own banner image, select **Upload Image** to add a banner image.
- Reorder or hide sections to match your event flow.
- Click **+ Add new section** to include new section and choose a layout to present text, images, or videos based on your event needs.


 2025-09-24 at 7.31.43?PM.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760519953595-Screenshot2025-09-24 at7.31.43PM.png?Expires=253370764800&Signature=MfOybgdo2UI5cVrvit7Eedk985j~cxuz4uoDsSGHTpCYyz~Z3zWOewZgi5P93f apo6zU0NjvrREzBjZVp2JkwP8WW32dFajGtGz3CQPic8IVowHDEnaLkwnx1tUtIGYAYu23cPic5axjvbs7E6jZbWYxgfM8eXltzloLDIkH bNw-Eqnp9lv-YfzviNlfyapXuEN7Y4OYdzScRpVxezb~mMGU-r5hx7zYJQH6LzNGNyJa~zIDpfGe5bj~wFMRpSZZSRBDnJ45Y1PqP LmSfJqoGRWBwraqV~AA0emolcy0gbuvtim7PYK3G7oAVAvGiJEKm7KBhGoPTtpTZfgFZCDg__&Key-Pair-Id=K3NV4LZ47N8M46)

- In the **Event Timeline** section:
 - !Engage4.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760522555913-Engage4.gif?Expires=253 370764800&Signature=L6so5rme~iFdQIFOZf4Cf1IUnA0mQk~KPy8CjvIWufpOsp~dGSd9hflNfYJmUADV5SlrpLsez6eWfjpasDAv4nw O8SN3gT-uwu09WlmfYcSjd-CDEPkcpHgxU75z-o5XjKEkYSRWgKoWMz2RkIFNoVH81k5vB3f~96eOXZ1x3cbp1NwsPQhL9sJ-u~iS4 cvX6UZHtxWS0YWjM84JNjP30hCsaOUncR7tvS9MPAsHX~mMNYWODnQI2HQfA4CNWYBrjlL0KfAUia4Oq3lkgKfGDrBKlhw-8HxEd7 uukuTcUNp3LzxfAO7pu7w4GQ2bH~2LbkTAEihdSnxRlcVCEimXw__&Key-Pair-Id=K3NV4LZ47N8M46)
 - Display key dates, such as the **registration deadline** and **coding challenge** round.
 - Select **+ Add Round** to include other events, such as webinars or interview stages.

Steps 3: Customize styling


Under the **Styling** tab:


 (1).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760520256290-SetUpaMicrositeStyling%25281% 2529.gif?Expires=253370764800&Signature=XxK1jLG-6Y7INlpB1c~glyC3O5adqF972mVV-9HahhKn9bPfFbq-3Q7xKATAp5Pbw~8S 7MQwRt6YI~Dz-UJ~O~7oUPETdY4jETTMpbZn3Jsalv0z8M1bdYLuus5m0DLdiYqSLtDkD2bpIYIHcxsnVsv07ti9Csx0eZpu75Nwqg-axj 2lTJZW3jJC2om0tXo23MChXMWvjAYef3BPGztG0iWvOvMmgtEouho9sZ9wBNRwYi9aelzYsdAdP42CzFhYZQqtnP9Fim8w92d2N2D j7wQjIENa86jtiB9w50pqhJEogLZNtVJlI1l2nRWi1gXUHPT8G~BJ5LtZ5PIEduw-w__&Key-Pair-Id=K3NV4LZ47N8M46)

- Choose a section layout and select a theme: **Classic**, **Balanced**, or **Impact**.
- Enter a hex code for your brand color (for example, `#007bff`).
- Upload your company logo (JPG or PNG format, maximum 50px height, up to 10MB).

Steps 4: Define registration fields and eligibility criteria

In the **Registration** tab:


 !image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760522834462-image.png?Expires=253370 764800&Signature=mbpFc66-s4KtTA8pl2GqsQLb4DiLMctBsmpq8i-JLL39Qck-cxsxqgQqBKADWqDNWrlAvrQfiCCaDzTTkjqif2Hmv O8JxZsPxXAHl56CeRPab3xlcG~AeMub2U-f9zRGeUdlaDANVQOyDOFt21bmd8BPxmwoXzgUGP8St6XrIVJGsreM4tPkbTqcqxX7gb Xbz8JYC63pQZimavmOk07c67kOStqvtq~Kh2FVxNpgZo8Bd7A6aR-35b36AZ9p7i4txDgFMn46fdHaV-7FfV2ODVfb87Ot22n1ha9CQu

7HPJDtlbPJmeWXznEljwM2SC4W-vkNwa4rZm00skHix-uQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- Use the default fields: **Full Name**, **Email**, and **Country**.
- Select **+ Add Field** to include custom fields.
- Use the **Set eligibility criteria** option to filter candidates for default and custom fields.
- Remove fields that are not relevant to your event.
- Automatically categorize candidates into **eligible** and **non-eligible** groups based on the criteria you set.

Note: After you publish the microsite, you cannot edit the **Eligibility Criteria**, **Participation Type**, or **Registration Form Fields**.

Steps 5: Publish microsite

To publish:

1. Click **Publish** to make the microsite live.
2. Preview your microsite using the link at the top of the page and share it with your marketing team to begin promoting the event.

![[Screenshot 2025-09-24 at 7.36.25PM.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760520150473-Screenshot2025-09-24 at7.36.25PM.png?Expires=253370764800&Signature=kdpW67QT6Kmdcp7jpJXwE713cM4ZkOzBthfHa6V1YTNAOQ5zg3srVKO0Rz-XGgelL09mze4buHqwlLkMqzkjc8XNFX3YAWUtpAKw~oyROWbYOQc3rXLHy-zTx4XjCI9M~9q~1Grg-jqCtg11Arba9UudBVECwWhbwIUovg8PY7iGzMH1z~kvTcA9gPG7MwbyvAl4VnKnxl-EdMeeq0NLBAz~UuGjFlpSkMojbTbUJwQFFX7uhqWdhrP-elkvvGN6cnFRpFtkniKGsKci43xHW2OOkB~rWjFZfOhemolPiQ5A9Ec7PwcGg24QIbx7miOF5t5CLsv-4fNFYzpdQRiQVg__&Key-Pair-Id=K3NV4LZ47N8M46)

\
\
\

[engage] View Event Statistics

title: "View Event Statistics"
title_slug: "view-event-statistics"
source_url: "https://support.hackerrank.com/articles/5336874519-view-event-stats"
article_slug: "5336874519-view-event-stats"
last_updated_exact: "Oct 15, 2025, 2:57 PM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
- "Engage"

View Event Statistics

Last updated: Oct 15, 2025, 2:57 PM (Last updated 6 months ago)

Use the **Overview** dashboard of your event to access key insights after it ends. Insights are presented as visual charts based on either registrations or attempts, depending on the event status.

The dashboard provides visibility into:

- Marketing insights.
- Candidate funnel data
- Candidate distribution by gender, country, and work experience
- Event leaderboard

Access Overview dashboard


To access the **Overview** dashboard:

1. Log in to your **Engage** account using your credentials.
2. Select an event to view its **Overview** dashboard.


View marketing insights

You can view key marketing insights such as views and visits across different channels to evaluate the return on investment (ROI) of your events. These insights are available for events that include UTM parameters.

- **Views vs Visitors**: Displays the number of views and unique visitors from each source (for example, LinkedIn, Instagram).



- **Traffic Distribution**: Shows the volume of visitors from various sources.



- **Source breakdown**: View the distribution of candidates across different sources or mediums using the **Microsite** views

distribution by source** chart. To identify which source contributes most to your registration funnel, refer to the **Views vs Registrations** chart. These charts help you understand your marketing return on investment (RoI).

![[EnageEventStastics.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760519281221-EnageEventStastics.gif?Expires=253370764800&Signature=Fiy4-i3oIFaofJR9CK8MN3ArGLCo7IYKLceOAnssz1Fz2FxcjiEwGhG~apHelrFOLYhIkzj9O3pYS2cE7sZ2fVJlfavYgl-oZtcpYsFxfXsiDdAX4YGTmvCLKC~LAqYmJj8wEXQ7sFpTh7BPFuakJj99I48sDPZQYSVYa7Y0SNhPfgH5xltG~KwW3yvrhbvY1Z9jCO6WbA9NhpZk2ne7x0P9RjqXPXY~5nen9b9ZD9GmbN3GcDBR3b1-RoiLumdjSsXLZj4~YTB5YP3mTkTbuA1KqC6d58NuhSaV1X1Kducrw1yKPhvxgHc3ul~wjLfQSHwXnEi4ppUQ1RaC3lhA__&Key-Pair-Id=K3NV4LZ47N8M46)

View candidate funnel data

You can view the registration and attempt level data that displays how many candidates registered and how many attempted the challenge, helping you measure the overall conversion rate and success of your event.

View candidate distribution

You can view the distribution of registrations and attempts by gender, country, and years of experience. These insights help you evaluate the success of your event across varied dimensions.

src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F277abfa4-77fd-4c14-ab42-8d76741c06fb-AD_4nXfwXBEFaKksYfMw2jzgw1DJjQb0OB8IGfhPxMv424Qwwhx3euxsnqMp-MXkJuneMnwr7yjqqliycfGyaGqfeBUsi493e-XWiEloT4_4R1U02HdPswW6_hYKWrhRkVdV_IQ-fSEm5w-8ec7d2ec-5a13-45a0-a61f-fa4901244403?Expires=253370764800&Signature=WYE5gUCy36B55xVLxcm8jln1c8u0hAy6e3xcNuBqbH9MV2mghSzTnrZ4qbx1dngVjU4DPU20wuebp4VFvKZBGgecwK59b8a8B2~Qfgr5yykGIDeiZhrRrWL6AG6eX3d1LjUQ1RZAEGW5FWsTn76K6qb4AGuY~2T~huc0Mr-xbGjh58BWS-9mtlLTyvG2-ILR6-1RPkrwdJ74mzuQ4qLDQh05KUEyPw2FdlUYGdvLITqHF051WIEiHcmdm0d6WdHRTp30tYnyg4bXZ8y2-gMwefCS5dyfmvYKHTOCljx5ZQsBmObgUVIZXG6EatgilQhltH1vVNNEd7A5XyDIH~z2rJQ__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

View event leaderboard

Access the final leaderboard directly from the homepage. Use the leaderboard to identify top performers and reach out to the winners to create a buzz around your event.

\

[engage] Introduction to HackerRank Engage

```
---
title: "Introduction to HackerRank Engage"
title_slug: "introduction-to-hackerrank-engage"
source_url: "https://support.hackerrank.com/articles/6424218208-hackerrank-engage"
article_slug: "6424218208-hackerrank-engage"
last_updated_exact: "Oct 15, 2025, 2:00 PM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
  - "Engage"
---
```

Introduction to HackerRank Engage

Last updated: Oct 15, 2025, 2:00 PM (Last updated 6 months ago)

HackerRank Engage is a platform that helps companies strengthen their tech brand and attract top-tier developers through developer-focused events. It enables organizations to source candidates from multiple channels, build relationships, and maintain an active talent pipeline all within a single platform.

At the same time, developers evaluate potential employers, focusing on factors such as the types of problems companies are solving, the technologies they use, and their overall value proposition.

Key benefits

Engage offers the following benefits:

- **Leverage AI for effortless event setup:** Use AI to build personalized events that align with your hiring goals.
 - Receive auto-generated event artifacts that you can customize later.
- <!-- -->
- **Source candidates from multiple channels:** Source relevant candidates for your event by leveraging multiple sourcing methods.
 - Discover candidates from HackerRank?s candidate database.
 - Promote your event to the HackerRank Community.
- <!-- -->
- **Showcase your company in the best light:** Highlight your company through immersive and interactive event elements:
 - Create customized microsites to showcase jobs or hackathons.
 - Use email sequences to share all the relevant information about your innovations.
 - Use HackerRank Community promotions to get relevant candidates for your requirements.
 - Offer real-world challenges that emulate on-the-job coding.

Sample use cases

HackerRank Engage supports a range of use cases across hiring and candidate engagement. The following are a few use cases:

Create a pre-vetted talent pool

Purpose: Build a pre-vetted pool of candidates with validated skills that can be accessed when an active requisition arises.

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
```

```
<td data-cs="1" data-rs="1"><p><strong>Element</strong></p></td>
<td data-cs="1" data-rs="1"><p><strong>Details</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Use Case</p></td>
<td data-cs="1" data-rs="1"><p>Branding/Engagement</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Question Type</p></td>
<td data-cs="1" data-rs="1"><p>Coding Challenge</p>
<p><br />
</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Target Audience</p></td>
<td data-cs="1" data-rs="1"><p>Early talent (0-3 years) or mid-to-senior professionals (3+ years)</p>
<p><br />
</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Challenge Type</p></td>
<td data-cs="1" data-rs="1"><p>Invite Based</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Participation Type</p></td>
<td data-cs="1" data-rs="1"><p>Individual Event</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Event Flow</p></td>
<td data-cs="1" data-rs="1"><p>Refer to the [HackerRank Academy
course](https://hackerrank.northpass.com/learning_paths/8e81686a-ee8a-4dbb-8b08-5de0d00ff76a/courses/3587bbf0-f3aa-4150-8c8
9-219d0123963d/activities/e057b38e-5f36-4259-8f80-73e6cb802a05)</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Examples</p></td>
<td data-cs="1" data-rs="1"><ul>
<li><p>Early talent: [Atlassian Women in Tech Summer
Internship](https://www.hackerrank.com/event/atlassian-women-in-tech-summer-internship)</p></li>
<li><p>Mid-to-senior professionals: [Salesforce Coding
Challenge](https://www.hackerrank.com/event/salesforce-coding-challenge)</p></li>
</ul></td>
</tr>
</tbody>
</table>
```

****Note:**** You can run flagship events for niche audiences to build talent pipelines for specialized skills or to support diversity, equity, and inclusion (DE&I) initiatives.

Run coding challenges for multiple similar roles

****Purpose**:** Launch [coding challenges](https://support.hackerrank.com/hc/en-us/articles/27407964540051-Create-an-Event) to quickly fill open positions when a talent pool is not readily available.

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1"><p><strong>Element</strong></p></td>
<td data-cs="1" data-rs="1"><p><strong>Details</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Use Case</p></td>
<td data-cs="1" data-rs="1"><p>Hiring</p></td>
</tr>
<tr>
```



```
<td data-cs="1" data-rs="1"><p>Question Type</p></td>
<td data-cs="1" data-rs="1"><p>Coding</p>
<p><br />
</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Target Audience</p></td>
<td data-cs="1" data-rs="1"><p>Mid-to-senior professionals (3+ years)</p>
<p><br />
</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Challenge Type</p></td>
<td data-cs="1" data-rs="1"><p>Invite Based</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Participation Type</p></td>
<td data-cs="1" data-rs="1"><p>Individual Event</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Event Flow</p></td>
<td data-cs="1" data-rs="1"><p>Refer to the [HackerRank Academy
course](https://hackerrank.northpass.com/learning_paths/8e81686a-ee8a-4dbb-8b08-5de0d00ff76a/courses/3587bbf0-f3aa-4150-8c8
9-219d0123963d/activities/e057b38e-5f36-4259-8f80-73e6cb802a05)</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Examples</p></td>
<td data-cs="1" data-rs="1"><ul>
<li><p>[ServiceNow Hiring Challenge](https://www.hackerrank.com/event/servicenow-hiring-challenge)</p></li>
<li><p>[ServiceNow QE Tech Hiring Challenge](https://www.hackerrank.com/event/servicenow-qe-tech-hiring-challenge)</p></li>
</ul></td>
</tr>
</tbody>
</table>
```

Host internal Hackathons to ignite new product ideas

****Purpose**:** Engage employees to develop new product ideas through internal hackathons.

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1"><p><strong>Element</strong></p></td>
<td data-cs="1" data-rs="1"><p><strong>Details</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Use Case</p></td>
<td data-cs="1" data-rs="1"><p>Employee Engagement</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Question Type</p></td>
<td data-cs="1" data-rs="1"><p>File Upload</p>
<p><br />
</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Target Audience</p></td>
<td data-cs="1" data-rs="1"><p>Mid-to-senior professionals (3+ years)</p>
<p><br />
</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Challenge Type</p></td>
<td data-cs="1" data-rs="1"><p>Team Based</p></td>
```

Participation Type	
Team Event	
Event Flow	
Refer to the [HackerRank Academy course](https://hackerrank.northpass.com/learning_paths/8e81686a-ee8a-4dbb-8b08-5de0d00ff76a/courses/3587bbf0-f3aa-4150-8c89-219d0123963d/activities/e057b38e-5f36-4259-8f80-73e6cb802a05)	

Engage packages

HackerRank Engage offers two package options to meet your event needs:

Standard offering

The Standard package is a do-it-yourself (DIY) solution that allows you to independently set up and run events without support from the HackerRank team. This option is ideal if you have your own candidate pool and a defined outreach strategy.

To use the Standard offering, you must have:


- Access to the **Engage** platform.
- A sufficient number of attempts to host and manage your events.

Managed offering

The Managed package includes all features of the Standard offering, along with additional support and services to help you run a successful event. You can choose from the following services based on your specific requirements:

- Custom content creation
 - Higher scale for coding questions
 - Higher scale for project questions
- Project management support
 - Publishing a consolidated event post on HackerRank's social channels
- Custom microsite modifications
- Weekend support

The following timeline outlines the key activities and sets expectations FOR the Managed offering of Engage:



How-to guides

The following articles will help you get started with Engage:

- [Create an Event](https://support.hackerrank.com/articles/7549509598-create-an-event)
- [Set Up a Microsite](https://support.hackerrank.com/articles/3958121708-setting-up-the-event-microsite)

- [Source and Manage Candidates for Event](https://support.hackerrank.com/articles/7392770596-getting-candidates-for-your-event#find-candidates-from-hackerrank-s-candidate-database-14)

- [Set Up Emails](https://support.hackerrank.com/articles/9707768362-set-up-the-promotional-emails-or-campaigns)

- [Set Up the Event Challenge](https://support.hackerrank.com/articles/7640208607-set-up-the-event-challenge)

- [View Event Statistics](https://support.hackerrank.com/articles/5336874519-view-event-stats)

- [End Your Event on a High Note with Leaderboard](#)

Get in touch

Interested in using Engage or want to learn more?

Contact us at engage-support@hackerrank.com.

You will receive a response within one business day.

[engage] HackerRank Engage - Marketing Best Practices


```
---
title: "HackerRank Engage - Marketing Best Practices"
title_slug: "hackerrank-engage-marketing-best-practices"
source_url: "https://support.hackerrank.com/articles/7196095057-hackerrank-engage---marketing-best-practices"
article_slug: "7196095057-hackerrank-engage---marketing-best-practices"
last_updated_exact: "Dec 21, 2024, 12:23 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Engage"
---
```

HackerRank Engage - Marketing Best Practices

Last updated: Dec 21, 2024, 12:23 AM (Last updated 1 year ago)

This article outlines best practices and recommendations for marketing efforts related to HackerRank Engage events. It provides guidance on how to effectively engage with potential candidates, optimize outreach strategies, and leverage existing resources to maximize event success.

Why it's Important to Engage early




- Start promoting your event as soon as the event date is set.
- Early outreach builds anticipation and helps engage potential candidates before the event details are finalized.
- Consider using suspenseful language to generate interest.
- Once the event website is ready, you can share branded content to further pique candidates' interest and encourage registration.

Determine Candidate Personas

Tailor your outreach by identifying specific candidate personas based on roles, skills, experience, and demographics. Work closely with hiring managers to define your target audience and ensure your communications are relevant. Avoid sending generic communications that do not align with candidates' profiles to prevent disengagement.

Tips for Persona Creation:

- Consider demographics, years of experience, skills, location, and education.
- Segment candidates to create targeted messaging for each persona.



Personalize Your Outreach

Customization is key when reaching out to different candidate types. For instance, the outreach approach for a senior software engineer should differ from that of a college student seeking an internship. Keep content relevant to the candidate's stage in the recruitment process, and personalize your messages wherever possible, especially for high-priority candidates.

Suggestions for Personalization:

Send brand-focused content to candidates in the awareness stage.\nCustomize emails to shortlisted candidates, whether sharing good or bad news.

Engage Your Marketing Team

Collaborate with your marketing team to define clear candidate personas and design tailored campaigns. Use their expertise in crafting personalized content and executing outreach strategies that encourage registration and participation.

Key Areas to Leverage

- Custom content and email campaigns.
- Candidate persona mapping and targeted engagement.

Leverage Mailing Lists

Identify potential candidates through your mailing list by focusing on those who have:

- Expressed interest in events.
- Attended past events.
- Showed engagement by consistently opening emails.

These insights will help direct your promotional efforts toward the most promising candidates.

Utilize Social Media

Pre-Event

- Create event-specific social media pages and a unique hashtag.
- Use your hashtag across all platforms to generate buzz.
- Turn employees into advocates by encouraging them to promote the event.
- Feature special guests and share ongoing updates with photos and videos.

Post-Event

- Share a recap video on social media.
- Highlight attendee feedback and provide a sneak peek of future events.
- Develop a social media wall to compile key moments from the event.

Update Newsletters

Use newsletters to promote your event by:

- Publishing full-page articles that explain why candidates should attend.

- Including links to event details, job roles, and company culture.
- Making the content engaging with trivia, fun facts, and infographics.
- Adding a clear call-to-action (CTA) and optimizing for mobile viewing.

Optimize Careers Pages

Ensure your careers page speaks directly to your candidates by optimizing for search engines and including relevant keywords. Showcase your company culture, event details, and the benefits of attending, while using language that resonates with your target audience.

Host Events

Webinars and fireside chats can help candidates get to know your company before the event. Offering online events builds a connection with candidates, making them more likely to engage with your content and apply to open roles.

Suggestions for Events

- Host virtual events with company leaders.
- Engage potential employees by showcasing company culture and perks.

Track Performance

Regularly monitor key metrics such as email open rates, click-through rates, and conversion rates to measure the effectiveness of your outreach efforts. Use these insights to refine your strategy, ensuring you continue to engage candidates effectively.

Ensure Inclusive Marketing

Prioritize inclusion in your outreach materials by using thoughtful language, tone, and visuals. Ensure your content is free of stereotypes and inclusive of underrepresented groups.

- Avoid clichés and stereotypes.
- Use inclusive language and represent diverse perspectives in all marketing materials.

\

[engage] Source and Manage Candidates for Events

```
---
title: "Source and Manage Candidates for Events"
title_slug: "source-and-manage-candidates-for-events"
source_url: "https://support.hackerrank.com/articles/7392770596-getting-candidates-for-your-event"
article_slug: "7392770596-getting-candidates-for-your-event"
last_updated_exact: "Apr 22, 2026, 1:04 PM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
  - "Engage"
---
```

Source and Manage Candidates for Events

Last updated: Apr 22, 2026, 1:04 PM (Last updated 4 days ago)

After setting up your event, you can source and manage candidates through the following:

- [Promote the event on the HackerRank Community](https://support.hackerrank.com/articles/7392770596-getting-candidates-for-your-event#promote-campaign-on-the-hacker-rank-community-19)

- [Share the event on social channels](https://support.hackerrank.com/articles/7392770596-getting-candidates-for-your-event#publish-campaign-on-social-channels-28)

Promote event on the HackerRank Community

You can publish your microsite on the **HackerRank Community** to attract candidates for your event.

Promotion slot availability

- Two targeted promotion slots
- One general slot visible to all candidates

Set up your promotion

To publish your event promotion on the HackerRank Community:

![[Promotion1.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760514919949-Promotion1.gif?Expires=253370764800&Signature=i6tKz0fEMZvWmKyBJ3sJTFPKHxxU6qx~wNldmbUofx8DoO1-6Gv1y-go4JtjMdLEw-LdPxNM426LW78I5bUMFihwf-oMx2gbgTisldw0qXgAPf86xDjlEsnMJg3Zx7WPV68YFcAWHo9jr7W519CfYsjgbpPu6SY20KEUPREMyjWwxJIAD7P1oScCdj04atXAIQcV5hnXojDoUiANPBX0o8D5GNTn8FbNz1n0Gdyw2XJWROI4AjnitCv5gjV-Jw45GplPR4Xv-e9vB0WgsimcN3Ba8cLBfkuX2d7MQOFDqBgF-wlj-sJIKMg103pGvAmvYmLAUYbNUVuhO2GuxVBfQ__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Log in to **Engage** using your credentials.
2. Select the event you want to promote.
3. In the left panel, select **Promotions**.
4. Enter the following details:
 - Title
 - Description
 - Background color for the promotion tile
5. (Optional) Define a **target audience** to display the promotion only to specific users. If you do not modify the target audience filters, the targeted promotion slots will be shown to all candidates in the HackerRank Community, in addition to the general slot.
6. Review your promotion details and click **Publish** to open the confirmation pop-up.
7. Click **Publish** again to submit your promotion.

Publish event on social channels

To maximize visibility and drive registrations, promote your event across multiple platforms:

- Share your microsite on social channels such as **LinkedIn**, **Facebook**, and **Google**.
- Publish it on your **company's career site**.
- Feature it in the **HackerRank Community** for additional reach.

Once published, candidates can begin registering for the event. The registration experience depends on whether the event is set up as an individual or team-based event.

Manage candidates

All candidates associated with your event appear in the **Candidates** section of the respective event in **Engage**.

In the **Candidates** section, you can:


- View and search candidate or team information.
- Apply filters across multiple attributes, such as:

A screenshot of the 'Candidates' section in the Engage interface. It shows a list of filters that can be applied to search for candidates. The filters listed are: Status, Source, Country, and Experience level. The screenshot is dated 2025-09-24 at 7:49:55 PM.


- Status
- Source
- Country
- Experience level

The layout of the **Candidates** section changes depending on the event type:

- For individual events, a single **Candidates** tab is displayed.

A screenshot of the 'Candidates' section for an individual event. It shows a single tab labeled 'Candidates'. The screenshot is dated 2025-09-24 at 7:50:37 PM.

- For team-based events, both **Teams** and **Candidates** tabs are available.

A screenshot of the 'Candidates' section for a team-based event. It shows two tabs: 'Teams' and 'Candidates'. The screenshot is dated 2025-09-24 at 7:52:12 PM.

Candidate experience of the registration step

Registration for an individual challenge

For individual events:

- Candidates register by submitting their personal information through the microsite.

- Once registered, they receive a confirmation and relevant event details via email.

Candidate experience:



Registration for a team-based event

For team-based events:

- One candidate registers as the **team leader**.
- During registration, the team leader provides the names and email addresses of team members.
- Engage automatically sends invitation emails to the team members, prompting them to confirm their registration.


Candidate experience

- Team leader registration experience:



<!-- -->

- Team member registration experience:



\

[engage] Create an Event Creating an event Configure event settings

title: "Create an Event Creating an event Configure event settings"
title_slug: "create-an-event-creating-an-event-configure-event-settings"
source_url: "https://support.hackerrank.com/articles/7549509598-create-an-event"
article_slug: "7549509598-create-an-event"
last_updated_exact: "Oct 16, 2025, 12:30 PM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
- "Engage"

Create an Event Creating an event Configure event settings

Last updated: Oct 16, 2025, 12:30 PM (Last updated 6 months ago)

Engage streamlines the process of creating events by using AI to generate key assets such as microsites, email events, and coding challenges tailored to your hiring goals.

Creating an event

To create an event:

1. Log in to your **Engage** account using your credentials.

Note: If you are a new user, complete the onboarding flow to learn how Engage supports your hiring goals. On the final onboarding screen, click **Create Event**, or click **Skip for now** to proceed directly.

2. Go to the **Events** tab.
3. Click **New Event**.
4. Enter details about your target audience, such as experience level, location, and skill set.

!Screenshot 2025-09-24 at 11.32.27?AM.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760520461367-Screenshot2025-09-24at11.32.27AM.png?Expires=253370764800&Signature=a9DjDKxoKVjg1Tb~ye-G4F8Fb5PypzKOqG7sLBmfymuVsLMarKpm25V-qW7idkSXz5VfsMt5Boiu7WpE4KPdL2v5wTnMeg7NlwLQSFYAL2iWMyedGrHdvsNR-L0jSLJuY3sblxObNvYHxliZYfS4Jv7tww4FrMdgw44vIEqqhUcRcjlduP2P4cMnlxdJQaV2IOg-XLwVOq8TxWpZ-MKiVp-fwTuR0n1zSFaFCNFKs0H9HUcXJLWYNEfIDTky6Z7JrT~p1DaRDtj0QHMGpTyWUCaSOct2OgiUcxUNRjmv-1v1ACWIZNeH7GWYbrP0Z9etlx5QEGcpvSKMKj~5FdWB1Q__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click **Create Event**. Engage uses AI to generate assets such as a microsite, email event, and coding challenge based on your inputs.
6. Click **Customize the Event**. You will be redirected to the event homepage.
7. Review the task cards on the homepage. You can edit inputs and regenerate content at any time. Use the tips below each card for best practices and recommendations.

!Screenshot 2025-09-24 at 7.21.17?PM.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760520446219-Screenshot2025-09-24at7.21.17PM.png?Expires=253370764800&Signature=pQ135UQ2J6T4RwiW4rTZIAU2Mey9TXb9jIE0P~ltwTBgyWMO3i6n0cbOIzUGw6cru3iW6vBP8oW40wnhuQRU90~YzaiQJ388uPxMrz1VBp7W~ewdBq4haFgnPw2oj5Ggv8M6RWVdKfnKAotdecjMagB2G4ulctMMiAdccUYPrGKeF7cCFO3Dx9WGM5mK6K7Wwen23JztXEhranyFq~OdIHduXdbYG5rHVj-8tir6AloCHURz-sy9Gp7Uv0yETbX-zYdYjZ2YaS2Y0wdEf0m27e-41ssVuC91QWDgXO4MwLmwrSgFhMUzlx4x9RRBw5ifxi9AZMMZepQbOreQB1Q__&Key-Pair-Id=K3NV4LZ47N8M46)

Configure event settings

After creating an event, configure the settings to ensure that participation types accurate. On the event homepage, click **Settings**.

Set participation type

Select the appropriate participation type based on your event goal:

- **Individual**: Use for hiring challenges where candidates are evaluated independently.
- **Team**: Use for branding initiatives or internal engagement events that prioritize team collaboration.

Customize email communications

Tailor the invitation and reminder emails to match your brand voice and tone.

- **Reply-to address**: Set a custom email address (for example, support@example.com) to receive candidate replies. You can add multiple addresses if needed.
- **Invitation email**: Sent to eligible and shortlisted candidates. It includes key event details and serves as the initial communication with the candidate.
- **Reminder email**: Sent one day before the event starts to remind candidates of their participation. It reinforces the content of the invitation email.

Use the built-in editor to personalize emails with dynamic placeholders such as candidate name or company name.

Tip Use the **Send Preview Email** to verify how the email appears to recipients. The preview is sent to the email address associated with your Engage account.

After finalizing your edits, click **Save** to apply changes.

\

[engage] Set Up the Event Challenge

```
---
title: "Set Up the Event Challenge"
title_slug: "set-up-the-event-challenge"
source_url: "https://support.hackerrank.com/articles/7640208607-set-up-the-event-challenge"
article_slug: "7640208607-set-up-the-event-challenge"
last_updated_exact: "Oct 15, 2025, 1:56 PM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
  - "Engage"
---
```

Set Up the Event Challenge

Last updated: Oct 15, 2025, 1:56 PM (Last updated 6 months ago)

HackerRank Engage recommends a set of coding questions by default to help you quickly set up challenges for your event.

To set up a challenge:

Step 1: Review recommended questions

To review recommended questions:

1. Log in to your **Engage** account using your credentials.
2. Select the **event** for which you want to set up the challenge.
3. In the left panel, select **Challenges**.
4. Click the arrow icon next to a question to preview it. The question opens in a pop-up window.

![set1.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760516747602-set1.png?Expires=253370764800&Signature=ek5fV93Hf6mjXVQl59eo8jhQZP0bg0ddl4npUSsKMCXygtH38J1Hh9HkKj5i3EHRWddi~Gb5XTXvH4c3VznOz6jfLi1g-66pTw6HdZVYkO4e54euhlqZ0FnFbExxrsC8zxrCZyww-5FGAJUdI9jWAbx6GUryZz9jnyHUBD6yVA7zotP~x4zB8IPJx3C~RHtLpspNW6lJ1E9~oiKEB5QfZXJQGrHsvITOLFRMmC6ZHkgy1Js1faggVc6E~yJYNLleZi0IAWwEOLpPD1Vg8O2DwREYMWvHqqsNhhFLMrLQ~HehYbS~Ol8yHVKv~TME7axcMTCKeHDzlohTTWy29NDQw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Review all the recommended questions before publishing the challenge.

Note: Use the **Try Challenge** option to test the questions before proceeding.

If the recommended questions do not meet your requirements, contact the Engage team at engage-challenges@hackerrank.com. This notifies the Content, Professional Services, and Product teams at HackerRank. You can expect a response within one business day.

Step 2: Review challenge settings

By default, the challenge uses the centralized test settings configured in your account. When you publish a challenge, a consent prompt appears for enabling the recommended test integrity settings.

To apply the recommended settings, select the checkbox labeled **Enable the recommended integrity settings including those that make use of AI**.

![Screenshot 2025-09-25 at 10.59.15?AM.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760516673556-Screenshot2025-09-25at10.59.15AM.png?Expires=253370764800&Signature=EXCQiJEWnkSMOVq7DkqkinNWWDRwdYFPtjT3BiH0WikKD5B4ZxCfBYjTbBBVTGtBngsnimF44l6HyYMpc7rZsYx8AAninpHptS0IEb8~rx0pHG6x9kURiDl6XujOq1bPpztZPDCW7nfcwnPhX7pjsracEmEQjO0b1B00rOfisy0OzsmDuBtf4xa8QC48Ao425bU~mKF7o8Vd2rcS42C28TXdcE4uQ8nRTf7itq3S~Fn9K47HXVCKFcY9gRP15CT2hIjv4yIkBWjFUG2EoCqIElP8CdRysHoZpQZruEcX3Bx516pJPOkFgmGvh9Nab8LvQS8CLpnL2AYwEYoiYCR6w__&Key-Pair-Id=K3NV4LZ47N8M46)

The recommended test integrity settings include the following:

- Copy-paste tracking

- Tab proctoring
- Image proctoring with AI image analysis
- Multiple monitor detection
- AI-based plagiarism detection

Step 3: Publish challenge

After reviewing the challenge and settings:

1. Click **Publish**.
2. In the confirmation pop-up window, click **Confirm** to publish the challenge.

Note: Once the microsite is published, you cannot change the participation [\[type.To\]\(http://type.To\)](http://type.To) request changes, contact [\[engage-challenges@hackerrank.com\]\(mailto:engage-challenges@hackerrank.com\)](mailto:engage-challenges@hackerrank.com).

\

[engage] End your Event on a High Note With the Leaderboard

```
---
title: "End your Event on a High Note With the Leaderboard"
title_slug: "end-your-event-on-a-high-note-with-the-leaderboard"
source_url: "https://support.hackerrank.com/articles/9322191698-end-your-event-on-a-high-note-with-the-leaderboard"
article_slug: "9322191698-end-your-event-on-a-high-note-with-the-leaderboard"
last_updated_exact: "Jan 21, 2025, 9:25 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Engage"
---
```

End your Event on a High Note With the Leaderboard

Last updated: Jan 21, 2025, 9:25 PM (Last updated 1 year ago)

Once the event is completed, create a buzz about your tech brand by publishing the event leaderboard from the **Candidates** tab.

```

```

To verify if the winners on the leaderboard are correctly tagged, click **View Report** to confirm the detailed report of the winners on the HackerRank UI.

```

```

If you need to, you can also use the Download Challenge Reports option to download the CSV export of candidates once the Event ends, to verify the winner list across other criteria using the CSV report.

```

```

```
<div class="iframe">

<div id="wistia_video" class="wistia_embed">

</div>

</div>
```

You can then publish the leaderboard on the microsite.

```
![publish_microsite1.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046670548-?Expires=253370764800&Signature=o0~yLcAGIP4FR9hSE79r0cA7noMXa2QG32g3JBo6roIP2BAVdnzd~CLT7FrI7HmIVfnI8Y~cGmnOlg8naSkQ6V~sUzAKvWSJfBKPcWL1KDO585Gk6lcO346qtSQ~qqNJt6zxWNHzDZj0JsyyfMKPFup8U0xG7oz6XtiJLXFFj4iS0nOEDmqLyLRqNzNjp2ZjTpn~JJviUXHU6wfrjyP4tlSXS9DiCnGXCY7q6apJrMLdl21STR~N7kROEvh7n~xaa8Q3aAhyETIAVHrPOu2y~gZvOrt02NXsWBqqNXm3eWIBvWHkZttSnTZTKd5RM17NABWNDI6yJP7FJS85qEIA__&Key-Pair-Id=K3NV4LZ47N8M46)
```

Once the leaderboard is published, reach out to the winners using the **Scheduled Emails/Emails** capability.

![published_leaderboard.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046671047-?Expires=253370764800&Signature=E1jdEvaCn7K-pHumvmPIBGvHfe0T2Q5hN~SxrROxpmgQwa~losm~bJmZ0dQQXou6CEkBjIHA1kWIXo9MePQVMsQTdJE32Jm-6V7ZQYzubZP5YL7BKytXS66gLWnsTEwo0QxHyC9ITS42h1V9sw75odffFWaWxEUZamKPegs-w4Wd4xjch1lprp4cea8zqoyz4SoQ5wvAmcm3MhjJcblu20SA0t5Rxs8leoF4iT0sLTBm8uwWz9q2SeQMLotK6JwyztKesiAJ4d8mDBmNBU0sAgPPqITUWESbBj2fPIG7VsZrYWA91PWN6Hexd4D70solUdqzIjNjHZL06TS~4dWonQ__&Key-Pair-Id=K3NV4LZ47N8M46)

You will need to select relevant candidates or winners and then select Email to start drafting an email to all the winners. You can send the email right away or schedule to send it at a later time. You can find all the email stats related to Scheduled Emails/Emails under the **Scheduled Emails/Emails** tab of the **Outreach** tab.

\

[engage] Set Up Emails Set up email sequences Set up broadcast emails

title: "Set Up Emails Set up email sequences Set up broadcast emails"
title_slug: "set-up-emails-set-up-email-sequences-set-up-broadcast-emails"
source_url: "https://support.hackerrank.com/articles/9707768362-set-up-the-promotional-emails-or-campaigns"
article_slug: "9707768362-set-up-the-promotional-emails-or-campaigns"
last_updated_exact: "Oct 16, 2025, 12:30 PM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
- "Engage"

Set Up Emails Set up email sequences Set up broadcast emails

Last updated: Oct 16, 2025, 12:30 PM (Last updated 6 months ago)

Use email communication to engage eligible candidates to improve participation on the day of your event.

Set up email sequences

You can customize the recommended emails to align with your brand tone and communication strategy.

To set up an email sequence:

1. Log in to **Engage** using your credentials.
2. Select the event for which you want to set up the email sequence.
3. Go to the **Emails** tab.
The **Email Sequences** tab displays all candidate-facing emails, including the Registration Confirmation Email, Engagement Emails, Invitation Email, and Reminder Email.
4. Select the email you want to edit, and update the content as needed.

!engageenhance.gif(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760520920417-engageenhance.gif?Expires=253370764800&Signature=mD7LgTfRd7DDGVgBG2YBnalwKDoNrVEOJcwgC7kf7viodDmRvqGM9lyPikP0H780GtlB3JuUi2NJcvjMKmCt-pq26CBaOrWIW444mx4vbX3H-pyogH5ro10GQtzrXFLu6~KoEvmk9k6nR7XjAlNQIE4tPWIO72D2jZmK49BPqvUz~mTZR7UgOiAcPGRITYrr2XHP4ixYJWtn8-dE-tkcMm3fD5E94Tf1yp0STs4TtALMsOTikk2ymtORczU9KNC9TOy0yf5uwlyYe5mdQ3OoaFgS7TtWGQ0l4ppGySNnN9otMvjR~8ljXDbxpOBUXQtFmiZoZVRgNKN78oReuJnSzw__&Key-Pair-Id=K3NV4LZ47N8M46)

- For Engagement Emails, a **Review Required** label appears if edits are pending. You must review and update the content.

Note: You are required to review only the Engagement Emails. The other emails use a standard template and are optional to edit.

5. Click **Save** to apply your changes.
6. (Optional) Click **Send Preview Email** to send a preview to yourself.
7. (Optional) Click the **email settings** icon at the top right corner to configure the **Reply-to** address for registration confirmation, invitation, and reminder emails.

After you save all engagement emails, a confirmation dialog appears.

- Click **Save & Start** to begin sending engagement emails immediately.

Note: You must publish the microsite to activate the engagement sequence.

- Click **I'll Send Later** to save the sequence as a draft or if the microsite remains unpublished.

After you publish the microsite, a **Start** button appears below the Engagement Emails list. Click **Start** to begin sending engagement emails.

Once the emails are sent, you can view performance metrics such as Sent, Opened, Clicked, and Unsubscribed.

![engagenumbers.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760520973911-engagenumbers.gif?Expires=253370764800&Signature=bSa7m~dh1BqeDVvkjrFZHXbCkz3DGu2MhzlHx78WEWwojMsajlxSg0rWfCXr4N-pV6Au3X2rvf uTj4FsMSIZz2~j9LhjjHCbgjzfVc3vlz-QamokKbABDCkhkoWNmXWQBCojGPuPGHeQoJFMvA3LYUZBDPLk9Gquq-cq7tAWknXHw7 MFnJ0oWWVFI2apjoa-734dg9euPkt3xkQeQql8FFoFe-gJ7oJ37D5~DNkGj~E8qlzHLAQccZSvxpfvqmVINA~iOUT2q4yXe1EHUeMfQ ~OES7~YhDDQVRm8sgmyDCn5LRloXOKmN7U1pRb0lwwZ49hsPrrA6xbCp3fh1kgQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Set up broadcast emails

Use broadcast emails to send timely updates such as reminders or nudges after the event begins.

To create a broadcast email:

1. Log in to your **Engage** account using your credentials.
2. Select the event you want to set up the broadcast email for.
3. Go to **Emails \> Broadcast Emails**.
4. Click **Add Email**.

![Screenshot 2025-09-25 at 10.44.51?AM.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760520873834-Screenshot2025-09-25at10.44.51AM.png?Expires=253370764800&Signature=KEp0s0-iiEo5~NKd5b4Dq8blfVZprxGBqnAODixmWGIKCAnsGptZ3NywEU 8ljT5RLghPo8vll2rKdgQJGGk1N7fHFK8zhOo8lJ0XibAdQgHaveIMDKQr6ZOhCXiBulOgGgl2ZVZ-OjLeTX50xSOZvuMV7SLBbD0flDy Wc7hfG86dlk9CwtuBsVIsHdkLXtGKKjdqrvndGKQgqdJBOZIG-PdmNMese-OteSmWiY2e0m0GVclQWnYKQDHcK8VMlh-PIA44NET OtMTz2qKFo1x9MdJ9yfuTJ~l0LHliFJ~NdptdtH-K-VrciclrMBNARPuDR9kwklUvVyJ2rksS9JNlxw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Apply filters in the email editor to target specific candidates.

![Screenshot 2025-09-25 at 10.45.28?AM.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760520894820-Screenshot2025-09-25at10.45.28AM.png?Expires=253370764800&Signature=PBGap4HBMQJ6xjHlf-zoWGqff7RzgXrDCEShL4ilsA4gzaQsqJ08gdYWKx0 KtoMYnjGz-YYGpd-i-uL13yv6oKcHkAGG-9bzxbrHMu45Ju26cXGbeVVYFBBmuiHcmIM477hX8dtlVfQeZt5KjM6EV9d7IFASiPtQCW Ohh9zR2YAY19QLSMjJQhPQeG24RsAUGS8-F7GZ-TeQjYmqS1cgytITMXP8~T~q3MmAPRQn5Y08tiY08LgqKf8UaNMxOaHuLjNk1 ubnV-Gw6DBb7GSu4qsJOGFQWvp0DsVcNUc62zaHWcE9IEBovueUGVUIt3fM8Z7gPDfVelbvzkOX9T5ZQ__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Compose the email content.
7. (Optional) Click **Save as Draft** if you are not ready to send the message.
8. (Optional) Click **Send Preview Email** to review the message in your inbox.
9. Click **Send Email** to deliver the message to the selected recipients.

\


[general-help/academy] HackerRank Academy

```
---
title: "HackerRank Academy"
title_slug: "hackerrank-academy"
source_url: "https://support.hackerrank.com/articles/5297005851-hackerrank-academy-video-tutorial"
article_slug: "5297005851-hackerrank-academy-video-tutorial"
last_updated_exact: "Dec 21, 2024, 12:35 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "General Help"
  - "Academy"
---
```

HackerRank Academy

Last updated: Dec 21, 2024, 12:35 AM (Last updated 1 year ago)

The HackerRank Academy is a comprehensive learning platform and your go-to resource for mastering the HackerRank platform. Our academy offers bite-sized video courses to help you navigate and optimize your use of HackerRank. Learn best practices, get expert tips, and access additional materials to streamline your hiring process.



Accessing HackerRank Academy


1. Through the **[HackerRank Academy URL]**(<https://hackerrank.northpass.com/app>)

- Provide your name and work email address to log in

2. **Through the HackerRank Platform**

- Log in to your **[HackerRank for Work]**(<https://www.hackerrank.com/work/login>) account

- Scroll down and click on **Academy** at the bottom of the page to log in and start learning



\

[general-help/additional-resources] Access Candidate Timeline Accessing candidate

title: "Access Candidate Timeline Accessing candidate timeline"
title_slug: "access-candidate-timeline-accessing-candidate-timeline"
source_url: "https://support.hackerrank.com/articles/2652374569-access-candidate-timeline"
article_slug: "2652374569-access-candidate-timeline"
last_updated_exact: "Apr 22, 2026, 10:21 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
- "General Help"
- "Additional Resources"

Access Candidate Timeline Accessing candidate timeline

Last updated: Apr 22, 2026, 10:21 AM (Last updated 4 days ago)

The candidate timeline provides a chronological view of a candidate’s activity across the platform, including invites, attempts, and cancellations.

Accessing candidate timeline

To access a candidate’s timeline:

- 1. Log in to your HackerRank for Work account using your credentials.
- 2. Click **Search Candidates** from the top navigation bar.
- 3. Search by candidate name or email.

Experience.GIF)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776258727229-NewCandidateSearchExperience.GIF?Expires=253370764800&Signature=lpF-IFLlqAVAMY0j-H5Eyt8KtNRv-jQN21rhzl48LW3tqPoDBx49Mh20O4BhoChKA Fojnty2btmhMPabErZTL81mzQEhsqaSDmFN9l8BcYgoT07er8ebExOtbl7o2VhNpG6rcufE8pHY4bjKS7GAMC2dtNyDSO6z-2slw0-1yf obLBQII4Ji~KlKnijck57~3iA157dHYkOCPcLygE0-u1dI4mYcijJKx1U5puAerJ0qbzTbmUOnXCF2Ld5jdx7XciR7QClxBmRkesZW2xq3J wM7DCXF3ZSH8HnkvWlfgUesXBEo1nY8G8QoYALRxD4xNZXaUsAhyI82-N~d-zcsMw__&Key-Pair-Id=K3NV4LZ47N8M46)

- 4. Select the candidate from the search results to view the candidate time.

Timeline.GIF)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776258713242-RedesignedCandidateTimeline.GIF?Expires=253370764800&Signature=BssNgbuHAeROCU3fyuaXDCbfOMJ5rUOisSk1KwM2Go7r7BM00OIZSeRkBL~sOc6X 1ABmNvF5sT-WKMqaqlLOvTjv1u7mq1tNKngimjKauXI~N~8brNc6o~13TZCTgeL~NXU5Q1O81G~2kpJnXuiV1TNlvmiBZFADNsJ0 5u20ExqYitMDglgDpz1j-GKXOrWTKbW4VTJ-gcPIImUsxxXz0K58pV57ogV19RtgVEalOf9wEDfFk5EX18yBxnNy7VIHggpxncu111K8 eBkFRSex~tTuX1WrsOc~wDRyfBBZimY-R4oDVMmMgwXtKYWC8Y1M~tT7LF4oo424JANh~dCA__&Key-Pair-Id=K3NV4LZ47N8M 46)

The candidate timeline displays activity in reverse chronological order (most recent first).

Each timeline entry includes:

- Date and time of the activity
- Activity type (for example, Test or AI Interviewer)
- Activity details (for example, invite sent, attempt started, or invite canceled)
- Available actions (for example, view, share, or download reports)

You can also take actions such as reinviting candidates or add time to test directly from the timeline. Available actions depend on the activity type and candidate status.

Note: Timeline entries update automatically as new activity occurs.

[general-help/additional-resources] Ensuring a Great Candidate Experience Prepare candidates for success How HackerRank manages candidate support Recommended candidate support workflow

title: "Ensuring a Great Candidate Experience Prepare candidates for success How HackerRank manages candidate support Recommended candidate support workflow"
title_slug: "ensuring-a-great-candidate-experience-prepare-candidates-for-success-how-hackerrank-manages-candidate-support-recommended-candidate-support-workflow"
source_url: "https://support.hackerrank.com/articles/6477583642-ensuring-a-great-candidate-experience"
article_slug: "6477583642-ensuring-a-great-candidate-experience"
last_updated_exact: "Dec 3, 2025, 5:54 PM"
last_updated_relative: "Last updated 5 months ago"
breadcrumbs:
- "General Help"
- "Additional Resources"

Ensuring a Great Candidate Experience Prepare candidates for success How HackerRank manages candidate support Recommended candidate support workflow

Last updated: Dec 3, 2025, 5:54 PM (Last updated 5 months ago)

A smooth, fair, and professional assessment experience strengthens your employer brand and helps candidates perform at their best.

This guide explains how to prepare candidates for success, manage candidate support, and handle candidate issues efficiently and fairly.

****Important Note: ****

HackerRank does not participate in hiring decisions. The HackerRank team is not authorized to share test results, reschedule assessments or interviews, grant testing accommodations, or modify your hiring workflow.

HackerRank redirects all such requests to your recruiter or hiring team to ensure your organization retains full decision control.

Prepare candidates for success

A great candidate experience begins before the test or interview starts. Share the following resources with candidates before the test or interview to help them prepare:

- [Getting Started with Tests](https://candidatesupport.hackerrank.com/collections/8306459696-before-1)

- [Getting Started with Interviews](https://candidatesupport.hackerrank.com/collections/5664360688-before)

****Note:**** Share the [Attempting Tests Using the HackerRank Desktop App](https://candidatesupport.hackerrank.com/articles/5105545533-attempting-tests-using-hackerrank-desktop-app) article with candidates who take tests using the HackerRank Desktop App.

These resources provide essential setup instructions to optimize performance, including:

- Browser compatibility
- Network stability
- Camera and microphone setup
- System permissions for proctoring or IDE features

Encouraging candidates to review these resources beforehand helps prevent most technical issues and ensures a focused, disruption-free experience.

How HackerRank manages candidate support

HackerRank follows these key practices:

- ****Proactively monitor reports:**** HackerRank continuously monitors candidate reports to identify potential widespread or systemic issues that may affect multiple users. For updates on major platform-wide incidents, visit the [HackerRank Status Page](https://status.hackerrank.com) for real-time updates.

- **Review escalated issues:** The Support team reviews candidate tickets that report basic technical issues and test administration inquiries in real time, but investigates deeper issues only when your recruiter or hiring team escalates them.

Note: When candidates contact HackerRank Support directly, the team assists with troubleshooting and records any technical findings that may indicate a broader platform issue. HackerRank Support does not provide real-time responses to all candidates tickets.

- **Maintain data privacy and integrity:** HackerRank does not notify the recruiter or hiring teams about individual candidate issues to maintain the privacy and integrity of the candidates. The Support team cannot verify a candidate's identity or confirm their association with your hiring process because test invitations can be forwarded or reused.

- **Handle custom test issues:** HackerRank manages custom test-related issues in the following ways:

- **Candidate inquiries:** When candidates contact HackerRank Support about the content of a custom test, the Support team directs them to reach out to their recruiter or hiring team directly.

- **Content validation:** HackerRank Content team periodically reviews test feedback from candidates on custom questions, validates reported issues, and provides recommendations or guidance for necessary changes.

These findings are shared with the Customer Account Manager (CAM), who communicates them to the designated point of contact (POC) from your company.

Recommended candidate support workflow

!

(35).png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1763729543776-image%252835%2529.png?Expires=253370764800&Signature=mBlfeYw2PAbsGIHbxNSJkkWQTLX4H5NzjfRwkdimR8mH02o2cGHirBgaCHHVjDR2WiC3mP81EdEYUC3c-MhOB1XY6tWx41myh9SGm68tSjcqcsdUMJT2WtumfsrZZLsYQ5bxKNx6jt1Ak1ZZ9BgnyyVuKeqt2-92GJEAbIYj4GJawFOsmuNXNyA-e-MdVHc8Cw8xcezTDAEZFeOe2SdyUljPuGfcy5k79ok~DF7a68LgtijryLc6T2ZyikpmK4lxbcA51R8CRLTTo8cub-mCFmxozRJ67jQ-Ffk~gwXEVRxy4QXnr2-SzGRNvSmdRsZ~3zCfD5wAyslSH17ZFwCMUQ__&Key-Pair-Id=K3NV4LZ47N8M46)

To provide a consistent and fair candidate experience:

1. Encourage candidates to report issues such as a frozen code editor, a test that fails to load, or a submission error directly to your recruiter or hiring team.
2. Assess the reported issue to determine its impact on the candidate's performance, and decide whether to offer a retest or continue the hiring process.
3. Escalate the issue to HackerRank Support on behalf of the candidate if you believe a platform-related problem affected their performance. Include the following details in your support request:

- Candidate's email address
- Test or interview name
- Approximate date and time of the issue
- Feedback or comments from the candidate

Following this workflow helps ensure a fair, efficient, and privacy-compliant candidate experience.

Note: HackerRank recommends re-inviting the candidate to retake the test or interview if their experience was disrupted.

\

[general-help/campusuniversity-hiring] Support for Campus Events

title: "Support for Campus Events"
title_slug: "support-for-campus-events"
source_url: "https://support.hackerrank.com/articles/7220470055-support-for-campus-events"
article_slug: "7220470055-support-for-campus-events"
last_updated_exact: "Jun 30, 2025, 5:27 PM"
last_updated_relative: "Last updated 10 months ago"
breadcrumbs:
- "General Help"
- "Campus/University Hiring"

Support for Campus Events

Last updated: Jun 30, 2025, 5:27 PM (Last updated 10 months ago)

HackerRank is committed to helping you lead a successful campus event. To do this, our support team needs a few details at least two days in advance to ensure we have enough time to scale our systems depending on the number of candidates you invite and the type of questions on your tests.

Here is the information we need:

1. Event date
2. Event start time
3. Test duration
4. Approximate number of attendees
5. URL to the test

Alternatively, you can submit a support request on the platform using this [form](https://portal.usepylon.com/hackerrank-support/forms/customer-request-form)**. **

Please be sure to provide at least 2 days of advance notice!

— — —

```
title_slug: "meet-hackerranks-solution-engineering-team"
```

```
source url: "https://support.hackerrank.com/articles/5656446182-our-hackerrank%E2%80%99s-solution-engineering-team"
```

```
last_updated_exact: "Jan 30, 2025, 12:48 PM"
```

breadcrumbs:

- ...

Last updated: Jan 30, 2025, 12:48 PM (Last updated 1 year ago)

****HackerRank's Solution Engineering team**** is available to help you with standard items such as:

- Use the following links if you would like to book time with a SE to discuss any topic listed above:

Solutions Engineer (Technical Office Hours) ([North America])(https://calendly.com/hackerrank-office-hours-/hackerrank-technical-office-hours-namer?month=2022-10))	Solutions Engineer (Technical Office Hours) ([EMEA])(https://calendly.com/hackerrank-office-hours-/hackerrank-technical-office-hours-emea?month=2022-11))	Solutions Engineer (Technical Office Hours) ([APAC])(https://calendly.com/hackerrank-office-hours-/hackerrank-technical-office-hours-apac?month=2022-11))

[general-help/contact-us] Contact HackerRank Support

title: "Contact HackerRank Support"
title_slug: "contact-hackerrank-support"
source_url: "https://support.hackerrank.com/articles/8616956464-contact-hackerrank-support"
article_slug: "8616956464-contact-hackerrank-support"
last_updated_exact: "Sep 17, 2025, 10:05 PM"
last_updated_relative: "Last updated 7 months ago"
breadcrumbs:
- "General Help"
- "Contact Us"

Contact HackerRank Support

Last updated: Sep 17, 2025, 10:05 PM (Last updated 7 months ago)

If you need assistance with the HackerRank for Work platform, use one of the following support options:

- **Submit a request:** Select **Support** in the footer of the HackerRank for Work platform.
- **Email:** Send an email to support@hackerrank.com.
- Note:** HackerRank provides separate support options for Candidates and Community users:
- **Candidates:** Email candidate-care@hackerrank.com
- **Community users:** Visit the [HackerRank Community Help Center](https://www.hackerrank.com/support)

\

\

\

[general-help/deprecations-and-experience-changes] Deprecations and Experience Changes

title: "Deprecations and Experience Changes April 2026 January 2026"
title_slug: "deprecations-and-experience-changes-april-2026-january-2026"
source_url: "https://support.hackerrank.com/articles/9867323057-january-2026-deprecations-and-experience-changes"
article_slug: "9867323057-january-2026-deprecations-and-experience-changes"
last_updated_exact: "Apr 22, 2026, 11:36 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
- "General Help"
- "Deprecations and Experience Changes"

Deprecations and Experience Changes April 2026 January 2026

Last updated: Apr 22, 2026, 11:36 AM (Last updated 4 days ago)

HackerRank periodically deprecates features and experiences to improve reliability, reduce complexity, and deliver the best version of the platform.

April 2026

The following changes will be effective April 22, 2026.

Engage

Candidate Sourcing

The candidate sourcing feature in Engage, including the Candidate Assistant and JD-based candidate discovery from the HackerRank candidate library, has been deprecated.

You can continue to add candidates using existing import options, such as CSV upload, and promote your events through the HackerRank Community to reach relevant candidates.

Screen

Global Candidates Page

The global Candidates page is being deprecated. You can continue to search for candidates using the search bar or view candidates within specific tests from the Candidates tab.

Candidate Prep Portal

The Candidate Prep Portal is no longer available as part of the standardization of the candidate experience on the candidate site.

Candidates now access pre-test information and start tests directly from the candidate site in a single, consistent flow before the assessment.

Local IDE/Offline Test Flow

The Local IDE (Offline) experience is no longer supported due to integrity concerns. Candidates are now required to complete assessments using the HackerRank IDE for both new and existing tests.

Interviews

REPL Console in Interviews

The REPL console in interviews is being deprecated. You can use the built-in code execution in the coding environment to run and test code.

This change removes duplicate functionality and provides a more consistent, reliable code-execution experience during interviews.

Phone Call Feature

The phone call feature in interviews is being deprecated. Interviewers and candidates can continue using the built-in audio and video capabilities for communication.

January 2026

The following changes will be effective January 28, 2026.

Screen

Legacy Content Library Experience

All remaining users will be migrated to the new Library experience. The updated Library includes natural language search, 15+ filters, advanced sorting, and question summaries to help you find questions faster.

Legacy Detailed Test Report

All users will be upgraded to the new detailed report experience. The new report makes reviewing candidates easier with:

- Code playback
- An integrated IDE view
- Simpler, more intuitive navigation

Local IDE/Offline Flow

Due to increased integrity risks, the Offline (Local IDE) experience is no longer supported

What this means for you:

- Existing tests that use only Offline flow will continue to function as-is
- Tests with Offline flow enabled cannot be cloned
- All other new and existing tests will require candidates to use the HackerRank IDE

Interview

Twilio-Powered Interviews

We're deprecating Twilio-powered interviews and transitioning affected accounts to Zoom. Since most HackerRank interviews already run on Zoom audio/video technology, this will provide a consistent experience across all customers that supports key features like background blur and transcripts.

If this change applies to your account, you will have received direct email communication from HackerRank with additional details.

[general-help/evaluation-guides] Early Talent

title: "Early Talent"
title_slug: "early-talent"
source_url: "https://support.hackerrank.com/articles/1216495690-early-talent-"
article_slug: "1216495690-early-talent-"
last_updated_exact: "Oct 15, 2025, 10:15 PM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
- "General Help"
- "Evaluation Guides"

Early Talent

Last updated: Oct 15, 2025, 10:15 PM (Last updated 6 months ago)

Hiring early talent developers is vital to a company's success. Not only do they help shape your company's culture, but as they develop skills, they help drive the future development of your company's road map. Early Talent usually consists of recent college graduates or developers with less than two years of hands-on, real-world experience.

HackerRank has put together the following best practices process for hiring early talent developers. From resume submission to onsite interview up to the final offer, HackerRank can help streamline this process so that your team is spending as much time as possible effectively evaluating the right skills for the role.

![Early_Professional_Hiring_January_2022.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046455260-?Expires=253370764800&Signature=aNCPolJOfcO~1rJrys69SYI7WqN8YTG5OZdztnltiQ5Sjgu~J~jzy0IJCt8ApuqonBVrP0--fAIMFW~nRPPdKoKCQongcV27imx-taHcvrPBTIs2lvHGnq4r7iGFwuxR3d3p6rHVi5IdoocNoA~c5LrRtlJECDD~zsELDAw~kXXpXb3yvqqusG4tBgzs4ksRikP3Wr-J7WIBzkAf0ixf6JsUySIhGltqGzihjgMoxdkIE~rpO5G4hZlnznLaRdFwpiw9cWEOZialu-L2y1KxdLTZeKUPQp626~R0eMJqqi9zRehn78CJZB3kzVFM5rzx5UtnokDKOaHzxXcBHpl8UA__&Key-Pair-Id=K3NV4LZ47N8M46)

Phase 1: Plan

Step 1: Define your hiring process

Before the role can be promoted, Talent Acquisition, Hiring Managers, and Subject Matter Experts should all work together to define what the assessment and hiring process should work.

Factors to consider:

- What role are you hiring for?
- Will they be an intern? Campus hiring? Or blast off to everyone?
- How can we reduce bias in our hiring process?
- Who will be your SME?
- Will there be an ATS integration for housing data?

Subject matter experts are vital in the planning stage. These individuals are typically experienced developers within the business. They could potentially be the hiring manager. As the SME, they ensure the most effective and efficient assessments/questions/processes are leveraged by your organization. This will be true for any role or experience level.

An SME will help you:

- Define a range of skills that you want to hire for
- Decide question randomization and cutoff scores
- Structure the processes in place for test validation

Step 2: Identify your test validator

Next, Identify your test validator. This individual is frequently a current employee that is at the same level as the role you are hiring. Create a timeline for how long the validation and test process will take. This will be a good time to send out calendar invites to secure

deadlines.

You can also use this time to set up and [\[\(https://support.hackerrank.com/hc/en-us/articles/1500008525861-Introducing-Interview-Templates\)](https://support.hackerrank.com/hc/en-us/articles/1500008525861-Introducing-Interview-Templates) [create Interview Templates](https://support.hackerrank.com/articles/2837093779-standardizing-interviews-using-templates#creating-an-interview-template-2). By using Interview Templates, hiring managers and interviewers ensure that they ask the same set of questions to every candidate applying for a particular role.

These planning questions and this process are common across all levels but are most important for this level. If you need any additional help in reducing bias in your process, you can access one of our I/O psychologists.

Phase 2: Screen

Step 1: Create the test

Students will rarely be a stack match ?out of the box,? so as a general rule, it?s best to incorporate a mix of core customer science questions and broader transferable skills, like knowledge of algorithms and data structures.

Below are some tips and best practices for creating university and early talent assessment:

- Length of Assessment: 60 - 90 minutes.
- Level of Difficulty: Use 1 - 2 easy questions with 1-2 medium questions.
- Question Types:
 - Coding Questions: Have the candidate write programs or define logic in functions to produce the expected output.
 - Multiple Choice: Candidates can choose one or more correct answers from the given list.

HackerRank has a pre-built library of over 2,500 questions for over 20+ roles. Our predefined tests take the guesswork of what to include in these tests. Watch the video below to learn how to use one of our predefined tests.

```
<div class="iframe">
```

```
<style>
:root {
  --color: 236, 100%;
  --l: 47%;
  --color-primary: hsl(var(--color), var(--l));
  --color-primary-darker: hsl(var(--color), calc(var(--l) - 5%));
  --color-primary-darkest: hsl(var(--color), calc(var(--l) - 30%));
}
</style>
```

```
<div id="app">
```

```
</div>
```

```
</div>
```

```
###
```

Step 2: Send test invites to candidates

Recruiters will usually send out bulk invites to take the test you created in the step above. Before sending out the invites, it's a good idea to:\

- Decide what additional test settings to establish.
- Brand the invitations and customized emails
- Create a cadence to review all the candidates that will be pushed into the phone screen with the hiring manager

Step 3: Analyze candidate performance trends.

Once you have sent out your invitations and candidates have begun to submit tests, you will want to evaluate the candidate?s scores

in order to analyze the Candidate performance trends. This step will help you understand which candidates to further evaluate for the initial phone screen with the recruiter. If the phone screen is a success, you will have the information needed to invite them in for a virtual onsite interview session.

Watch the video below to see how HackerRank's Screen platform makes sending invites as easy as a 3-step process.

<div class="iframe">

```
<style>
:root {
  --color: 236, 100%;
  --l: 47%;
  --color-primary: hsl(var(--color), var(--l));
  --color-primary-darker: hsl(var(--color), calc(var(--l) - 5%));
  --color-primary-darkest: hsl(var(--color), calc(var(--l) - 30%));
}
</style>
```

<div id="app">

</div>

</div>

##

Phase 3: Interview

Step 1: Setup your Interview

It's time to interview your top candidates. Now is a great time to get aligned with other interviewers. A consistent interview process reduces bias while also providing a way to benchmark and compare candidates to get the right fit.

Enable a consistent and structured interview process with our [Interview Templates](<https://support.hackerrank.com/articles/2837093779-standardizing-interviews-using-templates>).

It's important that interviewers ask the same or similar set of questions to every candidate applying for a role. These templates ensure that each interviewer is asking the candidate the right questions.

A few questions to consider:

- How does the candidate react when they're given a problem they've never seen?
- Are you allowing room for diversity in the approach to the problem? How many ways can you solve it?

We also created [Interview Guidelines](<https://support.hackerrank.com/hc/en-us/articles/360049354333-Recommended-Questions-and-Interviewer-s-Guidelines>) that provide recommended questions, curated specifically for interviews, that take less than 30 mins to solve. Pair this with interviewer [Scorecards](<https://support.hackerrank.com/hc/en-us/articles/360048405234-Interview-Scorecards>) to keep the interview streamlined.

Additionally, HackerRank Interview keeps the interview collaborative and interactive with video and chat functionality. The fully functioning IDE allows candidates to show off their code or dive deeper into the thought process with the ability to pull in test questions.

Watch this video to see how to use HackerRank Interview.

<div class="iframe">

```
<style>
:root {
  --color: 236, 100%;
  --l: 47%;
  --color-primary: hsl(var(--color), var(--l));
  --color-primary-darker: hsl(var(--color), calc(var(--l) - 5%));
  --color-primary-darkest: hsl(var(--color), calc(var(--l) - 30%));
}
</style>
```

```
<div id="app">
```

```
</div>
```

```
</div>
```

```
##
```

```
## Phase 4: Rank
```

It is crucial to make hiring decisions that can be backed by data. Some interviewers are easy graders than others, so benchmarking can take the subjectivity out of the decision, making the final decision easier across multiple interviews.

Access real-time data on a candidate's performance on the test and in the interview. If you haven't already, it's a good time to discuss the protocol of where you want to review the candidate's interview information. Will you review in HackerRank or within the ATS if you have integrated one?

HackerRanks Benchmarking compares a candidate's scores on specific skills against a cohort of candidates who have been assessed on the same set of skills.

The below video shows you how to use review candidate's information within HackerRank.

```
<div class="iframe">
```

```
<style>
```

```
:root {  
  --color: 236, 100%;  
  --l: 47%;  
  --color-primary: hsl(var(--color), var(--l));  
  --color-primary-darker: hsl(var(--color), calc(var(--l) - 5%));  
  --color-primary-darkest: hsl(var(--color), calc(var(--l) - 30%));  
}
```

```
</style>
```

```
<div id="app">
```

```
</div>
```

```
</div>
```

```
\
```

[general-help/evaluation-guides] Professional Hire

title: "Professional Hire"
title_slug: "professional-hire"
source_url: "https://support.hackerrank.com/articles/2625349560-professional-hire"
article_slug: "2625349560-professional-hire"
last_updated_exact: "Dec 21, 2024, 12:37 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "General Help"
- "Evaluation Guides"

Professional Hire

Last updated: Dec 21, 2024, 12:37 AM (Last updated 1 year ago)

Overview

Hiring professional talent is a much different process than entry-level and mid-level talent. These individuals have between 5-8 years of professional experience. Professional or Senior level talent is often a more passive candidate. In many cases, they are sourced through a referral internally. Additionally, many senior-level individuals are already employed and you will find that there are fewer candidates.

The below visual shows a typical, senior-level hiring process flow. In the following sections, we will go over key differences in hiring this level of talent.

![[Professional_Hiring_Experienced_January_2022.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046529441-?Expires=253370764800&Signature=eeOOqZToDxs~QEAMyLHJebK~uyCj7Ms5vST5C~LwVdfsgWdzvi3DpgMu1DNX31YJQkTd4GTuHT8RkKaF66fmzFmrAcRxdp5eGeJ7eVDMj0fvVg9nS-oqzU9ypclK46C1F4Z3BhRW7Hp7bdWy7qzyhwPrCAumPFqGY-vGoiGfK7JMuia5J9iO-CGQmGRZOEZwKA1WZ5KTg9UX9rynQRR6JMbiDeX4lQsYsjDQcqo065v~qe3LG15ltkgLUVK8F9w2bWLkUCTZsNyP5i3iLx7TgXLZCJTdS5H0~-BT6IY4SAglf2Vo48qyOH-W5Z9byNdpKqv~E7kCSYKlevLuztG-Cg__&Key-Pair-Id=K3NV4LZ47N8M46)

Phase 1: Plan

When planning to hire senior-level talent, the process will need to be more collaborative. It's important that you get everyone on the same page about what the process will look like.

Decide as a team:

- What experience level are you looking for? Sr. Manager, Lead, Director, VP, etc.
- Do they need to have strong domain experience and knowledge?
- What ideal personality traits would be a good culture fit for the team
- Will this be a panel-style interview?
- What is the review process for making a decision?

Many times a senior-level candidate will never receive a test. This will need to be decided upfront and may vary from candidate to candidate and from role to role.

Phase 2: Screen

Whereas early-talent and mid-level candidates will be given a multiple-choice or real-world project, as mentioned above Senior-level talent will not. Typically, the best practice during the screening phase will simply be a phone discussion with the hiring manager. Since they are most likely sourced or referred there may need to be less upfront validation. Experience speaks for itself. This is also a great opportunity for the hiring manager to SELL your company and team to the candidate.

Use this time with the candidate to talk about:

- The candidate's experience.
- What are some projects that they were excited to work on?

- What made the project successful?
- What kind of projects would they like to work on in the future?

<!-- -->

- Innovative projects that the company is working on.
- How will this role impact that project?

This screening is a chance for you to get a feel for the candidate and their interest. If there is a mutual interest, now is a good time to let them know that they will be invited to a virtual onsite interview. Set the expectations with them of what they can expect for the in-person interview.

Before the interview, get the interview panel together again to re-align on the in-person interview.

Phase 3: Interview

The interview phase will typically include a few interviewers. The beginning of the interview is usually the best time to ask behavioral questions to identify if the candidate is a good culture fit for the company. These questions should have been identified in the Plan phase of the hiring process.

The next half of the interview is more technical in nature. For a Senior-level role, you will want to avoid multiple-choice questions. The goal here is to have them showcase their problem-solving skills and their ability to build or fix a real-world application.

Have them showcase this by using a Whiteboard Interview question type, or have them work up an architectural Diagram within the interview.

Watch this short video to see how HackerRank Interview functionality can help.

<div class="iframe">

```
<style>
:root {
  --color: 236, 100%;
  --l: 47%;
  --color-primary: hsl(var(--color), var(--l));
  --color-primary-darker: hsl(var(--color), calc(var(--l) - 5%));
  --color-primary-darkest: hsl(var(--color), calc(var(--l) - 30%));
}
</style>
```

<div id="app">

</div>

</div>

Phase 4: Rank

When it comes to making a final decision on a candidate, the process will rely mostly on the importance of feedback from the interviewers and the consensus from the entire hiring team. The information that was entered into the scorecards can be used to make a final hiring decision.

Check out how to review this information within the HackerRank Developer Skills Platform.

<div class="iframe">

```
<style>
:root {
  --color: 236, 100%;
  --l: 47%;
  --color-primary: hsl(var(--color), var(--l));
  --color-primary-darker: hsl(var(--color), calc(var(--l) - 5%));
  --color-primary-darkest: hsl(var(--color), calc(var(--l) - 30%));
}
</style>
```


<div id="app">

</div>

</div>

\

[general-help/evaluation-guides] Manual for Fair Hiring

title: "Manual for Fair Hiring"
title_slug: "manual-for-fair-hiring"
source_url: "https://support.hackerrank.com/articles/7033977271-manual-for-fair-hiring"
article_slug: "7033977271-manual-for-fair-hiring"
last_updated_exact: "Dec 13, 2024, 5:06 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "General Help"
- "Evaluation Guides"

Manual for Fair Hiring

Last updated: Dec 13, 2024, 5:06 AM (Last updated 1 year ago)

This manual provides information about the test development process and provides evidence that HackerRank?s assessments are highly job-related, reliable, and fair to all test-takers, regardless of their gender, ethnicity, or socio-economic background.

To know about this, refer to the guide [Development, Validation, and Fairness of HackerRank Pre-Employment Technical Skills Assessments.](https://drive.google.com/file/d/1k--UdK03eG_ffXjlqK_ActzudYVva4ha/view)

[general-help/evaluation-guides] Mid-Level

title: "Mid-Level"
title_slug: "mid-level"
source_url: "https://support.hackerrank.com/articles/7483769801-mid-level"
article_slug: "7483769801-mid-level"
last_updated_exact: "Dec 13, 2024, 5:04 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "General Help"
- "Evaluation Guides"

Mid-Level

Last updated: Dec 13, 2024, 5:04 AM (Last updated 1 year ago)

Overview

Mid-level developers are the most in-demand experience level. Across the board in organizations of all sizes. Mid-level candidates typically have 2-5 years of experience. The below visual shows a standard mid-level hiring process flow. In the following sections, we will go over these key differences.

![[Professional_Hiring__Mid-Level__January_2022.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046497002-?Expires=253370764800&Signature=MBS3DWO3FDVGZya5UJ33Cohga9ZZcgEKAstL1oIjI0Kn0o8NwwYT0Bf1FGZYcTYlii56al6XS3NLq4ovif2i68IGot720UcbiEEEx0ifnsfyPShE6doHnOoHyNRQhtH7arKQLC1nIEiJkea1hyCRHo3Zhh~AeNyh8m4M56icmF5nxcg4g09xpdBOBxLbTksN0-HDMdVxcgFQhANocSTbwXzHH8XrZ58bL~b8Va8it0xBTW~-9-nOzIRYCES5pmOAOZyr86jO1FWAbL~uyePtt6y-MqP3A9saLWOF08FxDfnOOUFgGWRkqy-LYIN0mdCOhYcPSjG8~LPZQHB86CIZNGQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Phase 1: Plan

Since mid-level talent is a more in-demand role, this also means - they will have more opportunities available to them and therefore you may not have as many candidates. The planning phase is important because you will take on a slightly more calculated approach to the Interview process and the process should be a bit more hands-on than early talent.

Subject matter experts will play a lesser role in the mid-level hires, although you may still want to engage 1 or 2 hiring managers to play the SME role. You will also want to have a pool of validators for the screening assessments in order to create a timeline for how long the validation and test process will take.

Additionally, the planning phase is the time to:

- Decide what is a must-have, nice to have, and what is not necessary.
- Narrow down the role and skills to more specifics than you would with early talent.
- Take the time needed to customize emails and communication steps.

Phase 2: Screen

Unlike early talent, you may want to consider having a phone screen with your recruitment team, prior to sending out a screen challenge. Since the candidate pool will be smaller this is a great time to further refine the candidate list. It also allows the recruiter to explain the process.

Points to consider:

- Incorporate more real-world projects from the Library.
- Have fewer multiple-choice questions and include questions that show more advanced problem-solving skills that show off their work experience.
- Typically these questions will be more in-depth and take the candidate 90-120 minutes to complete.

Next, you will want to evaluate the candidate's scores in order to analyze the candidate performance trends. This step will help you understand which candidates to further evaluate in a virtual onsite Interview session.

The video below shows you how to send your test invitations, and how to evaluate results and feedback to move a candidate forward to the next stage.

```
<div class="iframe">

<style>
  :root {
    --color: 236, 100%;
    --l: 47%;
    --color-primary: hsl(var(--color), var(--l));
    --color-primary-darker: hsl(var(--color), calc(var(--l) - 5%));
    --color-primary-darkest: hsl(var(--color), calc(var(--l) - 30%));
  }
</style>

<div id="app">

</div>

</div>

##
```

Phase 3: Interview

Once you have identified the top performers, it's time to start the interview round. With HackerRank Interview, you can keep the interview collaborative and interactive with video and chat capabilities. The fully functioning IDE allows candidates to show off their code or dive deeper into the thought process.

- During the Interview, you can pull in the previous advanced question type or Project and use this time to discuss their approach to finding the answer or problem.
- Doing this also shows the candidate that they actually had their submission reviewed and you are excited to review it with them.

Watch this short video to see how to use HackerRank Interview functionality.

```
<div class="iframe">

<style>
  :root {
    --color: 236, 100%;
    --l: 47%;
    --color-primary: hsl(var(--color), var(--l));
    --color-primary-darker: hsl(var(--color), calc(var(--l) - 5%));
    --color-primary-darkest: hsl(var(--color), calc(var(--l) - 30%));
  }
</style>

<div id="app">

</div>

</div>

##
```

Phase 4: Rank

For a hiring manager, it is crucial to make hiring decisions that can be backed by data. Because some interviewers are more lenient, benchmarking can help make the final decision easier across multiple interviews.

HackerRank's Benchmarking compares a candidate's scores on specific skills against a cohort of candidates who have been assessed on the same set of skills. Access real-time data on a candidate's performance on the test and in the interview. If you haven't already, it's a good time to discuss the protocol of where you want to review the candidate's interview information. It can be reviewed in the HackerRank platform or ATS if you have the integration.

The below video shows you how to use review candidates information within HackerRank

```
<div class="iframe">
```

```
<style>
  :root {
    --color: 236, 100%;
    --l: 47%;
    --color-primary: hsl(var(--color), var(--l));
    --color-primary-darker: hsl(var(--color), calc(var(--l) - 5%));
    --color-primary-darkest: hsl(var(--color), calc(var(--l) - 30%));
  }
</style>
```

```
<div id="app">
```

```
</div>
```

```
</div>
```

```
\
```

[general-help/hackerrank-ai] HackerRank AI Add-on See What?s Included

title: "HackerRank AI Add-on See What?s Included"
title_slug: "hackerrank-ai-add-on-see-whats-included"
source_url: "https://support.hackerrank.com/articles/5847651809-hackerrank-ai-add-ons"
article_slug: "5847651809-hackerrank-ai-add-ons"
last_updated_exact: "Jan 29, 2026, 8:13 PM"
last_updated_relative: "Last updated 3 months ago"
breadcrumbs:
- "General Help"
- "HackerRank AI"

HackerRank AI Add-on See What?s Included

Last updated: Jan 29, 2026, 8:13 PM (Last updated 3 months ago)

****Experience the Power of AI in Hiring****

See What?s Included

Integrity features

Proctor Mode

Proctor mode ensures the integrity of take-home assessments by monitoring the session for any suspicious activities via signals from the webcam, screen capture, and other sources, and presenting the findings in a report. It's intentionally designed not to impact the candidate experience unless there's suspicious activity.

[Learn more](https://support.hackerrank.com/articles/5663779659-proctor-mode)

[Enable Proctor Mode in Settings](https://www.hackerrank.com/work/settings/company-test)

![[PrcotORmode.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769697790684-PrcotORmode.gif?Expires=253370764800&Signature=vxxz5hEicBHnWrGzWuVa4Izus2emwJYRzWNUjyqi0agpa6YbRU4IAHba9TZsGAdoyYiKxcolcbRr3yXtSje7uig5iPRCiYxfEK9JHfpuQmDfWLwidMn5l17IKce--YEJcVszZ8li4y19y5WSkNsnqVUtSoQFdtwiUG42dqCaku93rSGoU1bceoYhdXNaWqqDi7y-UjwitrZfgPFquwBdxUZZZomkSowJsHlrMmkM854qRnuEWJzZXZgZh8F-MvCc3-CgLL~z9Uijl3h9XUdcXiuuiuls1xpAdleHogvfFfcXEFW2nNGrAXkMICYXyR9wTjnGycffGUh8DJmjkM0M5A__&Key-Pair-Id=K3NV4LZ47N8M46)]

HackerRank Desktop App Mode

The HackerRank App adds a new layer of security for high-stakes assessments. It creates a secure testing environment by blocking unauthorized applications and continuously monitoring candidate activity. It delivers enterprise-grade integrity while preserving a smooth candidate experience.

[Learn more](https://support.hackerrank.com/articles/5973590014-hackerrank-desktop-app-mode?_gl=1*1b0t48k*_gcl_au*MTY4MDU4OTM4NS4xNzYwMzg0MTMy*_ga*MTU1NjAxOTUzMC4xNzQ2NzgwNzYw*_ga_BCP376TP8D*cze3NjlyNTYxNjgkbzlyMyRnMSR0MTc2Mjl1NjE4NCRqNDQkbDAkaDA.)

![[HackerRankAppsecon.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1762256551742-HackerRankAppsecon.gif?Expires=253370764800&Signature=gUt4YnQZTGo2yvA3y182V6L3aNa4hy9Yxg3QCtvVumwRWGZ8E3FKGQFNZIkL7UUNSlzJMYCb5wE ss3FLboqAX6Wk73jL1Y3tCveOPeugEeTI~Am-nFWA6~esaWQoxWWd3zW3PIJRe-FBpgx9SIhQ~UyUHAWiYACZxCO~TqgU8tmJJQP9u6vHWGIM7vcsMJHPzU3~aZQPyS-8TbLnsy5iXeXc-AOOn0g4JqQiVRKFWgsuoQWNrXnjRnb2JPtQuf53b2ErcB4IJYUM~yVK Tldx10M4Cwyy8Dk6nxm9n2zUC7kfA~HICVFQMjRaNTAEp99DPSCqwY4oOYvNInkbiZUIQ__&Key-Pair-Id=K3NV4LZ47N8M46)]

Screen to Interview Identity Match

Screen to Interview Identity Match compares candidate images from take-home assessments in our Screen product with the images from the video feed in our Interview product and flags if there's a mismatch.

[Learn more](https://support.hackerrank.com/articles/8605077096-screen-to-interview-identity-match)

[Enable Screen to Interview Identity Match in Settings](https://www.hackerrank.com/work/settings/company-codepair)

![[ScreenMismatch.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753780507822-ScreentolIdentityMismatch.gif?Expires=253370764800&Signature=c1IJcPeilSasTnyEfAarQZWoz48-xAOmpmSX-OY7O6ew6efj5UUedqC4ulvkzXYAaz9GcCNP SzSJelZ3nfC4MOiPjjubnc6kEoVJakZaqK80ptS7rYLohPfz2A71~vRW0g70ai8yQsJWw354IsD8HcObXDNgQq5MNHao4bJUHJqDg7 cMLGuyL~qg81WTJOOm8hWO5doW8u7VjSdOiJV8-7Tbi9FTZpq0Kv0LnEGJZWtCcbFy7-rDdi7WDhx9XHkgkEYRybeUSILjmxZrnXK 8deanVDXVNN8tvntLc1AmrhX2Zvt6obg4lrFW9lwuYw6udht2km7ag6UqnGNHa-2ISg__&Key-Pair-Id=K3NV4LZ47N8M46)]

Features to evaluate NextGen Skills

AI-Assisted IDE

The IDE now comes with an AI assistant mirroring the real world. It's currently a guarded assistant in take-home assessments in the Screen product and unguarded in the Interview product.

[Learn more about Assistant in Tests](https://support.hackerrank.com/articles/1152916770-ai-assisted-tests)

[Enable AI Assistant for Tests](https://www.hackerrank.com/work/settings/company-test)

[Learn more about Assistant in Interviews](https://support.hackerrank.com/articles/5821380141-ai-assisted-interviews)

[Enable AI Assistant for Interviews](https://www.hackerrank.com/work/settings/company-codepair)

![[AI first IDE-Chat (1).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fcd61d97-2c0c-4b33-adf6-b4c4aa0ee41e-175362 6354383-AIfirstIDE-Chat%2525281%252529.gif-e9588d57-0951-4f39-83c7-ac51b487c1e5?Expires=253370764800&Signature=cLK EyzGX1l5dtrLH29khRgWwcppee~ZEj3kJPLhoBL7U9Jxs0Qdi-TCAYT6-ueUwL2OfaIJ6E14viXMOYdq~eJFn3WJmgWNJpmGZ-xMyZ LRQ1LmWoFb8NwdV686FidoM8xFEIs0PUGHdL3GF-L-CU8X5Tqrwvbr6WSpGW7XPdv7SfVr90L72cx1VLU99D2vnxdzOTREXiUFsV 4O2Z4PAi1LSveenDqfligkoA5Bf5VumZG8zu8do1uBdqHRDs4pWWXKTuVJRkx~J40tqQEAAIhwtvONJlk15RQNLyph8WMqKO4yFp aO5sR5pq2fsuDy~iT-uoa5B7N10N8R206uw__&Key-Pair-Id=K3NV4LZ47N8M46)]

Advanced Evaluation

Advanced evaluation extends beyond evaluating the candidates on code correctness and optimality. It assesses the quality of the code written, how they worked with the AI, and other factors, and all of these are summarized and presented in the report.

[Learn more](https://support.hackerrank.com/articles/7098008997-advanced-evaluation)

[Enable Advanced Evaluation in Settings](https://www.hackerrank.com/work/settings/company-test)

![[advanced eval.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769697103503-advancedeval.gif?Expires=253370764800&Signature=IQOHAbkvgt6-hrtqlp9EmhusIPcW8FYhxvtvlpRHAPdqRWQo6jHmlTX393mFO2RMCY1WoZZ4j7cfVT9H S0eGJlBpC5jDgYo1i~8gWIWYgcNEmpcSocTSpiPCbH9TiuJCaZOR07JS-VRQiproPze-P-fheO99ITzn9iXS-zuSlkyndunJ82iz2wFw~d CLWxTEyDEbEqapHPPRIzPHMxyvgRIZo2njZ9RVbvTjBOMPqAO81iVVMkZa0ebRDSGuYH-VI2Lfs0SYZ6B8TK-HCn00~36JrntmBF SkufMtwJZyAX9DTCF4FW0AA6KPeCOUXSyew32m-c2THW42wxIGwng__&Key-Pair-Id=K3NV4LZ47N8M46)]

Scorecard Assist

Scorecard Assist uses AI to generate a structured summary from the interview session, analyzing a combination of the transcript and code playback. This is summarized in the rubric specified by the interviewer, helping them complete the writing of the scorecard more efficiently.

[Learn more](https://support.hackerrank.com/articles/5847159594-scorecard-assist-for-coding-question)

[Enable Scorecard Assist in Settings](https://www.hackerrank.com/work/settings/company-codepair)

![[Scorecard assist for Coding questions (2).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753781410869-ScorecardassistforCodingquestion s%25282%2529.gif?Expires=253370764800&Signature=Y~PfGBxZxP63SMZFr2ZvdYoV5DUd1QPpythhgOd65A0~iE9ugA9wP~5V m-EOY9bybbl0bmcAXYTUjJwdyKbRMk2ufWYayQb12dEJlkBQjTvXYWfncdBHQNoz0EteLk9L4vTN~aY9rO2bTw4OJIHr1Ga2Vm4tkr LoQ-CfhHDN~MMWuPNQhubjpCqbChHl4nKiiecMahlpDbw7wS4m2Cd0XFhVQk5e7X1Nb6Ol~dmJD7gX0ekV0kOFYxoRWx7gWO9 B976UvZBf-x~EOycnrbjrq7oW0kGCtTJQnH7F~QcuuMdSAZvI4YA8e~Cl~W4~qw6NkkRbeEtt6XSo2skx8z0fg__&Key-Pair-Id=K3NV4 LZ47N8M46)]

\

\


```

title: "HackerRank's AI Features"
title_slug: "hackerranks-ai-features"
source_url: "https://support.hackerrank.com/articles/9416207922-hackerrank%27s-ai-features"
article_slug: "9416207922-hackerrank%27s-ai-features"
last_updated_exact: "Mar 11, 2026, 9:43 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
  - "General Help"
  - "HackerRank AI"
---

```

Last updated: Mar 11, 2026, 9:43 PM (Last updated 2 months ago)_

The table below shows a comprehensive catalog of AI features grouped by product, with details on functionality, provider, and availability.

HackerRank Platform	AI Feature	AI Model Provider	Availability	Description
Screen	[AI Plagiarism Detection](https://support.hackerrank.com/articles/8000786908-ai-plagiarism-detection)	HackerRank	Generally Available	Detects copied or AI-generated code with high accuracy using proprietary models built on HackerRank-only data.
Screen	[Webcam-based Image Analysis](https://support.hackerrank.com/articles/7825915809-impersonation-detection#image-analysis-36)	Amazon Rekognition/ Google Gemini	Generally Available	Uses facial detection to identify multiple or no faces in the webcam frame to ensure test session integrity.

[illegible]

```
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="137" style="width: 137px"><p>Interview</p></td>
<td data-cs="1" data-rs="1" data-cw="134" style="width: 134px"><p>[Scorecard Assist](https://support.hackerrank.com/articles/5847159594-scorecard-assist-for-coding-question)</p></td>
<td data-cs="1" data-rs="1" data-cw="170" style="width: 170px"><p>OpenAI</p></td>
<td data-cs="1" data-rs="1" data-cw="111" style="width: 111px"><p>Generally Available (AI Add-on)</p>
<p><br />
</p></td>
<td data-cs="1" data-rs="1" data-cw="295" style="width: 295px"><p>Drafts interview feedback, highlights strengths/weaknesses, and suggests ratings?all editable by interviewers.</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="137" style="width: 137px"><p>Interview</p></td>
<td data-cs="1" data-rs="1" data-cw="134" style="width: 134px"><p>[AI Assistant](https://support.hackerrank.com/articles/5821380141-ai-assisted-interviews)</p></td>
<td data-cs="1" data-rs="1" data-cw="170" style="width: 170px"><p>OpenAI, Google Gemini, Cerebras, Anthropic</p>
<p>Claude</p></td>
<td data-cs="1" data-rs="1" data-cw="111" style="width: 111px"><p>Generally Available (AI Add-on)</p>
<p><br />
</p>
<p><br />
</p></td>
<td data-cs="1" data-rs="1" data-cw="295" style="width: 295px"><p>Provides an AI-assisted IDE featuring chat, agent mode, and inline code completions powered by multiple models, enabling deep insights into how effectively a candidate leverages AI during coding.</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="137" style="width: 137px"><p>Interview</p></td>
<td data-cs="1" data-rs="1" data-cw="134" style="width: 134px"><p>Interview Transcript</p></td>
<td data-cs="1" data-rs="1" data-cw="170" style="width: 170px"><p>Zoom</p></td>
<td data-cs="1" data-rs="1" data-cw="111" style="width: 111px"><p>Generally Available</p></td>
<td data-cs="1" data-rs="1" data-cw="295" style="width: 295px"><p>Transcripts capture all audio interactions and are easily accessible via email, reports, or API.</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="137" style="width: 137px"><p>AI Interviewer</p></td>
<td data-cs="1" data-rs="1" data-cw="134" style="width: 134px"><p>[Coding Round AI Interviewer](https://support.hackerrank.com/articles/6908366644-introduction-to-ai-interviewer)</p></td>
<td data-cs="1" data-rs="1" data-cw="170" style="width: 170px"><p>Anthropic</p>
<p>Claude</p></td>
<td data-cs="1" data-rs="1" data-cw="111" style="width: 111px"><p>Limited</p>
<p>Availability</p></td>
<td data-cs="1" data-rs="1" data-cw="295" style="width: 295px"><p>Conducts adaptive technical interviews by asking coding questions and evaluating responses for deeper assessment.</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="137" style="width: 137px"><p>Engage</p></td>
<td data-cs="1" data-rs="1" data-cw="134" style="width: 134px"><p>Event Generator</p></td>
<td data-cs="1" data-rs="1" data-cw="170" style="width: 170px"><p>OpenAI</p></td>
<td data-cs="1" data-rs="1" data-cw="111" style="width: 111px"><p>Generally Available</p></td>
<td data-cs="1" data-rs="1" data-cw="295" style="width: 295px"><p>Automates the creation of hackathons, coding competitions, and outreach events tailored to developer interests and aligned with the customer?s brand.</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="137" style="width: 137px"><p>Engage</p></td>
<td data-cs="1" data-rs="1" data-cw="134" style="width: 134px"><p>Engage Assistant</p></td>
<td data-cs="1" data-rs="1" data-cw="170" style="width: 170px"><p>OpenAI</p></td>
<td data-cs="1" data-rs="1" data-cw="111" style="width: 111px"><p>Generally Available</p></td>
<td data-cs="1" data-rs="1" data-cw="295" style="width: 295px"><p>Provides content and targeting recommendations for recruiting teams to help identify and engage top talent.</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="137" style="width: 137px"><p>SkillUp</p></td>
<td data-cs="1" data-rs="1" data-cw="134" style="width: 134px"><p>AI Tutor</p></td>
<td data-cs="1" data-rs="1" data-cw="170" style="width: 170px"><p>Anthropic Claude</p></td>
<td data-cs="1" data-rs="1" data-cw="111" style="width: 111px"><p>Generally Available</p></td>
```

Provides hints, practice challenges, and recommendations based on past performance and coding history.		
Community		
[Community Mock AI Interviewer](https://help.hackerrank.com/articles/8988753946-introduction-to-mock-interview)		
OpenAI		
Anthropic Claude		
Generally Available		
Lets candidates take AI-powered mock interviews to practice for real assessments.		

Note: Some AI features listed above are part of the AI Add-on package. For more information, see [HackerRank AI Add-on](https://www.hackerrank.com/features/hiring/ai-add-on).

\

[general-help/hackerrank-ai-data-services] HackerRank AI Data Services FAQ

title: "HackerRank AI Data Services FAQ"
title_slug: "hackerrank-ai-data-services-faq"
source_url: "https://support.hackerrank.com/articles/2212135172-hackerrank-ai-data-services-faq"
article_slug: "2212135172-hackerrank-ai-data-services-faq"
last_updated_exact: "May 11, 2025, 3:14 PM"
last_updated_relative: "Last updated 12 months ago"
breadcrumbs:
- "General Help"
- "HackerRank AI Data Services"

HackerRank AI Data Services FAQ

Last updated: May 11, 2025, 3:14 PM (Last updated 12 months ago)

At HackerRank, we are committed to transparency. This document answers key questions about our AI Data Services.

****What AI Data Services does HackerRank offer?****

HackerRank's AI Data Services business helps organizations build better AI models for their software development lifecycle. We offer the following services:

- ****Custom training data:**** Organizations can request datasets specifically tailored to software development skills.
- ****Data annotation and labeling:**** Domain specialists annotate and label data to ensure exceptional quality and relevance.
- ****Model testing and evaluation:**** We help customers assess model performance to identify weaknesses and ensure that models meet real-world needs.
- ****Fine-tuning services:**** We offer strategies to enhance model accuracy, optimize computational efficiency, and customize models for specific use cases.

Through these services, we help organizations develop smarter, more reliable AI tools for software engineering tasks.

****Why is HackerRank offering AI Data Services?****

We recognize that the future of software development is deeply connected to AI. Our expertise in technical skills assessment, deep understanding of developer workflows, and global community of software professionals uniquely position us to create the highest-quality datasets for AI training.

By offering AI Data Services, we aim to:

- Advance innovation in AI for software development.
- Support organizations seeking specialized, high-quality AI training data.
- Continue to lead in the domain of developer skills and technical excellence.

****What data is being sold?****

HackerRank operates two distinct platforms:

- ****Business platform**:** Provides services for companies to hire and upskill technical talent.
- ****Community platform**:** Offers free coding practice resources for individuals.

HackerRank's AI Data Services do not involve the sale of any HackerRank company data, personal data, or activity data derived from HackerRank business customers. HackerRank does not use customer data, candidate activities, user submissions, or platform interactions from HackerRank for Work assessments, coding challenges, interviews, or any other customer-associated activities for AI model training.

Instead, HackerRank builds datasets independently using specially curated data, generated data, and expert annotations. The privacy and security of customer data remain top priorities for HackerRank.

Some non-personal data from the **Community** platform may be used to train AI models. However:

- No personal data is shared.
- Personally identifiable information (PII) is excluded from all training datasets.
- Privacy protections are fully enforced in accordance with our policies.

Are my company's tests used for AI model testing?

No. HackerRank creates entirely new tests and evaluation content specifically for model testing. Your company's hiring tests, coding questions, and assessments are never used for testing or training models.

Will AI models be trained on HackerRank's hiring content?

No. HackerRank generates entirely new questions and exercises for AI training. The questions used for hiring, interviewing, and skill assessments remain separate and are never used for AI model development.

Who can I contact for more information?

If you have questions or need additional clarification, contact us:

- **Email:** support@hackerrank.com
- **Customer account manager:** If you have a dedicated account representative, they are available to assist you.

\

[general-help/hackerrank-ai-data-services] HackerRank Dataset Creation Methodology


```
---
title: "HackerRank Dataset Creation Methodology"
title_slug: "hackerrank-dataset-creation-methodology"
source_url: "https://support.hackerrank.com/articles/4425890244-hackerrank-dataset-creation-methodology"
article_slug: "4425890244-hackerrank-dataset-creation-methodology"
last_updated_exact: "Jun 23, 2025, 7:29 PM"
last_updated_relative: "Last updated 10 months ago"
breadcrumbs:
  - "General Help"
  - "HackerRank AI Data Services"
---
```

HackerRank Dataset Creation Methodology

Last updated: Jun 23, 2025, 7:29 PM (Last updated 10 months ago)

This document explains how HackerRank designs, builds, and delivers datasets across the SDLC to help customers accelerate software development.

The workflow diagram below illustrates the HackerRank Dataset Creation Methodology.



Engagement kickoff

Each engagement starts with a focus on understanding your business context, technical goals, data requirements, and security constraints. This ensures that HackerRank is fully aligned before any project work starts.

Objective and scope alignment

The first step is to understand the use case and success criteria for your model. This ensures that all deliverables?from individual tasks to evaluation datasets?align with your end goal.

- **Use case definition:** HackerRank?s machine learning (ML) scientists collaborate with your team to define the specific capability you want to improve, such as:
 - Code generation
 - Bug detection or bug fixing
 - Code summarization or explainability
 - Code refactoring or optimization
 - Test case generation
 - Secure coding or linting automation
- **Model context:** Captures technical details such as:
 - Model architecture (for example, encoder-decoder, decoder-only, instruction-tuned)
 - Fine-tuning or post-training method (for example, full fine-tuning, LoRA, SFT, RLHF, DPO)
 - Token budget, latency targets, and context window constraints
- **Success metrics:** Define both quantitative and qualitative goals, such as:
 - BLEU, CodeBLEU, exact match accuracy or code correctness (unit test pass rate)

- Hallucination rate or failure rate reduction
- Latency or inference cost per token

By defining key performance indicators (KPIs) and model behavior targets, HackerRank aligns downstream decisions such as task selection and evaluation format with your business priorities.

Timeline and milestone planning

The project is organized into distinct phases to support transparent and trackable execution.

- The delivery timeline is collaboratively defined and divided into clear milestones:
 - Dataset structure finalization
 - Task sampling or pilot review
 - Evaluation setup and baselining
 - Final dataset delivery and sign-off
- Each phase includes feedback checkpoints to maintain transparency.
- Weekly syncs and shared project trackers ensure accountability and visibility.

Security and data residency

HackerRank adheres to industry-standard [data privacy and security practices](https://www.hackerrank.com/trust/security/). During project kickoff, HackerRank finalizes your security and compliance requirements.

- **Data handling:** If the engagement involves proprietary source code or model artifacts, the following are supported:
 - NDA-backed access controls
 - In-region data processing (for example, EU-only, India-only)
 - No-retention policies
 - Secure cloud handoff (for example, Amazon S3 with restricted access keys)
- **PII redaction:** When working with production data (For example, code snippets from tickets or logs), custom pipelines are used for:
 - Personally identifiable information (PII) redaction (For example, names, emails, tokens, IP addresses)
 - Sensitive pattern masking (for example, API keys, database credentials)
- **Tooling isolation:** All dataset creation occurs in isolated environments with access logs, version control, and auditability.

Stakeholder onboarding

Stakeholder roles are clearly defined on both sides at the beginning of each engagement.

- Your organization:
 - Technical point of contact (for example, Model Owner, ML Engineer)
 - Business lead (for example, Product Owner, CTO)
 - Security or compliance representative
- At HackerRank:
 - Engagement Manager
 - Subject Matter Expert (SME) Managers
 - Quality Assurance (QA) Lead

- ML Scientists

HackerRank sets up a shared communication channels (Slack or email) and an optional shared drive for real-time updates and status reports.

Dataset preparation

HackerRank's core strength lies in a global network of highly vetted subject-matter experts (SMEs) and a proven methodology to create production-grade, diverse code datasets. The process integrates domain expertise, structured workflows, and multi-layered quality assurance to ensure that every data point is accurate, explainable, and aligned with your goals.

Expert-curated content generation

- **SME selection:** Each dataset engagement begins with the selection of a dedicated panel of SMEs who possess verified expertise in the target languages, frameworks, and domains (for example, backend development, data engineering, DevOps).

- **Realistic task design:** Each SME is responsible for designing original programming tasks that reflect authentic challenges seen in software development, such as implementing a REST API, debugging concurrency bugs, or refactoring legacy code. Tasks are aligned to customer objectives (for example, code generation, bug fixing, summarization) and vary in complexity and format (functions, classes, scripts, projects). The SMEs use internal authoring tools that provide real-time feedback on format compliance, tagging, and completeness. Dashboards that track author performance and dataset coverage are also maintained.

- **Task authoring guidelines:** SMEs are trained with detailed, standardized instructions for task authoring. These include rules for:

- Problem framing and clarity
- Expected inputs/outputs
- Coverage of edge cases
- Test case design
- Metadata requirements (for example, runtime constraints, expected performance)

- **Task review and approval:** Every task undergoes structured review process led by an SME Manager (a senior content engineer with domain expertise) before being included in the dataset. The review process includes checks for technical correctness, clarity of instruction, real-world relevance, and compliance with authoring standards.

An internal toolset streamlines the review and feedback process to ensure task quality and accountability.

- **Targeted feedback:** The SME Manager can provide line-level comments directly within the task.
- **Revision loop:** Rejected tasks are returned to the author with detailed feedback and suggested improvements. The author revises the task and resubmits it for review.
- **Version control:** All edits are tracked through a version-controlled system with audit trails.

- **Performance tracking:** Maintain dashboards that track author performance (For example, time taken for each task creation) and dataset coverage.

<!-- -->

- **Acceptance criteria:** A task is approved only when it passes review with no blocking issues. Strict quality checks ensure that:

- Only fully approved tasks are included in production datasets
- Partially accepted or "good enough" tasks are excluded

This structured review process ensures that each task is polished, unambiguous, and suitable for training or evaluating large language models (LLMs).

<!-- -->

- **Multiple solutions per task:** To improve the diversity and robustness of your training data, each task is independently solved by at least three different SMEs. This provides a range of solution styles and allows models to learn from varied reasoning approaches. You can also configure the number of solutions required per task based on your specific needs.

Metadata and context capture

Each task and solution combination is annotated with detailed metadata to support downstream use, including:

- Build and run instructions
- Language version and dependency list
- Time and space complexity analysis (when applicable)
- Edge cases and expected failure modes
- Performance tuning notes

This metadata ensures reproducibility, easy filtering, and better control over dataset slices (for example, by difficulty level, length, or bug type).

Automated and human QA

A dual-layer QA process is applied to maintain high submission standards:

- ****Sanity checks:**** All submissions are validated through automated pipelines that execute test cases, perform linting for style and syntax, and verify consistency between each problem and its solution.
- ****Peer review:**** Submissions are peer reviewed by another SME to ensure correctness, clarity, and compliance with defined standards. Any disagreements trigger structured arbitration before finalization.
- ****Style and documentation checks:**** In addition to functional correctness, each solution follow idiomatic coding style, include helpful comments, and avoid anti-patterns. These checks are essential for fine-tuning developer assistants and code explanation models.

!2ndimage.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1750661521227-2ndimage.png?Expires=253370764800&Signature=f5XqprH57Z8Y2iCWmpFuUyGc1-VbNFeoTeE8S8uKmPo-rSQS7Tn53W451Z1lwrPsHjXE7h6enLyUJ7K5m~~RgoX9ikhbQmSX3hEAhgDR4K~Osi-dFHkyc2PvccLQGEJw6TJqtWrLO7Jr6hVK537sTd--Wme2LIUL5oF8qBCbZKUSgOTCavPW9Jd-pgAHHi7oRpnFaXRZ6ojZ7AD-zl-fCi2bbZrmQJNJ4CXgOESkRf2Wew1yPn-4rQzcJ1oXVZuZwbcn~LTVauFLbL-cp5wPeCrWvQhkHs087OEaVJcTZUcb2Ne4aUNPuJs7DajsAMB9XYx50UMt3J2-rx27KlrliQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Model evaluation

Once the dataset is finalized, it enters a structured evaluation phase to assess how well the model performs after fine-tuning with the new data.

Fine-tuning and initial evaluation

- ****Model integration:**** The customer's foundation model or foundation model of your choice is fine-tuned using the curated dataset. This includes:
 - Full fine-tuning
 - Instruction tuning
 - Few-shot prompt construction
 - Supervised or RLHF-style training, depending on context
- ****Benchmarks:**** Model performance is evaluated using:
 - Standard benchmarks such as HumanEval, MBPP, and CodeXGlue
 - HackerRank's ASTRA benchmark, customized for your use case
 - Custom test suites derived from your production use cases
 - Evaluation metrics aligned with your goals, such as BLEU, exact match accuracy, functional correctness, latency, and hallucination rates

If no suitable public benchmark exists for a task (for example, domain-specific language, refactoring), HackerRank will co-design a custom evaluation suite with the customer to ensure meaningful evaluation.

Evaluation design (if applicable)

When open-source benchmarks do not sufficiently address the use case, a custom evaluation suite is developed. This includes:

- Task sets curated from your existing codebase
- Manually evaluated gold labels from HackerRank SMEs
- Metrics tailored to your business goals, such as readability, security, or test coverage
- Edge cases and adversarial examples
- Regression-safe subsets for future iterations

Performance feedback loop

If the model fails to meet the predefined success criteria, a structured feedback process is initiated.

1. **Error analysis:** Qualitative and quantitative analyses are performed, including:

- Clustering of failure cases by problem type
- Confusion matrix on labels or outputs
- Code correctness breakdown (for example, syntax errors versus logic bugs)
- Human review of model outputs when necessary

2. **Diagnosis and attribution:** Determine the root cause of performance gaps by evaluating whether they result from:

- Insufficient coverage in the dataset
- Ambiguous task instructions
- Model underfitting or overfitting
- Evaluation mismatches

3. **Dataset Iteration:** Identified issues are addressed by:

- Refining existing tasks (for example, rewriting unclear problems)
- Adding new examples to target weak areas
- Diversifying solution styles or test scenarios

Continuous improvement loop

The evaluation and tuning process is iterative:

- The model is continuously fine-tuned using updated datasets.
- New model outputs are re-evaluated against benchmarks and regression-tested against previous versions.
- A dataset or model version is approved for deployment only when:
 - Target primary metrics are achieved
 - No regressions are found in secondary metrics
- The customer signs off

The goal is to close the loop between model behavior and dataset design, ensuring that the data you invest in leads to measurable improvements in real-world performance.

![[3rdimage.png]](<https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1750661548530-3rdimage.png?Expires=253370764800&Signature=ng6VScoxr55wla8vBJdepawv1r21InlttYtc2cyDWafO9SRWB-4u3eoubYxedaqVy0rsEe2MhdiiGvxhoiZqgQdK320RBVgs56Dpcla79mbHxbkD3IRUIAJgZg8gDlauxB-3Tg5DH8R05Bts4k9qpwt7d7892-aNqK748-GtbzP9YWOWFJP0HxGD9WwWw9NBpFuwnL1VwJJSO2Qu4cWgzdE2fOfTAxdk5JqFKvljFluxqjBnPy~ekNGsa0HznyGJ4OZ0nLy1axjHc9wYWUN~X7zbk6XZzsVyB>)

Quality review

Before delivery, each dataset undergoes a structured, multi-stage quality review to ensure that every task and solution meets standards of correctness, clarity, and consistency.

Final human review

Every task and associated solutions undergo a final manual audit by the senior SME reviewers who were not involved in the task creation. This unbiased checkpoint guarantees integrity across the dataset.

The following criteria are verified:

- **Business logic and technical correctness:** Does the task represent a realistic and meaningful programming challenge? Do all solutions correctly address the stated problem?
- **Code style and formatting:** Are the solutions idiomatic, readable, and aligned with language-specific style conventions? Is formatting consistent and instructional?
- **Clarity and completeness of explanations:** If the dataset includes inline comments or external explanations, are they clear and accurate for an LLM to learn from?
- **Test coverage and execution behavior:** Are edge cases tested? Do the test cases validate both correct and incorrect implementations? Are time and space constraints respected?

Rubric-based evaluation

Reviewers use a scoring rubric that breaks down each task into key dimensions (for example, clarity, correctness, completeness and, format) with defined pass/fail criteria and reviewer notes. This provides a consistent and transparent scoring system across reviewers.

- Objective scoring ensures alignment with customer expectations.
- Reviewer notes are logged per task for traceability and continuous improvement.

Dispute resolution and arbitration

If multiple reviewers disagree:

- A structured arbitration workflow is initiated.
- Each reviewer presents their assessment and rationale.
- The SME Manager mediates to reach consensus.
- A task finalized only after all concerns are resolved and the outcome is documented.

This process avoids subjective inconsistency and ensures no task proceeds with open questions.

Version control and audit trail

All task edits, feedback cycles, reviewer comments, and approvals are tracked using internal tools.

- Change logs are maintained for each task.
- All reviews are timestamped and attributed.
- A complete revision history is available on request to show how and why a task evolved.

Tools and automation

While human reviewers lead the process, a final automation pass is also performed to:

- Revalidate test cases and runtime behaviour
- Detect formatting drift and file inconsistencies

Verify integrity hashes (for example, SHA-256) to support reproducibility.

!4thimage.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1750661568552-4thimage.png?Expires=253370764800&Signature=YLGGJwLY7KdRAZq8WFjpg25y0EgVahRm1I7GE6n38t6KNj7vBRbCjyr4ewCNnsACEP7i5gdPzdX2TNLee9ymvdGjgCDbnMN0M~MQkDC2DRYN2gCfP6ulAhpri2At8OwL6vzZks-hlQF4qECc65AOn5o3V6avXmtqB0t-IdXINR3T7UIIV-NTmCzDFltqKW27EqgHqbcS255HRyJG7qco-Lo-KynQ9SNjWQxxE0s6BbGpgjTiNJGLzxpRn9GJHI7dUq6tP94MOF3xFiSLeuDB2tfDcy51IBIW9jALWcrWmkaffT~~zwI5N8yYn-HNGFOrERkQBj04tTePaH5zicaUQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Dataset delivery

After a dataset passes all quality checks and receives required approvals, HackerRank initiates a secure and verifiable delivery process. The delivery workflow is designed for traceability, reproducibility, and seamless integration with ML pipelines.

Packaging and finalization

Before delivery, all components of the dataset are packaged to ensure it is portable, verifiable, and self-contained.

- **Signed-off content**

- All tasks, solutions, and metadata are approved through the QA process.
- Includes applicable test files, build scripts, and runtime instructions, where applicable.
- Task-to-SME attribution is included if required (anonymized when necessary).

- **Versioning and integrity**

- The dataset is packaged as a structured archive (for example, .tar.gz, .zip) with consistent file paths.
- Integrity hashes (for example, SHA-256) are included for all files and the entire archive.
- Git-based diffs for change tracking between dataset versions.

- **Documentation bundle**

- README file with dataset structure and usage instructions.
- Data schema or annotation format definitions are included.
- Security notes and handling instructions are documented.

Delivery channels

HackerRank supports multiple secure, enterprise-compliant delivery channels:

- Encrypted cloud handoff (for example, AWS S3 pre-signed URL, GCS secure bucket, Azure Blob link)
- Customer-designated secure FTP or VPN endpoints

All deliveries are logged and traceable.

Customer walkthrough

Upon request, HackerRank provides a walkthrough session with your team to:

- Review the dataset structure and evaluation setup
- Clarify metadata, labelling conventions, or expected usage patterns
- Address integration questions from data scientists or ML engineers
- Collect feedback for future dataset iterations

Archiving and retention

Once delivery is confirmed:

- HackerRank retains a copy of the dataset and delivery logs for 30 to 90 days (configurable).

- After the retention window, the dataset is securely purged unless otherwise agreed.
- A formal delivery completion report is issued, including:
 - Timestamp of delivery
 - Integrity verification record
 - Summary of QA coverage

\

[general-help/important-notifications] HackerRank Maintenance Window Notification

title: "HackerRank Maintenance Window Notification Maintenance schedule Impact Required actions Frequently Asked Questions Need support?"
title_slug: "hackerrank-maintenance-window-notification-maintenance-schedule-impact-required-actions-frequently-asked-questions-need-support"
source_url: "https://support.hackerrank.com/articles/2086891729-hackerrank-maintenance-window-notification"
article_slug: "2086891729-hackerrank-maintenance-window-notification"
last_updated_exact: "Mar 19, 2026, 3:08 AM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
- "General Help"
- "Important Notifications"

HackerRank Maintenance Window Notification Maintenance schedule Impact Required actions Frequently Asked Questions Need support?

Last updated: Mar 19, 2026, 3:08 AM (Last updated 1 month ago)

The HackerRank platform will undergo a scheduled database upgrade during our regular maintenance window. This upgrade helps maintain platform reliability and performance.

Maintenance schedule

- **Date:** Saturday, April 18, 2026

- **Time:** 05:00 AM to 06:00 AM GMT ([view all time zones](https://www.timeanddate.com/worldclock/fixedtime.html?msg=HackerRank+Downtime&iso=20260418T05&p1=769&ah=1))

- **Duration:** 1 hour

Impact

- The HackerRank platform will be inaccessible for approximately one hour.
- All platform services will resume immediately after the maintenance window.

Required actions

Ensure that no candidate tests, interview sessions, or other platform activities are scheduled during the maintenance window.

If you already have activities scheduled during this time, reschedule them outside the maintenance window to prevent disruption.

- To modify test expiration time, see [Modify test expiration time](https://support.hackerrank.com/articles/2979262079-modify-test-expiration-time?lang=en).
- To extend test invite expiry, see [Configure test invite settings](https://support.hackerrank.com/articles/9544354489-configure-test-invites-settings-for-tests#invite-expiry).
- To reschedule an interview, see [Reschedule an interview](https://support.hackerrank.com/articles/2342466364-rescheduling-an-interview).

Frequently Asked Questions

****How does this impact assessments?****

The test interface will be unavailable during the maintenance window. Candidates attempting to launch a test during this time will see a maintenance notification prompting them to return later.

![Screenshot 2026-03-13 at 1.21.54?PM.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1773725078690-Screenshot2026-03-13at1.21.54PM.png?Expires=253370764800&Signature=DE6qtGXxWmg-dNi0KjUOBN6U4h3wm6piYyFzqeOGNgkUId4eInwSVHzRMjgbcSH71qPdrIZZTmG-HqtJc~jsbXX8YpGU8OgUWas7g~KrbOB5tXNYSADhXHLe321KKh4QC8PhK8ZyYTr0GMpX0~c~fGl9jkA4bp~pQY8OwJkhhbmhGAZuNg3B2xk2PnUr~Yu2vbFPW~gSU2cbAE30C1vAMGOh9IJJnddP9SOIMPVjU29bHDIMeG0rvuhPawSppshwfu

pw1cBxc8OOGObQBDE22MZvTKvioF41C0LCO1xudLI2qwZTN~VxR5Nc2k0IRVtsATMqL3zTHG-QZZ2op0LK5A__&Key-Pair-Id=K3NV4LZ47N8M46)

Candidates will only be able to start a test if they have enough time to complete it before the maintenance window begins.

****How does this impact interview sessions?****

New interview sessions cannot begin during the maintenance window. Candidates also cannot begin interviews within 90 minutes prior to the start of the maintenance window.

If an interview is in progress as the downtime approaches, candidates will see warning messages to help them finish in time. Interview data recorded before the maintenance window starts will be stored safely.

****How does this impact reports?****

Reports and dashboards will be unavailable during the downtime.

****What happens to test invites expiring on April 18, 2026?****

You can update the expiration date for any test invites set to expire on April 18, 2026.

- To extend invite expiry for all candidates in a test, see [Configure test invite settings](https://support.hackerrank.com/articles/9544354489-configure-test-invites-settings-for-tests#invite-expiry).
- To extend invite expiry for specific candidates in a test, see [Set an expiry date](https://support.hackerrank.com/articles/6027855406-inviting-candidates-to-a-test#set-an-expiry-date).

Need support?

- Visit the [HackerRank Status](https://status.hackerrank.com/) page for real-time updates during the maintenance window.
- For assistance, contact support@hackerrank.com.

\

[general-help/release-notes] October 2024 Release Notes

title: "October 2024 Release Notes"
title_slug: "october-2024-release-notes"
source_url: "https://support.hackerrank.com/articles/1189675016-october-2024-release-notes"
article_slug: "1189675016-october-2024-release-notes"
last_updated_exact: "Apr 9, 2025, 11:14 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "General Help"
- "Release Notes"

October 2024 Release Notes

Last updated: Apr 9, 2025, 11:14 AM (Last updated 1 year ago)

We're excited to announce that our October 2024 product release is live! Key updates include support for Azure hands-on assessments, improved automatic question replacement with a new AI-based engine, enhanced autocomplete for coding questions, and a redesigned IDE layout for a distraction-free environment.

If you need any help navigating these new features, email us at support@hackerrank.com or contact your account manager.

Screen

Improved Automatic Question Replacement

In the last release, a feature was introduced to automatically replace questions in a test with questions with similar difficulty levels and required skills. The enhanced replacement algorithm now provides greater granularity, considering parameters such as the concepts assessed, the median time to achieve a full score, and the number of candidates who have tried the question. This ensures that the replaced question even more closely matches the original.

![[AQRsn.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046036034-?Expires=253370764800&Signature=GNC4F3Gg-E9MMHInuqvnSPWiAilpQ3-BQJkYEaFiGfgp-Q8B~Y-olA2qQUptwMV28g5sCB0SuQ-J6w5d5-ZGWA3lTh77errJMGqbeY1jdlp9Rr6RBDJ95HO3N6qXeJ-jG3xKwGHejofUlv6p5EmTOmlbt6CrijllpCddyCXmPa0UmZ8gs40JK1UVb20BRI~zz7WZxcaOd3SMFittf4UgE1flj6AhhjnVaPjssbck1vfYdmG-4cDDGmghBraoXQtd3ADpOIMrYycr-sjV3skrzwrFjDJWRueA4HVR4CvRhnyXyZBRa4tRXpEmXtNTr-nllcVsLrjL5Gl1DkKdoA__&Key-Pair-Id=K3NV4LZ47N8M46)] Final

Refer to [HackerRank Certified Assessments](https://support.hackerrank.com/articles/1649328687-hackerrank-certified-assessments#leaked-question-replacement-indicator-18) for more information.

Integrity

Improved Plagiarism Detection Insights

The revamped codeplayer gives reviewers more context when a candidate is flagged for plagiarism. Now, you can see detailed reasons for why a candidate was flagged, along with the specific time frame where potential suspicious activity may have occurred.

This update provides clearer visibility into candidate behavior and helps identify unwarranted use of AI tools in assessments, displaying three types of signals to recruiters:

- **Potential reference taking:** The candidate is inactive for a certain amount of time between answering the question, and then there is a sudden non-stop coding activity.
- **Suspicious code resetting:** The candidate removed and replaced a large piece of code that had already been written.
- **External Copy Paste:** A large amount of code was copied over from an external source.

![[Plag signals.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046036707-?Expires=253370764800&Signature=oWDEL9jsYcJLu6dmSsibkwdJ7UHLw0mC1p4mZhoP1mnYwYWOzWAPIYT07DCnfQUYCDbAvuiThJGJ3CvSLcasDRnelFbrBoMY0FP6jb17xbzd-6ophEV-adTSiEJFfowNnJwbFZ2LPB-P8Jq-vjN3LHqPzdaqj0wZ71YRworPPE8edrBiWIFtIIoykKRfgLSrpztpG3nnrGVCwWrtAE-ciM4LT8YA93rsAccwFWumOaNUbuPK0wVxyaacW0boJ4h70leWCHC~KcpkFxYI2jqePQ5g75v9BgxYRWWhsFGxiaes3Przhex4zEfAkQja75Xer7txzqfWQjleYAypEVHYOYA__&Key-Pair-Id=K3NV4LZ47N8M46)]

[Enable AI Plagiarism Detection](https://support.hackerrank.com/articles/8000786908-ai-plagiarism-detection#enabling-advanced-plagiarism-detection-for-a-test-15) and refer to [Viewing Flagged Attempts](https://support.hackerrank.com/articles/8000786908-ai-plagiarism-detection#viewing-flagged-plagiarism-attempts-26) for more information.

Interview

Tab Renaming in Interviews

You can now rename individual tabs within our Interview platform, providing greater flexibility in organizing your interview sessions. Whereas previously tabs were given a default name, such as ?Coding 1,? you can now customize tab names to better represent the given task, such as ?Problem Solving? or ?System Design,? making it easier to navigate different stages of the interview and maintain a clear overview.

![Tab Renaming Final sn.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046037462-?Expires=253370764800&Signature=H7Rw~5B00zuX10OFTB9Fnlo73V6lPwSkHj1nyq3mcQaZAFDGcw~-x9fRK~mRLjUMWlIvZepyw8N9J8w-DC5FMVUN4SE7SPgxFapaD51jKWvGZPQM26fSXM-tBnQdvoMJluYmStpcWcD5uWjCDqCYPhGBwubclKXwZ01rpKc86B6o-VbtHY45XaGQtL-ohu01Y10HzMcYVLIzq9plE1KN-bYq3DQpFajlVbjuLbyrKvN-6ZlVtga5tF0NCYNZdRYoSZ6-q6XC8li4pSxpPU0JwN-IT88Y~89RW8DxaPGHGHxZ5U4CaNw3V5OggxpT37ilnAwlisZlwgYP5O0pFT2MKQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Refer to [Introduction to HackerRank Interviews](https://support.hackerrank.com/articles/9059560249-introduction-to-hackerrank-interviews#tab-renaming-24) for more information.

Developer Experience

No More Plagiarism Warning Pop-Ups

Candidates will no longer experience pop-up warnings when attempting to copy-paste from an external source or switch tabs during a test, minimizing interruptions during the assessment. Although candidates will no longer see pop-up notifications during tests, integrity guidelines will be provided on the pre-test instruction page, and suspicious activity signals will continue to be reflected in the candidate report and data export.

Refer to [Proctoring HackerRank Tests](https://support.hackerrank.com/articles/1079706165-proctoring-hackerrank-tests#copy-paste-tracking-7) for more information.

Upgraded Coding Languages to Latest Versions

All popular coding languages have been updated to their latest market versions, ensuring candidates can access the most up-to-date tools and features for their coding assessments. This isn't a one-time upgrade?going forward, the platform will continuously stay on the latest versions, keeping the coding environment on the cutting edge.

----- -----		
Language	**Version**	
Python	3.12.4	
Java	OpenJDK 21.0.4	
JavaScript	289	
C++	G++ 14.2.0, C++23 standard	
C	GCC 8.3.0, C11 standard	
C#	.NET 8.0.2, C# 12	
Bash	5.2.32	
R	4.4.1	
PHP	8.2.6	
TypeScript	5.6.2	
Ruby	3.2.2	
Scala	2.13.11	
Swift	5.10.1	

See the [Execution Environment](https://support.hackerrank.com/articles/6693750503-execution-environment) page for more information about supported languages and versions.

Improved Autocomplete Functionality for Coding Questions

The autocomplete functionality in coding questions has been enhanced, providing a faster, more reliable experience across multiple

programming languages. This update delivers an intuitive coding environment that helps developers code more efficiently and accurately.

****Key Highlights: ****

- 10x performance boost in autocomplete latency in Java from 3 seconds to just 300 milliseconds. Significant improvements in other LSP features have also been made for coding languages.
- Get real-time prompts when a package isn't imported in Java, even before you run your code.
- Expanded IntelliSense support for external packages in Java, Kotlin, C#, and C++.
- Auto-Imports is enabled for 11 Languages.

![Autocomplete sn.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046038393-?Expires=253370764800&Signature=YvqmHNEydtsvRs5lFgwf4h~QJUUbL00EaNSoMBcDhzUUWT52DR2UMGTwf6K-BHnngTw8wMCwn9QuEo1~DFurPnejMI65SqLFdaQ21RgjDrHpOpWHY72pEqKojBnz0ZyeoJb6pXTOIV0-mdlYua-zvccHkilwFIJm13Xhgh02PLnxSDdtAZetx0~ttGpLPOzzCTumwV4qoBy1T7oiNurlHiSocUvzsR3cCG-4D9pWlr~br9cCfgm2ABZvxlOVMP9off5dEwx-BK3xlSMKX1Ydz7qG3baQZ66CeIRIV-Jo~My6fFdCt4FO4lqpg74kVw8LBJ75oykaV9VrH-l3hPxx__&Key-Pair-Id=K3NV4LZ47N8M46) Fixed

Optimized IDE Layout

The optimized IDE layout offers a practical, distraction-free coding environment. Question descriptions are embedded directly within the IDE, allowing candidates to focus on coding while keeping the descriptions easily accessible without taking up extra screen space. We have also added dark mode support for the IDE.

![Screenshot 2024-10-08 at 2.27.18 PM.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046038944-?Expires=253370764800&Signature=ZbR7t8t4tHVk4dYx0Q8dJdNmXNh4yWagZShsKvO~ZJ6TRd0ef45uQnlhNyEYucbbIN8jTM~pzC78PUF1MxxGok~DCcLMWk7yCyzpk-dB~Ou9L9MP~MC53qGF46OyLyJ3HegqvzuZmWLG~a79hySVo9kunSVoBCAKi~yPlzynvCrEn54lENiKT0l9FtT03sDereOf2GrQGZJV8927RBk9WZaEW9b1sQpEK9W6xDmdhBAvJmwkFI7CrDJy28b3OSlpwal6lMd5CbelUG2Zd-pJQqxm06B5GITkBoCSNP~fBhy81Z8rgNNHWWUPnNuti4fl3xzLD138QkVPXmztSr~BA__&Key-Pair-Id=K3NV4LZ47N8M46)

Before: IDE layout with limited coding space

![Latest IDE1 (1).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046039507-?Expires=253370764800&Signature=G3oqaSBGp2uv0bolGoX3c1TR3vtwzki-W7lGapCNwx7RHePR4G4RA7Ghec3s-i4BUZ3MQ-Q69qaeknQ5LVQEY3UW7KnZefJntWIKl0viw2SVEV8lg58A~mTV2l8vYfXM-G8jwMhUpBcmH6WR~hJZfqo3SbSph1kDyo1ows9mWpC-VW~0QWdLcqXDe39ZpkXysnHPweVxitFjbzoR00pQh2BAUKYef8K7PPBDdiqypOsvlOaxZ-hOowucl3OWzJ5XRY8Nqi0P2eYlBVNXJEP8bQUnYaUKK3puvckEr6tGNl1-cKAOPVMjYMZFR0urOOKZ1HO2NX0oniwgSWW~PM-bZQ__&Key-Pair-Id=K3NV4LZ47N8M46)

After: IDE layout with collapsible question description and more coding space.

Refer to [Taking Front-end, Back-end, and Full-stack Developer Assessments](https://candidatesupport.hackerrank.com/hc/en-us/articles/4402921107091-Taking-Front-end-Back-end-Full-stack-Developer-Assessments#using-the-hackerrank-ide) for more information.

**Data**

Faster User Data Export with Additional Data

We have upgraded the user export feature to provide faster performance and more detailed data. The data download now takes less than 3 seconds, and the exported CSV file includes the following additional columns:

- Department Name
- User Created Date
- Sign-In Count
- Locked Date
- Questions Created
- Tests Created

- Test Invites Sent
- Interviews Participated In
- Interview Invites Sent

!{User
Data.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046040084-?Expires=253370764800&Signature=fBxw94j7Amc17T1J2sAkbydQLrvftlrBRWriQsTo0wJnyCsh~jpV~BG8QuhYv3nljL-RILFoTsidJoxJFUnPQ-KQ8r91noFp2BvEm6ilyu-sfxKNbG6MI3DXhkLC1CJFbgslyzAqxGikj00z8zp7IHL8bDwFeoSAltM1Kww1-VmDYpRgGLOKidnpR6cpphnUXjrYbuj5glLowDajtydQHd6vv6~CVGN~6jv5rc96ymZwlcPhzm8DBgyLUq5Srdu3H-kpbCjIS6j1f7EVG89gXUUDTkofgxwWeKZywwz7YwwiV6L4HLp1m3Ceft2DV2HoDE8kQ8m7hldWMDuZlbYmg__&Key-Pair-Id=K3NV4LZ47N8M46)

Custom Question Export

Admins can now export detailed reports of custom questions from the "My Company" tab under the library. The export includes key information such as question ID, Question Name, Author, Created Date, Question Type, Difficulty Level, Scores, Number of Attempts, and more. This feature enables you to review, audit, and manage questions created by their users.

Improved Data Accuracy with GDPR Compliance

The insights dashboard has been enhanced to ensure accuracy even when data is deleted due to GDPR. It now includes active and fully anonymized GDPR-deleted data, allowing aggregated metrics such as total invites, total attempts, and more to reflect the complete historical picture.

Improved dashboards include:

- Test insights
- Test usage
- Question insights

Refer to [? Test Insights](/articles/7964147006) and [? Question Insights](/articles/3255724462) for more information.

Enhancements to Test Data Download Export

Specific columns in the Test Data Download are reordered for ease of data consumption. The export will now have five additional columns:

- **Attempt Count (Lifetime):** Represents how many times a candidate has attempted the same test if invited multiple times, irrespective of the selected period during report download.
- **Total Questions Asked:** The total count of questions presented to a candidate in a test.
- **Percentage of Questions Answered:** The proportion of questions answered by the candidate out of the total questions asked.
- **At Least 1 Question Answered:** Shows whether the candidate answered at least one question.
- **All Questions Answered:** Shows whether the candidate answered all the questions.

Enhanced Test Listing Export

The test listing export now includes a new column, "Total Leaked Questions," which displays the number of leaked questions in each test. This update lets you quickly identify which tests contain leaked questions and require question replacements when downloading the export.


Integrations

Rebuilt Eightfold-HackerRank Integration

The latest HackerRank-Eightfold integration delivers a more streamlined and efficient experience. It allows you to manage assessments and interviews from a single unified application, reducing complexity, minimizing errors, and improving overall workflow. Additionally, all future Eightfold integration updates will flow directly to this application, ensuring you can always access the latest features and improvements.

The new app is available on the [Eightfold marketplace](https://app.eightfold.ai/app_marketplace/app/59982d14c98443b19a77234ef56c127f), and existing users will need to

connect to it to access these updates manually.



Refer to [? Eightfold - HackerRank Integration](/articles/7924497743)for more information.

iCIMS Bulk Assessment Inviting

The bulk assessment inviting feature lets you simultaneously send test invitations to hundreds of candidates from iCIMS. Once enabled, moving candidates to the bulk invite status triggers automatic invites for the default assessment on the job requisition. Candidate completion statuses and results are automatically updated in iCIMS, enabling easy progress tracking without manual effort.

Additionally, the recruiter who initiates the invites will receive a report informing them of the status of each invitation, helping ensure full visibility into the process. This integration workflow is built on a robust system for efficiently handling high-volume assessment invites.

To enable this feature, reach out to support@hackerrank.com.




Refer to [? iCIMS - HackerRank Integration Guide](/articles/9631673147)for more information.

Admin

Bulk Add/Remove Users to Teams

Admins can now bulk add and remove users from teams, even across multiple pages, making managing large groups easier for both team and company admins. A new dropdown menu consolidates bulk actions, allowing admins to easily add, remove, lock, unlock, and export selected users.




Refer to [Bulk User Management](https://support.hackerrank.com/articles/1508181842-teams-management#user-management-6) for more information.

Skills

Azure Hands-On Questions

You can now assess candidates by adding Azure hands-on questions from the HackerRank library to your tests. With this new Cloud skill offering, candidates can complete tasks directly in the Azure Portal using a temporary account provided by HackerRank. For example, they might be asked to set up a Virtual Network and configure Network Security Groups or host a website using Azure Web Apps. Once completed, their work is automatically scored and logged in the test report.



Azure Questions in HackerRank Library

*Candidate Experience *

Refer to[? Assessing Candidates for Azure Skills](/articles/8545628905)for more information.

Library Updates

The HackerRank Library has undergone a significant expansion, introducing many new questions and enhancing our content offerings to serve your assessment and hiring needs better.

Highlights

- **Coding Tasks**: 243 coding challenges designed to assess practical programming skills and algorithmic thinking.
- **Projects**: 119 projects that simulate real-world scenarios, enabling candidates to demonstrate their ability to manage and execute complex tasks.
- **MCQ**: 747 new multiple-choice questions to test theoretical knowledge and problem-solving abilities.

Updated Job Families

The latest content enhancements focus on the following key job families to ensure comprehensive and relevant assessments:

- Software Engineering
- Web Development
- Cloud
- Cybersecurity
- Data Engineering
- Mobile Development

Added Skills

A diverse range of 77 distinct skills has been integrated across these job families, providing robust and specialized evaluations to match current industry demands.

Explore the complete range of questions in the [HackerRank library](https://www.hackerrank.com/work/library/hackerrank) and gain insights into various [HackerRank roles](https://www.hackerrank.com/roles-directory/).

Engage

Enhanced Email Customization

You can now fully customize invite and reminder emails within Engage. The updated email editor includes new variables, such as invite and microsite links, and offers advanced formatting options like font size, style, and color. These enhancements allow you to tailor your email content


Refer to [Create an Event](/articles/7549509598) for more information.

SkillUp

Role Insights


Offers managers a comprehensive overview of their team's certification progress and performance for specific roles. This section enhances visibility over skill development, ensuring developers can achieve their learning and certification objectives. This page is divided into two tabs:

- **Insights**: Provides an overview of certification metrics for a specific role, showing the percentage of developers certified and those who have attempted certifications. It also features a funnel chart to track developer progress through each stage: invitation, attempt, and completion.
- **Developers**: This section displays detailed information on individual developers' certification status, scores, due dates, and recent activity. Managers can filter, sort, and take actions like sending reminders or adjusting due dates to effectively track and support the team's progress.




Assessment Details Panel

The new assessment details panel empowers managers to foster their team's professional growth. It provides a comprehensive overview of each team member's skill development journey, allowing managers to effectively see progress on certifications, oversee learning objectives, and manage due dates. Enhancing visibility into individual progress enables managers to guide their teams in their continuous learning and career advancement. This feature helps managers navigate professional development pathways.




Transparent Certification Results

Developers can now view a comprehensive overview of their certification performance, including a breakdown of each skill assessed, individual scores, the number of test cases passed, and the time spent on each section. This detailed feedback helps developers understand their strengths and areas for improvement. Once certified, they can download their certificate from within the results panel.



Reminders and Due Date


With new certification management controls, managers can proactively send reminders or adjust due dates as needed. This ensures that developers stay on track with their skill development and can complete certifications at their own pace. When a developer completes their certification, the system notifies managers and excludes the developers from reminder emails. This feature is accessible from the Developers tab within the role and skill details sections.



K5TSw88y~dGj5Z7hb6~qmlY0dzuhbfdF3E-9w__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

Prompt Engineering

The new Prompt Engineering skill lets developers level up their AI expertise. As a developer, you can write, test, and submit prompts using an easy-to-use editor built into the certification assessment. The skill includes learning resources to get you started, a practice test to refine your skills, a beginner-level badge, and a final certification to prove your proficiency. Perfect for anyone looking to dive deeper into AI and showcase their knowledge!




HackerRank Community

Improved Problem-Solving Mock Interviews

In April, AI-powered mock interviews for basic problem-solving were launched, and invaluable feedback was received from hundreds of developers. The new and improved mock interview includes:

- Pinned and Structured Coding Questions: Coding questions are now better structured, and divided into clear sections: ?Problem Statement?, ?Function Description?, ?Returns?, and ?Constraints? for better understanding. Even as developers interact with the interviewer bot, the coding questions they must solve are automatically pinned to the chat - no more endless scrolling.
- Realistic Interviewer Responses: Interviewer dialogues and questions are more concise, closely mimicking a real interview experience.
- Improved Feedback Screen: After completing a mock interview, enjoy a redesigned feedback screen with detailed performance insights and an option to leave feedback on your experience



AI-powered Front-end (React) Mock Interviews

A new mock interview experience that provides you with tailored interview prep.


Designed for aspiring front-end developers, this React-focused mock interview offers a unique experience with a customizable VSCode IDE, available for the first time in our product. Practice coding in a familiar environment and interact with our enhanced interviewer bot for a realistic interview simulation.



QuickApply Chrome Extension

The [QuickApply Chrome extension](https://chromewebstore.google.com/detail/hackerrank-quickapply/mmlghgaenodejbokcogohcjelnogcckl?hl=en-US) removes the hassle of applying for jobs by automatically populating your details, work history, and more on online application forms.

The extension detects form fields on job application pages and inserts stored data from your HackerRank account in seconds.



8OkJ25nrMt1YQStBe5eXeXUzkN0rjcUSVUnEqulpBGVvhmfAmMy2JriH1iTIwlx4wTdFpXYeEy8Pg2N-2BEpwl3b9rQvYtQb1mK8WatU9582Pj35KFG-CUntjti6S0oZhS2nBoAxsXZBvAMg__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

The extension can now fill out job applications hosted on five top ATSs: Lever, Greenhouse, Workday, Avature, and SmartRecruiters, using your HackerRank profile information. Since its initial launch, hundreds of developers have used QuickApply to apply to thousands of tech jobs worldwide.

Resume Builder

HackerRank's Resume Builder allows developers to revamp their professional resumes instantly. Import your existing resume (in PDF format) into the tool, and the AI-powered resume reviewer provides instant, detailed feedback in key areas such as grammar, formatting, and overall presentation. This feature is active for 2% of the Community and will soon be expanded to additional users.

All of the above [HackerRank Community](https://www.hackerrank.com/dashboard) features are in limited availability and are enabled for a small subset of our users. If you'd like to enable the same for your HackerRank account, please reach out to [Community Support](https://www.hackerrank.com/support?q=mock-interviews&sub=exhausted-limit&description=Can%20you%20please%20add%20more%20credits%20for%20mock%20interviews).

That's all folks! Thank you for reading our October release notes. To review previous releases or **Submit Ideas** for future enhancements, check out our [What's New](https://hackerrank.com/whats-new) page.

[general-help/release-notes] January 2024 Release Notes

```
---
title: "January 2024 Release Notes"
title_slug: "january-2024-release-notes"
source_url: "https://support.hackerrank.com/articles/1306589776-january-2024-release-notes"
article_slug: "1306589776-january-2024-release-notes"
last_updated_exact: "Jan 23, 2025, 12:47 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "General Help"
  - "Release Notes"
---
```

January 2024 Release Notes

Last updated: Jan 23, 2025, 12:47 AM (Last updated 1 year ago)

HackerRank consistently enhances our platform by implementing new features and addressing any issues through regular updates. HackerRank continually enhances its platform with improvements and fixes to serve you better. We have rolled out a series of new improvements and fixes this 24th January, 2024. If you require assistance with these changes, our team is prepared to support you. Feel free to reach out to us at support@hackerrank.com for any inquiries or assistance you may need.


Screen

Improved Experience for Question Creation

Create questions faster than ever with our reinvented workflow designed to help you rapidly author high-quality, rich content. The new streamlined interfaces for common question types Coding, MCQs, Subjective, Diagram, Whiteboard, Sentence Completion, File Upload, Code Review, HTML/CSS/JS, and Approximate Solution.

**What's New? **

- Intuitive creation flows with fewer steps
- Capability to insert and edit code blocks easily
- Languages are split into automatic stub generation and manual sub-groups for clarity
- Ability to upload questions in bulk with images using Excel sheets and seamlessly edit them before publishing.




Visit [\[Creating Custom Questions\]\(https://support.hackerrank.com/collections/6791011056-creating-custom-questions\)\]](https://support.hackerrank.com/collections/6791011056-creating-custom-questions) [Custom Questions\]\(https://support.hackerrank.com/hc/en-us/sections/19063128425491-Creating-Custom-Questions\)](https://support.hackerrank.com/hc/en-us/sections/19063128425491-Creating-Custom-Questions) section to learn more.

**Improved Experience for Creating Project Questions **

Access an improved experience for creating front-end, back-end, full stack, and mobile development questions.

Key highlights:

- Leverage Integrated IDEs for seamless code editing and testing
- Clone projects quickly from a private GIT repository
- Configure scoring and IDE settings with ease from an intuitive interface



ature=TDhW7XyaexzUfRwhXWnIJEQRDu76Aeg2QXUQ0RU3Vm7nfrAEXI5Rbnuebruys37jVstp9RR4kKP5qAFHrbj9UJmJYCkG7Auv
Lei3HQUiNsZGZ4HzJC8scCJ4cRnsl~MAVjtk2dakByT0FMHiwIwKVGdEjgRquR5bEd1NLCcqA4O3vj1gBpp0pchK2x8BjWRLOelz8dr
ZrC5svYSk0lZ9m8jmi4oDCrxKF7l1k4UWeX4iUSMBpb-k8ofnn5B9gd6Z5V~HS3NRwlnPbb04SfSaDi57l840UUIfJJZqzcdSaTDP6Aev
T4cUJFzHeE40oHvV1aptzQzYzONfPO7HNxG5Q__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block"
data-drag-handle="false" />

Visit[? Creating Front-end, Back-end Full stack and Mobile Questions](/articles/1570281449)[](<https://support.hackerrank.com/hc/en-us/articles/115005461568-Creating-Front-end-Back-end-Full-stack-and-Mobile-Questions>)article to learn more.

Redesigned PDF Reports

PDF test reports download faster and now have a contemporary look that matches the platform interface.

![PDF Gif.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046117595-?Expires=253370764800&Signature=R2zm~J-lxvGt464lp5s1wGsuy~URhHQveV9hhFHgsSOA84rnCM54NndFXF6n4E63VF8vEesFwXR~vZO12JDhFSWgLf3wJQUGVWd9~N~-y-hxBMwN2v8tT48DF64gAohebQ85R5TKLKU3gU~goGPW8Vm7R1qD52pAPJYXyr9nhXZuW5vWwtfGeliATk8j1m41DhdhwMvqHAaxGr4ZY29wdW9bu7SEuxXwhpkEVJWSHdsOnp0J8zQJgVwtF5D6KcA9Rxxw6dQZJTf0trKsiTxMOLbB0gZQWPfwcHSOCB38EF56Ka~ZpVfavZW8WBL7559Z-L~LbYDn8mJU37fYh7XzNw__&Key-Pair-Id=K3NV4LZ47N8M46)

Visit[? Downloading PDF and Excel Test Reports](/articles/1786677446)article to learn more.

Watermarked Questions

Deter question leaks during assessments with our new watermarking capability.

Key highlights:

- Discourage candidates from taking screenshots by watermarking questions with candidate email addresses
- Reduce question leaks during large campus drives and events

Visit[? Watermarking the Tests](/articles/2519766322)article to learn more.

Multiple Monitor Detection

To ensure fairness, you can detect the usage of multiple monitors by candidates during an assessment.

Key highlights:

- View a new indicator when an external display is connected
- Access additional signals around candidate behavior and potential plagiarism

![Multiple Monitor Detection.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046118805-?Expires=253370764800&Signature=dtZ6QjpDhMLZ9lOqjm3L0AzE~IOpf0Kq4YnaHzQlqQxXxcw47Oj4TAq4QhggM9EcPNvo~Jkb7gvuExII-SLJGW2-u4LgNw2Pt560k0YajxnfnBeWLyfsemUCS13XRESa3YsMO2P8Uy6nWKUfNn0y2M2BdhWrGT0x6PL2A3tuHTWagL5AaAiBjTMSZAUQEFB6i4TRH2~bDKsLXJ22bIMtD~zA7ftYDWIo1AMa1DxWCftbjOc3eL2l12rf1lO3VWpdAhllr8~JbLOT~uT95wgAaTXnoq3FHVc97bMhit97w52~mUiK83WbSVAVxRFpSz2pTkGaxKx8ogsbx4OeHfA__&Key-Pair-Id=K3NV4LZ47N8M46)

Visit[? Multiple Monitor Detection](/articles/8323964440)article to learn more.

**New Image Analysis **

Our new Image Analysis feature analyzes a series of images captured during assessments and flags candidates for suspicious activity.

Key highlights:

- Analyzes candidate webcam feeds at different points during an assessment
- Detects multiple faces or no face in frames
- Categorizes images based on different suspicious activities (no face, secondary face, and so on.)
- Shows severity and suspicion scores in reports
- Details reasons for flagged images

![[image_analysis_snagit.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046119510-?Expires=253370764800&Signature=DLvD3-CtuG1nIRL-m2Ub0XlsgnkQksWgoqdys-PzfQSlyuia84WJ75fXTbVUhMfXon8HvSiYZUKd~3RWYxJWEzI6dHQBv3-SyKfI89sF3oHCag5eLiQGXL-6veYVYh7E59r2r1UfMcBDSJ0nx8Dr-Zow30CmC8mJNCTXQOPbjXCdd8kL6r5YyH5TPVhr95oQcshvq-dCHAljRU2iKukDZ00evl0t-RqkNA6Nx-mBNxCRTFQVe5fm3l6n2tQwaHVEDcoj5KF7eZUqYSBui5Tei8W~bNAz8M2p1BCGKzvVaksBRVybBpynK52OzM0guo7d88UkSx1Km-zTm85mbPovjg__&Key-Pair-Id=K3NV4LZ47N8M46)

Visit [\[Detect Suspicious Activity Using Image Analysis\]\(https://support.hackerrank.com/articles/7825915809-impersonation-detection#image-analysis-41\)](https://support.hackerrank.com/articles/7825915809-impersonation-detection#image-analysis-41) [\[Image Analysis\]\(https://support.hackerrank.com/hc/en-us/articles/17971376196627-Detect-Suspicious-Activity-Using-Image-Analysis\)](https://support.hackerrank.com/hc/en-us/articles/17971376196627-Detect-Suspicious-Activity-Using-Image-Analysis) article to learn more.

Interviews

Hide Locked Tabs from Candidates During Interviews

Tabs that are locked by interviewers will now be hidden from candidates. This ensures that candidates are focused on the tasks given to them and not distracted by additional tabs, such as the ones that an interviewer might use later in the interview.

Changes to the experience:

- No more messages such as, **"This tab has been locked by the interviewer?"**
- The interview tab is not visible to the candidate when the interviewer is exploring the library and still choosing the task

Visit [\[? Hiding Locked Tabs in Interviews\]\(https://support.hackerrank.com/articles/2284202564\)](https://support.hackerrank.com/articles/2284202564) article to learn more.

Company Admin

Enhanced Insights

We made backend changes to the test insights dashboard to make it faster and more accessible. This will allow us to make our reporting even stronger in the future.

With our new reporting, you'll access:

- Faster load times for graphs
- An accessible user interface and graph style
- Underlying data and rich insights into your HackerRank usage

![[Insights_Snagit.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046120837-?Expires=253370764800&Signature=a12O6b91MeOeu3KjjalU8JCMw1bkx1g4hhk3jhgzwSlk-8Tm6Zp4sGXBzBBu5ptR5AJJ1tdo0uwUjXnenbJNt-DZMIPpdjHg9BiT1qBYk9C20QOJDtx7z0aGU7RSPZJaRbnBp7xdSnYoFu8GjwNQagslwKYojl0ZAqSvYsUvRUWim42yLA9ss3yo4JAVy3yzz8rz0AtoNHfrfHaFStEhNi~k6x8jXXvJb4xYYDXYEoh16uLuV7PofAm0RXQq7yfCJm3ADyVPqjUurKRk1AXLvYMLZJ6Z1X7ZhVjq9C4EtKyqHxXQXEE9DeldYesyRXPHfVQCUT41w1h6ihqXGQtia__&Key-Pair-Id=K3NV4LZ47N8M46)

Visit [\[? Account Insights\]\(https://support.hackerrank.com/articles/4945003466\)](https://support.hackerrank.com/articles/4945003466) article to learn more.

Integrations

Greenhouse Enhancements

Interview scorecards can now be synced back to Greenhouse from HackerRank, once the interview instance has been updated. Additionally, when an Interviewer updates an Assessment Scorecard on HackerRank, this can be reflected on Greenhouse.

This enables a two-way integration that continually syncs between Greenhouse and HackerRank to update scorecards.

To learn more about the Greenhouse enhancements see the articles:[? Greenhouse - HackerRank Integration Interviews User Guide](/articles/8806262569)and[? Greenhouse - HackerRank Integration Tests User Guide](/articles/2499611070)\

Workday Integration for Interviews

You can now leverage the HackerRank interview functionality within the Workday Applicant Tracking System. You can schedule the interview and view the scores on Workday without having to switch to the HackerRank platform.

![workday_intervws_snagit.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046122556-?Expires=253370764800&Signature=ejNVQGGW8iiuuzQkkgAw0L9X80MCTBDX2FQxjfyNyWCSzolwXYfcyhA3mSOAqJhd-6XZDQW5hTjTAhA5Lh6Tos8yJPYRJy5y4kCalBSYD1qHkrASzE7tFhtKy8U5LZ9gOhsQZNruIPdkNejaSqqieyO7-hvOqmA6ghjvCz5qfhjTxWx6tBJiCa76LyZDjs0c9ipQZgykBqJ6L5IntdhytknA-W4bY09DpyT7C3e1B~J87H0i0jOEU5GCurSg68zs6jXZNg13O8k1lXxPGLEGQ1V73gzZC~DVnvEWFvaSKgDgTDUINEQbomAx4I4M1pTpJNgyLf8gQehyeuxTsyRCaG__&Key-Pair-Id=K3NV4LZ47N8M46)

To learn more about the Workday Interview Integrations, see the articles:[? Workday - HackerRank Interviews User Guide](/articles/7842363172) and[? Workday - HackerRank Interviews Configuration Guide](/articles/4722432610)\

[general-help/release-notes] January 2026 Release Notes Screen Skills Platform Developer Experience Integrity Interview Data and Insights Integrations SkillUp Deprecations and Experience Changes

title: "January 2026 Release Notes Screen Skills Platform Developer Experience Integrity Interview Data and Insights Integrations SkillUp Deprecations and Experience Changes"
title_slug: "january-2026-release-notes-screen-skills-platform-developer-experience-integrity-interview-data-and-insights-integrations-skillup-deprecations-and-experience-changes"
source_url: "https://support.hackerrank.com/articles/2321596225-january-2026-release-notes"
article_slug: "2321596225-january-2026-release-notes"
last_updated_exact: "Mar 2, 2026, 4:15 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
- "General Help"
- "Release Notes"

January 2026 Release Notes Screen Skills Platform Developer Experience Integrity Interview Data and Insights Integrations SkillUp Deprecations and Experience Changes

Last updated: Mar 2, 2026, 4:15 PM (Last updated 2 months ago)

Modern software development is defined by how effectively developers orchestrate AI across the software development lifecycle, while applying judgement and demonstrating strong fundamentals. As these workflows become standard, hiring and upskilling must evolve to assess not just outcomes, but how developers arrive at them.

HackerRank’s January release strengthens how you assess real-world, AI-assisted development while protecting that signal at scale. Candidates now experience a consistent, modern environment across all question types with the new candidate site fully rolled out**,** and faster Code Repo assessments through quicker installs and builds.

Integrity is central to this release. New detection signals, including object detection in webcam feeds and deleted code analysis, help identify potential policy violations without penalizing legitimate workflows. Clear, interpretable flags and reports highlight suspicious activity with supporting evidence, while override controls ensure human judgment remains part of the evaluation process, keeping assessments fair, auditable, and trustworthy.

Alongside integrity, improvements to AI-assisted evaluation, code quality grading, and reporting provide deeper insight into how candidates structure solutions and iterate over time. To support teams beyond hiring, SkillUp expands guided learning with an AI Engineer Certification and a weekly Prompt Engineering Challenge, helping developers build modern skills with confidence.

Screen

Test Variant Updates

Test Variant Overview

When you create a variant of an existing test, you now see a clear overview that explains how test variants work. This helps you get oriented before setup, whether you are new to variants or need a quick refresher.

) Test

Add Time to Candidate Attempts

You can now grant time accommodations to candidates taking variant-based tests. Time adjustments can be applied at the section level for each candidate.

For bulk updates, select multiple candidates from the same test variant. The relevant test sections will be displayed, allowing you to add time where applicable.

Time adjustments can only be applied when all selected candidates belong to the same variant. If candidates from different variants are selected, the Add time option is disabled and you’ll be prompted to filter your selection to a single variant before proceeding.

Simplified Test Variant Logic Creation

Creating test variant criteria is now more intuitive. The redesigned Add Variant Logic workflow lets you route candidates to different test variants based on their answers to a qualifying question.

![create variant
updated.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768922563543-createvariantupdated.gif?Ex
pires=253370764800&Signature=lxwi7JOvF26uj26eZXbavyFEkPpHWU4SdKdJrgbTOi9iF9vvHBxUSgOX~tRsFm~6lHnVooZsXDX2
q8jwwWySqEVUPnz~d0CHQXzT2rfvgEOZ4-DwtlUN-rPECxcSqMmMKEnFW99TC9wmikY272l9aIMt7I~Cz1PMSRKmyaOeQJmCbQ
36YDxliVRe-BbcAncjEa2YknZB8DJslyfDkS8aB5M4W5CydNw7o5Q4TT3XrG9GJ3Tmd1u1TWquR0wdJMiRWZ6Rd6ZBiXolfEEA2T~
H0bOx8aE9FxyZ~rhdch4NCXmcyFI65Jy7L8i04lrCW7yGWvAUiu76VHwdmj-VzkvA__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [Adding extra time in variant-based tests](https://support.hackerrank.com/articles/4811403281-adding-extra-time-for-candidates#adding-extra-time-in-variant-based-tests) , [? Create Test Variants](/articles/7530103378).

Improved Navigation in Detailed Reports

Detailed reports are now easier to navigate, making it faster to move between questions. The Next and Previous buttons are more prominent, so you can review responses without losing context.

The Suspicious Activity tab is now easier to find, helping you access and review integrity insights more quickly.

![Enhancements to Detailed Reports.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768922610409-EnhancementstoDetailedRe
ports.gif?Expires=253370764800&Signature=JvdyhstC-LY32~v4v-jvj6OA2xOz89rcGPYylmgxFAAKLzL6K46RFyg3eWJgYQ~whCwE
0tkH~7cHT4~TuhsbWw2s7Jsn8noTQiKTWMOU5yE~JJiMKpL38Lu4ua3BHgAXptQF9dUiaZnZxbe3chRtUZsdKAxhtoi7rgrrqveLthiRw
22MPco1-WcLkeRnIDBXoILzLNLqBDe4PXpTqn32LGyA43a9GoxPuOhWC5mFqTwaZTKoConjheET5igdU7xTKdfgTyjhe6-Du1KpaMC
HA8lhB7y~ra1uDC6kvsio4Qj8TJv7aHTpku-WbcQmzkC~s2YQH3Fd9L0A-e9Niujuw__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Viewing a Candidate's Detailed Test Report](/articles/8263794320).

Emoji Support in Emails

You can now include emojis in key emails, including test reports, leakage alerts, reminders, invites, and confirmations. This helps add emphasis and personality where it fits your brand, helping important messages stand out.

![Emoji Support in Emails.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768922711175-EmojiSupportinEmails.gif?Exp
ires=253370764800&Signature=vI5-K7LHvPUzaXHjsBjzgESLKNiYK3p~cyik07onuviWzkTQRUK4uopmJjXJkLKTGbdJo4M41Y07n~5
N7xOWM-FsFhkKufpCgygVDK0CJeDilReSPtn8U4m3JjGvh4FufZscO07nGhtNoQf2MfLyMPbuOD~c6nvej4Dr6w6DbWhmcR2Setl3Ld
DVy1eLzf4BT8WHIMYe8iDSgglpWGMxyDpM4lJo0sU15S8YD9UT7HRqM9XyB6hyJCdf~2hnhTg4sABI7IO8SZC~Ak-j39YTBBobBBX
B2-TDNdX1EUhboLq2nIBIQHd7xBb7p-KWg18CO5RYuUwEQFhdueDWZX4MEA__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Manage Email Templates](/articles/9684438314), [? Invite Candidates to a Test](/articles/6027855406).

Leakage Indicator and Filter on Test Listing Page

You can now identify tests with one or more leaked questions directly from the test listing page. An indicator appears next to affected tests, and you can hover over it to see the number of leaked questions. As part of this update, the Leaked tab under Library has been removed.

![leaked tests filters.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768979893969-leakedtestsfilters.gif?Expires=2
53370764800&Signature=QUjkDtrvzb-qquDWQcepv3hUERqs3FihiCI5iAAp071-K~N8k4YeQMPCfMtlJ3JQ~5xU4JVROqnbIPB6P9n
Aew1QGB3Zkslr6raeFAD7Ba8cWcF4t4TaQ8BwlTffwCbUkEp5bOEXPP0jv7Y5ZHXHHP7VMsiekgZDrMYcaqFWJ30LChrn2M3v0G
F4pgM6VybXb2vF0dkPRBRx-2ZKqMXM2jctJzRIUnq~~cGtc6TOXNqfmAn7KUrjgdskrnoHfNoM2RWcWyab8RAYbaCop32HcXRJC34
NxYl6CLyWUoFSNl-yyepGvHVpage0~4bDW~IHEUc7nsHKmy3N9EXRuu7A__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [Viewing tests with leaked questions](https://support.hackerrank.com/articles/8820947031-managing-leaked-questions#viewing-tests-with-leaked-questions).

See Predefined Fields During Candidate Details Setup

You can now view a complete list of predefined HackerRank candidate fields directly in the Candidate Details setup flow, making it easier to see what's already available before adding your own. Predefined fields retain their standard field types, while custom fields can be fully tailored to your unique requirements. This ensures a consistent structure for candidate data with the flexibility to customize where needed.

[onboarding add fields.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768922853849-onboardingaddfields.gif?Expires=253370764800&Signature=f32RKpNLXM7mc5rEPVX5irSxkFMXZqJk7nS7F2xYof6ImE7wupmNsiWfyeg8IOQPoXJnq2Evx~2gpuy oJpYYPKtnAjDbzhAg~Tg7OazZH9abj5VMrksVKOb6vqlv-TV~4-AUhMSseBvKQvSAMZnngNUqDcD~7wD7RuxheAPK2I66vOQtzFLj0 GwxmwstSTE9p9sYg8iVs3Xus7d2ABz-0p002iVIKfzwMCfZTaxm4uwM8YNAZuVeET7Lf46hY2Q4WbuglfZfxiJXyU6esBpjuvl-ilxqCpZI8 1eURRL4q12XkwQuOn-p9Fq7kYqRp~IHxbAHC0OLQVW9XrA2722isY4Q__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Configure Onboarding Settings for Tests](/articles/5956879724).

Expanded Attempt-Level Insights in the Summary Report

The upgraded Summary Report gives you a more complete view of each attempt, with improved data visibility, faster access, and easier next steps:

- Benchmark calculations include data from 2025 attempts, so comparisons reflect the most recent performance trends.
- Integrity details are shown at the attempt level, rather than the test level, to reflect the proctoring settings used for each session.
- Candidate ratings, feedback, and all other collected test data are available directly within the Summary Report.
- Interviews can be created directly from the new Summary Report.
- For new attempts, links to Detailed Reports in CSV exports now open up to four times faster.
- You can now evaluate how candidates leverage AI in solving real-world challenges with a new AI Fluency grade. This is shown in the ?Performance Summary? section of the Summary Report for tests taken with the AI Assistant.

You can also view more details on question-level AI fluency in the ?Candidate Evaluation? tab of the Detailed Report.

[Expanded Attempt-Level Insights in the Summary Report ai fluency updated.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769596859339-ExpandedAttempt-LevelInsig htsintheSummaryReportaifluencyupdated.gif?Expires=253370764800&Signature=h5hQDKk6hczV5UgaTg47kvm9Guafo2Nad1559Nb sW~CUvu6~lf7HCumtM7Dg1krO~MTV7bLAMVN1NKbglrCpxv6YPCzOYqz5Tt-QhG3ia5yhgL4EE82KQiwO-x38zAYfEuXK~yqLeMBz -Hc6ZzeMMUI8kHsulDtyAl4JOSFlexmYUfEtvChgkKgwqQi6fiBuxnVuD-CXbE6vtWY3p28lyJIYPHJ4-DmlaA4U3m3ngMYq6SdAd-fbkT 0e65cU3BnNOgq29vF61kn9irhQWbnGuGCbtW9qEKBehu92mrMkbzXrsXDYPss9iyeloVvMepFYOIFHdZlgL5PCTUVCB0fZeg__&Ke y-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? View Candidate Test Summary Report](/articles/8111267829), [? Candidate Benchmark](/articles/6075450367), [? AI Fluency](/articles/1773201418).

Clear and Neutral Candidate Performance Signals

You can assess candidates more fairly and consistently with updated performance signals designed to reduce bias and improve clarity.

- Scores below the cut-off are no longer shown in red, helping you assess results more objectively.
- Colors tied to benchmark percentiles have been removed to reduce visual bias when evaluating candidates.
- Scores and code quality signals are now highlighted in the performance summary for easier review.

[Clear and Neutral Candidate Performance Signals ai fluency updated.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769596835411-ClearandNeutralCandidateP erformanceSignalsaifluencyupdated.gif?Expires=253370764800&Signature=ibmZPIYgbt8oYlcSsq6uc4dvS-0-wVea017emzy04VmRfr k7lxbRQSFUnQFVGIETNV8j3zWOZVFN~IH7tTsby7abg2AOBmQZCGvWjRF8D7hqmM6n-m9-s5pZ4FCP4CYDemwRPO6vrcVXc6M o~DPbKz8~OX3b94EFPQLq~w98EA4RvPMkyE02SHz3UmnvmCSVIYwKKqEEFSI-sFSjcKtMeklgOf7FqIPsmuqg1zzoP24dno-PSEU ~IFYS1V3o4QFoykWqbrUK4x-L6p1p5muBSC41PqJvEPQkhcc~sg5rwh-d58CZivH4I0RdYT8PAhIKL7ymzI2BCitcqpl~otmiA__&Key- Pair-Id=K3NV4LZ47N8M46)

For more information, see [? View Candidate Test Summary Report](/articles/8111267829).

Updated Test Access Permissions

- Starring a test is now independent of your user role, so you can mark important tests regardless of your permissions.

```
![[Updated test access permissions - star
test.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768923915810-Updatedtestaccesspermissions-s
tartest.gif?Expires=253370764800&Signature=OrBGm8U9IXTv~f2gVjMiXkER5c6rOHT0kSYC5T6SfDW2TZyFUve~bI08VHMDXsW~
O7YC8QSR5MCgitmwJDZK5mX~rtTfSqj7EVnY~blZYir3ivqsMQ5yNGiJct3P6gGGNSFiBiR3JkgxTVYYEQtkrk~lylvM~Maku~JetLfIrdH
WyvpE6qVgnDDhrMs~6eZSsNfnh1~Rf9pARUEu21hK8VsJRdBm6TEV65ZnLIM1awG3ndGXqzRrU2VkxxIbY9mGIE5gxqX7GkdTo7y
rQYWIL9M~ToiCBWNRqlFAtAp6OedMt8O46aOnlctwDRFbPGbLHxCQjNjD4VdILV2edjO9EA__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->
```

- A new entitlement lets admins prevent PDF report downloads for certain roles or users.

```
![[Updated test access
permissions.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768923801306-Updatedtestaccesspermi
ssions.gif?Expires=253370764800&Signature=JC8pzwAr2k3J5xktPXV0j5zPKdyGBfhZVVy5c2VaW9tYDezt0royXDVDNBnWY2NKpsU
V2EmsiG8LY1M6zi2-YvsgRnn98v-XJMVeH9ZZc1Mv8k445HW1TFLWBKfcd~d7jYQcuyfWJKzvvkegliYQ8EJA1EhE5sNEpzWiKzJZ9a
VMNZZR6KwR7WKeo5BWm4rnmnJpbhTf4SEF3Yjem0OG9q4WBM71xZE~TY8zyirY2duumVvsrkhSYjrxT2aEWmP7DJG3h3ZUflrwtY
pSthmQvq9JL3GvaxE4xh7uqhoWYqArjYvPOIPN653HG3tHlnGzElhacsBcl0IbX7uBnNauqow__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->
```

- A new entitlement lets admins hide General Settings within a test, so users can't view or change test settings that are managed at the company level.

```
![[Updated test access permissions - general
settings.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768923802260-Updatedtestaccesspermissio
ns-generalsettings.gif?Expires=253370764800&Signature=Fi1hz5DyX~S9aNO7YhZHf7QOPYKaWNvomOswW09cUitelsivtUbi9e33Ne
Nt~nSkHdoSl6RzVAI4fBi1GvCbVy7xyK3Rflrxv0qk851QI~0VeyXA5dihL5bVv9UcC70al~la26cNpkEU3y6I9npowJDmI~FM~cgNoeiyBS~
TB0s5FrvHI4EAREf2drtILDMrh~OcGOySodq9rEL2ISgrMfiQQLnGjXBgP6L569mKvWKMFr2N8hOqnDdEMwbmjeQzFPhcD1VFtyhE
FQ1sDc1tHvytWJcGXvm3ad4PxINymI2PgkiYpJxKvZpZonnTTPLPtfaEMQYr1OXUF6rnUUeQ__&Key-Pair-Id=K3NV4LZ47N8M46)
```

For more information, see [\[? Modify Entitlements for Recruiters\]\(/articles/4851183051\)](#), [\[? Modify Entitlements for Developers\]\(/articles/8127960820\)](#).

Code Quality Grading Improvements

Code quality grading now excludes variable naming, helping you focus on more meaningful indicators like code structure, logical soundness, readability, and long-term maintainability. Reports also process faster, so you get insights sooner and can make more informed evaluations using a clear, reliable skill signal.

V3 API Updates

The Show Candidate API now returns additional attempt-level data, making it easier to analyze candidate performance programmatically. You can now access:

- ****Attempt-level performance summaries**** to quickly assess overall results
- ****Question-level code quality grades**** for deeper insight into coding proficiency

These enhancements help you build richer, more data-driven evaluations directly into your systems.

AI-Assisted Question Creation for Code Repos (AI Add-on)

You can now create Code Repository questions with built-in AI guidance, making creation fast and self-serve. This update is designed to support custom code repositories, allowing you to generate realistic feature or bug-fix challenges directly from uploaded repositories or markdown projects. The AI analyzes the codebase to suggest relevant skills, difficulty level, and tech stack. You can then review, validate, and publish tasks directly to your content library.

****Note:**** This feature is available to a limited set of users. Please contact your account manager or reach out to support@hackerrank.com to request access.

```
![[AI-Assisted Question Creation for Code Repos (Limited Availability with AI
Add-on).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768924182526-AI-AssistedQuestionCreation
forCodeRepos%2528LimitedAvailabilitywithAIAdd-on%2529.gif?Expires=253370764800&Signature=cNrNJ8L6sV0f~02C6qHjgMvFz1
1HxOFzafpyZ5vSE~qjonG3izFQE3aB56bzzjA68JBrRffB4Zv4vTiEXYAInH6Eao3jTXrlrJhG51~QyVlBjclGld~1OfMHf2rmJsqhTvskowb
```

56yw~ph4~2H6NlpSQSY8nV-1r9FgXDS-5kUr8bNNNdfSTKJYr1gse-Ondle87uUWLZu-PDJW-JrQx7HZl5W1-IHDDcE9q04ISKzi2doV
Znrr~hPSTUE~6QvTu0UqL18nJEEyAWAHJDFGfxDWK3wla9pU--mJINyv4kG8GUhSccNKorgst-w81dCP9EYnLDdcoz0EN-pYCINP
60g__&Key-Pair-Id=K3NV4LZ47N8M46)

Skills Platform

Library Improvements

The HackerRank Library continued to expand, with a strong focus on code repo questions, modern frameworks, and higher-quality candidate experiences. This release marks significant advancements in content depth, scale, and real-world relevance.

Here's what's new:

- 86 new coding questions added across Problem Solving and language skills (Java, Python, JavaScript).
- 105 new project questions introduced across backend, frontend, mobile, and automation technologies, including Spring Boot, .NET, React, Angular, React Native, Playwright, Cypress, and Selenium.
- Expanded code repository assessments with real-world workflows, including full-stack MERN repositories and blog platform repositories built with Node.js, Django, and Spring Boot.
- Over 500 existing project questions were upgraded to modern stacks, enhancing reliability, performance, and the candidate experience.
- Existing projects have been modernized, with better code quality and more stable test coverage.
- Over 200 coding problems were rephrased for clearer requirements, reduced ambiguity, and more reliable evaluation.
- New skills launched in the HackerRank Library and Skill Directory - Playwright (Basic & Intermediate) and Cypress (Basic & Intermediate).

Content additions across the following high-demand job families and skills:

Job Family	Skill	Question Type	No. of Questions Newly Added
Software Engineering	Problem Solving	Coding	25
	Java	Coding	11
	Python	Coding	15

Software Engineering	
JavaScript	
Coding	
10	

Web Development	
.NET	
Projects	
26	

Web Development	
Angular	
Projects	
10	

Web Development	
React	
Projects	
11	

Web Development	
SpringBoot	
Projects	
29	

Web Development	
React Native	
Projects	
14	

Web Development	
Golang	
Projects	
4	

Web Development	
iOS	
Projects	
1	

Web Development	
Java	
Projects	
5	

Web Development	
Playwright	
Projects	
5	

Web Development	
Cypress	
Projects	
5	

Web Development	
Selenium	

```
<td data-cs="1" data-rs="1"><p>Projects</p></td>
<td data-cs="1" data-rs="1"><p>5</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="180" style="width: 180px"><p>Web Development</p></td>
<td data-cs="1" data-rs="1"><p>MERN, React+Django, React+SpringBoot</p></td>
<td data-cs="1" data-rs="1"><p>Code Repo</p></td>
<td data-cs="1" data-rs="1"><p>3</p></td>
</tr>
</tbody>
</table>
```

Developer Experience

Completed Rollout of New Candidate Site

In April 2025, HackerRank launched a new candidate site designed to deliver a more modern test-taking experience. Developers have responded positively to the refreshed design, cleaner interface, and simpler onboarding.

With this update, the new candidate site is now fully rolled out across all question types, providing a unified experience from start to finish, along with the ability to review instructions both before login and during the test.

```
![[RAG
UI.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768924476455-RAGnewUI.gif?Expires=25337076
4800&Signature=s~5kFIFC3Wo9RIUMqNiSYwPFes4UTBLzBRa9u1Vy2rSvE2Fuobo8WizBDP1Kapdd9vxFpwUrN9ic4OnZt6ulCQTX
8OQZhvWjYYYVBObXsDbqgKnRbeaZj~lkJKsAkcxEjY5nMyqDsLsf9XezXvCXpU8gzgANIs0-Qy-PE-0JfGh2b3y-uUI5pCJ7dpVLuuBg~J
U0QO~W6MHni4zBGYbs~mLIG-nNu3zQ8Zw6Y2xyywa5wWGNPwQwQ1lp4NFFtZFTxv5jZRZu80v3Lv4Fq2YwtHO~kDCu~Eqkqeyl
ph7RjftTQZ3dqBS3d0N-QBNHqAcCTPDIBYxOqnvZI-fCNXhT4Q__&Key-Pair-Id=K3NV4LZ47N8M46)![[Whiteboard
UI.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768924442715-WhiteboardnewUI.gif?Expires=253
370764800&Signature=lbySVCJ3zdvsjKjCA8V2R59fkJTksSdrl-aBKj6z3kWRp4OCz0lhQm3SKhhsVa8ukFfSOgAyx2RC-0YA-uq0uEZ
PNVoy~sQ8J7JQziW5Akm8QmCpEUuZkU9hfZ4lghdeLMPTk502PgdhHQH4PdbQ2M-dL613a0GH3d4SWdrS~UpJY~jez0Sadwb-DK
skhyMueNYeERojSftmn9mrQDwnnIOSQ6pxzkWIDnCi6i25Yxsq9DbNAuWrBweVI72HU5F0WfWoMGytvXJlmuEh78cKxklAU4QGA~
AH2i7R50uRVmCulDhEyg20kq8AVJ3Hf2h7p9KjRxB9pkDvTDpQXSco~Q__&Key-Pair-Id=K3NV4LZ47N8M46)
```

For more information, see [Answer Front-end, Back-end, Full-stack, Mobile Developer, and Generative AI Assessments](https://candidatesupport.hackerrank.com/articles/8606305957-taking-front-end-back-end-full-stack-and-mobile-developer-assessments), [Answer Whiteboard Question](https://candidatesupport.hackerrank.com/articles/8261786061-answer-whiteboard-question), [Answer Cloud Questions](https://candidatesupport.hackerrank.com/articles/3281902930-answering-aws-questions).

Faster Project Setup for Code Repo Questions (AI Add-on)

Code repository installs and builds are now significantly faster across stacks in assesments, reducing setup time so candidates can start solving sooner. Dependency installation and caching have been optimized, cutting setup time by about 70%.

```
![[Faster
Project
Setup
for
Code
Repo
Questions
(AI
Add-on).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768924730134-FasterProjectSetupforCodeR
epoQuestions%2528AIAdd-on%2529.gif?Expires=253370764800&Signature=Y4iw5zREwVdrWBmoP5Xvdz67WIL4XL1Y972MJ-Z01
x-Ho6zSIE4YuuZM~Y9IPVn7wZpuSQMI8kLw~AkzmUxvNwbIDpeHLxxuoyMZzibfKsLG7c9ywrJdEDZakB6~vhU5B-vsie~IzvCty9Le5o
IHJz0Hcfm1mSR9uCjaC-EMujsaX1J-EKMEyDVjWLDRp-p5Xkf1v6d7E1PM2HFGgzZdTURBBOj6rcTqKDK3r9woYdJ1txiZAw2K1f0h
wVuIXHK8A2IWMkQLfA4ZB93aedcMn~X6HMBArXlraMuldy~LqbWdyUTEyaBJQ6SsmZkXpnOXgkmzmxjAC4zJtwvMUvUQ__&Key
-Pair-Id=K3NV4LZ47N8M46)
```

VS Code IDE for Data Science

Data science assessments will now run on the VS Code IDE, replacing JupyterLab and aligning the experience with front-end, back-end, and full-stack roles. This update includes full notebook support within VS Code and AI guidance to help candidates explore data, debug issues, and review code more effectively.

This feature will be available as part of a phased rollout.

```
![[VS
Code
IDE
for
Data
Science
(AI
Add-on).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768924838276-VSCoDEforDataScience
%2528AIAdd-on%2529.gif?Expires=253370764800&Signature=VoFW6yYPigmCDzzfBMeRLBP0I4kzU5vFsyox1v7JLrHmG8KBkG
OhrgzCRxxxT8JgzaipEW-rbjmNipycNoqrdTX2cifqdKZFR8QTDtgV9bcC4C~s1HMDHviKM5lel4qkpr~fL7KF12gcD-n-D-EcenhjkHud1R
N8JOgPbLu3yqb4ZgjrB6cQUMYznSk90D7ATmVuqPcwghyW5RAqHSC7P7CBctwDMdHgSeFyVITQrX~2GtCULJ8u8v572OdXvw5
0MuM-LagDjgNEqK~9TmrDMt7tugQEUDinOSniK2IoSBpPyOTV7cYkmOxqTb4V6N4EYAR4pUVA1KKZsId6A__&Key-Pair-Id=K3NV
4LZ47N8M46)
```

For more information, see [Answer Data Science Questions](https://candidatesupport.hackerrank.com/articles/8119048607-answering-data-science-questions).

Sample Tests for Code Repos (AI Add-on)

Every test that includes a Code Repo question now includes a paired sample project, giving candidates a chance to practice before the live assessment. Each test includes a framework-specific sample repository (such as MERN, Django, or .NET), helping candidates get familiar with the environment and build confidence before they begin.

[Sample Test for Code Repos (AI Add-on)](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768924891405-SampleTestforCodeRepos%2528AIAdd-on%2529.gif?Expires=253370764800&Signature=NkpSmCNSQkTDjT3Nz7M-jl7XM1wdUr9LpYru95NawzkeHXdp5siMKK2-IDOUC7qeUntBtq6MUdVHPPHlwLx1m9iAH2KoOauthghGMgYHpk26VhMkkGNyKfncfExWGsuX0QnNuQPMQVZqUfNAD9udMauEoP7lZydTMAwdWruHlVpBwF6lbSrBPYfbJbpRNPn6A14FD7o8rw~M93lANPFWE4K0pOaEbc~HmSmThNmvr1bF6Xbkx8WC6no7KR5qWXjqNrlBhx~3vpaakipGby5xfffJFvnWMLwofZdfPKoGzHgnbvEXoFQ1rBnb4XmDpADfEH9YrpKChbNSUplv6hUJbA__&Key-Pair-Id=K3NV4LZ47N8M46)

AI-Assisted IDE Enhancements (AI Add-on)

You'll see an improved AI Assistant experience across tests and interviews, with several key enhancements:

- Faster load times so you can start using the assistant sooner.

[AI-Assisted IDE Enhancements (AI Add-on) faster load time.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768924891105-AI-AssistedIDEEnhancements%2528AIAdd-on%2529fasterloadtime.gif?Expires=253370764800&Signature=ikh7aifucvLtx668yc3G5KuQ8ZMe4JGnWKLXAMTS-V4SoDgusRiTlbGyUilVRbJ9eLCpnEwSSu~WrgQAKI7FnXedbCnwMumYxbPMMwlv7uhAmyts2plkSF9p~7j8LTPzGLGaErUavyCo3lxMLlqx6q6pVYkKAB~QmibD3kGxySduhBvDcJ~8fmp0h00S5woDNNMiJeMmJBBr4G~C0aH4FGIG66yz7W2REDalgWyZubNn-3wno1cnlRC-9XcsmTaejb79waAyi9eDFUitl5UABzpNxM00XhZMbev1YU5zCzieBe0JJX91TQbPKY1yYOMAr3FcgDkgEQ3ZRxBFRlg__&Key-Pair-Id=K3NV4LZ47N8M46)

- The AI Assistant no longer receives the problem statement by default during the interview. Candidates can explicitly share it by tagging `@problemStatement` when they choose. This allows you to assess how well a candidate understands the task and how effectively they leverage the AI Assistant to plan their implementation, while enabling the assistant to use that context throughout the interview.

[AI-Assisted IDE Enhancements (AI Add-on) problem statement.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768924947688-AI-AssistedIDEEnhancements%2528AIAdd-on%2529problemstatement.gif?Expires=253370764800&Signature=mmVIRKtT0rCy--GUVxFigZLm3h9Bu1BIBNL0IEbYXfWDEsP9uGB9Si~xk-2Eknq0cUqE9Zl5YwXi72~fQugxU6Wrw2XszXrveN~iK2YQox8ljWp638t6O8ILA4RmTDnB2lf~YCxhOyn0W0P6EO~iilRGysRJnxRK3BD0ppFoK0X6m1PwcS8YIEJ15WjXAM7cD5iUoYIYZFLaeu2OgZNMRIE7Qz~BkS5YT6j3YQs3~gb2ufmJHcB4VHvnkVwJxGOYjGfoKCZjUaDNHvbP0ut1B5frTd2kyd4smz1K7Suka4rnkzpo5Vxl31wZqsP0p~8pLwnp0u9rFxrAhU2ykvHA__&Key-Pair-Id=K3NV4LZ47N8M46)

- Smoother checkpoint restore to quickly return to a previous state when needed.

[AI-Assisted IDE Enhancements (AI Add-on) restore checkpoint.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768924951490-AI-AssistedIDEEnhancements%2528AIAdd-on%2529restorecheckpoint.gif?Expires=253370764800&Signature=ZZmHyGyGTAWOWNcjl5N2WK8-skpvweyJNctUnlFr5XiuiuNxci-lb8XnuDf0QdysTtwl9YtWakqRT3~qVo4RJWjj-n2hDPvksMJprSXdxu48IP3SXfOSP-oBy~ZW0f7DD2wCjaLwC3mL7Xgib5JkPvyMu4uusorfh2yynvNvCDTaLEObIR1ADea884oo~a-m2LFb6cKDX--EeWy2yBRIJslzQHTvWLn79vUY5bSZLGyrBXJYM6~oNptWBI~kOq9rtglOT8WQBwBIOKTbdnuAkBwnco5za6xVft9YAmA~apDEvTAYxdrwlY8w3jeT0E2G~2zHNKC5QkWsQXMBrk5olw__&Key-Pair-Id=K3NV4LZ47N8M46)

- Observation Mode now syncs and shows live agent edits and provides a shared diff view between the interviewer and candidate. This keeps everyone aligned in real time, so you stay on the same page throughout the interview.

For more information, see [? AI-Assisted Tests](/articles/1152916770), [? AI-Assisted Interviews](/articles/5821380141), [AI Assistant in Tests](https://candidatesupport.hackerrank.com/articles/7634558376-ai-assistant-in-tests), [AI Assistant in Interviews](https://candidatesupport.hackerrank.com/articles/6665907643-ai-assistant-in-interviews).

Integrity

Object Detection in Webcam Feed (AI Add-on)

During tests with Proctor Mode enabled, the system automatically detects and flags suspicious objects in a candidate's webcam feed, including devices like mobile phones and tablets. This helps you identify potential interactions with unauthorized objects and

review them alongside other integrity signals.

This feature will roll out in February as part of a phased release.

!Object Detection in Webcam Feed (AI Add-on).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768979576122-ObjectDetectioninWebcamFeed%2528AIAdd-on%2529.gif?Expires=253370764800&Signature=PRrUa85NtExKnKl0pBmudGR5WQM7TPAQ~JaClrpm-L7ks6Qp6d7wox09FIpuZ22Z6KxmRhwgAG9n-U8wpZcOkMIO77~O620347SM94Xb03V2Kup4xRpw0LfFNIOCwT3Px-4Ow~xv~sLLpVdjujKc-FTrnU1e5sAh0xfb-K79WQ8yzirrR0JlrUvYOmTC9BShYbYZMO1LJ6rpkfOEORbAIXP7U~VTvKi9KnDMr70IPdt06V7-9dfnX8tDaFPW20IX1TYZNseKuxUgMVSR1clB6FZVZvmxoh5eHxt-Ulz~rskKAS3tdw6YsLMCbSfeK0K8tx1p9~3o76dbgzWak6qw__&Key-Pair-Id=K3NV4LZ47N8M46)

Deleted Code Analysis (AI Add-on)

Deleted code is now analyzed during assessments to identify chat-like activity. This detects suspicious activity patterns where candidates type and delete messages, which can indicate the use of screen-sharing or other tools to receive remote assistance during a test. Such activity is flagged for review to help maintain assessment integrity.

This feature will roll out in February as part of a phased release.

!Deleted Code Analysis (AI Add-on).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768925117239-DeletedCodeAnalysis%2528AIAdd-on%2529.gif?Expires=253370764800&Signature=TmtdYnHLUMttFKgqIZyCjekdhfNpCdLHt53PzcZy28r5~fc1cGlXQ3w2T-yGNjqJ~6-USVgQJxDjGzXRJINaUBRdbGYn116tJjGF84MUemQw4SyS-j~buOaFj2nNb42w~2sqLivE7bGzD5OvPN879cY8wkJxRyn8IYI-jbfx-xIEuNwSLTQsUvXorY4UNNdBqDw-yilpRx~1qe~tpLcX1P13mOQPAeCU-oly3jcyAHJsSvF1S0NwsNcXUrHGZI1A2GEr5z87op72JMG2m5EMouMCH9MCjK7Ud~Es98aSDiRkD0dxGeWooWkr1BHO0Gk1zN4yKwsi1dojQbEm4bQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Company-Level Image Retention Policy

You can now specify how long candidate images are stored in your account to help meet privacy and compliance requirements. To set a company-level image retention period of 30, 45, or 90 days, please contact your HackerRank account manager.

Once enabled, images older than the selected timeframe are automatically deleted each day, with confirmation emails sent and reports updated to reflect the removals.

!Images deleted.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769580291719-Imagesdeleted.gif?Expires=253370764800&Signature=p0eW0Im6mUVb6MDENbUI-arGyKgOW10hZcJh6Nj~ErGyH~xtqN3RCpE-jpSwWmHA3S2I5-7-EEMbKq6r9-1NwGD3pNxQWwQmNa0FolJLi1t4wd7WlflpiuA-jxbdNhOixmLWudec7Qhldq4YAYJirjOykj0bYB81BsZcu1YBp-2oqQlscDqzKLGU4Cc4ap5NgAwld78uxNQaniNs8okC-Bh3j0e2a9pd-cgizfzntOvcXSOfitsCD9iRcKJsfBYyM-poKSBWLLFrs1cFQEcFQ0rqaG4OJBaG-11G-g0vAPe4~Gst~kRmhytn~cJhjVaRfTdB16FBqGOqQJlZJ8T1g__&Key-Pair-Id=K3NV4LZ47N8M46)

Override Integrity Flags in Reports

You can now manually override an integrity flag from the Summary report if you decide a flag isn't warranted. Click the edit icon next to the ?Integrity Issues? field and provide a reason for the override to add context to your decision.

Once the flag is overridden, the Integrity Issues field updates to ?No Issues Detected?, and the Integrity Summary indicates that "integrity issues were overridden" along with details of who performed the override and why.

!Override Integrity Flags in Reports.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F17689251195078-OverrideIntegrityFlagsinReports.gif?Expires=253370764800&Signature=J~kzq5qOeqTT66jmb1tEj~DYxTUhu5n5P~d7EMl9xd7Zpjczpch27N-iopx5Aiokd5pUeCAyhCBg3SMGRFWFMryQ4ORKfeiE0nh-dvaYJlrTWeA8Jyp-zv6ZS~79c6LdqMMWZ2-8Vbaah0DNHtFmXWkYLAf14V9dMTDIE31y5~Re1Ovn~pxlPITF-zQVc8E1jj8IYRTQBznECcjOw9Qx8MDHKrNoJkQH6Mb78ZtXIAY8Olze~SXb6t0AFJIBAyop6fhc2yBn1BI34MhVNxqOWI228itNjjGtu7luSOBAjdr9u6oIJBKOqDdVOrtL~GQYavmoniAFJ4P-sbh5QGg__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [Override integrity flags in summary reports](https://support.hackerrank.com/articles/8111267829-viewing-a-candidate's-test-summary-report#override-integrity-flags-in-summary-reports).

Plagiarism Detection Signals Refinement

Plagiarism detection no longer includes the ?Potential Reference Taking? signal, which flagged periods of inactivity followed by sudden or unusual typing patterns. Removing this signal improves interpretability and avoids assumptions about behavior during inactivity, so you can focus on more reliable indicators of suspicious behavior.

Improved Interpretability of Integrity Signals on Reports

Integrity signals in the Summary Report are now easier to understand and validate. You can clearly see why a flag was raised and review the supporting evidence, making it easier to assess each case with confidence.

Under Integrity Summary, you can now preview all integrity violations, including:

- ****Screenshot Analysis and Image Analysis****: View previews of flagged screenshots and images, with the option to view the full set for deeper review.
- ****Tab switches and fullscreen exits****: See exact timestamps and durations showing when a candidate was outside the active tab or window.
- ****Code similarity****: Preview and compare the most similar code instance for each question.
- ****Session replay****: The "View Session Replay" button is now easier to find, so you can explore any integrity signal in more detail.

![[Improved Interpretability of Integrity Signals on Reports
nalfonReports.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768925213617-ImprovedInterpretabilityofIntegritySig
nalfonReports.gif?Expires=253370764800&Signature=Re-evDJhBuM3JGm-EdIgzBqnZ3C1TsHzVLLDn6kW1Bz0wa1qYfVsb5dNUO
TYAH5kWKNCmEkySpe~BpEXhpe0pv8q2ULs6GNWbIPMdFXWdLEGTuvHk~9~Zpsyhj5n04rknezhRn7vj~fFkE~logW3jeEqbsv3XAvi
nHPK~L1k2HT1TMnqE5sTQzGYVEqdJFpxv7m3ka3LM5poeKSF0jSZ0H89cReysUkrQrpummmNNqR4FtKdqE0hG4C3kVVOYhACV
st6N1EjtKkziyNmG-xNAnwYz400DSWioInS5u19hfVdXaf3tep9xqT4~jMVUcu8GuBGXsxa180Kspjz4sA0jA__&Key-Pair-Id=K3NV4LZ4
7N8M46)

For more information, see [? Proctor Mode](/articles/5663779659), [? HackerRank Desktop App Mode](/articles/5973590014), [? Review Integrity Issues in Proctor Mode](/articles/9607697321).

Code Playback Reliability Improvements

Code playback captures candidate activity more accurately, even if the session is interrupted, giving you a complete and reliable record of each session.

- ****Reliability enhancements****: It continues to work through intermittent network issues, page refreshes, and even accidental tab closures so fewer sessions are lost.
- ****Fewer broken or incomplete playbacks****: Corruption fixes and automatic recovery help ensure candidate activity is captured consistently from start to finish.
- ****Better support in restricted networks****: Playbacks no longer go missing due to candidate's firewalls, improving coverage for users with strict network policies.
- ****Clearer visibility****: If any portion is impacted, it's surfaced in the UI, and we now actively monitor playback health to catch issues early.

![[code playback with skip
corrupted.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769162800550-codeplaybackwithskipcorru
pted.gif?Expires=253370764800&Signature=NVRqo~RPXVOqCMZxLYW2bbjBiuTI339ETTik6k85WL8xWcb3TM0Iba-uNDWowc~cHs
-p2jC7e3AuMD-6tS20AyuRhjSJt4tOomeufZi7zaAsS89RaTrpLId~2HQ8q3Mnm5Cr7PloM7R1nenvS6MtWWXXH9mi7drL2-qRQY4K
08oo6hBcUZYslbYMMEmvldV13bGp9t0dsVCE6G3PwHwo1XNAGDqMQH-Op9W4YM1eJk99J~yKxUVHhzwVwoVLEeJr1cwQsR1
D66T3S44V~TmLLBm~Yhhh16OP5SD74UHp6uIjy-sBF~r44xxmDa3Nb9LdmwE4CcCaPKuLEXS4jA__&Key-Pair-Id=K3NV4LZ47N8
M46)

Flexible Mode Switching for Proctored Tests (AI Add-on)

AI Add-on customers can now switch between Secure Mode and Proctor Mode on any test, even those with existing candidate attempts. Once updated, new attempts will follow the selected mode, giving you flexibility to change your proctoring strategy without disrupting existing data. Both modes are compatible with Chrome and Edge, so there's no change to browser requirements for candidates.

Interview

Sample Interview Link for Code Repo Questions

A sample interview experience is now available for Code Repo questions, aligned with the existing sample interview flow for coding and whiteboard interviews. This experience supports multiple Code Repo tasks from the same repository, giving candidates a more realistic preview of how Code Repo-based interviews work.

![code repo sample
interview.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769500293748-codereposampleinterview.gif?Expires=253370764800&Signature=uzA-nYR32NvuEbaahXK52oh6qSwbngnfb132YAL~F7wJJjEoSONWUppZVTW9wQBg6Tgu7N
UtGSLDk-sWuHjk2tMENZzm3B1-qqsK1SxdO2NMNVroQx9JWR2C4zrTRIN2-tN2Wz4iTbNFIY7rfubf9ekznHpzCD7oHXtYqSO5cl-or8c
P4UIKEizcMATL3~0fBpDvTLE8t5qQfuq~ePe8peTI8PxV5xTo45tPYGY~GcT4xx70PqH-V~nWA18T4is2GBYI-60jK2x3WAfldjekPB-qc
M7q00Q87DPjo754nUOzkxpuQzvBZNpj-7VvbFhj9ZKA0VeegA4TKkTRMoj6AQ__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Create an Interview](/articles/8404005945).

AI Assistant for Coding Questions in Interviews (AI Add-on)

The AI assistant in Interviews now supports coding questions, in addition to Project and Code Repo question types. It helps candidates demonstrate real-world collaboration with AI by answering clarifying questions and offering contextual hints, while revealing how they reason and problem-solve.

![ai assistant
coding.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768925470398-aiassistantcoding.gif?Expires=253370764800&Signature=Y9NwMUCiiB7qnmhRK1YJEk1zPRsQgIP1z~AfpGUiJtrGjyHu5uMDdZxhZPsCg9qfLA-pV6~04lso7PmWX
VeRUNuaDkMbF25hitqyxWOsEDiYVYn2Pg9qOqH~Uu6GzQmx-kNkQpXcnMYE91vi3FOdW2KVXk626yd-XxXsgb0UPLUT2t91rIY7
YZ~5-e8Yg9DMX2P4uQKVmz7Go47mZuFWUQPb0g~iLp7tbE0MqftXV7VQ5P~FTEkZVGz1NVXHQXAbjck2B8rXZlxCxtgtshpxagGbi
bkpdHMMahJKaWmbwTu0sniCdeQs2UH8tWHb2BlrG1moHxmTwWCrf-e18EbQ__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? AI-Assisted Interviews](/articles/5821380141), [AI Assistant in Interviews](https://candidatesupport.hackerrank.com/articles/6665907643-ai-assistant-in-interviews).

Improved AI Assistant Experience for Interviewers (AI Add-on)

Interviewers can use Observation Mode to see all AI assistant interactions in real time. Live assistant edits and shared diff views stay synced between the interviewer and candidate, making it easy to understand what changed, why it changed, and how the candidate responded. This gives interviewers clearer insight into a candidate's thinking, iteration, and use of AI during the interview.

![side by side interviewer candidate obv
mode.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768925660675-sidebysideinterviewercandidate
obvmode.gif?Expires=253370764800&Signature=f-14-rXq9PkWp2MQ0kc-ILC-388qVPPUA64KPIDOEyGIDJIXWvEYqaRcd1xs5e5gjs
HPo44wxr6-u7VTPPG5z4laG0QxqOxnVzSEXAs220LUwgG3xay0t6UMGgl0ta0-LkTAYFXgiQaQNu6-uWzsi1UafCIFLe6wR50E78q-2i
Mi3qYlyJDPi64BrloJgqbUKt40uZs30hqGweC8CLBaDHXhXwOMnixzdrfT5abEIYPY~LvaDoCaoOQMZNvpaOZ6kuTycsEmwf~UFEA
BKwgg9n7q0vQNaDKS9r2C7OgM2ww1y9ZTGgwA-T2Ka9NTxaGtlqHJXFpucnTUKxIRbVc-JZQ__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? AI-Assisted Interviews](/articles/5821380141).

Scorecard Assist for Projects and Code Repos (AI Add-on)

Scorecard Assist is now available for Project and Code Repository questions. You'll see AI-generated summaries and suggestions directly in the scorecard, making it easier to review feedback quickly while reducing manual note-taking and maintaining consistency across interviews.

![scorecard assist
coderepo.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768925701397-scorecardassistcoderepo.gif?Expires=253370764800&Signature=eaVaPKC4RzuSeDOoOyZASyAY-1vn9Lxh2tNEzwpqYu2rVPKREMI1VR-hapzTacg5br6Z3Msy
KonKEIV1WiwCWktWTAag-a3Q8Z1adiarxaGGorBTt-ksQes1hA304jM-Yt3dFHMb4BXRmM~gkEZFgC8DXufxBF-N8ZzpM53Y29zAVW
QYMEVf33x-rkeQvP0NYMP4-dcDKp7JF0~2dFb2j9fme~Hwq0ay6JYhXqOJBmmWEQ4FpoQ~~DUP-AAbLVIPtN-HUOL3Te3dl3P2X~
wQvARQM7tuS-yhz1CpmOfvJUKAbWUC5Ktf9dRDCrHdyXxG6TOwgyEb3bf7dpMA90sPQ__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Scorecard Assist](/articles/5847159594).

AI Assistance for Data Science IDE (AI Add-on)

AI Assistant capabilities are now available for data science questions in VS Code, bringing the same experience used for software engineering roles.

The AI Assistant supports chat mode to analyze the notebook and explain code, and agent mode to make direct updates such as adding cells, fixing errors, rewriting functions, or building complete workflows. It can also execute selected parts of the notebook on demand, turning the notebook into an interactive, AI-augmented workspace.

This feature will be available as part of a phased rollout.

![AI assistance for Data Science IDE (AI Add-on)
inline.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768925723761-AIassistanceforDataScienceIDE)

E%2528AIAdd-on%2529inline.gif?Expires=253370764800&Signature=S0ZOOG7232N9z5R7bJp~OMiRXMx5N9i4yEi4qH11GcnpAg2A2veKq0sSTHWkjhmD-TXnebkCtAlZTYSR12AYf4HiJVfu2-S3mrV1lnrFHeJbFBEKOJqo80DJXn4CTyV1Bp2pQg519cYBwVg1RBkvq-U9gYjP7-jCu0L2PrpkYXaKYi6yc8y8T5d6M4vCgyGXR6eIXoT~vQU6l5Nswwa3vGJcJver7fTR6s2LuqGwSOWrCKla1P2aasx25JxJW9RfiT93k~8WBP-Ja16XzUNqG5Z0x3CCZq4U--zyUnTmWY1DbYyUdCktKEbzFrT-nsKW-wcAyc666wI5M9hNAA__&Key-Pair-Id=K3NV4LZ47N8M46)![https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768925702844-AIAssistanceforDataScienceIDE\(AIAdd-on\)graph.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768925702844-AIAssistanceforDataScienceIDE(AIAdd-on)graph.gif)](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768925702844-AIAssistanceforDataScienceIDE%2528AIAdd-on%2529graph.gif?Expires=253370764800&Signature=YoWehgGCaTE-jUwISMI3JT~9aCfNIE1g5UN82ntFvgjIZnveDsLDpDu4v5Vlw7x1ElrhO64WZwwB3YWFT-Kn2Szr52rr2YeZ7GnZrZbQ7-DbrrEG4ONBJRS65y4Db-yCLImcFs7nLxJdPOjogv~eDz3k-N2aLa9rGw0DC6lDXRIGWH3VINRIQsQLIE2tUzjU6RU9lJh0s~hpbjCRIM~P5ebDad9~SqJrvuOEc4VNsFh7Zz1HBV7NBwg96P8mhPKMhpbYOOjPYnDs~WojOHDdL-4Gci6fE1sLvaORwIK8VbBRvG41jSOKa-46qb33smafXUQZUGw07RpphEZXMcKgbw__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information [[? AI-Assisted Interviews](https://articles/5821380141)](/articles/5821380141), [\[AI Assistant in Interviews\]\(https://candidatesupport.hackerrank.com/articles/6665907643-ai-assistant-in-interviews\)](https://candidatesupport.hackerrank.com/articles/6665907643-ai-assistant-in-interviews).

Data and Insights

Performance Improvements to Insights Dashboards and Exports

Insights across the platform are now available faster than ever. Exports and dashboards that once took 15+ seconds now load in as little as 3 seconds, making it easier to explore data and spend less time on routine reporting.

!<https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768925661480-PerformanceImprovementstoAnalyticsDashboard.gif>](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768925661480-PerformanceImprovementstoAnalyticsDashboard.gif?Expires=253370764800&Signature=dSVfFM8LVHo8BiK~fu9y12lxR7acJ5BfFatuyTmBMD7HI9JB0rQwe8RtHoQxxJSyXKupGYBSaWq3kfNT6TOd2fnpzq1zN7euUdQ-EQVrQ~e6KYCJTPOxfv6pLnexNW3DSliCIZRL3luC9ghYDEKdy0kIMRC06S3OoKGF6JEFEffvFYBZDD7T7Pg7lzf5HntIXkiC1O3tg8OGpvovCcxokU55QlV7RC5DeTm4me8cfrahReKHGgaBgWF0JIYqQCZp6M5ZIMlkEqSaEi5vINqsaQWTVWsvAUK7v3QB~hxOywlp~yYECXufOLE5aJdqAWvO44WbrbjU22XswkiTKMn9~Ow__&Key-Pair-Id=K3NV4LZ47N8M46)

Advanced Filtering and Slicing for Custom Reports

Custom Reports provide a powerful way to access, analyze, and share your HackerRank data on demand, giving you full control to build tailored reports across key data objects. Custom Reports are now enhanced with advanced filtering and slicing capabilities, making it easier to explore reports in detail and focus on the exact data you need.

!<https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768925697950-ImprovementstoCustomReports.gif>](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768925697950-ImprovementstoCustomReports.gif?Expires=253370764800&Signature=t7lwP5VMljJBM-L19l6Xu9N1j1NB0VVn-16pzUr7weL1LZuO-osaZR5G7TrO66LoBs1B~l3GYWDQOtwsM7HABdhbH5iNlFVBerg5LOD3Sf9W7Zb4q7xmQSxS7Ph8rP-iTrfNmNPD4PNdP-y9BpCTsM2~Og5Va9Q1AYUfafESEiq6VNUMfIVyKtbL6piCXPJceb8n1THw4~gEEZjJ0QQkNgXnVOWSWWhKGBqt5UGqkiHBs4C5kfeDgvxst4GBcR6PCyoaicsBw9gB9ydaqK7rrw5~SlvgIT7dN-emT6tGPyl6Cu1vv-ZtmBk5aTlp4z9NnJyMrwT03txptVE235A__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [[? Custom Reports](https://articles/7355624862)](/articles/7355624862).

Integrations

Integration with Zapier

You can now connect HackerRank to tools like Slack, Google Sheets, and Notion using Zapier, with no engineering effort required. This no-code integration lets you automate workflows such as notifications or data syncing using triggers like test completions or interview feedback, all managed securely from the Integrations page.

!<https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768981184346-image.png>](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768981184346-image.png?Expires=253370764800&Signature=jE1xsDnprKVCDjoZSr4q5sHg7t11bimfFX1zWxDGewYHUX4TTLaMf0crXTd~Y4rnS3CdCXSX2AHwrnxQUhkSzaXlXgUdFZf67LUfKuUy-TR0Do9c-a5P9Ra0Hq1q79r08SQm3czPI-gxnjv-hLvs~KbSLvkXMV0PxojaJZoyP7ecN4XPau-gnc8a9Vo6p1TUS4jhRqO-9VefqUR8FFtLBSZk6OGLtUX6y-omo8l2xrlja5j8-am4FDO~JjmPtBXk0Qdvp9-rfCXD8FSmigHhTkJk4A0oseV5gt6sg3mMGXSfYxHc8jwK4xNB4MkMu5xwOsYztgCTs6GfGDEbKRL-5w__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [[? Zapier - HackerRank Integration Guide](https://articles/9883166979)](/articles/9883166979), [[? Zapier - HackerRank Integration Test User Guide](https://articles/7100809601)](/articles/7100809601), [[? Zapier - HackerRank Integration Interview User Guide](https://articles/5179178131)](/articles/5179178131).

View Integrity Signals in Greenhouse, iCIMS, and Workday Integrations

Assessment results in Greenhouse, iCIMS, and Workday now include more accurate and up-to-date integrity signals, delivered through a standardized data schema.

These signals provide you with a quick, consistent snapshot of candidate integrity directly in the ATS, including an Integrity Status

(None, Medium, or High) and an Integrity Summary that highlights which suspicious activities (such as copy/paste behavior) were triggered.

Deeper analysis and full integrity context remain available in the HackerRank assessment report.

!IntegritySignalsacrossATS
Integrations.gif(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768981617042-IntegritySignalsacrossAT
SIntegrations.gif?Expires=253370764800&Signature=FQzhuwzhMVnCKEpJRrBiWO1uCaGjOIP4tz0KVBvzv0AaFi1tZ1dYnOnxDZaJ
dc7HqUi39IK7J4PBbQji2AnlKk9MTcL5xqrUpS1xee6yNXOxgB6vhp2899DmVQ0KXEkTbBHfm3KtAD3yh3Z9Q6O66P6XiyLnRVYGr
e0PdGPso8YAqaBqyFzqXEUm9JWh5~DD76eWkd8fZvPhMslocodDvq8UOa5017A1nldMqSHE0iTQn3ovTIDChvHXnDvwc8T7XdBg
Jjel01tT2WOw7ZrLgBII~ktEMOdaEB7sOalhs8TRYNBh9pSrCYTotH7gJRCllzhRWSpeGuh3KhmkXdcg__&Key-Pair-Id=K3NV4LZ47N8M46)

SkillUp

Weekly Prompt Engineering Challenge

Prompting is at the heart of getting high-quality outputs from LLMs. SkillUp’s new Prompt Engineering Challenge helps developers build this skill through competitive, hands-on practice. Developers must prompt an LLM to solve real problem statements and earn a spot on an org-wide leaderboard.

The challenge resets weekly, keeping teams engaged between courses while fostering continuous learning and friendly competition.

!WeeklyPromptEngineeringChallenge.gif(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768925819747-WeeklyPromptEngineeringChallenge.gif?Expires=253370764800&Signature=vy9Dv~2kREmqJ3lYSmiFoTM0tRmj9Qdl~nEWth6YqZXDTE4aEXpF69D~AOReRm7WkRfWDEwUqIWjP5mexDwZMn842utNwargt7tZwVoCcyFpavXwZtqU7Ef2KWtueSh0msBe1FnabOS95wHv6dAjnxC7yvipzxkuYnVMOoQ7lQ5lkYqJ53MSb~fACf7HslZqey9zKc~n78Bp6xCcZhDwrpfBWYdPs~O5nX~1Tz8vFKY5C6rTq6Wjb3BjZmNOzsnhG~liXyrrt63t8A69K~PFzME1NVL~7YB63jaslsLX~UQO9hD4s8ogRKoKEUL6KqVIAM6GK61TLil4nlcwgWXuew__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Weekly Challenges](/articles/7992263058).

Audit Logs

Admins can now request access to audit logs via Customer Support. These logs support compliance and internal reviews, strengthening oversight across learning programs.

For more information, see [? Audit Logs in SkillUp](/articles/2103106582).

AI Engineer Certification

The AI Engineer Certification is a guided pathway with lessons and challenges designed to help you build expertise in creating AI-powered applications and showcase your skills as a next-generation developer. The complete certification with all modules is now available.

!AIEngineerCert.GIF(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1768981676425-AIEngineerCert.GIF?Expires=253370764800&Signature=Gwygpk-j5Y~kHQLwMvUWnYCwDmrZHI7tKmfEiV9xgVBTSLUevuHVDDB8QGOMek~~53GA5IIMkKUzKBGTfJmjuT6M6Wu0fAf4p~Z8KUBLUw0p4CqnybaVf9pg0f0NvWtsQZzgTnVQkaFx0ldOLADtVdwH6YjhtAI31YKv~Pq8m2LQePI~eDI9npkz00xQjik7bwwFHknTr1NAilgDPv4eJ0WnDYt5uiwrS~hFY7a2qMF3emvRM8MimYlou0SGOh4K7vD9A3cp4S~IJzcCC1NN~NvVL93rphG~gv~zBJuDZPLwo4HJcWpK0kSflb8WGGk4l3ZeLACY~0d6UDB~HjvQQ~g__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Roles and Skills in SkillUp](/articles/1506621765).

Deprecations and Experience Changes

The following changes will be effective January 28th, 2026.

Screen

Legacy Content Library Experience

All remaining users will be migrated to the new Library experience. The updated Library includes natural language search, 15+ filters, advanced sorting, and question summaries to help you find questions faster.

Legacy Detailed Test Report

All users will be upgraded to the new detailed report experience. The new report makes reviewing candidates easier with:

- Code playback
- An integrated IDE view
- Simpler, more intuitive navigation

Local IDE/Offline Flow

Due to increased integrity risks, the Offline (Local IDE) experience is no longer supported

What this means for you:

- Existing tests that use only Offline flow will continue to function as-is
- Tests with Offline flow enabled cannot be cloned
- All other new and existing tests will require candidates to use the HackerRank IDE

Interview

Twilio-Powered Interviews

We're deprecating Twilio-powered interviews and transitioning affected accounts to Zoom. Since most HackerRank interviews already run on Zoom audio/video technology, this will provide a consistent experience across all customers that supports key features like background blur and transcripts.

If this change applies to your account, you will have received direct email communication from HackerRank with additional details.

The [AI Add-On package](<https://www.hackerrank.com/features/hiring/ai-add-on>) includes advanced features that help you assess next-gen skills and maintain test integrity in an AI-native world. It's built to solve emerging challenges with the right level of depth and control. To enable them, contact your account manager or email support@hackerrank.com.\

\

Thank you for supporting our mission to change the world to value skills over pedigree!

[general-help/release-notes] July 2025 Release Notes Screen Screen Features Available

title: "July 2025 Release Notes Screen Screen Features Available in the AI Add-on Package Skills Platform Developer Experience Interview Interview Features Available in the AI Add-on Package SkillUp Engage"
title_slug: "july-2025-release-notes-screen-screen-features-available-in-the-ai-add-on-package-skills-platform-developer-experience-interview-in-interview-features-available-in-the-ai-add-on-package-skillup-engage"
source_url: "https://support.hackerrank.com/articles/3121307537-july-2025-release-notes"
article_slug: "3121307537-july-2025-release-notes"
last_updated_exact: "Sep 19, 2025, 3:43 PM"
last_updated_relative: "Last updated 7 months ago"
breadcrumbs:
- "General Help"
- "Release Notes"

July 2025 Release Notes Screen Screen Features Available in the AI Add-on Package Skills Platform Developer Experience Interview Interview Features Available in the AI Add-on Package SkillUp Engage

Last updated: Sep 19, 2025, 3:43 PM (Last updated 7 months ago)

AI is changing how software is built, and thus changing how you hire and upskill developers. This release helps you stay ahead of the curve.

With AI assistance in the IDE, you can now go beyond evaluating code correctness to assessing how candidates work in a real-world setting: how they use AI to write clean, efficient code and make tradeoffs. We’ve also added powerful productivity enhancements like Scorecard Assist to help you save time and surface stronger signals, faster. Some of these new capabilities are available as part of the **AI Add-on package** – look for them in the updates below.

On the developer side, new subscription plans and an AI-powered prep kit make it easier than ever for candidates to practice, certify, and grow. With SkillUp, your teams can build GenAI skills like Prompt Engineering, RAG, and Agent Building, and even launch custom certifications aligned to your needs.

Finally, Engage gives you the tools to stand out in a noisy market: host AI-native hackathons and spin up polished, branded microsites in minutes.

These updates are now live! Watch our [webinar recording](https://hackerrank.northpass.com/c/3dd2b4faa80a300a9a909cf505d21a7e370038df) to learn more.

Screen

Test Variants

You can now create multiple variations of a test and deliver the correct one based on the candidate's input at login. This makes it easy to assess candidates working with different tech stacks like Node.js, Python, or Java, using a single, streamlined test setup.

![[test variant new interviewer (1).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753860219056-testvariantnewinterviewer%25281%2529.gif?Expires=253370764800&Signature=rE0EPq7dL9ptA0ZjhXCqyBMTFGH27jtWjyUEVsYVV85cKHdUtUQ7uj6eYdL-mN4Q7c3EBCWg~pas4uzdakAFgSkolxc8fecpf~SRZeRNXsIRKosvmHUf6WxZ9NfQNgOBxRYseVC-86Op8BguKLMf-fW8V17ND3x7Kp5wg2KVUeoR3Jf3IbP-PtsRKpQtcjWQVde05ty4jZbGozHZ8Orra6GmOZLd1N2gxIT6Vi32ZsIDxPMBR3J-pnECaVVmKsqPj3S9h5cVEJS1laa84U0~DQ8WnWahOqcWilsCp1SwsnDg28da-EZdH7BpglYJmXY1nV2Nrog~g1Sqn7IYXdwMHQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Candidates see only the sections relevant to them, and reports reflect just the variant they attempted, so insights stay clean, role-specific, and easy to evaluate. This reduces maintenance overhead while giving you the flexibility to personalize assessments at scale.

![[Test variants Candidate.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753860178938-Testvariants_Candidate.gif?Expires=253370764800&Signature=MuDluEvet4ewC4mG6wM6Y0XLcHozR9sMERQlq1cyZl86nSnRbhh1c7FbW24zj~YrKGGqqt3vcK5JzIoKeGwW0KiNTF8qoaUPXhMCZq9hZ9Nv4W3CYs4lQ4hh1KUao5Ek4b78YSGwfPVC~xZ1Y5Sl6i5cIJJSre9cm0~e6Qc3DfR9xrm9VDRDtCDw0IWPL3ULFTtYDJpmSSo9B6khGTHpHBowqPqCzPICWvYzNuTp0nJxoH5-n6alUu0M1InpHsfYsG~MMm0C6X4dXDUB~QUB~9xzZSU2B~V6Z55svchS5CSDK5yl6OqHSh2NqVzLuCSN77wy-pM1acO3-l6UXOnD2-Q__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Test Variants](/articles/7530103378).

Enhancements to Test Settings

We have revamped the Test Settings to reduce complexity and improve usability. Settings are now grouped more intuitively. These changes simplify decision-making, enhance consistency across the platform, and lay the groundwork for smarter, organization-wide controls. Here are the highlights:

- **Streamlined Structure**: Settings now follow the test creation flow - starting with questions, followed by sections, and ending with test invites.
- **Unified Section Controls**: Section settings are consolidated, eliminating repetitive edits.
- **Sticky Save**: A persistent reminder ensures changes aren't lost.
- **New Options**: Add cutoff percentages (not just scores) and define test invite expiry by duration or end date.

[!TestSettings1.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F145b7038-e0b2-4f1b-a1b8-b646410de164-1753202400947-TestSettings1.gif-ec28d104-0ade-4563-b193-a539f6440299?Expires=253370764800&Signature=VhtAEHpcTWqHbRU2aunyXogQgNeqzR~t1L1VveDn8LbEtydP~lhpgIIa4J7oziM0hwXLOOqag7Waq8Ltm8FDK4L8eS0MkrH-MBET~08HPVTdpA2dzd8pONbo4XGvhuBu~A40e1i~rXLWf860iWrBWXrXcXnu9vHwXNrKag3P1bChsfwnuL8WMBtMwP~9qSjeYrLmVcXp3e4u1LFh~drQxQj4S7DeJlfl78Atgei4Ng37kyO1aYeIXWf84kGXE5v~nwqY24UuqZg~Zf6gAyOmx~mzSk~lbk~QPHSZA7JdZMhnFNrlQZa~D~~Q5WJFW0hd~4QS~C9Lcg6irl8yIa__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [\[? Modify General Settings for Tests\]\(/articles/9672590042\)](#), [\[? Modify Question Settings for Tests\]\(/articles/5424328799\)](#), [\[? Modify Sections Settings for Tests\]\(/articles/2528926257\)](#), [\[? Modify Evaluation Settings for Tests\]\(/articles/8294988738\)](#), [\[? Configure Onboarding Settings for Tests\]\(/articles/5956879724\)](#), [\[? Configure Email Settings for Tests\]\(/articles/2564162886\)](#), [\[? Configure Test Invites Settings for Tests\]\(/articles/9544354489\)](#).

Set Custom Invite Expiration for Tests

You can now define how long a test invite stays active directly at the test level. Set a specific end date or define a custom duration to fit your needs. This gives you more flexibility to tailor expiration windows without being tied to a global default.

[CustomInvite.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F902e0e28-b4d6-4900-8519-621db9679f1e-1753202368410-CustomInvite.gif-0070048d-bd3f-4038-9a95-1a52e50b6b69?Expires=253370764800&Signature=N-Pa3~46LZ5OjIKzmqEG3YlqfhmBOPGHYtuQP8txYcBarPsMhxHG2J07Qj7tk-2N4eiX6~0z~8zgIFY8h6ZQgAHcfZM4VCxRkIoUA-SLcP2CXOFzTkYVQN9qiuEkWkulg1tR9mvy1P69965AMXq-XW8HfRwnUttsSAkrfj55kKTBybp9qiYBiYrtDUtUJiETqbgSnTszBpAAJ5tEpjwJbzuEMFHLis10cm~EHne7JnFnBtY~mvHrY67EpOs3SG4N3f4WmCmhAAuMa9RhL5~ON1vFZHi8NxJ4Ze4RyuZ5j1XcVCdvkFUSCLX~Od9FgPE7x7~ynofCEApiKOSFI1Gg_&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [[? Configure Test Invites Settings for Tests](/articles/9544354489)](/articles/9544354489).

Updated Default Invite Template

The default test invite template now includes clearer instructions, an improved tone, and a preview of the sample test. This helps candidates feel more confident and better prepared, thus helping you get more candidates into your funnel with no extra effort.

! [update.png] (https://assets.usepython.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753881142226-update.png?Expires=253370764800&Signature=Uc7HvNI7Ebe-tBYOjipFMSEmmFAurR5V6p7Zt3WBeeug5iH2SuEX9TYFef6xR-EQAKtSTYmbavmfN72WvOCP47qvSyU0uonNwM0vyCjo7fP-qcjbesc-rIPJh23GOjaTiqv57z-f5-PDjCE5GOhnmUivQ3gru8mhUhZKnQ-licXozIE0--mbUCD8uvpmlI04HoV0eM6Q-ccxhihMZkL-pBZj31RdV0JLZ26xaj-jQKqZG8KyVcnVJzC4KdyknxvwH8XrHyEYcOwOx11y2-ZiyyCtiXyszlP62yJ9i5jHr1y1p3A6inEXdG-5D06BPXj2TuuPZMJlAICSqIdm0g_&Key-Pair-Id=K3NV44L2J74N8M46)

Screen Features Available in the AI Add-on Package

The AI Add-on package includes advanced features that help you assess next-gen skills and maintain interview integrity in an AI-native world. It's built to solve emerging challenges with the right level of depth and control. For more details, contact your account manager or email support@hackerrank.com (mailto:support@hackerrank.com).

AI-Assisted Tests

Upgrade your tests with an AI-assisted IDE that offers candidates contextual help like syntax tips, templates, and platform guidance without giving away full solutions. It mirrors how developers work today, while keeping assessments fair.

Get a complete view of each candidate's approach with advanced evaluation, which includes signals like code quality, optimality, and AI usage summaries, along with full chat transcripts.

AI-Assisted IDE

Enable intelligent, AI-first coding assistance for candidates, designed to boost productivity and give you visibility into how candidates use AI in real-world coding tasks.

- **Chat:** Explains code, clarifies questions, and provides syntax support without giving away full solutions.
- **AI autocomplete:** Offers inline and multi-line code completions to accelerate development.

AI Assistant supports Coding, Frontend, Backend, Mobile, Full-Stack, and Code Repo question types.

![AI IDE-Coding question.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F18bf7351-d91e-4e52-8163-98acac0da988-1753202488398-AIIDE-Codingquestion.gif-4d37a490-eb32-4d5a-8b72-0052c963383d?Expires=253370764800&Signature=IH~fLW2u037PhZ7r~wiuXI7mq7O2m87e1mq8JUlkqVjGd8T0v~hE~ZOP5AfM7XZp~jvMCG~ymo2jRki3wFp8AJOWKEX55f4zMci96Rx15tzwsYr mHFgGI~bdbSjKjT2n490kMal5hKP2WNZT354j7vB7Zg2INDYr2v~nIUjBew7Asrbq3z6iLDzVnlvR~o4U4otiZekwqYHZPbleU8XBVP~yyJFRp8s6DmO2TsMF6QRWqQFhxV7JPR2y~bkr9hl7X22u5QiiPtXUwSPR~LljtBb6qbQ7BQZdU3RDFIOawRMimnPOWF0nNx34ejMlv0pXTQ168bcuzNF1cFAxOQ__&Key-Pair-Id=K3NV4LZ47N8M46)![AI first IDE-Chat.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F0b6d6fee-3061-4f8b-a944-a18a53cb0e28-1753202680896-AIfirstIDE-Chat.gif-fcd267ed-c171-4936-8083-fc232f172b87?Expires=253370764800&Signature=Zzs5F~FutTV0Z2NyKE~x7sNFEL33-zbnKa8VK~oALtpYo2Lvlg~BtojggCI7pZEIDHTxE~q~lpEJL5kxu6ZMQPTor25Xgv9NybS9php3bReXki02IVFseZoyy~lwgZ68DMRitCiuAWmjMHDw4ewXQIIgmgOWd~REQODHx26VyQ15uM12rrswncJ~0wpFusXf1BzavHjvoXUiHL1Oaalk~1iy~UNVxsOBFNztUCWOWaBVgVFp29RtbMN6TjzwZwrR5I4mCWx13FRCAfAjcCEIZBAjJZ~oB7VAbhtFoZPIP9uO24aHD0JwlfvP6Hbj2Vljpm2NRKC7GUB7Ma~E0SS8rw__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? AI-Assisted Tests](/articles/1152916770).

Advanced Evaluation

With AI assistance, hiring decisions cannot rely on pass/fail test case results alone. As a hiring manager, you need to understand how a candidate thinks, builds, and uses AI to get there. Advanced Evaluation helps you do exactly that by surfacing deeper insights into code quality, problem-solving behavior, and AI collaboration, offering a more comprehensive view of real-world skills.

For more information, see [? Advanced Evaluation](/articles/7098008997).

Code Quality Grading

Production-ready code needs to be readable, maintainable, and efficient, in addition to being functionally correct. Code Quality Grading highlights how well a candidate writes code that others can understand and build on. You'll see reviewer-style comments that call out strengths and suggest improvements, so you can quickly gauge craftsmanship, not just correctness.

![codequalitygradingnew (1).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753876814316-codequalitygradingnew%25281%2529.gif?Expires=253370764800&Signature=ovUr~qt3XJMpBblt2yjeZgc3l69u~i6sgWweHVURJBgtYq6QV3Onk~UDbzVSRZMkjwcSwMX1pRCVBPnz4k~7oi4FjTxKISD2oQdwJyBTEUQy2oDLcSmFpLbUfQY6W5laY2mt07eUaBZkYkKUbXMKEvjymGYw~J02Zf~5UMoH2tPwif2sC7J37yot7gSVzIYzkRn7bpju3Tqq6nBFkJ8LtwM4hlQliM9mZkgxOP1bQREI~iHhIYIru42YDdpwfXpYyLfhv4oEtQTNDaupSEBc4t6jNyQZ1bPFk9wLu66L4IOGDExzMg8jE1lmwKRJ4F8G81U0N~Z3YJS9OzBEZYdLwg__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Code Quality Evaluation](/articles/9625818007).

Optimality

Great code should also scale. Optimality scores candidate solutions based on time and space complexity, so you can evaluate performance under real-world constraints.

![Optimality.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F5e7b66f0-98ce-4391-bbd0-63bc5be2bdbf-1753199767830-Optimality.png-99312703-a3d2-4c73-9a2d-a445cc8ddb6d?Expires=253370764800&Signature=U1Xe~6cpMI5KYhnW~PKehxDeDeOUSx5~VRT8aazPDV4OxfSWk5jaIUnC9QVqo97uAzZEXfSeZLT2463s~Ri7UhHRsYqLbbhZ0DWV~yhyWyJeaXsdsDk6wP0UuDk1ce13Hvbw0BfHipWpjG4eYHsmqna0BA~hNVPNfdLu5j2PYypGnPyQ2VA9Q15fA3Zpn1ds~b51Aukslq5ur5fHctf8KxpQo2SehwpCCE5sm4Q4eTDBrJWT9Y22i~4l~mmM1HFjhTqgrilAeCgLNy2Bpfd~rgu6S~1r8ubGSQpkJIHbCm7kg7qTGHTRfO3vh2WRUXxe20EqamwBPJCnA~jwhIXdA__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Optimality](/articles/4755292353).

AI Usage Summary

The AI usage summary gives a clear, concise view of how the AI assistant was used during each test. It is available in both the performance summary report and the detailed, question-level report.

![[AIAssistedTestsImage.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F359275c2-1994-43b6-9354-08764ebf43c5-42e96f2a-7aed-49d7-8d22-de8f2ea60fbd-1753202363320-AIAssistedTestsImage.png-8ed56fb1-8f30-4a90-bae2-dc93a53f2202-b4c9cce0-fb33-4aac-b843-ebfe75fba7a9?Expires=253370764800&Signature=rvE1ocXGPaDbIffvzGBXsemZidxtc1-JrxF-3rBSvT8SS~Wl5rhu1Dci-m4ZN7NAo~5qUrNAUYkrl77XAY-FShOPUiU7m6UHIYL0DihWLCUPsV~lrfNjqjQr8mTois-3MX67j~B~INvILA IWT7CAUvvB0jMN4TPK~TzaMiHC0PhPsP4pQRpE7oJX1LfzAncLTLXUVogsiOX1pORM97LoZT~Qo3Soe5HQ1oQdazAdxGDiU4pZ qXilYpDZm0Wk7Q5XgpeyehoJs-2BNmeQPVMKvb6vsiHwJO4VKU0N-ojh6fSCmWvHvegazWNsckTXzsUsSCFmuh34gsq16eKCC~IA__&Key-Pair-Id=K3NV4LZ47N8M46)]

Any test with supported question types can be upgraded to the AI-assisted experience. All others will continue using our existing test experience.

For more information, see [? AI Usage Summary](/articles/1773201418).

****Enhanced Proctor Mode****

****Note:**** Must be a new test with no attempts.

Proctor Mode brings AI-powered integrity monitoring to your assessments, offering the rigor of live proctoring without the overhead. It tracks webcam activity, tab switches, and takes screenshots during the test, delivering a post-test report with a full session replay and summarized violations.

With this release, Proctor Mode is now generally available within the AI add-on package, featuring major enhancements that reduce the manual effort required for reviewing candidate reports and expand coverage to more question types.

- ****Block Multiple Monitors****: Candidates must use a single monitor. Tests won't start (or will be paused) if multiple monitors are detected. This feature is supported on Chrome and Edge browsers. If a candidate tries to access the test using an unsupported browser like Firefox or Safari, they'll be prompted to switch before starting.

![[SingleScreenProctorMode.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F8ba2eb64-fa98-4e24-8861-ae4a6226d636-1753202628905-SingleScreenProctorMode.gif-60df353a-16f4-45dd-8404-b0824f81cecb?Expires=253370764800&Signature=nzYMBSYeQ5atNtscEdbS9WRnFor4RYyJ2Oq7nGkcRnoyTerc~8yH2ImNGkR53gjHV~RAXhCJXo3yElIdeNI7sMh9TzhjPVTbotfNpPyFZzfUWtbTgqixx5pH0ehe1oDVj1CH45fQa09kkeTkXQJwPzhYr476~f6osy4rd034hu5WNE~rF8PRJlenfLjopWzVa0hNB~aO0sarBRUn3AL3bDN4tZ7ZFBuu7q2XVwFtA0z96VwtjR0ROz2Siq1z20Q1Mim9D-wLpha0L5ySWAhzQF4n6mKtVD4-HkVIY1s84xX5CJ0VBFTzKR36Qh17ZjGxoDw-S6vzZg90rWX8A5VyVQ__&Key-Pair-Id=K3NV4LZ47N8M46)]

- ****Session Replay in Candidate Reports****: You can now watch a complete recording of a candidate's test session directly from the report. Session Replay captures the entire test-taking browser tab along with webcam images and system screenshots in one place. A timeline with key events, such as full-screen exits, tab switches, suspicious webcam activity, and screenshots, helps you quickly review critical moments for deeper insight into performance and integrity.

- ****Screenshot Analysis****: Periodic screenshots are now automatically analyzed for potential signs of suspicious activity.

- ****Expanded Question Type Support****: Proctor Mode now supports a broader range of question types, including multiple-choice, coding, sentence completion, file upload, and all Projects except DevOps. Support for additional question types is coming soon, giving you even more flexibility in secure assessments.

![[ProctorMode.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F8a00c6d4-0333-4c61-b766-4dc8d2bff883-1753202528084-ProctorMode.gif-bf73bad3-a1e8-4c7a-bde6-9a010833ae6f?Expires=253370764800&Signature=hcOkGY4deEmekFI5k-KjpNJOAMY7U5qkp4xCdfpbHs-659TcQideYL-PxOyE6C6H0BLabJpk16DoxqkaiWBDMA3MvulOnNvHwUg2FRpYdxB1JejWBzX3YfwZWnLuVIPaOag1twc70hPYJC4w9QzQc5npu~JuSEvhYQ1As-twTh4o-b8WIQXUPaF~dvQpdLaQSpk6DgS0YMrSaun-gJgjKzf9Vou4oO76yhTT1X0uUqAR~EufHCWZJO64cb1-oBA6-GLi9axlCkh272jJk9TZv4ohm0KQztDeggZibjrPoghxB1rIDn9wArPjly~wtYW7uxwtpz90Obmt2-9BeRkqg__&Key-Pair-Id=K3NV4LZ47N8M46)]

For more information, see [? Proctor Mode](/articles/5663779659).

****Skills Platform****

****iOS Assessments****

Hiring iOS developers just got easier. You can now assess iOS development skills in an environment that mirrors how iOS apps are actually built, with a multi-file structure, Swift syntax support, and intelligent autocomplete. These assessments also support frameworks like SwiftUI.

Candidates write and run their code with a built-in iOS emulator, so you can preview the actual app experience. That means you're not just testing if it works. You're seeing how it looks, feels, and performs.

![[iOS Assessments.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753199701141-iOSAssessments.gif?Expires=253370764800&Signature=nN0DBXkNxoF8jwZMIBO13hLPCq2MmNkVmKS~cl8c2hEtW8P0kmAT3OpCZpjKRp7087GQid1bdSyjxQe2DyYBARD4vC2WeqRZsNMGVslyWu~pmXYNUU7HSbFfY8MEmDMyinulGNED8y4jApyrd3qV3uEJd0QZ8B1GGybe1TMH~HxBpduOLIn-S2rAb9jpbShy3Newl6E98GHorxvgeVI7~XAgOVSmwsu-jCXgdDqn~~Tog9pgyhedK3-aZfKnTcDZMV5b3MqgmzniOgSUzOgjpfN2QqENJnrN3VbDCHo~~qUzvAD~KqAg7R8Cw3oJqw5S9itD3IYOnlMsutzTgtGGiXA__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [Using HackerRank IDE](https://candidatesupport.hackerrank.com/articles/8606305957-taking-front-end-back-end-full-stack-and-mobile-developer-assessments#using-the-hackerrank-ide-12).

Flox

We now support Flox, giving you the flexibility to create and run custom questions using the Flox package manager. With Flox, you can define consistent, reproducible environments directly within your question setup, making it easier to test candidates on real-world tooling and workflows. This is especially useful for teams working with custom dev environments.

![FLOX.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753212815637-FLOX.png?Expires=253370764800&Signature=ec5cegU9NHcmb5Sy~v9B~AVeVfdUvmrpMTmG80UQsoGzoy8oLBLTaKHM0trJVvy7xkodq9TuH4JBZbSUMr7djjDgEs0lPQGDr34rTtuxVjmKV6gMNXUIGO-cR2CE5hvWB0ndGoW1t8kyAdUculwKduKbobwUsWZvqtX5hykr4LUud062PpfB8MQWtzYW~24J9V49YKhQk~X70X39zK0kfZPn1Nd2mP2rAdTD0VrWMLi8Nmam3Bdi-ciW1ZP86v26cInq2bfhpUIBxcY2EmLLo4fNlfmdrIRRpZ3p0vFqMD4nz~pVwfkhCRaC5PnKhtdgd~N3QZ72dlaxPzcE8F0jQ__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [Execution Environment](https://candidatesupport.hackerrank.com/hc/en-us/articles/4402913877523-Execution-Environment).

Library Improvements

New Content

We’ve expanded our content library to help you assess a broader range of skills.

- 99 new coding challenges that test algorithmic reasoning and implementation efficiency.
- 41 new project tasks that test a candidate's ability to manage and execute complex real-world tasks.

Content additions across the following high-demand job families:

Job Family	Skill	Question Type
AI/ML	Python	Data Science
AI/ML	R	Data Science
AI/ML	RAG	GenAI
Mobile	Android	Projects
Mobile	iOS	Projects
Mobile	Flutter	MCQs
Mobile	Swift	Coding
Mobile	Cucumber	Projects
Quality Assurance	Problem Solving	Coding
Software Engineering	SQL	Database
Cloud	Salesforce	MCQs
Cloud	GCP	MCQs
Cloud	SAP	MCQs
Web Development	Node.js	Projects
Web Development	Node.js	MCQs
Data Engineering	Redis	MCQs
Data Engineering	Snowflake	MCQs
Data Engineering	Informatica	MCQs

Content Quality Upgrades

The HackerRank library continues to evolve to improve clarity, precision, and ease of use, while supporting effective skill assessment.

We’ve rewritten over 70% of our hands-on questions, making the experience smoother for candidates and more consistent for reviewers. Every update has been validated against our quality standards to ensure fairness, accuracy, and rigor.

<table>

	Original Question	Improved Question
	You are required to customize a class named <code>DataEncryption</code> , having the following attributes: <code>encryptionRatio</code> , <code>baseEncryptionValue</code> , and a method titled <code>encryptValue()</code> .	The default <code>encryptValue()</code> function works by calculating the encrypted value as follows: <code>encryptedValue = baseEncryptionValue + encryptionRatio</code>
	Add more functionality to the existing method <code>encryptValue()</code> so that it accepts a variable named <code>encryptionAdjustment</code> of integer data type. The function should accordingly adjust the calculation of the encrypted value as:	<code>encryptedValue = (baseEncryptionValue + encryptionRatio) - encryptionAdjustment</code>
	Additionally, you are asked to overload this method so that it accepts <code>encryptionAdjustment</code> as a string type, converts it to an integer, and further uses it in the calculation of the encrypted value.	<code>encryptedValue = (baseEncryptionValue + encryptionRatio) - encryptionAdjustment</code>
	There are three overloaded versions of <code>encryptValue()</code> in the <code>DataEncryption</code> class:	Default Version: Takes no parameters and calculates the encrypted value as <code>baseEncryptionValue + encryptionRatio</code> First Overloaded Version: Accepts an integer <code>encryptionAdjustment</code> and calculates the encrypted value as (<code>baseEncryptionValue</code> + <code>encryptionRatio</code>) - <code>encryptionAdjustment</code> Second Overloaded Version: Accepts a string <code>encryptionAdjustment</code>, converts it to an integer, and calculates the encrypted value as (<code>baseEncryptionValue</code> + <code>encryptionRatio</code>) - <code>encryptionAdjustment</code>
	Customize a class called <code>DataEncryption</code> with the attributes <code>encryptionRatio</code> , <code>baseEncryptionValue</code> , and a method named <code>encryptValue()</code> .	Implement three versions of the <code>encryptValue()</code> method in the <code>DataEncryption</code> class: Default Version: Takes no parameters and calculates the encrypted value as <code>baseEncryptionValue + encryptionRatio</code> First Overloaded Version: Accepts an integer <code>encryptionAdjustment</code> and calculates the encrypted value as (<code>baseEncryptionValue</code> + <code>encryptionRatio</code>) - <code>encryptionAdjustment</code> Second Overloaded Version: Accepts a string <code>encryptionAdjustment</code>, converts it to an integer, and calculates the encrypted value as (<code>baseEncryptionValue</code> + <code>encryptionRatio</code>) - <code>encryptionAdjustment</code>

Developer Experience

New Candidate Site - Projects and Sentence Completion Questions

Building on last quarter's redesign for Coding, MCQ, and Database questions, we've now extended the streamlined candidate interface to more question types - Frontend, Backend, Mobile, Full-Stack, GenAI, and Sentence Completion.

As part of these updates, candidates can now easily reset a project, making it simpler to start fresh during a test attempt. Additionally, test execution is now more natural and integrated output traces are displayed directly within the IDE terminal, enhancing visibility and reducing context switching.

CandidateSite-Projects.gif(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753269845131-NewCandidateSite-Projects.gif?Expires=253370764800&Signature=FQmEJGPcLEStETS8MQ~fOhBoA3KIDTfvWt6Dnbo~YqffDf9a9-0SG2WCbC6WeowEPDQhJ~U3KY07Zm88gnPX7phxB~C12S84vWbaOjzBRRnq3oBuekZXXyZXA2o~7qlw20uf5YdB0GVX0KPUCM0vMstliKcHcmGQ5JQzQS1zoMLEk2EcXG2PXsCfGA3yM2w3zx9-H0oW5mLwNdYBxdH0BZh44-wqoRITr1cL-9taqr3rdgS9Q~W9bW97Tl1JCgl9byXJINptS3uTUyhipmDiUt55SBcoiyabQ6LTLXTV3A7x-qddkajTRUfsmfWeJ7mxlu6PWLHUrPvetBiyYCHXA__&Key-Pair-Id=K3NV4LZ47N8M46)![SentenceCompletion.gif(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753201034723-SentenceCompletion.gif?Expires=253370764800&Signature=FpX7TlpjFoDKe~LZMSIBrvYwLaf1LrxUF-p6MOU4U-IThqjRWug5UMPRIkBOqfyyc8VTThcL7eBiVtD1wDZs5Zp5Lhll~1AuBbPt~25XfNZyDBGfjwWIO8lCnd29bdHowCoH5nPD~MmWwdFWPL9Lni9TRU-6bBJ~5qCLMSbsQwk2UVtlbz~1rnU08Ou1vxc4V4PVg~60BO50DFbsSURUr6aEsU~jd3hBjiyWJmYOIS9Xla5d4swpj4Ycdlwnqy4dQelcxa74HDsQeKWxza1slXISB5W34flOqiSKv5hZs09rLINevl~tCdgmU9QMFi2ZWDXBElVJRHuFZWYuvLbBhVw__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [Taking Front-end, Back-end, Full-stack, and Mobile Developer Assessments](https://candidatesupport.hackerrank.com/articles/8606305957-taking-front-end-back-end-full-stack-and-mobile-developer-assessments).

Data Science Assessment Improvements

Submission Check for Candidates

Submitting an incorrect file shouldn't get in the way of a great result. Candidates now get an automatic submission check when clicking Submit, confirming that their submission.csv file is present, correctly named, and properly formatted.

The system flags common issues like:

- Missing or misnamed submission.csv
- Incorrect column names
- Invalid data types

This reduces preventable errors and helps ensure candidates get credit for the work they've done.

Data science assessment improvements.gif(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753200916835-Datascienceassessmentimprovements.gif?Expires=253370764800&Signature=ICbtIoudPL4qqK8P883bhoAw0D-SCV4Y07w4h5~asG7mgWH0S0I54rM~m30SaQO88e32Us8px3rO7wVgRqBeE9pSiRmowV8oz8mFU5GImilicm-Fnwy4pmfZoaq3bXwJ1TVwt33e668Nx7L0u8dxP2IRIB6w7bX~BiCImpA6oJoIEmmoaf30WlcXXjIKobtzCTmi79AaG5jgFuO7qgR~b1zXL0hiziPTjOzVI0kI7~wBzKDaicRXSyIR9DXQXg55Nud6umcgkLdlNPToDfOXj02vJs-uyiOFVYXlkyNOpt2O-7lqWaWQo4aA1-OcQM1wmyyyaK0Jc1FctaogFad2Ww__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [Answering Data Science Questions](https://candidatesupport.hackerrank.com/articles/8119048607-answering-data-science-questions).

Upgraded JupyterLab IDE

We've upgraded to JupyterLab 4.4.1 to deliver a smoother, faster, and more intuitive experience for data science candidates.

- **Custom Coding Console:** Candidates can place the code prompt to the top, left, or right - not just the bottom. New toolbar buttons make it easier to run, restart, clear, and switch kernels. A single-cell scratchpad toggle helps focus when working step by step.
- **Cleaner User Interface:** A slimmer status bar now hides idle terminal and kernel counters, reducing clutter and minimizing accidental taps on touch devices.
- **Improved Performance:** Output rendering is quicker, with reduced lag when streaming or scrolling through large notebooks.

JupyterLab IDE(Statusbar)seocndoption.gif(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753201101398-JupyterLabIDE%2528Statusbar%2529seocndoption.gif?Expires=253370764800&Signature=Nf3gVqvPkTnJoa9wmJvAuAUhO7wE4udgwbestGbfarLPClvBmCCEgrBjWcYS2NovFO2p8wkDWWUBCyknCUnC9EUAv537ZHo8n2RhRgB5Ay8gNbeic4oMEFLzZFT6J7RGBcr4Qflv4BkL6U0wmDPsi631zcWNIxw3xGdtpjE3zY-rpdR8-by3DI3QVXgk2L3R4UMnkeq7zomeI7kSxw0odpCYxSM~~A0tavFiMSNRiMVK6li9xqr6fYOXVzbXQl5FHnf6WwXU3t6gk~kXdqO-MBOIncFk7tIHtvpUdZsgby0ZH2jMtIpKPs2ZBITTN3SQHfPQH1bRBKej1MbEfLx0g__&Key-Pair-Id=K3NV4LZ

47N8M46)!JupyterIDE(Code
Consol.gif)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753201061263-JupyterIDE%2528CodeConsol%2529.gif?Expires=253370764800&Signature=OjcD9ViH0tkHnfweiwxfJTbv8Yoxuoje31pl804e0MnSiSvypPW6liwjYvre~2cbUv2pffuatZidXWpO1bBgnDLsJ-yfn78GxfHfCK0N5xFUA1jTdmknPR4TqMYWHkMSBYQnEFTEAvf-cXTkvqM6hFXcY86RtDqN56bjPzmBIO4IJ9LeShKtnSBhVYld2BlcYCplqWluq6fi0~pJ36dVuBomgP1uOEiyY6~Um93dy7XYt9M1fRN0PH65kvTLj7L-k~vkmGD5mT-Y~tUi9s0HylsXQmX~pK3AuZ~Ql5WnzdFcdIGJ4~swNaHLgTvEsQ~NV-UosagjixZhGFO6Of~w__&Key-Pair-Id=K3NV4LZ47N8M46)

Higher Compute, When You Need It

As question complexity increases, especially with compute-heavy use cases like TensorFlow for Machine Learning and Data Science roles, we now support GPU-backed environments to ensure smooth execution and an optimal candidate experience, enabling you to assess skills more accurately without being constrained by platform limitations.

You can now request a free trial for GPU support by contacting support@hackerrank.com.

DevOps Assessment Improvements

DevOps Library questions now load up to **50% faster**, cutting wait times from over four minutes to around two. Terminal lag has also been reduced, so the environment feels more responsive from the start.

**Error-free Report Processing

Candidate report processing is now more reliable, helping minimize delays in receiving evaluation results. We've made major improvements to reduce report processing errors by **93%** bringing it to under 0.2%. This ensures a smoother, more dependable assessment experience, helping you access timely insights to evaluate performance and make confident hiring decisions.

**Platform Upgrades

The HackerRank platform now runs on the latest versions of today's most-used languages and frameworks, so you can assess developers in environments that reflect real-world engineering stacks

These upgrades help ensure compatibility, improve performance, and give candidates a great experience.

Environment		
Current Version		
Upgraded Version		
Angular	Node: 18.15.0	npm: 9.6.4
Node: 18.15.0	npm: 9.6.4	yarn: 1.22.19
Node: 22.16.0	npm: 11.4.1	yarn: 1.22.22
Node JS	Node: 18.15.0	npm: 9.6.4
Node: 18.15.0	npm: 9.6.4	yarn: 1.22.19
Node: 22.16.0	npm: 11.4.1	yarn: 1.22.22

```
</tr>
<tr>
<td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap:
break-word"><p>React.JS</p></td>
<td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap:
break-word"><p>Node: 18.15.0</p>
<p>npm: 9.6.4</p>
<p>yarn: 1.22.19</p></td>
<td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap:
break-word"><p>Node: 22.14.0</p>
<p>npm: 10.9.2</p>
<p>yarn: 1.22.22</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap:
break-word"><p>Vue.JS</p></td>
<td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap:
break-word"><p>Node: 18.15.0</p>
<p>npm: 9.6.4</p>
<p>yarn: 1.22.19</p></td>
<td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap:
break-word"><p>Node: 22.16.0</p>
<p>npm: 11.4.1</p>
<p>yarn: 1.22.22</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap:
break-word"><p>.NET</p></td>
<td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap:
break-word"><p>.NET: 6.0.407</p></td>
<td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap:
break-word"><p>.NET 8.0.16</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap:
break-word"><p>PHP</p></td>
<td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap:
break-word"><p>PHP: 8.2</p>
<p>Composer: 2.5.5</p>
<p>Symfony: 5.5.2</p>
<p>Apache: 2.4.57</p></td>
<td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap:
break-word"><p>PHP: 8.4</p>
<p>Composer: 2.8.9</p>
<p>Symfony: 7.3</p>
<p>Apache: 2.4.63</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap:
break-word"><p>PHP CodeIgniter</p></td>
<td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap:
break-word"><p>PHP: 8.2</p>
<p>Composer: 2.5.5</p>
<p>Symfony: 5.5.2</p>
<p>Apache: 2.4.57</p></td>
<td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap:
break-word"><p>PHP: 8.4</p>
<p>Composer: 2.8.9</p>
<p>Symfony: 7.3</p>
<p>Apache: 2.4.63</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap:
break-word"><p>PHP Laravel</p></td>
<td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap:
break-word"><p>PHP: 8.2</p>
<p>Composer: 2.5.5</p>
<p>Symfony: 5.5.2</p>
```

<p>Apache: 2.4.57</p></td>
<td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>PHP: 8.4</p>
<p>Composer: 2.8.9</p>
<p>Symfony: 7.3</p>
<p>Apache: 2.4.63</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>PHP Symfony</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>PHP: 8.2</p>
<p>Composer: 2.5.5</p>
<p>Symfony: 5.5.2</p>
<p>Apache: 2.4.57</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>PHP: 8.4</p>
<p>Composer: 2.8.9</p>
<p>Symfony: 7.3</p>
<p>Apache: 2.4.63</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>Spark Scala</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>Scala: 2.13.10</p>
<p>Spark: 3.4.0</p>
<p>Java: 17.0</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>Scala: 2.13.16</p>
<p>Spark: 3.5.5</p>
<p>Java: 21.0</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>Django</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>Python: 3.11</p>
<p>pip3: 23.1.2</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>Python: 3.12</p>
<p>pip3: 25.1.1</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>PySpark</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>PySpark: 3.4.0</p>
<p>Python: 3.11</p>
<p>pip3: 23.1.2</p>
<p>Java: 17</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>PySpark: 3.5.5</p>
<p>Python: 3.12</p>
<p>pip3: 25.1.1</p>
<p>Java: 21</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>Cucumber with Selenium</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>Java: 17.0</p>
<p>Gradle: 8.1</p>
<p>Maven: 3.9.1</p>
<p>Apache Tomcat: 10.1.8</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>Java: 21.0.6</p>
<p>Gradle: 8.14</p>

Maven: 3.9.9 Apache Tomcat: 11.0.6	
Ruby Ruby: 3.2.2 Bundler: 2.4.12 Gem: 3.4.12	Ruby: 3.4.4 Bundler: 2.6.9 Gem: 3.6.9
MEAN Ubuntu: 22.04 Node: 18.15.0 npm: 9.6.4 yarn: 1.22.19 Mongo: 6.0.5	Ubuntu: 24.04 Node: 22.16.0 npm: 11.4.1 yarn: 1.22.22 Mongo: 8.0.10
MERN Ubuntu: 22.04 Node: 18.15.0 npm: 9.6.4 yarn: 1.22.19 Mongo: 6.0.5	Ubuntu: 24.04 Node: 22.16.0 npm: 11.4.1 yarn: 1.22.22 Mongo: 8.0.10
Android (Kotlin) Kotlin: 2.0.21 Java: 17.0 Gradle: 8.1 Android SDK CLI: 9.0	Kotlin: 2.1.20 Java: 21.0.6 Gradle: 8.14 Android SDK CLI: 19.0
C++	GCC: 12

<p>Clang: 15</p> <p>CMake: 3.26.3</p> <p>JsonCpp: 1.9.5-3</p> <p>Boost: 1.82.0</p></td> <td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>GCC: 14</p> <p>Clang: 18</p> <p>CMake: 3.28.3</p> <p>JsonCpp: 1.9.5-6</p> <p>Boost: 1.88.0</p></td> </tr> <tr> <td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>Android (Java)</p></td> <td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>Java: 17.0</p> <p>Gradle: 8.1</p> <p>Android SDK CLI: 9.0</p></td> <td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>Java: 21.0.6</p> <p>Gradle: 8.14</p> <p>Android SDK CLI: 19.0</p></td> </tr> <tr> <td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>JAM</p></td> <td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>Ubuntu: 22.04</p> <p>Java: 17.0</p> <p>Gradle: 8.1</p> <p>Maven: 3.9.1</p> <p>Apache Tomcat: 10.1.8</p> <p>Node: 18.15.0</p> <p>npm: 9.6.4</p> <p>yarn: 1.22.19</p> <p>Mongo: 6.0.5</p></td> <td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>Ubuntu: 24.04</p> <p>Java: 21.0</p> <p>Gradle: 8.14</p> <p>Maven: 3.9.9</p> <p>Apache Tomcat: 11.0.6</p> <p>Node: 22.16.0</p> <p>npm: 11.4.1</p> <p>yarn: 1.22.22</p> <p>Mongo: 8.0.10</p></td> </tr> <tr> <td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>DAM</p></td> <td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>Ubuntu: 22.04</p> <p>Python: 3.11</p> <p>pip3: 23.1.2</p> <p>Node: 18.15.0</p> <p>npm: 9.6.4</p> <p>yarn: 1.22.19</p> <p>Mongo: 6.0.5</p></td> <td data-cs="1" data-rs="1" style="vertical-align: bottom; padding: 2pt 2pt 2pt 2pt; overflow: hidden; overflow-wrap: break-word"><p>Ubuntu: 24.04</p> <p>Python: 3.12</p> <p>pip3: 25.1.1</p> <p>Node: 22.16.0</p> <p>npm: 11.4.1</p> <p>yarn: 1.22.22</p> <p>Mongo: 8.0.10</p></td> </tr> <tr>

Flutter	Flutter SDK: 3.3.10	Node: 18.13.0	Dart: 2.18.6	DevTools: 2.15.0
Flutter	Flutter SDK: 3.32.0	Node: 22.14.0	Dart: 3.8.0	DevTools: 2.45.1
React Native	Node: 18.20.0	npm: 10.5.0	yarn: 1.22.19	
	Node: 22.16.0	npm: 11.4.1	yarn: 1.22.22	
Custom				
Ubuntu 22.04				
Ubuntu 24.04				

Interview

Improvements to Whiteboard Experience

We've introduced a series of whiteboard improvements to make editing, working with shapes, and copy-pasting faster and more intuitive.

- **Intuitive Text Editing:** Resize and wrap textboxes, even after pasting, so you can focus on content, not formatting. You can now double-click a shape to add text directly inside, without needing a separate text box.
- **Easier Shape Adjustments:** Anchors now appear on hover for custom shapes, making it simpler to position and align elements.
- **Consistent Styling Across Shapes:** Shapes added from the right panel now retain your selected color and stroke settings automatically.
- **Sticky Scroll:** When switching tabs, your view stays precisely where you left it.
- **Improved Copy-Paste:** Images copied from Google Docs now paste cleanly onto the whiteboard no extra steps required.

Improvements to Whiteboard experience.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F62580e00-4b89-4400-a5c9-a57e285bb8a1-1753201000420-ImprovementsToWhiteboardExperience.gif-65dd81db-677d-4bba-95e1-1506abea4d6e?Expires=253370764800&Signature=VZn5EKPTHqskwhCafqXuyHwzziw8yg6XeOH3VnVJtpXNGOenY0imecgXEvVnvVaq~13W5-gQYXI2M34Qt0argeAPm~z~isx~eATQ3NYJ8Zcd~SsYBMGr~ZmcpC1EVvcsnp6sb5Uvdi6pCwdnaxTY7E82pAB-TrnkY~YirL94NIPRDvo1-6bSmUfl~L12K4yc-WYxjY5qNyDeo0dgvCmJWWwNMw2ejNyhDyzfocDBJFDBmlg4MP4hNRIuZk2q8yjVKLkCMbXHkhHoNIJvcxv1lcx99DiKznd21GNyws9ohqKvHFPqpDVR~varen6YxyTAwupZcabnhbGvxs4ztOvBZA__&Key-Pair-Id=K3NV4LZ47N8M46)

Interview Scorecard PDFs for Workday and Greenhouse

Hiring teams can now view secure, authenticated PDF versions of HackerRank scorecards directly within candidate profiles in Greenhouse and Workday. This makes it easier for teams, especially those who don't log into HackerRank, to review feedback without delays or workarounds. With evaluations available right where you work, hiring decisions become faster, clearer, and more

collaborative.

![Interview scorecard PDFs for Workday and Greenhouse.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F45369751-2338-4f8a-9cf8-3d0c5567d550-1753201053589-InterviewscorecardPDFsforWorkdayandGreenhouse.gif-8b4f8f25-c388-432c-a020-d4f34be2ee78?Expires=253370764800&Signature=b4L1s6U--ArRe6P1yz3lrRYqkK3xxQ6OZDwoG5hfGM~ujJMLHJWbXLYCv2sjZn6GJrXOVNAYkdrdifPBOGDtc3HV-IMfPQuaeFZVTCfv1wa6vM83Djfr4hQcpMYhlQpasMXhpPMD6~LCBRKprv9XtJ6P5Ia--LgArjYo4V85yVqrTQlm8ndlgn9mYKZV-xbJsV6Ym-9ymUelm-BZwdDGC1t7UUs3822opXNN2TR74ZwhrMjG0U8rTX0A19OwGpouYqorxVHCBAnYCZTqwztieX26MZ7lvPagzKrOuVWfRvzop8JXZnGiSBiOL3YGSu6CX-ZUZLMf7ZkMGqJi6R0Uw__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [View Interview Scorecard on Greenhouse](https://support.hackerrank.com/articles/8806262569-greenhouse---hackerrank-integration-interviews-user-guide#view-the-interview-scorecard-on-greenhouse-8).

Status Indicator in the Report Page

The thumbs-up/down status indicators on the interview page are now removed. This ensures that ?Qualified? or ?Failed? labels do not appear on the timeline, creating a more neutral, consistent experience for both candidates and interviewers.

![hidee.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753214307884-hidee.png?Expires=253370764800&Signature=ijsWThBn~vHjA1jJ6OFb6jv1Ha9J-yacbJyECdSZj3bXQuhB02663Xs1IbWBHsJo0UJ2SoFCwZ9jp3G5eaiKgZyZSgc2Oha7lpaXP1cL0HHclImz3TaXbyjLLMLkEjA7NeS~lvcitAn5BS9AnLef-A3fqLTpXhTaCy~lgCoAVE7~mhtx6Eov~A9g1kjJSsa2L4ZiwnO0Av5nT1m-wOoJGvp3eipqwtjNmtby3X58efHK~UZRqcvxBfopRUbL7AagTGFDIm5-X4-Ctp4vlzNhSgegyaz-1ufPIYLNvmLo318RhSWCG7f7qbPeHD49SRBJzqP274yU78-Cx4waQETVzA__&Key-Pair-Id=K3NV4LZ47N8M46)

Improvements to Performance

Interviews now load significantly faster, improving the experience for both candidates and interviewers. Coding questions open 37% faster, and Whiteboard questions load 26% quicker. By reducing redirects, eliminating unnecessary loading checks, and parallelizing API calls, we've cut down wait times across the board, helping candidates get started quicker and interviewers stay on schedule.

**Improvements to Integrity Signals **

Interview integrity is now more contextual and focused. Instead of flagging isolated actions like tab switches or pastes, the system looks for patterns of behavior, grouping signals and classifying them as silent, grouped, or critical. You'll only be alerted when multiple actions suggest a genuine concern, reducing unnecessary noise.

A new real-time status widget gives you live visibility into candidate focus, screen sharing, and monitoring setup. This helps you interpret behavior in the proper context and respond appropriately.

![Interview Integrity Signal (Updated).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753262602292-InterviewIntegritySignal%2528Updated%2529.gif?Expires=253370764800&Signature=dCIYhHKm6sVVAtbCvQtL4melLAHLXc5Yd72pSkmXvs20ug7SchKEg6-Wrrb0BnSd9pzV7sWixGMjQ1EFCyIsiM4KBxoU6IbAbooXdvQ5KtVOiyiUIuD08xrp0xT9i57zMO0sUsv8Po61NKNR8LvDQRIYOHrUpNtG~zfnlDGfECE4rJdvvh0HffWp15UPEnQj~NcRzN7yZvbr5AB-qmMbF0taNx9GrC20krxp4at8HduNiilWoMyA6awALEozjLXgOPQOYaj2ApstBra7J5MQjZ4krPK2S2VyMgxXGj67o-GcBrvybxuTXD4KEKR5BYQxVWXIjydalpzCandDFX2Bw__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Interview Integrity Signals](/articles/5161582600).

Interview Features Available in the AI Add-on Package

The AI Add-on package includes advanced features that help you assess next-gen skills and maintain interview integrity in an AI-native world. It's built to solve emerging challenges with the right level of depth and control. For more details, contact your account manager or email support@hackerrank.com.

Screen to Interview Identity Match

Ensure that the candidate who took the screening test is the same person attending the interview - without adding friction to the process.

Candidate images are automatically captured during both stages and matched using facial recognition. If the similarity score falls below a predefined threshold, a real-time alert is triggered, giving you a chance to act without disrupting the session.

![Screen to Interview Identity Mismatch.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F8633b376-d36c-42a8-af31-b6f3841fabd2-1753201066385-ScreentIdentityMismatch.gif-2b4d77f2-8dc0-41ac-84f6-628ec94d587b?Expires=253370764800&Signature=BKCr6x3gNjskV~8lHr6BNQtL1PkxHUSgSYPLiCxcirz5SVoHAGEKvIEBCWAtF2eh2KXLgKohfEvV~nChvQg4mqSDysncs2DBvifegd~5-Ks3K

m4eBI4FKYVR5HvIEkZ0cNVEtoJ7YETMGOWi34Go4sfRFbpkuEGxJTgKPfzZ9JkZE1dkIWBh9MKEaYcSRgbroTcdZS4xDJdqTdR6WQn1B4-GlwWTgiLBr9UPYAEvtOQT0-fCd2xm9fza0gFCsOywyox~2d-z8U2hMkCwtT3pQLGI2N7pnehFO1-utd1Inh4VomO615uhdEvW10qXqm75CTKWLCovGF8YtwhwjYOVg__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Screen-to-Interview Identity Match](/articles/8605077096).

Interview Transcription

Real-time transcription now provides a lightweight, searchable record of each conversation, so hiring teams can focus on meaningful evaluation instead of manually taking notes. Powered by Zoom's SDK, transcripts capture all audio interactions and are easily accessible via email, reports, or API. You also have complete control over transcription settings to match your workflow and privacy preferences, making it simple to revisit and review what matters most.

![Interview

Transcription.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753200926354-InterviewTranscription.gif?Expires=253370764800&Signature=BA6kTqhA7U1DKg-IDQ3PEy1U2DaRNfhO3cVyimfgboUdxlqOqnUZRMFWZj6ltTFZyHhp1QNciWWqVLeBccI4hS1tzXwsLQhUgvdFNH-IGwdkfx5FI2Kb68tSxuyxaulJTty4Fb2Ale5MREoZD2dFpnF67Gm8JniDoGC1z4rHnvYNtkS3bol4bj-h8bv9Cq8s8NYvegjaxhPzSU0zGDYFhYVbMHZwH7pDbZoWeDWC2xepdLJKbb8gGB~712FVRvzXNQUBP408hYF4WT5FS4-U-X~SyUtBxMqAek2NE9M2VFdGFyqyK78gSdOb2QCcN-hRga8iyI4B1h9M8wKxKsn6gw__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Scorecard Assist](/articles/5847159594).

Scorecard Assist for Coding Questions

A new auto-generated scorecard simplifies post-interview evaluation for hiring teams. Once an interviewer selects ?Leave Interview? or ?End Interview,? the platform automatically generates a pre-filled scorecard using data from the session, including the transcript, code submissions, timestamps, test case results, and the assigned rubric, resulting in faster, more structured evaluations that help teams make decisions.

****Pre-requisite:**** Interview transcription needs to be enabled before enabling Scorecard Assist.

![Scorecard assist for Coding questions.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753200965625-ScorecardassistforCodingquestions.gif?Expires=253370764800&Signature=F7cZaHt8PL1zzDxuAWOA02food9NYVALraa2swy766zeyTbcvfMHUUh3PzDmcBGfYf9RTm7Egx6TgubGAorHTOfwClZEaY~3w~NyMsUmQ72J1OZ7aZblYo9gra-JQELe7IVvj5gPelrFvUPJbXG2H3m0zz~XR8-UKw5YcfPkbAtL66FycMCCZIFJPJ~W0zhUXuvrfFKwHLPuZAWGJ5Gj2UQsJ--kzMTvA8nBK1OrHLQEfalKYTSfgQwV8obbKnBeAhql9dMBtBeou1QE4R2wyHZQMilGvy-oTSYn-vx35jWQ0umSYpMS4laju5deuFEuOtSYEjp4QhBHVZIHdykG77A__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Scorecard Assist](/articles/5847159594).

AI-Assisted Interviews

In interviews, you can turn on unguarded mode, where the AI Assistant offers more open-ended help, especially useful during pair programming rounds. Whether candidates are reviewing code, fixing a bug, or navigating a new file, the interview experience now feels more natural and closer to everyday software development.

****Key Capabilities:****

- ****Chat:**** AI can explain code, clarify questions, and write code.
- ****AI Autocomplete:**** Candidates receive inline and multi-line code completions to accelerate development.
- ****Agent Mode:**** Autonomously navigates your codebase, edits multiple files, runs commands, and fixes errors to complete tasks, functioning as an AI pair-programmer.

AI Assistant supports Frontend, Backend, Mobile, Full-Stack, and Code Repo question types.

![AI-assisted

Interviews.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753201020680-AI-assistedInterviews.gif?Expires=253370764800&Signature=cas2v1wk4fHdPGh~JI4~kSAf5tZOJA2F0Pj03K9wCvPmS2itR6vX3gCmJYfDsUMA~YLkhQrQy-Z7yr-VrkNXxw588WKFLKeqmqXaJnkOCRQV5K7o4OnYdb2iaZ9uF-xt8UsYAnaFhsocvgzszdqjt1uF~LoaBi-tTCqYLC7yXle4q-dSMx-92rtFvHDKGNPbjzFTOMLbMbgtTQ2DThD9oceX-bZrOqILSVCzk6AwbuphIn-P~Dts9xH78UQudyLTS~KRvApWqHTUaak8tMVxqAoivzs8VI5RygRJ6Rzcal9i95hzzW7EqmZN5oDSf6mBbUR7k~3974nF~bn3ligW9zQ__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? AI-Assisted Interviews](/articles/5821380141).

SkillUp

New Learn Tracks for GenAI Skills

AI is changing how software gets built, and your teams are looking to become Next-gen developers. With SkillUp, developers learn to think and build with AI: when to use it, how to guide it, and how to stay unblocked while maintaining quality. New AI-tutor-led tracks on Prompt Engineering, RAG, and Agent Building help your teams master these new skills.

For more information, see [Roles and Skills in SkillUp](https://support.hackerrank.com/articles/1506621765-roles-and-skills-in-skillup).

RAG

You can now learn to build Retrieval-Augmented Generation (RAG) pipelines with hands-on support from an AI tutor - one focused concept at a time.

- **RAG Fundamentals:** Understand how retrieval, vector indexing, and generation work together in modern AI pipelines. Learn to troubleshoot each part with real-world examples.

- **Use Real Developer Tools:** Work in a modern dev environment with terminal access, test harnesses, temporary dataset storage, and AI guidance at every step.

- **Build as You Go:** Each module combines concept walkthroughs (with diagrams and Q&A) followed by hands-on coding tasks where you complete or debug parts of a working RAG pipeline.

![[RAG.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753200465129-RAG.gif?Expires=253370764800&Signature=SweQVKavol1gB3v6vW4fsuCTg0MuldyzIRIRJqf83zZNR76gGkLiwcUX3yd1~q-HrrJfpzgiSnrYUnJVGy6VdwoP0xM7PwA6B3nYXVPSYqIY5AtFw6HM8gJ5o1ubKEEbGonNTzVpa~PjPeLRzTo-4nDs9zu7qjs241vQG5sUx7bQpzVkCEKYBxtD5zX-rOfNs9xQ6xe5-216bMrQUBjiasqbWaWk3eYqcURsERbLpW95s-INjixcYtl6b00CI-TlwM~Gygz035faxBFkA3BySONQPWTBUT5XaMyBmk~8n gICvdRaNgZThaLP8QZIE1zMdwq6Q0LiY8E3BIBnRa8g__&Key-Pair-Id=K3NV4LZ47N8M46)]

Prompt Engineering

Master the skill of writing clear, effective prompts that generate better AI outputs, with hands-on guidance from an AI tutor.

- **Prompting Fundamentals:** Understand what makes a good prompt and why it matters. Explore examples with your AI tutor, ask questions, and experiment in a guided sandbox before tackling real tasks.

- **Use Real Developer Tools:** Write and test prompts in an LLM-integrated editor with built-in evaluation and prompt logging. The AI tutor offers step-by-step support to help you improve as you go.

- **Build as You Go:** Each module includes challenges that focus on code-based and non-code-based prompting, complete with test cases to evaluate your outputs.

![[prompt_engineering.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753200470636-prompt_engineering.gif?Expires=253370764800&Signature=HRhVA5Ez8SNXcL~9Czu3XYHaKkH2sbYG~y8z0TDB7Ww7lgSxw1F25CcGBTPwZhrRklNz2C35gTfNsqhXmEdFNyziSeUh9rGNnIOctI3BI1BR56umZoLJYLJ4ZkJJJaVMPKo~WxtxmAwbhQGUUwL8gu64plCr-o7cNDowMxmt5kcxp5Y7kinqrb2amG270DQqh3cFq76ELzasXKJklpIFd9KjC2R1NXdZpi1d~aEtrhb6KOrcjOJgg8vEbTAVQzLrsILPqa2IN1tUJsaXWW9eqHZd3sR3VuG6EVkuFvrj3LcTi-w0MJ1JLN1w~FrG67Sc2jnUHYOxfjFY8JFPsDCpg__&Key-Pair-Id=K3NV4LZ47N8M46)]

Agent Building

Get started with AI agents by building foundational skills that reflect how modern developers integrate LLMs into real workflows.

- **Agent Fundamentals:** Understand how stateless agents work using the ReAct pattern, combining reasoning with tool use. Learn how LLMs invoke tools and APIs to perform simple, well-scoped tasks.

- **Build Practical Agents:** Work on real-world challenges like creating a commit message generator or a lightweight Python agent from scratch, without relying on libraries or frameworks.

- **Guided Learning:** An AI tutor helps explain key concepts like the thought-action-observation loop, narrow tool use, and the basics of LLM integration, giving you a strong foundation for more advanced agentic systems

![[AgentBuilding.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753200478836-AgentBuilding.gif?Expires=253370764800&Signature=dNA39Pz-YzfiWfwfPOX~jYhb~3HPAEqkv8K2DmsbKqHmOvxdPLKFPI8WQeyA1UJ6YKgGIFHKibSC8edYv3nPqC8PPvQ9p~rnazkPQOGxM4PO~PtbywNk4oE0T4hPqgJOqSiZ~40vRHMwvGuPvnjVz4KoS5rIV2TY36KFNVMYrVdnyNzAJOnk~jV9CSaEfQ~3QIOOorL4~GfnWcq3ssBKZdk3Yvcz9MfxBvCKF9O1DOcgB9wSMwfU7Mmn2nU0F2sm77GKvjHws7~ZW8dm e9GkPXPnd6QdWyZpdzHqSSj8wZ-lowLdBWKDtnPBgyPimIPzWwun50m8KIWJEmCKzzXw__&Key-Pair-Id=K3NV4LZ47N8M46)]

Custom Certifications

You can now convert a custom test built in HackerRank Screen into a certification in SkillUp. These certifications work just like our standard ones, with progress tracking and clear custom labels to distinguish them. Admins can build and manage assessments in HackerRank, while developers earn certifications through SkillUp's guided experience. This gives you the flexibility to test the skills that matter most to your organization, while benefiting from SkillUp's integrated learning paths, practice tracks, and reporting tools.

!Custom Certification.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753200485962-CustomCertification.gif?Expires=253370764800&Signature=cRrm9ulTrO0tcAqG7CbqNsAT3JVYD24nZgLM2KRK-W-UURmshfTrPfJgBg82tEwzdbq0PHop-3Dpd0uAJV6MylubQNx8mjKMnWeB38rz~AlGqnk6tBtw- RaZzzhYkE2u0OLjfm6DqTRVroLXjXn4r9Ne5uWAvr9pVvzh11XYvuiH2nUA7ajQlcZ~YvXoEyuHLnYLlaXpx6mEAB3h8KbvPM62BRiCytLRwh~UCs0deBpGbi5ZoEjrQoKsNuTDPCWkoI7WxqU5wz~fe6lGRwNF IJBBLcEwvU1NTToHBv45Xkkn-JqQJG0SriuEiJ-cZ6WGzA0v0SwzyWAQ9VoTonTg__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Custom Certifications](/articles/3726813028).

**In-line Integration for Terminal and Jupyter Notebook **

You can now execute terminal commands and Jupyter notebooks directly within SkillUp's Learn and Practice tracks, making it easier to complete DevOps and Data Science tasks without switching contexts and being redirected to an HRW test. Everything runs in one seamless, integrated workflow.

!Terminal.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753200612869-Terminal.gif?Expires=253370764800&Signature=nvd6~q7P5Q2ujNlbWV7YQh6qjw7-Ra3847BTkAt3~30nS30HdAw1LCTCPkCnq2mqP~T7fNICIC~kX1I2U6CA Cwy28RWAPloI~TkW-aiWdsKJGmWawhO7qbMZySDcQRfXsPwaxwmmkrroV8MrNoFvloI7R8-eAqvZ543B5TtqcsFzR9kPouQUEUqn nc9QKKqdn7N0ISiYqEiNRjkt7nCZOtGTisYwh2Z3s538BADy3KcqR72jxTC1huy6zTVbFHcYgFPnUTEiYkNKWY4Jomabt5UIqgjmLhf cKtDeUTE7RyKBIXO1x0DrV~OqqKqAL2IU8l8qgx3f0uZhEKl8jZ7LQ__&Key-Pair-Id=K3NV4LZ47N8M46)!Jupyter.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753200716674-Jupyter.gif?Expires=253370764800&Signature=GHHMt keYJ5zf-Xgfz4swUFSuWv2HXNjooBybHvylhVXTwNkiYO8iPfeBwMpmMG-fFrUQ4OTaB79BmrTEiBj5MJGqRn89F1nDrKpWqMpQeF hFar~h9WjMHRAYBjcnhBJWNwTmKXGu4-8h7XYw2pFHPW7rNNNuP1wnHHVubBjCmLy6BNLVknfxuB5r0RO4MeczTQ9S7NKpmpUZ9njmh7qJ4Bdg4itBlmJCbSE3fkm468tESIs0KQ9ooT8UUVcPx5kJwTnvdFnErA5EV7Aamp~frnS~HmczFxBjtbAI7UJZhlfN51almRcz izpbGPT8udMdgldCJTmUn1WpfHk0uJBxw__&Key-Pair-Id=K3NV4LZ47N8M46)

Engage

Generate Banner Images using AI

You can now generate a professional banner image for your event in seconds using AI. Enter a description of your desired image using the starter prompts provided for guidance. The system will create a custom banner featuring your event name. Regenerate the banner image up to five times to view alternative variations and select the version that best aligns with your event's visual identity.

!GenerateBannerImagesUsingAI.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753200233128-GenerateBannerImagesUsingAI.gif?Expires=253370764800&Signature=p8jCEh~MtGkyOLNdjtcqNZWwPyiGOUL21WOHVHcDsYxv~Xbt Bn~4YTWQEAqhwcRHSsTLxkkJD8OHTpUkvzgw8sB-fm4e~GMSI79we5OP5POflzsUyvYVVTluOjRA22PQAfpDyR4w2ZSB8wZCstuvf QL1zStGHKIkO9l0brFQouVLz~lloDPpZPcC3b9w4FB0WHMnBM6Knx2eh84Nrfaqu0~Mzb4LPaY9XfLCXZrVmhxWdICWSHDnkw7A RcmxYdsKFZH4OaoNArMsFaa1VDSyffRYXi1q43PwSWHmnMLg7r~bEDAJBoV50KpOmu3SAwAPmLjvL9Oc8nEIJR3xcgpw__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [Update content layout](https://support.hackerrank.com/articles/3958121708-setting-up-the-event-microsite#steps-2-update-content-layout-7).

Auto-Publish Ads on HackerRank Community

Your events deserve the right audience. With this update, you can promote them directly to millions of developers on the HackerRank Community, all from within Engage. Simply add your event details under the ?Promotions? tab and publish when ready. Your ad goes live instantly, helping you drive registrations without delays.

!Auto-publish ads on HackerRank Community.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753200245670-Auto-publishadsonHackerRankCommunity.gif?Expires=253370764800&Signature=gZjjk50mC7ZZnSzBoll4YP-wc450zappaj51FReZDBqy0JVyTYJmsP~7uo Ba3v2odW0mnUtgH~QQHTYjBtKTUn11bhjcaKdCt9DRP3rLUWEWCp0~G--AjPD8qRYRrwwwQXTCXCjM~3Fge~TQ2vlibVbAzdhN7 uXltYomKKGK20hyABI-ooKXX6yx~Wemfc~RoZN7~4GbrA65n248ofsG8C5sLIKMc4btaR6lRsfeYHmSd7U8Oiv2IZOzRnGSqRfa~HSyx 44bnQo3hiOV2cWEHum70laPeu3vai5eZgtBh0YVK~xS~H97-OJ~zd0sMIWldEutUURUCpdmleNtnr-sw__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [Set up your promotion](https://support.hackerrank.com/articles/7392770596-getting-candidates-for-your-event#set-up-your-promotion-23).

Registration Insights on Home Page

Tracking the ROI of your marketing channels is now simpler. The new ?Views vs. Registrations? graph on your event?s Overview page shows exactly how each channel contributes to your registrations. Use these insights to optimize your marketing strategy and focus your efforts where they drive the most impact.

![[Provide registration_insights_on_homepage (1).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753200258438-Provideregistration_insights_on_h omepage%25281%2529.gif?Expires=253370764800&Signature=E9BnzEftO8Vfr7pQP-9BomA0pNbBF4Q1OyF-l89lIlgzj5RI9nTvkDT7 nxvQWM98zQnZC41l8xkTRDiU-36V~wJ7Qmd0EN1fe0AQIhsyhlm6rP6eskGz7CE38zkCiltQNmfvmwEneMRngoJ04AnGlQD5oY773D m2Dq0qFNdublulW21HFEcirBOD61uTpGIDzaNTYzql8WynpDwOJfuLkbwO0ibz16ZoWmluqacOZJTQA8Ee2kWuU9XThUpWaW5Rv 4M3mWZZ4XI-vH5MYIu5wXwvy2mNCw5EbRz63ltseLt7LeRiXRvB0MfpX7EzQpUeUxDtS~kYYTmPr3G0fJtLBUQ__&Key-Pair-Id=K3 NV4LZ47N8M46)

For more information, see [View marketing insights](https://support.hackerrank.com/articles/5336874519-view-event-stats#view-marketing-insights-7).

Enhancements to Email Sequence Experience

No more jumping between tabs to track your event emails. All candidate communications?registration confirmations, invitations, reminders, and engagement emails?are now organized under the new ?Email Sequence? tab in the ?Outreach? menu. Review and edit every message easily from a single, streamlined view.

![[EnhancementToEmailSequenceExperience1.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F175320 0279085-EnhancementToEmailSequenceExperience1.gif?Expires=253370764800&Signature=d-ZuHk9ykwOZqAlnGVO3a3LcdPvQf GLHD4DlutcPmV89Q7f9B6KWMQeBuwAMgeVleGlf-xGQcl6XBSfPUJy0W2u~73hCubMn8h6Fvk13SHgGCmt16waya~ynllhMdu1i8L YQ7wILRIRu62XaTFNT7-2Wr8NyfaXnX2yWaCWBjC5S5wLfCn-6ldTeRchxq2r3gA4ppl5w4nB1hwcNlVluf76ycC79hMPJSXf~~CGS5d nKi5UK0r6EbPfDkA8fP8U0SdqNh0YJHwj2k5fExHds-gnNZjGDddqTOPG7jSVJP8~V1WqJ7O1H4yPMkLkQf5OW6f3N-00kBjOmk08p RQjTy1w__&Key-Pair-Id=K3NV4LZ47N8M46)![[EnhancementToEmailSequenceExperience2.gif](https://assets.usepylon.com/e6a58e 21-be80-4777-9eaf-f73beeee94d9%2F1753200283894-EnhancementToEmailSequenceExperience2.gif?Expires=253370764800&Si gnature=K0bSHoASCOLopahhvHChi8zq54eCs3mJzzlGal81FD7PplmCTQfzEcwc15LCq~ZjaVNNN6FY6Oesm5PhRWN~ljec69Mzno h7-xcZxBIXVI8xi1CB~HUHjPmlKI4Fgj4fbXms-dQf3GPwdiea~eNo1Y4bnHY5jmwuosAtt~LK5wBNy87Sjuo6zWFxxRAR43VdzRMWij1 soofnflTdQ~sYN~6grvHym9QAY-U6TDoma1JfhQEz63qcRmm76-sO9fQonCbV5RBfcFOBOJ1V40nAfUCAB0Xpor9hiuZsad0SCv6i9 O7lw0B5YA6ct9RO~OAZyvc87Pva6lXKltwTsVpGQ__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [Set up email sequences](https://support.hackerrank.com/articles/9707768362-set-up-the-promotional-emails-or-campaigns#set-up-email-sequence s-1).

Thank you for supporting our mission to change the world to value skills over pedigree. Your feedback continues to drive our innovations forward. If you have questions or need assistance, email support@hackerrank.com or contact your account manager.

[general-help/release-notes] April 2026 Release Notes Screen Interview Platform Chakra (AI Interviewer) SkillUp Community Deprecations and Experience Changes

title: "April 2026 Release Notes Screen Interview Platform Chakra (AI Interviewer) SkillUp Community Deprecations and Experience Changes"
title_slug: "april-2026-release-notes-screen-interview-platform-chakra-ai-interviewer-skillup-community-deprecations-and-experience-changes"
source_url: "https://support.hackerrank.com/articles/4368819843-april-2026-release-notes"
article_slug: "4368819843-april-2026-release-notes"
last_updated_exact: "Apr 23, 2026, 1:43 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
- "General Help"
- "Release Notes"

April 2026 Release Notes Screen Interview Platform Chakra (AI Interviewer) SkillUp Community Deprecations and Experience Changes

Last updated: Apr 23, 2026, 1:43 AM (Last updated 4 days ago)

HackerRank’s April release advances how you hire for the agentic world, focusing on how developers think, collaborate with AI, and iterate toward better solutions. With expanded support for AI-assisted workflows across coding, data science, and code repository questions, you can better assess how candidates utilize AI tools in environments that closely reflect real-world development.

As campus hiring scales up, this release strengthens assessment integrity so you can hire with confidence. We are introducing new detection capabilities, including object detection for external devices and analyzing code to identify suspicious communication and flag potential external assistance. Combined with standardized integrity reports and improved session replay, these updates help teams identify top talent while maintaining a fair and transparent evaluation process.

To accelerate screening, Chakra, our AI interviewer, continues to evolve with improved reporting and new ATS integrations. Faster, more structured interview analysis and quantitative scoring help teams compare candidates and identify top talent with richer insight into both technical ability and AI fluency.

The release goes live on April 22nd. [Join our webinar](https://pages.hackerrank.com/april-2026-update) to see what’s new and how it can take your hiring to the next level.

Screen

AI Assistant for Data Science Questions (AI Add-On)

AI Assistant is now available for data science questions in VS Code. Candidates can use it to analyze notebooks, understand code, and troubleshoot issues more effectively.

The AI assistant supports:

- Chat mode to explore notebook context, ask questions, and understand code and outputs
- Agent mode to make direct updates, such as adding cells, fixing errors, rewriting functions, or building workflows
- On-demand execution of selected notebook cells

![[AI Assistant for Data Science Questions (AI add-on).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776161637815-AIAssistantforDataScienceQuestions%2528AIadd-on%2529.gif?Expires=253370764800&Signature=o4Ba5B~WDa7EBgse1CfBf30YXQfh3xufYY0avdCqivX9oJHViJxQffT~QRpmb6Ful3nHqtFKzFDr6ZzL3GO0hHe0SLI0h4UtdO4yk~SyTsdiiHsoMZrrXQ4BALwlgLqLp19FJ7niytA~c1V1WOdPQx1snz4ifL2PbqkXvhvC0D1~YmEx4DizuHFP37QJUATB8qVrt60fKvAkUCamUjbwd~6qhodbB~Tdd6n-yKCH~aegjGkNzusbViy~T3o9-IFQEIP1aB~3Ow4-xio~~qZ~p~Adv7MHwHSNCnEB8MU3FsEc4w9W7Puk7L44mpMC8how4GHdIEGLqwJLdaYfC4V5g__&Key-Pair-Id=K3NV4LZ47N8M46)]

For more information, see [? AI-Assisted Tests](/articles/1152916770)and [AI Assistant in Tests](https://candidatesupport.hackerrank.com/articles/7634558376-ai-assistant-in-tests).

Unguarded AI Assistant (AI Add-On)

You can now enable an **Unguarded AI Assistant** across coding, front-end, back-end, full-stack, data science, and code repository questions in tests.

The existing guarded AI assistant provides support for syntax, platform navigation, and conceptual guidance without generating complete solutions. The unguarded AI Assistant removes these restrictions and allows candidates to interact freely with the AI, similar to real-world AI coding tools. This helps you evaluate how candidates use AI in real-world development scenarios.

![[Unguarded AI Assistant.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776161665898-UnguardedAIAssistant.gif?Expires=253370764800&Signature=PSit~dP8x2w5EmEhh5urHGkm~ebknuh398ZZD26eFPv2e-84YRzF8h1ipxrYLycwljCIAGcQjQOCTIG5NqzjlgQzIOVpV1wWGRpIO7Wg8kL1KIhH1FotNJOB83161IKVH4stwh-LAzkHORcMn87vflD~ECNNq9To~zOkcVGXbBuBUhQC3JnWzYS3uYB2XF4CJZUgrqLcnu7KaBAYcNYTIWURqgUPiiQ0rx-ZnHFAOeNNuMFi~VRkoSwCgN-2JWie9oBa7ZfRkPX9~B08clcx b0bApcQGu6do6n5XaZpg8woPFgcwC-2LaXvf0rRY6Nut~tOiHCKdW-m2B73l0JtAQ__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? AI-Assisted Tests](/articles/1152916770).

Code Repository Question Creation (AI Add-On)

You can now upload your code repositories and create bug-fix and feature-building questions using an AI-assisted workflow or manually.

The AI assistant helps you analyze your uploaded custom code repository to suggest relevant questions based on required skills and difficulty level. It also helps modify code, configure run commands, and generate test cases

You can review, edit, and publish these questions directly to your content library, and update repositories over time to expand and reuse them.

![[Code Repository Question Creation (AI Add-on).gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776161696801-CodeRepositoryQuestionCreation%2528AIAdd-on%2529.gif?Expires=253370764800&Signature=TAvRWx2CzHulv~zgUs2nxw8Yr7yJEVttmOO0sBdb6w7Jjdz8i dY4LCkx~Rww05fuzF5w7W6tE6VmgWxoQGma83wYDLBMupUgxVNhtKDIHBCX5AKFVQEV3-oBJRUKzMb2yWtqvRNQoJBAvCZZ gjGGBb0SmoddFkSi95SZZ4dJa0Fj3A7H1d13LihBh3Byq6rJOB3yhgp-tJIH98k1Fd~TvMynZOocN8XR8EE0IKPDjxjAo6v0erRj-r9njwh Wu2jnrWzbdZ6CQ3J2U60FLNKiXvZWKHUS9AVhkvRGJMKquaaeXyCFToWjyZ39ohhmhw1qr1my0VBLaH5Qztf7qg__&Key-Pair-Id= K3NV4LZ47N8M46)

For more information, see [? Code Repository Questions](/articles/1900882930).

Numeric Answer Support for Sentence Completion Questions

Sentence completion questions now support numeric answer types in addition to string inputs. You can define the expected data type for each blank, and candidates are guided when a numeric value is required. This improves evaluation for questions that involve calculations or decimal inputs.

![[Numeric Answer Support for Sentence Completion Questions.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776161839153-NumericAnswerSupportfor SentenceCompletionQuestions.gif?Expires=253370764800&Signature=ADyZnvOKCS71hCD8sTp7JKDftQfIPBT~Q2cQ2SvEXDJBV fCOSa5LeomsrXVF7M0~s4En1OWupBTxvZiPtEMNITs1~QAUm1172wXmOQHniz069mYrr5wwyiEyXwd71zyueRtNZAmAbNBEJ2Jq CCZrx0B01Ji65FcWEXs0gKVoz57~L5IDlZ1bpbGnzHirnXPvIvZxZpVLyQ8J5KrvHIGvhFS~vBpKaHv4wde2bDfzEYpi25AwaenArIHAb OA2piTVRbCnEkTxlq7GGVTEWym7F38Vm3A4U4bolwmjyPlb~J~STMN6mKMhTIEisR3yw-5NKK2iaJ6WfE951V0cc-BA__&Key-Pai r-Id=K3NV4LZ47N8M46)

For more information, see [? Sentence Completion Questions](/articles/5866154232)and [Answer Sentence Completion Questions](https://candidatesupport.hackerrank.com/articles/8169508319-answering-sentence-completion-questions).

Test Disclaimer Formatting Support

Test disclaimers now support formatting such as bold, italic, underline, and links, and display with the same formatting during candidate onboarding.

![[Test disclaimer formatting support.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776161950150-Testdisclaimerformattingsupp ort.gif?Expires=253370764800&Signature=E4-MKzpO9UX3Sf03dQaWv9yrkTJ87FDVsufgo5h0KIDS4T7o3lpFJ7uFZtjNzMDL-BwWD9 kDZwrBuc-2MxBQW7JkP2nJijOyIANGjOWtEvtGsvc7VjR0T9C3-J04khGeB7A79zM6EAUkBrcoY74nJEhQBy4PQOXP-EZFqhPFxf3jt wicFy7ZMdE-ubuu6Kf6rG2klcMbqKn6QUfyPt4l4k8c5FT7B-0USE~X9QerM26SOblo6QbDSWQ-HzwKbdnEUjk9TbHWY-N06lulsd504 j91NIKgL3nZ0A66S1XVKYpsF7nTFY7BiRq04jCAYA-ztvEd~1owjyrPsDakRdNt3g__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Configure Onboarding Settings for Tests](/articles/5956879724).

Data Science Assessments in VS Code

Data science assessments now run in the VS Code IDE, replacing JupyterLab. This update brings data science assessments into the same standardized environment used for other HackerRank assessment types while preserving the notebook experience candidates are familiar with. It creates a more consistent assessment experience across question types.

![[Data Science Assessments in VS Code.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776161972564-DataScienceAssessmentsinVSCode.gif?Expires=253370764800&Signature=Fzty5nZWveETHEioRuL1UNQqanKEy2zrOQtY2EKt40KOP9mSvlf067Bi8~GTBo3n40zbPdT1OE10XhF2bXoJzTR1MM9LNh2yibfwDBVr~0dmdjcR0LnGnm4XsO7ShLF7erDEVt~UdjXtStxqiUkyxr9E110NT3a0D-DCtyM5F1FIQ2nCIVCe32aaumlqxdUDU-f14TlqFjlMuEs40P1NccCE0gkJUBqo6LVJP35PJ~OjF8OWDOXPbwW-dMi4AXdwEvcMfJgPy9hqXdRzT~whBusPAgbh9lLudGIR5hAC2CnnxND6RidV7-DJvC~zYQqU221DatScMuJ3~xE1Pnxkg__&Key-Pair-Id=K3NV4LZ47N8M46)]

For more information, see [? Data Science Questions](/articles/5187107609)and [Answer Data Science Questions](https://candidatesupport.hackerrank.com/articles/8119048607-answering-data-science-questions).

Custom Port Labels

You can now define custom port labels for full-stack code repository questions during question creation using `hackerrank.yml`. This allows ports such as 8000 and 3000 to be displayed as front-end and back-end, making the preview easier to understand.

![[Custom Port Labels for Full-Stack Code Repository Questions.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776161994574-CustomPortLabelsforFull-StackCodeRepositoryQuestions.gif?Expires=253370764800&Signature=QAI6Gj5lUSL49bgIV7jRtungPdNyHRK0thQf66yEVqo5XmUGYzA1fF16wpZl1E7plhTcFy0uPJMI9OPxi95ObJyP~oEMXhrG5lupTDMHRTVhTQclDzpCXXQSAOIrc7zRth2S3EvgPfl6yqblfHal1wH opWYSyXOKT6OrdGteXmlyw-5FE5HoS9HPZ7eH8~01d3leEeXa7bNtBE6~WwvfKuSVJyGQgm2XTCXYMx3fLOD0WMCr3PH9bBn9~jta42ukLfru1Z8FXIEQPptPfsS1F6lSRkygDjOmijpUl6cz0NsD3W3xgLojxRARdIMX1CA2B0kNKu-lk4O3fEQ6tlwiYXg__&Key-Pair-Id=K3NV4LZ47N8M46)]

Faster Leakage Detection for Custom Questions

Leakage detection for custom questions now runs weekly. This helps you identify potential risks earlier and take action before they impact active assessments.

For more information, see [? Manage Leaked Questions](/articles/8820947031).

Faster Candidate Listing Page in Tests

The candidate listing page within a test now loads faster, so you can quickly navigate through large candidate lists for high-volume roles.

GPU Support for Compute-Intensive Questions

GPU-backed environments are available for compute-intensive use cases, such as machine learning and data science assessments. This enables smoother execution for resource-heavy workloads.

You can request access to GPU support by contacting support@hackerrank.com.

View Integrity Signals in Eightfold and SmartRecruiters

Assessment results in Eightfold and SmartRecruiters now include integrity signals, providing a quick view of candidate integrity directly in your ATS. These include an Integrity Status (None, Medium, or High) and an Integrity Summary highlighting suspicious activity, such as copy/paste behavior. The full integrity report is available in HackerRank for deeper analysis.

![[View Integrity Signals in Eightfold.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162029950-ViewIntegritySignalsinEightfold.gif?Expires=253370764800&Signature=npgxf9bf9TC7utjsNFOU4G5FrIBI0PVZu0plwxLJUOEe1ue1WUUblfUB65AE5Fm0hllgEvw4YYzD4TcJ~DYL-Tv~62JFiwE9RxabH~oYGvUnCP-9ku4SRsHcHvjENMMYzt70nupwugj-aCU7H07-FPkPi44iLLWRIQHCSgho8kxp3tYt3CpylpmZaQIYPzoRUAOCKPkqOM8WlWIYjQ0VF3b6Fvlr9JwF6hLFGQ92Tv7MLV-QsvpQcOGcWkpzvzBO5WQsJVUi6ogQj8h6RIWkF-yXK58EYg3Luk8LvT-UXHx~9f4g~AZvvUfM0B8O1HTelvamAlbehucLA1cbV-Tog__&Key-Pair-Id=K3NV4LZ47N8M46)]

Test Integrity

New Integrity Signals (AI Add-On)

New AI-powered integrity signals provide greater visibility into candidate behavior during assessments. These signals appear in the Integrity Summary and as timestamped events in Session Replay.

****Object Detection in Webcam Feed****

Object Detection in Proctor Mode identifies and flags mobile phones and tablets in the candidate's webcam feed during an assessment. Flagged images containing the suspicious objects are captured for your review

[Object Detection in Webcam Feed (AI Add-on).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162058833-ObjectDetectioninWebcamFeed%2528AIAdd-on%2529.gif?Expires=253370764800&Signature=EB91ryhRVQA38440Qi4AJNHWOjCAMzORv-ERXBoMCIaQOFPH5gu4eqBv-QYMG~SvEbZ8gudHG5cJfpqa~1X-Umo9cFbOI~FvYAD85dF1Visutnma6JcDLd-0xd5v7y7HNcHTQK0ATaFh7KX1pVjau2ZL5iCdhR~ty9AaQiCw9F11DGjGWAPwXyvwzD7kblfCAnrmlKr5ESVJ58uoRPqgTJY9AXRRUw-45YacevWLOXojOkGC86cTKcLOxMx38qAUGN11XqUUbtzYUy9o3XqwD6~OWaom8mvPH0ipBSXq3mWV5R41lw4mRY0U82mQ67le7a7WSfKRwUkAkyOMf0dCA__&Key-Pair-Id=K3NV4LZ47N8M46)

Conversation Detection in the Code Editor

Code is now analyzed during assessments to detect when candidates type and delete messages that may indicate communication with others. This helps identify and flag evidence of potential external assistance.

[Deleted Code Analysis (AI Add-on).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162089309-DeletedCodeAnalysis%2528AIAdd-on%2529.gif?Expires=253370764800&Signature=TY4TMstSyuVTFxXV8pik2fAwe7WrAboelPWtyL~3rzpyU48Lxhk0vWpPy-8tQp~PjhUeBpAPs3tmPECDu04P4oScfoauTh8pw4qqO6AmlbYyUzOpNxM1~Dpy-9p6OL6Nsvc97tyvMS1kUZDCK9aRyvduVrDG4Q3lmuy1ecE71X4flAs8HGbFrMx~ymMLcWqCrrDiiJSmaHTmkQbR9iWHpOJkfkpcG6xARGApXDJmTADuZhSaTO7FCJ9QVyhFMvY2Ma8wAILCDKxYu46DrmK6cPD7P1zvEKcWlVmEiA8g0zl7mjl1c1prBtuXjvMqSngP3sSplYOLxWJHB435SQ__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Proctor Mode](/articles/5663779659), [? Review Integrity Issues in Proctor Mode](/articles/9607697321), and [? HackerRank Desktop App Mode](/articles/5973590014).

Improved Session Replay

Session Replay now provides broader and more reliable coverage. It captures the full browser screen instead of a single tab, improving support for project-based questions and multi-tab workflows. It also improves compatibility with iframe-based environments, such as VS Code-style interfaces, and supports more question types.

With this update, content protection is temporarily unavailable for the HackerRank Desktop App, as screen recording requires screenshot permissions that were previously restricted.

[New Session Replay.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162207598-NewSessionReplay.gif?Expires=253370764800&Signature=pUyduK8R-02WaKRIdfUgyrK1CY4cwiClzUo8UNPbtRiiQvoHF28-ngA4-QaDwZtkuMPgwoouF2KswptXql~Gni9oyjNqf8gTi99O7b-nOnOoSffUq5oJlLcVD7RBZRHrTdX84ITVuxR2ssl~wBLQbZvCD7sHXCxM9ul7m2-6el43b-taQFsh3CVV5i5UMC68q1zmdB2AV8KBp6~qTWHEMihJt6kRFiyl4SKmRRC6nOnSXOu7cQEmDSWD~deCj9dfZg9fdFBiy24S-2N0VtoyByCbtKFzOiewMzxNzumx~pFruj9lpBotsAqJzzZ~UXu3-g14PWLSqMj7t4nl34qg__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Proctor Mode](/articles/5663779659) and [? HackerRank Desktop App Mode](/articles/5973590014).

Consistent Integrity Reports Across Modes

Secure Mode integrity reports now match Proctor Mode and Desktop App Mode, with a standardized Integrity Status and Integrity Summary across all assessment modes. Integrity signals include clearer explanations and supporting evidence, making it easier to understand why a candidate was flagged.

[Consistent Integrity Reports Across Assessment Modes.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162226040-ConsistentIntegrityReportsAcrossAssessmentModes.gif?Expires=253370764800&Signature=Z~eqUsKsEB1CygKpZtPidwsjoOpvQ4K6ARFd13ErczmXu1zPijYhN-BFZp5~IJE~kJN6Rjel9LSVI7Sa3oVPzZkArS7GCca6v3xyXIEaqhXyTcFhiOvlx-vG2oRX0kS8s4EssG5DEynxUussN-VqFIPk~QVgzjRi~ktyx~Cx3Af-IEHgvo~muBQ4em82mXJsii-US8DI6d~DKgvh3FJiXzN-Zy8lg0ggNBP-FIIYbgFNDT79xKI5C56YMVc4a5w378v4ebN4Qu1Yf8PANVF52FHzuRe-xk6chRd765l4AeSacYc2aZ9u22aszRiEkMWGevi0GT-Td7YFSZclSD-KoA__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Secure Mode](/articles/2545360734).

Webcam Experience Improvements

The webcam setup experience has been improved to make pre-test validation more reliable and transparent. During the pre-test check, the platform now verifies lighting conditions and confirms the presence of a face before allowing candidates to proceed. The webcam preview remains visible until the candidate confirms readiness, allowing them to adjust their setup before starting the test. This prevents issues such as closed camera shutters, camera misconfiguration, or missing face detection, reducing the risk of incorrect flags during proctoring.

Image Analysis Improvements

Image Analysis has been enhanced to improve detection accuracy across different testing environments, including campus and lab-based assessments. The platform now more reliably detects when a different person appears during a session and better distinguishes between actual violations and the background presence of multiple candidates. It also more consistently identifies when a candidate is not visible, with improved performance across varied lighting conditions.

Webcam Experience Improvements

HackerRank Desktop App improvements

****Screen Mirroring Detection in Desktop App****

The HackerRank Desktop App can now detect screen mirroring, extending its existing multiple-monitor detection feature to identify when a candidate's screen is duplicated on another display.

Before the test starts, the platform checks that candidates use a single, non-mirrored display. Candidates must pass this check to begin the test. During the test, if screen mirroring is detected, a message prompts candidates to disconnect it before they can continue.

![Screen Mirroring.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162253007-ScreenMirroring.gif?Expires=253370764800&Signature=ft5ygi-II4JB3wgLoX0U2sBQUO9u5qse7Jqo7YoxPbolc~3551VmykvPL2Eg9EPFX3gSgbGjsJuy0sXa2e~0yTwWTJAAowKQ4pkN6CA5hF4-prYyCJNLY~4WAhNOHhi34BMYNNI90AmaVyu9WbX6J5fbvlz6lUdDZa93im5297rrkQULJe8cSVp mDzxB-ZxUf0WATg9Pdd5G8EIQV~DsCmHv39cLa5HDFousjnyFoc1buSMo35tmE4EhfVirhYgLOWdw9awOpg-k6tP8sZXGDr~GIOFe SRHZ8~XflfPgh7RpWuqeGhR2N9Woj6oipwNVjxqFrkfqyAtQDaSLiYJA__&Key-Pair-Id=K3NV4LZ47N8M46)

****Manual Test Link Input in Desktop App****

Candidates can now manually enter a test link in the Desktop App if the app does not open automatically when they click the test link. Previously, candidates who could not open the app had no way to start the test manually and had to contact the support team. This update allows candidates to paste the test link directly into the Desktop App and start the test without raising a support request.

![Manual Test Link Input in Desktop App.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162267251-ManualTestLinkInputinDesktopApp.gif?Expires=253370764800&Signature=tGMXDadbVmQQ2F4NuLo0zBTOPsviuREQdTbHS4e3Np2e~mdnEC4flVIPCs-RJqIBKL~6Mc VL~MHfx8RKfVRATM4e0Omt~MBomCJVOq-CC8PbwWtTFhA2rKaxDJCcBYlw7bdx3bN7PSbSUv5j0ZeDDv3H6dMXgYwCqkfhaFne HYM04MvXljp7F36PXGPL8BGb0-t7SEeWSdp7M5cKS~946K~~6ZxrZz501OSmjoDIhDdIIX4A5ZQa64BZ2N9GNZwda6NFg4CPVTrg 2~LRX4AKMx11OCfAadZUdGQ~Pt5IEcmWhfBdEglYvLKhsAHdAWtMD9CAFuwpNtnKpfUYz5A__&Key-Pair-Id=K3NV4LZ47N8M46)

****Support for Non-Admin Users on Windows****

The Desktop App can now be installed by Windows users without admin privileges. This allows candidates using devices without admin access to download the app themselves and complete assessments without IT support.

For more information, see [? HackerRank Desktop App Mode](/articles/5973590014) and [Attempting Tests using HackerRank Desktop App](https://candidatesupport.hackerrank.com/articles/5105545533-attempting-tests-using-hackerrank-desktop-app).

Candidate Experience Improvements

Test Submission and Section Navigation Confirmations

Candidates now see confirmation dialogs at key steps during a test to prevent accidental submissions and missed questions:

- ****Incomplete submission check:**** A confirmation dialog highlights unanswered sections before submitting a test.

![Incomplete submission check.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162325596-Incompletesubmissioncheck.gif?Expires=253370764800&Signature=IdhiVXjjGN0p-2tfVH9ulhAAk9prM6Mctenjv9SfzjaxhOO~61XtiCY-rDfjCi1SYxiEVtLnKboYeLL1HV Dvabvzye5WTcxto6NF3CrJ-rPkWBKGW9AJzzAR4NI6S9-q~H~nxmaWZIMT60OIMv~fAoQDyXZPhWuQj6h3K6pp~R2-59GRLwsV7Z Zbr9bgALSdibapwlrwq4Ft~cb1J3Gu7roS2SLNZitQbf3lu~wtCSs575cAsuTtZSaG~hs5jhonRoqBBdR85LGNFicbYwZQFXuhQc2C6SJ GndZqgazq184By5hYQWIQMw9KoLS8zGQkgbaPz5Q4Jj6tGpE1LR2PQQ__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- ****Section change confirmation:**** A confirmation dialog appears when moving to a new section that cannot be revisited.

![[Section change

confirmation.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162353131-Sectionchangeconfirmati
on.gif?Expires=253370764800&Signature=Y0W1-l48yJ3RHPQYSMnQwGv189zif0ZQLWj7NrQNaRiq5XpJud9dxfkMYN~GEfxYn1q~e
WB757Xmzeh~As7ZQTAW0CRTzS0vHBSkagULiL1ZTJgeFhx4T4hoJYDriWxO-rKJUyUnVTb~FpG7LtCZArL9vkU~pFwKzL6lwOx2
z8PHZ-q0DEuqKAbIf~9m4QFIV9Yw78amkwsYwGhOnfiXtZoUnAQvEFkS010sww60I7p7ZPcn15bLTYoNmK5QvKHclBOrXURBtl2k5lc
-AW~w98HJJ0~f9icIAHE3JhmeNI6iZlNy8txThdLi-g7cNO03YiJwGAHDsgvjLUDgmh~7Q__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- **Final submission confirmation:** A confirmation dialog ensures candidates understand that the test cannot be modified after submission.

![[Final submission

confirmation.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162379996-Finalsubmissionconfirma
tion.gif?Expires=253370764800&Signature=IOGsU64HQLL9Of75yq7Cc4sTs7qtjPSyJH7lXrrppKCc7rofflbiYbfePQ6U1x3s8AxRhtQv
u7WY6F6uSB3ir23y0DQmjiVtb4jO8Hp2uSh13fBN0Wp3IHgG3nNFDXnEspUfE1AkGmBOQ2iLGieYyzXTCoDFFRSArLOFN84h8qhtk
dhH-WB6g3U8r8dG4t~MeEcZYr7vqbjiFNrnsTEaSVrBsH2BZAiGKZjOsYWuJuuzsKzCzsscjjnlTWoeq8T6TZr8vjtW0nn8LazmIKX-fual
OHNCw7Q0sA5RDDvPSqIDt1V0Li8QMKVBsccxky4Pda59YFySREEVipxzJew__&Key-Pair-Id=K3NV4LZ47N8M46)

Time Accommodation Visibility on Test Landing Page

Candidates can now see their time accommodation separately from the base test duration on the test landing page before starting the assessment. This helps candidates clearly understand both the original test duration and any additional time granted.

![[Time Accommodation Visibility on Test Landing Page.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162404664-TimeAccommodationVisibilityon
TestLandingPage.gif?Expires=253370764800&Signature=C1CoWOTsvx1oQdquRBW7W9WS-bqojDNQ2Up8qkgf7IzmglQfyhnXHvq
D8WkZSOa3PHnsODb8U7FWCVYCSZRJ4ht4zR~Catfl~MytM6DQBawzJxwJNBmu~7PJLtyUIAIQdBx0VQ5jq4ag~vginLAxhcKacxuQ
ItHL6ysZf99ZNxN~Avj4D8d0lOTGfQMtT4GegOlyaoI0aakZO8LM7A056~b4FMngEgr5ThSAW0wFY8BqVqITW1M8~8r9aBuPoRN5bB
xozlamrqiEHLel6Q2ZkCBt~p-Q5zjxLWy2~iMhvNugbu2sQbKgDsgpeiUTzhLaVZ9A8jyvevRaEhpqiaQ__&Key-Pair-Id=K3NV4LZ47N
8M46)

For more information, see [? Extend Test Duration for Candidates](/articles/4811403281).

Show Password Option for Password-Protected Tests

Candidates can now view the password while entering it for password-protected tests using the password show option (eye icon). This helps reduce login errors caused by mistyped passwords.

![[Show Password Option for Password-Protected Tests.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162443340-ShowPasswordOptionforPassw
ord-ProtectedTests.gif?Expires=253370764800&Signature=qKHiGZurevQ3Dz~OUE1o4Tcj5wKr7gHXvR6BV6Xg5nr5BtCBmOtoH7v
0kZ5amuE5HRbqCYtz9QS7k3Hw0897xQNqRR~Poc7cmcJDF9ZAbVUTMt664EomCSUCxTpeUmjYwyQ5Lw3PIRbxbPtf~0R~bhLJvU
h~SZOgd8coS5ArVE~72PM4tetUFwrUZpflFxyjQw3fvLw68FoDNHPCj3~Z03BoKHb0BAVYtTsSBDNuy5qYILNv5oFe7FzZrDgZhqNQ
Jz5~w5QPrsXLsh0bHtEcflAnLKY6lclwKyooDW6IT9yeT~j6SDIfN0RvRi7XfwlrPVZQz6iO0UFnDsmyNtyw__&Key-Pair-Id=K3NV4LZ4
7N8M46)

WebSocket Connectivity Check on Compatibility Page

The pre-test compatibility page now detects WebSocket connectivity issues and provides guidance to resolve them. This helps candidates identify and fix setup issues before starting the test.

![[WebSocket Connectivity Check on the Compatibility page.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162460247-WebSocketConnectivityChecko
ntheCompatibilitypage.gif?Expires=253370764800&Signature=eXVhiW9ykjSDP4ozkyUdrz7YDNE3ymfLQBDLAYNZFISxsRHXeX3RE
E4xsducE0EUI0YoRXYm2ciHTZbHhgK5EnNp5QrxIXcNV25K4y5V~EAUcq~2bp6SAbVJJ1UzwLKOTWgu~q0AvRNKaw6cQ5ALz5Ma
IJ5fWjZ8X2yoxBLt5UAoCVJj~h0aQ0A6nDHCD1Yb7qNem2D5CtvV4oqh2lJwVAKdluPma2x6E~taUqL6~NvbJ0GtCot79CSEj8NclmvK
1ZnPxoAIUV8JRbT8FdkwgoxLWpsVcopZkxXTXFTQAsphm4o~XxxF3uveFofPDAlirrB9FrnMfUFmPGh1R~NVQ__&Key-Pair-Id=K3N
V4LZ47N8M46)

For more information, see [Troubleshooting Test Login Errors](https://candidatesupport.hackerrank.com/articles/2573735554-test-login-errors).

AI Policy Acknowledgment During Onboarding

Candidates now see an AI Notice as part of the onboarding flow, alongside the Terms of Service. This ensures candidates acknowledge the AI usage policy before starting the assessment.

[!AI Policy Acknowledgement During Onboarding.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162476595-AIPolicyAcknowledgementDuringOnboarding.gif?Expires=253370764800&Signature=QbLEFhNchU4B4jdvQK6w161zCRUO2bPPpDFuG4LAm49T~Re3qffxv9FwBCoagj61-EfpjiQ7QLxSd~6hLQGnav5YYV1HhW5pnxIBhEki4mG~PGkOiC347G~IHkMW9N2xJtJCRMjZgL2SRKIT7uD8d08IHxcv7bLFdgcr1mU6g93n5dfVT4m79gUliudD9dxudewxoHttqe6-dqHhY4s4wQDb5Agj5WZ-ckQNOMYo7kNFHjh2fpXb~AMJbRFF8N0~pugsiTUnHJjc8HVZsmhkJue3oW2V9~JNuyalFuXZnLmHspbiNoz6wONgkDiklIAW1PtCUsCM60Ouok2ke2MUAA__&Key-Pair-Id=K3NV4LZ47N8M46)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162476595-AIPolicyAcknowledgementDuringOnboarding.gif?Expires=253370764800&Signature=QbLEFhNchU4B4jdvQK6w161zCRUO2bPPpDFuG4LAm49T~Re3qffxv9FwBCoagj61-EfpjiQ7QLxSd~6hLQGnav5YYV1HhW5pnxIBhEki4mG~PGkOiC347G~IHkMW9N2xJtJCRMjZgL2SRKIT7uD8d08IHxcv7bLFdgcr1mU6g93n5dfVT4m79gUliudD9dxudewxoHttqe6-dqHhY4s4wQDb5Agj5WZ-ckQNOMYo7kNFHjh2fpXb~AMJbRFF8N0~pugsiTUnHJjc8HVZsmhkJue3oW2V9~JNuyalFuXZnLmHspbiNoz6wONgkDiklIAW1PtCUsCM60Ouok2ke2MUAA__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [\[Logging into HackerRank Tests\]](https://candidatesupport.hackerrank.com/articles/9881337709-getting-familiar-with-hackerrank-tests#logging-into-hackerrank-tests)(https://candidatesupport.hackerrank.com/articles/9881337709-getting-familiar-with-hackerrank-tests#logging-into-hackerrank-tests).

Sample Tests for Whiteboard Questions

Candidates can now access a sample test for assessments that include whiteboard questions. This helps them practice and become familiar with the whiteboard interface before starting the test.

[!Sample Tests for Whiteboard Questions.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162508174-SampleTestsforWhiteboardQuestions.gif?Expires=253370764800&Signature=kU6xbXZ-zaGWRAbI54C6N7XK2xXeUVQxY2aBM6LNVkJeUuD1eW4W~xpVg94Uxp52osrgLgD4ANlyIBNRdTI3qph~CoGBquPHG9lkNFVUqFHok4MPxFZLlc-kPqvO8YINedT11vhTdRfFUBSU0bodyy5tkA53NJO6pUPNWdl4BYZ6yt1ZKEyM6XFuU6TpS~OGfUeX3MXzMWca-0U56UQ3Kt2cZRR6aHRfWlqiuD4VHVByRenc3NHbDJrtSO1gzp8D0RHGp9hBiVs3DGzOoJHPAw-Ox4A3AA0S1ZbnGh7NHbSHLi3vxDNAhAxvh9fuX~Kq1qz~z~XPiCIXAtI XewKdA__&Key-Pair-Id=K3NV4LZ47N8M46)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162508174-SampleTestsforWhiteboardQuestions.gif?Expires=253370764800&Signature=kU6xbXZ-zaGWRAbI54C6N7XK2xXeUVQxY2aBM6LNVkJeUuD1eW4W~xpVg94Uxp52osrgLgD4ANlyIBNRdTI3qph~CoGBquPHG9lkNFVUqFHok4MPxFZLlc-kPqvO8YINedT11vhTdRfFUBSU0bodyy5tkA53NJO6pUPNWdl4BYZ6yt1ZKEyM6XFuU6TpS~OGfUeX3MXzMWca-0U56UQ3Kt2cZRR6aHRfWlqiuD4VHVByRenc3NHbDJrtSO1gzp8D0RHGp9hBiVs3DGzOoJHPAw-Ox4A3AA0S1ZbnGh7NHbSHLi3vxDNAhAxvh9fuX~Kq1qz~z~XPiCIXAtI XewKdA__&Key-Pair-Id=K3NV4LZ47N8M46)

Simplified Access to Azure Questions

Candidates can now access the Azure question environment without an additional authentication step, reducing setup friction at the start of the assessment.

For more information, see [\[Answering Cloud Questions\]](https://candidatesupport.hackerrank.com/articles/3281902930-answering-aws-questions)(https://candidatesupport.hackerrank.com/articles/3281902930-answering-aws-questions)**.

Removal of Instructions File in Project-Based Questions

The `project\_files\_instructions.md` file is no longer included in the project questions in the library. This file previously provided instructions about read-only files and appeared when the question loaded. This change simplifies the workspace and reduces unnecessary distractions during the assessment.

Interview

Interview-Level Controls for AI Assistant (AI Add-On)

You can now enable or disable the AI Assistant at the interview level, rather than relying solely on company-level settings. When enabled, interviewers can choose to disable it after joining the interview. When disabled, the AI Assistant remains unavailable throughout the interview.

[!Interview-Level Controls for AI Assistant .gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162592908-Interview-LevelControlsforAIAssistant.gif?Expires=253370764800&Signature=GitZV2rRaRMeGZOV5oVXC04MgFy7zieOwlyyvS4RLFxKQw1Pj2WksdXizQmutgXil-iZsnZfbmcJiG0feKXizM64SNRRRIEm1ErT-eVUCyXYLZ7tHUrPLMeA8qG4kjr4Eudeg-7NSNWj4omMIJOoSr3jNzKOWSZ1vOkolWxHDr9NTzXoMPKuEIWh~jfTocczpCwbqNIMNRPKSVNAFJwSoWJOD3EWaiAKx8Tmdiml7tm4n5VthCFjvdfILT2J6z-z2cAUvXMJCNPBi5uz~Rk4kJ1GvZT4vocoz~KqfCJfM4iQeoqV4K~1lvj6UFNXmcV6wG0gxNDbGzhTVDmd9Q__&Key-Pair-Id=K3NV4LZ47N8M46)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162592908-Interview-LevelControlsforAIAssistant.gif?Expires=253370764800&Signature=GitZV2rRaRMeGZOV5oVXC04MgFy7zieOwlyyvS4RLFxKQw1Pj2WksdXizQmutgXil-iZsnZfbmcJiG0feKXizM64SNRRRIEm1ErT-eVUCyXYLZ7tHUrPLMeA8qG4kjr4Eudeg-7NSNWj4omMIJOoSr3jNzKOWSZ1vOkolWxHDr9NTzXoMPKuEIWh~jfTocczpCwbqNIMNRPKSVNAFJwSoWJOD3EWaiAKx8Tmdiml7tm4n5VthCFjvdfILT2J6z-z2cAUvXMJCNPBi5uz~Rk4kJ1GvZT4vocoz~KqfCJfM4iQeoqV4K~1lvj6UFNXmcV6wG0gxNDbGzhTVDmd9Q__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [\[? AI-Assisted Interviews\]](https://candidatesupport.hackerrank.com/articles/5821380141)(/articles/5821380141).

Code Repository Questions in Interview Library and Templates

You can now access Code Repository questions directly in the Interview Library and add them to interview templates. This lets you discover, reuse, and add repository-based tasks to your interview workflow more efficiently.

[!Code Repository Questions in Interview Library and Templates.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162610936-CodeRepositoryQuestionsinInterviewLibraryandTemplates.gif?Expires=253370764800&Signature=RIXhiRZFFsx5j4mzK5jVL5lu0AbEE1a0pkxdo7dYnQsYXUbjB07KRnzy7Cz51m3icjHnIKUSMWXSDWNuhwpXrhn62uiniEihY6ARdIBIOFzrnGXObdOCb89hGg~nKOlxeFhceT1D82YpMc7H0X7jpo1yYI174cNuMJBFEHQgPCpkjYXG1x6D~5ssd2KBn2uE06dekTED2I2upbeElmIL8WXk8fqdgMhR-4qPgSjRPE5FdSKjKFVcsw18g7rEoR7-X5-kwwPxmgmEmFvXOWZ16IU9f6G-v2ODQKdyfcrqnGV4Bs4FPq2MBFfSu06Ds4WhjbTpWM-Avrxyu~ZfDA__&Key-Pair-Id=K3NV4LZ47N8M46)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162610936-CodeRepositoryQuestionsinInterviewLibraryandTemplates.gif?Expires=253370764800&Signature=RIXhiRZFFsx5j4mzK5jVL5lu0AbEE1a0pkxdo7dYnQsYXUbjB07KRnzy7Cz51m3icjHnIKUSMWXSDWNuhwpXrhn62uiniEihY6ARdIBIOFzrnGXObdOCb89hGg~nKOlxeFhceT1D82YpMc7H0X7jpo1yYI174cNuMJBFEHQgPCpkjYXG1x6D~5ssd2KBn2uE06dekTED2I2upbeElmIL8WXk8fqdgMhR-4qPgSjRPE5FdSKjKFVcsw18g7rEoR7-X5-kwwPxmgmEmFvXOWZ16IU9f6G-v2ODQKdyfcrqnGV4Bs4FPq2MBFfSu06Ds4WhjbTpWM-Avrxyu~ZfDA__&Key-Pair-Id=K3NV4LZ47N8M46)

=K3NV4LZ47N8M46)

For more information, see [? Add Questions to Interview](/articles/6761309830).

Disable Built-in Audio and Video in Interviews

You can now disable built-in audio and video in interviews at the company level. This eliminates the need to manually disable audio and video for each interview when using external communication tools, while continuing to use HackerRank for technical collaboration and evaluation.

[!Disable Built-in Audio and Video in Interviews .gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162633891-DisableBuilt-inAudioandVideoinInterviews.gif?Expires=253370764800&Signature=sl2Z-72gGxc5K1jlv3gRm8vWPnyNgHFjezbWwcR~BHZTVIOITnvlqeWVhYhd12yzExiajlPIHn1l-p6gvJytqcGHKaramiAD8vevpA32BAIkJO2IPEAL0arw-63DjmmwsLJ-BwOck1QRtFxACUe4jZ6H6xklm-tAXn6M4rERXOjLcq9pk5OULDw9vebAUGFnTK3A4M67Q-1~bZpzTpeYF-Je2k6~vjK2h7yhb4ijlbLi7kQ1oBeHNRI5skj~nH3XHhxrUpA6Fjot6DOliuw-uo4KrVSI3jE9LUlp2wbqHDObt4WZy0E3GZb8MbJGpO4bALbKw2lwzlnzGpEc4rDyQ__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Centralized Interview Settings](/articles/9244658640).

Redesigned Interview Listing Page

The candidate timeline has been redesigned to provide a clear view of each candidate's activity, including invites, attempts, and interviews in one place. You can access test links, re-invite candidates, add time to tests, and view, share, or download reports directly from the timeline.

[!Redesigned Interview Listing Page.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162650423-RedesignedInterviewListingPage.gif?Expires=253370764800&Signature=U2ge006F4E~7-LaQEQMh90fNIQVvmRzP~7iX2tsBnGq1eOpRM4tzycfUAEPDAFBTAosA-pNHmC9N-haTzi-yJe9929RrubRdrHS~oobEH6oazyAcEsc3FjcGYv-jE6tZ36uYDfl~iVDI-TElsLikREnPEvJSpMuK~L8sR4493FvslSfGgL3EliOJFU2JhgC-Fpj8awpejyPZTXDI6r1iapx6uD3qSFN5yXyxRopmovlBi239AH3BsXBaW4s64GxeRw9ttAzVUAjeqlXw5dqM3nIrv7-WA6ydHIEOr3mHqLguyU-ufgDznqnDJDnGzjAbcugZC2b8NEcQ~0pLKU3LA__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Create an Interview](/articles/8404005945), [? Export Interview List](/articles/8398508792), and [? Interview Report](/articles/6788713830).

Interview Integrity

Real-Time Interview Integrity Signals in the Timeline

You can now view interview integrity signals in real time. When you open the timeline panel, signals appear as candidate activity occurs, giving you immediate visibility into behaviors such as tab switching, copy-paste actions, and other flagged events. While the panel is closed, notifications remain grouped and appear at intervals to avoid distracting interviewers.

[!Real-Time Interview Integrity Signals in the Timeline.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162667986-Real-TimeInterviewIntegritySignalstheTimeline.gif?Expires=253370764800&Signature=HLCSDa9D2NIIJNny9BAHlhNzMOJjwveyJDrLf6nsaeQd-oLz6TT5C2h55WiZUSiOwlch0O8Ad8JnVcz1D9MnGPS-OD8PG7B5r-AUSb3dWHoog~hBhlhOLXBVfxTII97RBzwLLz6e7AhOxPr2zcJ6PivuSD3LVuN9PLydkheYvDbh4p0PjNHtHUChJ4S5aGOsClcJikShZ0oG-FAK7uyMajsRoLoT-gz3XppT6nfWGjncJAuS-EoDtd5FBgrvWfFBWXXhg0Iby-nx7dL03eRkysutasejlihl6x-ByU7aZ71zDEAszu2GelMCAugpxqJLrXwvuzTf-ISVfj0gYS2w__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Interview Integrity Signals](/articles/5161582600).

Interview Integrity Signals for Project and Code Repository


Interview integrity signals now support Project questions (front-end, back-end, full-stack, and mobile development) and Code Repository questions, in addition to coding and whiteboard questions. The system detects suspicious activity, such as repeated copy-paste actions, frequent window resizing, and tab switching, and surfaces it in real time in the timeline panel. Related events are grouped into clusters for notifications.

[!Interview Integrity Signals for Project and Code Repository.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162682668-InterviewIntegritySignalsforProjectandCodeRepository.gif?Expires=253370764800&Signature=e8ogyRwRtzXiMJQqhD7r2XhqffVEvnCbUNqlz-3FY5IN8uRCnuxcxdljTH-Q88u0iJHNJXuyim89hzeZtycBh0KIhoEhZLj7Ij2sjkC9FttEncT6U6v7JzAGJkg0wdUXanqFe7MdCamJqjiN2oCQ6RrF3-1Llf-j0z3SWX1rENoVYPOBNKEmiwMu6UMYK1QhVbsa4rUeWl~ykGsPs4RdK5jiXAVF9yilujfO-44qidPGQpadVkwSaJzn1vpx19nOWfPDasvoM198DW-2qCmhS735~yWLI4BnySdzzNih3sCMLGIhZ7tjv7SUIv20Ev6lbQbvshTjF2LBjkaKiNnOhQ__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Interview Integrity Signals](/articles/5161582600).

Out-of-Interview Activity Details

You can now expand Out-of-interview events in the integrity signal timeline to view each occurrence individually. Each entry includes a timestamp and duration, giving you clearer visibility into when and how long a candidate was outside the interview.

 [For more information, see \[\\[? Interview Integrity Signals\\]\\(/articles/5161582600\\)\]\(/articles/5161582600\).](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162695603-Out-of-InterviewActivityDetails.gif?Expires=253370764800&Signature=UjVAh96lyPBfSfoHJQArRQkaFXt5fpgUWcqA5OO-d7~-0gfftb~QUFP8Tj4~sgu2d7jiCLE21G5-fxxEVUCFIO9JzmNrDvBigAQW9-k4kOCWVGcH7x61nJW5tMbiZTRT4XHd2oH2pqOkhDcwR2cWIS7L0PpRPhurUtuMpCjOw8~yFh2KTime1nuCjGJaKD0Wk79q1l3sMQmsBcnWAQZApK0V61WWWlloyEqqEWYD324VhJDYu8~RNCcJdyUf0nYoZ8J-LvzDw37myDO RSKHC9084LTkiy~~-yRkre-QVdRiWkY32lt6EmSRTKMn7QLLQiqn97tHRe4DqPAuiPROqdg__&Key-Pair-Id=K3NV4LZ47N8M46) Out-of-Interview Activity Details</p></div><div data-bbox=)

Candidate Experience Improvement

VIM Mode for Project-Based Questions

VIM mode, a keyboard-driven editing mode, is now supported for project-based interview questions, including front-end, back-end, and full-stack question types. You can choose VIM from the Edit mode options in interview settings.

 [For more information, see \[\\[? Configure Interview Settings\\]\\(/articles/6563947154\\)\]\(/articles/6563947154\).](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162713425-VIMModeforProject-BasedQuestions.gif?Expires=253370764800&Signature=KWQqnIQPY6GLWlb9c3mvUAgwK1TlxkyYdn2WwhUv3sNL5OuFWbW1IEWK6snmOVF6wk4qmS8uFlfQ3BPAmYVggD68KC3nfLafa3hBN2uTD3s--uwJN4PWOLi494CfWTtqwbc2pTYd7B6ZSlrZs2LcoiYdUupwN-aGTRqVhVelkLclig~vilu0T0-pFsGen8H9XCJE1Y-G0KABaTEZRF8xfgU8TvMPli0LP4etWDivFJyAtsIGshCYIdLQT~fb49Vu4TF3-y3skD39Ymcmv5k12roJtjyik5tRyoD2YIMSCFz6ovM3~2~3CgOnTB9E6aezMdTCTYelsqvULv0rnNQ__&Key-Pair-Id=K3NV4LZ47N8M46) VIM Mode for Project-Based Questions</p></div><div data-bbox=)

Platform

New Candidate Search Experience

You can now access candidate details directly from the home page, making it easier to find and review candidates. Candidate search is now faster, helping you find candidates and access their information within a fraction of a second.

 [## Redesigned Candidate Timeline](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162744402-NewCandidateSearchExperience.gif?Expires=253370764800&Signature=U0zmzTOBJEUwwmY7A7d4VoMsEU4ZLT26DGd~QR0oUTUrQkFTspamh555gcSCcBRHt2YkALgAHVAGkYqEdG-fcmxflo6hDAu45Sdz~Hf293ywWrGpkQ7~RrFtcMpCqV5JE~eCfvBf5~svPYxrbos-e~-zHbYtUEO33ky7clFCIqhcMse6u0ww03nilUJW7l~fd7arqf49G1KmA5QllrSoeNauM3PHndos4mqNwKPK1METnuCMARGIVieZHsqdx6xT~4~5vDQp1CXp3mPEm3TE77bpSPGnRyhNcvmcplmdNkE-NoPWdKFdDltZlhnj3n-7RXZ6x8id2r39XpZgG2MgA__&Key-Pair-Id=K3NV4LZ47N8M46) New Candidate Search Experience</p></div><div data-bbox=)

The candidate timeline has been redesigned to provide a clear view of each candidate's activity, including invites, attempts, and interviews in one place. You can take actions directly from the timeline, such as viewing reports, sharing results, downloading reports, and accessing test links.

 [For more information, see \[\\[? Access Candidate Timeline\\]\\(/articles/2652374569\\)\]\(/articles/2652374569\).](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162759229-RedesignedCandidateTimeline.gif?Expires=253370764800&Signature=GqY2flzS1jzEczc9HTmYRiXHAAt9tyacQ2aQ7Hqnrn20m0-0p4c-OnRVJU9FTBedXvgCU3~BsespcjRsmfuvSRQAYM8ZkWu2RZADwg-OxrJoFSkeTdH-bPNyUVWqBrdbCILZMawruZKfeY5nim9WI7IZ1i~VG5Mdn7c20xqlpeczE1UWFjBAfs5EFYBlwsaCmKlilu7deS4Uf2MuSZb1K~NP1aHzJQXInW1QAdCDVce-0dOkMHKIXhYfG5x3qsqTpSlfOWluVXiCcAiFhVO0lpQ647BAzTx9LjBeMhKH8mNCTXHvpBjnBSHY1LupYwRR704Nj9JzKjZB3sWmFJP5Qw__&Key-Pair-Id=K3NV4LZ47N8M46) Redesigned Candidate Timeline</p></div><div data-bbox=)

Improved IDE Experience

The IDE now provides clearer loading feedback and smoother transitions during test setup, with more transparent loading states and clearer error messages that include guidance when issues occur.

The interface has also been updated to reduce clutter and ensure a consistent experience across different screen sizes.

![[Improved IDE Experience April
'26.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162780665-ImprovedIDEExperienceApril%252726.gif?Expires=253370764800&Signature=aMpMiyW6v-q90G88VPT~DHLCH1XrR7XBGro525EB0DIbuutaJ6LLUJ-J8N6NODyK7pQfODNFM8pH7sf1BMGUMx~KH7Ghtc7xxlv6AYu4zfHjhT4rKbEaSU8eav7wiusJuyYnYhpEsQ-EUwEpcuZZHf9owee3o12CXlvqz0gn9qAAcCWRd2N7Nu3BfbjqUFumrQpdQc9gXinlvGsl7pxVbt7sHIDO4~FofWoKZpUg6UjguLJpmKtmHkOeGIBA5nA0y5zN2LRjKz3TMB7V71d-AKrhKnru-k5m4yFHnpdXjoBm9V7mEU38c6VTlj7bVVZJuigOiQaVeZTXy13LSJMo1Q__&Key-Pair-Id=K3NV4LZ47N8M46)

Scheduled Custom Reports

Admins can now schedule custom reports to run automatically. Choose how often the report runs?once, hourly, daily, weekly, monthly, or yearly?and set the date and time. Reports are generated on schedule and sent by email to the recipients you specify. You can update or remove a schedule at any time.

![[Scheduled Custom Reports.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776325255525-ScheduledCustomReports.gif?Expires=253370764800&Signature=LOHU7T7PqRO7cyswOmWkUJMHWTUcizJo80YtoqZqTIQ6HR6zXwdAeT42yabelypEnRfjpmxZfY0UR45-GmtzLNm0Vu2SpHEJfNbiHWwFDjTBYQOTBrziAJVo1FIDXKmyZGDJHYIzvc-4Wef-7-PQGiR8Vi7JWY7AAjmO~X9--R46jSLN-2hhXCsFpe8qDqhBARxQvEYZ-TgNjo61es7znEmaRVEjbRUc0LVTF1hAgwi2-XCcQWti0B1JIWfm5SE1~nmdaVYiR6mLC13xXUg4u~lbEgrzAzjXi5oozdf9vOHKN6j3UUUNAmvRfigIMDzr20z30lykB1gkb7Yd2hTx-g__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Schedule a Custom Report](/articles/8981360888).

Language Updates

Coding languages now support Python 3.14.2 and Java 8u472, enabling you to use the latest versions for coding questions.

For more information, see [? Execution Environment](/articles/6693750503).

Project Environments Updates

Full-stack

You can now create project-based full-stack questions using **Go**, **React**, and **MongoDB** and the **PERN stack** (PostgreSQL, Express, React, Node.js).

The **Go**, **React**, and **MongoDB** stack supports full-stack development with **Go** for back-end services, **React** for building user interfaces, and **MongoDB** for scalable data storage.

The **PERN stack** enables full-stack development using **PostgreSQL** for data storage, **Express** and **Node.js** for back-end APIs, and **React** for building user interfaces.

These additions help you assess candidates on real-world workflows, including API development, front-end integration, and end-to-end application development.

![[Project Environments Updates.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162812955-ProjectEnvironmentsUpdates.gif?Expires=253370764800&Signature=N9LzNVIGicbsPjbu5LugVzGfEkKUZK2KdGRQdhuOYT69e8R0wipOT6SwERhiX0e88E3IKAamLPHMgSiL65I0EzbQqVPQaH-wRRi-mqkNwV1K5cfJdiJu4JeEZ8qN0j1MVTa2TbssRa6m9LOgofqw4wm6TJ08aeLKqhaRNW3Jo~YntHda4Rh08rrgsa5IB2wGy6oAaal5GU-TfoexdvO6XPMgzEEvETCDcDjx-P1pJaQe-TvSdfdnOhrTaVDjBCQ3ESkYzvSJ3ulIZwQWeWpCIWY5B7q1NFDh7Kmi4VCAaJGtJQcMEeiHXuLSZJ8LQiiTQfKBySKyykfZKLTHpYDGg__&Key-Pair-Id=K3NV4LZ47N8M46)

Back-end

Back-end environments now support **Go 1.25**, allowing you to evaluate back-end development using the latest Go runtime.

Mobile

Mobile environments now support **Kotlin 2.3**, enabling you to assess modern Android application development.

For more information, see [? Execution Environment](/articles/6693750503).

Library Improvements

The HackerRank Library continued to expand, with a strong focus on code repository assessments, full-stack project coverage, and expanded language support. This release marks significant advancements in content quality, scale, and real-world workflows.

What's New

- Added 62 coding questions across Python, TypeScript, JavaScript, and C#.
- Introduced 166 project questions across .NET, Angular, React Native, Selenium, and Spring Boot.
- Added 176 tasks to code repository-based assessments across React, Node.js, Django, Spring Boot, Go, and Flask, covering feature development and bug fixes across all difficulty levels.
- Launched new code repositories:
 - QuickBites (Food delivery application), available in MERN, Django, Spring Boot, Go, and Flask
 - Workflow (Task management system), available in MERN, Django, Spring Boot, Go, and Flask
 - MovieDB (Media platform), available in Django, Spring Boot, Go, and Flask
 - ShowPass (Backend-focused service), built on Node.js
- Updated existing repositories:
 - Melodio (MERN): Added 10 new tasks
 - MovieDB (MERN): Added 2 new tasks
- Added 6 Java multi-file questions focused on core DSA concepts, with no framework dependency.
- Added 3 iOS code review questions covering SwiftUI and UIKit.
- Rephrased 450+ coding problems to improve clarity, structure, and evaluation reliability.

Content Additions by Job Family and Skill

Job Family	Skill	Question Type	New Questions
Software Engineering	Python	Coding	20
Software Engineering	TypeScript	Coding	23
Software Engineering	JavaScript	Coding	9
Software Engineering	C#	Coding	10
Web Development	.NET	Projects	30
Web Development	Angular	Projects	27
Web Development	React Native	Projects	38
Web Development	Selenium	Projects	48
Web Development	Spring Boot	Projects	23
Web Development	React	Code Repository	8
Web Development	Node.js	Code Repository	31
Web Development	Django	Code Repository	36
Web Development	Spring Boot	Code Repository	36
Web Development	Go	Code Repository	36
Web Development	Flask	Code Repository	29

Chakra (AI Interviewer)

Dictation Support for Interview Creation

You can now use voice input to create your interview agent instead of typing prompts. This provides a more natural and efficient way to interact with the AI interviewer during setup.

!DictationSupportforInterviewCreationChakra.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162842318-DictationSupportforInterviewCreationChakra.gif?Expires=253370764800&Signature=AlyicSa8y5fbCIBpN1RMrErIxd5L7c2GIgdXQcJoO34m7RcQCM-PFExzvZthuAME-exE4J0be11xhWRXCCsr1I8HMTzBB5vyXswXgRdD9AvuelDk9DSYUUB77AjU4SW9GLy74JZGL7D6OOZpKFX1~7pEjy0O953uCA1zabejpqD5gwK967I26qcfx449f1G9ZzNf3T5x5om9iNGiFfadXfiJUalrd-uQuMkZwGaK54yXXj~ky4pWjXDWOjb1ZLG0GU-poYVNAYCTHSRSp0uFQcfe3~OQ1GHN7YELy3nXVoilVHdMyOidLGzDpRL-Gf4XsgCpUjRZkQWtuZ6ctEYyg__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Create an AI Interviewer](/articles/8041423965).

Clone Interview Agents

You can now duplicate an existing interview agent and modify it to reuse configurations without starting from scratch.

This is useful when creating similar interview setups across roles, allowing you to quickly create adapted versions by updating existing prompts or sections.

![]CloneInterviewAgents

Chakra.gif)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162855262-CloneInterviewAgentsChakra.gif?Expires=253370764800&Signature=eyFm1V2j4HJv4dqORA0AlKxWrSKWWD5KW1KQrL976wkmIHqwP8JR06hp-AcWFr8uA8P12KpTgnPqC9VqTurllokMWAuuLrl4O7vqKCOAF7qRfy3Ea6t0ynaKgFswicbTb6NUbi5pzk8~HAEMC4IT5NLJKTrii91Ubk6dpaYLexLJOB4TtXtt9YNI3UOL1jU4D9va92rD8kT3mEWYorT0vsRpXPzH7j57FcGpotpYnLM79UCdJXjFhiVMebvoM7wgW5ai8R3D08O-X1Fly2o

gpNntkea3alLILnarHEEahNcrhhdS0IFv~63ND3~IDpbRAzLsDCvjJIDjydOWruT3A__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Clone an AI Interviewer](/articles/8961150967).

In-Session Device Testing

Candidates can now test their microphone, speaker, and camera, adjust settings such as self-view and real-time transcript, and preview the interview before starting.

This ensures everything is set up correctly before the interview begins.

![]In-SessionDeviceTesting

Chakra.gif)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162873851-In-SessionDeviceTestingChakra.gif?Expires=253370764800&Signature=TO-4Cb45CQqwXft2Ck40Zx3hF1awlPwdsXhZsCNGMcwCm~Ym2oy~iHIG-4FU9S-9kj-p-rsPjM5AAiMjZfZUjiudAMGqdg1d2SfrUtn3J3yfCHbD6etBrqOIbe43j26j4ahkNdbKnY7bjqqugEqk4Z4ae1twNY0cw43hMVEVcwjgflRGtl-Dpfdind-yzWjmuAmfsWbxaA9r~zAv0DCXHE-69dl9S-klN9XJAHgbMKO~LyfiAiP9hfBtH7LY06To4LQPdLft~8Axm9-ux72EedjTPRNHEaRp2R27HFBawRxf~Y0Vv4HQADjTkW19hj2z9obR145YGLJ2IWaoLY3Ztw__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [Interview with Chakra](https://candidatesupport.hackerrank.com/articles/4278399240-interview-with-chakra).

Latency and Transcript Accuracy Improvements

Latency has been reduced to improve responsiveness and create a more natural interview experience. Transcript accuracy has also been enhanced with noise and echo cancellation.

Time Management

The AI interviewer now tracks elapsed and remaining time during the interview. Like a human interviewer, it adjusts pacing to help ensure all topics are covered within the allotted time.

For more information, see [? Invite Candidates to an AI Interview](/articles/5542727476).

Interview Reports Improvements

Quantitative Scoring

Interview reports now include quantitative scoring on a 5-point scale at both overall and section levels, replacing Strong, Moderate, and Weak fit labels. This improves score distribution and makes it easier to compare candidates.

![]QuantitativeScoring

Chakra.gif)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162885755-QuantitativeScoringChakra.gif?Expires=253370764800&Signature=swVSCwThrreTF8JhHxyu1oJotXxk1ClacEp~1sPbWIn5g~CcOFDQ2UHQbbKxVjPUPM6L6R4Q8UPjXo8z3~D3VSSEF5miLxmWq51mpayRTZ1CraQwoGIWk~WSJOMeivdJroYR8u1AvCbmhXPx5KSQqqZN3nh9dQzup3cuwAxDgdqpTskXbkOLDw6yuQhOMr1FC7vxPd8uBpd77pAbg7W8TEyBi5SCyc9-UJPIDFih-gw6JsyD1PdNptQTqVn-ShKs1e1ow13z9Ue1GrTJrMJ9rF0MdqmmIznOMSF6DSauX31RK3OWVXPWOAA5giODfvtW6QzKWPLLCd4IY3T-lwKXw__&Key-Pair-Id=K3NV4LZ47N8M46)

Structured Section Summaries

Section summaries are now presented as bullet points, making reports easier to review. Each bullet point includes supporting summaries, transcript references, highlighted responses, and timestamp-based audio playback.

![]StructuredSectionSummaries

Chakra.gif)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162902356-StructuredSectionSummariesChakra.gif?Expires=253370764800&Signature=ElkPKH50c4kIO9pxQDOma6M5~HyFYAkrEsEZul64tu6iLkwkgpH5k4KUHYv8YhJyWXCW7EHxfnQaJ0pY3rxzOZKIdZJHWJ7Ood4xAuPT3ZRsk0rIPLWfjfVsrscObSalVUIMRpxV7MdvooqhaGVYS08QVD3o-x4OBoyb~

3FFdjgCdLywGjIRdui3zo0R4wPAX9zfXF2-prGCf9ID1caUzCJC6JdFxlJzMs2x6op7ft5d2J0kCAG51iVbpxJDgo6F68HFTQPYsAhaho4OfwNB2zTIMZLIP~MXz53wio-sPCmzHYpe3BwiJliycrqQude51N33BmbxpDK-10UGITXw__&Key-Pair-Id=K3NV4LZ47N8M46)

Section-Aligned Transcripts and Audio

Transcripts and audio playback are now structured to match interview sections, making it easier to navigate and review specific parts of the interview.

![[Section-Aligned Transcripts and Audio Chakra.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162915708-Section-AlignedTranscriptsandAudioChakra.gif?Expires=253370764800&Signature=ff4oQoaMxG89uLehnlAVxvN-CM78EZ54FuS6xhuPb4DRx5wuW-W2iFJMv8~GFf-clxY9MIXb1N6gtiUxZdFeo93NtV7N6VIB-RkCP8j4Jde5r2GvierlloKqeuaeXWXLhXvbYU94RqwqoJVPy1yrvCyLM3tLM8s-lwKFDxgsGuU0YkjGx7faj-8FplPp168~Yew0iYLjkSKNI61rFRnvSMvijtQ3zLu6550y2u9B15JiEyaQAY222twnx9ysNUUkmrSxabRpeO9IIBldE3FSY7W67VI3tL5gSJMYQU6YEoT-fws62POidLECBsmna4V5aUdirYCxgUlRET726lNoNQ__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? View Candidate Report in Chakra](/articles/6818900787).

Greenhouse and Ashby Integration

Chakra now supports integrations with Greenhouse and Ashby, allowing you to manage interviews and review reports within your existing ATS workflows.

![[combined.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162927811-combined.png?Expires=253370764800&Signature=DEeJA77~zrGvg6WCprR6ZRYJWnVZfsH3-EH3mkl7jKafXXPsXU6pmtGd5S7Z3KfRtrOU0DxYjcD4H8pO1VNZJ4Y21KDWBzyQH8mhUqJ4o3Vlry8CGdWuxMe5JfE1zoWwkQjeYR08bY7CdXtez~6fwmgSqy3ZzxJITEaQEHulWNzdlWPIXYT~zz~MVGnPcN0ZyZ9l9W0uNPFx1BcT3EBMRtSYlrd98db-eiU87y4Uj4n5GLSEONfVFcB8ojdVYQTmqC6m0xfrHcLZFENnlqmcJAqPEKBTzZpwwFStNfe4mkuSW5nZ1iK5gFaaZDyIY7-FmS2wHOAgXZEQTDXa-T8w__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Greenhouse - Chakra Integration User Guide](/articles/8491534135) and [? Ashby - Chakra Integration User Guide](/articles/8472393759).

SkillUp

Custom Certifications from HackerRank Tests

You can now import tests from HackerRank for Work into SkillUp as certifications. This helps you drive bespoke learning and certification requirements for your organization. Admins can view available tests, select the required ones, and import them through a self-serve workflow. Once imported, these certifications behave like any other SkillUp certification.

![[Custom Certifications from HackerRank Tests.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162944841-CustomCertificationsfromHackerRankTests.gif?Expires=253370764800&Signature=uVanbc198gK5bX2l8DhwHhtzG9bf3AfkyGiRQITi4qDHkVX8Vx5~2lB1DTbbRA0i1y83NsnkILmntFXdbgy-0XS0nTSE6fDEOWhSiYiywgDWiIV-pYGxy7ckrwZlGi220velLs1UnKHJCjGsoYy4bToTqz8AUumxdZcBMmSNUT1slAfesmqAADsBOhhbuvb0YeLTiumOTqZM0201y2iG8tXmKWJf53fe~yaryAgB55w8ZjRbAN2W8TV9MCXabCv~kc5dipoaPnQu7pCCUUV2gFDH3nWG0AeQctSM5h2rShRMVikPkChN34pccXHsyA4mSNWp2eQlX9P7y4OR~ED5w~g__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Create Custom Certifications](/articles/9232804257).

Certification Attempt History

You can now view past certification attempts and track performance across attempts. This enables admins to assess progress over time by reviewing the number of attempts and changes in scores.

![[Certification Attempt History.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162958604-CertificationAttemptHistory.gif?Expires=253370764800&Signature=MVBzVUfsUT5THdEwiXq91sYl2r8Gn3GXDEvsMxBvZirYnSrdni4tcQRO6A34x1JHMuOQyPFbVF1laNx58AbW0OwYJQCgEN~ieo-Wb39O9P-isf1kZ8Xw3YAYMe-hk-zf7l~TcaxHLzGYvBNksCFdv5mfjqC-SGBshhFODBSXNuQ66b0rz2uSWPwWeVsvxKlbfhYIF~oKjUYnlB9GUltCSKZxSn8b5j3Q9e3Cy2Afj~-Vyduu2lGsc1bvGx~uE2desQyu-ovUMZWa3dbej8FHJz6-HL3PORy42W8P4z8ciK6hFG7TCKE9z8K9urZXVTT9j9xtVklwOG4sYUYHku3WA__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [Certification Attempt History](https://support.hackerrank.com/articles/9473085715-skillup-manager-experience#certification-attempt-history).

Community

AI-Powered Mock Interviews

AI-powered mock interviews now support multiple voice-based interview formats, allowing you to simulate real-world interview scenarios end to end.

Technical Screen

Simulates a recruiter or hiring manager's technical screen. You can start with out-of-the-box interviewers or use your own job description to practice for an upcoming interview. The AI interviewer can also review your resume and ask contextual questions, similar to a real interviewer.

System Design

Simulates real-world system design interviews. You can use an integrated whiteboard to design systems, explain trade-offs, and visualize architecture during the session.

Behavioral

Simulates leadership and culture-fit interviews with open-ended questions. You can respond to questions about past experiences, decision-making, and collaboration using structured frameworks such as the STAR method.

AI Fluency

Simulates AI-focused interview rounds. You can practice how to apply AI in real-world scenarios, including working with LLMs, agents, and tools, and explain your approach during the interview.

![[AI-Powered Mock Interviews.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776162978449-AI-PoweredMockInterviews.gif?Expires=253370764800&Signature=SsYxi1qeEM~7ruQWqYsY7Vjl92MAFpYRx15MSxtMM855YF6FKhkEDOhdzZnfVJrXHE3fZRLN4AoHKwm2162tuRujX2ftyO1Tw6XH2dYfWX~QreUUIRwhH56q2AAzJIQJ227d4av1DDA0TmFwjlsDHEXq6wqaPPZIw4X8cjTv5qkt9GELCc2kHXk3TNxji2iJWCKUbiwMJBHYwiljhbq7QNH1a3vWqzG~toHGduHHXa3A8LiTibQ9CJqrHqM6Qomdy068hYakJO8S55ZC6Uvptwp-lfGxL8jcXa~C2Bo~gscRFgBaMWrfF73QzI95s9a0i1hn0fnO5fyRuFxiL3-Gw__&Key-Pair-Id=K3NV4LZ47N8M46)]

For more information, see [Introduction to Mock Interview](https://help.hackerrank.com/articles/8988753946-introduction-to-mock-interview), [Technical Screen Mock Interview](https://help.hackerrank.com/articles/5671120169-technical-screen-mock-interview), [System Design Mock Interview](https://help.hackerrank.com/articles/8813699799-take-a-system-design-mock-interview), [Behavioural Mock Interview](https://help.hackerrank.com/articles/5174727491-behavioural-mock-interview), and [AI Fluency Mock Interview](https://help.hackerrank.com/articles/3796809491-ai-fluency-mock-interview).

Deprecations and Experience Changes

Engage

Candidate Sourcing

The candidate sourcing feature in Engage, including the Candidate Assistant and JD-based candidate discovery from the HackerRank candidate library, has been deprecated.

You can continue to add candidates using existing import options, such as CSV upload, and promote your events through the HackerRank Community to reach relevant candidates.

Screen

Global Candidates Page

The global Candidates page is being deprecated. You can continue to search for candidates using the search bar or view candidates within specific tests from the Candidates tab.

Candidate Prep Portal

The Candidate Prep Portal is no longer available as part of the standardization of the candidate experience on the candidate site.

Candidates now access pre-test information and start tests directly from the candidate site in a single, consistent flow before the assessment.

Local IDE/Offline Test Flow

The Local IDE (Offline) experience is no longer supported due to integrity concerns. Candidates are now required to complete assessments using the HackerRank IDE for both new and existing tests.

Interviews

REPL Console in Interviews

The REPL console in interviews is being deprecated. You can use the built-in code execution in the coding environment to run and test code.

This change removes duplicate functionality and provides a more consistent, reliable code-execution experience during interviews.

Phone Call Feature

The phone call feature in interviews is being deprecated. Interviewers and candidates can continue using the built-in audio and video capabilities for communication.

The AI Add-On package includes advanced features that help you assess next-generation skills and maintain test integrity in an AI-native world. To enable these features, contact your account manager or email support@hackerrank.com.

Thank you for supporting our mission to change the world to value skills over pedigree.

\

[general-help/release-notes] July 2024 Release Notes

```
---
title: "July 2024 Release Notes"
title_slug: "july-2024-release-notes"
source_url: "https://support.hackerrank.com/articles/4505174147-july-2024-release-notes"
article_slug: "4505174147-july-2024-release-notes"
last_updated_exact: "Jan 22, 2025, 9:26 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "General Help"
  - "Release Notes"
---
```

July 2024 Release Notes

Last updated: Jan 22, 2025, 9:26 PM (Last updated 1 year ago)

We are excited to enhance your HackerRank experience with our newest updates. Our team has worked diligently to introduce new features and improvements, including updates designed to help you manage higher candidate assessment volumes more efficiently during this university hiring season. If you need assistance navigating these changes, our dedicated support team is here. Reach out to us anytime at support@hackerrank.com.

Screen

Question leakage is a significant concern during university recruiting season. To tackle this challenge, we have introduced the following features.

Leaked Question Alert Emails

You can now subscribe to instant leakage alerts for your tests that use HackerRank library questions, allowing for quick management of exposed questions. Additionally, if an automatic replacement fails, a curated list of reliable replacement questions will be provided for leakage-protected sections, preserving the integrity of your tests.

![[Leakeddd.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046061982-?Expires=253370764800&Signature=FwY8APw8KbiMvA6Fd3F-jXnCs96ajIEJrK8~Dp64EvDYD-yLJHV13VlppJh1X4GYX2zEAPdHe1-uJEmNq5rc4cn3TZRFhix2kbV-bpok00UDEm43FJohVBD-Wm9xc3rF4VTGRFEI5lJWciy7opzDQjnRjPayv0WmgQ0M2oZZXVf5wp9KMBDM3BACVBaZClnTCy~LHk8fGyT3PjnDkGPIZnX2naA6~r5BAixUL~r8EYcsq14dCnLZSjfdllp516mYZmy3V6SqpacrCtq2GqOvMU3a0xO9IVZ2CqEX7oxX8UWFSEDJKom6hP6YLMIHokX2E6Lk491ZcKVgy79tFR7oDw__&Key-Pair-Id=K3NV4LZ47N8M46)

Learn more here[? Email Alerts for Question Leakage](/articles/3105510130)

\

Leaked Question Replacement Indicator

We are introducing a new feature highlighting any question in your test that was leaked and automatically replaced for you. You also have the option to manually override replacements if needed, giving you complete control over your assessments. Previously, these changes were not visible, which could have led to some uncertainty.

Learn more here[? HackerRank Certified Assessments](/articles/1649328687)

\

Leakage Detection & Automatic Replacement For Multiple Choice Questions (MCQ)

MCQ sections within[? HackerRank Certified Assessments](/articles/1649328687)now come with automatic leakage protection. This ensures your test content stays secure and maintains its integrity without any extra effort on your part.

Setting Custom Scores for MCQs

We have fully migrated to the new MCQ scoring model which provides you with greater flexibility and control while scoring your tests! Now, you can set custom scores for your MCQ questions, ensuring consistency as the test-level score will override all individual MCQ scores within that test.

Note: This update applies to users who signed up before 2020. Accounts created after 2020 will already have access to this experience.

Learn more here[? Scoring a Multiple Choice Question](/articles/4247041184)

\

Ability to Shuffle Sections Without Section Time Limits

You can now shuffle sections without the need of adding a section time limit. This improvement means you have greater flexibility in structuring your tests, ensuring a fair assessment experience without the constraint of time limits.

Learn more [here](https://support.hackerrank.com/articles/1649328687-hackerrank-certified-assessments#shuffling-sections-12).

Improved Error Messaging & Handling When Bulk Invite Upload Fails

Experience a new level of efficiency with our improved bulk invites feature! Now, if an upload fails, you will receive detailed error messages to help you make any necessary changes. Plus, our new progress bar provides real-time updates on the status of your candidate invites, making the process smoother and more transparent.

![Bulk
Upload.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046064030-?Expires=253370764800&Signature=Rq~1z3eSL-99s7Hp3D1rbonA1f88QKGVsGrs41pHun4xflD07Kwx18n9f0Ddl9JAukDhMWa87e4FREmVAIfMYoHj4RBSGUGG UPAGHEMtiRc2iaikNUMzOawvQDyHkT0zdfbYXttQ0z~w3QcRS-mHU9itNbZBspWOBz1a2IEZCjq-l~18le182jwvCSpe-VV-Mey022Vy Dyy3cop28CPsPYBfUCRAcRMKWUu8MoBREbfUdrqZ2J0xqFoOpucQ3qy7wVJs697y~18kU2JrCzY~pQLabYk3sik86WXgKtlQynq0z OFUNniv9NwGv6y5RfKl1gEJa0F6LenZmz~~pf3fQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Learn more here[? Sending Bulk Email Invites to a Test](/articles/7127221409)

\

Candidate Listing Performance Improvements

We have optimized the [candidate listing](https://support.hackerrank.com/articles/9135272973-candidates-list-in-hackerrank-tests) page to ensure faster filter times. With this update, filters for candidate lists with more than 1000 entries are up to 7x faster. You will notice significant performance gains for very large candidate lists (>5000 entries), where filters that previously timed out now apply in under 2 seconds.

Assess Up to 100,000 Candidates Using Coding Assessments


You can now effortlessly conduct large-scale events and campus drives with coding assessments, supporting up to 100,000 candidates at once. Say goodbye to the hassle of managing multiple batches, creating and adding new questions to each batch, and dealing with logistical challenges. This upgrade ensures a seamless experience for your candidates, with code execution and compile times improved by 50%, making it the largest concurrent coding assessment support in the market.

Export Report Enhancements

We have significantly optimized and migrated our export processes to a new infrastructure, achieving a 10x improvement in download speed. Now, you can swiftly export candidate lists, interviews, and account-level test data from the insights section. This enhancement reduces export times from minutes to seconds, enhancing efficiency and productivity. Expect even faster times in future releases.

Test List export

You will now see an export button within the test tab which allows you to export the list of tests, including all information about the test beyond what is available on the user interface.




[Learn more here\[? Exporting Tests Data\]\(/articles/7081156839\)](#)

\

Upgraded VSCode and JupyterLab IDEs


Candidates will now enjoy the latest VSCode and JupyterLab IDE versions during assessments. These updates include accessibility improvements and security vulnerability fixes to ensure a seamless and secure coding experience.

- Commands in VSCode are highlighted, and scrolling is sticky in the terminal.
- The Explorer view in VSCode can now be moved to make more space for coding while solving problems. Some audio and video files can be previewed inside the IDE.



- JupyterLab now includes a virtual scrollbar for notebooks in windowed mode, with an optional scrollbar, delineating the active cell and selected cells. This allows users to navigate and jump to specific cells with ease.

- Candidates can now benefit from improved screen reader support with accessibility view, to ensure all users can navigate the editor and terminal effectively.




All these improvements ensure that candidates have the latest and familiar tools while working on Fullstack, Frontend, Backend, and data science questions.

Interview

Pre-Interview Compatibility Check

Our interview platform now includes embedded compatibility checks to ensure the audio and video setup is perfect before the interview begins. Therefore, interviewers and candidates can avoid worrying about technical issues and focus on showcasing skills without interruptions.



[Learn more here\[? Starting an Interview\]\(/articles/3200321153\)](#)

\

Improved Whiteboard Performance

You can now conduct efficient system design interviews using whiteboard. The improvements mean that cursor movements and shapes appear on all participants' screens almost instantly, a significant improvement over the previous delay of a few seconds.

New Shapes Supported in Library

Drawing system design diagrams with HackerRank Whiteboard is now super easy with custom shapes for tech interviews, such as Database, Cache, Actor, Cloud, Service, etc. Additionally, you can get the convenience of custom colors and one-click shapes, making your diagrams clear and professional with minimal effort.

Learn more here[? Interviewing with Whiteboards](/articles/7216974183)

\

Audio/video Performance Improvements

Interviewers now receive advance notifications about candidate compatibility issues, ensuring a smoother start to interviews.

Candidates are alerted when interviewers start the call, reducing wait time and anxiety.

You can also preview your audio and video settings before joining and get improved call quality with background noise suppression.

These updates help create a more seamless and stress-free interview experience for everyone involved.

![AV.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046068074-?Expires=253370764800&Signature=qgxa5kg7HUFdfOQqjGtlyEwxwJ5xZRi0WwElli7IGbB9URSTm2jRRc3XDpB3-VML5sweRB3hl~mjugL1ZXLYp8~jcgJUA-zre~WXRMH0qo1WgBfckLfX1Ms5uTYtYgde5KriZ1qJLHpn93BEMoqx6mYUcXs1K-qvfQdSFth-5Nflb7Axdp-bWozNoFEcuzzHpyq3IMzAmEl7ly~Rwq5YWS3qzVLhLmdl2inK5A-b6p-UfcCV1HZPxcMYLnyRcMwvkitrdL3tKyh5bP1gj42xOP~sK51qCZNqWxiHYAMmoIDYmY8relg~7PXYV-T2EjxnU28Qn31s5~eqp6~dn1aVg__&Key-Pair-Id=K3NV4LZ47N8M46)

Learn more here[? Audio or Video Device Selection During Interview](/articles/5936478208)

\

Integrity

New Plagiarism Model

AI Assistance tools are offering substantial productivity improvements for developers in their daily work. While we are actively embracing AI, we also acknowledge that AI usage is not always appropriate, especially when we are looking to assess a candidate's fundamental skills.\

\

We are releasing a new version of the AI-based plagiarism detection model, which focuses heavily on signals associated with the usage of AI assistants and coding copilots. This model shows a much higher precision in identifying sessions where candidates have used AI assistance when explicitly asked not to.

Learn more here[? AI Plagiarism Detection](/articles/7287334157)

\

Spoofing Attempt Detection

We have added the ability to detect if a candidate projects a static image during an ongoing test. This feature helps us identify candidates who try to use image spoofing software to pretend they are live during the test. With this enhancement, we ensure a higher level of integrity and security in the testing process, giving you confidence in the integrity of your candidates' session and performance.

Learn more [here](https://support.hackerrank.com/articles/7825915809-impersonation-detection#reviewing-suspicious-activity-51).

Webcam Switch Detection

We have added the ability to detect if a candidate switches their webcam during an ongoing test. This feature helps recruiters and hiring managers identify potential suspicious activity and allows for further investigation into why the webcam was changed mid-test, thereby strengthening the security & reliability of the assessments.

Learn
more [here](https://support.hackerrank.com/articles/7825915809-impersonation-detection#webcam-switch-detection-35)[.](https://support.hackerrank.com/articles/7825915809-impersonation-detection#webcam-switch-detection-35)

Content

HackerRank's developer skill assessment library has been expanded to support a scientifically defined [taxonomy](https://www.hackerrank.com/roles-directory/) across 9 job families, encompassing 77 roles and over 260 skills. The library now includes an extensive number of questions tailored to each job family as outlined below:

Job Family	Number of Questions
AI & ML	358
Cloud	768
Cybersecurity	289
Data Engineering	370
Data Science & Analytics	428
Mobile	137
Quality Assurance	288
Software Engineering	2884
Web Development	1127

In the second quarter, HackerRank introduced 34 new hands-on projects targeting technologies such as AWS, Linux, Git, Node.js, and Spring Boot. Additionally, 162 new coding and database assessments were added, covering skills in SQL, Python, PHP, REST API, and various programming languages. The platform also launched 318 new multiple-choice questions in Hardware, iOS, Security, and Cloud domains. To ensure the integrity of the content library, over 2,000 URLs with leaked questions were removed through a DMCA takedown process.

Admin

Flexible User Roles - GA rollout and added entitlements

Admins can now give each user the right level of access based on their organization's specific needs. You have up to 30 entitlements at the user role or individual user level, enabling you to customize their experience within their HackerRank account. This includes new entitlements like "Create Questions", "Edit Questions", and "View Test Report for Interviewers." This feature, previously opt-in, is now enabled for all users.

Note: This is a gradual rollout beginning July 24th. It could take up to 2 weeks to appear in your account. If you'd like to expedite your access, please contact HackerRank support.

Learn more here[? Flexible User Roles](/articles/3929488044)

\

Teams management improvements

Admins can now see the number of utilized user roles within a team, helping them track their allocated limit. Additionally, they can sort and filter the user list without resetting it, select users across multiple pages for bulk actions(lock, unlock, export), and choose all users from a filtered list. These new features enhance usability and streamline the management of large groups, improving workflow efficiency.

>![TM.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046071089-?Expires=253370764800&Signature=qCXVCa0gv4vG12AkeVOZU8TyCO5yv3AnaFoPZsJBKEinRg0NCVel0eYdfrFkns3xYOlcOH8OFgSqWwCGe2R4auJ21gEWMzCo8izL3qLy88k4rEyPcGTNNMkpgeNXAqnpNKR8xoZHHG-h9Qycoia92xD5IDS8gbbJYGXRka9LI2pXIJQBwlyEEVVZDSfJHTEApfXmGBrWuUaf64Ydul0Ve6GguQ984~Z49Sctjfa-eLRUCpQqTwYCKxWiQpCdQ3X1Jnd-U6jhTEtAdcDWZC10JSAzDeqY6hDLxqaJ7ov6FCwSEdegVrKtyYyHXyyqXnVyChfqLH5YVoR3i5W9KeQ-g__&Key-Pair-Id=K3NV4LZ47N8M46)

Learn more here[? Teams Management](/articles/1508181842)

\


Engage

New Templates in Custom Sections


Engage now provides the capability to add custom sections in a grid format through new grid templates. With this, users can create custom sections that can make their microsite stand out from their peers.

We have introduced 4 grid templates as below:


1. A grid of videos or images that allows users to create custom sections to share additional information about their employees or their company.




1. A grid of images with title and subtitle that allows users to create custom sections to share information about their leadership team or team members.



1. A text-only grid with title and subtitle that allows users to create custom sections to share any important details that need to stand out.



1. A title and image layout that allows users to showcase their prominent event banners.



Learn more here[? Setting up the Event Microsite]/[articles/3958121708]


\

SkillUp

User Management Enhancements

You can now manage upskilling efforts for your teams on SkillUp, with the ability to administer the product and gather rich insights, empowering organizations to better structure their user management.

Admins can assign the manager role to any user, providing greater flexibility and control, while managers' access is limited to their team members and their reports, ensuring data security and focused oversight.



Manager Dashboards

To further empower managers, we have launched manager dashboards to facilitate team growth and development.

Key features include the ability for managers to assign customized upskilling paths, helping developers earn new skill badges and prepare for future roles. The dashboards also allow data exports for further analysis and reporting, giving you insights on your talent

directory, upskilling progress, and certifications.

New Role Certifications and Skill Badges

We are launching 10 additional role certifications and 5 additional skill badges in SkillUp. These new additions are designed to help developers get future-ready for more roles and learn new skills in a hands-on way.

****New Role Certifications available for: ****

- ****Front-End roles:**** Front-End Developer (React), Sr. Front-End Developer (React)

- ****Back-End roles:**** Back-End Developer (Node.js), Sr. Back-End Developer, (Node.js), Back-End Developer (Django), Sr. Back-End Developer (Django)

- ****Full Stack roles**:** Full sack Engineer (React & Node.js), Sr. Full Stack Engineer (React & Node.js), Full Stack Engineer (Angular & Node.js), Sr. Full Stack Engineer (Angular & Node.js)

****New Skill Badges available for:****

- React, Node.js, Go, Ansible, Dynamo DB

Learn more here[? HackerRank SkillUp](/articles/4624433684)

\

[general-help/release-notes] What's New on HackerRank

title: "What's New on HackerRank"
title_slug: "whats-new-on-hackerrank"
source_url: "https://support.hackerrank.com/articles/5026442259-what%27s-new-on-hackerrank-"
article_slug: "5026442259-what%27s-new-on-hackerrank-"
last_updated_exact: "Jan 23, 2025, 11:00 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "General Help"
- "Release Notes"

What's New on HackerRank

Last updated: Jan 23, 2025, 11:00 AM (Last updated 1 year ago)

This page contains our latest product updates. Please visit it for information on new features, bug fixes, and other changes to improve your experience.

- [What's New](https://www.hackerrank.com/whats-new/)

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1737610217864-image.png?Expires=253370764800&Signature=eZcERTRsDnT~0RuwOwapOgnPMJqA8O0YJN8i3AbcvPXm2QmM4NqQf5kragw96FMcPVcygvuWjm-asxdgA9VyBQpo1QXsFbuVKGD~Jq4RWcxfNy8dg5LqtRRQqwTdWk7jiyU8h5aUeYrTh2Pcg4kglpOgHbjrDdrJO5cbtgB721VP9yxjP-eyPBOA5E~ZOmuCdJ5bbG7iHV14USq3PcutcQyCkppWaHS3pH9jby2RndiSaXqEgzcqb3Sd4oyvwDCFsVvWbVv5G11WVBxNDBu3aKxddrAHic55IJJDKMyxd4XAZOfzuSXt6bRisj93g7UyxA5z95QUEy64KY~ci4CwA__&Key-Pair-Id=K3NV4LZ47N8M46)

\

[general-help/release-notes] April 2025 Release Notes

```
---
title: "April 2025 Release Notes"
title_slug: "april-2025-release-notes"
source_url: "https://support.hackerrank.com/articles/5686123513-april-2025-release-notes"
article_slug: "5686123513-april-2025-release-notes"
last_updated_exact: "May 2, 2025, 9:23 PM"
last_updated_relative: "Last updated 12 months ago"
breadcrumbs:
  - "General Help"
  - "Release Notes"
---
```

April 2025 Release Notes

Last updated: May 2, 2025, 9:23 PM (Last updated 12 months ago)

We're excited to share the latest updates from HackerRank's April product release!

AI is now at the heart of how software is built and this release helps you harness it to hire and upskill the next generation of developers. The AI Interviewer captures signals beyond just code correctness, like thought process and judgment, which are critical in the AI-first world, while Proctor Mode brings greater integrity to assessments by ensuring they play by the rules.

With Engage, you can reconnect with past candidates and launch targeted campaigns to quickly build your pipeline. SkillUp streamlines developer growth with structured learning paths, guided by an AI Tutor. And with added support for cutting-edge tech like RAG and iOS, you're ready to assess for skills that are shaping the future.


These updates will go live by April 23rd. [Join our customer webinar](https://webflow.hackerrank.com/webinars/april-release-2025) on April 22nd to learn more.

Skills Platform

Retrieval-Augmented Generation (RAG)

LLMs are powerful, but only when responses are grounded in the right context. Retrieval-Augmented Generation (RAG) is key to building context-aware AI applications like chatbots and personalized support tools.

You now have access to Library questions to help you identify developers with real-world RAG skills. These run in a native VSCode IDE and include built-in data sources for evaluation. You can also create your own RAG questions using the same setup to match your specific needs.



For more information, see [Creating a RAG (Retrieval Augmented Generation) Question](https://support.hackerrank.com/articles/7355446816-creating-a-rag-retrieval-augmented-generation-question)**,** [Retrieval-Augmented Generation (RAG) Question](https://candidatesupport.hackerrank.com/hc/en-us/articles/4402921107091-Taking-Front-end-Back-end-Full-stack-and-Mobile-Developer-Assessments#retrievalaugmented-generation-rag-question).

iOS Assessments (Limited Availability in Tests and Interviews)

Evaluate iOS developers in a realistic coding environment with a built-in emulator, multi-file support, and a VS Code IDE featuring Swift syntax highlighting and autocompletion.

Candidates can preview their apps in a real time emulator, so you can assess both functionality and UI. These assessments support key frameworks like SwiftUI and reflect real-world iOS development.

iOS assessments are currently in limited availability with ready-to-use Library questions. To get access, contact your account manager or email support@hackerrank.com.

!updated
IOS.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1746200302964-updatedIOS.gif?Expires=253370764800&Signature=izSM2mKaoq4Dyt5-1i-8YING2wekkabS6mZZ8gC00-JZTJ7IYxOSA8RKDF2Bewlpqxa2YrZ5hVcMzSq2~1uoy3l-GZ0obaESjtDPqLKrjSPmDVoTGphNhhWJ6u3CkCQcTMrhJnbdWtHVPRdhxcD7NxlVXA6rZ-Aj-p0Ltpb8hMJvQJJeJA6nEI17vYmRVu3Ax3Zkg~bu7LQqiQJfGQdlw-kK7G-z7RBSzd7~CL3~oR5fwYbBCxiBAY6zB37rvWuYd-WUMEYEDXoHo~JCaw5Lzg6e9hIOC7eNPICroegEWi7b6GAxvzaGaOltO-O9hyDY~tB07RFxCJ5W2N16~W5IXWg__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [Using HackerRank IDE](https://candidatesupport.hackerrank.com/hc/en-us/articles/4402921107091-Taking-Front-end-Back-end-Full-stack-and-Mobile-Developer-Assessments#using-the-hackerrank-ide).

QA Skills: Cucumber and Cypress

You can now assess QA and test automation skills in Cucumber for Behavior-driven development(BDD) testing and Cypress for front-end automation. Candidates can write and run tests directly in the platform, with support for scenario-level execution and automatic scoring.

For more information, see [Execution Environment](https://candidatesupport.hackerrank.com/hc/en-us/articles/4402913877523-Execution-Environment).

Code Quality Grading (Limited Availability in Tests)

Correctness is just a small part of writing production-ready code. Maintainability, efficiency, and clarity further demonstrate a developer's expertise. Code Quality Grading helps you assess these qualities with detailed reviewer comments that highlight strengths and areas for improvement.

Code Quality Grading is currently in limited availability for **React** and **Coding** questions. Reach out to your account manager or support@hackerrank.com for more information.

Library Improvements

Natural Language Search

Natural Language Search makes finding the right questions in the Library faster and more intuitive. Just type what you're looking for - like ?Evaluate Python skills with tuples, data frames, and numpy? - and get relevant results instantly.

Content Additions

The HackerRank Library is regularly updated with new challenges, enabling you to assess candidates across a wide range of technical skills.

New Content

- Coding + Database Tasks: 160 coding challenges designed to assess practical programming skills and algorithmic thinking.
- Projects: 90 projects that simulate real-world scenarios, enabling candidates to demonstrate their ability to manage and execute complex tasks.
- Content additions across the following high-demand job families:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1744790398364-image.png?Expires=253370764800&Signature=N1liJCfZkWPNEAEAOidYATCzFLCfjVc~EQHGtJdcrwHe3TcH6UX5KMrtTFuA7qfitevr~E~Hh2hcNEJImMOS8q7E
DJKkY7xPGybeKQysykMXw6t3fKVom8MullMKIDBb3dUh00rDk4~gS84zARcwwV5lutJ3MG0tH9vOtYIsQ10-hzTNgbY0DrBhGDwbU
ZtOiB5uVRWfFCnXBvVUNQ8U9ghCgZLBEZ-VBe1EkCJCv6zBNgLANogvd2-YjQhECME2sFFimF0pRy~u~wANlcllQhHP2kP41xwf
hJPe0dwPj8Bjm0glk6ruNG5CV2u4BXEHOA2B-ja9kMzZfh~8g96g__&Key-Pair-Id=K3NV4LZ47N8M46)

Content Quality Upgrades

Clear, well-structured questions help you fairly and accurately evaluate candidates' skills and potential. The HackerRank library continues to evolve to support better comprehension and more effective skill assessment.

****Project questions:**** Project questions now go through weekly sanity checks that simulate the full candidate experience - from logging in and launching the IDE to building the project, running tests, and verifying previews.

Over 880 full-stack, frontend, backend, and mobile questions have been reviewed and improved, including optimizations that reduce package installation times and minimize timeout issues. These checks ensure reliable performance and quality for a smooth candidate experience.

Developer Experience

DevOps Assessment Improvements

Candidates can now expect a smoother, more reliable DevOps assessment experience, enabling more accurate evaluation of skills such as infrastructure management and system optimization.

- ****Seamless recovery with reset options:**** The introduction of reset functionality in DevOps questions allows candidates to start fresh without disrupting their environment to reduce stress and enable them to quickly recover from errors, maintaining their momentum during assessments.

- ****Enhanced scalability:**** The platform now supports up to 150 logins per minute (up from 20) and handles up to 1,200 concurrent sessions, so high-volume hiring events and assessments run smoothly without delays.

For more information, see [Answer DevOps

Questions](https://candidatesupport.hackerrank.com/hc/en-us/articles/9065134088723-Answer-DevOps-Questions).

New Candidate Site: Coding, MCQ and Database Questions

In response to candidate feedback, the candidate test-taking experience has been redesigned with a cleaner UI, improved layout controls, and a more straightforward onboarding flow.

- **Modern UI**: The interface has been updated for coding, database, and multiple-choice questions. Question names now appear clearly in the sidebar, replacing generic labels like ?Question 1.? The ?Submit? button has been renamed to ?Save and Proceed? to avoid giving candidates the impression that their answers are final.
- **Flexible layouts**: Candidates can expand or collapse the code editor, move panels horizontally for better test case comparison, and toggle settings like autocomplete or syntax highlighting. These changes provide more control over the test environment and help candidates focus.
- **Simplified onboarding**: The test starts with a clear three-step flow?view instructions, enter basic details, and review integrity guidelines. Candidates also have the option to take a sample test before beginning.
- **Improved test execution**: Candidates can now run a single test case instead of executing all at once, making it easier to debug and iterate and saving valuable time during assessments.

These enhancements aim to reduce friction and improve focus without adding complexity. The updated experience will be rolled out in phases starting April 23, with full availability expected by the end of May. It will be available for all tests that include Coding, MCQ, and Database questions, or any combination of these. Tests with other question types will continue on the existing test-taking platform.

```

```

For more information, see [Answer Coding Questions](https://candidatesupport.hackerrank.com/hc/en-us/articles/4402921045267-Answer-Coding-Questions), [Answer Database Programming Questions](https://candidatesupport.hackerrank.com/hc/en-us/articles/4402921116179-Answer-Database-Programming-Questions#new-experience), [Answer Multiple-Choice Questions](https://candidatesupport.hackerrank.com/hc/en-us/articles/4402921055379-Answer-Multiple-Choice-Questions).

Red Hat Java LSP and Higher CPU for Java

Java Project questions now run on the most popular Red Hat-powered Java LSP, delivering improved code autocomplete and diagnostics. We’ve also doubled the CPU allocation for the virtual machine, ensuring faster performance and a smoother candidate experience.

**Platform Upgrades

Updated programming languages, and diagnostic tools like LSPs help candidates navigate tests and interviews with greater efficiency. This upgrade includes the following improvements, ensuring your assessment environment reflects the latest industry standards:

- **Data Science R (4.4.2)**: For data science questions, the R language environment has been updated to version 4.4.2 to support the latest packages and libraries.
- **Swift 6.3.0**: The latest version of Swift is now supported for all coding questions.
- **Golang LSP Support (v1.22.5)**: We’ve added Language Server Protocol (LSP) support for Go, enabling smarter diagnostics and

developer assistance.

WebSocket Connectivity Check


With a new WebSocket connectivity pre-check in place, candidates can enter assessments confidently, minimizing unexpected connection issues that might otherwise prevent the IDE from loading properly.



Screen

Create a Test from a Job Description

You can now speed up test creation by using a job description directly in the process. In the Create Test workflow, simply select ?Create Test with Job Description?, paste the job description for the role, and a test focused on the most essential skills will be generated for you.



For more information, see [Creating a Test from a Job Description](https://support.hackerrank.com/articles/6547433891-creating-a-test-from-a-job-description).

External Copy-Paste Prevention in Secure Mode

As an added layer of integrity to [Secure Mode](https://support.hackerrank.com/articles/1079706165-proctoring-hackerrank-tests#secure-mode-23) - which locks the assessment interface in full-screen mode - candidates will now be unable to copy-paste external text when taking Frontend, Backend, Fullstack, and Coding test questions with Secure Mode enabled. This prevents unauthorized content use, ensuring a fair assessment experience.

This feature is **not** currently available for the following question types, but will be supported in the future: Subjective, Sentence Completion, DevOps, and Data Science.




For more information, see [Secure Mode](https://support.hackerrank.com/articles/1079706165-proctoring-hackerrank-tests#secure-mode-23).

Proctor Mode (Limited Availability in Tests)

Proctor Mode brings AI-powered integrity monitoring to your assessments. While Secure Mode restricts the test environment, Proctor Mode takes things further - offering the rigor of live proctoring without the bias or overhead. During the assessment, the Proctor sets clear expectations, monitors candidate activity in real time (including webcam tracking, tab-switch detection, and periodic screenshots), and delivers a detailed post-test integrity report with session replay, summarized violations, and actionable insights.

Proctor Mode is currently available in limited availability. Reach out to your account manager or support@hackerrank.com for more information.



For more information, see [Proctor Mode](https://support.hackerrank.com/articles/5663779659-proctor-mode).

AI Interviewer (Limited Availability in Tests)

AI Interviewer simulates a real technical interview experience by engaging candidates in a dynamic, two-way conversation. It adapts in real time to how candidates think, code, and problem-solve, while continuously monitoring for integrity and providing deep post-interview insights.


****Key Highlights:****

- ****Conversational interviews****: Candidates can clarify questions, receive contextual nudges, and explain their approach just like they would with a real interviewer.
- ****Progressive questioning****: The AI follows up with more complex variations based on the candidate's performance, enabling deeper signal collection.
- ****Integrity monitoring****: Real-time detection of tab-switching, pasting, and other suspicious behaviors.
- ****Human-like summaries in report****: Automatically generated feedback on candidate performance, code quality, problem-solving depth, and behavioral patterns.
- ****Session replay****: Full playback of the interview with screen captures, webcam images and event timeline.

****Supported Skills (Initial Launch):****

- Problem Solving\
- *Coming Soon: SQL, System Design, React ? and more.*


AI Interviewer is currently available in limited availability. Reach out to your account manager or support@hackerrank.com for more information.



Interview

Observation Mode for Projects

Observation Mode now supports Frontend, Backend and Fullstack questions, enhancing the interview experience for both candidates and interviewers. This feature allows interviewers to follow along in real time as candidates engage with the IDE in a multi-file environment.



BJbH09DvcRzoQVMUKTjmiCWSzQALAI5Uk6W~dURvtnWeljG7eL7Y7pVjYCC5gT2WaBdEPE3WcT8OaakPLBUnWL8R4bE3fPsPATzzbAfJqGqxa3HYr~IcNJfY4PhJPqQE2GpUKOjyg__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

For more information, see [Observation Mode in Interviews](https://support.hackerrank.com/articles/1263202297-observation-mode-in-interviews#front-end-back-end-full-stack-and-mobile-questions-8).

Candidate Guidelines for Interviews

Interview guidelines now appear for all candidates at the start of their interview sessions, regardless of whether the Interview Integrity signals feature is enabled. These guidelines provide clear expectations and technical recommendations to help candidates optimize their setup and understand best practices before getting started.

Ashby Integration for Interview Scheduling

Ashby ATS users can now automatically attach HackerRank Interview links when scheduling interviews. When scheduling an interview or creating a scheduled interview activity, simply toggle on the ?Attach a HackerRank Interview? option in the Communications tab. The live interview link will be included in both candidate and interviewer invitations, allowing you to coordinate interviews without manual steps.

Note: The Ashby user's email must match an active HackerRank account to use this feature.

Settings Update: Enforce Interview Integrity Signals at Company Level

Previously, enabling Interview Integrity Signals required toggles at both the company and individual interviewer levels. Now, visibility is controlled exclusively through company settings for a more streamlined configuration.

The secondary, interviewer-level toggle has been deprecated, giving company admins full control to enforce organizational standards for monitoring suspicious activity during live interviews.

For more information, see [Interview Integrity Signals](https://support.hackerrank.com/articles/9059560249-introduction-to-hackerrank-interviews#interview-integrity-signals-30).

Data and Insights

Custom Reports

Custom Reports offer a powerful new way to access, analyze, and share your HackerRank data on demand. This feature gives you full control to build tailored reports across key data objects.

Select the required fields from the following functional areas to build your reports:

- Tests
- Test Invites and Attempts
- Test Question Attempts
- Questions

- Users

- Interviews

You can merge data from multiple entities, apply filters, preview results in real time, and export the report as an Excel file. Saved reports are accessible to all admins and can be duplicated or shared via email for easy collaboration.

Custom Reports are available to company admin users with access to the Insights tab.

For more information, see[(https://support.hackerrank.com/articles/1508181842-teams-management#export-user-data-26)](https://support.hackerrank.com/articles/1508181842-teams-management#export-user-data-26)[Create Custom Reports](https://support.hackerrank.com/articles/7355624862-create-custom-reports).

Admin

New User Entitlements

You now have access to a host of new entitlements that help you fine-tune user permissions and ensure the right level of access to match your internal policies?all while keeping candidate and assessment data secure.

You?ll find these new entitlements in Teams Management under the User Roles tab, as well as in individual user entitlements within the Users tab.

Test Editing and Settings

Company admins can now further fine-tune access using new entitlements that control specific actions in the test creation and management process. The following new entitlements allow you to define what recruiters and other roles can or cannot do:

- **Clone Test:** Allow recruiters to duplicate a base test for consistency across assessments.
- **Delete Test:** Prevent recruiters and other roles from deleting tests.
- **Delete Candidate:** Control who can delete candidate data from the system.
- **Test Settings:** Restrict access to modify test-level settings for users who did not create the test.
- **Test Settings \> Test Access:** Limit the ability to create public test links or update test expiration settings.

Adding Questions Outside of Interview Templates

To ensure a consistent and standardized interview experience, Company Admins can now control whether users can add questions outside the assigned interview template. When the 'Add and Remove Questions Outside Assigned Template?' setting is toggled off, interviewers will not be able to deviate from the questions provided.

Prerequisite: To enable this entitlement, the ?Conduct Interviews? entitlement must first be enabled.

For more information, see [Flexible User Roles](https://support.hackerrank.com/articles/3929488044-flexible-user-roles).

Bulk Exports

Company admins will now see a new entitlement called ?Allow Bulk Exports? under User Roles and the Entitlements tab under each user in Teams Management. The entitlement determines whether the user has access to the following exports:

- Test export
- Test candidate attempt export
- User export
- Interviews export
- My Library export
- ?Export all data? under insights (candidate export - available for Company Admin roles only)

****Prerequisite:**** To perform an export, a user must have this entitlement enabled ****and**** have the necessary base entitlements for the relevant functional areas or access to the specific object. For example, exporting the ?My Company? library requires the "View Question Library" entitlement.

For more information, see[Allow Bulk Exports](https://support.hackerrank.com/articles/1508181842-teams-management#export-user-data-26).

SkillUp

New Learn Experience

SkillUp has expanded beyond assessments to better support skill development with a more comprehensive learning experience. Earlier versions emphasized hands-on coding assessments with practice questions, timed badges, and certifications. The latest update builds on that foundation by introducing new features designed to help developers actively grow their skills, like learning experiences within the coding environment and an embedded IDE. This shift is rolling out in phases, with a growing number of skills already available in this new format and more planned over the coming quarters.

/>

- **Structured learning paths:** Each path is now organized into concept-driven modules that teach theory, walk through examples, and end with a challenge to reinforce understanding through practice.
- **Built in AI-tutor:** The new SkillUp AI Tutor provides in-the-moment support within the IDE, helping developers understand concepts, troubleshoot code, and think through real-world problems.
- **Real-world challenges:** SkillUp now blends foundational exercises with practical, real-world coding tasks to show how each concept is applied in context.
- **Flexible pacing:** Developers can now complete SkillUp badging challenges on their own schedule, without timers or enforced cooldown periods.
- **In-context resources:** All learning resources are now directly embedded into the IDE to help reduce context-switching and maintain focus.
- **Badges earned through learning:** Developers no longer need to pass a separate test to earn a badge. Simply complete the SkillUp learning track to unlock a badge automatically.

For more information, see [Get Started with Learn](<https://support.hackerrank.com/articles/6047728972-get-started-with-learn>).

New Certify Experience

The new SkillUp ?Certify? experience provides a structured, supportive journey toward certification, making it easier for developers to go from learning a skill to certifying for a multi-skill role with confidence. This approach helps developers prepare more effectively while giving managers greater confidence in the skills being validated.

- **Extensive practice before certification:** Developers no longer need to earn badges to unlock a certification. Instead, they're guided through a set of bite-sized practice challenges, designed to teach and reinforce the skills needed to succeed on the certification.
- **AI tutor support in every practice challenge:** As with the Learn experience, SkillUp?s AI tutor is available throughout the Certify track. It helps reason through problems, break down concepts, and learn in context.
- **Untimed practice challenges:** All practice exercises leading up to the certification are untimed, giving developers the freedom to explore solutions, test ideas, and build muscle memory without time constraints. Only the final certification remains time-bound.

For more information, see [Get Started with Certify](<https://support.hackerrank.com/articles/2960935422-get-started-with-certify>).

Overview Dashboard Enhancements

The updated Overview page provides administrators with a view of upskilling activity across their organization. Designed to support decision-making and progress tracking, the new experience brings clarity to developer engagement and certification outcomes.

- **Funnel view of developer progression:** Funnel data at the top tracks how developers move from invitation to activation, engagement, and certification. This makes it easier to identify where developers are progressing, and where they may need additional support.
- **Time-based filtering for better visibility:** A new date filter in the top-right corner allows for quick toggling between key ranges such as last week, last month, or last quarter. This helps surface trends over time and enables snapshot reporting across different time windows.
- **Downloadable data for deeper analysis:** An export button allows administrators to download their dashboard view, supporting exploratory analysis or integration with other reporting workflows.
- **Updated charts and trends:** Improved visualizations highlight onboarding and certification trends over time, with clean charts that reveal patterns in adoption and outcomes.

For more information, see [Track Developer Progress Using Overview
Dashboard](https://support.hackerrank.com/articles/5272020175-track-developer-progress-using-overview-dashboard).

Engage

Build Your Pipeline in Engage

You can now build your candidate pipeline in Engage using three sources:

- Past candidates from your HackerRank for Work assessments
- HackerRank's candidate database
- Your promoted microsite on the HackerRank Community

Rediscover Past Candidates from HackerRank

The new Cohorts tab lets you rediscover candidates from tests created or attempted in the last 90 days. These cohorts are auto-generated and easy to filter by skills, experience level, and match %. Candidates who have scored <75% , candidates with suspicious activity and those in a campaign are excluded by default (you will see an ?In Campaign? badge against candidate names if they are already part of a campaign).

Once you've selected candidates, click ?Create Campaign? and select a relevant campaign to re-engage them. Once the campaign is created, all your past candidates will appear in the Candidates tab with the source marked as ?HackerRank Test?.

You can also access these cohorts from your HackerRank for Work homepage via the new Rediscover Candidates button.


For more information, see [Source and Manage Candidates for
Campaign](https://support.hackerrank.com/articles/7392770596-getting-candidates-for-your-event#rediscover-past-candidates-2).

Find Candidates from HackerRank's Database of Candidates

You can now enhance your candidate pipeline by adding candidates from HackerRank's database to any existing campaign. Go to the Candidates tab of a campaign and click ?Add Candidates?, then choose ?Find New Candidates? to launch the candidate assistant.

The assistant will ask for basic details like skills and location, and show a set of 5 sample candidates. Share feedback to help refine the search. If none of the initial profiles are a fit, you'll see up to 3 improved rounds of suggestions. Once you're happy with the profiles, you'll provide final feedback before viewing the full list of candidates to choose from.

Review the suggested profiles, use filters like ?Match %? to select relevant candidates and save them to your campaign. These candidates will appear in the list with the source marked as ?HackerRank Database?.




For more information, see [Source and Manage Candidates for Campaign](https://support.hackerrank.com/articles/7392770596-getting-candidates-for-your-event#find-candidates-from-hackerrank-s-candidate-database-14).

Run Promotions in HackerRank Community

You can now boost visibility and attract candidates to your campaigns by promoting them on HackerRank's 26-million-strong community.

Set up your promotions under the ?Outreach? tab of a campaign by providing key details like title, description and target audience and background colour. Then you can either save it to drafts or publish it. Once published, your promotions are reviewed and published to the community in the next 7 days.




For more information, see [Source and Manage Candidates for Campaign](https://support.hackerrank.com/articles/7392770596-getting-candidates-for-your-event#promote-campaign-on-the-hackerrank-community-19).

New Campaign Type: Feature a Job Opportunity

A new "Feature a Job Opportunity" campaign type in Engage allows you to build up your candidate pipeline for your active roles. A new Campaigns tab has been added to view and manage all campaigns in one place.

Simply identify the target audience and select ?Feature a job opportunity?, and the Engage Assistant generates a microsite, emails, and potential candidates. You can further customize the microsite and emails, and source candidates just as with a coding challenge campaign. This campaign type also features a unique microsite layout with a dedicated ?About the Job? section to highlight role responsibilities, qualifications, and an application link. The microsite is also published on the Homepage and Prepare pages of the HackerRank Community.



For more information, see [Create a Campaign](https://support.hackerrank.com/articles/7549509598-create-an-event), [Set Up a Microsite](https://support.hackerrank.com/articles/3958121708-setting-up-the-event-microsite), [Set Up Emails](https://support.hackerrank.com/articles/9707768362-set-up-the-promotional-emails-or-campaigns), [Set Up a Challenge](https://support.hackerrank.com/articles/7640208607-set-up-the-event-challenge), [View Event Statistics](https://support.hackerrank.com/articles/5336874519-view-event-stats).

Developer Community

Mock Interviews

AI-powered mock interviews are now generally available to all developers on the HackerRank Community. These sessions simulate real technical interviews and include several new enhancements:

- **Speech-to-Text Mode**: Developers can practice answering questions naturally using their voice, with real-time transcription.
- **Improved Mock Interviewer**: The upgraded model provides more realistic and relevant feedback, closely aligned with real interview expectations.
- **Enhanced Feedback Experience**: Clickable prompts during the feedback phase make it easier for developers to review and follow up.
- **Global Payment Support**: Mock interview attempts can now be purchased via Razorpay or Stripe, with support for developers in all regions.
- **New Interview Type ? Backend (Node.js)**: A new session focused on backend interviews using Node.js is now available, alongside existing options in Problem Solving, Frontend (React), and System Design.

With over 22,000 mock interviews completed, more developers are gaining realistic practice and building confidence for real-world interviews.



Support for Workable on QuickApply

The QuickApply Chrome extension now supports autofill on Workable-powered job applications, expanding its integration to six major applicant tracking systems: Avature, Greenhouse, Oracle, SmartRecruiter, Workable, and Workday.

Thank you for supporting our mission to change the world to value skills over pedigree. Your feedback continues to drive our innovations forward. If you have questions or need assistance, email support@hackerrank.com or contact your account manager.

\

\

\

\

\

[general-help/release-notes] January 2025 Release Notes

title: "January 2025 Release Notes"
title_slug: "january-2025-release-notes"
source_url: "https://support.hackerrank.com/articles/8074371720-january-2025-release-notes"
article_slug: "8074371720-january-2025-release-notes"
last_updated_exact: "Oct 8, 2025, 3:42 PM"
last_updated_relative: "Last updated 7 months ago"
breadcrumbs:
- "General Help"
- "Release Notes"

January 2025 Release Notes

Last updated: Oct 8, 2025, 3:42 PM (Last updated 7 months ago)

We're excited to share the latest updates from HackerRank's January 2025 product release!

Highlights include new Prompt Engineering and Code Repository question types - designed to simulate day-to-day developer tasks and bring authenticity to skill evaluations. Developers benefit from upgrades like the enhanced Monaco editor and a new Run Test interface. Preventive features such as Secure Mode, along with live interview integrity signals, provide greater confidence in the fairness and security of your assessments.

To walk through the updates, check out our [customer webinar](https://hackerrank.northpass.com/app/courses/3e1c58b9-08ad-4f28-8a98-8e49c46a95fe) [recording](https://hackerrank.northpass.com/auth/auth_url_email/login)**.**

Skills Platform

Prompt Engineering Questions (Available for Tests)

AI is transforming software engineering, making prompt engineering a critical skill for developers. With this release, you can now evaluate a candidate's ability to create effective AI prompts through our new prompt engineering questions. This ensures you're identifying talent ready to excel in a future that is human + AI. New enhancements include:

- Seven new prompt engineering questions added to the library.
- Ability to evaluate proficiency in building effective prompts with automated

![PE.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1737522189326-PE.gif?Expires=253370764800&Signature=T5X441gZzS7UotcksVUT0TtFNBS5kdOajmlqg6ci8vUR5zOukwcGgrVDsSkAsbNNtyB4JSpanxo8QBLzGk0NeFqnXgS6GHF4A1hDqnmbETOr9-iiUml24oxYNitw~suOfsXm3R6k7Czl8ftqy~KnbwutjrzeSYxPILYkTyzsk43l1rp86H3iDEM3YSnxTjelywKM-mQhVeuNrSk4~z3UywcLmlyVtr6~oRQhnuVH5K4xJ60q6YbDqiz3O-0Wg9CQLP~wQ-Q8qOCHfgchguINEJRhG17u3Exj3ucOMG0cBrM3~76PdIFHXexF3XiuE-dscLL8iTPoL7X6o3FymAzGg__&Key-Pair-Id=K3NV4LZ47N8M46)

Refer to [Assessing Candidates on Prompt Engineering Skills](https://support.hackerrank.com/articles/1231590424-assessing-candidates-on-prompt-engineering-skills) for more details.

Retrieval Augmented Generation Questions (Limited Availability for Tests)

As developers increasingly use Large Language Models to create context-aware solutions, RAG expertise has become critical. With this skill launch, candidates can now be assessed on key capabilities, such as retrieving and utilizing relevant information to build personalized AI solutions like support bots.

This feature is currently available on a limited basis. Please reach out to your account manager if you are interested in gaining access.

![RAG 22nd.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1737522259837-RAG22nd.gif?Expires=253370764800&Signature=TKLHXOmgfFjbow4D~dYMOOGFVBpqlvcpiuiD8PrN~1y5qYLhmMJvDftm2pNyOLpNj6TE5qshQtGIWjGTou1Tlqpq8iy597Ms7qUgSe4kr6x5qd6IOaqY3ngCuww3KOL2dqIMWzVoblx8cJvHSCuXI8L7DYANOGAiYuhI1TJ740tq39sNIDXIQUe9dsQMKkJvEpD5zg0~iPgDgfsdgn9Doae65Pq95OXJSBoI9UDGUtlZnCCu4yMT22WSUmPc67jxIsvAm9qZhjKobnDC-ZIZCwm3IWOGFwgcS4A5QZ5~0CDdtABm4ZRX9juwtu8~yAKgBsHM4U8KDJVn1QR7-dDGw__&Key-Pair-Id=K3NV4LZ47N8M46)

Code Repository Questions (Available for Interviews)

Developers work with code repositories daily, tackling tasks like rearchitecting systems, fixing bugs, and adding features. Our new Code Repositories question type in the Interview product lets you evaluate candidates in real-world scenarios like these. With 6 pre-built repositories and 110 tasks, this feature mirrors a developer's day-to-day work, giving you greater confidence in hiring decisions.

If you would like to upload your own code repositories, we are working on bringing the functionality natively. In the meantime, you can email [support@hackerrank.com,](mailto:support@hackerrank.com) and we would love to help!

![[CodeRepo1.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1737522282079-CodeRepo1.gif?Expires=253370764800&Signature=Zop168TmQI7DgM-FHt~Lq8IASNQPVQd1gy~HYr1tAYUTVN8payPmu1yx0pIHhV1KR2uelTtICVCCSjFlbup4AC59k-cSj8Nuty~N5kCpxWrSuKijzdkFH79R5IY0mgMg3~5qdxOJ7Xqsdg7RMo1L5E4t8pHHvGzLeK0zV5J0suj~-q-l73l2fNX~gtJ57ojiQyRHKzEN1oZhQ0QmiKlcsMjPg6RuWOXsrHsxbT~O6g0jKtXGQIFCxy8~7uz2dNBn0L5Ao4bx4CEy1v6lhaCKYNmA1xR9lpgnw90eJPePknMMGpEJwkqJbgzhCuKtGbjPlbQXIDP5TEf1Gwig1SMIQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Refer to [The Next-Generation of Hiring: Interview Features](https://support.hackerrank.com/articles/5377881818-the-next-generation-of-hiring%3A-interview-features#code-repositories-in-interviews-3) for more details.

Code Quality Grading (Limited Availability)

Code quality is as important as code correctness, reflecting a candidate's ability to write maintainable, efficient, and scalable code. With the new Code Quality grading and detailed comments, you can evaluate candidates on these critical dimensions, gaining deeper insights into their strengths and areas for growth. This helps you identify and hire candidates who can contribute high-quality code.

This feature is currently available on a limited basis. Please reach out to your account manager if you are interested in gaining access.

![[CodeQualityGradingFinna1.GIF]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1737128753468-CodeQualityGradingFinna1.GIF?Expires=253370764800&Signature=GkmL~XnyTzGdPNM8xeKarm-tnlsyjlwZXD4PMulw6BurbqiUzX0zReZZE~c6WoLiBvA34KSs70vETa71LmhLx6Ag0ROGS7SP8jnyiKACJz1lteAKdnEQP4MFVublyZRjtReVG0kujS6w3byrboUYqoYEhpkB8p9fv72AEYqiGluzMpaz4cW94CTqYYICFym6-byTOYIMp4IS8CPHHWkAF6YtTEkkgVwmjkz5ZUkGWzQyntvS5hCZCOZTxu~zHikUtd3u7Yh61pz8Wfx8BdVITPaVkvip2W6WdKJ-Fc-01cp7OSP7Agtg2pRDcNaR-diV6l-M5AltUvnAcU1tS4A__&Key-Pair-Id=K3NV4LZ47N8M46)

Other Library Additions

The [HackerRank Library](https://www.hackerrank.com/work/library) is regularly updated with new challenges, enabling you to assess candidates across a wide range of technical skills.

New Content

- Coding + Database Tasks: 149 coding challenges designed to assess practical programming skills and algorithmic thinking.
- Projects: 65 projects that simulate real-world scenarios, enabling candidates to demonstrate their ability to manage and execute complex tasks.

Updated Job Families

The latest content enhancements focus on the following key job families to ensure comprehensive and relevant assessments:

- Software Engineering
- Web Development
- Cloud
- Cybersecurity
- AI/ML
- Quality Assurance

Content Quality Improvements

Clear and precise questions help you effectively evaluate candidates' skills and potential. HackerRank is dedicated to continuously improving library content to improve candidate comprehension. As a starting point, 60 existing questions have been enhanced using

AI to improve clarity, precision, and readability. All new questions will undergo a rigorous review process to maintain this standard. Over the next few releases, you can look forward to further refinements to the question library, ensuring it maintains this quality level.

Here's an example of a question that's been improved for better comprehension:

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" data-cw="311" style="vertical-align: top; padding: 5pt 5pt 5pt 5pt; overflow: hidden;
overflow-wrap: break-word; width: 311px"><p><strong>Original Question</strong></p></td>
<td data-cs="1" data-rs="1" style="vertical-align: top; padding: 5pt 5pt 5pt 5pt; overflow: hidden; overflow-wrap:
break-word"><p><strong>Improved Question</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="311" style="vertical-align: top; padding: 5pt 5pt 5pt 5pt; overflow: hidden;
overflow-wrap: break-word; width: 311px"><p>A professional society uses a program to determine possible diverse groups of 3
members for an upcoming conference.</p>
<p><br />
</p>
<p>There are m men and w women who are eligible. A group is diverse only if it contains at least one man and at least one woman.
Two groups are considered distinct if one has a member that the other does not.</p>
<p></p>
<p>Given a number of men and women, determine the number of distinct ways to select a diverse group of 3 people.</p></td>
<td data-cs="1" data-rs="1" style="vertical-align: top; padding: 5pt 5pt 5pt 5pt; overflow: hidden; overflow-wrap:
break-word"><p>A professional society is organizing a conference and needs to form a diverse group of 3 members. </p>
<p><br />
</p>
<p>The group must meet the following criteria:</p>
<p>- Diversity Rule: The group must include at least one man and one woman.</p>
<p>- Distinct Combinations: Two groups are considered distinct if they have at least one different member.</p>
<p><br />
</p>
<p>You are given:</p>
<p>- m: The number of eligible men.</p>
<p>- w: The number of eligible women.</p>
<p>Your task is to calculate the total number of distinct ways to select a diverse group of 3 members, following the diversity
rule.</p></td>
</tr>
</tbody>
</table>
```

Developer Experience

Monaco Editor Updates

Candidates will benefit from a more intuitive coding experience with the latest updates to the Monaco editor. Key improvements include:

- **Colorized Bracket Matching**: Simplifies working with deeply nested code by visually distinguishing each level.
- **Sticky Scroll**: Displays starting lines of visible nested scopes at the top for better navigation and context.
- **Expanded Typescript Support**: Now supports version 5.5, including the latest features like decorator syntax.
- **Improved Vim Mode**: Access Visual, Visual Block, and Visual Line Modes, along with shortcuts like <, >, cmd + \], and more.
- **Resolved Accessibility Issues**: A more inclusive coding environment with previous accessibility issues addressed.

!ab030cc0-7c6a-41ff-849f-90e53abe3d3d.GIF](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1737128796505-ab030cc0-7c6a-41ff-849f-90e53abe3d3d.GIF?Expires=253370764800&Signature=O-u~tqquQ669TuaoT0hPbGP5ctodwiU~Zj3xA~~~eq~Jw5FOsW038hII~0cgA0ueFmWKUNfz2bzSLtX3V0KVsol1tN02WoKoEKggtDYBZRSbHeMh2WVX00eASEOYM5o-xUQuyn~5Bp00AIND2MkKpD2PXaaHN8Zmr~enll8mu4K2t6XYf6R6b-hGvoYuoREytpYSi1zhid4ztu2259nQ8YLaRM4DzXcD9-fw0xKVTqRR1cKEd6kU0KdseNFKeYDF2Z15IBR0S-xbGGicyNgC45gVjwHlxQ3oJlj-x4AvvP3w7uCHW4QdHbvGDZKi718xOZxSrAlqN-y0ac5XiWwqA__&Key-Pair-Id=K3NV4LZ47N8M46)

Refer to [Using Monaco Editor to Answer Coding Questions](https://candidatesupport.hackerrank.com/articles/9623161883-answer-coding-questions#using-the-hackerrank-coding-editor-6) for more information.

Run Test Interface

The new Run Test Interface in the VSCode IDE makes it easier for candidates to interpret test results for front-end and Code Repository questions. This feature provides an intuitive, developer-friendly interface for questions with test commands configured to generate XML output.

![Run Tests Final 13th Jan (1).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1737128832276-RunTestsFinal13thJan%25281%2529%25281%2529.GIF?Expires=253370764800&Signature=ek6zR5xle49wumBDTUW9SDbz0YDALkKwRo~SEfXx4e3frTFRd~tY3hPT1nql5MA~yOxl47yrgx6EROoz89WifYVh8fqfG5~dIRhUxI~gLZAn~WQfr3ejllbR6ri59qvBx9fz1Uwgfld2~omtyng04npaUPmyS5KzOiZGmCZPeLxnPgblu~u~0noxGAXtnmdfwnXx9FCOpFS21xejQgjxX07GSeyxVvBzTcJpYkowrKd5WvzSIWcfd8wifZ3Nh9HfWHyTdA6Ht6evKYhOg~YENOh0ZMyghxuY3CkAJV~xqGCA44XgdXsklPhMcaTdfZCLgSxOBQqW0qJMmsynDQzg__&Key-Pair-Id=K3NV4LZ47N8M46)

Refer to [Taking Front-end, Back-end, Full-stack Developer Assessments](https://candidatesupport.hackerrank.com/hc/en-us/articles/4402921107091-Taking-Front-end-Back-end-Full-stack-Developer-Assessments#using-the-hackerrank-ide) for more details.

Screen

Secure Mode

Enhance the integrity of your assessments with Secure Mode, which locks the assessment interface in full-screen mode and warns candidates if they switch tabs during the test. You can enable Secure Mode in the Test Settings, ensuring candidates rely solely on their skills without external assistance during the assessment.

![Secure Mode2.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1739971482499-SecureMode2.gif?Expires=253370764800&Signature=pBgoTugpNZoET21GVgoBsii9Qijt2vI~OoDISZKIL~3YVYTFarxdERfYuEZS0z8CNvg50~58JniBq0oh4uVBVqxY7in~hSkY65ITI~OE5lamvYqD10yPZZPFxYWcf3sVULef3eTuK4NN0TxNW5ukOpChycQXWR76L7hH58N6kEw8v~xdG6Fp0kUFDRJCARZ0C9lt9G09us~GUSPab~RenrmMYL1kru8fUelVcdawr~cq~6g9n~1XWiLnDUcT~NtUv3SWv9~yNhQGPfAhpKDxml7ayYZQ6ljRQ7nS0DhaSMyl5IO8EVR6nzFmYOOcgYhm4LS71RBT6pRwHr~9jN~jCQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Candidate Experience

![Secure Candidates.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1737522440516-SecureModeCandidates.gif?Expires=253370764800&Signature=vxPB~t3CVyAWINpafXJTtaf88aYIoRvii~et8uyDQgNEE1B8W09mFhvckNQtxjFwF1lugY2GocNPsb7KN2wdksee7LyI26XcrLDBO4hfzMo8z3TzNVLOfLhkFTB3H4cENgnz2hfy3zNUQYILIJ4krsh7jFD2RkpWFgHQ8FWYUkKzU1tu5Rk~Erzfuea8ZT79IU2hYJwJmbH75CPCRHV1gguD3~3PJtPgS443RxQWVPgvUmOyc9~7fPjDSi6HHqwXKtpgcltAPx49ywLKUuUNR~D3Bpt6Ulamrx4E7qjw9~yPCfEpLKZ6otWjw6YAce8bCnUKP776TRGM7RM7PI2PoA__&Key-Pair-Id=K3NV4LZ47N8M46)

Refer to [Proctoring HackerRank Tests](https://support.hackerrank.com/articles/1079706165-proctoring-hackerrank-tests#secure-mode-23) for more information.

Enhanced Library Experience

The latest HackerRank Library updates make discovering the right questions for your assessments easier. With an improved interface, you can leverage advanced filters, view concise question summaries, and access additional sorting options. Here's what's new:

Question Summaries: Quickly review essential details such as question type, key concepts, difficulty level, and a brief summary?eliminating the need to read lengthy question descriptions.

Expanded Filters: Narrow your search with 17+ new filters, including average scores, candidate performance data, and completion times, enabling more precise alignment with your hiring objectives.

Enhanced Sorting Options: Organize questions by metrics such as average score or candidate performance to identify the most suitable questions for your assessments.

![Library Final.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1737523856540-LibraryFinal.gif?Expires=253370764800&Signature=EKL6f8qualkMlx9t0fdFbHVUEYIy5~K~C3W7Xvi7EcTOy5VH23Pav1WVmmUeslHYyB4Utk3wswbDePsXYo119z

deLavY9KLpJ63Vi7E~RmF3Oaz~giuRyzzOjHjqYRAtn1bdqeGRs-k9VB4Tc37PNT3YcmkTwr4AtVCoQf0XBeM~3RM67VqskGOGNM
iNyZlmesYL0Ej7ltHQjbKb1-sEiGi2hErioVRtD14pVwo7lvigvhdYLhHMg2CC2SE~nBLG4fVSqUy7O0LOlsGroFbP1wdMllwdTDhYIZSu
UFUUhHAZCV3PkiDB~oX1sqPGVzx~M57SpbDGLSDkkPF6dTjJMg__&Key-Pair-Id=K3NV4LZ47N8M46)

Refer to [Enhanced HackerRank Library](https://support.hackerrank.com/articles/5974383889-enhanced-hackerrank-library) for more details.

Decimals & Zero Scores in Multiple Choice Questions

You can now set decimal point scores for multiple-choice questions, giving you finer control over grading. For tests with numerous MCQs of lower importance, you can allocate fractional scores like 0.25 or 0.50 per question. Additionally, you can assign a zero score to MCQs, allowing you to create practice sections or evaluate question quality without impacting candidates' overall scores.

Skill-Based Scores in API

Users leveraging the [API](https://www.hackerrank.com/work/apidocs#!/TestCandidate/get_x_api_v3_tests_test_id_candidates_candidate_id_additional_fields_additional_fields) for reporting can now get skill-based scores for each candidate.

Interview

Interview Integrity Signals

Build confidence in the integrity of remote interviews with live signals designed to detect candidate behaviors such as tab switches, code copy-pasting, and the use of multiple monitors.

Candidates are given clear expectations during the onboarding phase to avoid surprises. For added flexibility, these notifications can be muted during interviews, allowing you to align with your company's preferences, such as permitting or restricting the use of AI tools.

![Interview Integrity Final (12).GIF](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1737129179330-InterviewIntegrityFinal%252812%2529.GIF?Expires=253370764800&Signature=sIYibavbnoQ4L8IBD0lvwZ4xbPpAKB8vsImcaa4SuuTr7-CcEbTY0w9D3CI3vz5aHPYB1JGSgPloqDxTEztJGYjU58YFFNNOlVb4b8Nqvip6loz6iR0aptM3l4mUtvH2uNinJ3Upe5E8PafFtZpVtX6j8t-NxEuLev5-GmJGaSSNLAmqN88ZQAhgQrPceKk7SZ5h18k3fULwWDssZcf9dcacqrSjSCnX1XF32ZZYqlyoghnGoQJaYlmb3clzm1EEMZXSywA5B3OL3lCx5e2CxOcZtR6BbQEGnhM-OkExZb2UDnM9ndMYr-J72OoVx5AMRaV34TF5NaMk7Qp-1MQ9w__&Key-Pair-Id=K3NV4LZ47N8M46)

Refer to [Interview Integrity](https://support.hackerrank.com/articles/9059560249-introduction-to-hackerrank-interviews#interview-integrity-signals-30) for more details.

Custom Scorecards

Ensure consistent and structured interview evaluations with customizable scorecards tailored to your unique hiring needs. From the new Scorecards tab or within an interview template, you can create and edit scorecards that mirror your specific evaluation criteria, making it easier to assess candidates effectively.

Scorecards can include multiple grading sections using any of these six input types:

- Text field
- Single select
- Multi-select
- Yes/No radio button
- Dropdown
- Rating scale

You can also add description fields, hints, or tips to guide interviewers, ensuring consistent evaluations across teams. Once created, scorecards can be assigned to interviews from the Interview Details page, by using the associated interview template or directly selecting from the scorecard dropdown. Interviewers can access the scorecard during the live interview by clicking the Scorecard icon on the right-side panel.

![Custom Score Card Final.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1737551844025-CustomScoreCardFinal.gif?Expires=253370764800&Signature=sIYibavbnoQ4L8IBD0lvwZ4xbPpAKB8vsImcaa4SuuTr7-CcEbTY0w9D3CI3vz5aHPYB1JGSgPloqDxTEztJGYjU58YFFNNOlVb4b8Nqvip6loz6iR0aptM3l4mUtvH2uNinJ3Upe5E8PafFtZpVtX6j8t-NxEuLev5-GmJGaSSNLAmqN88ZQAhgQrPceKk7SZ5h18k3fULwWDssZcf9dcacqrSjSCnX1XF32ZZYqlyoghnGoQJaYlmb3clzm1EEMZXSywA5B3OL3lCx5e2CxOcZtR6BbQEGnhM-OkExZb2UDnM9ndMYr-J72OoVx5AMRaV34TF5NaMk7Qp-1MQ9w__&Key-Pair-Id=K3NV4LZ47N8M46)

res=253370764800&Signature=Jg6LgaaC0LRyldUCmz8zZiJyLYAOLuFtqlC7rTQAAGRtcGznwTTaGH3IAVackjEotPLVQ8puwGk4bk
eLnW2zLsQJl6WYckUGjBvqEsqTnRTj6Vi43zEWTQBBta07V6qJ-yozM01Xt16Fonl3lViHK6JOhsx5nOjrw5Xbnbw-q4GihVYY9hlpFisO
-RLK5kzTWTK0qhOr1cPGiKwgzzAfP3U5NNwP40al8bOE5Nf5H6pC9OjbSW~C0b~UtTJJgGse-MjwGX7w1C3SMuZtvippxKLKELqfW
qcxiDlrcCa9hKPoJmT8FAF4gnFdwPK6EhQk58CeNsZ5OAcG7RooG~ECQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Interview Question Library Tab (Limited Availability)

It's now easier for you to find interview-specific content with a separate tab in the Library menu dedicated to questions designed for interviews. This helps you quickly discover questions suited for scenarios like system design and bug-fixing tasks, categorizing them separately from take-home assessment tasks that typically emphasize foundational skills.

This feature is currently available on a limited basis. Please reach out to your account manager if you are interested in gaining access.

)

Rooster Integration for Interview Scheduling

You can now take advantage of a new integration for technical interview scheduling between Rooster and HackerRank, built specifically for Workday-integrated customers. This integration makes it easy to manage interview scheduling and sync scorecards across Workday, Rooster, and HackerRank.

Key features:

- Sync interviewer availability between Rooster and HackerRank, allowing candidates to self-schedule
- Securely and automatically sync interview feedback into Workday
- Quickly create HackerRank interviews directly from Rooster

)

Refer to [Rooster - HackerRank Integration](<https://support.hackerrank.com/articles/5902644770-rooster-hackerrank-integration>) for more details.

Platform Enhancements

New Design System & Accessibility Improvements

The platform has been upgraded with HackerRank's latest design system, created with accessibility at its core. At HackerRank, accessibility is central to designing and developing, ensuring you benefit from a more inclusive and consistent experience. Learn more [about the updated accessibility \[guidelines\]\(https://support.hackerrank.com/hc/en-us/articles/1500001373102-HackerRank-s-Approach-to-Accessibility\)](https://support.hackerrank.com/hc/en-us/articles/1500001373102-HackerRank-s-Approach-to-Accessibility) here.

)

SkillUp

Updated Skill Proficiency Labels

Skill proficiency level labels are now updated to better align with commonly used competency models and frameworks. Here's what's changed:

| | |

----- -----		
Current Skill Proficiency Label **New Skill Proficiency Label**		
Pre-Beginner	Beginner	
Beginner	Foundational	
Intermediate	Intermediate	
Expert	Expert	

These updated labels provide clearer, more standardized definitions for proficiency levels, ensuring a better understanding and alignment with organizational standards.

!f[de69519a-921a-4990-ad12-5257228a0203.GIF](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1737129305415-de69519a-921a-4990-ad12-5257228a0203.GIF?Expires=253370764800&Signature=O7Eu0VyFY0yi8ikwKf8ajxUTcNrcdoZ X1SfHZs-vljpYKD~CKykfOKbUMMjcxrjl44aK~IPypTapRc4q1Xhoc~xcJqptlSGlb-it2gBigmV~S0a-R8BnJUTLkmmefFEG-FyD4Z2~wsJ 3NHW-dRsFopIEi0lq8jMrhjHxiy5DUo0WgRwQr2TL2WmCYfDHFf1f2780t-GiqHpsbxMFfAbXKCIVM~M4tLYdBCNIuzotALqZVxslvxp 6PIWa2DxINS7tGkzCM2Rucm4OJ5sDfHalHiKGvnWZ4g1d3QCEKWGvOS7nNRHPL7AGNFWSR~h0vqBLBd64WVqVFIKFBbYUxhU w__&Key-Pair-Id=K3NV4LZ47N8M46)

Refer to [SkillUp Employee Platform](https://support.hackerrank.com/articles/8522032191-skillup-employee-platform) for more details.

Exportable Reports

Gain deeper insights into your team?s skills and achievements with the ability to export detailed reports for Skill Badges and Role Certifications, previously accessible only as a widget on the Overview tab.

- **Skill Badges Report**: This export includes separate columns for each skill badge proficiency level (Foundational, Intermediate, and Expert) and detailed breakdowns of badges assessed and earned. This ensures improved clarity and actionable insights.
- **Role Certifications Report**: This export provides detailed information about certifications, such as insights into the number of users certified and assessed for each role, offering better visibility into your team?s progress and expertise.

!f[unnamed (1).GIF](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1737129342357-unnamed%25281%2529.GIF?Expires=253370764800&Signature=IRnxWnF~UVM2OtnNGICJBgkEc1rsN~voUAjoUhhR9O1U7MDT4Vgrdmy31Ta7lZ8Z36vqq8BAEwg T1sLUcuLxZrBBonwOMW3Kp5wxWtoL6W0O80WQ581jLGaeJilnzfpdEWvxfHFSx9QrJne3y98C5kEAaPBE~IRLn5xTwzPqypIsjRk~o FOA91oO8dVTOT5TmPAyMFlgZs7jKvzf7vWbg60BoJrsxYSgkCALAu38dRc7Sj1JhHxOZzue8Bovo9yNL~Y62sfJEvYoRUAAURI7XxY AhXo1~WxwEPU6l~ag4vTMYWGKcDZD~tyM5PL6~xLCffuG49Arnf3rMmk0vTNA__&Key-Pair-Id=K3NV4LZ47N8M46)

Refer to [Accessing SkillUp Employer Platform](https://support.hackerrank.com/articles/4329363164-accessing-skillup-employer-platform) for more details.

Engage

Show Accurate Program Timelines

Ensure participants understand timelines by setting schedules for each round of your hiring event directly within the microsite editor. This feature helps your audience see how a specific coding challenge fits into the overall program, making it easier for them to stay organized and on track.

!f[unnamed (2).GIF](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1737129398007-unnamed%25282%2529.GIF?Expires=253370764800&Signature=hUPc7P9YqQfIDU~fj0B~lZ4m5hn0~cbx7RLfVfrgFjVrSJB43WqlsHc~cPwvgujxtommHVqloab1uYO 1vFXDvL~b2E6GUTwSi0cjLmvUR0awogvrrwp32y8UwjfYEhp7AAde31mjm22Q61jB71iRnz1byZFrXtFX4E5EsxS3Glg717BvezgnMJH b1ZCnAEGXnKPY9VOMb6tFEHNLrd~Nvb~CsLTbgWKmbj5DJF3Af5KOHyLSFQm6~iGFzEODBGXpS8mlbSvi3WAI166i~c1jvdXyeX d~uT7OOMsIDjAOHOPxDHyu7SLfdlg7vBvTOBG7suVATn9V62AB0J0vupOg__&Key-Pair-Id=K3NV4LZ47N8M46)

Refer to [Setting up the Event Microsite](https://support.hackerrank.com/articles/3958121708-setting-up-the-event-microsite#step-2-configure-content-4) for more details.

On-Brand Microsites

With the new ?Theme? capability in the microsite editor, you can now set your brand colors and automatically generate on-brand microsites with a single click. This feature ensures your events run smoothly and leave a lasting impression.

!f[Engage Microsite Trimmed version-Sn.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1737129444333-EngageMicrositeTrimmed version-Sn.gif?Expires=253370764800&Signature=hboQxboTdsXEBbOz6mygXxa68OkZ2v0~5IA7DX0liGCCkug5rRA9f1hYvb70~xC 3Xp9sF9XJ8KrOQM4y3LQZRTQY5BAwg~oD51nnpkv7xMVeJLvZxp5kjNcRNDHKL~FAzwqFDqJ0vyvwn1AM2Z3EZUT256BOuqgC

KhE6rPbEadmSuofeubEhw3n-fnj6JNxUuj8m8lc~mBqJh9XfVEZyFqznR3l8XkNnTJfia27bo89Qd9ERo2pW~UG1T6PCjytG3AWLLIHj
ocuHZiQdEdzb6uO4kgFSMdBIVIG0GXJgLuHK1pAkZULjwwN~G8-B0gldjcbke~NwWYuUjmSwzdQ__&Key-Pair-Id=K3NV4LZ47N8M
46)

Refer to [Setting up the Event Microsite](https://support.hackerrank.com/articles/3958121708-setting-up-the-event-microsite#step-3-customize-styling-18) for more details.

Marketing Insights

Track the effectiveness of your marketing campaigns with a new signal on the analytics dashboard in Engage. This feature lets you see the number of views and visitors on your microsite, segmented by source, directly from your event overview page.

![bad4ef73-edc5-4ba7-91db-63d12b60c550.GIF](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1737129473017-bad4ef73-edc5-4ba7-91db-63d12b60c550.GIF?Expires=253370764800&Signature=sjab2cGDSHFY20iXMrDiGThS~Sf32aLnYfHzbxdGR5ySJLSAMvPyUJcskRdIRDgQ-1PQFLDPKNUpmCVED-6yIGtV~8qS4JQQ0vW1dII~mAi2l9DcqzpvrrCvmLUvix5oOgx3966ATCRrCfJGRslU0K1PDBARhNO6RERU781PO7so5yPBBa-g8WT2rLOhFJ-rkQaTtlCUGfH-Q~VY094OG6xoqXzGIXJNhB9QxZD7ByL27Z47xroQTXqCUHJxXoELmUXNX0GBGDGNLFna1hyVqg~0Abpt9T19TebG7i7IPPEtzMGhpb06DdL5nnCTLsU-v2leswqbt~Jjw~9Auerg__&Key-Pair-Id=K3NV4LZ47N8M46)

Refer to [Engage Marketing Insights](https://support.hackerrank.com/articles/7430132903-engage-marketing-insights) for more details.

Candidate Workflow Updates

- New content for **Invite and Reminder Emails** to help distinguish hackathons from regular assessments, ensuring participants know what to expect.
- **Automated nudges** sent days before events start, reminding you to publish challenges and keep the event on track.
- Ability to **shortlist candidates**, ensuring the eligibility and relevance of your top-of-the-funnel participants.

![95c3c4d5-e88a-4e53-801e-bcc9d4603d2b.GIF](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1737129498549-95c3c4d5-e88a-4e53-801e-bcc9d4603d2b.GIF?Expires=253370764800&Signature=nrLCWDvzZoG82jw2U67Ws7RTSrEF89Zsf0jxNyWXX19NSmWhMRVmHo6sZ4-6~bSusNS-JZXA0EIUiHXcgTXv8zGxHu0IDu~QbzZFMLydb4yEBomju0O~byooRStN17xuilK LmUbst~AdQzZu0ecubuAIXtIN0zu16NedzAZO7hqHak9qaXVnLWE-GF2abnlHw4ab-sis7MLPk8HCz3Qm-hxeRs8hRvlrhVeJT~hwK dmc93rIQ6Ok7XTL1MJZ~~3tJkHSqFoit4iumhrEHoCl123~~zu83UkNhYYvNhow68vTI~wyupZixEypslyUPIJVjG9p3oxWF3yk7Sq28Q__&Key-Pair-Id=K3NV4LZ47N8M46)

Developer Community

Mock Interviews

Developers can practice and refine their skills with a variety of AI-powered mock interviews tailored to real-world scenarios. Here's what's new:

- **System Design Mock Interview**: This session tackles challenges like designing URL shorteners or scalable news feeds. It includes a built-in whiteboarding tool and an AI interviewer to simulate real interview conditions. Interviewees receive detailed feedback on scalability, reliability, and clarity of communication in their responses.
- **Other Mock Interviews Enhancements**: Benefit from a more interactive and realistic AI interviewer experience. Improved navigation, a "scroll to bottom" button, streamed chatbox text, and markdown support make the process smoother. An interactive feedback feature lets the user review detailed performance metrics while continuing to engage with the AI interviewer.

Over 10,000 mock interviews have already been conducted on our platform, and we're continuously improving the AI interviewer's capabilities to mimic real technical interviewers more closely.

![Community Final (1).GIF](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1737129540172-CommunityFinal%25281%2529.GIF?Expires=253370764800&Signature=HmgLK9kXLAtHL3SqNDKDir--IXoIYXup8wrg5Zn1JnmGVO4jzeC~ijMfaaiNJ5m4OAU-lhxzQvcTr3Mt7Z2td4b7oLxp-jtFzKC8cEmQiCmjZIH3-qe2sARPFc371mli5XAKK4~6EYpKjS~Ci8W-m20cOzRa-KPmQSz83mKjjHtis-LMSilyl a~H3UcQoiLXpUgxmIgy1rw3qOjxZtf0DtDRFRwk1CI2hB7v6DRCTTFBm95h8n9b2nHPnZuLCz-BB-DdhgSPI3sGttUKs4RTwfuA4zSB~f1pXNBjpsOuuld6ZcjrIUaM-RcussvnZ9LL9lu-ZFQss6U77cjEnmzA__&Key-Pair-Id=K3NV4LZ47N8M46)

React Practice Track

Developers can sharpen their React skills with a new practice track consisting of 10 coding challenges. These challenges are designed to help master core React concepts, including:

- **Components**: Learn how to build reusable and efficient components.
- **Forms**: Practice handling user inputs effectively.
- **State Management**: Understand and implement robust state management solutions.

![[47084357-0f3d-4c15-b99c-35f48e999c40.GIF]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1737129584864-47084357-0f3d-4c15-b99c-35f48e999c40.GIF?Expires=253370764800&Signature=k489uuCOXC9STFU7SxE7gLWef07qDiFO21597SPcnmKnOKoGw55MpY9HNBCfVyojZImZ~wgT5lj5phOTwTmWlEXMnXA7JZI85AtdA9ptYf~4xKw1DFGa-Z33gGmMkFsEkyXxs7M2uarl0is4r94X3kwHXDMB3g07ftS7EIO0uAYt1~R89KjoAriI8xNaZNX96QtFixegMBdNGfKVWCQTNyK4hR6hx4Dg7xIMP3wjIO3sTIAD2sAkMFUPCD6FyAaV0RY9YqRvezbOlZpX8bPf5cMBBJSplkSiGigzv5lj0Yk937n~sawpHHuJEZrDCVCqzcr8NOrUt60dtTDUKUfOlg__&Key-Pair-Id=K3NV4LZ47N8M46)

Refer to [HackerRank Community Upgrades](https://www.hackerrank.com/blog/upgrades-to-the-hackerrank-community/) for the latest updates.

Thank you for supporting our mission to change the world to value skills over pedigree. Your feedback continues to drive our innovations forward. If you have questions or need assistance, email support@hackerrank.com or contact your account manager.

[general-help/release-notes] October 2025 Release Notes Screen Skills Platform Developer Experience Integrity Interview Data and Insights Integrations AI Interviewer (Limited Availability) SkillUp Developer Community

title: "October 2025 Release Notes Screen Skills Platform Developer Experience Integrity Interview Data and Insights Integrations AI Interviewer (Limited Availability) SkillUp Developer Community"
title_slug: "october-2025-release-notes-screen-skills-platform-developer-experience-integrity-interview-data-and-insights-integrations-ai-interviewer-limited-availability-skillup-developer-community"
source_url: "https://support.hackerrank.com/articles/8474307750-october-2025-release-notes"
article_slug: "8474307750-october-2025-release-notes"
last_updated_exact: "Nov 27, 2025, 3:38 PM"
last_updated_relative: "Last updated 5 months ago"
breadcrumbs:
- "General Help"
- "Release Notes"

October 2025 Release Notes Screen Skills Platform Developer Experience Integrity Interview Data and Insights Integrations AI Interviewer (Limited Availability) SkillUp Developer Community

Last updated: Nov 27, 2025, 3:38 PM (Last updated 5 months ago)

Next-gen developers don't just write code; they orchestrate AI across the entire software development lifecycle. This evolution is reshaping not only how software gets built, but also what skills matter most in hiring and upskilling.

This release brings those realities into focus. With the AI-assisted IDE, candidates can now code with the latest models, enjoy faster responses, and benefit from smarter suggestions. It mirrors the tools they already use on the job, providing a direct view into how they problem-solve with AI in real-time.

As AI writes more of the code, the ability to review that code becomes critical. Great developers are defined by their ability to judge quality, spot issues, and refine code into production-ready solutions. To meet this shift, we're introducing auto-scored code reviews, allowing you to reliably measure code review skills at scale. Combined with candidate benchmarking and redesigned reports, you get a multidimensional lens on a candidate's performance.

Integrity continues to be the foundation of every assessment. The enhanced Proctor Mode now covers a wider set of real-world scenarios, and we're also launching the all-new HackerRank App, which enforces the strictest testing environment yet, blocking unauthorized applications and continuously monitoring activity. Together, they create the fairest and most secure environment possible.

And, to foster upskilling and help your teams become next-gen developers, the new AI Engineer Certification inside SkillUp helps them with a guided path to learning new skills in a modern way, all with the help of an AI tutor.

Screen

Test-Level Invite Templates

You can now create invite templates at the test level, tailoring each one to the context of a specific test. This makes it easy to send clear, personalized messages to candidates across different assessments.

!EnhancedInviteswithTemplates.gif(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759310929380-EnhancedInviteswithTemplates.gif?Expires=253370764800&Signature=LiYf7efApm3Wbgn8y-xKxyTzLsXhWAIFBO2B7pOz8xW-PA23PCS0TPAWQ7fQ5w4zdE9Y7LSOIhuSprjf3g3~geqHtFWpsk~PdJcGDUI082TcrfBayvho4MCj7mo5Z6GC3kVpD1b2-DiSDMwaC5LO0VxZFz7WLJ-xGH0GWk8tQ7gxf1lvTWlyuPd1EYJkcqgOu497n-YZajPel-fsNkL8O7HwGHZlCwEI0NEezvyI8lyUcKvRdjHzXITxFtyUvyyUJ20fxDwSvv1rMZ9c10xuD5e~nAwaSSCCTdqmdr~My5DKUw0O8SEvcll4ya5YsP9GnbfxVWQTiqmSgRuEpyJlg__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Configure Email Settings for Tests](/articles/2564162886), [? Manage Email Templates](/articles/9684438314).

Candidate Email Editor Upgrade

You can now upload images, choose custom font styles, and add dynamic fields like candidate name, recruiter name, test link, and test name across all editors for reminder emails, confirmation emails, and test instructions. This upgrade makes it easier to deliver a consistent, on-brand, and personalized experience in every message.

!CandidateEmailEditorUpgrade.gif(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759482339524-CandidateEmailEditorUpgra

de.gif?Expires=253370764800&Signature=HrJKE8Ni3X0FkmbWB5Dx8Vc8hluWS2-q-O2erqed0vPLTftSlzLyv2zRm7gyfKM29ERTP0
plcGd4NJFccVRjfn3JvHQQvkyANpNzwNMx-r97YYtWTBmI3~TbYJx77zTgYpSCF-AuJbODUnAGOX9k4yMoiaJF0SkPqx2DdtV9~10q
TsSF6ijT4MctbrPcry~YfCEsfEk-6zpQ0~bs5wrRNzRbpfZw2tNW9fISm0HyYQ0uAoZqCi9qgr70Nq0ByGBc4EJVktRtfjFv~FTMgHknL
gas93VuSc2b6LxWgtCvt60zCIAwSHfQrwxYdYUUhXQd0P~q9y0T8ak1PU2uPLwQg__&Key-Pair-Id=K3NV4LZ47N8M46)!Candidate
Email Editor Upgrade
2.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759482297338-CandidateEmailEditorUpgrade2.gif
?Expires=253370764800&Signature=fA1axa4Kc3OWoHBSWAvPRtflXgGM0nNFBIMH8sAPgMj6sBTpsmTL3e3r3JS2dti7t0jHGu0QU
v92Frs3yQbKXtpa4AdwlqURlkjWlvefRYDVZUY-1Kg-V8E-PBiQi-OmPR6WIBf8uXeXMlyAUzBsezDXrLb2p1oLH4yoMa-wJ7SBuLLjQo
csYMXJaO~kiFvUI2FmWRck9sKdQzjU8IMDvo7B0js0sTTimz1E3skgQIE90ugYRXn7nvO0I~9fv28UmFTbieB0tdsfFRsbd1S5DIXM-04
wC0NvFRT9Qdutt-kCZKk6zsKfFL~iXjVZ96MhKGEqsqR0f0nm4A-hYWuVg__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Configure Onboarding Settings for Tests](/articles/5956879724), [? Configure Email Settings for Tests](/articles/2564162886).

New Candidate Report

Earlier this year, we introduced a revamped reporting experience for tests that used Proctor Mode, bringing clearer performance summaries, integrity insights, and faster candidate navigation into a single, streamlined view. This upgrade made it easier to review results quickly and make confident, data-driven decisions.

Now, we're extending this reports experience to all tests, not just those with Proctor Mode enabled. You'll see the same intuitive interface and insights across your entire assessment library. It's fully backward compatible, so even your older tests will benefit from the improved reporting experience.

!Flexible Video Layout
(1).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759476932104-FlexibleVideoLayout%25281%252
9.gif?Expires=253370764800&Signature=MWH43Mv-UjmmZdfgkrGlZvL0YAQxHFhncNbZRJzk54b6Q-1xXubikE2atSAV61~Efc2mmB
fxtwCgksHZnVw4v87nwjj~zjUrwEmecM5nYMIY5YDHnfDiAOe4NEbJ1Z21sjB15wYqQ5oo91dLHQHIZb7mij5xNJvyNLtMWFKbj~4dG
48U3sxYoLLDSd7aYg5qjmrnfHXNEgetAocThaAHRgycDeK~NJIX52huMSwK8P8dWtdhVBuhy3kP9tTY8gXHZhBoHSHjus22buIXW
O~QwAEI83gjP6rQBpsLLBI0eOOWlpSg6Je1Y0XDPIshrs0TmRBTzFwBoKCi73wctybg__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? View Candidate Test Summary Report](/articles/8111267829), [? Download Test Reports](/articles/1786677446).

Candidate Benchmark

With Candidate Benchmark, you'll see a percentile score that shows how a candidate performed compared to everyone else who attempted the same questions. This gives you a clear benchmark to interpret scores and set meaningful cutoffs based on real performance data.

!bENCHMARK.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759311252345-bENCHMARK.png?
Expires=253370764800&Signature=ulvskbzOR8jb7tFqx4EhHC6q4YHQAoifu1vsYzhdWXaSbkgoGPPsXEQWKBYD4lj27pWWxyy-bG
QGrQW~xZMCbwwtRHW6ZHPBYlv84YRp1iuB0QvqZMXR4V349S~gw6Wh6oAzyg6KCx0ZZUEY6tjStitjGVMnLC~4UAE8nuprjU9ae
XjaXlscopyOjhUGHrOrwW0PtI2pU2iNVj4nZ~aEM1hKR~s1BcrM3IWpYp0r3ZfguPgv7e6p47DEMNMqVouD6mUSWH86bFKIOHg7u2b
FHnt9c~ju9C8fBEQfzVfalu7iUDEI8H9jof77~EI~GV4m3r3qIxFHUFidR9ldwbjw__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Candidate Benchmark](/articles/6075450367).

Updated Candidate Details UI

Configuring what information to collect from candidates before they start a test is now quicker and more flexible. Recommended fields come preselected to help you get started right away, with the option to add custom fields so you can capture exactly what matters most.

!(15FPS) Updates to Candidate Input List and Test Settings
.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759311069945-%252815FPS%2529UpdatestoCandi
dateInputListandTestSettings.gif?Expires=253370764800&Signature=nDFIWqgZeg-T7cf1j6w-v~bTWL~01vtKt43UreCEfxByk8P8GN
anH50lcNLyK7CGoRYDqNohsP33~Nfwljebtk~IXZ9XNsY4fGSGKM3OlnZf6kx4uJ166uQpVj~ZpfVWwA4P-SyfUSvjxMJvIPzh0pw5UB
C8UTFZTUnQD2oToFz0qW4SiCobrMvFpsyla8II3d0U2v~xgnHtst9v947HHRE4vS3jZlAY7MiBXOqhWHtio3ilafnc8z72JTlOlFRwi0DR0
4lqINjsi~7R4XB20jVi4axVjCLXkXBHH-ubpSTpAkkGo4Bum4JEuA-XVVhNw~Q4bpTB3cJ8-KR5BBYmQ__&Key-Pair-Id=K3NV4LZ47
N8M46)

For more information, see [? Configure Onboarding Settings for Tests](/articles/5956879724).

Subtext for Test Variants

Candidates now see helpful subtext for each test variant, giving them more context about the available options and helping make informed decisions before they attempt the test.

![[Sub-text variants.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759311088243-Sub-textfortestvariants.gif?Expires=253370764800&Signature=La2an-AWSX75o6urdr2AuAGhBZ02tMBC3Oopgh0Nu~dmLy7RNIC5EBDvuOr~DUvr7KxjVo~-SGo~ZCNk~ct4~Fv0pmkHkJu2K9f0c7rft-YytdV8--QdUmgSWm3n8WcR6cLb8AcLbjcSz2Wp9GRxtHL3bsUbTIGi~sm5YktNAM3JkDhQaUFGp0S6ais0U~3il5CV~4uNzEoP9-1G-8Gionkw7iSw5aRzbDCPK~daTejm7WdDvWm3n7sqaD12RYqTqmG313lzUDkCSh8kyChGS2w0nJnhdvjo7coKYY743-UEDA5gh5Ac6PmBi7g9XD68joeNfpHnj~-bHo3NuJY-Nw__&Key-Pair-Id=K3NV4LZ47N8M46)] for test

For more information, see [? Create Test Variants](/articles/7530103378).

Improved Scalability for Projects and Candidate Logins

Front-end, back-end, full-stack, and data science project assessments can now run at scale, supporting up to 10,000 concurrent project sessions, a 10x increase from the previous limit of 1,000.

Login concurrency has also increased from 100 to 1,000 users per minute, allowing even the largest campus drives to run as a single event. For greater scale needs, reach out to your account manager or support@hackerrank.com.

For more information, see [? Limitations With HackerRank Projects](/articles/3052727240).

Code Repos in Tests

Code Repository questions are now available directly in Tests, bringing real-world engineering tasks into your assessments. Candidates can work in multi-file environments that mirror real codebases: building features, fixing bugs, and reviewing code across popular stacks like Spring Boot (Java), Angular 16, MongoDB, Flask (Python), React.js, Node.js, and Django (Python).

We're expanding the library with new repo-based questions and upgrading existing ones to reflect practical, hands-on scenarios. This gives you stronger insights into job readiness and a more accurate view of how candidates perform in real development environments.

![[CodeRepoInScreenfinal.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759313746867-CodeRepoInScreenfinal.gif?Expires=253370764800&Signature=mdRJs4qq9A1ZYEk6kqWPrcftlVluZHtbzbQM6OvBPrMhtH~JTdW1b2hgoOvgfEh9CdUAzUOYPDGJ22L6iVBwmgiojXRg-WkugePoPdA8lq0O1G8lhQFuBUBzAA5OsXQdn6jWD7D~h4pMQRzFKyr7FA1p8EG~tZD-KGIR44J8Q8t07zqA98NvtfofcSNgdFD4wU9wY7-6fxw7zptBn~0tLKXC2APvnxKWbgQKXGNmkQwGGkM9Y4AFrAfV1arHCFH0jd54CCZTtVQgY6T~i5RXQqcSMndFNztobT0DBIEYRWe3OLIPDoWvixuSfxWK-7BLrTKbA7L3WFEpyJY9Xl1EQQ__&Key-Pair-Id=K3NV4LZ47N8M46)] [CodeRepoInScreen(2).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759311116351-CodeRepoInScreen%25282%2529.gif?Expires=253370764800&Signature=dYEwMg4P-HUH8v5pzNNjgHD7nL9n2OMZsfkhAUvbOSgnp1D9G~zKCGQXSaRGt83tE9SC~1DGsdIR4WXE2V2egi0B26LJKb9RSJa~tYrZf7OcfG1OJJdbo0yKAEBhphzqVptb6-rtmC0qaUeraB90CeJ2T~Z1s2mEJgil5FEyKXI-dcNKGEnHtxE1wC~foKHLUobLp2FwZCtLXsLldBeyUOlX4kaSB3f~Pob5ppaVb8Wavt8QE1lyjpBhpOifyXHRUZ3C40LpxRYX8S3oAtTTHG8EYUq11x4zNd2I3fJh0Q7zw0Dpo1yT~eXOUa9XgVDh6MZX0mvOMXAFGQ78ju5HQ__&Key-Pair-Id=K3NV4LZ47N8M46)]

For more information, see [Add a code repository section to a test](https://support.hackerrank.com/articles/5546852679-section-based-testing#add-a-code-repository-section-to-a-test-38).

Improvements to AI-assisted IDE in Tests (AI Add-on)

AI-assisted IDE in Tests gives candidates intelligent, AI-first coding support to boost productivity while giving you visibility into how they use AI in real-world tasks. With chat, candidates can get code explanations, clarify questions, and receive syntax help without full solutions, while AI autocomplete provides inline and multi-line completions to accelerate development.

- **Practice before the assessment:** Guarded assistance is available in sample tests, giving candidates the same experience they'll see in real assessments.

- **Clear onboarding:** The candidate onboarding flow now clearly communicates when a test includes an AI assistant and explains its capabilities upfront. It outlines what the Guarded Assistant can and cannot do, so candidates understand its role and boundaries from the very start.

- **Autocomplete only in Unguarded mode:** AI-powered autocomplete is now limited to Unguarded mode only, keeping usage purely for help and guidance.


![[AI Screen.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759775112032-AIinScreen.gif?Expires=253370764800&Signature=tUYw8U6rBtrsKM2In~yba1EYWw6C1L7AOLyr2lIXuyDibuGplRbRjmhv0w7VLSjXqKORPR1jpiTN9uRvfrKoJsNXdfK8iHGTMAeQKc81TQxmA5Kv9PxowfCgeviy7A6tQ4FBLQYJwRr01mv9mrxGimBjb5cj5g7pWIM0Y156AauApdLHIJKNvFV~gih1C983JFKHBPqX6bHkAkjObeCEloQbsXk5Ce7~DNoitj1FXjQ~a~4oKYsJEY8gmq5WIO2EBEo1TPTuU4MTToOqQhYbtXl9cDhKZVw48eldjpM4VWuGk09H4IXJBj04sAD2atAgg~QdN0WCvcqlhDSjvaTZA__&Key-Pair-Id=K3NV4LZ47N8M46)] in

For more information, see [? AI-Assisted Tests](/articles/1152916770).

Automated Code Review Scoring in Advanced Evaluation (AI Add-on)

Advanced evaluation goes beyond pass/fail to capture richer signals about how candidates solve problems. New insights include database skills, code review proficiency, and AI usage patterns, giving you a clearer, more consistent view of strengths.

Code reviews are now auto-scored against expert examples, showing how well candidates identify issues, explain their reasoning, and provide useful feedback. Updated content and automated checks for quality and coverage make it simple to evaluate review skills at scale, which is especially important as AI-generated code becomes more common.




For more information, see [? Advanced Evaluation](/articles/7098008997), [? Automated Code Review Scoring](/articles/4740112925).

Skills Platform

Playwright Support


Playwright is rapidly growing in popularity for modern end-to-end testing. You can now create Playwright-based questions with built-in support for the Playwright VS Code extension in Tests and Interviews, allowing you to assess real automation skills in a realistic developer environment that reflects how teams work today.



For more information, see [? Execution Environment](/articles/6693750503).

MySQL Support on Java and .NET

MySQL support is now available on Java and .NET environments, enabling you to assess database skills alongside backend development. This enhancement allows candidates to interact with MySQL databases during their assessment, leading to more accurate evaluation of their backend skills.



For more information, see [? Execution Environment](/articles/6693750503).

Library Improvements

The HackerRank Library is regularly updated, enabling you to assess candidates across a wide range of technical skills. This release brings enhanced content quality and an improved project question experience.

Here's what's new:

- 101 new questions, including 81 coding and 20 project questions. Plus, 2 new skill bundles for C and C++ provide automated leakage replacement.
- Refreshed library with questions that are straightforward and easier to understand.
- Modernized the UI for some frontend project questions.
- A total of 293 questions were upgraded to the latest technology stack, covering 50% of the entire project library.

The upgrades were made to the latest versions of the following frameworks: Node.js, React.js, Angular.js, Vue.js, Java (Android), Python, PySpark, .NET, Ruby, and Scala (Spark).

Content additions across the following high-demand job families:

Job Family	Skill	Question Type
Software Engineering	Problem Solving	Coding
Software Engineering	C	Coding
Web Development	SpringBoot	Projects
Web Development	React	Projects
Web Development	.NET	Projects
Web Development	Angular	Projects

Improved Question Clarity and Readability

Previously hard-to-understand questions have been rewritten to be clearer, more precise, and easier to interpret. This helps candidates spend less time trying to understand the prompt and more time solving the problem. Every updated question goes through a rigorous verification process to ensure it meets our quality standards. Here's an example:

![[image
(13).png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759489707499-image%252813%2529.png?Expires=253370764800&Signature=ZxYvyG5nYXUYQFzPI4GDNYucgqYNAJEps7lizYjluz2mXy89Y95TGpA5JokLSev8sTEMg3OZFzOqqKFtWrnVmp2e1rNXDAvoCnVhmkcBGzykP0JG4qyr2~CzINcr7M3HGPsgBEJ~YX1UIhFsPXDqfpaH8ia5H1KF86faTGaGKxP~z2ycYiuM~SHO2bPLjeW3vmQVunuLo2xTyRmTnuAGU2QJj0rcazeUFhM4EZSN~SW4wc~h7ldXu8HPGMOpcjk9AqEmteLrdFwTIFHOXmiyR-9zFegaGmVTOgv3zes5TA0w7yFeYBuRJJzPMoYu26jS2jKaPXWTWS17PudltnTXQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Developer Experience

New Candidate Site Expansion

In April 2025, we introduced a new candidate site to create a smoother, more modern test-taking experience. Developers love the refreshed design, cleaner UI, and simpler onboarding flow.\

This modern experience now extends beyond coding, database, and multiple-choice to include Code Repo, File Upload, Subjective, DevOps, and Cloud questions, bringing the same streamlined interface to a wider range of tests.

![Question
Types.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759311536344-QuestionTypes.gif?Expires=253370764800&Signature=A6cNlt8FhjruYL704WPexkOhPZEICesdglIBZpWkW1BFezMnKp76TK9PQ5g9GZCtpOsrlMfQ20ilj3~v~ZosvარიHIsA77QRWBO-Zgps~2zaXn4y4fJl8eFcfh0VeWgKCFm0gGrH5gQVMshv0lKoYYfJM116ICvi17zgPuzlvu7GCuHScWM6hfS41BcziV5bF3~aLtBy452qr1pgf7ht0aAxjT-ZOzKzmoZokgTC78yfrXFDxxB8txFY0tQp~nvE-URO5H787TrtBotmbU6vbQQFloCg1WDajGyIXJ1Kj8dBkmwlkZt66WMovlB-A-uNQHI30gfuSRy7zoN5b4lg__&Key-Pair-Id=K3NV4LZ47N8M46)![[DevOps.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759311485912-DevOps.gif?Expires=253370764800&Signature=Nu-ZiVpmq2ivVHvTHkrc57SBYOYLulDtp3ry3jScpOx7MFgPLDFJiLDWyT43Q6plxbQVZIK344JIn26eRxyiiXWRHCE1CkoQVsYW5yEJIYT1zMMtZe-26ISYw8b7PcG62P~Bnms4RhsJfHoVxf0xgKOC~atUfzaHly9wPtRwZMv6R4A9uHkLEHhayfHZwdvxp9CxZJJqr8XPmVze64mFvMoXYDAKxqjPo0wepEXkMvIvZ53PVNaxf-87gU9gdp4dRXUOA-EeFgaav9ZBmoMDXPT7y-mzjNFRKyXBPhU1kMrEgYzjo61zwg28goSNGOd9m4SdLHT3XzwWu1YO5Ocztg__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [Answer Cloud Questions](https://candidatesupport.hackerrank.com/articles/3281902930-answering-aws-questions), [Answer File Upload Questions](https://candidatesupport.hackerrank.com/articles/9653183164-answering-file-upload-type-questions), [Answer Subjective Question](https://candidatesupport.hackerrank.com/articles/6005503805-answering-subjective-questions), [Answer DevOps Questions](https://candidatesupport.hackerrank.com/articles/5106204040-answer-devops-questions).

Enhancements to New Candidate Site

Timer Nudges

When time is running out, candidates now see a clear prompt reminding them to wrap up and submit their work. This helps them stay mindful of the clock, manage their pace, and make sure their latest code is captured for evaluation.

![[TimeNudge.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759311641247-TimeNudge.gif?Expires=253370764800&Signature=qu0GBiQM2qeZgbRcF0WJgthEN8~GrtdepME3NG~c7ODxEUaPHAFFOErfXzdSE6u0Bmj89n~FwuJskRlt4pqgeGn~NXhcB9nHujzuTz4e5e6Dmvxx~OmyPCkoGJGHYq5h6vjTo1SZp13mloL~EA34yhbU3hj5L3fl6zXKGm-D2-HYxu-mvlzgEAeJDSe-5kFvg7MyOvD95AH6dcxyRQwNAYF9YGgF1LljnMXy9779ondHEfwxMr2Qx7XNRh69tDsGIJx5JcvMfaC7FpQDMJO~ZPLf-E~hVAJ7yXkUOVSOZVe3mQFVAfe-7pWTXhwF6p0eS0dFSPRvrMukOXEVpwHEPQ__&Key-Pair-Id=K3NV4LZ47N8M46)]

Resizable Input Fields

The custom input box can now be expanded, making it easier for candidates to work on free-form answers comfortably.

![[ResizableInput.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759311643027-ResizableInput.gif?Expires=253370764800&Signature=l7y2WK~oVU81Wu3utrcLA7Sn3-Y8XkyswvDpH~KXyDZU-6uuOY3B-6u7Q8J79iazniv3uv9wpCu98r95XQqz~x~f8VqZr1cAGBGL8P7M8Tj17jDCfchJ6AJZOS~ttvYc0ADidtQEYN5YvOenN5MsmmnhYJHdEbYXYXhWmq08ioCkGtOK2GSpdHKTIFNTypBLwFJT4AhrHvqF48aPggXLvO39s4zXDeDtUE58tJZ0kmWHPMeAmfoB~sMke8XCMv2HyALOk09hgPZTNM0l~mtSFFk4OTeICOsulr7RsdZdXPWRXV69HmB0XNu4gX0qwnqUfa8ZTnDUjZA91Sv3EoMeFg__&Key-Pair-Id=K3NV4LZ47N8M46)]

Expandable Images

You can now zoom into images in the question panel for a larger, clearer view.

![[ImageExpansion.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759311645870-ImageExpansion.gif?Expires=253370764800&Signature=Nj~Dkl~KrFam2KeDNCqgi224gCvE29Nf2ZZY-7XA6mVcs72Yxpj6yvFQL6e-86FYtcAJ0atQtHTvRMJi5ACYY1wjzdnw0uXjpOzv0~T7FdrpUcAcB3lLeSveQG7PUGliVV01W1mCPeFpA~FtdITRV4vNttNmL16p6xC~Tdf20k2oCNBCCJSYo2mpDV8RA2bAaxpQNTy1e2KaAMKnEmeCU64toa7M2kznN22QIU5mf4PNJECiHMrrK4M~5f8IZUHPp3lrPNgoXrOapfh~JTO~dXH5vDF9x3B0A1F0c5a79z3e6tnE7Bt9WElpXMrCI7VsQ2RWgcaXhBq1aCtus3HA__&Key-Pair-Id=K3NV4LZ47N8M46)]

VS Code IDE Upgrade

Project-type questions now run on the latest VS Code v1.103.2, bringing new capabilities and a more modern developer environment. Key highlights include:

- **Configure debugger support:** You can now configure a debugger for Project questions directly within the question creation flow. Project root folders have been restructured so all files sit at the root, making the setup seamless. Once enabled, candidates will automatically see the debugger in their environment, eliminating the need for manual workarounds.
- **Faster navigation:** Candidates can now use middle-click scrolling to pan through long files and logs with ease, making it quicker to review code, debug, or search through logs during project work.
- **Smarter terminal:** IntelliSense has been upgraded to understand full command chains (`, `&`, `|`, pipes, etc.). Candidates now get suggestions for each command in the sequence, speeding up complex workflows like `npm ci && npm run build && npm test` while reducing typos and retyping.

![[VSCodeIDEUpgrade.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759311708195-VSCodeIDEUpgrade.gif?Expires=253370764800&Signature=o~zaosMM2Bv~lMXOixyXZg~u~YgSM0IbVIJgGnk~vY~xwL43FDFNiAdo~od10FBb1QbnycuoEjYUO3YR~kA9nTvzpOUG0sGUsNx9aRggxaPQOC9gHdnlQy7vWnBdUSgKkt8S0CpgLQjsKrsZ1gKMGNUYWHZphhYk1dHsw~dZq0MJR2Kgwym0k1GNCF~Gs~amIMBhfX6wlq2pe6lyOvQ2HW16TiPogMDW8ejatjuEOQ3UbE3QUEw~GiLgLU7Sq9gLknkSg5TQ37d0JhSCdyf5TOraBGtfJbZHZKdLW4gt7CNseGD0XDDTm9dvNi7jZ35~bwLz4T~5f5MfbWCQLYk3A__&Key-Pair-Id=K3NV4LZ47N8M46)]

For more information, see [? Create Front-end, Back-end, Full-stack, and Mobile Questions](/articles/1570281449).

Integrity

Revamped Test Integrity Settings

Integrity settings have been reorganized to make test setup more straightforward and intuitive. New updates include:

- Copy-paste tracking and tab-switch detection are now on by default, adding security without disrupting candidates.
- During test creation, you'll first be prompted to select from Secure, Proctor, or App Modes. This ensures that the setup aligns with

your integrity needs from the very beginning.

- Additional settings are reduced to three toggles: Image Proctoring, Advanced Plagiarism Detection and Photo Identification so you can set up faster while staying protected.

- Question shuffle and watermarking are now in Question Settings, keeping all question-related options together for easier access.


 (https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759311494372-IntegritySettingsrevamp.gif?Expires=253370764800&Signature=RwrmmVkUwFhCyRWS327dg7pEga77nfgdeAkw2TmqxUBZektYDg69QnPAMIIvVAAfiL-bJ5CBtjgQlUFPzOoHGHwUutEx8P0GKJ~FAKv1OJLrVK2eiXcM1Or3Yox5uXft5QvdKCSZrAUVO1x2YrWUgjGkjnaFfIIISu3vwI6YWzwVpzV5FbHTmtnedVwjoUPvnTsXsXP~ry6O03sj0neHPfwAuUb~sP3QImGDwaSMFNsp-23ZSe0PVKaMaY1rSmR5DbwbF66FKQzGzwrMoTrubFI7EHk0RIg5LaHjrcI5Pg92mb~3njKHrtm48JI0RitZQ-kl4YjiB52vLhLnRYOlqag__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [[HackerRank Test Integrity](#)](/articles/1079706165), [[Modify Question Settings for Tests](#)](/articles/5424328799).

Single Monitor Enforcement in Secure Mode

Secure Mode now includes a single-monitor requirement to ensure a more secure and consistent testing environment. If multiple monitors are detected before the test begins, the test will not start. If additional monitors are connected during the test, it will automatically pause.

This feature is supported on Chrome and Edge, and candidates using unsupported browsers like Firefox or Safari will be prompted to switch their browser before starting.

 (https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759311524198-blockmultiplemonitor.gif?Expires=253370764800&Signature=IXGWiQ7ldG-BSXEEzzb6TyA5VfRR~5hkzyrJE51Tqm4Gtv2wupBfMDFEq2EIYcg4zNgi6b9LLzBN~DODavDFCK4Eq7DtdGw7E06FpuMTHDOHmOG6-VNVfuXeKBPEAvxX7PmvL6P0PfgLRly0rxpTM7SRdQw82RFRilhQXxfjMAItDmNFs2iDSXty9~M6Lnuyf8Ht7ePSYacFgoxuNleRkf9VOrqRzNDTFgjktS~qL~VvpbATE26BdjbA71XhKmToDISNpmaM2QyZ7jy9wyrdJi762bZyBKR0JAjaulloPI~K~nE33-McaCce~qce80JqpLtlYCS4fdo8m-Y~JenQsg__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [[Secure Mode](#)](/articles/2545360734).

Enhancements to Proctor Mode (AI Add-on)

Proctor Mode brings AI-powered integrity monitoring to your assessments, offering the rigor of live proctoring without the overhead. It tracks webcam activity, tab switches, and takes screenshots during the test, delivering a post-test report with a full session replay and summarized violations.

Proctor Mode now includes:


- **Faster session replays**: Recordings now load faster, creating a smoother and more efficient review experience.
- **Expanded coverage**: Support now extends to **Subjective, File Upload, Code repo and Code Review** question types, securing a wider range of assessments.

For more information, see [[Proctor Mode](#)](/articles/5663779659).

HackerRank Desktop App (AI Add-on)

You now have a powerful new way to protect test integrity while giving candidates a smooth, frustration-free experience. The **HackerRank Desktop App** is a lightweight application that candidates download before their assessment begins. Once launched, it creates a secure environment by locking the screen, preventing unauthorized applications, and monitoring activity throughout the session.

The App is built for today's real-world assessments, where projects are complex and AI tools are readily available. Reviews are streamlined with automatic flags for anomalies in webcam feeds or code-writing patterns, clearly summarized in the Candidate Report and highlighted in session replays. Paired with Proctor Mode, you get full flexibility to choose the right level of security for any role, ensuring fair, skills-based assessments at scale.

 (https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759311609150-HackerRankAppfirstGIF.gif?Expires=253370764800&Signature=ieYCC-tnS5sFb1XLPWWiKdbIVZPvKBYhn-4Dwp5RfpxngGzENYhR-MAnczKbUfj9tapd9diosyuJyAeXx6ED8q8Rn24S~cp2wmKIEQg0V0NFCZo~Z7ForHLbadh5s2isPcNuz-OVGZH4fG~FlrX8Vwy7cmTwPgNjhd7Q5cwgQt1Xi14FD~v7hOG0-KnV18ipJ5pSG2SNpmanyeH3zXMvlp-ooRJMideG0LqnD9yXSP2QgliQ6i51I3VJup3Y2AH7Ckn72QkkfwNXUNeoij9JNgLwK45K8EJmxGvF5Yx0cw2M1XupyCQo~2JdwsOLbjLOC3EKVtvX7eYBLiwkScCJEW__&Key-Pair-Id=K3NV4LZ47N8M46) [[HackerRank App](#)]

second

gif.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759311637019-HackerRankAppsecondgif.gif?Expires=253370764800&Signature=cUry19ipwRuFFLX6ql9Z5CaNoEREsYhomQSVjFtcOmJprV5mYN-QG9Gv9jLxdTKwDFooooGc7vng470Qt2ZMn6nJoUjHnfJ796D-V7cNfvb2rk~BQ~XKSpeloC6h4I5bZYFTC5MAGHIkux73KvYWGrFI~6hvUkCNDkDVzaYZMV7LhWpZVtXFYbGRrS0BYgOOExPnDOBJeK1a~w2O3WEI8ugsjTZsM3N247KCWxUO~6Jqitx1sza6EMkcqpFjQok~aJVCCL5JvpNR3~TsShTG~8qj453rq78ci4fZ4TnNIOuMCCw7JCfa8I71vYzUj47H9Dvove44eBJqrd2y7bXkUliA__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? HackerRank Desktop App Mode](/articles/5973590014).

Interview

Enhancements to Scorecard Assist (AI Add-on)

Scorecard Assist auto-generates a structured summary with transcripts, code submissions, test results, and rubrics to simplify post-interview evaluation. It now supports whiteboard questions as well, resulting in faster, more structured evaluations that help teams make decisions with confidence.

![Scorecard

assist.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759311961386-Scorecardassist.gif?Expires=253370764800&Signature=VoUWC636zuJfU6lxiqmiztdqdcbbSj-ZuOiZWelP94Gqv~rb5Jfdx5CdeA7dbLgAhYp7epONN-YrtfHgKW4LUsq2jYaENoBur12wAVnl2CcVSjuTdvbQ7eWsnuLLXYkYknScgsojlaUmwzEtCt1ECE56Tt~wZQt0MHLXJswugBZjL0njb2HhNzn8b43BbpSNV5fXmeILO831lco~7oIDnLybgAoUA-p4iiXmsHRm7be5l9kk~IUFEIRVbJqDJdEPfti5iklutZVNxOnQviYlsjRbtalUi3V9qQGwazW7X0vvpMLvUvUR-95xR5Llo2kL5Gi7FX~OvyxZjy7BDDg__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Scorecard Assist](/articles/5847159594)

\

Improvements to AI-assisted IDE in Interview (AI Add-on)

The AI-assisted IDE in Interviews is now smarter, faster, and enabled for more project types, with the following updates:

- ****Expanded Coverage:**** You can now enable the AI Assistant for React, Angular, and other project-based questions directly from the scratchpad in Interviews.

![StartfromScratch.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759312247459-StartfromScratch.gif?Expires=253370764800&Signature=OLTT3dJvTIInT4bA~7V8JnXoCONusQy~CZJvIfaGD4mBesS3IXVBjz8xGDYuoqlwgSHEw1zCk55D2ldL9BcPk9zmB3jtpTZPpzqRkm39uvA4N8XcPQKSTSSHMhOPXaNmFrpHcmdLh74RbEail9c-VsYEHXgHEUTH0a-d24LroljtOczehZD1oQmAK3P~zeB4mYVLjXwZEGNf4onx~Qj5k37c18HiormwA9PKfzSP29BSeXmrcWBLI8-mKWkm49hM3BNP~JEngjdB7DNOco3xHEMH3DIIGBGSXF2rcMj3LlvDKzk0X-jz4B7E2Yj57QR6pR-4N07Gj-tUbGjHun11Sw__&Key-Pair-Id=K3NV4LZ47N8M46)

- ****Faster responses:**** Autocompletions and Agent mode edits now appear twice as fast, helping candidates stay focused, without breaking momentum.

![FasterResponses.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759312249073-FasterResponses.gif?Expires=253370764800&Signature=WxUh2LzE-l1gRZ4nxaMjhW6TkyH8Chj6F07BUa2kldlke6hSqr0Sn94akvfDSchX0vi~ovwa3igHSnbjygedWTIPm4vN5fOpISMBExlvd6GY-Oos-iOcoanXqcxrjDjlioYoshnaF~M~bCDhLPxm1dlrrSyCo4ceO2lfpf9Uo4KCC1GhEVJmNR8YV0TUZPO9av2SliqUWSFKjLztqnbwUF44y-sOwjhGvBFsZFR5tJedDtePt6t6xWTu6SOjOy8ivoedLGND5YJcAHM0J76PnUHOvxPX0~24V7XFc9fNG-jdypkzlsyk4zzGDuGEkYiKuzN18C0o-Y7cTaQrLzb~Blw__&Key-Pair-Id=K3NV4LZ47N8M46)

- ****Smarter model with Auto mode:**** The AI-assisted IDE now supports the latest models, including Sonnet-4.5, GPT-5 mini, GPT-5, and Qwen-3-Coder-480B. You can also enable Auto Mode, which automatically selects the best model based on response speed. This provides greater reliability while ensuring candidates are assessed with the most up-to-date AI tools.

![Smarter Models.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759312252727-SmarterModels.gif?Expires=253370764800&Signature=o4e-wfQxv4OPLpk1fmRE-uZFvJVRDc1qetHP3X~bKI-2CzazmQIVHAjYOsY0ljaUgpGYM0h0tQtz8LiBxeZ-qZ6DgkwCsXiN2CTVA6IAohxqqQlVnbqpuY553k9imqGtWwWQceeEjZ3ptu0vkipNwdhXd-zlwhC4ytH9qkzHNw5W7rxpBV9IRaNFruQKR EhNKWSkvu5Ql2U9qqRPvQaN5~swMjhYmYYq-6pRsR3TINAY5fuiMuxoTdXIn3KtK5ze5cMuNYRfClh-jb~zo6nPT4VQE6Ou8TSN4Y5iJRjznYzWaA9iyKidk76Mb~IS5wgt4qNYYNTZ59bs3K16nz~fg__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? AI-Assisted Interviews](/articles/5821380141).

Flexible Video Layouts in Interview

The interview video experience has been upgraded to give you more control and flexibility. Layouts automatically resize to fit

everyone, while full-screen mode now offers three options: film strip, film strip vertical, and gallery.

!FlexibleVideoLayout.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759477245059-FlexibleVideoLayout.gif?Expires=253370764800&Signature=MEal7XK3ZoN3xprWxo4FeY5IE6sMaoTad68wp0Dx1JwMzgdmwX58qeRO2JGBrnHXf7W48OMeuYC84dph-ufx9iJNdQvOjReRHoAJ2~yBWlItPRxFq7eWNYRAXu9sTOy6GStrvjD4AtR6yyt0dTk4lb5zqhjiu-Y150zzP28Y6u7IkMX8TKOf54n-t9ac7VJMDuAq0bak72MKPfQcMaGAeKAKT0luAZXmqEJJTjf09yBSCn3OYTiiq66L0Vn0IKD18uBPhC51i4M252nZsXxhbfu1wOqNT94RYjm19JmT4QFKRUcRHna4nl9OxwJf0ZzUb~tF4DrskjLuwn2vc2w__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [Customize the video layout](https://support.hackerrank.com/articles/6271433412-audio-and-video-calls-in-interviews-powered-by-zoom#customize-the-video-layout-14).

Improvements to Interview Onboarding Experience

The interview login flow has been redesigned to make setup smoother and give participants a positive start.

- **Revamped login experience:** The new login page introduces clear sections for candidates and interviewers, making entry points easy to navigate.

!Revamped login experience.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759312535000-Revampedloginexperience.gif?Expires=253370764800&Signature=c0Ld8Knkx1U8VEVtyp1KdD-6gwGJF9KDRQdpRP-5CDBREpp9lAtcQ1V89uWcmUXT-jmOZ~N2njec~OLibQdzBvBfMD--WavaJ-kHJjxxqE0b0XGjfkNESjjGPcU4NpjYUA5m67AA-qbTuDdISvZqQAS1kEMotjpCR-REhSAD6J7Hqh8ezh5yAh-d2FStmEEOduVpxWRifZGUd1fXCf1yh~G6hKDowkqy8IIRAhOorokBDIZ7qig4fK7lriW57zcwrb-4Erq0qvwaxvejMlbpOx9C7C5uwOmBISdeBkGKdiAPL6uFFNhc2YbrbPN7a3WwUbtz4gYrSiXFatqmmBg__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Proactive compatibility checks:** Device type, window size, browser support, and local storage are now checked upfront and asynchronously. If an issue is detected, both candidates and interviewers receive real-time notifications, making it easy to resolve problems before the session starts.

!Proactive compatibility checks.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759312555248-Proactivecompatibilitychecks.gif?Expires=253370764800&Signature=qR4YBGa1nBt-YqqjNWicH-2oV1em1CbJWfG7pgxlgNci6wfPT8VmhNqDkz1aEyQg9oWH1wexMDxF6omj58dq7ohZDZkm7OQxRWzecdrp8-6Fdf326~az00MVfYKvpjgr~xKHE0LiSTUrKsc2edvKtCfjpxXekxDo0K38vu1Lw4FiNrdS6lVKAoWT95eUWliviWPhG5cfwmR4PuANlj4i6e~zvrbs5j6bXLZJJ2abWiOzor0OVuM-Tyo2jXI5AzWN9a8-yiC-74LhW9JAYfg8X7sN3mCFUIPdf-D9nsoSkjCzelxqBDwJ9t4pKmmqtcxulp0VhRnNYZZ4okyoOEFgw__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Move candidates to lobby:** If no interviewer joins a scheduled interview within 3 minutes, candidates are now automatically moved to the lobby. This helps reduce confusion and ensures candidates aren't left waiting in an empty session.

!MovetoLobby.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759312396630-MovetoLobby.gif?Expires=253370764800&Signature=GiY2owmdkhIPHYAAU8mFQJa034BGYqriFpZPxM1AkQyMWHaYjH-VqJl8KiosMbdkqk99pXoGWYwQ8vynNltWHzR18jxf8lAwg0vIYzYdRwhqlibqv3XBkXOoa-1md3WqqdEyQpSZ5inLhWTFGT0j5zxorlRvJP9dSe4~C-f01~eHqESQtqwhrIANPXFHHXzqsA96vTDqKswSBWPXv7P6KASfwLWhK2LEWv1wTyLy~h3AGzgUv3gf93oU4r3hwPX6DPGuRQRDjAuRdFYEEqK72QyFkeaPsOLItJt1LDHMXZ-2hS04PO8z9qQRg~cUJPMsmzK6Ztfiuml1CRY0rIVUog__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [Logging into HackerRank Interview.](https://candidatesupport.hackerrank.com/articles/1952658165-logging-into-hackerrank-interview)

Save Custom Questions in Interview

You can now create and save custom scratchpad questions directly during a live interview and reuse them in future sessions. Store questions in your personal or team library to stay organized and skip the hassle of copy-pasting from documents or other unorganized sources. This works across both coding and whiteboard questions, so your content is always in one place and ready to go.

!Save Custom Questions in Interviews.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759312482897-SaveCustomQuestionsinInterviews.gif?Expires=253370764800&Signature=DaLczYNdsOS8GkrklyupYrn9KZuDpIQ1p1QITJUq-VVqoc2k1lqKpJFsAGvKQnT9wiJc5V-TZUn2zUr0VyotDnOq7LudcHiPbM1OkKpzyUBH5ATefi8A2B7Ky1IUfD2avRBFLudlJrW9IV4sOa6TOXyyU7TfApYBzO5KKoOT4DgGhxjgi6c2x6UWWlb-D3iQr7DIBbS5rnN8TTYwgBxRShNmSp3JhoyCounPSgjzuxAA3MOy1~SuZIZIOeKK-yIOGjCbEj54V4~q4d7-LmX-WoOvh-qhDkdaub-sgs1VP8Rbv524gYm6DaoNL6UyrS5E5lv-8VZDX0uKIIP7myVjS-g__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [Add Questions to Interview](/articles/6761309830).

Auto Sync Interview Scorecard with ATS

Scorecard updates now flow directly into Workday, Lever, and Greenhouse in near real-time, appearing the moment feedback is


submitted. This eliminates manual effort and sync delays, keeps data consistent across platforms, and ensures hiring teams can move faster with smooth, reliable post-interview workflows.

 (https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759312476471-AutosyncInterviewScorecardwithATS.gif?Expires=253370764800&Signature=VJbGJ2nOt0wQ7BA~AoDnGiMg7AuhFQluOXUtxHbr1K4TecY7hyxzEqIvedSDsE1e8m9bl5fPTXaje2829bzEqFoHkQvI434CwfwFgOH8uDdx2PCX2XKJPhuz6MEIOGDoGrwydZz5X0y7HSxnupeXsTtv44i87ZdV~gjGotk9gd3DjfToe9EqcvmMfbbD6CpxoURIEMHv4eAP0gzz7ztTjklIGPhnh65FGz051eJo5hCm8cfZz-qj7cCYDliEfAbDPvopPSGChOJ0BFXIXECILfCHOgqyv44Kje6FKBticSqPGHM~fzwQo3fkFW3gOCYORf0eZ9QEbxSJCpSAOOfwg__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Interview Scorecards](/articles/9842091173).

Customize Interview Guidelines

You can now personalize the onboarding guidelines shown to candidates, adding custom instructions specific to your organization.

 (https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759312561866-InterviewGuidelines.gif?Expires=253370764800&Signature=1SsBN4k4QwWvpMyH~JjyfSZ6FQRGt7K28JhU5e23kR7DtEtRSO1S9wNbX5L0aTwN4xMTit5eQC6FubviytMhW5wkzHtcTjLgwefUvDayB5KNIWLvj2fiwGkSOLrnoKNDlaZ89tAutOtDjdZx49Y4L98tZcH5PSqotKSDv8YJVkommTco3skBa8wJJopUPZEAP44EM1sPVSe9OTXEI66KrOYGxyRbi3Vmnggc88MGw2UaZlCvV3NHtid8kl8tbb23A1J5CxDNhhld2ouXaGp0hvLn5KZ7KexUbjl-luFkx3QPMRk5o6h1DkOG-NILAHNgocCSMsftiPtvLJw__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Centralized Interview Settings](/articles/9244658640).

Data and Insights

Performance Improvements to Analytics Infrastructure

We have optimized exports to ensure dramatically faster load times. In-product exports and dashboards that previously took 15+ seconds now complete in as little as 3 seconds.

Integrations


Lever-Interviews Integration

You can now seamlessly schedule, conduct, and evaluate live coding sessions without leaving Lever. The new Lever Interview integration reduces setup complexity by automatically configuring webhooks, syncing interview statuses, and streamlining candidate workflows.

With Lever Interviews, you can:

- Create and schedule HackerRank technical interviews directly in Lever.
- Keep candidate records up to date with automatic syncing of feedback and scorecards.
- Cancel or update interviews in Lever and see changes instantly reflected in HackerRank.


A dedicated Lever Interviews card in your HackerRank settings includes partner branding, setup instructions, and configuration options to make onboarding quick and reliable.

 (https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759311657237-leverv2_workflow.gif?Expires=253370764800&Signature=iE865Z~hwcxQLRarZYT8ButvlvmwxL8qRB-nCHnYUEp8dorpRJlGik4yoUyYJEqt~XckEzUoUwnVfPt0dHIYptXHWnKqXPIF8YWwmBC0Sry58U0R24V2qjFxygSyziXGy5gdg2dYvf1cE0tQGpDCuEVOFeFMiqwln3yrXlXrH9dMyBt1hQHhp2n9MKRHK343Bfg1hT-Mlfo7mrZKoMd3dddRBOxxHBeW5uMx7BBpNik1MHC2Sz42NBP7gSAVxqZlhu3pDy3GyEBhK~Bc7eAoEjH4FLgOWfz7qIEJOP0oJVACP2rggJg~QpT1uwU8gNyN--l-v0kXfVHd4Wmaf~~Q__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Lever V2 - HackerRank Interview Integration](/articles/5647291926).

Integration with Nortstarz.ai

HackerRank is now integrated with Northstarz.ai, an AI-powered talent intelligence platform that helps teams identify top candidates using resume analysis and video interviews. With this integration, you can access a dedicated Northstarz.ai card in the HackerRank integration settings, complete with partner branding, setup instructions, and configuration options, making it easy to get up and running.

 (https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759312083161-hackerRackandnorthstarz-3%252

81%2529.gif?Expires=253370764800&Signature=s1VW9-XEDp5GDQZ6rk~JJHeTCRiN~4dn27aE2ufHhEvEEQTE7DeBCYFpWo9d5Cr9sOFFb9MtRIHdmGlXsv9QKe-6My1www14hPLxrurmpX9yReuBi2PHNDEX1Vr5ZHAglxRbMSMmmbZOglC6GkRnUCZzyAVblyBUwimUay3-dfbJs~56ZglrUPc7bwJqml6rHNYJ9vdWNV7RX3pbJiFdrxzCGdgYCFedHpuMfl97cUvI8S-uO2ZoxvsY653pZoCIFK7Yx~AX6RWbgwpSPs5PPYnyjHp1fmU6tpnI3vMi921-9WLXOwSoh2pf7HlZaLxu8Su0vqllP0qy9vLwhW0Lw__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Northstarz - HackerRank Integration User Guide](/articles/4546750166).

Integration with Kula.ai

HackerRank is now integrated with Kula.ai, an AI-native Applicant Tracking System that unifies sourcing, CRM, pipeline management, interviewing, and analytics into a single platform. The integration includes a dedicated Kula.ai card in the HackerRank integration settings, featuring partner branding, setup instructions, and configuration options for a smooth onboarding experience.

![HackerRankKulaIntegration

(1).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760432595782-HackerRankKulaIntegration%25281%2529.gif?Expires=253370764800&Signature=THnEtSEY9hB~~PkXWSLFYcgAfjG0aSRT513xZ--92JJpAYg2pjpnCqNz06NAbBQMogC9K89hb0cAFRYmhv2LRqwcPCNRUfyXDtBuJ23BjO51uwRSf7e-dHKBozjDQczxWtBRxrsiDS2KiDk5KjtWcw8fJDmBn7RirFo6Ju5buY8n8POJLbUlmbx9fmx8nUD00LtLbK5CwL9oHfwHgMuxLobXinMdvAY1YVj0BtPrG5isuv-4eFd0deS1e-llcgFRD9NUxUQD31om9GXyazI0rAelnL0SIWi4ic9AepS4IXZy95ml~E5cl0Mfa563ax6JaRJ9bwNPUjOqF5uzKoB9rw__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Kula.ai ? HackerRank Integration User Guide](/articles/5121238837).

Update to Greenhouse Integration

The Greenhouse integration has been updated to improve recruiter visibility and reporting. Assessment invitations will now display the recruiter who initiated the invite instead of the company owner, ensuring more accurate attribution and clearer insights into recruiter activity. This update also requires that anyone sending a HackerRank test invite through Greenhouse hold a valid HackerRank license.

![sdsdsds.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759490195808-sdsdsds.png?Expires=253370764800&Signature=CnCO1IHnGHgk5eBF67Z5gpsDvIXXZeN2OkeQ3D8l~Dv39zBCHfwFuJCW3QXtM~QMjGJdiXuiZOE10Fr0uooDIDTf~A-3aal7KBOTTZtMga~zOQLwkPFColcW1rXO7tLpSdXlp0pOmm1v8j-vGG4dNOrv161sU5u9X5GI0e-xaAJiTCys1YkXEQPX90y~DwTvzyd~cMA0fHT27AhiLJlKwSKfEgeNmnXg11e10~LJxdXueke3o-qv~mRxTeqhjXwcFek724ftdohiGr-WHib8eTlAdAEN8hsq9-X23M4Nb8axR6vMN-KqxCBhf0Ht8WruZqAtCHellh5ixuw9NSshQ__&Key-Pair-Id=K3NV4LZ47N8M46)

AI Interviewer (Limited Availability)

Improvements to Problem-Solving Interviewer

The Problem Solving AI Interviewer has been enhanced to create a smoother, more natural interview experience. Here's what's new:

- **Skip questions with ease:** Candidates can move past questions even if they don't finish the full solution, keeping the interview flow stress-free.
- **Smarter interviewer behavior:** The AI Interviewer provides nudges without giving away code or pseudocode, asking probing questions to encourage deeper thinking before coding.
- **Richer reports:** Reports now include AI interaction signals and follow-up performance, giving you clearer insight into reasoning and problem-solving.
- **Voice input support:** Candidates can now answer using voice, making the interaction feel more conversational and natural.

Sign up for access to [AI Interviewer](https://www.hackerrank.com/products/ai-interviewer), or reach out to your account manager for more details.

![AI

Interviewer.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759312467637-AIInterviewer.gif?Expires=253370764800&Signature=ganVuVoju3Go6fuM1o1Pgabass5Mq-8lSoad9FHxIB-IZzkESSFcGzxtwQOH1IW2LzjQGJTxfujgHdrt6wvNeGiHQ6B-URbJE82l4KQMmmiPhaJEc~2XqJ7AQAO6FsZKpczFGVRSltKMGPd3lqZooHkF4Fc6CheXksM2MISW6VeWflhmzHBnD3awq-9UmVQG6L8e4SO~bfc9~dB6ZTy-ELMkFQUwQbliwB2zEweuhwxjXwRAGpjl~1VQGMQDwbffHx-t4SW0uUjTdcihx-WJnNRllbGfd2zlnChcjFSALBhrCe3cmEf4xHNE2qTVpgOf-iYV5HMTiTqyfPpwCcnjA__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Introduction to AI Interviewer](/articles/6908366644), [? Set up an AI Interview](/articles/8041423965), [? View Candidate Reports](/articles/6818900787).

SkillUp

Enterprise-ready Reporting APIs

You can now programmatically extract skill signals, badges, and certification details with our APIs. These can be leveraged to build customized reporting and integrations with HR systems, making it easier to track progress, showcase achievements, and connect learning outcomes to business impact.

![[ReportingAPIs (2).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759312207509-ReportingAPIs%25282%2529.gif?Expires=253370764800&Signature=rT0h7W6NHZwQ0C4yE2mkYXFmYWRVSYFLxvnMkal8edFZk3RzEb39cEpGd1gdpCVmgFJxSgKj4f3E10aLD3WRqFHNtG0vcMQJqz2chcrq~-1Goi203pXCZC7~GkENQiKRECFbLtBqD1YV0ZFWd-iJ2ukiH~lhCs4Fn1tQp9q03inNy~9HsyYUTV4ugWqhUGZLPHN2IFy1ia6jqixVeG4KiBbqCCnmzE9wXQJ~kzAcqUiZ5cDW6WxGHIOlRfDu2XbGlfnt~CUYPMiU9zd7UJT Rbqqjp~sbG5nMgn~~3-IUE6VQJrX1NX-1Dgcvf8mpn6kX~AOxRtrMPwPY69klI5jaWQ__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? ?Reporting APIs](/articles/3081122402).

Learn Access for Admin Users

Admins can now earn badges and certifications while continuing to manage the product, helping them stay closely aligned with the skills and workflows their teams use every day. The learner view is now the default, making it easy to explore content, code, and demo features firsthand.

![[AdminAccessToLearning.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759312276889-AdminAccessToLearning.gif?Expires=253370764800&Signature=csCLeir6IIYGWh7IT~dcVVTWPF84-yIbEZ0QsMzVH6RcSfEo4d9LuMcbYOWxd tWzSIbPw9JA2jwrRm3Zts3-CY9ETqj-4vU2kSeaOrt5xjYiJWtMwAhYac11XSinaHAAIrHRs6GSmyGkXesawdXb42X3NxCz1FguRiOT Sb8iziUnNA8p-1-PH~pUHozpGqCj9rtFI8oMiuy7YI5zZPYKimjmiGGxasjgchbRle42eReaigybkRoHTBcgZTIhhYtxgmCUzgDXjSsq1ZD biLtkcFB4VXpSu5g8K98ouh8gPLFnQdB~wOP0h1GcDXw0eQhj1Pu06Cfp3GRq3ET88q~A__&Key-Pair-Id=K3NV4LZ47N8M46)

Enhanced Administrative Controls

Admins now have new options to deactivate users, providing greater control over account management and ensuring teams stay current and secure.

![[EnhancedAdministrativeControls.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759312317792-EnhancedAdministrativeControls.gif?Expires=253370764800&Signature=ArU8VAFSSwKer3uOLu0XZxbPvnNa2R6Lfv~HdL29QcEJJSsL PN2ZxMDsCdvv66lIVzSjvSt0DF5g9T5bzn62Xr0LDFG73MYEBM6UqAsbK27TBqunnJr8mngmF9LC9njXD6lqQJziyRSxCildVHLIfVca REtPe0E0zjLBKYb9vhoUy0g2mYVTSOMJ4E0uHgStaQDbxzVRWQZRYJXUbPI2Z0uN6Kb7CkPdP5xwZj5xftQrleaaUN-fjR4vE64eU Zj5zKg7eyfBj5iTaDsj-d-VsLYYcotUsJRQePFN6YWcY1OJxf59wpyA6XHmSVq2qua4H42c3gCEn01gl4qdZxfYw__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [Deactivating a user](https://support.hackerrank.com/articles/3868789028-user-management#deactivating-a-user-10), [Reactivating a user](https://support.hackerrank.com/articles/3868789028-user-management#reactivating-a-user-16).

AI Engineer Certification

The AI Engineer Certification is a guided pathway with lessons and challenges designed to help you build expertise in creating AI-powered applications and showcase your skills as a next-generation developer. The first three modules (LLM Fundamentals, Prompt Engineering, RAG & Vector Databases) will be shipping in the October release, with the rest to come in November.

![[AIEngineerCert.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759312356946-AIEngineerCert.gif?Expires=253370764800&Signature=hRL9jR~UJJJaED-6qvKifBrbmSy666HbAz~9BzbyVNzI5GCjxcSvOXmWN10eXdLcU3MDRV4u7 UDDWbs10YZO7xJlBs-Lm4tO0uiZu0ThoVK-5PJepiKQ~rqUOQ81mj4Tan1DW~NWPBwcHs3qC8NylI6t0wn2Ac1Gfzm14KSBTawSz 1T1yZ60kzOZh-dMlpMwYgYNUUUEw-gNZ-AfNi2KiFnMXd~w~DKxAdmJy5rGnCWx5FEeJBCj~jk1pvfOZ00VMispq5W1H3CYD5TEJ MLwDuGj0EqJiJ9YAAVwbOclbRHERxglBQNP-DusmWJXXAr13LMg6UwrpEZDVptfaH9rA__&Key-Pair-Id=K3NV4LZ47N8M46)

Developer Community

Improvements to Mock Interview Experience

Mock Interviews are now smarter, smoother, and more content-rich, making practice feel closer to the real thing.

- **Real-time alerts:** Stay focused with real-time nudges and a more realistic interview bot. Keep practicing, even after your interview ends.
- **Guided growth paths:** Get clear next steps with actionable feedback after every session. Track your improvement by reviewing past interviews.

- **Platform improvements:** Enjoy smoother sessions with automatic compatibility checks and faster, more reliable feedback.
- **Fresh content:** Try new questions in coding, system design, React, and Node.js, along with a modern coding editor and a cleaner, more intuitive interface for easier practice.



Mock Interview Improvement

(1).gif(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759312416037-MockInterviewImprovement%25281%2529.gif?Expires=253370764800&Signature=RPiEvcNMy1br0wP~1o3UmLJVMlteYOH9A4uOqtoELkXq~3kernH9YSxnABn8Cxx6rva2Q3sWUPhZL2tY1pdvsTC9Q6p68-AOO7~w2J63paemcwTnXI0Jd7vsjayxZvPb0rmA1GM5IEu-M~CLurAbsvaFJnEhHVXrSM0qCbKbVRi8LG8XxImLyN~LtEgYpt7dCaQs5D6ipWtmOSstuz67ym-QOBxRr0HTuyIM2n2e9r68~1TmJmGV7Nk8dP~C859udYC5ju5m9LLI7-JX0S~QoyJtpWA5xrsOlw7Mgr5cCEiF6ruW6qWogLtJRv5yqyU0vyzYvI7k~eCVWNavMj4zQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Software Engineer Prep Kit

The Software Engineer Prep Kit helps you get interview-ready with curated challenges, realistic practice, and role-specific certification.

- **Practice Challenges:** Build your skills with curated, role-specific problems spanning arrays, strings, graphs, dynamic programming, and more, designed to reflect real interview scenarios across roles. Get step-by-step support from the built-in AI Tutor as you practice solving real-world coding challenges.
- **Mock Test:** Simulate actual hiring assessments with timed, auto-graded tests. Track your performance with personalized reports after every attempt.
- **Mock Interview:** Experience realistic, AI-powered interviews that challenge your thinking with follow-up questions and detailed feedback, just like a real interviewer would.
- **Role Certification:** Validate your skills with a final assessment tailored to your target role. Earn a verifiable certificate that you can easily share with recruiters and on LinkedIn.



SEPrepKitUpdated2

ated2.gif?Expires=253370764800&Signature=oZdGetDipgnS3ngD~iHdX0i1qclfdt3QFREmEolNLe2PqcmxUizbFgicN8uW8qaCTcmV6ZYglpd~qfdR119lkBesG4lQ6SYR8PWVmZ2yE0ok-oJPvZ9umB-oXr1c8V7lnihBjz24yV0V7UrgLqP0ybG-FerrUI9tp0sjHKXoT0verJUVb8i25FXjFohVhMzbdk8RjMDKY-xoPfi1lQuCkt7es4X6Q0SDw8vsjU~28huVx0NTjJ48IMwbWgrnl6Txr~ZUK5S05ZEb5nb4b89kKuMP2eDmnqKKJ9CkgHjCASo3BJdkchJVrF4EVAiMvbdqpsM6-SqK4zBT9CqD3NccOg__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [Introduction to Prep Kits](https://help.hackerrank.com/articles/1723224478-introduction-to-prep-kits).

Subscription Plan for Software Engineer Prep Kits

You can choose between monthly billing or save more with a quarterly subscription, offering flexibility to upgrade as your needs evolve. Check [this page](https://www.hackerrank.com/community/plans) for more details

- **Basic :** Begin your journey with 1 AI Mock Interview, 1 Mock Test with a detailed report, and AI Tutor Bot assistance on 2 challenges.
- **Plus Plan :** Strengthen your skills with 3 AI Mock Interviews and 2 detailed Mock Tests each month. Enjoy unlimited access to the AI Tutor Bot and priority support whenever you need assistance.
- **Infinity Plan:** Unlock full access to our complete AI Mock Interview and Mock Test libraries, with unlimited AI Tutor Bot access and priority support.

For more information, see	[HackerRank	Subscription
Plans](https://help.hackerrank.com/articles/9054300007-hackerrank-subscription-plans),	[Upgrade	Subscription
Plan](https://help.hackerrank.com/articles/4312449655-upgrade-subscription-plan)**,**	[Downgrade	Subscription
Plan](https://help.hackerrank.com/articles/5432562533-downgrade-subscription-plan),	[Cancel	Subscription
Plan](https://help.hackerrank.com/articles/6560545309-cancel-subscription-plan).		

The [AI Add-On package](https://www.hackerrank.com/features/hiring/ai-add-on) includes advanced features that help you assess next-gen skills and maintain test integrity in an AI-native world. It's built to solve emerging challenges with the right level of depth and control. To enable them, contact your account manager or email support@hackerrank.com.

\

Thank you for supporting our mission to change the world to value skills over pedigree!

\

[general-help/release-notes] Q3' 23 Release Notes Q3' 23 Release Notes

```
---
title: "Q3' 23 Release Notes Q3' 23 Release Notes"
title_slug: "q3-23-release-notes-q3-23-release-notes"
source_url: "https://support.hackerrank.com/articles/9502641162-q3%27-23-release-notes"
article_slug: "9502641162-q3%27-23-release-notes"
last_updated_exact: "Dec 13, 2024, 5:03 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "General Help"
  - "Release Notes"
---
```

Q3' 23 Release Notes Q3' 23 Release Notes

Last updated: Dec 13, 2024, 5:03 AM (Last updated 1 year ago)

Q3' 23 Release Notes

HackerRank continually enhances its platform with improvements and fixes to serve you better. We've rolled out a series of new improvements and fixes this October 2023. On request, our team is ready to assist you with the required change management. Please contact us at support@hackerrank.com if you have any questions.

Admin

Centralized Test Settings for Uniformity in Tests

Your test administrators will soon have the ability to set defaults that apply to all of your tests. For example, if you'd like all your tests to have plagiarism detection enabled or to have a set of fields that need to be collected, it can be enforced from a central location.

The defaults work both ways. You can also ensure that none of your tests have a specific setting. Say, you don't want any of the tests to have video proctoring on, you can disable video proctoring across your tests too.

If company administrators lock a setting, only they can modify it. When a setting is unlocked, its value becomes the default, and users can adjust it for individual tests. If a setting is locked, its value is applied to all tests including existing ones and individual users can not modify it for their tests. Any new tests, or older tests using the HackerRank default, will adopt these default settings.

This update helps ensure that you are running a fully compliant organization. If you have more questions about specific settings and what each of the defaults does, please reach out to your customer account manager.

To access centralized test settings, you will click on your profile in the top right corner, click settings, and then click test settings in the left panel.

![Untitled.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046433692-?Expires=253370764800&Signature=qjefrJk6neXMWSbCf-p1Sn0NhTTNjcSYWiFIXzgFKqaTjPfGuICRjDQ9Krj-1N8LLv-Bz6Y2Fu~Z~6UrrtRRYEEHMmGa2OHTFLT~noI7OsRrBu~xwrDBY7A2ILBpDBhaByQZHDxGzqLcaQLEw3y3JrODNo-Xe6fLBewp7UJ-Nvb-pm1VbTf3XyXpybUK154K7SitgEv6DZIDZiPLNVsIVj9~MmsJAvw5wmUuT2D~0j29xSbusKLBdw14z156K2vRnSbHxgy3l5k4oInzIUET~WkNquSrCAv2OkpDT~4lCN2fx890oPKIGbLaCo2USgEp2lzz-DmfYKjSIlgE4yYvA__&Key-Pair-Id=K3NV4LZ47N8M46)

Visit the [Centralized Test Settings](https://support.hackerrank.com/hc/en-us/articles/22181498897683-Centralized-Test-Settings) article to learn more.


New User Management Page for Bulk Updates

The new team management system will introduce an easier to use UI while providing additional filters and actions that simplifies bulk user management. A new filter by activity feature will help company admins ensure they have unused licenses that can be reallocated.

Team admins are now team-specific rather than global. As a user, they can belong to multiple teams but they will have admin rights only for the teams to which they are assigned as a team admin. Flexible new role scoping enables precise access control across teams.

The import and export format of users has also been updated to accommodate these changes. You will also have the ability to make bulk updates to your users, search through your list of users, and filter users. For example, if you want to activate or change the license type of multiple users at one time, you can do so with bulk updates. In addition, if you want to view all of your recruiter or developer users, you will have the ability to do that with new filters.

Once live, you can navigate to your user management page to make bulk changes.



Visit the [Teams Management](https://support.hackerrank.com/hc/en-us/articles/22181635545875-Teams-Management) article to learn more.

Improved Sharing Controls for Tests and Questions

Previously, tests and questions could be accessed by all the teams across the company automatically. With the new explicit (manual) sharing controls, administrators will have the opportunity to disable the old method for sharing tests and questions.

Currently, when a user creates a test or a question, the resource is shared automatically with all users in teams the creator is a part of. Earlier this year, we introduced a new sharing system that allows owners/creators of a test, question, and interview template to specifically choose which users, teams, or if they would like everyone, to grant access to those resources with different permissions levels.

\ This new feature will disable the automated team based access and allow for greater controls on access to individual resources. This is a one way option, if you enable this feature, you will not be able to re-enable team based sharing. If you activate this feature, then all newly created tests, questions, or interview templates that are created will only be available to the creator and company admins unless shared to others.

Visit the [Disabling Implicit Sharing](https://support.hackerrank.com/hc/en-us/articles/22181705964179-Disabling-Implicit-Sharing) article to learn more.


Integrations

Logs for ATS Integrations

You will soon have the ability to view a record of integration activity between HackerRank and your ATS in the HackerRank platform. You will be able to get log results for a custom date range for any ATS integrated with your HackerRank instance and download a PDF report.

For instance, if you want to see why something might not have synced correctly with your ATS from HackerRank, you can view a detailed log of the error with a timestamp and summary.

To access integration logs, you will click on your profile in the top right corner, click settings, and then click integrations in the left panel.



Visit the [Integration Logs](https://support.hackerrank.com/hc/en-us/articles/21774549534867-Integration-Logs) article to learn more.

Enhanced Integration With iCIMS

The iCIMS integration with HackerRank has been revamped with improved performance and greater functionality. For example, if you want to assign HackerRank tests and receive results without leaving your ATS, you can do so within iCIMS. This enhanced functionality enables you to do more without having to switch between HackerRank and iCIMS.

Visit the [iCIMS - HackerRank Integration Guide](https://support.hackerrank.com/hc/en-us/articles/11720157490835-iCIMS-HackerRank-Integration-Guide) to learn more.

Reporting

Improved Filters for Candidate List and New Summary Reports


You will be able to better refine candidate search results with the help of optimized filters. Plus, you will have the ability to apply custom filters to better sort through candidates and find the right candidate for your roles.

In addition, the summary reports page has been revamped with a new layout that shows the performance of the candidate along with that candidate's activity during the attempt.

For instance, if you want to create a list of candidates that showed signs of plagiarism, like copy-paste events, or that performed well, like scoring high on a specific skill, you can do so with these new filters.

If you want to view how a candidate performed on each question and also view whether they displayed signs of plagiarism for those questions, you can do that from the new summary reports page.

Visit [the \[Summary Reports\]\(https://support.hackerrank.com/hc/en-us/articles/4408913281427-Viewing-a-Candidate-s-Test-Summary-Report\)](https://support.hackerrank.com/hc/en-us/articles/4408913281427-Viewing-a-Candidate-s-Test-Summary-Report) article to learn more.



\

[general-help/release-notes] April 2024 Release Notes

```
---
title: "April 2024 Release Notes"
title_slug: "april-2024-release-notes"
source_url: "https://support.hackerrank.com/articles/9911032760-april-2024-release-notes"
article_slug: "9911032760-april-2024-release-notes"
last_updated_exact: "Jan 23, 2025, 12:41 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "General Help"
  - "Release Notes"
---
```

April 2024 Release Notes

Last updated: Jan 23, 2025, 12:41 AM (Last updated 1 year ago)

Prepare for an exciting leap forward with HackerRank's latest updates! Our committed team has been hard at work, delivering enhanced features and quick bug fixes to elevate your experience to new heights. Whether you're ready to push boundaries or need guidance through these enhancements, our stellar support team is here to assist you every step of the way. Just reach out to us at support@hackerrank.com, and let the journey begin!


Screen

Enhanced Test Creation Process

It's now easier and faster for you to launch and maintain role-based assessments. With the new test creation experience, you can find and launch HackerRank's recommended assessments in minutes, reduce the time you spend on test maintenance, and customize assessments to your unique needs.

**What's New? **

- Find roles with our improved search experience
- Replace leaked questions in a test with leakage-protected skill bundles
- Customize sections with library questions and custom questions
- Change your test's duration
- Reorder assessment sections



Learn more here[? HackerRank Certified Assessments](/articles/1649328687)


\

New Database Question Creation UI

Assess candidates' database skills using improved database question creation workflow.

**What's New? **

- Ability to upload large CSV and schema files (up to 10MB)
- Intuitive interface for creating database questions across MySQL, PostgreSQL, Oracle, MS SQL and DB2



ca3-88ec-a41c25ca63d1?Expires=253370764800&Signature=gHyWZSejpTMqCUGuUu52c2c4bRHJmGVtCntqakgFyma1TxOTmDPZBnA6mjxHVP2WYUF6-cuLloNxSTZHJ7n1IAH3zZ~jJ0JAMDOy1GBltcY99HzKuvkouzWLKUWUd5~DHuH-p0VGpXQG7H~Vfz3mj824T3z5fnBc0UN6Az0YIDfzDJVkgYU9wD~-fN26ieOqHRycTM4C5tZngKv9kEmzKfRj0c9KxuRoXdpTckqbnTFUXLwpxoMBXGYwxL3NW8U1H6whj2DZCiZnmIGUz8Yyt4YeMlaLRw08l6SgRbqfZgZ9vAAKEtb7QAWiFgUPgYt6f0uPgJq6ngZlvAMB7hX1vmA__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

[Learn more here\[? Creating a Database Engineer Question\]\(/articles/6782445147\)](#)

\

New Additions to Centralized Test Settings

Centralized test settings now allow you to set defaults for the following:

- AI plagiarism detection
- Image analysis
- Email invitation subject line
- Confirmation email content

You now have the ability to enforce these default values across all tests in your account.

[Learn more here\[? Centralized Test Settings\]\(/articles/6271327319\)](#)

\

Updates to Summary Reports

The updated summary reports now offer enhanced readability and better responsiveness across all screen sizes.

****What's New? ****

- Proctoring images displayed with a player view, allowing you to expand and view each image individually.
- Seek function within the player view for navigation through proctoring images.

- Summary report can now be opened in a new tab.

- Improved responsiveness of the summary report

[Learn more here\[? Viewing a Candidate's Test Summary Report\]\(/articles/8111267829\)](#)

\

Get Notified about Blocked Domains on IDE

Users will be notified proactively about blocked domains within the IDE environment. This feature provides clear identification of which domains need to be safelisted to ensure a seamless interaction with the IDE.

****What's New? ****

- Notifications for blocked domains encountered within the IDE across

- Screen

- Question Creation

- Reports

- Clear identification of domains which need to be safelisted

Learn more here[? Safelist / Whitelist URLs for HackerRank](/articles/6769658535)

\

Network Indicator in IDE

Network indicator in the IDE alerts users of sub-optimal network conditions, empowering them to swiftly resolve connectivity issues. This ensures uninterrupted experiences during assessment, interviews and creating questions.

Learn more
[here](https://support.hackerrank.com/articles/1570281449-creating-front-end%2C-back-end-full-stack-and-mobile-questions#network-indicator-41).

****Network Indicator While Creating Questions****

****Network Indicator In Screen****

****Network Indicator in Reports****

Reset Code to Previous Version

Elevate the candidate's coding experience with the code reset option, empowering them to seamlessly revert to the initial state or navigate through different versions of their code.

What's New?

- Easy code restoration to the initial state or previous versions
- Efficient error recovery by reverting to an earlier working state
- Track code revisions, evaluate scores, and select the perfect version for your candidate's success.

Copy-Paste Tracking for Sentence Completion and Subjective Questions

Monitor candidates' copy-pasting activities during assessments with our expanded copy-paste tracking capabilities.

Upgraded Bulk Upload Functionality for Multiple Choice and Sentence Completion Questions

New bulk upload features improve the creation process for MCQs and Sentence completion questions.

What's New?

- Bulk upload Sentence Completion and MCQs in XLSX format
- Ability to add images to Sentence Completion and MCQs using the XLSX format

Learn more here[? How to Bulk Upload MCQ and Sentence Completion Questions](/articles/7581599973)

\

Interviews

Protection of Candidate's Information on Zoom

HackerRank ensures data confidentiality by encrypting and securely masking PII (Personally Identifiable Information) transmitted to Zoom. Users can now opt to have Interviewer and Candidate names masked in the Zoom video recordings. The candidate's name is displayed as ?Candidate? and Interviewer name is displayed as ?Interviewer.? [Learn more](https://support.hackerrank.com/articles/5805684780-zoom---hackerrank-interview-integration#mask-information-on-zoom-recordings-16).

Note: Interview recording is an opt-in feature. You can reach out to your account manager or HackerRank support (support@hackerrank.com) to enable it.

Compatibility Check for Interviews

Conduct a system [compatibility check](https://www.hackerrank.com/compatibility), assessing audio/video permissions, internet strength, and other key parameters. This proactive measure ensures a smooth experience for interviewers and candidates alike, allowing you to focus on the interview itself without technical disruptions.

![[Screenshot 2024-04-15 at 11.53.32 AM.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046096828-?Expires=253370764800&Signature=t-LJaTPUWVcbdrGoFCgehZTVrO7s5i3lBHIFLc7jq-jo3sG~5G~U0oyRr95uCytl-hXSyQ1p5JJ81efBhoB~eVzXJZvLJ66rKk83OQ4znFvRWVsvgTm0CuVNOyxWXtcG2Vlt27uruLDrWqdEzhlgTF2u3f7mmWeSIIgs9eozXgFxFG-IE8JeSg6wR4knDywp0xKcrfs~Hsc3RnwIWdeWvlu1w9UmICDcoct04ZKjwhFbYxXn8j8g6LK2htFwOczP67bxWg9BNbCL6TzufBZY~EswVltEd7sUBMCV7uHc-1OotdRlti~BiB PmH9mXA4BMRMHzyM6dpvLbITkrdWwFag__&Key-Pair-Id=K3NV4LZ47N8M46)

Learn more [here](https://support.hackerrank.com/articles/6271433412-audio-and-video-calls-in-interviews-powered-by-zoom#compatibility-check-for-tests-and-interviews-5).

Admin

Flexible User Roles

This new capability allows admins to customize their user roles with entitlements suited to their organization's needs. Give each user the right level of access based on your organization's specific needs.

****Note:**** This is an opt in feature. You can reach out to your account manager or HackerRank support (support@hackerrank.com) to enable it.

****What's New?****

- **Modify User Roles:** Admins can adjust up to 30 entitlements at the user role level, which will adjust the capabilities of all users with that user role.

- **Modify Individual Users:** Admins can adjust those same entitlements on specific users, to further customize the capabilities beyond their user role definition.

Learn more here[? Flexible User Roles](/articles/3929488044)

\

Integrations

Improved Experience for Integration Settings Page

Manage and configure integrations with an improved user experience, focusing on usability and accessibility.

The new changes include:

- Active integrations displayed more visibly

![[Screenshot 2024-04-22 at 12.02.38?PM.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046098010-?Expires=253370764800&Signature=DG6aSU76omY3BW0xi8vUVt8Gbky4pPCEwBjOa2pJC7AU1rUZwZdbPqy0kVbXkbDA4tmXZinxzPAJU9wWevimsBvYfM45r0WexIMh~JebYhH8t47gIF8vJLPP76aBaUOwdUOGM-xg0TCMKmfY27IsXylY66QEkyYpla6NzSjgKI7jP2P5VnMDomguoqmPhfsgl-NfSknIBjyeryjFn4H55FP38zWBEZosixQTcQSygh9uXN3UgPUTzOvxHDsWNNUHWdTV6VwbGclRXqfEm4mAS63F~me05vbPz3-uykYBr6CYNfScYcMsODxqXBq~6GEpgWlpSOAVzvQoFEOMLteSg__&Key-Pair-Id=K3NV4LZ47N8M46)<img src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046098443-?Expires=253370764800&Signature=R4brF6bSh2euQ-ufuUP6k9XNSJJm4BZ2ubd~I6sWIFSZHWXSI~L2ALD-GtHROoURfAWnGXNLZ4xc1ofCRJKCp0Y3dutfk0czO3L-ocEf2Sj4GMu11mvoERKlJE5CDEYgPqhECJYw3loHLU6GTAND4xHcuBY2W4P5aDeMV1FNKcCA1HYBkc6xz0fZTOt7UXWOI

RKQ2ZgLIJpnl7ypimWHqRil2ZSbWlvhuSYJaT229FfDIBbjF5AqZOlfjai5DZlzv7-NE5bBC4mn2qts~oHkc9r1qqqIYn~Mo79KaZwjSBHqYUVycTnsURRUQJ99MdHSEQIU8z~y726uwB7t6QJOW__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

- Significantly reduced page load times
- Logging for integration token generation and deletion

To get a feel of the new Integrations page for Lever (as an example), see the [Lever Configuration guide](https://support.hackerrank.com/articles/7177093032-lever---hackerrank-tests-integration#obtaining-the-lever-api-key-from-hackerrank-for-work-7).

New Questions Added to the HackerRank Library

****Job Family****	****Skills****	****Questions****
AI & ML	Databricks, Large Language Models, Prompt Engineering	20
Cloud	Datadog	8
Cybersecurity	Information Security, Network Security, Offensive Security, Security Testing Tools	102
Data Engineering	Apache Spark, Databricks	30
Mobile	Android (Kotlin), iOS	17
Software Engineering	Problem Solving, Python	150
Web Development	JavaScript, React	3

New Product: SkillUp

SkillUp assists organizations to mobilize their internal talent and future proof their technical teams by upskilling them to be GenAI ready. SkillUp comprises two main portals: Employee Portal and Employer Portal.

Learn more [here](https://support.hackerrank.com/articles/4624433684-hackerrank-skillup).

****Employee Portal:****

- Role Mastery Roadmap: Features competency radar for skill mapping and a curated Learning Plan for development.

- Skills Directory: Catalogs 20 skills across various categories including AI & ML, Software Engineering, Cloud among others, with curated learning resources and AI support.

- Roles Directory: Lists 19 roles across various categories including AI & ML, Software Engineering, Cloud among others, detailing pre-requisite skills, role readiness, and certifications.

ature=Nxq8KmdPMOKhxzhLKYX34spkVf2MYqXj6J5fggxYl6d~ENqE5yZG135DHIHLWiBHWcE0Yn2HD0pgqmAf0-KXycnww-B3BNie
cu4XsBX6HLXvQIG87XjjiniOIKeheZ8Lsr-2DLjblGp44yVHA9ixDAjVgceqjHCUOmwlYzCEmzDAaaeYE7-DGu1wYqT2hgvJalbCr3Tba-
5lj7wXS0X6rPYbr8EfzIQ89qTsMai6nh1fIDyLdvjcGUvZStHmYBBfvpbM0i5k0tjCst~NGSkagXacR8Wa0w3zvNwoGVC3dqFdpsWkp
Ta3am1mIdeE0eVC6va2YZ6dQaJkfs7OITQ__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block"
data-drag-handle="false" />

- Skill Profile: Allows developers to craft detailed bios, link professional profiles, and display skill badges and role certifications.

- AI Assistant: Provides socratic tutoring for enhanced learning during practice assessments.

****Employer Portal:****

- Company Overview: A dashboard that outlines certified developer strength, upskilling trends and skills distribution across the organization.

- Talent Directory: Filters and organizes developer talent by verified skills.

- Assign Tasks: Aids in the assignment of role certifications and skill badges for developer growth.

- Administrative Tools: Streamlines the process for inviting and onboarding new employees, with an emphasis on role-specific categorization.

New Product: Engage

Engage helps you promote your tech brand to developers in the language they understand ? coding events & hackathons. With its AI-driven technology, Engage enables organizations to:

- Attract tech talent: Engage's AI co-pilot sets up event microsites to pull in registrations by highlighting your tech brand.

- Host real-world challenges: Engage provides challenges that closely resemble the industry problems developers intend to solve.

- Manage candidate relationships: Engage ensures that candidates are kept warm through meaningful and personalized engagements.

To understand more about the Engage product, see the Engage support article:[? HackerRank Engage](/articles/6424218208)

\

[hackerrank_community/account-settings/manage-account] Manage Account FAQs A

title: "Manage Account FAQs Account sign-in Update or reset password Merge multiple HackerRank accounts Delete an account"
title_slug: "manage-account-faq-account-sign-in-update-or-reset-password-merge-multiple-hackerrank-accounts-delete-an-account"
source_url: "https://help.hackerrank.com/articles/1917106962-manage-account-faq"
article_slug: "1917106962-manage-account-faq"
last_updated_exact: "Mar 12, 2026, 2:21 PM"
last_updated_relative: "Last updated 1 month ago"

breadcrumbs:

- "Account Settings"
- "Manage Account"

Manage Account FAQs Account sign-in Update or reset password Merge multiple HackerRank accounts Delete an account

Last updated: Mar 12, 2026, 2:21 PM (Last updated 1 month ago)

Account sign-in

****What happens to Google Auth sign-in if my company email domain changes?****

If your company changes its email domain, create a new HackerRank account using your new company email. Then, merge your existing account with the new one and set the new account as your primary login.

Update or reset password

****How do I update my password if I sign up using a third-party sign-up method?****

HackerRank does not store a separate password for your account if you sign up using a third-party provider such as Google or GitHub.

To update your password, change it in your Google or GitHub account settings.

If you cannot access your third-party account, contact HackerRank support at help@hackerrank.com for assistance.

****What should I do if I do not receive the activation email?****

If you do not receive the activation email:

- Check your ****Spam or Junk**** folder.
- Verify that you entered the correct email address during sign-up.

If you still do not receive the email, contact HackerRank support at help@hackerrank.com for assistance.

Merge multiple HackerRank accounts

****Are certifications merged when I combine multiple accounts?****

No. HackerRank does not merge certifications across accounts.

Delete an account

****How do I delete an account created using Google or GitHub if I do not have a password?****

HackerRank does not store a separate password for your account if you sign up using a third-party provider such as Google or GitHub.

If you cannot access your third-party account, contact HackerRank support at help@hackerrank.com for assistance.

****How do I delete an account created with incorrect credentials?****

Contact HackerRank Support at help@hackerrank.com and request account deletion.

****Can I recover my account after I delete it?****

No. Once you delete an account, you cannot recover it.

\

[hackerrank_community/account-settings/manage-account] Update or Reset Password

```
---
title: "Update or Reset Password"
title_slug: "update-or-reset-password"
source_url: "https://help.hackerrank.com/articles/2403570133-update-or-reset-password"
article_slug: "2403570133-update-or-reset-password"
last_updated_exact: "Apr 4, 2025, 11:30 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Account Settings"
  - "Manage Account"
---
```

Update or Reset Password

Last updated: Apr 4, 2025, 11:30 AM (Last updated 1 year ago)

You can change your password at any time to keep your account secure. The password must be at least six characters long. Use a combination of letters, numbers, and special characters for added security.

Updating password

To update a password:

1. Log in to [HackerRank Community](https://www.hackerrank.com/auth/login) using your credentials.
2. Click the profile icon in the top-right corner.
3. Select **Settings** from the drop-down menu.
4. Click **Password** on the left pane.
5. Enter your current password and new password, and retype your new password to confirm.



6. Click **Change Password** to save the update.

Note: If you forget your current password, use the **Forgot Password?** option on the login page to reset it.

Resetting password

To reset a forgotten password:

1. Go to the [HackerRank Community](https://www.hackerrank.com/auth/login) login page.
2. Click **Forgot Password?** under the password field.
3. Enter the email address or username associated with your account and select the verification checkbox.



4. Click **Send Reset Link**.

5. Check your email for a reset link from HackerRank. If you do not receive an email, check your spam folder or verify that you used the correct email or username.

6. Follow the instructions in the reset email to create a new password.

[hackerrank_community/account-settings/manage-account] Change Username

title: "Change Username"
title_slug: "change-username"
source_url: "https://help.hackerrank.com/articles/2553429617-change-username"
article_slug: "2553429617-change-username"
last_updated_exact: "Mar 24, 2025, 2:52 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Account Settings"
- "Manage Account"

Change Username

Last updated: Mar 24, 2025, 2:52 PM (Last updated 1 year ago)

You can change a HackerRank username up to two times. The username must be 5?16 characters long.

Changing username

To change a username:

1. Log in to [HackerRank Community](https://www.hackerrank.com/auth/login) using your credentials.
2. Click the profile icon in the top-right corner.
3. Select **Settings** from the drop-down menu. The **Settings** page appears under the **Account** section.
4. In the **Your Username** field, type the new username (5?16 characters).

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1742808030712-image.png?Expires=253370764800&Signature=hjoXr9kjkfGXRC4ZCmaDXcKZZgwZdsKqxYqdLII7OmM0xSVSqp-vY-Klo4mgOW7s900psnUj4JQIxeh0hnmeg6TxKaQTJ6sJ8wnJiDOng9ui1KtrdN66EIV8tgh6vwmerr82JUs0AM6-jk0dHilYq0rLLHMU0iUV9~CMDouwDI6hHrOC5t-w4L2JsVQWxPs0Uw3RBOAUMJV9La-w2QUkBH2GziRVOhRkHFbQpYDewXb3aQ20dFkdJ9MXt-6GJk37UAI7CIJAGxulVRP~q5GjtQDwABfLcUgiBI4U92HyNYNTqz~bG8SDYeQWoBLErdSNWCXnl1kzoCylK4XPcfUWdQ__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click **Save Changes**.

Note:

- You can see how many username changes remain beneath your username.
- After you change your username twice, you cannot change it again.

\

\

[hackerrank_community/account-settings/manage-account] Add or Delete Email Add

title: "Add or Delete Email Addresses"
title_slug: "add-or-delete-email-addresses"
source_url: "https://help.hackerrank.com/articles/4418407899-add-or-delete-email-addresses"
article_slug: "4418407899-add-or-delete-email-addresses"
last_updated_exact: "Mar 24, 2025, 2:45 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Account Settings"
- "Manage Account"

Add or Delete Email Addresses

Last updated: Mar 24, 2025, 2:45 PM (Last updated 1 year ago)

You can add multiple email addresses to your HackerRank account and set or change your primary email address. Your primary email address is used to log in and receive communications from HackerRank.

Add a new email address

To add a new email address:

1. Log in to [HackerRank Community](https://www.hackerrank.com/auth/login) using the credentials of the account you want to keep.
2. Click the profile icon in the top-right corner
3. Select **Settings** from the drop-down menu. The **Settings** page opens under the **Account** section.
4. In the **Email Addresses** section, click **Add another email**.

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1742807435505-image.png?Expires=253370764800&Signature=ruCZNKZnoOkBv6l1ZuccQwjgX9VSIrBOLurfTn4satlvLEzyx1YZnz1cjXXaeQUqk2BdWxLNIcoy4hHvwWfhqENcTxalkfBXyJ5eqHgWn1TE~ARBNC-oliNffLI5hHnLXYKwtImkz~pfgJl1jTuQ7B-f7cdsu2fdt1YfgncSzEcRfCOrU4uuPHvBtAUXsuzfahNIVjlKdlavrMbXS5Z7cMv6bHth5VxMWzgfgqHaTFmANYqMeXO5mYmNGws276Yrp9zBy3ZwylI45HOR~aAUXA8r9hNWsicVMQub~IJtS6kIR4SkgvGP-mQGx5KdZP6-3FKnNgbzXshX~HH75CoOw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Enter the email address you want to add.

6. Click **Add**.

Verify a new email address

When you add a new email address, HackerRank automatically sends a verification link to that email. Click the verification link to verify your email.

Note: If your original email address, which was used to create your HackerRank Community account, is not verified, click the verification link in your email to complete the verification.

Change primary email address

You can change your primary email address only if both email addresses are verified.

To change the primary email address:

1. Select the email address you want to set as your primary email.
2. Click **Make primary** next to that email.

Delete an email address

To delete an email address:

1. Select the email address you want to delete.

2. Click **Remove** next to that email.

\

[hackerrank_community/account-settings/manage-account] Export Account Data

title: "Export Account Data"
title_slug: "export-account-data"
source_url: "https://help.hackerrank.com/articles/4689113963-export-account-data"
article_slug: "4689113963-export-account-data"
last_updated_exact: "Mar 24, 2025, 3:17 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Account Settings"
- "Manage Account"

Export Account Data

Last updated: Mar 24, 2025, 3:17 PM (Last updated 1 year ago)

HackerRank account data includes information related to your profile, submissions, and activity on the platform. You can export your HackerRank account data in JSON format.

Exporting account data

To export your account data:

1. Log in to [HackerRank Community](https://www.hackerrank.com/auth/login) website using your credentials.
2. Click the profile icon in the top-right corner.
3. Select **Settings** from the drop-down menu. The **Settings** page appears under the **Account** section.
4. In the **Export Data** section, click **Create new archive** to generate an archive of your account data. This process may take some time.

5. After the archive is ready, click **Download archive** to download a ZIP file containing your account data.

Note:

- You can generate a new archive only 24 hours after creating and downloading the previous archive.
- Each archive remains valid for 7 days from the time of creation.

\

[hackerrank_community/account-settings/manage-account] Delete an Account

title: "Delete an Account"
title_slug: "delete-an-account"
source_url: "https://help.hackerrank.com/articles/5618101592-delete-an-account"
article_slug: "5618101592-delete-an-account"
last_updated_exact: "Oct 30, 2025, 3:48 PM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
- "Account Settings"
- "Manage Account"

Delete an Account

Last updated: Oct 30, 2025, 3:48 PM (Last updated 6 months ago)

You can delete your HackerRank Community account if you no longer want to use the platform. Deleting your account permanently removes all your data, such as your profile page, earned badges, leaderboard positions, and so on.

Note: If you signed up using a third-party account (for example, Google, GitHub, or Facebook), you must set a password before deleting your account. To do this, follow the steps in the [Resetting password](https://help.hackerrank.com/articles/2403570133-update-or-reset-password#resetting-password-5) documentation.

Deleting an account

To delete your HackerRank Community account:

1. Log in to the [HackerRank Community](https://www.hackerrank.com/) using your credentials.
2. Click the profile icon in the top-right corner.
3. Select **Settings** from the drop-down menu. The **Settings** page appears under the **Account** section.
4. Scroll to the **Delete Accounts** section.

![image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1742809728999-image.png?Expires=253370764800&Signature=V~wedsXwlp9a6rt9dK0pZuL1VnQVv4j37XQzlv9-ZWbyszok5f0ijQWnkOPfVckqXOLfEvi09YqdtZZ3~nN1bR7d8Pd8gbPS3tcOukcPO8~etLT9Wydd~wWtrx0V2~PalDmJVFUgaOe60-WL5IETApV3CgDXVSEfg7y-8eNxNgDCuctBSNKaPIYPh08wYbdVRSqs1la~iK2i2h7G7gCYtXIhmuUx1kCSjYKxeRmC~veulEflF8EY7Ch2SAW2vJ~AVGdgymSsHukllGmHkOvBx1aBNEQ2wWtZRRSrj2AczXJ3Xk62ShDNliAy9nhTrP9z3H~kjpgSzE5s-CWjH74FIfw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click **Delete Account**. A confirmation dialog box appears.
6. Select a reason for deleting your account from the available options:
 - I get too many emails
 - I want to clear all my submissions
 - I have multiple accounts
 - I don't use HackerRank anymore
 - Other reasons
7. Click **Proceed to Delete**.
8. Enter your **account password**.
9. Click **Proceed to delete** again to confirm and complete the process.

Note: If you accidentally delete your account, contact help@hackerrank.com to recover it.

\

[hackerrank_community/account-settings/manage-account] Merge Multiple HackerRank Accounts

title: "Merge Multiple HackerRank Accounts"
title_slug: "merge-multiple-hackerrank-accounts"
source_url: "https://help.hackerrank.com/articles/5981889181-merge-multiple-hackerrank-accounts"
article_slug: "5981889181-merge-multiple-hackerrank-accounts"
last_updated_exact: "Mar 24, 2025, 3:12 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Account Settings"
- "Manage Account"

Merge Multiple HackerRank Accounts

Last updated: Mar 24, 2025, 3:12 PM (Last updated 1 year ago)

If you have multiple HackerRank accounts and want to consolidate them, you can merge one account into another.

Merging Accounts

To merge multiple HackerRank accounts:

1. Log in to [HackerRank Community](https://www.hackerrank.com/auth/login) using the credentials of the account you want to keep.
2. Click the profile icon in the top-right corner.
3. Select **Settings** from the drop-down menu. The **Settings** page opens under the **Account** section.
4. In the **Merge Accounts** section, enter the username and email address of the account you want to merge.

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1742809339495-image.png?Expires=253370764800&Signature=Be8yBDLKS9hO8Ft2DdMmHDwaXedtnNd8P-TtdG5ocpbtAi51EY~hPKtvNbrGvNPYMiBT4cd5XmQMcgwBsnINiVnVvX6-ujE~nSDbVsnnUwMLoKhZvK77PpqdSmsMDISbp6ULn9BFDnC~d4rwn3u-xMQkNR1Y90MDIweNNVwufpU~ytvmFqy1x6a8Gq-m9WvMm3ILqo2b4Km8j5OwlssCBwuhusyX4vqO7tfH5HyEqEXo~i-0JscFFAjcNW7DnlNEJBVoCvHorCmmg6OQB6QCOI~joy3JtYsmnvMiz7S7fthURagOwsIEALz-LcF0cPNUNhy0vta6KKFOwwL14xUHag__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click **Submit**.
6. Check your email inbox for a confirmation message and click the confirmation link to complete the merge.

Important Notes:

- The merge process may take up to 48 hours to complete.
- The following data will not be merged:
 - Ratings
 - Medals
 - Messages
 - Hackos
 - Tutorial progress
 - Follow data

Merge restrictions

Your merge request cannot be processed if any of the following conditions apply:

- The account being merged has participated in a rated competition.

- Both accounts have participated in the same contest.

\

[hackerrank_community/account-settings/manage-account] Create an Account

title: "Create an Account"
title_slug: "create-an-account"
source_url: "https://help.hackerrank.com/articles/9533293667-create-an-account"
article_slug: "9533293667-create-an-account"
last_updated_exact: "Mar 24, 2025, 2:29 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Account Settings"
- "Manage Account"

Create an Account

Last updated: Mar 24, 2025, 2:29 PM (Last updated 1 year ago)

Creating a HackerRank Community account provides access to coding challenges, certifications, mock interviews, and other resources to enhance programming skills. You can sign up using an email address or a third-party authentication service, such as Google, GitHub, LinkedIn, or Facebook.

Creating an account

To create an account:

1. Go to the [HackerRank Community](https://www.hackerrank.com/dashboard) dashboard.
2. Click **Sign Up** in the top-right corner of the page.
3. Choose a sign-up method:

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1742806721636-image.png?Expires=253370764800&Signature=G26rFuLM1o04xphz8mM3rvbAjnPV5uk5dmmf~I4h5PtrzMQQMLLLzXE7KJ9EeRPRS7Als3wTGuff-03ETQQM-3ofR3IZI2olSc5n7OmNkEB4FhWy9Rj7IoroHJrECK6Jdn6v5vUinNb2Y9cpAlyCuKGUpw1GA6YZwxfJEnrOIKkCsU1P62yjhsSWZRbS8wQoo~n8JxNttPOz14rXBTczgQv8tC1p5PDu0Ekj11aVLAAjafLFGmkXaHKw133gx4UIvLca1TZ3lrOqM7ID1b6iafPyHevfewSoPD5x-x0sKLFuEbaYq0zi50DDwKoMBy9rppw9~j35VVLtkU-T4nvMIg__&Key-Pair-Id=K3NV4LZ47N8M46)

- Sign up with an email address:

1. Enter your full name, a valid email address, and a password.
2. Select the checkbox to agree to HackerRank's **Terms of Service** and **Privacy Policy**.
3. Click **Sign Up**.

- Sign up using a third-party authentication service:

1. Click **Continue with Google, GitHub, LinkedIn, or Facebook**.
 2. Follow the authentication steps for the selected service.
4. Complete the onboarding process by following the on-screen prompts.
 5. Click **Let's Go** to access your HackerRank dashboard.

\

[hackerrank_community/account-settings/profile-and-preferences] Update Personal I

```
---
title: "Update Personal Details"
title_slug: "update-personal-details"
source_url: "https://help.hackerrank.com/articles/2857822759-update-personal-details"
article_slug: "2857822759-update-personal-details"
last_updated_exact: "Oct 30, 2025, 3:03 PM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
  - "Account Settings"
  - "Profile and Preferences"
---
```

Update Personal Details

Last updated: Oct 30, 2025, 3:03 PM (Last updated 6 months ago)

You can keep your profile information up to date to ensure that employers and the HackerRank Community have the latest details. Your profile remains private by default unless you choose to make it public. Updating your name, phone number, and location helps you maintain a professional presence.

Updating personal details

To update your personal details:

1. Log in to [HackerRank Community](https://www.hackerrank.com/auth/login) using your credentials.
2. Click the profile icon in the top-right corner.
3. Select **Profile** from the drop-down menu.
4. Add or update profile picture:
 1. Click the edit icon on the profile picture.
 2. Click **Upload File**.
 3. Select an image from your device.
 4. Click **Upload** to save changes.
5. Update name and headline:
 1. Click the **edit** icon next to your name.
 2. Update the **First Name**, **Last Name**, and (optional) **Headline**.
 3. Click **Save** to apply changes.
6. Update contact information:
 1. Click the **edit** icon in the **Personal Information** section.
 2. Modify the following fields:

```
![image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1742810089096-image.png?Expires=253370764800&Signature=VSN6vEeX4HZbnibNY~zkLpCbrm~8iRH0TXwwnKaqfmOiBOhL-rOzKaiMsW7FPAhZQbAurgP2eYTjqj9qITn0EDqXJXMgiAulLMegTh1TAp66Yt~TBXS7ZTchRgPToh2YszQRv5Bohto429GyUCmfNcC046u6fNXaXlrUx57jtl5MvhMIN-14CM2TweZow~htcF3Y-AHcZomVWaa98BFRFJrTDHuJ1Jr19AVOlyS-GDE~dBdcr~fxCQTpSkEPNTFdp6isgzxtui~qmBHBqqegBxEqs4DhPIWy1SFPy6l7zU8ZcJjZLYECW8V4chDriR4LmdmtG~y8lajtW-J4l6y0gw__&Key-Pair-Id=K3NV4LZ47N8M46)

- Email

- Country
```


- **Phone Number**
- **Current Location**

3. In the **Who can see this information?** drop-down, choose one of the following visibility options:

- **Only Me**: Keeps your information private.
- **Everyone**: Makes your profile publicly visible to others.

Note: If you make your profile publicly visible, other users may see a 404 error when they try to open it.

This occurs when your account has no visible activity, such as:

- No completed challenges
- No earned badges
- No public certifications

Your profile becomes publicly accessible once you complete at least one challenge or earn a badge.

4. Click **Save** to apply changes.

\

\

[hackerrank_community/account-settings/profile-and-preferences] Profile and Preferences

title: "Profile and Preferences FAQs Change username Update personal details"
title_slug: "profile-and-preferences-faqs-change-username-update-personal-details"
source_url: "https://help.hackerrank.com/articles/4472358331-profile-and-preferences-faqs"
article_slug: "4472358331-profile-and-preferences-faqs"
last_updated_exact: "Mar 12, 2026, 2:26 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
- "Account Settings"
- "Profile and Preferences"

Profile and Preferences FAQs Change username Update personal details

Last updated: Mar 12, 2026, 2:26 PM (Last updated 1 month ago)

Change username

****Can I change my username after I use all available attempts?****

No. You can change your username only a limited number of times. After you use all allowed attempts, you cannot change it again.

****How do I report or delete an impersonated account?****

Contact HackerRank support at help@hackerrank.com and provide details about the impersonated account. The support team reviews the request and takes appropriate action.

Update personal details

****Why does my public profile link show a 404 error when other users open it?****

Other users see a 404 error when your public profile has no visible activity.

This occurs when your account has no visible activity, such as:

- No completed challenges
- No earned badges
- No public certifications

Your profile becomes publicly accessible once you complete at least one challenge or earn a badge.

****Why does my profile URL stop working after I change my username?****

When you change your username, your HackerRank profile URL automatically changes to match it. The previous URL becomes inactive and may show a 404 error.

To resolve this:

1. Copy and share your new profile URL.
2. Update any bookmarks or references that use the old URL, such as in resumes, portfolios, or job applications.

****Example:****

- Old: `https://www.hackerrank.com/profile/{oldusername}`
- New: `https://www.hackerrank.com/profile/{newusername}`

\

[hackerrank_community/account-settings/profile-and-preferences] Add or Delete Link

```
---
title: "Add or Delete Links Adding links Deleting links"
title_slug: "add-or-delete-links-adding-links-deleting-links"
source_url: "https://help.hackerrank.com/articles/5212619529-add-or-delete-links"
article_slug: "5212619529-add-or-delete-links"
last_updated_exact: "Oct 30, 2025, 4:23 PM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
  - "Account Settings"
  - "Profile and Preferences"
---
```

Add or Delete Links Adding links Deleting links

Last updated: Oct 30, 2025, 4:23 PM (Last updated 6 months ago)

You can add or remove links to your professional profiles, such as LinkedIn, GitHub, or portfolio websites, on your HackerRank Community profile.


Adding links

To add links to your profile:

1. Log in to **HackerRank Community** using your credentials.
2. Click your profile icon in the top-right corner.
3. Select **Profile** from the drop-down menu.
4. In the **Links** section, click **Add Links**.



5. Enter the URLs in the default fields (LinkedIn, GitHub, or Portfolio).



6. **(Optional)** Click **Add another** to include custom links.
 - Select the type of link from the drop-down list and enter the URL.

7. Click **Save** to apply your changes.

Deleting links

To delete a link from your profile:

1. Click your profile icon in the top-right corner.
2. Select **Profile** from the drop-down menu.
3. In the **Links** section, click **Add Links**.
 1. For default fields (**LinkedIn**, **GitHub**, or **Portfolio**), delete the URL using **Backspace**.

2. For custom links you added, click the **delete icon** next to the link.

4. Click **Save** to confirm the changes.

\

[hackerrank_community/account-settings/profile-and-preferences] Add or Edit Education Details

title: "Add or Edit Education Details Adding education details Editing education details Deleting an education entry"
title_slug: "add-or-edit-education-details-adding-education-details-editing-education-details-deleting-an-education-entry"
source_url: "https://help.hackerrank.com/articles/7393075509-add-or-edit-education-details"
article_slug: "7393075509-add-or-edit-education-details"
last_updated_exact: "Oct 30, 2025, 4:21 PM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
- "Account Settings"
- "Profile and Preferences"

Add or Edit Education Details Adding education details Editing education details Deleting an education entry

Last updated: Oct 30, 2025, 4:21 PM (Last updated 6 months ago)

You can add or update your educational background in your HackerRank Community profile.

Adding education details

To add your education details:

1. Log in to [HackerRank Community](https://www.hackerrank.com/auth/login) using your credentials.
2. Click your profile icon in the top-right corner.
3. Select **Profile** from the drop-down menu.
4. In the **Education** section, click **Add Education**.

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1761821246324-image.png?Expires=253370764800&Signature=stpD8iFODGsVFkcxSPgCkVe0GOnvht9Zhl3flAXyNdrzre5Zn4KoQVOL4mXzW3GYsvvBLEjocQPcj28D20t-mzAfsZTaSK~RCzRHcrQ5f7tUfz5IIBu5zbf8UsZFvEc7qLF2ed2RyJvoDxCWFGWwxvGZ2fpqY9M7wY~hZBdyvhhyCW-DHVPLZfS1be-xHsXskmj7wT8z~hHTpNEJiL3AwerB14wY~OJ9~P5iLNk6T5XLtFae5aq3CHwpAIBQvaT8WH4KqGbGoug-xTbawUnsREGAmH4DxmPq745PyDPQanRAe-juUKvu2M5qUG4ttP1cvvFts485ck335rSaCCE5Q__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Enter your education details:

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1761821310738-image.png?Expires=253370764800&Signature=YRPNAWi09i~uA8IXfDgQXyitJj0cYFxlZiJDTXBcqO156jp~S-Ntj0uBtL~b9EJRfTM5xSunKtqATkqNlxz3i9WgxmliNAi49JjV-JEWoenQNsZx8eKluF9~C3RxVVjPr~qlvZkBSdCQp~203AweJwXQHevrPhGQQ5~NMFjCWfYPPefwtNhYw8mU6ZmvibIO58vTn0zhq3Y8u~sS0OprkpYrKoxQikRd1TGrArk-jytBVhDi22-00qpjpilcD4SOJmwITumbZfehrPcB0KexHJrSV4d1Qbgk7b1hhJ~YqtZk73R2PtL0Bk38PA6PjBr-fDI0~uGH3~PqBypArw__&Key-Pair-Id=K3NV4LZ47N8M46)

- **School/College:** Enter or select your institution's name.
- **Degree:** Enter your degree (for example, B.E or M.Tech).
- **Department:** Enter your field of study (for example, Computer Science and Engineering).
- **Currently studying here:** Select this checkbox if you are still pursuing the program. When selected, the **Ending in** field is disabled.
- **Starting from:** Select the month and year you started.
- **Ending in:** Select the month and year you completed or expect to complete your program.
- **Score:** Choose the score type (for example, CGPA or Percentage) and enter your score.
- **Description:** Add any relevant details about your coursework or achievements.

6. (Optional) Click **Add another** to include another education entry.

7. Click **Save** to apply changes.

Editing education details

To edit existing education details:

1. Click your profile icon in the top-right corner.
2. Select **Profile** from the drop-down menu.
3. In the **Education** section, click the **edit icon** next to the entry you want to update.
4. Modify the required information.
5. Click **Save** to confirm changes.

Deleting an education entry

To delete an education entry:

1. Click your profile icon in the top-right corner.
2. Select **Profile** from the drop-down menu.
3. In the **Education** section, click the **edit icon** next to the entry you want to delete.
4. Click **Delete this entry** at the bottom of the modal.
5. Click **Delete** to confirm.

\

[hackerrank_community/additional-resources] Troubleshooting Login Issues Issue 1

title: "Troubleshooting Login Issues Issue 1: Invalid credentials Issue 2: Wrong login page Issue 3: Password or cache"
title_slug: "troubleshooting-login-issues-issue-1-invalid-credentials-issue-2-wrong-login-page-issue-3-password-or-cache"
source_url: "https://help.hackerrank.com/articles/4147773232-troubleshooting-login-issues"
article_slug: "4147773232-troubleshooting-login-issues"
last_updated_exact: "Oct 27, 2025, 11:12 AM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
- "Additional Resources"

Troubleshooting Login Issues Issue 1: Invalid credentials Issue 2: Wrong login page Issue 3: Password or cache

Last updated: Oct 27, 2025, 11:12 AM (Last updated 6 months ago)

This article explains how to resolve common login issues that you may encounter when accessing your HackerRank Community account.

Issue 1: Invalid credentials

- **Cause:** You entered an incorrect email address or password.
HackerRank supports login using an email and password or third-party accounts such as Google, Facebook, LinkedIn, and GitHub.

![image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1760683757408-image.png?Expires=253370764800&Signature=EPkQSNrl6tQ6WAF0E8ExHyQrxwtB4t58oLIITAPPgV54LJaLeOU0CtziMajF7SfDhH8mp6LaJLEZ2kK8Qb-4Bizg78N1ZXBEPdRh-yqzE7X6Yp0FfuPNo~MhpPqM40~FwP1f5iXD1e-2av83b4A7di9aZqBQKmJHAcNyzvHD7fS2FWXprgJgbVajnETcrQTVaQxx1LzAS7NzOFgT-6cHS1QNvvIDHaM64-SwseaDjARNzjGZAbKQduKvT6yoeurux-l8wygH-fi4PLawPTGjc2va7mno1vc9qAkA-Qeg3RzvLWlIi8BBAW3otkvdtvAFusbPx-VXuIV0-cl0-79nRIg__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Solution:**

1. Verify that you are entering the correct email address and password.
2. If you signed up using a third-party account (Google, Facebook, LinkedIn, or GitHub), use the same platform to log in.
3. Select **Forgot Password** on the login page to reset your credentials if needed.
4. Remove any saved passwords from your browser before trying again.

Note: If you do not have a HackerRank account, see [(https://www.hackerrank.com/signup) (? Create an Account)](https://www.hackerrank.com/articles/9533293667).

Issue 2: Wrong login page

- **Cause:** You are trying to log in using HackerRank business URL instead of the HackerRank for developer URL.

For example, you may see the message: `Please use a valid business email address to sign up`.

- **Solution:** Use the following HackerRank for developer login URL:
[(https://www.hackerrank.com/signup)](https://www.hackerrank.com/signup)

Issue 3: Password or cache

- **Cause:** Saved passwords or cached browser data are preventing you from logging in successfully.

- **Solution:**

1. Clear your browser cache and remove all saved HackerRank passwords.
2. Select [Forgot Password](https://www.hackerrank.com/auth/forgot_password) on the login page to reset your credentials if needed.

\

[hackerrank_community/additional-resources] Best Practices for Receiving HackerRank

title: "Best Practices for Receiving HackerRank Emails Check your spam, junk, or promotions folder Add HackerRank to your contacts Verify mailbox storage"

title_slug:

"best-practices-for-receiving-hackerrank-emails-check-your-spam-junk-or-promotions-folder-add-hackerrank-to-your-contacts-verify-mailbox-storage"

source_url: "https://help.hackerrank.com/articles/4438598153-best-practices-for-receiving-hackerrank-emails"

article_slug: "4438598153-best-practices-for-receiving-hackerrank-emails"

last_updated_exact: "Oct 30, 2025, 3:05 PM"

last_updated_relative: "Last updated 6 months ago"

breadcrumbs:

- "Additional Resources"

Best Practices for Receiving HackerRank Emails Check your spam, junk, or promotions folder Add HackerRank to your contacts Verify mailbox storage

Last updated: Oct 30, 2025, 3:05 PM (Last updated 6 months ago)

Follow these best practices to ensure that emails from HackerRank are successfully delivered to your inbox.

Check your spam, junk, or promotions folder

If you do not see a HackerRank email in your inbox:

- Check your spam, junk, or promotions folders.
- If you find the email, mark it as Not Spam or move it to your inbox.

This action helps your email provider recognize future emails from HackerRank as safe.

Add HackerRank to your contacts

Add the following email addresses to your contacts or safe sender's list:

- [help@hackerrank.com](mailto:support@hackerrankforwork.com)
- [*@hackerrank.com](mailto:no-reply@hackerrank.com)

This action ensures that future communications from HackerRank are delivered directly to your inbox.

Verify mailbox storage

Make sure that your mailbox has sufficient storage space to receive new emails. A full mailbox can cause emails to bounce or fail to deliver.

\

[hackerrank_community/additional-resources] General FAQs

title: "General FAQs"
title_slug: "general-faqs"
source_url: "https://help.hackerrank.com/articles/4609107971-general-faqs"
article_slug: "4609107971-general-faqs"
last_updated_exact: "Mar 10, 2025, 6:14 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Additional Resources"

General FAQs

Last updated: Mar 10, 2025, 6:14 PM (Last updated 1 year ago)

****How do I apply for a job or internship at HackerRank?****

Visit our [Careers](https://www.hackerrank.com/careers) page to explore current job and internship openings. Check back periodically for updates, and apply to any role that aligns with your interests.

****How can I request data deletion under GDPR?****

You can delete all your data by deleting your account. For more information, refer to the [? Delete an Account](/articles/5618101592).

\

[hackerrank_community/additional-resources] Notification

title: "Notification"
title_slug: "notification"
source_url: "https://help.hackerrank.com/articles/4745765442-notification"
article_slug: "4745765442-notification"
last_updated_exact: "Jul 23, 2025, 7:12 PM"
last_updated_relative: "Last updated 9 months ago"
breadcrumbs:
- "Additional Resources"

Notification

Last updated: Jul 23, 2025, 7:12 PM (Last updated 9 months ago)

HackerRank is updating its platform to simplify the user experience and reinforce its core mission: helping developers prepare and certify their skills.

Impact

The **Home** and **Apply** tabs will be deprecated, but the features of the **Home** tab remain accessible under other tabs.

Where to find Home tab features

The following information summarizes where you can access each Home tab feature:

- **Mock Interviews**: The **Mock Interviews** feature is available under the **Prepare** tab. You can also access it directly [here](https://www.hackerrank.com/mock-interviews).

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1753267782869-image.png?Expires=253370764800&Signature=sf2PjLYejcz6h3dfRvej0dd~m4mxqJwc5fQJS7LvTWtFznmLzglY8y3iyUxnC8slalxDjetPse3xURTV3NrhyFLdSnr9XF2R81Qp24Gt76EK8hOwpfn8dSxygv3WQnpaggJpIWVDPgQ0SMbJ5b8RD~dm6DqT1Plp8QwtDa1NOafctISOggoWgZNNWDt70LnKmAncOvcYVizhSocbiOk-DvZZpWFUmOWGH9-sldQYUY2RWQ6v43ARZd5PyKiHx1XkY4BWqCy-ekfpcxJbnvqH4NHfwvGQz8i6Q~LcTnPb3BeQ6K4SF5R4~cuEGjGiHdB3nnCIWMURbS6irk4HNV-t0Q__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Coding challenges**: All **Coding challenges**, such as Algorithms, Data Structures, and React, are available in the **Prepare** tab.

![[PrepareCodingQues.gif]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1753267948229-PrepareCodingQues.gif?Expires=253370764800&Signature=KOSWVL0LYrx1-jcP5QNIUaK~LoulTJ-tot1skeVoif9r3QyFFC0ep8fq2cRfoiriJrmqUVEEsLEyO2RldBFLSdsdQAdNsy59zfG0dBLCxsoBw4EcmMHudUUEORHexFNkcPbO1l6vDrUNiJSG9XZo2mnHEcE1m2nps23YK4ZR9zpio2WPBjhQC8JDLpP8jBhXn4hadHfg6xuzM~CJiM6f2Harv80hIZxcZFnUSaZJbfbPmTg06wBTgV8MH27FSMDj2~EsxXCgujApr4ngLFrQLmfZuRGzccWIEGoJ-yjbVjZ7JtCb8DFz4FjsmfeRnk5wYPDD7UFgjdurDz8m8Wg__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Role certification tests**: Role-based certification tests are accessible through the **Certify** tab.

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1753267857396-image.png?Expires=253370764800&Signature=VpqqbMAwE23h7oIfTQqV4J0zAkgnieHRN6j9qch0MXL3F~wwZQiTh3liW0IPtqKj6x4anrU4u20MUZ4yuyxpbIU-VFQS3GQm55ODTBrUyg1iV8SRp9mjOm16U2sQvdUnqSEWKEP4x6UQHJ7k1CRI4VPwYB8dKuVSZd87~A05vsVzkU16DH3BQTBqVTrNMtTi6oQgj-nHzhaguW7XC-28jU7F0vVJ6PSz2Dh~aZWf0mppR6MUMMdxREc3kusr9vrpiJaMPN4yl0CFFDae9uzXcjc~9WHO5VRxHz3xqGOxabg3ilJXxPf86BlpvxXO0F1qadVPKRziyVDEOTIb6UeA__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Résumé review**: The **Résumé Review** feature is available [here](https://www.hackerrank.com/resume).

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1753267887042-image.png?Expires=253370764800&Signature=vSooJGnxdlld9M5EuJNMBPaDkufgPCc-MODqt~xhfcXAKNhp37hCz2P1jLZc7fjUVsTe0w0FT-cLoP9uQ5QiZ0ng rpfGvXjMq7OmdK5wMzPcKFfWk7tz6fpRVAxcl-vIXQoFtMRV3fPfsSZchbnEmtb4FgCWGYH4us6GjMZGGZbi03ruPd13x7n-ke41MpDmr-pU~6dLw4rC~Eqq8ahej4XJSeUbl-ebjJE~dUA72uGPS9vEmzRZvZI5PzQOJoJMcwrNyaEFEQ~2B11HtZ6oadqvPqOKb8hXq6skD WLUE2Y-CQGblDiF~J9IB0gfx5zXbeqUd4wqqeUQH7hIGVdw__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Job listings**: Job listings feature has been removed following the deprecation of the **Apply** tab.

Rollout timeline

The update will begin rolling out over the coming weeks, and users will see changes gradually reflected across the platform.

****Note:**** If you have any questions or need assistance, contact HackerRank Support at [\[help@hackerrank.com\]](mailto:help@hackerrank.com)(mailto:help@hackerrank.com).

\

[hackerrank_community/additional-resources/job-search-and-applications] Search and Apply for Jobs

title: "Search and Apply for Jobs"
title_slug: "search-and-apply-for-jobs"
source_url: "https://help.hackerrank.com/articles/1560975739-search-for-jobs"
article_slug: "1560975739-search-for-jobs"
last_updated_exact: "Mar 5, 2025, 6:50 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Additional Resources"
- "Job Search and Applications"

Search and Apply for Jobs

Last updated: Mar 5, 2025, 6:50 PM (Last updated 1 year ago)

The job search feature allows you to explore and apply for developer job opportunities worldwide.

Applying for a job

To apply for a job:

1. Log in to [HackerRank Community](https://www.hackerrank.com/auth/login) using your credentials.
2. Go to the **Apply** tab to view available developer jobs.
3. Refine the job list using the following filters:
 - **Role**: Select a role that matches your expertise (For example, Back-End Engineer or Data Analyst).
 - **Experience level**: Choose an experience level (For example, 0-3 years, 3-5 years, or 5-7 years).
 - **Location**: Specify your preferred job location.
 - **Company**: Select the company you want to apply to.
4. Select a job title to view the job description, which includes required skills, experience, qualifications, and responsibilities.
5. **(Optional)** Check your resume score before applying:
 - Upload your resume for each job listing to receive a compatibility score.
 - If there are skill gaps, HackerRank highlights them and provides links to relevant practice resources.
 - If you have not uploaded a resume:
 1. Click **Upload a Resume** or **Choose from Resume Builder**.
 - To upload a file, drag and drop your resume or click **Choose File** (PDF format, up to 5 MB).
 - To use the resume builder, select a resume from the preview pane and click **Choose Resume**.
 2. Click **Check Resume Score** to generate a compatibility score.
6. Click **Apply** and follow the prompts to complete your application. Use the **Application Tracker** dashboard to manage your job applications. For more information, see **Track Job Applications**.

\

[hackerrank_community/additional-resources/job-search-and-applications] Set Up HackerRank QuickApply

title: "Set Up HackerRank QuickApply"
title_slug: "set-up-hackerrank-quickapply"
source_url: "https://help.hackerrank.com/articles/7358354033-set-up-quick-apply"
article_slug: "7358354033-set-up-quick-apply"
last_updated_exact: "Mar 10, 2025, 12:59 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Additional Resources"
- "Job Search and Applications"

Set Up HackerRank QuickApply

Last updated: Mar 10, 2025, 12:59 PM (Last updated 1 year ago)

HackerRank QuickApply is a free browser extension that simplifies the job application process by automatically filling application forms using information from your HackerRank profile.

QuickApply extracts key details from your HackerRank profile, such as personal information, work experience, education, and skills, to populate job application forms automatically. It currently supports applications powered by the following Applicant Tracking Systems (ATSs):

- Avature
- Greenhouse
- Oracle
- SmartRecruiters
- Workable
- Workday

You can set up QuickApply using the Chrome extension or from the HackerRank Community site.

Setting up QuickApply from the Chrome Web Store

To set up QuickApply using the Chrome Web Store:

1. Open the **Chrome Web Store** and search for **[HackerRank QuickApply]**(<https://chromewebstore.google.com/detail/hackerrank-quickapply/mmlghgaenodejbokcogohcjelnogcckl?hl=en>) extension.
2. Click **Add to Chrome**.
3. Click **Add Extension** when prompted and wait for the extension to install.
 - If you are not logged in, log in. You will be redirected to the QuickApply confirmation screen.
 - If you are already logged in, you are automatically redirected to the QuickApply confirmation screen.
4. Click **Find Jobs** to start applying for jobs.

Setting up QuickApply from the HackerRank Community

To set up QuickApply from the HackerRank Community site:

1. Log in to **[HackerRank Community]**(<https://www.hackerrank.com/auth/login>) using your credentials.
2. Go to the **Apply** tab.
3. Select **See how it works** to start the QuickApply onboarding process.

4. Follow the on-screen instructions to:

1. Upload your resume to enable QuickApply to pre-fill your job applications.

2. Add any missing details, such as:

- Personal information
- Education
- Work experience
- Skills

5. Click **Download QuickApply** to install the extension.

6. Click **Add to Chrome**.

7. Click **Add Extension** when prompted and wait for the extension to install. A new tab opens with the QuickApply confirmation screen.

8. Click **Find Jobs** to start applying for jobs.

Note: If you install QuickApply on one browser and switch to another, a reminder appears in the **Apply** tab, prompting you to install QuickApply on the new browser.

\

[hackerrank_community/additional-resources/job-search-and-applications] Create a Resume

title: "Create a Resume with Resume Builder"
title_slug: "create-a-resume-with-resume-builder"
source_url: "https://help.hackerrank.com/articles/9106957203-create-a-resume-with-resume-builder"
article_slug: "9106957203-create-a-resume-with-resume-builder"
last_updated_exact: "Mar 7, 2025, 4:17 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Additional Resources"
- "Job Search and Applications"

Create a Resume with Resume Builder

Last updated: Mar 7, 2025, 4:17 PM (Last updated 1 year ago)

The HackerRank Resume Builder is a powerful tool that helps you create a professional resume in just a few steps. It allows you to showcase your skills, achievements, and certifications to stand out to potential employers.

Creating a resume with Resume Builder

You can create a resume in one of the following ways:

- Build from scratch using a template.
- Import an existing resume in .doc, .docx, or .pdf format.

Creating a resume from scratch

To create a resume from scratch:

1. Log in to [HackerRank Community](https://www.hackerrank.com/auth/login) using your credentials.
2. Click the **App Switcher** (grid icon) in the top-right corner.
3. Select **Resume Builder** from the dropdown menu.
4. Click **Create New**.
5. Select a template:
 - Classic
 - Modern
6. Click **Confirm**.
7. In the **Resume Dashboard**, expand **Resume Details** in the left panel and complete the following sections:
 - **Personal Information**: Enter your name, contact details, and address. Use the **Links** section to add URLs for GitHub, LinkedIn, HackerRank, CodeChef, LeetCode, CodeForces, Portfolio, Blog, and Stack Overflow.
 - **Experience**: List job titles, employers, dates, and key responsibilities.
 - **Education**: Provide degree details, institutions, and graduation dates.
 - **Skills**: Add technical skills such as programming languages, frameworks, tools, platforms, and databases.
 - **Projects**: Highlight key projects with descriptions and outcomes.
 - **Certificates**: Add professional certifications.
 - **Additional**: Add honors and awards.
8. View a real-time preview of your resume on the right-hand side.

Creating a resume from an existing file

To create a resume from an existing file:

1. Log in to [HackerRank Community](https://www.hackerrank.com/auth/login) using your credentials.
2. Click the **App Switcher** (grid icon) in the top-right corner.
3. Select **Resume Builder** from the dropdown menu.
4. Click **Import Resume**.
5. In the **Import Your Resume** window, choose one of the following options:
 - Drag and drop your resume file.
 - Click **Choose a file** to browse and select your resume.
6. Click **Continue**. The system automatically detects and pre-fills sections.
7. Select a template to change the layout.
 1. Click **Change Template** in the top-right corner.
 2. In the **Select a Template** dialog box, choose either Classic or Modern.
 3. Click **Confirm**.
8. Expand **Resume Details** in the left panel to review and update the relevant sections.
9. View a real-time preview of your resume on the right-hand side.

Optimize your resume

An optimized resume improves your chances of being noticed by recruiters. HackerRank Resume Builder provides AI-powered tools to enhance your resume, ensuring it aligns with job descriptions and industry standards.

Resume Matcher

Ensure your resume aligns with job descriptions before submitting it. Use **Resume Matcher** to compare your resume against job requirements.

To use Resume Matcher:

1. Select **Resume Matcher**.
2. Click **+ Add Job**.
3. Paste the job posting link. The system retrieves job details and checks if your resume includes relevant skills, experience, and keywords.
4. Select **Add Another Job** to compare multiple job descriptions.

AI-powered resume review

You can receive instant, actionable feedback on your resume with **AI Review**.

To use AI Review:

1. Select **Try AI Review** in the top-right corner.
2. Click **Start Review**. The AI analyzes your resume and provides detailed feedback.
3. Review the feedback and update your resume accordingly.
 - Select the resolve button (>?) to mark a comment as addressed after making necessary edits.

- Select the ****X**** button to dismiss inaccurate or redundant feedback.
- Select the filter icon in the upper-right corner to view resolved comments.

****Note:**** You have five free resume review credits. Each review uses one credit.

Download your resume

To download your resume:

1. Select ****Download**** in the top-right corner.
2. Choose a download option:
 - Download PDF
 - Download LaTeX
 - Download JSON

****Note:**** Use the share option to copy the link. Enable ****Anyone with the link can view**** to allow access.

\

\

[hackerrank_community/certifications] Download Certificate

title: "Download Certificate"
title_slug: "download-certificate"
source_url: "https://help.hackerrank.com/articles/2077861863-download-certificate"
article_slug: "2077861863-download-certificate"
last_updated_exact: "Mar 10, 2025, 2:47 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Certifications"

Download Certificate

Last updated: Mar 10, 2025, 2:47 PM (Last updated 1 year ago)

You can download your HackerRank certification to save, share, or add to your LinkedIn profile or social media.

Downloading certificate

To download a certificate:

1. Log in to [HackerRank Community](https://www.hackerrank.com/auth/login) using your credentials.
2. Click the profile icon in the top-right corner.
3. Select **Profile** from the drop-down menu.
4. Scroll to the **My Certifications** section.
5. Click the certificate you want to download or share.
6. Click **Download** to save the certificate.
7. (Optional) Copy the certificate **Iframe Link** to share on platforms such as Facebook, Twitter, and LinkedIn.
8. (Optional) Click **Add to Profile** to add the certificate to your LinkedIn profile.

\

[hackerrank_community/certifications] Introduction to Certification

```
---
title: "Introduction to Certification"
title_slug: "introduction-to-certification"
source_url: "https://help.hackerrank.com/articles/2563639100-introduction-to-certification"
article_slug: "2563639100-introduction-to-certification"
last_updated_exact: "Nov 18, 2025, 6:56 PM"
last_updated_relative: "Last updated 5 months ago"
breadcrumbs:
  - "Certifications"
---
```

Introduction to Certification

Last updated: Nov 18, 2025, 6:56 PM (Last updated 5 months ago)

HackerRank certifications are free, timed assessments that allow developers to demonstrate their technical skills to potential employers. These certifications validate proficiency in high-demand skills, such as Python, JavaScript, and React, and job roles, such as software engineer and front-end developer.

Types of certifications

HackerRank offers two types of certifications:

- [Skill-based certifications](https://hackerrank-community-knowledge-base.help.usepython.com/articles/2563639100-introduction-to-certification#role-based-certification-34)
- [Role-based certifications](https://hackerrank-community-knowledge-base.help.usepython.com/articles/2563639100-introduction-to-certification#role-based-certification-33)

Each certification test consists of two to four timed questions that evaluate key competencies employers expect for that skill or role.

Skill-based certification

Skill-based certifications evaluate expertise in a specific skill. HackerRank offers 21 technical skill certifications that range from universal competencies, such as problem-solving, to specialized skills, such as Java or Python. The following list shows all 21 skill-based certifications and the respective concepts assessed in each certification test:

Problem-solving

- **Problem-solving (Basic):** Functions, currying, hoisting, scope, inheritance, events, and error handling.
- **Problem-solving (Intermediate):** Data structures (For example, hash maps, stacks, and queues) and algorithms (For example, optimal solutions).

SQL

- **SQL (Basic):** Simple queries, relationships, and aggregators.
- **SQL (Intermediate):** Complex joins, unions, and sub-queries.
- **SQL (Advanced):** Query optimization, data modeling, indexing, window functions, and pivots.

R

- **R (Basic):** Fundamentals of the R programming language, including data frames, packages, reshaping data, and data interfaces.
- **R (Intermediate):** Advanced concepts, including conditional statements, loops, functions, writing efficient and readable code, regular expressions, data structure manipulation, and handling dates and times.

REST API

- **REST API (Intermediate):** Retrieving data from an API and processing it with parameters or paging.

****JavaScript****

- ****JavaScript (Basic):**** Functions, currying, hoisting, scope, inheritance, events, and error handling.
- ****JavaScript (Intermediate):**** Design patterns, memory management, concurrency models, and event loops.

****React****

- ****React (Basic):**** Basic routing, rendering elements, internal state management, event handling, ES6 syntax, JavaScript, and form validation.

****Angular****

- ****Angular (Basic):**** Model-view-controller (MVC) frameworks, components (angular, dynamic, styling), TypeScript, two-way binding, and form validation.
- ****Angular (Intermediate):**** Routing, NgModules, observables for data transmission and event handling, dependency injection, and APIs.

****C#****

- ****C# (Basic):**** Program structure, types and variables, basic object-oriented programming (OOP), properties and indexers, collections, and exception handling.

****CSS****

- ****CSS (Basic):**** Cascading and inheritance, text styling, layout usage, and element boxing.

****Go****

- ****Go (Basic):**** Core Go features, simple data structures (arrays and maps), data types, and interfaces.
- ****Go (Intermediate):**** Functions, pointers, file handling, building web services, and error handling.

****Python****

- ****Python (Basic):**** Scalar types, operators and control flow, strings, collections, iteration, modularity, objects, types, and classes.

****Java****

- ****Java (Basic):**** Classes, data structures, inheritance, and exception handling (Java 7 or Java 8).

****Node.js****

- ****Node.js (Basic):**** Package and module management, callbacks, event loops, event emitters, buffers, streams, and file systems.
- ****Node.js (Intermediate):**** Event-driven architecture and concurrency.

Role-based certification

Role-based certifications evaluate multiple related skills to assess readiness for a specific job role. HackerRank offers the following role-based certifications and evaluates the respective skills for each role:

- ****Software engineer:**** Problem-solving, SQL, and REST API
- ****Software engineer intern:**** Problem-solving and SQL
- ****Front-end developer (React):**** React, CSS, and JavaScript

\

[hackerrank_community/certifications] Certifications FAQs

title: "Certifications FAQs"
title_slug: "certifications-faqs"
source_url: "https://help.hackerrank.com/articles/8941367927-certifications-faqs"
article_slug: "8941367927-certifications-faqs"
last_updated_exact: "Apr 1, 2026, 2:32 PM"
last_updated_relative: "Last updated 4 weeks ago"
breadcrumbs:
- "Certifications"

Certifications FAQs

Last updated: Apr 1, 2026, 2:32 PM (Last updated 4 weeks ago)

****Can I update the name on my certificate?****

Yes. You can update the name on your certificate only once per account.

When you update your name, the change applies to all your certificates. After you update it, you cannot change it again.

To update the name on your certificate:

![[Untitled1434.gif](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1775033667842-Untitled1434.gif?Expires=253370764800&Signature=i5eXjpr8Zn~06d65SHzQ7IhBJVRIfN7yqW78oNk7NMMLfn1Jmyld6altuebucddpzXncSvp233IG~X65VrdIPRdGUk1aVtAaUZ3lNdUSGbvYtSol3yNUeC0KNOC1C5TAz2Np~ecQkAGzk5JO5c8SugtbHhh1s1kpWVy7uUTHRmSunT6m8RCUB-1VDYS0ZC4kfmrjC27IGYgcc1gGkpoloYco9TIAUC55kfNraKAkvSQcdATm3a46JJFr9blpAgk~qIS36R4KkCCUvY19NhB-IPQ0kEz-LVjqBXygTDXhwRz-25V4w9to4O7t-Gu3fDMSDx1nB2-BLbzLKNiaKG7ng__&Key-Pair-Id=K3NV4LZ47N8M46)]

1. Open your certificate page.
2. In the ****Full Name**** field, enter the name you want to display.
3. Click ****Regenerate Certificate****.
4. In the confirmation dialog, click ****Update Name****.

The platform updates your certificate with the new name.

****Why did I not receive my certificate after completing the test?****

If you have not received your certificate, follow these steps:

1. Make sure you are logged in to the same HackerRank Community account you used to take the certification test. Certificates do not appear in other accounts.
2. Go to the ****Certify**** tab in your HackerRank Community account and confirm that you passed the test. For more information, see [View Certification status](https://help.hackerrank.com/articles/9788355678-obtain-skill-based-certifications#view-certification-status-4).

- If you passed, your certificate appears under the ****Certifications**** section in your profile. For more information, see [? Download Certificate](/articles/2077861863).

3. Allow time for the certificate to appear. Certificates usually appear within a few minutes after you pass a test. In some cases, processing may take up to ****24** hours****.
4. Contact HackerRank support at help@hackerrank.com if your certificate is still missing.

****Which skills certification tests allow only one attempt?****

The following skills certification tests allow only one attempt:

- Angular (Basic)

- C# (Basic)
- CSS (Basic)
- Node (Basic)
- Node.js (Intermediate)
- R (Basic)
- React (Basic)
- REST API (Intermediate)

You cannot retake the test after submitting it.

****When can I retake the Certification test?****

You can retake the certification test 30 days after your previous attempt. The following screenshot shows the message that appears when the certification test becomes available.

!image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1750660003642-image.png?Expires=253370764800&Signature=fpklpxuZyfakliihlAesJxHdP6-giGRfi43Cfw0ATnSAVlwAP7yyqigmCO26Xknc7YhqewDYwbzY3~7uZpjjS30RbRjSOewXess0Gp6zzeUGp5qEhhyh5TiwM-XZyKJcV8wf1iPp2q8iLycB4FmZVThHM5yk-irpJxFBKL9ukRpJ03BgA7NjN15l5Pq6aQ4jeLmMU-ul8zX-XIJpxUflr~OD7lzbXwLyc4ufzXaSYTfq3RrZKK7sv6qXeyQoLzGzTriDO6BSKSYqmAP0dSyJ1DR4Nqee06~9UhZYdjjVoVlvumtorXZk0A9OPRBeSG1VEp-OpVI0Lf4bE9ZoW~LSmA__&Key-Pair-Id=K3NV4LZ47N8M46)

****What happens if I lose my internet connection during a certification test?****

If you lose your internet connection, the test pauses automatically. When your connection is restored, you can continue the test if time remains. If the timer expires while you are offline, the system submits your test automatically. Always start your test with a stable internet connection to avoid interruptions.

****Can I get the official solutions for my certification test to compare my results?****

No. HackerRank does not share official solutions or questions from certification tests.

****Can I request a date change on my certificate?****

No, certificate date cannot be changed after they are issued.

\

\

[hackerrank_community/certifications] Obtain Role-Based or Skill-Based Certification

title: "Obtain Role-Based or Skill-Based Certifications"
title_slug: "obtain-role-based-or-skill-based-certifications"
source_url: "https://help.hackerrank.com/articles/9788355678-obtain-skill-based-certifications"
article_slug: "9788355678-obtain-skill-based-certifications"
last_updated_exact: "Mar 10, 2025, 5:01 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Certifications"

Obtain Role-Based or Skill-Based Certifications

Last updated: Mar 10, 2025, 5:01 PM (Last updated 1 year ago)

This guide provides instructions on how to earn a HackerRank role-based or skill-based certification.

Obtaining a certification

To obtain a role-based or skill-based certification:

1. Log in to [HackerRank Community](https://www.hackerrank.com/dashboard) using your credentials.
2. Go to the **Certify** tab and scroll to the **Get Your Roles Certified** or **Get Your Skills Certified** section.
3. Select the role or skill you wish to certify in (for example, Software Engineer, **Angular (Basic)**, **React**, **C#**).
4. Click **Get Certified** to view the test details, such as duration, number of questions, and topics covered.
5. Click **Get Certified** again to confirm your intent to proceed with the test.
6. Enter your first name and last name exactly as you want them to appear on your certificate. You cannot change these names later.
7. Click **Start Test** to view the welcome screen.
8. Read the test instructions carefully. The timer begins as soon as the test starts and cannot be paused.
9. **(Optional)** Click **Try Sample Test** if you want to practice and become familiar with the testing environment.
10. Click **Continue** to proceed.
11. Choose your preferred coding environment:
 - **Online IDE**: Code directly within the HackerRank platform.
 - **Local Environment (Git + IDE)**: Work locally using Git and an IDE.

Note: This step is available only for the **Angular**, **React**, and **Java** certification tests.
12. Review the confirmation form and check all required declaration boxes to confirm your agreement.
13. Click **Continue** and wait while HackerRank provisions the server and sets up your environment.
14. Click **Go to Test** once the environment setup is complete and review the question list in the test section.
15. Click **Solve** next to a question to open the coding interface. The question description appears in the left pane.
16. Write your solution in the code editor on the right pane.
17. Click **Run Tests** to compile and test your solution.
18. Check the console or log output for error messages or feedback.
19. Click **Submit** after completing each solution.

20. Click **Submit Test** after solving all questions or when you are ready to submit before the timer expires.

21. Confirm submission by clicking **Yes, close this test**. You will not be able to make additional changes after submission.

View certification status

To check your certification status:

1. Go to the **Certify** tab and locate the relevant certification.

2. Click **View Status** to display your certification results.

- If you fail, click **Re-Take Test** to attempt the test again.

- If you pass, download or share your HackerRank certificate. For more information, refer to the [\[? Download Certificate\]\(/articles/2077861863\)](#).

\

[hackerrank_community/contests] Create a Contest

```
---
title: "Create a Contest"
title_slug: "create-a-contest"
source_url: "https://help.hackerrank.com/articles/2437296876-create-a-contest"
article_slug: "2437296876-create-a-contest"
last_updated_exact: "Mar 16, 2026, 4:55 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
  - "Contests"
---
```

Create a Contest

Last updated: Mar 16, 2026, 4:55 PM (Last updated 1 month ago)

HackerRank Community allows you to create coding contests and share challenges with participants worldwide. Once your contest is set up, you can invite participants and track submissions in real-time.

Creating a contest

To create a contest:


1. Log in to [HackerRank Community](https://www.hackerrank.com/auth/login) using your credentials.
2. Go to the **Compete** tab.
3. Click **Create a Contest**.



4. In the **Create Contest** form, enter the following details:



- **Contest Name**: Provide a name for your contest.
- **Start Time**: Specify the date and time when the contest begins.
- **End Time**: Specify the date and time when the contest ends. Alternatively, select the checkbox if the contest has no end time.
- **Organization Type**: Choose the type of organization hosting the contest from the drop-down list (For example, Company, School, Non-Profit, Bootcamp, or Other).
- **Organization Name**: Enter the name of your organization.



5. Click **Get Started** to create the contest.

Note:

HackerRank performs a Content Review for all newly created contests to ensure they comply with HackerRank's guidelines. The review usually completes within **24 hours**. This process helps prevent fake, misleading, or unsafe contests from appearing on the platform.

- If HackerRank removes your contest after the Content Review, you will receive an email. You can create a new contest after making the necessary corrections.

- If you believe the review outcome needs reconsideration, contact [\[help@hackerrank.com\]](mailto:help@hackerrank.com)(mailto:help@hackerrank.com). The HackerRank team reviews all requests and reinstates valid contests when appropriate.

Tips :

Follow these best practices to ensure your contest meets HackerRank platform standards:

- Use a clear, relevant title that reflects a programming or learning theme.
- Write a concise, meaningful description that explains the contest's purpose.
- Add at least one coding challenge before you publish.

<!-- -->

- Avoid external links, sign-up forms, or promotional content.
- Keep all participant interactions within the HackerRank platform.
- Use professional and respectful language throughout your contest details.

You can also create a contest from your Profile menu. To create a contest from your Profile menu, select **Administration \> Manage Contest \> Create Contest**.

!image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F17836f91-8fd2-4e7d-acc3-e175c2d98b94-2a8640d3-e056-4557-9445-dd501c96fc6-1760601129497-image.png-33b89fb5-8dc8-42c0-8fd2-0c55243c9d56-573de8df-9aa7-42b2-a66a-2764895bf9d7?Expires=253370764800&Signature=XKt3K0luy2L0-lqB8MZfqCcASWatQ-f6irxqRPPcRmdraoOLwSoPkgpTPeRUnga1NjBOiDKuVWBEmU0G-xrsCHtUMbWHIWBzRnAWWhF5-mBpY39qwPFoJKcK4GYNPtjQBNdNtlGLAucvv4S5i~4QVfQNMgLo08zzr7BvXCatwoXcBrVCjo2QUVrzohIYZIYqjF4HJOVdhpMJwwSGA3yBkjAXrFfICpw4uqElLo4yG25z3pzfhwzjPGt7BJ9quDFZE27MzIzthpYWEUVrBQl04e9jyxEu8PM9C45y9cPOTCpihEvBcsulFvaXrWNTTFQzTAyl9RToulpC4q7B8iWf8Q__&Key-Pair-Id=K3NV4LZ47N8M46)

\

[hackerrank_community/contests] Contests FAQs

title: "Contests FAQs"
title_slug: "contests-faqs"
source_url: "https://help.hackerrank.com/articles/3733063247-contests-faqs"
article_slug: "3733063247-contests-faqs"
last_updated_exact: "Mar 12, 2025, 11:25 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Contests"

Contests FAQs

Last updated: Mar 12, 2025, 11:25 AM (Last updated 1 year ago)

****Can I create and host coding contests or hackathons on the HackerRank Community platform?****

Yes, HackerRank Community platform allows you to host coding contests and hackathons. For more information, refer to the [[Introduction to Contests](#)](/articles/7535813777).

****Does HackerRank provide sponsorship for contests or hackathons?****

No, HackerRank does not provide sponsorship for contests or hackathons.

\

[hackerrank_community/contests] Introduction to Contests

title: "Introduction to Contests"
title_slug: "introduction-to-contests"
source_url: "https://help.hackerrank.com/articles/7535813777-introduction-to-contest"
article_slug: "7535813777-introduction-to-contest"
last_updated_exact: "Mar 10, 2025, 4:45 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Contests"

Introduction to Contests

Last updated: Mar 10, 2025, 4:45 PM (Last updated 1 year ago)

HackerRank contests are coding competitions designed for individuals or teams to practice programming skills and improve problem-solving abilities. Participants can gain recognition in the developer community through these competitions.

Types of contests

HackerRank Community offers three types of coding contests:

1. ****Customer-hosted contests****: Organized by companies using [HackerRank Engage](https://support.hackerrank.com/articles/6424218208-hackerrank-engage) to evaluate and hire developers.
2. ****HackerRank-hosted contests****: Official competitions conducted by HackerRank. These often include prizes and promotional items.
3. ****User-hosted contests****: Created and managed by individual users who want to organize their own coding competitions. For information about creating a contest, refer to the [? Create a Contest](/articles/2437296876).

Accessing contests

To explore contests:

1. Log in to [HackerRank Community](https://www.hackerrank.com/auth/login) using your credentials.
2. Go to the ****Compete**** tab.
3. Browse for contests that match your interests:
 - ****Upcoming Contests****: View and register for scheduled contests before they begin.
 - ****Active Contests****: Join ongoing challenges.
 - ****Archived Contests****: Access past challenges for additional practice.
4. Click ****View All**** to see more contests in each category.

****Note****: To register for an upcoming contest, click ****Register Now**** under the contest and follow the registration prompts.

\

\

[hackerrank_community/getting-started] Introduction to HackerRank Community

```
---
title: "Introduction to HackerRank Community"
title_slug: "introduction-to-hackerrank-community"
source_url: "https://help.hackerrank.com/articles/1995877061-introduction-to-hackerrank-community"
article_slug: "1995877061-introduction-to-hackerrank-community"
last_updated_exact: "Feb 28, 2025, 11:11 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Getting Started"
---
```

Introduction to HackerRank Community

Last updated: Feb 28, 2025, 11:11 AM (Last updated 1 year ago)

HackerRank Community is an all-in-one platform that helps you master coding skills, earn certifications, and advance your career. Whether you are a beginner or an experienced developer, you will find a range of features to support your growth in the software industry.

Key features

The HackerRank Community offers the following features:

****Practice and improve coding skills****

- ****Problem library:**** Solve thousands of coding challenges across various domains such as algorithms, data structures, artificial intelligence, machine learning, and more.
- ****Skill assessments:**** Earn skill badges that validate your proficiency in specific technologies and programming languages.

****Learn and upskill****

- ****Skill tracks:**** Follow structured learning paths to develop a strong understanding of programming concepts and industry-relevant technologies.
- ****Certifications:**** Earn industry-recognized certifications by completing assessments and stand out in the job market.

****Job-seeking assistance****

- ****AI mock interviews:**** Prepare for real interviews with AI-powered mock interview sessions that provide instant feedback.
- ****Resume builder:**** Create a professional resume using the integrated resume builder that showcases your skills, achievements, and certifications.
- ****Job matching:**** Receive personalized job recommendations based on your skills, certifications, and career preferences.

****Developer community****

- ****Interactive discussion forums:**** Connect with a global network of developers, exchange insights, and collaborate on projects.
- ****Competitions and hackathons:**** Participate in coding competitions and hackathons to test your skills, compete with peers, and earn recognition and rewards.

\

[hackerrank_community] Hackerrank Community Knowledge Base

Hackerrank Community Knowledge Base

Exported 42 articles.

Account Settings / Manage Account

- [Add or Delete Email Addresses](account-settings/manage-account/4418407899-add-or-delete-email-addresses.md)
- [Change Username](account-settings/manage-account/2553429617-change-username.md)
- [Create an Account](account-settings/manage-account/9533293667-create-an-account.md)
- [Delete an Account](account-settings/manage-account/5618101592-delete-an-account.md)
- [Export Account Data](account-settings/manage-account/4689113963-export-account-data.md)
- [Manage Account FAQs Account sign-in Update or reset password Merge multiple HackerRank accounts Delete an account](account-settings/manage-account/1917106962-manage-account-faqs.md)
- [Merge Multiple HackerRank Accounts](account-settings/manage-account/5981889181-merge-multiple-hackerrank-accounts.md)
- [Update or Reset Password](account-settings/manage-account/2403570133-update-or-reset-password.md)

Account Settings / Profile and Preferences

- [Add or Delete Links Adding links Deleting links](account-settings/profile-and-preferences/5212619529-add-or-delete-links.md)
- [Add or Edit Education Details Adding education details Editing education details Deleting an education entry](account-settings/profile-and-preferences/7393075509-add-or-edit-education-details.md)
- [Profile and Preferences FAQs Change username Update personal details](account-settings/profile-and-preferences/4472358331-profile-and-preferences-faqs.md)
- [Update Personal Details](account-settings/profile-and-preferences/2857822759-update-personal-details.md)

Additional Resources

- [Best Practices for Receiving HackerRank Emails Check your spam, junk, or promotions folder Add HackerRank to your contacts Verify mailbox storage](additional-resources/4438598153-best-practices-for-receiving-hackerrank-emails.md)
- [General FAQs](additional-resources/4609107971-general-faqs.md)
- [Notification](additional-resources/4745765442-notification.md)
- [Troubleshooting Login Issues Issue 1: Invalid credentials Issue 2: Wrong login page Issue 3: Password or cache](additional-resources/4147773232-troubleshooting-login-issues.md)

Additional Resources / Job Search and Applications

- [Create a Resume with Resume Builder](additional-resources/job-search-and-applications/9106957203-create-a-resume-with-resume-builder.md)
- [Search and Apply for Jobs](additional-resources/job-search-and-applications/1560975739-search-for-jobs.md)
- [Set Up HackerRank QuickApply](additional-resources/job-search-and-applications/7358354033-set-up-quick-apply.md)

Certifications

- [Certifications FAQs](certifications/8941367927-certifications-faqs.md)
- [Download Certificate](certifications/2077861863-download-certificate.md)
- [Introduction to Certification](certifications/2563639100-introduction-to-certification.md)
- [Obtain Role-Based or Skill-Based Certifications](certifications/9788355678-obtain-skill-based-certifications.md)

Contests

- [Contests FAQs](contests/3733063247-contests-faqs.md)
- [Create a Contest](contests/2437296876-create-a-contest.md)
- [Introduction to Contests](contests/7535813777-introduction-to-contest.md)

Getting Started

- [Introduction to HackerRank Community](getting-started/1995877061-introduction-to-hackerrank-community.md)

Mock Interviews

- [AI Fluency Mock Interview Prerequisites Taking AI Fluency mock interview Ending an interview Feedback report Viewing previous attempts](mock-interviews/3796809491-ai-fluency-mock-interview.md)
- [Behavioural Mock Interview Prerequisites Taking Behavioural mock interview Ending an interview Feedback report Viewing previous attempts](mock-interviews/5174727491-behavioural-mock-interview.md)
- [Coding Mock Interview Available roles Prerequisites Taking Coding mock interview Ending an interview Feedback report Viewing previous attempts Best practices](mock-interviews/6795045456-coding-mock-interview.md)
- [Introduction to Mock Interview Types of mock interviews Accessing mock interview](mock-interviews/8988753946-introduction-to-mock-interview.md)
- [System Design Mock Interview Prerequisites Taking System Design mock interview Ending an Interview Feedback report Viewing previous attempts](mock-interviews/8813699799-take-a-system-design-mock-interview.md)
- [Technical Screen Mock Interview Available roles Prerequisites Taking Technical Screen mock interview Ending an Interview Feedback report Viewing previous attempts](mock-interviews/5671120169-technical-screen-mock-interview.md)

Practice Coding Challenges

- [Coding Challenges FAQs](practice-challenges/1273631973-coding-challenges-faqs.md)
- [Introduction to Coding Challenges](practice-coding-challenges/7845849982-introduction-to-challenges.md)

Prep Kits

- [Introduction to Prep Kits Core components Access Prep Kits Available Prep Kits](prep-kits/1723224478-introduction-to-prep-kits.md)

Subscriptions, Payments, and Billing

- [Cancel Subscription Plan Cancellation options Cancelling subscription]

plan](subscriptions-payments-and-billing/6560545309-cancel-subscription-plan.md)
- [Downgrade Subscription Plan Downgrade options Downgrading subscription
plan](subscriptions-payments-and-billing/5432562533-downgrade-subscription-plan.md)
- [HackerRank Subscription Plans Available
plans](subscriptions-payments-and-billing/9054300007-hackerrank-subscription-plans.md)
- [Purchase Mock Interview Credits](subscriptions-payments-and-billing/3282259518-purchase-mock-interviews.md)
- [Subscriptions, Payments, and Billing FAQs Mock interviews Subscription
plans](subscriptions-payments-and-billing/9157064719-payments-and-billing-faqs.md)
- [Upgrade Subscription Plan Upgrade options Upgrading subscription
plan](subscriptions-payments-and-billing/4312449655-upgrade-subscription-plan.md)

[hackerrank_community/mock-interviews] AI Fluency Mock Interview Prerequisites

title: "AI Fluency Mock Interview Prerequisites Taking AI Fluency mock interview Ending an interview Feedback report Viewing previous attempts"

title_slug: "ai-fluency-mock-interview-prerequisites-taking-ai-fluency-mock-interview-ending-an-interview-feedback-report-viewing-previous-attempts"

source_url: "https://help.hackerrank.com/articles/3796809491-ai-fluency-mock-interview"

article_slug: "3796809491-ai-fluency-mock-interview"

last_updated_exact: "Apr 22, 2026, 10:59 AM"

last_updated_relative: "Last updated 4 days ago"

breadcrumbs:

- "Mock Interviews"

AI Fluency Mock Interview Prerequisites Taking AI Fluency mock interview Ending an interview Feedback report Viewing previous attempts

Last updated: Apr 22, 2026, 10:59 AM (Last updated 4 days ago)

The AI Fluency mock interview uses an AI-powered, voice-based interviewer to conduct fully autonomous AI fluency interviews. The interview mirrors real-world interview structure and rigor. It provides structured, unbiased feedback to help you evaluate your performance.

Prerequisites

Before you begin, ensure you have the following:

- Stable internet connection
- Working microphone
- Quiet, distraction-free environment

Taking AI Fluency mock interview

To take the AI Fluency Interview:

1. Log in to [HackerRank Community](https://www.hackerrank.com/auth/login) using your credentials.
2. Go to the **Prepare** tab.
3. Locate the **AI Fluency** card under the **AI-powered Mock Interviews** section.

![image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1776790289355-image.png?Expires=253370764800&Signature=noqSoSbs0ZpWrPWbBQfPjPsfjAuJroEbgQHMGtBARiWgzcWQ7Vvg6Ufo1Q995ZbAmQblysx1P2NhGODsbw~yq~itCfm1fNjH4WRWSz~pBZy4P0JuUy3C-ESyzBrwRozfLzP1Zoa4HA9dcAeA3a0XSB5Q~CmaGtsefzn2niqPYT~-GcK5dhcYU0c9N-4zbgaWxe~KyUCcAD2TQ-qSnWxicjOmanZJ2s~9JgC-0PJy9dv4nPqHQki4kGAlmqmuaO-W5bMWUa-mkkRNIvL7DUpl3vVj8GFMLa-t7esqbiSP1Z5gW~WcE1ZSGsc29wpou-IVvlyRoFm02CsFI-JOZB4w__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click **Take Interview**.
5. Click **Start Interview**.

![image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1776790315772-image.png?Expires=253370764800&Signature=Uls3kEd4xSNzPxqWOxc0~40utlUUbWV4Q4mXeqCRIJ~w6m6cw0qLCSck8BYFsMno5YyBn2lfqYo592smJ75sPkgju0zWFjQONhczxcJobKEodpoterXjffHZE1edq8VYi~l1w2a6vwY38oCIW3vRzZyb0ijtBtQ2bAjVKBEzNor14o178MFr0TtWw6dPoa5wEcRICZp1sJRD8QRK4RTbir7Ck79uMOKIFWO3BRZK4Yz0D30BEMNR1bpKShlnZUXrUEnZGs6auf20Oxt5Qq4cELvJ8Cj-3c6cnwQlDkqCaG~s-HJmvJih8lnUTiolvb31-WbmbyVOIG6l-4KI0m~PA__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: Check the banner to confirm available mock interview attempts. If needed, purchase additional credits. For more information, refer to the [? Purchase Mock Interview Credits](/articles/3282259518).

6. Allow the browser to access your camera and microphone when prompted.

7. In the **Audio & Camera Settings**, review and adjust your microphone, speaker, and camera.

!image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1776790342080-image.png?Expires=253370764800&Signature=kqK6QSamzVQ3KiPhVGz8d8F782t29JA8vn1nlisi9ETDBurLVB3TN72lpLSC2cyxk8QyOfSzllw5tlbNtYSlnBrIT0Z5HLk~tPaT77i18SgzaxPnsRT~okIB81mjH2iE2VgT9D0zWmvGZ5sk02p5TqkhUq-aNP4WhW~J~fQCDQWq3hZhZoa5CouJ~UO2OmO75pTLjQvsJzCUjV~cqH2fPefghnfrpkfzZ51KiUhHVxcsegtZla232AGf~tiioE1x09icQsyptVFeKsqVVLy~d8oG4zRb946DZUogswW0c8~38~mAg2R83yJglJBISkQ6oHVbmO24jjESNJ68FA__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: Select **Test Speakers** to verify your audio.

8. Click **Start Interview**. The system redirects you to the interview interface.

Interview experience

At the start of the interview, the AI Interviewer:

- Introduces the interview
- Explains the interview flow
- Describes the topics it will cover
- Answers any questions before the interview begins

During the interview, the AI Interviewer:

- Asks questions related to AI concepts, use cases, and problem-solving.
- Asks follow-up questions based on your responses
- Explores topics in more depth when needed
- Maintains a natural and interactive conversation

You can view the remaining interview time in the upper-right corner of the screen.

Interview controls

During the interview, you can use the following controls:

- **Microphone:** Mute or unmute your microphone using the microphone icon.
- **Self-view:** Show or hide your video using the video icon.
- **Transcript:** Show or hide the interview transcript

Ending an interview

When the interview concludes, the AI interviewer confirms that you are ready to end the session. The AI interviewer then ends the interview.

Alternatively, you can end the interview manually.\

To end the interview manually:

1. Click **End interview** in the upper-right corner of the interview screen.

!image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1776790359607-image.png?Expires=253370764800&Signature=pPGfEx2687igoouztHs7fLsY51~CKGRQnPu00XQozphe6vBYi~tU~xjJad9dZPPOHAQ~PANmdH46tqP9nP5VFbhdCuy~RqjDLVnRo13haA89wKvEYBh9gQyaNtkUTX0y5E~oxScxTJdKUQ7~UXr~fOs64sS~ssXu0F7IZzvgnwhL8SIDXld2~zoi4vucslk88y4GmA551cQnzC~VIK0VPioe6Lf0M1zAoUP0Tm9nYQJ69QtaP06LOYB1~UVBCvBGED247odPDJkqR1MAkd6EdHeYqcWCz~v9N0kdFhibMwhXc6QRdjexptQKiveuLS~9dpiAzNeAQPUwFTyS5Q__&Key-Pair-Id=K3NV4LZ47N8M46)

2. In the confirmation dialog, click **End**.

![image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1776790410076-image.png?Expires=253370764800&Signature=fJPoshR395r9~qTBMrA8eXXJ4AjY0x8dvUj43PEenbjqHzu69vCcPlvYsjpOcd9ZccHOjoWXpXKJ9J-BDPJ9Nmspdey-sYullbFKfMq1Irs~SE8aAnYe~hbzgZ6JgXEqaBrC09UT3PvQMclQqKNmJc4j0seEWW6fOX7hYRT2cWGxZskjPs3lgiozkkZmBLuQC6WC0yn6s7Mlmps9Fzc7ZgWDUpm3YlcmYC0Wg-cw4b2aPTqWCqV0LDoiYOLNK48GOA9G02MUfJQVPoNQleCRNGv1q-U1-Knq~iGvHU4NBjqcEE98ED2fQHJ7dEZmhCWz2KO8boe5ocrYVOsHcOyFew__&Key-Pair-Id=K3NV4LZ47N8M46)

The system redirects you to the feedback report page.

Feedback report

After you complete the interview, the system generates a feedback report.


The report summarizes your AI interview and organizes evidence and feedback so you can quickly evaluate your performance.

You can use the report to review recommendations, interview responses, and section-level feedback in one place.

Feedback report components

The report includes the following components:

- ****Overall recommendation:**** The report assigns an overall recommendation to summarize your performance across all interview sections.

The graphic displays the overall recommendation. It features a large, bold heading for the recommendation, followed by a detailed paragraph of feedback. The text is presented in a clean, professional layout with clear typography and spacing.

- ****Overall summary:**** A short summary explains the hiring recommendation. It highlights your key strengths and areas for improvement.

![image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1776790437087-image.png?Expires=253370764800&Signature=u4SP2yRjm7NIC47X0flkwiNHHci2T5PEPkqR5G6b4WNkt-M-Tc0gQbWB8nV5d2T5NNeC5fXy3ZCniXahbF-fKPBNH66ILv5dEz8QiHvSFBE6A9mF~92RGtl-Z2DMezVMONOCJ2RyBC-i1dpYkWL0BRn7bYIEe6FBRngjpmP7p09qKVHfnlTPvMKOaZa1YSUttCb9WfPgxl2BrzWFDHZNp07siCanmjl3-yB2Doc82xGRMAwVw6415zNVMkfVWJ5OwYQtb0TBilr7M5nTUAzhgSH6fAiZTctNAVMGcKxz81JaL~YXgxrxlb-q7a7o63U4QvpT8XF0HWXK95xad0ig__&Key-Pair-Id=K3NV4LZ47N8M46)

- ****Interview Recording and Transcript:**** The report includes a full interview recording with a synchronized transcript. You can:

![image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1776790451073-image.png?Expires=253370764800&Signature=DSRhE94VFSUALconSGZ6J4RZSzyfl9CPXtoKkZF7uTW--EN8OLhp1wLtyAP5xKa4aj8yYfJzoXLKbWxQ3hliuRivM4yRXOrvYulyseGOZgWoBLr24eTFNFXHXTFErnlGOsNS5xAqUGBub2uOLXTCaPNXFujlNSPD8IGQZcEhl5Gsn6TvwgIrxEFd6B-0~9ORppq1jPjAcB0MZTt-7GLB3s7fWH6yjmIWLvuO7~XBUDr6ETgUYwvpL3cYVdy2YtszavVwam1bJPqQyUbm8q36ZxjtP3-9FX71C8jtOdomgVBVnWislghy0Cyk1RICi0a1xybwuKlnRbRuADEm75vyCg__&Key-Pair-Id=K3NV4LZ47N8M46)![image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1776790459812-image.png?Expires=253370764800&Signature=kKg5IWwsNCgJjRxxQknllm40hyu~9KnKM3RRE5XUorGo1MEisunXvC95HTModWcTTP5T1NiRv1jQFNOY33sjccCw0U9GbbC-60iyybNLB0uOglfYy1LIcnJOnrsnlGxdRGkh3~R5EWwalaZbSJKFydN7oQZx3QQBufeS1MB-VvLXFC4n3ixdYG0WJATjHcC0MWPJBxmImQwkfwCw5p9hwDdlvZ7K81FWrbYgJDiVkgVLSceFOMT6rXBnZ8m7mpFnethJcDYAgJ77U4uOnjfWhMS93NtbJIL~~UU0vx1cV~eM34wIzd-CtP4USIVAYZI7hR2afQEGYEzVhgBeg2g__&Key-Pair-Id=K3NV4LZ47N8M46)

- Switch between recording and transcript views

- Play, pause, and scrub the timeline

- Adjust playback speed

- Review responses alongside timestamps and speaker labels

- ****Section-based feedback:**** The report organizes feedback by interview section. Each section includes:

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1776790468371-image.png?Expires=253370764800&Signature=ZDHY3SteG97RBzRYaBi~peWb8P4T89tiPOZTqbnUxzepO0BK8aR~RK0-V-BIH04BLATyDTbeqqnulBzVmmpkl-tRxtO4HSAAU8wB4zeDeZKoU7z5IJ4eKUVxCSPhGP-pdy9Y1RPbNEkZzbHW324oaTbZNAxsNu~EPNOTmokT~SGf4vtPdSafxHm-xG5eOp8x6WVMEfNCqE9u~wlkmTpuWDqIGX7cY07WI5VcLrmcp427miegs8Labql-FzwWruWWnLATFoh4jNUEmu1HK15MMTwRdjj-SrcVbkxYQK4gRCBHpzXLZt3tAdbnAN6hZMqKWp-XPxTmfOtwngcy2XE0EA__&Key-Pair-Id=K3NV4LZ47N8M46)


- A rating
- A short narrative that describes your performance in that area
- A transcript reference

Use the section-based feedback to understand your strengths and gaps in detail.

Viewing previous attempts

To view your previous AI Fluency mock interviews:

1. Go to the **Prepare** tab.
2. Locate the **AI Fluency** card under the **AI-powered Mock Interviews** section.
3. Click **Take Interview**.
4. Click **View Previous Interviews**.
The **My Previous Mock Interviews** dialog displays a list of your previous mock interviews, including the date and score for each.



<!-- -->

1. Click **Show Feedback** next to an attempt to view the detailed feedback report.

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1776790505083-image.png?Expires=253370764800&Signature=aqa1o8~1iC9ppUcOBI4mTFQtV~kIVy3LICWa5AUT~1eTsXyDipHvN22MopUZ0QBKN5y0E9iToxQpCmludwzEQpANUjsVfldV6PfmkE9VTOeQ78Pm1h2CAD8k6xvrlQA1cWiqw~nT~dEylpbYOAK7z07xRRBgCj~aR0R~ldBAMuoNzrUYpGvotXYSIkMgHD7YJHsEc1osQ7CIKhMcpUdCEWPEmYnpJPkipjCLnWSFqC1YIE~QoRbTCwSBczdJNgW2SxcVNZ~ZdNrn3c5vn1z2RFdA~yXKu7pr-Dnp0xNBiCzrFIIDFXR8bh7DjUkbqF3WRcJPhY3-WUcGjAWXl6s0YA__&Key-Pair-Id=K3NV4LZ47N8M46)

\

\

[hackerrank_community/mock-interviews] Behavioural Mock Interview Prerequisites

```
---
title: "Behavioural Mock Interview Prerequisites Taking Behavioural mock interview Ending an interview Feedback report Viewing previous attempts"
title_slug: "behavioural-mock-interview-prerequisites-taking-behavioural-mock-interview-ending-an-interview-feedback-report-viewing-previous-attempts"
source_url: "https://help.hackerrank.com/articles/5174727491-behavioural-mock-interview"
article_slug: "5174727491-behavioural-mock-interview"
last_updated_exact: "Apr 22, 2026, 10:58 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
  - "Mock Interviews"
---

# Behavioural Mock Interview Prerequisites Taking Behavioural mock interview Ending an interview Feedback report Viewing previous attempts
```

Last updated: Apr 22, 2026, 10:58 AM (Last updated 4 days ago)

The Behavioral mock interview uses an AI-powered, voice-based interviewer to conduct fully autonomous behavioral interviews. The interview mirrors real-world interview structure and rigor. It provides structured, unbiased feedback to help you evaluate your performance.

Prerequisites


Before you begin, ensure you have the following:

- Stable internet connection
- Working microphone
- Quiet, distraction-free environment

Taking Behavioural mock interview


To take the Behavioural Interview:

1. Log in to [HackerRank Community](https://www.hackerrank.com/auth/login) using your credentials.
2. Go to the **Prepare** tab.
3. Locate the **Behavioural** card under the **AI-powered Mock Interviews** section.



4. Click **Take Interview**.

5. Click **Start Interview**.



Note: Check the banner to confirm available mock interview attempts. If needed, purchase additional credits. For more information, refer to the [\[Purchase Mock Interview Credits\]\(https://help.hackerrank.com/articles/3282259518\)](https://help.hackerrank.com/articles/3282259518).

6. Allow the browser to access your camera and microphone when prompted.
7. In the **Audio & Camera Settings**, review and adjust your microphone, speaker, and camera.


src="https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1776791219126-pasted-image-2.png?Expires=253370764800&Signature=u8txbijZioMwUziRsd-lm-tDZoSNIUMUUYqZ4lCD0HqVoF5TIVh7yGkEzLKTr9DnuS62K2bulpflB-TZOTaVk2U45XAyUPI2KofALzULPjGEZNBTFcXuE0DK6LxOm6dVIK4kN12LRMTxodBDG7IYCWVAhCGZ9ebEt5n3144uH~Jlrbt6UQhfRQv~STy-yDTaf03ihqlpU8iywPOTUUUM~O5ZtiBlnPf-krVm0rDoVVD7pTd5wzsV56tdlb~s5r7OidZ-Xlq3lbf8RS97eleocFQHCwdCFPE2BxLBfakC9myMR7f~Al0~xUaqdzRKN4-9R3kWDEqV7G39eTJD7g__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-bbox="48 100 958 181"/>data-drag-handle="false" />

Note: Select **Test Speakers** to verify your audio.

8. Click **Start Interview**. The system redirects you to the interview interface.

Interview experience

At the start of the interview, the AI Interviewer:

- Introduces the interview
- Explains the interview flow
- Describes the topics it will cover
- Answers any questions before the interview begins

During the interview, the AI Interviewer:

- Asks questions about your past experiences.
- Asks follow-up questions based on your responses
- Explores topics in more depth when needed
- Maintains a natural and interactive conversation

You can structure your responses using the Situation, Task, Action, Result (STAR) method. You can view the remaining interview time in the upper-right corner of the screen.

Interview controls

During the interview, you can use the following controls:


- **Microphone:** Mute or unmute your microphone using the microphone icon.
- **Self-view:** Show or hide your video using the video icon.
- **Transcript:** Show or hide the interview transcript

Ending an interview

When the interview concludes, the AI interviewer confirms that you are ready to end the session. The AI interviewer then ends the interview.

Alternatively, you can end the interview manually.
To end the interview manually:

1. Click **End interview** in the upper-right corner of the interview screen.


!image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1776791370631-image.png?Expires=253370764800&Signature=e~5aKrWrlT04RjSR~-d2JKXo4kgHI~LQlhJ7dO3bE0T6Wf088vPO0NRmy038-uVqchekpl2V62AieQ15uX6rswQ4KvTMTbYvbnPNzfeXmkO~UsMtLIREnYv6O8Nb8vw1mH4~Vk5kw1SZW3VkUDgQnAo~Z6SAxWQ68FmRTVtk6Ez6w3kFpgS6JScvHMQGJeK9gKDEN4DC2Q2e7VKNp39hpf40laHw47I7Zy~tJkHkz0FWP~AJbng2dqmCS4GacAOonWDL9-yNodk-SuUG7A5X7a5rLxMk4LX5wplCCqhuqISk~YLg0D-vT8AR17mjBlnJ00rMjji~S6bWgnYBln3jfA__&Key-Pair-Id=K3NV4LZ47N8M46)

2. In the confirmation dialog, click ****End****.

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1776791423307-image.png?Expires=253370764800&Signature=CcMs5jL3tKc2LYfaA-2nfKAQ9R1OWRXt7CzmFsCdVbvgOlhtPys224wjzuaKM-RZVPU45CxtYNhelPkrKqBu7IIzi3EyT2D-jTsUN0iNwzgU2D~rAtkSRp882W7rR~mzuyomGpxO8Z33Wl0b2nuuhYj5hFYaVr0pYOyUle2NORw0daMMFY207rMX7XWnL~v0Uj0A-DPgfg3~eMeK~DWjhTZUN3UdecBRnf9i1T2TjVmXhylXohQr8HgMUxlb~d4kwTs-L5rzyOtEqiTy2t51l-Lpa5y4lfkaoUrfkaNpQ8qoIX-GMX-yBIYgKSWPUz4CWhcZtOp2VehduT0~tlrpvxg__&Key-Pair-Id=K3NV4LZ47N8M46)

The system redirects you to the feedback report page.

Feedback report

After you complete the interview, the system generates a feedback report.

The report summarizes your AI interview and organizes evidence and feedback so you can quickly evaluate your performance.

You can use the report to review recommendations, interview responses, and section-level feedback in one place.

Feedback report components

The report includes the following components:


- ****Overall recommendation:**** The report assigns an overall recommendation to summarize your performance across all interview sections.


The graphic displays the overall recommendation, which is 'Good'. It includes a summary of the candidate's performance across the interview sections, highlighting strengths and areas for improvement. The graphic is titled 'Overall recommendation' and features a green checkmark icon.

- ****Overall summary:**** A short summary explains the hiring recommendation. It highlights your key strengths and areas for improvement.

The graphic provides a concise summary of the hiring recommendation. It outlines the candidate's key strengths and areas for improvement, supporting the overall recommendation. The graphic is titled 'Overall summary' and includes a brief overview of the candidate's performance.

- ****Interview Recording and Transcript:**** The report includes a full interview recording with a synchronized transcript. You can:


The graphic shows the interview recording and transcript. It includes a video player with a transcript overlay, allowing users to view the candidate's responses and the system's feedback simultaneously. The graphic is titled 'Interview Recording and Transcript' and features a play button icon.

The graphic displays the interview recording and transcript. It includes a video player with a transcript overlay, allowing users to view the candidate's responses and the system's feedback simultaneously. The graphic is titled 'Interview Recording and Transcript' and features a play button icon.

- Switch between recording and transcript views
- Play, pause, and scrub the timeline
- Adjust playback speed

- Review responses alongside timestamps and speaker labels

- **Section-based feedback:** The report organizes feedback by interview section.
Each section includes:

A screenshot of a section-based feedback report. It shows a list of sections with their respective feedback. The sections are: 'Introduction', 'Behavioral', 'Technical', and 'Conclusion'. Each section has a rating (Strong, Moderate, or Weak) and a short narrative describing performance. A transcript reference is also provided for each section.

- A rating (Strong, Moderate, or Weak)
- A short narrative that describes your performance in that area
- A transcript reference

Use the section-based feedback to understand your strengths and gaps in detail.

Viewing previous attempts

To view your previous Behavioral mock interviews:


1. Go to the **Prepare** tab.
2. Locate the **Behavioral** card under the **AI-powered Mock Interviews** section.
3. Click **Take Interview**.
4. Click **View Previous Interviews**.

The **My Previous Mock Interviews** dialog displays a list of your previous mock interviews, including the date and score for each.

A screenshot of the 'My Previous Mock Interviews' dialog. It shows a list of previous mock interviews with columns for Date, Score, and Interview Type. The list includes interviews from 2023-10-10 to 2023-10-11.

<!-- -->

1. Click **Show Feedback** next to an attempt to view the detailed feedback report.

A screenshot of a detailed feedback report for a specific interview attempt. It shows a list of sections with their respective feedback. The sections are: 'Introduction', 'Behavioral', 'Technical', and 'Conclusion'. Each section has a rating (Strong, Moderate, or Weak) and a short narrative describing performance. A transcript reference is also provided for each section.

\

[hackerrank_community/mock-interviews] Technical Screen Mock Interview Available

title: "Technical Screen Mock Interview Available roles Prerequisites Taking Technical Screen mock interview Ending an Interview Feedback report Viewing previous attempts"

title_slug: "technical-screen-mock-interview-available-roles-prerequisites-taking-technical-screen-mock-interview-ending-an-interview-feedback-report-viewing-previous-attempts"

source_url: "https://help.hackerrank.com/articles/5671120169-technical-screen-mock-interview"

article_slug: "5671120169-technical-screen-mock-interview"

last_updated_exact: "Feb 19, 2026, 2:19 PM"

last_updated_relative: "Last updated 2 months ago"

breadcrumbs:

- "Mock Interviews"

Technical Screen Mock Interview Available roles Prerequisites Taking Technical Screen mock interview Ending an Interview Feedback report Viewing previous attempts

Last updated: Feb 19, 2026, 2:19 PM (Last updated 2 months ago)

The Technical Screen mock interview uses an AI-powered, voice-based interviewer to conduct fully autonomous interviews for technical and non-technical roles.

The interview mirrors real-world interview structure and rigor. It provides structured, unbiased feedback to help you evaluate your performance.

Available roles

You can take a Technical Screen mock interview for the following roles:

- Software Engineer
- Frontend Developer
- Backend Developer
- AI Engineer
- Forward Deployed Engineer
- Custom Role

Note: If you select **Custom Role**, you can paste a job description. The system generates an interview tailored to that role.

Prerequisites

Before you begin, ensure you have the following:

- Stable internet connection
- Working microphone
- Quiet, distraction-free environment

Note: Block at least 30 minutes of uninterrupted time to complete the mock interview successfully.

Taking Technical Screen mock interview

To take the Technical Screen Interview:

1. Log in to [HackerRank Community](https://www.hackerrank.com/auth/login) using your credentials.
2. Go to the **Prepare** tab.
3. Locate the **Technical Screen** card under the **AI-powered Mock Interviews** section.

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771483066389-image.png?Expires=253370764800&Signature=mvF4cXK0SFfZpgGeqayVQLB7Bgs7qW6P~cg8TbNmRlvShIYgTtd9YlwQ~wN4CmChCjDwR1RflckKiqxDfUIFRbQPTroJUDMiQ2Vg-8F446r-nnmS~Jc~NCvdAxNSpQupR6kIJBSte7k-m50gKsnwQqtANlyx1sxdcDb-5dZPG3VYhplgZMxO3O-y4laNMhRBp9dSEK88LWw6AmfQLP0n-VTmdYm9YRIVJmfzUyat8gTrbldAURVhUcNPCs3TwT5RAU~XEDUUQ54IQPSgJkwQeFt1yGDGGg-NUnrhWDXbU1VpN8kxa-dIFX4gLYi6xBNV094cG2tdZXFVoTU2U5ig__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click **Take Interview**.

5. Click **Start Interview**.

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771483169697-image.png?Expires=253370764800&Signature=frFssVOYvCR9s-tNG5nbzeAj-UlhjPHzjKrpTfygZFwxgD2Wdnr5VWxtwhJ~u54UnPMBE1jC7hgl8bwlZS5tXAr-Y0OHTKcXgKMLz3Dc66nuWWTuyTSR0EV5hjoNcIA~kRfgrJXINKe8a~8lZKMFvKb7AKiW3JUUKmaHsYAWAx80KiojH-BgW-KHhQ4s9YrjmKQKO9V5e2oN96m7HhtMN1lZFJm9yGpew31EE2bO1Bfwzzw6KrTT3ST~SCHS~~er6E81H2wAfYd0KgcT1M2hw1zu5WfydV-XHV2iHW~-e-XLTKf6txNhb9VYrhjdeOJ0zRMYENir9w-nZ1zwZGA~4w__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: Check the banner to confirm available mock interview attempts. If needed, purchase additional credits. For more information, refer to the > [Purchase Mock Interview Credits](https://help.hackerrank.com/articles/3282259518).

6. In the **Choose Your Mock Interview Experience** dialog, select one of the following options:

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771483183177-image.png?Expires=253370764800&Signature=oQhdFrt5oAk-Mb~-h4xvmhLWNnabR3x81ZA2d1WVaLOKOK3gwwfDQyoxK1A~yyWNRmWk7ZSdyhvfYwJpGjidjzeZl82VDYiVyEhbQx7t4sxzBIVEpKWFZTg30CZJlOKfGCu6lXIZU7E8WwRQxuvSLpjf54OILppsv6zMAPr0-5AXOeJSBmo76Bhk1kRk0Q0ZneikDDJgyP~eomtoku8LQN9jYuymySA3HgsKxT0BX~RHYGwpUdM4~rFNRjraNjXDYXAKff8MGjahRYTeoH-LAlvVv4rbbQm5VqZrRCXEQt0nu-ffRzD7JG7S4Onqxx-StDt69io1D64WbxTKMP6z3Q__&Key-Pair-Id=K3NV4LZ47N8M46)

- Predefined role:

1. Select a predefined role. For example, Software Engineer, AI Engineer or Forward Deployed Engineer.
2. Click **Continue**.

- Custom role:

1. Select **Custom Role**.
2. Paste the job description in the text box.
3. Click **Continue**.

7. Allow the browser to access your camera and microphone when prompted.

8. In the **Audio & Camera Settings**, review and adjust your microphone, speaker, and camera.

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771483198923-image.png?Expires=253370764800&Signature=sGd9NLDrQAMXHXGIQDuKg-vxr5E6akyNxch0zhSiBEtJ1-WKWAuOBmq8YCSNByL9TIKJBGRfGoDxltN5Td1lpcRlwVWq-XxYYoBjBTP9L-rzdPebznk5cobLigbBWdQsK25i69apCc~dGiLrSK~Hz0wcgvIAQzs-799l1uptwtFCig8UlmO9Yz2E9Ytgr77hgJML74LGI5H7qNLD9dPyBpVPmWVBZqFnTfBKtaBE8a9YHVgxfOQBwTrBadPD0kbrgmMAqxAsbRtZCGMwm4uwrxtkMkXi9cvG0Y8nvZXeCSHkm1N-NJDE2o8ya0mSUKm~FbSml1rDKelzZCb2J8fA__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: Select **Test Speakers** to verify your audio.

9. Click **Start Interview**. The system redirects you to the interview interface.

Interview experience

At the start of the interview, the AI Interviewer:

- Introduces the interview
- Explains the interview flow

- Describes the topics you will discuss
- Answers any questions you have before the interview begins

During the interview, the AI Interviewer keeps the conversation natural and interactive. It:

- Asks follow-up questions based on your responses
- Explores topics in more depth when needed

You can view the remaining interview time in the upper-right corner of the screen.

Interview controls

During the interview, you can use the following controls:

- **Microphone:** Mute or unmute your microphone using the microphone icon.
- **Self-view:** Show or hide your video using the video icon.

Ending an Interview

When the interview concludes, the AI interviewer confirms that you are ready to end the session. The AI interviewer then ends the interview.

Alternatively, you can end the interview manually.
To end the interview manually:

1. Click **End interview** in the upper-right corner of the interview screen.

!image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771483226473-image.png?Expires=253370764800&Signature=P4oCwqrAzDjvGj9jwHTyvlUdnqOjk1s6Up5YDPwlrWuq6Cvhw7tC02pHEwd03426cpQ0~rQZwDvPB6gwnUNwti0VC1JhWm3qp7s-HCZE3ikejCtSt-pJAD8WfTm~Wc0OM4bzA3lmlvu2zzUCCqAinDIBaPQu52dX3ESX8Za529tbyBOSh03Y0HV5ILbYa3ppIAss-LJPZRz9Hr9NZEWAaOzK9l47q7j8b12OkO2oOHXgpo4J8mFDCbOsfNZI-ewVeYZUhcxXpQl-TaGIYEgkxegpnobKhBr~ZAOBQGDjRjAsG6r49i9Rgna6wWRwp~DfacyFoTKTFAvzWUgCnpy8w__&Key-Pair-Id=K3NV4LZ47N8M46)

2. In the confirmation dialog, click **End**.

!image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771483242385-image.png?Expires=253370764800&Signature=SyPI0QDvf0mlrFP0E33d~zY9Vh5zVvARJEyGyf104iLr0u0pCCqSJ0F8iFChJ9R0-7BHPOV1VmSE-Leutk4fJALZBJs8xiszxMsGj1f4R68HBTB~Xugwi0TH3Ed0s8hLaj88OJilYkSggKVslbzDTDXd-7xCA7v8~2Nxyis8hfkhrRoAwwHhdGB5rgPj-fKKd4qCRHFNbgwDOzludg~sGX5-jy5j-cwDPNXYv3XdcEWosRQaW7vu8o6mbYiSe0sP8QSG0D0630rR2XakMU1viHS5303cl9B~UR643aukRlaOG6fHplNoQILKlwxr~ythtZQWE~htlPIaZ7BuBPuIQ__&Key-Pair-Id=K3NV4LZ47N8M46)

The system redirects you to the feedback report page.

Feedback report

After you complete the interview, the system generates a feedback report.

The report summarizes your AI interview and organizes evidence and feedback so you can quickly evaluate your performance.

You can use the report to review recommendations, interview responses, and section-level feedback in one place.

Feedback report components

The report includes the following components:

- **Overall recommendation:** The report assigns an overall rating, such as Strong Fit, Moderate Fit, or Weak Fit, to summarize your performance across all interview sections.

!image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771483357684-image.png?Expires=253370764800&Signature=bL18xTTuMLWG9wGXJ2QM~tzxoHaRusGrOgmDB5yBdBHlegg2jpbNNUsI2KrrUBc5z1TRRXJG6HuXijTVDiKT RU0UZV9ottuoAMCHsOd2gkiv3HP6L6T90~MJf4d-aVAMXTM~2TzJkzCoHsYCDrVtUElB4feGoJrIHL2Jt-yhDULgwsYQWwhzvm8FYijHEfHtBjOjbxkOBYjFYkiRuYndGBRpbfbwFctfdKZ7p8UCJ9EDiZxRwBevzLtjdqvXKbZUWYctk6Nml-ohf9r-OZ47Yv4FAjghaW0EWK0

MssRQB0JnS1priouA0OxNx8CQcctTpxhFwW2Rem4G9G3HjaA__&Key-Pair-Id=K3NV4LZ47N8M46)

- ****Overall summary:**** A short summary explains the hiring recommendation. It highlights your key strengths and areas for improvement.

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771483383939-image.png?Expires=253370764800&Signature=T715319xseCntISBpj4f4mlnPK7k~XHVJ4qdgPQh4OLloD67N9~GGhgsBmikjohEoE6uYkEwZuUCohiCbyFQ335cuNB59niVtzlx7R-40yLOk01hewQQy6EL8o2jq60~L5VOB33UcdYA9qAsM7aZzGnA655ymBs9buk1YoOfcBpdJPr68QAqClpxbCp9mTkPNeqNhbE~DSUdjM~Bu6ZoLs6ygYQ0DMMwjZca0-qFnXgb2RnOxbF2ZE3f3OQvSqOxLMrZacu8beDbsAWiKZT9E17y99g8n8d8k7iEntSkB2b6xKkSvF3zWvt9gXqjZ3zLqDR4rnJCISi5vB6kdw__&Key-Pair-Id=K3NV4LZ47N8M46)

- ****Interview Recording and Transcript:**** The report includes a full interview recording with a synchronized transcript.\nYou can:

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771483413638-image.png?Expires=253370764800&Signature=Gh0S5XbFMBxS3kOgKdDL~4Cdaejy-Tqqrza5kKKHIB8eLIXwoXxu8P92Vbg6Ppp9dGshld-OmBYIAHvv9105PvHZyBIBsz2EhxP8jm5053OVXyphS7f-0MTo~vvToo~fHMcmNW2JchCW-9hSawZzCCz2kxxGKjYWD3Reoi6lliaB4HllPmK5pZTKwK2OZgsLLpoRolmMLPdTXh~WbZj6Z8ISQicJHCYwmK6d44ToRBCDTuaiH8fCOaoMji5Em4GxjMnvKbvE4eAb2GQ4SgsVkJOQRjoM4XcxIF02fXQEf-HKL0BCnY9P4GEaCLO5vwfFvnEql3jLzSRzGT7703npg__&Key-Pair-Id=K3NV4LZ47N8M46)![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771483440918-image.png?Expires=253370764800&Signature=WXXhuTwvyV-OYIE15FC2nD8-X5egfUFUNvre34y5irNC0aWov5uLiOkyVf7MZvpPvpBFpyk1ARXaq1Sd1-75a~QvamXGQmajHALncdZAikeIg99UvdbJ1p7WRHhJdLIQPQU3TrRVKvw6sBtppdfVBRfWAKwgDTavE9idcHDXjnfwxGJNreGxcvB~Rlbr2a12biyOw1PvEI7pla4Y9YaQ7eUZPZvjzXVysv5X-sDbZAeeUViSs90fRYF2CCh7yLErZcu6D4Ab8jPauZwvbRIN-Jk~elikWH2RP04bebFNEi4wc4OJa~7lj0PzQ1WCYJ3cQf~d~DcVixLzuRXMzJ4dqg__&Key-Pair-Id=K3NV4LZ47N8M46)

- Switch between recording and transcript views
- Play, pause, and scrub the timeline
- Adjust playback speed
- Review responses alongside timestamps and speaker labels

- ****Section-based feedback:**** The report organizes feedback by interview section.\nEach section includes:

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771483315857-image.png?Expires=253370764800&Signature=Mg~Fv-tlljRmuGDBXL0nwXKFdxOcdZyyMeNigRh~RTi3giJHwVa7F6AIFXDxmozsAotFixdNU4OwzGpZzPmYULxlfw6tG8G7d-ayZAomMnaFzm6ed-Imizq2XsDCwmU0dwR6O0Qa~7nQwHV2KSH2KXwVH~bW2SvLvVOo1mtKH3rCVtXbijmMBiRvHK0PxUEqj2Q0v3HuwlpKGCjoEoYpXaZRSufQILiIOGfd8VFi2HJR99DK28eltg~V-rShkRVJzf7K1tI90r53w3smmAvC4-D-NNXHHMpOcPIM214RB97~olbY87aKxDEL0SCsl9tp2e9lhUn8OkMdV~GOfgIng__&Key-Pair-Id=K3NV4LZ47N8M46)

- A rating (Strong, Moderate, or Weak)
- A short narrative that describes your performance in that area
- A transcript reference

Use the section-based feedback to understand your strengths and gaps in detail.

Viewing previous attempts

To view your previous Technical Screen mock interviews:

1. Go to the ****Prepare**** tab.
2. Locate the ****Technical Screen**** card under the ****AI-powered Mock Interviews**** section.
3. Click ****Take Interview****.
4. Click ****View Previous Interviews****\n The ****My Previous Mock Interviews**** dialog displays a list of your previous mock interviews, including the date and score for each.

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771483126784-image.png?Expires=25337

0764800&Signature=pKnwlg714x3yW1iikYIQpHjZn7hwYLDa7FeOF6XgAW4iPrvjo1noJkN6ALwQVXx2HV-rT0scOIso-jXHLYL-yPMD2tEhed6JJOOOrIIIMgVpPL8Hue5hH8opmp~z8r0XcTJ81kXcgIm8x4eLa4hROxLSEQ698YlgpYdINyh~iuow5M6cEWI9PGCEs5KL4OVIhOUWgITNyVK~tPvqI9Aua80jGpWfTs1b6~~XNAhPGXEHY~U2OMbW0e8rW2dQJj2bjGQWVLOoZQ~2yWGEAhN9uMd7RXrKXly8Lzb~6MHkvkNOFmJzBg~5xZPdxtOvnQRMNTtoA89WZitvb0~PNEGyVafQ__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click **Show Feedback** next to an attempt to view the detailed feedback report.

!image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771483139022-image.png?Expires=253370764800&Signature=ZgG9ua9k~fU7kYkc~FE9QUrf1fMT7qWBu-LiW~CuuBF1JMhm0vagI5irFN1HB0pApBGWAuQH8CZf~aaE2LuSE6zE-3qcnFg~WWEnfZv2A9MpUqf4hmQ9nHdjPuAtzIsgn4NXf9~fC36Dsj1hp22HHj9ZTy8HZKoo0CsWgbX4dbs6OCREb8DCXluqHiRkM-s3q3KAYSKEPH52abYUyhdO1R9VpU0XtVxE9z39I7n2MZ3PvsZSpICPiMeCz77H-sb7R0CmYo2ckEtq0ESPK1csLmi2WfxF~rdPDEV1dJwGQQwpBp0OCRHUORxvnKuKYm2rqVYVEbdJXamWWlyd4AIVg__&Key-Pair-Id=K3NV4LZ47N8M46)

\

\

[hackerrank_community/mock-interviews] Coding Mock Interview Available roles Pre

title: "Coding Mock Interview Available roles Prerequisites Taking Coding mock interview Ending an interview Feedback report Viewing previous attempts Best practices"

title_slug: "coding-mock-interview-available-roles-prerequisites-taking-coding-mock-interview-ending-an-interview-feedback-report-viewing-previous-attempts-best-practices"

source_url: "https://help.hackerrank.com/articles/6795045456-coding-mock-interview"

article_slug: "6795045456-coding-mock-interview"

last_updated_exact: "Feb 19, 2026, 2:26 PM"

last_updated_relative: "Last updated 2 months ago"

breadcrumbs:

- "Mock Interviews"

Coding Mock Interview Available roles Prerequisites Taking Coding mock interview Ending an interview Feedback report Viewing previous attempts Best practices

Last updated: Feb 19, 2026, 2:26 PM (Last updated 2 months ago)

The Coding mock interview uses an AI-powered interviewer to conduct a fully autonomous technical interview in a timed environment.\nDuring the session, you can:

- Solve coding problems.
- Explain your approach.
- Answer follow-up questions.
- Interact with the AI interviewer in real time.

After the session ends, you receive a structured, unbiased feedback report.

Note: You cannot provide custom problems to the AI interviewer. Each Coding mock interview uses a predefined set of problems.

Available roles

You can take a Coding mock interview for the following roles:

- **Software Engineer:** Solve algorithm and data structure problems that evaluate problem-solving and coding skills.
- **Front-end Developer:** Solve React, JavaScript, and CSS challenges that evaluate front-end development skills.
- **Back-end Developer:** Solve Node.js, JavaScript, and Express challenges that evaluate back-end development skills.

Prerequisites

Before you begin, ensure you have the following:

- Stable internet connection
- Working microphone (if you plan to use voice input)
- Quiet, distraction-free environment

Note: Block at least one hour of uninterrupted time to complete the mock interview successfully.

Taking Coding mock interview

To take the Coding mock interview:

1. Log in to [HackerRank Community](https://www.hackerrank.com/auth/login) using your credentials.
2. Go to the **Prepare** tab.

3. Locate the **Coding** card under the **AI-powered Mock Interviews** section.

!image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771481940073-image.png?Expires=253370764800&Signature=kcdu6n8CXRglovyK3wo5Oz1B6KJt7S4h~BewnaIF5nl9STz5bYaVZ-4~wPa2Rq150m8oeqEMyrAkul5SeLcuPQ1FhwsK2c952yNaRYGUGNpJW83qXuQXmywHYKK4Ypz4xMPs5CMfASv5psQIU3fN17OKFT2jy2DAGjDIHvL-SbokP33BW~Sul3GnGt4edDrA2696SC1nl4UfJxBqGyQi36DWihhsZktPlqmdAbLGv8mAGVkk6ARmX0Upy-2Te~nXLIUSuDSK6kW1QcZI6DwBo9i8JnQt8XSNTvKbaU9XO-guLglQmhMWPZUM5qEzdyw4HHizf8B0Qsp-2k9Qe~ziA__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click **Take Interview**.

5. In the **Select a Role** dialog, select the role you want to take.

!image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771481961495-image.png?Expires=253370764800&Signature=JBsBCNOTHKtoaDE7qF2VklQNbZQdJqhaAwps5wR0L7ziula0MZMR9XSSSjbQnCBt3AVyt0O1VM4c9IJUzyddAmSZUPzlQWal~Nz1Z6BO60vxiz-f79EvTZ4-UumZv1c4PqjFcooG3ZzO86fJJ8dchflHzupy~GITCIA8HaZB1gnY4AuZdeJSNztu~bG-fX9vXXsQXG9igkG1R4~QK4lw9vgYBbvso7S34IzXiQznP8OHVXyI5YUjiw2Ao~glnzxpcZjywlU74wbiGGrWM8lqK80vFP3qMhHwB89ubB4TCV1XnlHB1VLUHHeTguFKMOg8C0Y-VPCEqJtLBzBCnA__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Click **Start Interview**.

Note: Check the banner to confirm available mock interview attempts. If needed, purchase additional credits. For more information, see [? Purchase Mock Interview Credits](/articles/3282259518).

!image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771481974271-image.png?Expires=253370764800&Signature=FvhKLEEd5AePmHydygSbi3kkDw4aMU49f9dan7M~BbBHGOX997co9WMF4hugJj6B3S-Tdvqk~AzpgajMhMxZGDcAKAvhM60VbzRDbC-8bFKAMdx4wb4VKkfsCEbd9uQ3ki5QTjBcMzupY1Z3sE0TPK1q0iRiwJeuNr1SI9uIVvRB6CE1119PoENBrHVS8w84zt58b9VOqmgU19n80dJKbRmTbgd-gKY2k9lnAmcaA73WcQx1laqBRw8xpITj9RGS6RxFlgwySU4k4RWjS5MM4fz0R-s8TX-ThPKzc4Udn3mdjkPfnCJCg711GfHWAhK5X1KEO53tMrvaAhfWRiA__&Key-Pair-Id=K3NV4LZ47N8M46)

7. In the confirmation dialog, click **Start Interview** again.

!image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771481991212-image.png?Expires=253370764800&Signature=tKxJqAE-bFbn8TORUP7pntISxDzveGY-e2hyCTGc~qd9VkOaB0jqYrXWabEsYvgj7utAf1jxRQHuoGqEV4BvZQNxaSVs6C3h6mKIFLYt8zeAQ770LvGvd8GID3DFmYPa15v5xqdBn0ysaO2~Pvfwc9~hYdkdAB3tb8X5UU6PS9kreWh0Qb59m~eUBegdJHFjhGDorfFbIHm4ZFGqySz1R3-r3jFcV4MGXYGqfLvokdW5Y-IQVF~v0Hf9VnDc5FO8hsOmAKa9isUL~YHJzjigv38v14FVdeMQnfoa5BBv0aQCvkCxDFdU72L-qdrpgVdnlvAZQUIJBfE91gYVfX11og__&Key-Pair-Id=K3NV4LZ47N8M46)

The system redirects you to the interview interface.

Interview experience

The AI interviewer guides you through the session in this sequence:

- 1. Asks introductory questions.
- 2. Presents a role-specific coding task.
- 3. Allows you to ask clarifying questions at any time.
- 4. Asks follow-up questions based on your solution and approach.

You can continue interacting with the AI throughout the session.

Interview interface and controls

The interview interface includes:

- **Center panel:** Displays chat panel with the AI interviewer.

!coding mock interview
1.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771482125202-codingmockinterview1.png?Expires=253370764800&Signature=RLnbbOBC~R3zEy-ivxQEql6TBItA7VtAjNKY94kx0uQ2ZlxRrUJUo4w8V9WSuiP4tm2QVmSPXEmp5A~bQbZ3SaKwpy7hNjjPWgPffPQwcig~pPWbf42AzTu~LISJ7gPNSvyeBvEzhAgYX9U0W06IYvLvZoGwVzTrutNrMUNFreAepR3-08Eh-KvGalr2mU0suljedZkVw5L~t5VQ4zkbaolpUb-mP8i0YQbjJs1fBo44tAqCaLd41n7H01i1t7lkz~6WuJpeZRD~ug~6QTT0yYTm-MLg5

qtpC1AprKCKpWfPkpF281nTzlfG3zK9nZvZvCydCWZqSWrICPm5w__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Top-right corner**: Shows a countdown timer, theme toggle (light/dark mode), and the **End Interview** button.

You can respond using one of the following input methods:

- **Text input**

1. Type your response in the input field.
2. Press **Enter** or click **Send** to submit.

- **Speech input**

1. Click the microphone icon to start recording.
2. Click the icon again to stop recording.
3. Review the transcript and press **Enter** or click **Send** to submit.

Using code editor

To start coding, click **Open Code Editor**.

![[coding|mock|interview|2.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771482612650-codingmockinterview2.png?Expires=253370764800&Signature=aJcHPBHNzs9cWmQbSUBZ9AOdK4mLr9W0HdCdlelp90xmZ6TgwoMXZq5dn4oFijhJn6nC0Kv5Rg8votjPAJeGKCykHmUhFpbcfJ3~MfphzIW0ciRI7RUadZovPwW8DLfTGiuaNGZtnxI5cMSG~dtusB48MxN32GBXI2YKwepfynKQnubk0vBNnmP~G3j7fVuLfY~gHrscA57gsa9qxrBh0cBXxqP5rx-gJW9MMtL6rO8GxyLe6iAHxTRjAl2I32bhLffUvUHbxDhhX3okmGI6~owE2OH7yY5Y3UALfoYeZfAk72Gjtlg3XQ~IRS6~boNZapf6R620TXNikMS3LXvJGA__&Key-Pair-Id=K3NV4LZ47N8M46)

The editor layout varies based on the role you choose.

Software Engineer

The screen displays two panels:

![[coding|mock|interview|3.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771482194196-codingmockinterview3.png?Expires=253370764800&Signature=QhuzzYhXN4iMmNcNadcNmrC0JegMnJWatKU~2SjgualDp1mRbsOqVcge86826zZUZvjH3fqv10nfvbHe5H5I5~hOXC~HeL3LYPAjOcUylUgMPntA3LiQxYQfirz3SBddyQFkcIS8qugu9J8DRBlaxCoFEXJDcG8ho1ZC9~CzmSZvngvQZvUwi oi~FyHLHDe37a00eM5xutcDjdhATRYqax~s3xsT5Db5IKkVsmXvtg3Qz4OGWyZRQr1ct9j4RUSE2L4puWZzoOVuR6GpZCQv3VzcXxxXNO7kFDOQZmXdA0NX6jXthMeBrIQi7DsJ2RwaK6JeazeH2npLK84I4eJKwsA__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Left panel**: Chat panel for interacting with the AI interviewer.
- **Right panel**: VS Code?style editor to write and test your code.

You can adjust panel sizes to fit your preferences.

In the code editor, you can:

- Choose a programming language from the **Language** dropdown (for example, Java or C++).

![[coding|mock|interview|4.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771482224769-codingmockinterview4.png?Expires=253370764800&Signature=Z2aLTKRbUM28~qXk2XD5ng9yRHeSTQcl~5I40~T6b7VXptu3SZTK6IFcgvjLHOgh7CrjtzZ9PmW57mHXfg1o5i18GFcCRQ20nXRZn3yjhjMobGb0tf~OnAZyHXj0qrnfwwQC~OvX6oxldKaaWPUfBv3w167IkPQ3nMWXhJ5XL1vPWg3HBGqgyvZdPS7rHWPpRi1YSzktPbNmLRC2esWgCHWPNT~19UATb~pw8izmTSst6dyXqDht9~YhnP9YFLcCm8Dgs7BQf2HRL2kPt7ZwgBax43gr1VhDjD8cixSkN16K92B0NW0UhwBDCDhMzCohSYQem3gNjybP0NdNrC2vQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- Change the editor theme (Light, Dark, or High Contrast).
- Customize editor settings:

![[coding|mock|interview|5.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771482257509-codingmockinterview5.png?Expires=253370764800&Signature=AR2zWNv6qBmxK1sg~pRwp~wBHxse5nFht5nnk81CLGnlx04b9RFSptWVWe~Z5cTa2JhvfFrcF7enqiY

QCmgDvet0Z8E4RP3SdahXrZz3TSGuq8~QfO3jFgDPNijJ1gDGTJ~urtmdlO40H7f4skfU6vg-rElSwGq3WKB5G2sNNR09U3I3G2XuxyUYtJy76dokaAot~zvF7nZfibzJZQHDfkivv1sbOHfdemom~UVE6fS5B1EVrYGhiurmnZHyG5t1h10cPRrkCC9IH4emnVfREcjhIEV-qnpHJD47iUKIMq-Ci56sg7BqklMhbVGlg63kU2xlfI53HC5h1CHVylWw__&Key-Pair-Id=K3NV4LZ47N8M46)

- Editor mode (Normal, Vim, or Emacs)
- Tab spacing (2, 4, or 8 spaces)
- Autocomplete (enabled or disabled)

Note:

- Click the reset button to revert your code to the original problem state.
- Uploading a file will replace the existing code in your editor. A confirmation message appears before the change is applied.
- Use **Test against custom input** to enter and run your own test data.

Front-end Developer

The screen displays three panels:

![[coding|mock|interview|8.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771482488122-codingmockinterview8.png?Expires=253370764800&Signature=Q9ZeGkDMzpgG4HXNZNkK5xSux-ZMaaOtceU1BN9xuhOqzrDBBhbfJOo44RPpIWiuVIMNY4AGvxCPVMzuRRQGIlwrvx1Tt7DgUpur9LE~zygB~OPVXmw0YKRj78oZNRaOuKbfJ4JeqTibjus2AF~XFS1rg8xXRsznDRbpP9xrVPJgKqQikXeAXBIfL0cd-vsZNSmahAB3O1Cltc0buK20rGG4ltEauMg2eSUrnONA4a7ly27FxM4GffsplUMQsvK0KPC~rQcLqwdkQm-D~dqWJSnA1xlvU4ipQyO1z~oZnJf9rX~3JCbqME2CCWF5PMzElxOKX8iBjHEOeVklTWQvQw__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Left panel:** Chat panel for interacting with the AI interviewer.
- **Center panel:** VS Code?style editor for modifying files
- **Right panel:** Live preview of your application.

You can adjust panel sizes to fit your preferences.

Back-end Developer

The screen displays three panels:

![[coding|mock|interview|9.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771482540587-codingmockinterview9.png?Expires=253370764800&Signature=fQTpHFLe8EAmBQUsARILVYRvlfOeGRrXirPtnw8KI7UyTNF~ozMMhkxhLhLnnED~k9WMb8WGHXD81shpGyHkzDqUipw44psa8Z2IJ6rvw4X38TN5yUFFjlOmaana8YrM2cUUX3U51PUGjkCEHjQvDWpBtxQK9LhR3Rjlsi2jcmG4ZKzUjxYA6gtJJO7~11wT~8yGl6T8hHHdscgWZ~UFJ6sQR~2mNwkLKQR5MOMUJnFnfOLhZFCYPT5MOGwofhBoY94VBX~wYz5bPqalMpgKWMOM5DH~5EDFVr5PPPfhQxdJ4~bbAdDsPLThuDVerul2bXR5uWzrEwrP9kxb6ru4w__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Left panel:** Chat panel for interacting with the AI interviewer.
- **Center panel:** VS Code?style editor for modifying files
- **Right panel:** Live preview of your application.

You can adjust panel sizes to fit your preferences.

Testing and submitting code

After writing your solution:

1. Click **Run Code** to validate your code.

![[coding|mock|interview|6.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771482294321-codingmockinterview6.png?Expires=253370764800&Signature=IP1ghP4KCzvTgIKZGn9AiYTNTlyykHQGDOJ2NJpyxF~Y1KIMoBndWqLomoP1DGAA1ITPf~dFwdx1GAXQVqHtl79XxSjL0DitladUGof72gzUDNIE652nNLxXOTN91sL4uv4drb0MBDzbJjpsbH8mnTBBX96YLRhWFui~trXjlv7VjkUu4IVKcYCX1rMN11j1eeM8OSvU4mQ3b1m51Y9QO~mS5hmpd75LSf2eYXH3D1AtFBX3f3oZINcCFSoksV7v6uV1P46VtS3zssUR4uW7L1u4TKxz~4YSmScgBiXBvU2csxLG4yajnbr4~6ZBngp3jbARwp1~PmVyP5YpjPeZA__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Review the test results in the preview panel on the right. If any test cases fail, the AI interviewer may prompt you to review specific parts of your code. It may also provide hints to help you troubleshoot.

3. Once all tests pass, click **Submit Code**. The AI interviewer may ask follow-up questions about your solution, your approach, or related problem-solving concepts to assess your understanding.

Ending an interview

The interview ends when:

- The 60-minute timer expires
- You click **End Interview** button
- The AI interviewer ends the session after completing the interview

Feedback report

When the interview ends, the system replaces the code editor with a feedback screen. The feedback report evaluates:

![[coding_mock_interview7.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771482333800-codingmockinterview7.png?Expires=253370764800&Signature=DGksL2Zb1AxynrvxAQjpsqYL~c8FhS2rHwJDC~azkzf4~IU6msAQFG7aCJPLH~F5kPhSCaqRG6izavZHwf7SPclDk3wNk13zTxVgRk3H5J3~GFuy1MYJHpURgwo3U7VKwAehUko9RMMwy4Uf56rEeo0W0XfR6zXCuaLnEJ4opzfc3~kO9OXEKBk1THeS41ZvSINKTHA3IWgo~VhTcy1SSoJ6rMGecClnTUxxjoCJanQuccFPhzLanP~8Mi946k-s4uGQwa3LcQCwKQAAn809OoKdnZmWZKfLImxi7WvHbndC1TxnEgwwlvU9Mk0vfM1iWRnRowiwvuQtDg-Z2ZkxPw__&Key-Pair-Id=K3NV4LZ47N8M46)

- Code quality
- Problem-solving skills
- Technical communication
- Language proficiency

You can use this feedback to identify areas for improvement. You can continue interacting with the AI interviewer for 15 minutes after the interview ends to:

- Clarify feedback
- Ask follow-up questions
- Request improvement tips

After 15 minutes, the interaction closes automatically.

Note:

If you need to end the interview early:

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771482014647-image.png?Expires=253370764800&Signature=pTrfkUZPvIrAlj5h2e99zBvbm3sITtWiTyJeW4eL~On6SLUbHJOHlinbhsBleM78AodSLxuYF1VpnFL0TA5sqr18J0DIO8LKfYFd86HWXvQqGAR8hHKm~6hQr-gPX7LPFmmspcIHocUJtrEjdw0Wep~gH4SNN6ne5O2FriKqENMYzzXHbM93fmYk1MbhnBvN0MVfte~Sf3WX57CsfLFm1B-jTrzBhPjwkJclgbVdco8HrG-S-vepTExmHhAWHv~h2VLKI4zf6P1mfHliV9N3MgWDuASQEdJmF3Jba03uQB-T9dT7ct-BqZXGLgdVH5hmXHjsgK7nlmAvYnCF4GNS~Q__&Key-Pair-Id=K3NV4LZ47N8M46)

- Click **Reattempt Later** to attempt the interview again later.
- Click **End Anyway** to permanently end the session.

Viewing previous attempts

To view your previous Coding mock interviews:

1. Go to the **Prepare** tab.
2. Locate the **Coding** card under the **AI-powered Mock Interviews** section.

3. Click **Take Interview**.

4. Click **View Previous Interviews**.

The **My Previous Mock Interviews** dialog displays a list of your previous mock interviews, including the date and score for each.

![[image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771482047525-image.png?Expires=253370764800&Signature=e32mzAUH9Y8xfqirMc305US1frbt3M7sXPpkJtAL61Jqw938ZAxFexOlrkBM2AitDv7NwCMLtNf232G8VMwofsv-J9mBVWtrtdpEYVTpqcq2xHZLH-RfG-DDiuD43iF35shEVTGSKTEJeONeaWe9PG3Fn5SzCrniFUuN3~b-9k9bXddZh3p1x7GurQX4Pyy3xXzuBIKqGjdwIVOpeRdeDktipUSDuYeOZHBKSBwpuAJGbN-BmTUjHf8NLIIx9i7i-ORcaGhoot7ZwpF9d8-mb7zvou-3kLe0R95eg2GY1BqxIVNP14QshLF5iWVvyBNg63f2M-r6SRR8yA3P~u-pmYg__&Key-Pair-Id=K3NV4LZ47N8M46)]

5. Click **Show Feedback** next to an attempt to view the feedback report.

![[image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1771482055773-image.png?Expires=253370764800&Signature=Elm8Qb-d0gsfufKRH979XRskzAvKxv53baeGCvEt8Zxr~Gb2OqXRQnUVJaD5ab4p2FP5NOYjroaFm3m~3VVkCTHh5jX7~Q1dpkbgdoLiBIUqHLz2Mzl-bT8KtJ51wi5oMMHvniMI4trf3i2T0seQJ1aMt~zUR-AV5duKiH1tloZwk0bZ6C8Pk~om4Eld6II1vQ1v5odEecoX06eZKlorO7E7GqBxAc-XEXmGIKOy4yLvSjkk2qmap0Yrac3LL-5Jfl0DYblyOkI8X~ydWoPofsHgsxeX96OkppbiYCIXkhYPycal5eJYbfqBCTKIQOweWav~aTgyxvKmK5MIw-Ouw__&Key-Pair-Id=K3NV4LZ47N8M46)]

Best practices

- Monitor the countdown timer. It turns red as time runs out.
- Ask the interviewer clarifying questions if something is unclear.
- Add comments to your code to improve readability and make debugging easier.
- Stay calm and approach the problem one step at a time.

\

[hackerrank_community/mock-interviews] System Design Mock Interview Prerequisites

title: "System Design Mock Interview Prerequisites Taking System Design mock interview Ending an Interview Feedback report Viewing previous attempts"
title_slug: "system-design-mock-interview-prerequisites-taking-system-design-mock-interview-ending-an-interview-feedback-report-viewing-previous-attempts"
source_url: "https://help.hackerrank.com/articles/8813699799-take-a-system-design-mock-interview"
article_slug: "8813699799-take-a-system-design-mock-interview"
last_updated_exact: "Apr 22, 2026, 10:56 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
- "Mock Interviews"

System Design Mock Interview Prerequisites Taking System Design mock interview Ending an Interview Feedback report Viewing previous attempts

Last updated: Apr 22, 2026, 10:56 AM (Last updated 4 days ago)

The System Design Mock Interview is an AI-powered simulation of a real-world system design interview. It provides a timed environment to help you improve your design thinking skills and prepare for real interviews.

Prerequisites


Before you begin, ensure you have the following:

- Stable internet connection
- Working microphone
- Quiet, distraction-free environment

Taking System Design mock interview


To take the System Design Interview:

1. Log in to [HackerRank Community](https://www.hackerrank.com/auth/login) using your credentials.
2. Go to the **Prepare** tab.
3. Locate the **System Design** card under the **AI-powered Mock Interviews** section.


[https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1776790688331-image.png?Expires=253370764800&Signature=kShW7yj~ZEkXKcDtSwUkGBRQEFMRy~6fM~lc-MgAhT4VjDbYFlibem-fFXaoCbem00BkkWFr5NmxN1jShCmxqbDLjvgHPB85u4HK9hd3xSUP7dqb-IG-VD2Njn-pt~eWjbuz~BJYQqbKK9vllkw95t2pcoWylqhwRQWvFmJPu0UDA2FMvGx47-5rnP9TYUmIY~aWrG5zct~uZT9BSeCJw3CdSHkbtibYSS3omgePV8lmu8BLqr0sCKZQbgiPp2BbWN8Sk~luaVh2bTW~qf389eXiv9tuNM32eBS7ygRqEZYOS3ZjFToFg1LRyrO7fqTM51bh6KeNosAjfTtO~6Nvlg__&Key-Pair-Id=K3NV4LZ47N8M46)]

4. Click **Take Interview**.
5. Click **Start Interview**.

Note: Check the banner to confirm available mock interview attempts. If needed, purchase additional credits. For more information, refer to the [? Purchase Mock Interview Credits](/articles/3282259518).


[https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1776790756090-image.png?Expires=253370764800&Signature=AmkpJ7Ug99zzl5PiIDIXO9u6uvFkDVrnyBPae~jGVX5hegPaEoHJZGAslqKNe1KpmlPQi2EKJoXArzBNAR-g3uHMIlopaA~jNMHgKtw2aDOuQysN2UXVgpgE1wkqK7dVyZ8Fa1iJ4AR6HEpYmPe6GnVEWLe6Q8q5dD~ppsplZldk3xC-592Z-dV9dqzGexgkf0wdC-wTMfNDk7GuFJc1ul5VGuaA4YAYFcZDovZ5B28CKXoz1omhgl3X4zt~IT~DTxNpGCBq8GQQ12TCk3cz2chvICq33kn-6N9AieJzoAc5KkxBX~bjEgoOo1thAX9ma-Wkxnpdst1d2fcpUAFGkKQ__&Key-Pair-Id=K3NV4LZ47N8M46)]

6. Allow the browser to access your camera and microphone when prompted.

7. In the **Audio & Camera Settings**, review and adjust your microphone, speaker, and camera.

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1776790853200-image.png?Expires=253370764800&Signature=Q5fU~2XzCm17QeCLS8xgrHGfAjV2GNFMexKOxmFW8udhG-QD501QV49JOs1Hjl8a4QJ9HCrAWm2-Ko5fVdFQksFVwjFhV1Nq5ExWs8MYk9OgeKfs5JTVm7k-tjowcrw9Dxoiv4fyg1ybgDC74~MH8dKrL7KpRpaepOfMEW7z-uacEjQq1ApBsJrMyvn4mxAxsRcQ6ehbp89d1sQ6TLjW8dv9xgXc1geO8bUTEv4qCBcEU9Nrd6Ur8SiU3XMWxb9JZ3cC-eg3X2yzdRPZctqSNiP0IXNaxkTAPuJFtK0lVbyBU6OvbiXvWqdxXxY9QSB2uv4rCklxC5QGdpnAeXG9Ag__&Key-Pair-Id=K3NV4LZ47N8M46))

Note: Select **Test Speakers** to verify your audio.

8. Click **Start Interview**. The system redirects you to the interview interface.

Interview experience

At the start of the interview, the AI Interviewer:

- Introduces the interview
- Explains the interview flow
- Describes the topics it will cover
- Answers any questions before the interview begins

During the interview, the AI Interviewer:

- Asks questions related to system design topics
- Asks follow-up questions based on your responses
- Explores topics in more depth when needed
- Maintains a natural and interactive conversation

You can explain your design approach step by step and use the whiteboard to visually present your system. For more information, see [Using Whiteboard](<https://help.hackerrank.com/articles/8813699799-take-a-system-design-mock-interview#using-whiteboard>).

You can view the remaining interview time in the upper-right corner of the screen.

Interview controls

During the interview, you can use the following controls:

- **Microphone:** Mute or unmute your microphone using the microphone icon.
- **Self-view:** Show or hide your video using the video icon.
- **Transcript:** Show or hide the interview transcript

Using Whiteboard

You can use the Whiteboard to communicate your system design during the mock interview.

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1776790869912-image.png?Expires=253370764800&Signature=Zw2xtUwf2S~yZspnGKnY0I8Unk6Q~mSfbHdjX9famf9hpO8VIP0HBXhhc620FT5S1p1ArDm0KnnK21CkhrVUI79Pbl0ItZHB0HGOiuLHftjybYi-WqPJ~F7~8~eN8FX6jk93SYTbJap8c5slou1UkA7Ak8UN8XI2Xb2VIGHGStDpOmRclK0~VDpjbFjJMupTf0J4WEEe0FE9q3Ev6KiDMtXSrpclnhgnY6QJ8F-6~9IMdaOJvZqbbffQXHD9becLnHPSkk4dkjdFz4y4~bcRznwNrShXlPHDgc7I2ZJ7LLKn8g1N8gBbqtyB56TieKyZ52M0mrE45-LxgT0YFSIg__&Key-Pair-Id=K3NV4LZ47N8M46)

The Whiteboard includes the following sections:

- **Functional and Non-Functional Requirements:** Capture system behavior and constraints
- **API Routes:** Outline how users or services interact with the system
- **Database Schema:** Represent data entities and relationships

- **High-Level Design:** Show the overall system architecture

These sections help you organize your design. Use the toolbar to build and present your solution. For more information, see [Whiteboard components and tools](https://help.hackerrank.com/articles/8813699799-take-a-system-design-mock-interview#whiteboard-components-and-tools).

Whiteboard components and tools

The virtual whiteboard includes the following components and tools.

- **Canvas controls**

- Sketch and annotate without space limitations.
- Scroll through the canvas to continue drawing seamlessly.
- Use the **+** and **?** icons in the bottom-left corner to zoom in and out.
- Use the arrows to undo and redo your designs

- **Drawing tools:** The toolbar at the top of the whiteboard includes:

- **Selection tool:** Select and move shapes or drawings. Drag handles around shapes to resize selected shapes. Press the Delete key on your keyboard to remove selected elements.
- **Shapes library:** Insert common shapes such as squares, diamonds, and circles.
- **Arrow tool:** Add directional arrows to diagrams.
- **Line tool:** Draw straight lines for connections or boundaries.
- **Pen tool:** Draw freehand sketches.
- **Text tool (A):** Add labels, notes, or annotations.

Note: When you select the Shapes or Text tool, use **Hover** for more options on the right side of the canvas to access additional options, such as stroke, font size, alignment, opacity, and layers.

Ending an Interview

When the interview concludes, the AI interviewer confirms that you are ready to end the session. The AI interviewer then ends the interview.

Alternatively, you can end the interview manually.

To end the interview manually:

1. Click **End interview** in the upper-right corner of the interview screen.

2. In the confirmation dialog, click **End**.

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1776790943946-image.png?Expires=253370764800&Signature=mpV4SxqlpGj2ti1qCUrwa05BUWUrwSuMOdAh-e1o2cyDa1XnQVTE8zQKVvWp-0ONfw8-mp7jbcdPDUySS5-YQSolTDakfxm0K-awrhp7oNMeIDS2bO1HHPnNvjE5msKqGBSo~M899nC-yL-ScDO-pEOuz7Ou6Htjq4kyo17Hyq-3waBUqKfQCcyrD~OjQ1k1qLLk3vIEHrO6r84ROkn0-Zg3r1mpFciDhdmWGjZqk9Pn-y0Sx5Dvr2rgWJPBYenk~~~sbavNdHndCYnN8sx50~6ezUEGiUHLCOXjpO7w~Hn4TE70hU9278lpN3ptd0pLec9q3v5DDaOx-bilCz3Q__&Key-Pair-Id=K3NV4LZ47N8M46)

The system redirects you to the feedback report page.

Feedback report

After you complete the interview, the system generates a feedback report.

The report summarizes your AI interview and organizes evidence and feedback so you can quickly evaluate your performance.

You can use the report to review recommendations, interview responses, and section-level feedback in one place.

Feedback report components

The report includes the following components:

- ****Overall Rating****: The report assigns an overall rating on a 5-point scale to summarize your performance across all interview sections.

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1776790963240-image.png?Expires=253370764800&Signature=q~bTNEyRi9zDGUWG1GQKmpTWrt2qJ4Gs6MrqtPw9sx9ujTMY~nPyyWlAm9lhgtP~HDAt4jgIQoplXaKRP--7j5vnVpR2ed8ausn16fjKTmjJSIsZ80BsbAkBekCqMusdn6e3ukZjrB3MwvD0XYwE4NiK9nK5iC1s1tBFRPp1eHyZbVo44broaYOh~U2wlQZvjdtOK0EZJQO7vJnqPIV61Fu39I7z79Jyv4FXQDXAx9sM8V~qi7688o00tKjsj3ouci~eP7C3AcgloLxu5HgO~k6LGqvL8hElh1k-YRqfx3wS1ipGixi7lR8pw4i2-O90aDbslrztmL2pkrlBaEKA__&Key-Pair-Id=K3NV4LZ47N8M46)

- ****Audio Transcripts****: The report includes a full interview recording that lets you:

- Play, pause, and scrub the timeline

- Adjust playback speed

- ****Chat Transcripts****: The full interview chat transcript appears in the left pane.

****Note****: You can continue interacting with the AI interviewer for 15 minutes after the interview ends. You can:

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F9165272c-20b4-40c5-8ec1-a05cf24e6df9-1776790981903-image.png-61ea7e32-12eb-4bbb-adc8-443608b18dc5?Expires=253370764800&Signature=ID-mrl7fIOkKFFzWbE8Cc4DlpTMv8BD86KAQy3vJ1jnc0~mwcMnGfh1SXVmRPDppJXi0mbYpR6o0jvLXhmFvmVsVnMWok~VUMIE70Mj~ba4dQNfyc1NA1PzN8TMAn2JsHpXiN1UUVjSSIK2ZTUyV7qyxTjEk3Vrr6QLoLdb3e6W8jTporlzHvCPz8ZXmI8m69csx46xY93MFAhJ718xxcjPqrSMu7Sc4fuTuMnyebR1fqBYb8En4E8wJ94zd30M1l7sumHBru1bVMCnd80ieagwfxit-HfetBRtzFPYZZvVlQaHonqEiDzJAF9eet5Zqyv7P38i2JXTTjzVX1Z7qA__&Key-Pair-Id=K3NV4LZ47N8M46)

- Clarify feedback

- Ask follow-up questions

- Request improvement tips

After 15 minutes, the interaction closes automatically.

- ****Section-based feedback****: The report organizes feedback by interview section. Each section includes:

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1776790995925-image.png?Expires=253370764800&Signature=atW7On4Ke9UTuuDYIkHdZjG1U~YUpbCA9bbmtRVXbYojq-2QsRPdbCO42aHkV7tZlvZ8kF08Fg2zbVzBmlw5fvFEyFoMlKrWB5keFIQuXSkobohpTV1ZChdGds4uQIBR4YBkM0m5xY7NrzKp6xkv4V72AnB4pd-7n0aBodJXW-g-4SaqvC0phw4KZ5FLqnJblv-BI7f6g37LldPISwvcl80Vfq0WIJDcJWDhQ5zDxeyfolUVBP9Zap-aCO~z3qgk14GrL5y4FPEZhTfGsNOgmfdH5BiQOrySf4yqAy7xfaYKfilogh22fTsAY3PxyzFNPzILCN6ETPNGDIOFd~Fg__&Key-Pair-Id=K3NV4LZ47N8M46)

- A rating on a 5-point scale
- A short narrative that describes your performance in that area

Use the section-based feedback to understand your strengths and gaps in detail.

Viewing previous attempts

To view your previous System Design mock interviews:

1. Go to the ****Prepare**** tab.
2. Locate the ****System Design**** card under the ****AI-powered Mock Interviews**** section.
3. Click ****Take Interview****.
4. Click ****View Previous Interviews.****
The ****My Previous Mock Interviews**** dialog displays a list of your previous mock interviews, including the date and score for each.

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1776791014155-image.png?Expires=253370764800&Signature=kP51SO~vc-mpB7ByFJ2UTu7zpYSM7ey~eNIGziTKLRg39bKUOXcnkEtbte~2aOWvaYTf7JQngvSFIjqWjLJLoNJL6ilu8LJxSOdO-N8~wIMPJ~5BM6VVw68JDCad0YLPXm6bCTNxZv6N0Tw4BAfcO0kvZaakn26Xeo06S-dZyEbmguXtu22~PxzcZp~2KdiGcGk3CYSuy5a7ybOngKbeN7KFg7fOI3Os5-WyhBrQTfyPpfStQhKEFWviAFeBMOOdi~p9xXpN0OY0mrCV-WrEHYih1EOPU1BaOtBZ37XukfTIYKfewt0ms0Ei4OQOcrfq5FV0VUM-B7Rdz3JhTMbeQ__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click ****Show Feedback**** next to an attempt to view the detailed feedback report.

![[image.png]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1776791028447-image.png?Expires=253370764800&Signature=U~nZ7jKS56tLw9xDH6UfmtShQs9wgAChwG-Kh-37WVSwoCLtc3TTRCFzrKns-vwC3TV0KCujJqoOFwvPDfqp6WaOdYG3JG1J6ZPs05FvjZacAaSeCBSTEBDcqqj4IJQmGhHsiTjV5HP-eC7uGO7Jool2186YRxURXjb30fkID-C4ldPQS3m1fQcx3hBTmzU2uYvNFuzHe7OfyyGBAk7RLLmu3eDGCQ9NjTWGnj0EUrBSP7zP~IUfRyGcP1c7rklANKS~xx7ydTMFzEkru0Ge~67EY-VAqmDqGAPvNkCq~bwET0u~zd~bQwCOvxpGI9cdKtMbEqMlvPRPDzCwTMgA__&Key-Pair-Id=K3NV4LZ47N8M46)

\

\

[hackerrank_community/mock-interviews] Introduction to Mock Interview Types of m

```

---
title: "Introduction to Mock Interview Types of mock interviews Accessing mock interview"
title_slug: "introduction-to-mock-interview-types-of-mock-interviews-accessing-mock-interview"
source_url: "https://help.hackerrank.com/articles/8988753946-introduction-to-mock-interview"
article_slug: "8988753946-introduction-to-mock-interview"
last_updated_exact: "Apr 22, 2026, 10:59 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
  - "Mock Interviews"
---

```

Introduction to Mock Interview Types of mock interviews Accessing mock interview

Last updated: Apr 22, 2026, 10:59 AM (Last updated 4 days ago)

HackerRank Community offers AI-powered mock interviews that simulate real-world technical job interviews and provide immediate feedback on your performance.

Mock interviews support:

- Voice-based interaction
- Chat-based interaction

Types of mock interviews

HackerRank Community offers the following AI-powered mock interview types:

- [? Technical Screen Mock Interview](/articles/5671120169)
 \
- [? Coding Mock Interview](/articles/6795045456)
 \
- [? System Design Mock Interview](/articles/8813699799)
 \
- [? Behavioural Mock Interview](/articles/5174727491)
 \
- [? AI Fluency Mock Interview](/articles/3796809491)
 \

Accessing mock interview

To access a mock interview:

1. Log in to [HackerRank Community](https://www.hackerrank.com/auth/login) using your credentials.
2. Go to the **Prepare** tab.
3. Locate the **AI-powered Mock Interviews** section.

HackerRank Community includes the following free mock interviews:

- One **Software Engineer** mock interview under **Coding**
- One **Technical Screen** mock interview

You can take each free mock interview once. To access other mock interviews, you must purchase credits. For more information, see <https://help.hackerrank.com/articles/3282259518> [? Purchase Mock Interview Credits](/articles/3282259518).

[hackerrank_community/practice-coding-challenges] Coding Challenges FAQs

title: "Coding Challenges FAQs"
title_slug: "coding-challenges-faqs"
source_url: "https://help.hackerrank.com/articles/1273631973-coding-challenges-faqs"
article_slug: "1273631973-coding-challenges-faqs"
last_updated_exact: "Nov 12, 2025, 4:32 PM"
last_updated_relative: "Last updated 5 months ago"
breadcrumbs:
- "Practice Coding Challenges"

Coding Challenges FAQs

Last updated: Nov 12, 2025, 4:32 PM (Last updated 5 months ago)

****How does scoring work? ****

Refer to the [Scoring](https://www.hackerrank.com/scoring) Documentation.

****What should I do if my challenges do not load or show an infinite Processing message?****

1. Close the challenge window, then reopen it using the same challenge link.
2. Open the challenge in another supported browser, such as the latest versions of Chrome, Firefox, or Edge, for full compatibility.
3. Ensure your internet connection is stable.

****Why do I not see my challenge results?****

If you do not see challenge results, follow these steps:

1. Wait for the challenge results to process. Challenge results usually appear shortly after you submit a solution. Once the system evaluates your submission, you can see your points, badges, and rank in the upper-right corner of the challenge page.
2. Check the leaderboard. Leaderboards may take time to refresh. If your result does not appear immediately, it may still be processing.
3. Confirm you are using the correct account. Log in to the ****same HackerRank Community account**** you used to participate in the challenge. Results do not appear across different accounts.
4. Contact HackerRank support at help@hackerrank.com if you are still facing an issue with challenge results.

****Note:**** If you take part in a company-sponsored challenge, HackerRank does not display the results. The company that hosts the challenge contacts you directly with the results or next steps.

****Can I view the output of my code in coding questions?****

Yes. Use the ****Run Code**** button in the built-in editor to test your program and view the output before submitting your solution.

\

[hackerrank_community/practice-coding-challenges] Introduction to Coding Challenges

```
---
title: "Introduction to Coding Challenges"
title_slug: "introduction-to-coding-challenges"
source_url: "https://help.hackerrank.com/articles/7845849982-introduction-to-challenges"
article_slug: "7845849982-introduction-to-challenges"
last_updated_exact: "Mar 5, 2025, 3:04 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Practice Coding Challenges"
---
```

Introduction to Coding Challenges


Last updated: Mar 5, 2025, 3:04 PM (Last updated 1 year ago)

The **Prepare by Topics** section in the HackerRank Community provides a structured approach to practice coding challenges categorized by programming language and concept. It enables developers to enhance their skills by effectively concentrating on specific programming languages and concepts.

Accessing coding challenges

To access coding challenges:

1. Log in to [HackerRank Community](https://www.hackerrank.com/auth/login) using your credentials.
2. Go to the **Prepare** tab.
3. Scroll to the **Prepare by Topics** section.
4. Select a topic to practice available challenges (For example, Mathematics, Artificial Intelligence, Python).



Available skills and topics

The **Prepare by Topic** section provides practice coding challenges in the following areas:

- Programming languages and frameworks
 - C
 - C++
 - Java
 - Python
 - Ruby
 - React
 - SQL
- Language-agnostic skills
 - Algorithms

- Data Structures
- Mathematics
- Artificial Intelligence
- Functional Programming
- Regex
- Linux Shell

\

[hackerrank_community/prep-kits] Introduction to Prep Kits Core components Access

```
---
title: "Introduction to Prep Kits Core components Access Prep Kits Available Prep Kits"
title_slug: "introduction-to-prep-kits-core-components-access-prep-kits-available-prep-kits"
source_url: "https://help.hackerrank.com/articles/1723224478-introduction-to-prep-kits"
article_slug: "1723224478-introduction-to-prep-kits"
last_updated_exact: "Nov 12, 2025, 4:04 PM"
last_updated_relative: "Last updated 5 months ago"
breadcrumbs:
  - "Prep Kits"
---
```

Introduction to Prep Kits Core components Access Prep Kits Available Prep Kits

Last updated: Nov 12, 2025, 4:04 PM (Last updated 5 months ago)

The Prep Kit is a structured, end-to-end preparation suite that helps job seekers get interview-ready. It mirrors the actual hiring process and includes guided practice, realistic assessments, AI-powered interview simulations, and role-specific certifications.

Core components

Each Prep Kit offers the following components:

- **Practice Challenges:** Solve curated, role-specific problems with support from the built-in AI Tutor to guide your learning.
- **Mock Tests:** Take timed, auto-evaluated assessments that closely reflect real HackerRank screening tests. Get **personalized reports** to track your performance and improvement areas. HackerRank flags your Mock Test for plagiarism if your activity indicates an integrity violation.

Note: Avoid the following integrity violation during the test:
 - Switching between browser tabs or windows.
 - Copying and pasting code or text.
 - Resizing or minimizing the test window.
- **Mock Interviews:** Experience realistic interviews led by an AI Interviewer. It asks follow-up questions, challenges your thinking, and gives detailed feedback at the end. For more information on Mock Interview, see [? Introduction to Mock Interview](/articles/8988753946).
- **Role Certification:** Complete a final structured assessment to earn a certification for your chosen role. You can share the verified certificate with recruiters or social channels such as LinkedIn. For more information on Role Certification, see [? Introduction to Certification](/articles/2563639100).

Access Prep Kits

To access the Prep Kits:

1. Log in to the [HackerRank Community](https://www.hackerrank.com/dashboard) using your credentials.
2. Go to **Prepare \> Prep Kits**.

Available Prep Kits

HackerRank currently offers the Software Engineer Prep Kit.

Software Engineer Prep Kit

The Software Engineer Prep Kit includes the following resources:

![SEPrepKitUpdated2.gif](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1759744413850-SEPrepKitUpdated2.gif?Expires=253370764800&Signature=lp43QTnqph4VC3WPFW1iE31YXL~LsyK-XXgQm4YDHNvd-3bQJ6xlrEQb-Hc9G-B6tYD4JKL6bEj~W3vXCbdCTIN4l4QpjU9A89Klo30ZCSI-TkcR16ZmaHkORvqf26XnugOrpl4boKQkMkut8uXVS1B~z7ExB4q4ixg5GAbf4CQ9ehY4Od5t8GyqIKrLvB3iGcF0En9~6xwao5D3BCkYValOMBfmSqoeJ03ydz2sIn0SfZxUKn0ycJL2JL39rQcYI5v9xl8HXzRrXLUA3ttLaTLca4QKBxTurvm7OI4VHld6qUiC5VnrM4eg8GI~RBNwoWUFL-sgBhA0gCcS~HRhg__&Key-Pair-Id=K3NV4LZ47N8M46)

- Practice Challenges in data structures and algorithms, with step-by-step guidance from the AI Tutor.
- Mock Tests modeled on real-world coding assessments.
- Two AI-powered Mock Interviews:
 - A 60-minute coding interview.
 - A 60-minute system design interview.

Note: You can purchase additional mock interviews à la carte. For more information, see [[Purchase Mock Interview Credits](#)](/articles/3282259518).

- Role Certification, a final assessment to validate your problem-solving skills and earn a shareable certification.

Note: You can subscribe to **monthly** or **quarterly** plans based on your preparation needs. For more information, see [[HackerRank Subscription Plans](#)](/articles/9054300007).

\

[hackerrank_community/subscriptions-payments-and-billing] Purchase Mock Interview

title: "Purchase Mock Interview Credits"
title_slug: "purchase-mock-interview-credits"
source_url: "https://help.hackerrank.com/articles/3282259518-purchase-mock-interviews"
article_slug: "3282259518-purchase-mock-interviews"
last_updated_exact: "Mar 24, 2025, 3:31 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Subscriptions, Payments, and Billing"

Purchase Mock Interview Credits

Last updated: Mar 24, 2025, 3:31 PM (Last updated 1 year ago)

HackerRank Community allows you to purchase mock interview credits to explore and practice different interview types. Once purchased, mock interview credits do not expire. You can attempt any type of mock interview with your purchase.

Purchasing credits

To purchase mock interview credits:

1. Log in to [HackerRank Community](https://www.hackerrank.com/auth/login) using your credentials.
2. Go to the **Prepare** tab and locate **Mock Interviews for you** section
3. Click **Buy Mock Interviews** on any of the listed mock interview cards.
4. Choose the number of mock interviews you want to buy. You can view the total cost for each option.

![image.png](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1742810459324-image.png?Expires=253370764800&Signature=fB9uIRhwuzUIM5dc1yf5c74QWldtspCITu-OBEAyRZ~PX79BRQ0On82Z~h1~8FXbFal~UjFESDzU13PMX~rnSfWn6PPoPA9-WmdduldEBofKucm8NetGHADtBXi73hxe2JXoEbzBIRvH1ARVwzEoHd87anzwKbH-2mOPpDNyHGpo0AfQmu~fvMAHxEcQQ91oh1YHCT5czV2ZCYqKPdWW1YndMIDFv-lu40hQnMUGqih0xfBG59hTTXFBZo8u3OWcA5j5nrrRp5ldNg3qhq7OO5v7Z6Zpn3PBg7IGAUEsdpbYmNVXVB1n8PI~PdwkwnF0PKuxT2LI-hB851S7wgUZmg__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click **Buy Now** to proceed to the payment gateway.
Supported payment methods:

- Stripe (Available in all countries except India)
- Razorpay (Available in India)

6. Enter your payment details and complete the transaction.
7. Click **Pay** to complete your purchase.

Refund policy

If you accidentally make a purchase or are not satisfied with your mock interview, contact help@hackerrank.com. The support team will promptly review your request.

[hackerrank_community/subscriptions-payments-and-billing] Upgrade Subscription Plan

title: "Upgrade Subscription Plan Upgrade options Upgrading subscription plan"
title_slug: "upgrade-subscription-plan-upgrade-options-upgrading-subscription-plan"
source_url: "https://help.hackerrank.com/articles/4312449655-upgrade-subscription-plan"
article_slug: "4312449655-upgrade-subscription-plan"
last_updated_exact: "Feb 2, 2026, 12:53 PM"
last_updated_relative: "Last updated 3 months ago"
breadcrumbs:
- "Subscriptions, Payments, and Billing"

Upgrade Subscription Plan Upgrade options Upgrading subscription plan

Last updated: Feb 2, 2026, 12:53 PM (Last updated 3 months ago)

HackerRank assigns the **Basic** plan to all users by default. You can upgrade to the **Plus** or **Infinity** subscription plan at any time. For more information on available plans, see [? HackerRank Subscription Plans](/articles/9054300007).

When you upgrade your subscription plan:

- The upgrade takes effect immediately, and you gain instant access to the features of your new subscription.
- If you already have an active subscription, HackerRank calculates the charge based on proration. For the rest of the cycle, you pay only the difference between the old and new plans.
- Your next billing date remains the same.

Note:

Proration formula: $(\text{Days remaining in cycle} \div \text{Total days in cycle}) \times \text{New plan price} - (\text{Days remaining in cycle} \div \text{Total days in cycle}) \times \text{Old plan price}$.

Example: Assume you are on the **Plus Monthly** plan (\$30/month) and upgrade to the **Infinity Monthly** plan (\$60/month) with 10 days remaining in your 30-day billing cycle.

Applying the proration formula: $(10 \div 30) \times 60 - (10 \div 30) \times 30 = 10$

You pay \$10 for the upgrade.

If you upgrade from a non-Basic plan, HackerRank forfeits your previous credits. You immediately receive a full set of credits for your new subscription plan.

Note: Credits are the entitlements included in your subscription. For example, three AI Mock Interviews per month, two Mock Tests per month with detailed performance reports.

Upgrade options

The following upgrade paths are available based on your current subscription and billing cycle:

From Basic

- Basic ? Plus Monthly
- Basic ? Plus Quarterly
- Basic ? Infinity Monthly
- Basic ? Infinity Quarterly

From Plus

- Plus Monthly ? Plus Quarterly
- Plus Monthly ? Infinity Monthly

- Plus Monthly ? Infinity Quarterly

- Plus Quarterly ? Infinity Quarterly

****From Infinity****

- Infinity Monthly ? Infinity Quarterly

Upgrading subscription plan

To upgrade your subscription plan:

!buysubscription.gif](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1758201117283-buysubscription.gif?Expires=253370764800&Signature=IVgoZb0xN1EsgTyU4jC53HUEX4ZZJokK9BvzYrCL~IDEjZjobdYeaT3lq6iZjnGoQPuhPK2q8vezCXm1ncO061as6TD7OWg0EcX26oO8niDfo5o9FgKGeGBjZeKuEoO8jjOUxFEvE~oe0czH3L0tOHCJOO3uqWQ77rFg2DxGosPzW3mmP8scUT2fxfz8P-vKfrQQPBS6~sxqJqCWmDH1m8rxCzggiTSgWrQ50GmylacuoTHjY3BpozQ6eHdcR2Nm~GmHU68E4wJqA6ghN86gyyFPJtg6OUZO4Bduf07WRbjyp60GJvxkbKMTbHqb6StETZfBonZ5XGBo-AowwaBzfg__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Log in to your [HackerRank Community](https://www.hackerrank.com/auth/login) account using your credentials.
2. Click the profile icon in the upper-right corner.
3. Select ****Plans**** from the drop-down menu.
4. Select the plan you want and click ****Upgrade****.
5. In the confirmation dialog, click ****Accept & Continue**** to proceed to the payment gateway.
Supported payment methods:
 - Stripe (Available in all countries except India)
 - Razorpay (Available in India)

<!-- -->

1. Enter your payment details.
2. Click ****Pay**** to complete your transaction.

****Note:**** HackerRank does not issue refunds for mid-cycle upgrades.

\

[hackerrank_community/subscriptions-payments-and-billing] Downgrade Subscription

title: "Downgrade Subscription Plan Downgrade options Downgrading subscription plan"
title_slug: "downgrade-subscription-plan-downgrade-options-downgrading-subscription-plan"
source_url: "https://help.hackerrank.com/articles/5432562533-downgrade-subscription-plan"
article_slug: "5432562533-downgrade-subscription-plan"
last_updated_exact: "Sep 18, 2025, 7:59 PM"
last_updated_relative: "Last updated 7 months ago"
breadcrumbs:
- "Subscriptions, Payments, and Billing"

Downgrade Subscription Plan Downgrade options Downgrading subscription plan

Last updated: Sep 18, 2025, 7:59 PM (Last updated 7 months ago)

You can downgrade your subscription plan at any time.

When you downgrade your subscription plan:

- The downgrade takes effect at the start of the next billing cycle, and you receive a confirmation email with the effective date.
- You continue to have access to your current plan features and credits (Entitlements included in your subscription) until the cycle ends.
- At the start of the new cycle:
 - Downgraded plan activates
 - Resets the credits
 - Unused credits from the previous plan expire
 - Priority support remains available

Downgrade options

The following downgrade paths are supported:

****From Infinity Quarterly****

- Infinity Quarterly ? Infinity Monthly
- Infinity Quarterly ? Plus Quarterly
- Infinity Quarterly ? Plus Monthly

****From Infinity Monthly****

- Infinity Monthly ? Plus Monthly
- Infinity Monthly ? Plus Quarterly

****From Plus Quarterly****

- Plus Quarterly ? Plus Monthly

Downgrading subscription plan

To downgrade your subscription plan:

! [downgradesubscription.gif] (https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1758200730541-downgradesubscription.gif?Expires=253370764800&Signature=BFqAlAzAE0ISAiXrsMo76IJRxK9tfftjsfERiU1LGsW7VkJrA6aK2xkN1mEf81sh5ufwVg80lxsDZE9q6c0b3U5CluQvn9V2OMumZl8OywxEssMB8-CqYm4n1VEMioUzi4Pmyr5c78xGNC8UU4ZyB4EGYgvSta5~DPrHpMplN0RuSB6TKn5QSb5cOpW6gJQcybY9ujT38CBBpOlurqjqpDltM5aDaxmfBBE5rKTnlaV8kNYNjEVgLQX9ENxfUM8p7OOkeXh7Yatp5gT--mwJWB1qhAxX0WkBT OyZCVnEmz-C5lQf56U7eedg3us0rpqTOckmeWRnmMrl4O5ELtd5Q__&Key-Pair-Id=K3NV4LZ47N8M

46)

1. Log in to your [HackerRank Community](<https://www.hackerrank.com/auth/login>) account using your credentials.
2. Click the profile icon in the upper-right corner.
3. Select **Plans** from the drop-down menu.
4. Select the plan you want to downgrade and click **Downgrade**.
5. In the confirmation dialog, select a reason for downgrading and click **Proceed**.
6. Click **Downgrade** to complete the process.\

\

\

[hackerrank_community/subscriptions-payments-and-billing] Cancel Subscription Plan

```
---
title: "Cancel Subscription Plan Cancellation options Cancelling subscription plan"
title_slug: "cancel-subscription-plan-cancellation-options-cancelling-subscription-plan"
source_url: "https://help.hackerrank.com/articles/6560545309-cancel-subscription-plan"
article_slug: "6560545309-cancel-subscription-plan"
last_updated_exact: "Sep 18, 2025, 8:00 PM"
last_updated_relative: "Last updated 7 months ago"
breadcrumbs:
  - "Subscriptions, Payments, and Billing"
---
```

Cancel Subscription Plan Cancellation options Cancelling subscription plan

Last updated: Sep 18, 2025, 8:00 PM (Last updated 7 months ago)

You can cancel your subscription at any time.

When you cancel your subscription plan:

- Cancellation takes effect at the end of the current billing cycle, and you receive a confirmation email with the cancellation date.
- You continue to have access to your current plan features and credits (Entitlements included in your subscription) until the cycle ends.
- At the end of the cycle:
 - Your subscription ends, and your account reverts to the Basic plan.
 - Any unused credits expire.
 - Priority support is removed.

Cancellation options

The following cancellation paths are supported:

- Infinity Quarterly ? Basic
- Infinity Monthly ? Basic
- Plus Quarterly ? Basic
- Plus Monthly ? Basic

Cancelling subscription plan

To cancel your subscription plan:

![[cancelsubscription.gif]](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1758200930585-cancelsubscription.gif?Expires=253370764800&Signature=AyLzhiyf0GdGbvbeiskJ2bWJFqEHALwZkBqiJMLzOUNaAOcSN0KNLhjTtWqtyGkRT43AXfWG8cNKDDSSbFhEqph8XZ5pYhomBaB7ekI7eUtUEOUrir5kmbuAwdCa-aZsiV3ZZVCvepA2cr52vl~Kc4sx03BqncUixK1dzNU5~TLKF6jxaNSFqB4u3gOakfWtoQ0dMNUCxlAruaf1MSaz8YuzkeZl-mTSuCPdozpftY6AwshBEGs7mSwRObw0NifeTBls1sQzJjVnrwNTSLy-06~rgbT5~WkhZOqHk3xsBOfLxP2GD4Mz6HZvtTBgzLGqCfona6jITvTgDHS70f-hVw__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Log in to your [HackerRank Community](https://www.hackerrank.com/auth/login) account using your credentials.
2. Click the profile icon in the upper-right corner.
3. Select **Plans** from the drop-down menu.
4. Click **Cancel Plan** under your current subscription.

<!-- -->

1. In the confirmation dialog, select a reason for cancellation and click **Proceed**.

2. Click ****Cancel Plan**** to complete the process.

****Note:**** HackerRank does not issue refunds for voluntary cancellations. Refunds apply only to system-related issues or severe service disruptions.

\

\

[hackerrank_community/subscriptions-payments-and-billing] HackerRank Subscripti

```
---
title: "HackerRank Subscription Plans Available plans"
title_slug: "hackerrank-subscription-plans-available-plans"
source_url: "https://help.hackerrank.com/articles/9054300007-hackerrank-subscription-plans"
article_slug: "9054300007-hackerrank-subscription-plans"
last_updated_exact: "Sep 18, 2025, 8:16 PM"
last_updated_relative: "Last updated 7 months ago"
breadcrumbs:
  - "Subscriptions, Payments, and Billing"
---
```

HackerRank Subscription Plans Available plans

Last updated: Sep 18, 2025, 8:16 PM (Last updated 7 months ago)

HackerRank subscription plans provide structured, flexible access to premium preparation tools for all experience levels, from beginners to advanced candidates aiming for top roles.

Available plans

Each subscription plan includes a defined set of features and benefits to support your preparation needs.

Note: You can subscribe **monthly** or **quarterly** and upgrade your plan at any time based on your preparation needs. To upgrade your subscription plan, see [? Upgrade Subscription Plan](/articles/4312449655).

The following section describes the monthly plans:

!PricingPlansnewver.gif](https://assets.usepylon.com/0de3a1ce-684d-4589-ad00-0840216c2f36%2F1755668134656-PricingPlansnewver.gif?Expires=253370764800&Signature=XQr2ur-ZwDyxfmyiaY1E6okBNxODIf5fg1vy1DolggGWOiZ~8l0uAGgfTL25sKaHq58bUduWpIfzKKMiuGw~QD9z6oyK45cjALEfQOcHGEJqSmSnKOpHroEoGUq5Ipj38JNKMjG0TVZL5noRb40-KrUBH129FMnZddviaGC3~gDJD16PxZnX8yvgLB8sfYoWLVPCCHoOWNYLQw5ftxyjWsPEweXrQm7FRwd0H6fdbwxwudLfghEe43xMQQvvWpI9UgTIZN8E-1XynqxxxswONGJkPJzb81iWEUMmt45XPvDYCYIWW-fEn69yGTmYSpwX4thmfdIKhs5NTfbbMkg__&Key-Pair-Id=K3NV4LZ47N8M46)

Basic

The Basic plan includes the following features:

- One Coding AI Mock Interview
- One Mock Test with a detailed performance report
- AI Tutor access for two challenges

Note: HackerRank assigns the Basic plan to all users by default.

Plus

The Plus plan includes the following features:

- Three AI Mock Interviews per month
- Two Mock Tests per month with detailed performance reports
- Unlimited access to the AI Tutor
- Priority support

Infinity

The Infinity plan includes the following features:

- Full access to the AI Mock Interview question library
- Full access to the Mock Test question library with detailed performance reports

- Unlimited access to the AI Tutor

- Priority support

****Note:****

- To downgrade your subscription plan, see [[? Downgrade Subscription Plan](/articles/5432562533)](/articles/5432562533).

- To cancel your subscription plan, see [[? Cancel Subscription Plan](/articles/6560545309)](/articles/6560545309).

- For more information on Mock Interviews, see [[? Introduction to Mock Interview](/articles/8988753946)](/articles/8988753946).

\

[hackerrank_community/subscriptions-payments-and-billing] Subscriptions, Payments

title: "Subscriptions, Payments, and Billing FAQs Mock interviews Subscription plans"
title_slug: "subscriptions-payments-and-billing-faqs-mock-interviews-subscription-plans"
source_url: "https://help.hackerrank.com/articles/9157064719-payments-and-billing-faqs"
article_slug: "9157064719-payments-and-billing-faqs"
last_updated_exact: "Nov 12, 2025, 4:42 PM"
last_updated_relative: "Last updated 5 months ago"
breadcrumbs:
- "Subscriptions, Payments, and Billing"

Subscriptions, Payments, and Billing FAQs Mock interviews Subscription plans

Last updated: Nov 12, 2025, 4:42 PM (Last updated 5 months ago)

Mock interviews

****What happens to my mock interview credits if I merge accounts?****

Mock interview credits cannot be transferred and stay on the account where they were purchased. We recommend using them before merging accounts.

****Can I update my payment method?****

Yes. HackerRank does not store payment methods. When purchasing mock interview credits, you can select your preferred payment option in the Stripe or Razorpay pop-up.

****What should I do if my payment fails?****

Refresh the page and retry the payment. If any amount was deducted incorrectly, it will be refunded within 5?10 business days.

****Can I use the mock interview credits multiple times? Does it have an expiry date?****

Each mock interview uses one credit. You can use each credit only once. All credits are valid for one year from the date of purchase.

****Where can I find my invoices?****

You receive your invoices by email after each purchase.

Subscription plans

****Can I purchase additional mock interviews separately?****

Yes. You can purchase additional mock interviews à la carte. For more details, see [[? Purchase Mock Interview Credits](#)](/articles/3282259518).

****Can I upgrade my subscription plan?****

Yes. You can upgrade your subscription at any time based on your preparation needs. To upgrade your subscription, see [[? Upgrade Subscription Plan](#)](/articles/4312449655).

****Can I upgrade from Basic directly to Infinity?****

Yes. You can upgrade directly from ****Basic**** to ****Infinity****. To upgrade your subscription, see [[? Upgrade Subscription Plan](#)](/articles/4312449655).

****What are the billing options?****

You can subscribe to a monthly or quarterly billing cycle.

****How do I downgrade my subscription?****

To downgrade your subscription, see [[? Downgrade Subscription Plan](#)](/articles/5432562533).

****How do I cancel my subscription?****

To cancel your subscription, see [[? Cancel Subscription Plan](/articles/6560545309)](/articles/6560545309)

\

****What happens if I exceed my new plan's limits during a downgrade transition?****

You continue to have access to your current plan features and credits (Entitlements included in your subscription) until the cycle ends, even if your usage exceeds the new plan's limits.

****Do I get a refund when I upgrade mid-cycle?****

No. You pay the prorated difference for the upgrade and gain immediate access to new features.

****Can I change from monthly to quarterly billing without changing my plan tier?****

Yes. HackerRank treats this as an upgrade. The change takes effect immediately with prorated billing.

****What happens to my unused credits when I upgrade?****

HackerRank forfeits all unused credits from your previous plan. You immediately receive the full credit allocation of your new plan.

****What should I do if I accidentally click Start Test and lose a credit?****

When you click ****Start Test****, the system immediately records your attempt. However, you do not lose access to the test. You can return and continue from where you left off at any time.

\

[general] HackerRank Knowledge Base

HackerRank Knowledge Base

Exported 394 articles.

Uncategorized

- [Assessing Candidates on Prompt Engineering Skills](uncategorized/1231590424-assessing-candidates-on-prompt-engineering-skills.md)
- [Browser Recommendations](uncategorized/5897755717-browser-recommendations.md)
- [Execution Environment Coding and Database Front-End, Back-End, Full Stack, Mobile, Data Science and DevOps](uncategorized/6693750503-execution-environment.md)
- [Onboarding Candidates](uncategorized/9695299159-onboarding-candidates.md)

Chakra / Getting Started

- [Introduction to Chakra Key features How-to guides](chakra/getting-started/6908366644-introduction-to-chakra.md)

Chakra / Integrations

- [Ashby - Chakra Integration User Guide Prerequisites Adding an AI Interviewer activity in Ashby Scheduling HackerRank AI Interview from Ashby Viewing Interview results](chakra/integrations/8472393759-ashby-chakra-integration-user-guide.md)
- [Greenhouse - Chakra Integration User Guide Prerequisites Adding an AI Interviewer stage in Greenhouse Scheduling an AI Interview from Greenhouse Viewing interview results](chakra/integrations/8491534135-greenhouse-chakra-integration-user-guide.md)

Chakra / Manage Chakra

- [Clone an AI Interviewer Prerequisite Cloning an AI interviewer](chakra/manage-chakra/8961150967-clone-an-ai-interviewer.md)
- [Create an AI Interviewer Creating an AI interviewer Editing an AI Interviewer](chakra/manage-chakra/8041423965-create-an-ai-interviewer.md)
- [Invite Candidates to an AI Interview Prerequisite Inviting candidates to an AI interview Candidate experience](chakra/manage-chakra/5542727476-invite-candidates-to-an-ai-interview.md)
- [View Candidate Report in Chakra Viewing candidate report Candidate report components](chakra/manage-chakra/6818900787-view-candidate-reports.md)

Engage

- [Create an Event Creating an event Configure event settings](engage/7549509598-create-an-event.md)
- [End your Event on a High Note With the Leaderboard](engage/9322191698-end-your-event-on-a-high-note-with-the-leaderboard.md)
- [HackerRank Engage - Marketing Best Practices](engage/7196095057-hackerrank-engage---marketing-best-practices.md)
- [Introduction to HackerRank Engage](engage/6424218208-hackerrank-engage.md)
- [Set Up a Microsite](engage/3958121708-setting-up-the-event-microsite.md)
- [Set Up Emails Set up email sequences Set up broadcast emails](engage/9707768362-set-up-the-promotional-emails-or-campaigns.md)
- [Set Up the Event Challenge](engage/7640208607-set-up-the-event-challenge.md)
- [Source and Manage Candidates for Events](engage/7392770596-getting-candidates-for-your-event.md)
- [View Event Statistics](engage/5336874519-view-event-stats.md)

General Help / Academy

- [HackerRank Academy](general-help/academy/5297005851-hackerrank-academy-video-tutorial.md)

General Help / Additional Resources

- [Access Candidate Timeline Accessing candidate timeline](general-help/additional-resources/2652374569-access-candidate-timeline.md)
- [Ensuring a Great Candidate Experience Prepare candidates for success How HackerRank manages candidate support Recommended candidate support workflow](general-help/additional-resources/6477583642-ensuring-a-great-candidate-experience.md)

General Help / Campus/University Hiring

- [Support for Campus Events](general-help/campusuniversity-hiring/7220470055-support-for-campus-events.md)

General Help / Contact Us

- [Contact HackerRank Support](general-help/contact-us/8616956464-contact-hackerrank-support.md)
- [Meet HackerRank?s Solution Engineering team](general-help/contact-us/5656446182-our-hackerrank%E2%80%99s-solution-engineering-team.md)

General Help / Deprecations and Experience Changes

- [Deprecations and Experience Changes April 2026 January 2026](general-help/deprecations-and-experience-changes/9867323057-january-2026-deprecations-and-experience-changes.md)

General Help / Evaluation Guides

- [Early Talent](general-help/evaluation-guides/1216495690-early-talent-.md)
- [Manual for Fair Hiring](general-help/evaluation-guides/7033977271-manual-for-fair-hiring.md)
- [Mid-Level](general-help/evaluation-guides/7483769801-mid-level.md)
- [Professional Hire](general-help/evaluation-guides/2625349560-professional-hire.md)

General Help / HackerRank AI

- [HackerRank AI Add-on See What?s Included](general-help/hackerrank-ai/5847651809-hackerrank-ai-add-ons.md)
- [HackerRank's AI Features](general-help/hackerrank-ai/9416207922-hackerrank%27s-ai-features.md)

General Help / HackerRank AI Data Services

- [HackerRank AI Data Services FAQ](general-help/hackerrank-ai-data-services/2212135172-hackerrank-ai-data-services-faq.md)

- [HackerRank Dataset Creation Methodology](general-help/hackerrank-ai-data-services/4425890244-hackerrank-dataset-creation-methodology.md)

General Help / Important Notifications

- [HackerRank Maintenance Window Notification Maintenance schedule Impact Required actions Frequently Asked Questions Need support?](general-help/important-notifications/2086891729-hackerrank-maintenance-window-notification.md)

General Help / Release Notes

- [April 2024 Release Notes](general-help/release-notes/9911032760-april-2024-release-notes.md)

- [April 2025 Release Notes](general-help/release-notes/5686123513-april-2025-release-notes.md)

- [April 2026 Release Notes Screen Interview Platform Chakra (AI Interviewer) SkillUp Community Deprecations and Experience Changes](general-help/release-notes/4368819843-april-2026-release-notes.md)

- [January 2024 Release Notes](general-help/release-notes/1306589776-january-2024-release-notes.md)

- [January 2025 Release Notes](general-help/release-notes/8074371720-january-2025-release-notes.md)

- [January 2026 Release Notes Screen Skills Platform Developer Experience Integrity Interview Data and Insights Integrations SkillUp Deprecations and Experience Changes](general-help/release-notes/2321596225-january-2026-release-notes.md)

- [July 2024 Release Notes](general-help/release-notes/4505174147-july-2024-release-notes.md)

- [July 2025 Release Notes Screen Screen Features Available in the AI Add-on Package Skills Platform Developer Experience Interview Interview Features Available in the AI Add-on Package SkillUp Engage](general-help/release-notes/3121307537-july-2025-release-notes.md)

- [October 2024 Release Notes](general-help/release-notes/1189675016-october-2024-release-notes.md)

- [October 2025 Release Notes Screen Skills Platform Developer Experience Integrity Interview Data and Insights Integrations AI Interviewer (Limited Availability) SkillUp Developer Community](general-help/release-notes/8474307750-october-2025-release-notes.md)

- [Q3' 23 Release Notes Q3' 23 Release Notes](general-help/release-notes/9502641162-q3%27-23-release-notes.md)

- [What's New on HackerRank](general-help/release-notes/5026442259-what%27s-new-on-hackerrank-.md)

Integrations / Applicant Tracking Systems

- [Rooster - HackerRank integration](integrations/applicant-tracking-systems/5902644770-rooster-hackerrank-integration.md)

Integrations / Applicant Tracking Systems / Ashby

- [Ashby - HackerRank Integration Configuration Guide](integrations/applicant-tracking-systems/ashby/4146164514-ashby---hackerrank-integration-configuration-guide.md)

- [Ashby - HackerRank Integration User Guide](integrations/applicant-tracking-systems/ashby/5999209869-ashby---hackerrank-integration-user-guide.md)

- [Ashby - HackerRank Technical Interview Integration Guide](integrations/applicant-tracking-systems/ashby/7862793608-ashby-hackerrank-technical-interview-integration-guide.md)

- [Ashby Integration with HackerRank](integrations/applicant-tracking-systems/ashby/9896080715-ashby-integration-with-hackerrank.md)

Integrations / Applicant Tracking Systems / Avature

- [Avature - HackerRank Integration Avature Integration features](integrations/applicant-tracking-systems/avature/7339966937-avature---hackerrank-integration.md)

Integrations / Applicant Tracking Systems / Breezy

- [Breezy - HackerRank Integration Setup](integrations/applicant-tracking-systems/breezy/6794716414-breezy---hackerrank-integration-setup.md)

Integrations / Applicant Tracking Systems / Darwinbox

- [Darwinbox - HackerRank Integration Guide](integrations/applicant-tracking-systems/darwinbox/2001883323-darwinbox---hackerrank-integration-guide.md)

Integrations / Applicant Tracking Systems / Eightfold

- [Eightfold - HackerRank Integration HackerRank Integration](integrations/applicant-tracking-systems/eightfold/7924497743-eightfold---hackerrank-integration.md)

- [Eightfold - HackerRank Integration User Guide Overview](integrations/applicant-tracking-systems/eightfold/2155086316-hackerrank---eightfold-integration-user-guide.md)

- [HackerRank - Eightfold Integration Configuration Guide](integrations/applicant-tracking-systems/eightfold/2732992835-hackerrank---eightfold-integration-configuration-guide.md)

Integrations / Applicant Tracking Systems / Freshteam

- [Freshteam - HackerRank Integration Guide](integrations/applicant-tracking-systems/freshteam/9978423020-freshteam---hackerrank-integration-guide.md)

Integrations / Applicant Tracking Systems / Greenhouse

- [Enabling Outcome Data and Public Link with Greenhouse](integrations/applicant-tracking-systems/greenhouse/3593554348-enabling-outcome-data-and-public-link-with-greenhouse.md)

- [Greenhouse - HackerRank Integration Guide Prerequisites Integrating Greenhouse with HackerRank Glossary Frequently Asked Questions (FAQs)](integrations/applicant-tracking-systems/greenhouse/1406188460-greenhouse---hackerrank-integration-guide.md)

- [Greenhouse - HackerRank Integration Interview User Guide Prerequisites Adding HackerRank interview stage in Greenhouse Scheduling HackerRank Interview Viewing Interview Results](integrations/applicant-tracking-systems/greenhouse/8806262569-greenhouse---hackerrank-integration-interviews-user-guide.md)

- [Greenhouse - HackerRank Integration Overview](integrations/applicant-tracking-systems/greenhouse/2646010908-greenhouse---hackerrank-integration-overview.md)

- [Greenhouse - HackerRank Integration Test User Guide Prerequisites Adding HackerRank assessment stage in Greenhouse Sending HackerRank test invite to a candidate Sending bulk HackerRank test invites to candidates Viewing candidate test results

Viewing updated scores in
Greenhouse](integrations/applicant-tracking-systems/greenhouse/2499611070-greenhouse---hackerrank-integration-tests-user-guide-.md)

- [Greenhouse-HackerRank Integration FAQs API Token and Access Tests and Interviews Common Troubleshooting](integrations/applicant-tracking-systems/greenhouse/3678461564-greenhouse-hackerrank-integration-faqs.md)

Integrations / Applicant Tracking Systems / IBM Kenexa Brassring

- [IBM Kenexa BrassRing - HackerRank Integration](integrations/applicant-tracking-systems/ibm-kenexa-brassring/7600349400-ibm-kenexa-brassring---hackerrank-integration.md)

- [IBM Kenexa BrassRing - HackerRank Tests Integration](integrations/applicant-tracking-systems/ibm-kenexa-brassring/7795424803-ibm-kenexa-brassring---hackerrank-tests-integration.md)

- [IBM Kenexa BrassRing - Interviews Integration Overview Integration Steps](integrations/applicant-tracking-systems/ibm-kenexa-brassring/7390910463-ibm-kenexa-brassring---interviews-integration.md)

Integrations / Applicant Tracking Systems / iCIMS

- [iCIMS - HackerRank Integration Guide](integrations/applicant-tracking-systems/icims/9631673147-icims---hackerrank-integration-guide.md)

- [iCIMS - HackerRank Prime Assessments Configuration Guide](integrations/applicant-tracking-systems/icims/2481948575-icims---hackerrank-prime-assessments-configuration-guide.md)

- [iCIMS - HackerRank Prime Assessments Integration Guide](integrations/applicant-tracking-systems/icims/4539361473-icims---hackerrank-prime-assessments-integration-guide.md)

- [iCIMS Prime Assessment - HackerRank Integration User Guide](integrations/applicant-tracking-systems/icims/1495212030-icims-prime-assessment---hackerrank-integration-user-guide.md)

Integrations / Applicant Tracking Systems / Jazz

- [Jazz - HackerRank Tests integration](integrations/applicant-tracking-systems/jazz/5164370576-jazz---hackerrank-tests-integration.md)

Integrations / Applicant Tracking Systems / Jobvite

- [Jobvite - HackerRank Integration](integrations/applicant-tracking-systems/jobvite/6917918087-jobvite---hackerrank-integration.md)

- [Jobvite - HackerRank Integration Configuration Guide](integrations/applicant-tracking-systems/jobvite/1202195004-jobvite---hackerrank-integration-configuration-guide.md)

- [Jobvite - HackerRank Integration User Guide](integrations/applicant-tracking-systems/jobvite/2429924508-jobvite---hackerrank-integration-user-guide.md)

Integrations / Applicant Tracking Systems / Kula.ai

- [Kula.ai ? HackerRank Integration User Guide Prerequisites Integrating Kula.ai with HackerRank Managing integration](integrations/applicant-tracking-systems/kulaai/5121238837-kula-ai-hackerrank-integration-user-guide.md)

Integrations / Applicant Tracking Systems / Lever

- [Adding Candidates to Lever ATS from a Public Link](integrations/applicant-tracking-systems/lever/9868451767-adding-candidates-to-lever-ats-from-a-public-link.md)

- [Lever - HackerRank Interview Integration Overview Lever - HackerRank Interview Integration](integrations/applicant-tracking-systems/lever/8274807044-lever---hackerrank-interview-integration.md)

- [Lever - HackerRank Tests Integration](integrations/applicant-tracking-systems/lever/7177093032-lever---hackerrank-tests-integration.md)

- [Lever HackerRank Integration](integrations/applicant-tracking-systems/lever/1538275190-lever-hackerrank-integration.md)

- [Scheduling HackerRank Interviews with Candidates in Lever](integrations/applicant-tracking-systems/lever/2634152447-scheduling-hackerrank-interviews-with-candidates-in-lever.md)

Integrations / Applicant Tracking Systems / Lever V2

- [Lever V2 - HackerRank Integration Guide Prerequisites Integrating Lever V2 for HackerRank tests Integrating Lever V2 for HackerRank interviews](integrations/applicant-tracking-systems/lever-v2/5647291926-lever-v2-hackerrank-integration-guide.md)

- [Lever V2 - HackerRank Integration Interview User Guide Prerequisites Scheduling a HackerRank interview from Lever Viewing Interview feedback in Lever](integrations/applicant-tracking-systems/lever-v2/5269579148-lever-v2-hackerrank-integration-interview-user-guide.md)

- [Lever V2 - HackerRank Integration Test User Guide Prerequisites Inviting candidates to a HackerRank test Viewing test results in Lever](integrations/applicant-tracking-systems/lever-v2/6548604920-lever-v2-hackerrank-integration-test-user-guide.md)

Integrations / Applicant Tracking Systems / LinkedIn Talent Hub

- [LinkedIn Talent Hub - HackerRank Integration](integrations/applicant-tracking-systems/linkedin-talent-hub/2757478179-linkedin-talent-hub---hackerrank-integration-.md)

Integrations / Applicant Tracking Systems / ModernLoop

- [ModernLoop - HackerRank Integration User Guide Prerequisites Integrating ModernLoop with HackerRank Using HackerRank integration](integrations/applicant-tracking-systems/modernloop/9797503689-modernloop-hackerrank-integration-user-guide.md)

Integrations / Applicant Tracking Systems / Northstarz

- [Northstarz - HackerRank Integration User Guide Adding HackerRank test to a job on Northstarz Sending HackerRank test invites from Northstarz Viewing a candidate test report on Northstarz](integrations/applicant-tracking-systems/northstarz/4546750166-northstarz-hackerrank-integration-user-guide.md)

Integrations / Applicant Tracking Systems / Oracle Recruiting Cloud

- [Oracle Recruiting Cloud - HackerRank Integration Setup](integrations/applicant-tracking-systems/oracle-recruiting-cloud/8503244016-oracle-recruiting-cloud---hackerrank-integration-on-.md)

- [Oracle Recruiting Cloud - HackerRank Integration Setup]

Guide](integrations/applicant-tracking-systems/oracle-recruiting-cloud/8672148210-oracle-recruiting-cloud---hackerrank-integration-setup-guide.md)

- [Oracle Recruiting Cloud and HackerRank Integration User Guide](integrations/applicant-tracking-systems/oracle-recruiting-cloud/3350882088-oracle-recruiting-cloud-and-hackerrank-integration-user-guide.md)

Integrations / Applicant Tracking Systems / Phenom People

- [Phenom People - HackerRank Integration Guide](integrations/applicant-tracking-systems/phenom-people/7288417717-phenom-people---hackerrank-integration-guide.md)

Integrations / Applicant Tracking Systems / Prismforce

- [Prismforce - HackerRank Integration Guide](integrations/applicant-tracking-systems/prismforce/5932438086-prismforce---hackerrank-integration-guide.md)

Integrations / Applicant Tracking Systems / Recruitee

- [Recruitee - HackerRank Integration Guide Prerequisites Integrating Recruitee with HackerRank](integrations/applicant-tracking-systems/recruitee/1039021982-recruitee-hackerrank-integration-guide.md)
- [Recruitee - HackerRank Integration Interview User Guide Prerequisites Inviting candidates to a HackerRank interview Viewing interview results](integrations/applicant-tracking-systems/recruitee/7457838560-recruitee-hackerrank-integration-interview-user-guide.md)
- [Recruitee - HackerRank Integration Overview Tests features](integrations/applicant-tracking-systems/recruitee/6130823390-recruitee---hackerrank-integration-guide.md)
- [Recruitee - HackerRank Integration Test User Guide Prerequisites Inviting candidates to a HackerRank test Viewing test results](integrations/applicant-tracking-systems/recruitee/4110238052-recruitee-hackerrank-integration-test-user-guide.md)

Integrations / Applicant Tracking Systems / Rippling

- [Rippling Integration](integrations/applicant-tracking-systems/rippling/8750225690-rippling-integration.md)

Integrations / Applicant Tracking Systems / SAP Success Factors

- [SAP Success Factors - HackerRank Integration Guide](integrations/applicant-tracking-systems/sap-success-factors/6922485557-sap-success-factors---hackerrank-integration-guide.md)

Integrations / Applicant Tracking Systems / SmartRecruiters

- [SmartRecruiters - HackerRank Integration Configuration Guide](integrations/applicant-tracking-systems/smartrecruiters/9231210914-smartrecruiters---hackerrank-integration.md)
- [SmartRecruiters - HackerRank Integration Configuration Guide](integrations/applicant-tracking-systems/smartrecruiters/5934100296-smartrecruiters---hackerrank-integration-configuration-guide.md)
- [SmartRecruiters - HackerRank Integration User Guide](integrations/applicant-tracking-systems/smartrecruiters/2880884436-smartrecruiters---hackerrank-integration-user-guide.md)

Integrations / Applicant Tracking Systems / Taleo

- [Taleo](integrations/applicant-tracking-systems/taleo/7459195623-taleo.md)

Integrations / Applicant Tracking Systems / Teamtailor

- [Teamtailor - HackerRank Integration Configuration Guide](integrations/applicant-tracking-systems/teamtailor/9251533406-teamtailor---hackerrank-integration.md)
- [Teamtailor - HackerRank Integration Configuration Guide](integrations/applicant-tracking-systems/teamtailor/3927772988-teamtailor---hackerrank-integration-configuration-guide.md)
- [Teamtailor - HackerRank Integration: User Guide](integrations/applicant-tracking-systems/teamtailor/6599779249-teamtailor---hackerrank-integration%3A-user-guide.md)

Integrations / Applicant Tracking Systems / Workable

- [Workable - HackerRank Tests Integration](integrations/applicant-tracking-systems/workable/3863699223-workable---hackerrank-tests-integration.md)

Integrations / Applicant Tracking Systems / Workday

- [Workday - HackerRank Interviews Configuration Guide](integrations/applicant-tracking-systems/workday/3252953266-workday---hackerrank-integration.md)
- [Workday - HackerRank Interviews Configuration Guide](integrations/applicant-tracking-systems/workday/4722432610-workday---hackerrank-interviews-configuration-guide.md)
- [Workday - HackerRank Interviews User Guide Prerequisites Schedule Interviews on Workday View the Interview Scorecard in Workday](integrations/applicant-tracking-systems/workday/7842363172-workday---hackerrank-interviews-user-guide.md)
- [Workday - HackerRank Tests Configuration Guide](integrations/applicant-tracking-systems/workday/1782819445-workday---hackerrank-tests-configuration-guide.md)
- [Workday - HackerRank Tests User Guide](integrations/applicant-tracking-systems/workday/1999755553-workday---hackerrank-tests-user-guide.md)

Integrations / Applicant Tracking Systems / Zapier

- [Zapier - HackerRank Integration Guide Prerequisites Integrating Zapier with HackerRank](integrations/applicant-tracking-systems/zapier/9883166979-zapier-hackerrank-integration-guide.md)
- [Zapier - HackerRank Integration Interview User Guide Prerequisites Configuring Zaps for HackerRank interviews Sending interview invites Viewing interview results](integrations/applicant-tracking-systems/zapier/5179178131-zapier-hackerrank-integration-interview-user-guide.md)
- [Zapier - HackerRank Integration Test User Guide Prerequisites Configuring Zaps for HackerRank assessments Sending assessment invites Viewing assessment results](integrations/applicant-tracking-systems/zapier/7100809601-zapier-hackerrank-integration-test-user-guide.md)

Integrations / Applicant Tracking Systems / Zoho Recruit

- [Zoho Recruit - HackerRank Integration](integrations/applicant-tracking-systems/zoho-recruit/6202373438-zoho-recruit---hackerrank-integration.md)
- [Zoho Recruit - HackerRank Integration Setup](integrations/applicant-tracking-systems/zoho-recruit/8020207036-zoho-recruit---hackerrank-integration-setup.md)
- [Zoho Recruit - Sending HackerRank Tests and Interviews](integrations/applicant-tracking-systems/zoho-recruit/3696308525-zoho-recruit---sending-hackerrank-tests-and-interviews.md)

Integrations / Getting started with Integrations

- [Integration Logs](integrations/getting-started-with-integrations/7263906600-integration-logs.md)
- [Integrations Overview](integrations/getting-started-with-integrations/1847021717-integrations-overview.md)
- [Partner Guide to building an integration with HackerRank](integrations/getting-started-with-integrations/8660206242-partner-guide-to-building-an-integration-with-hackerrank.md)

Integrations / Productivity

- [Interview Vector - HackerRank Integration Guide](integrations/productivity/6541817100-interview-vector---hackerrank-integration-guide.md)
- [Slack - HackerRank Integration Guide](integrations/productivity/1480104967-slack---hackerrank-integration-guide.md)
- [Splash - HackerRank Integration Guide](integrations/productivity/1979161599-splash---hackerrank-integration-guide.md)

Integrations / Scheduling

- [Calendar Add-ons for HackerRank Interviews](integrations/scheduling/3450462093-calendar-add-ons-for-hackerrank-interviews.md)
- [Configuring InterviewPlanner - HackerRank Integration](integrations/scheduling/1300810624-configuring-interviewplanner---hackerrank-integration.md)
- [Goodtime - HackerRank Integration Guide](integrations/scheduling/7205562153-goodtime---hackerrank-integration-guide.md)
- [HackerRank Interview and Google Calendar Integration](integrations/scheduling/1262999130-hackerrank-interview-and-google-calendar-integration.md)
- [HackerRank Interview and Outlook Calendar Integration](integrations/scheduling/2480863637-hackerrank-interview-and-outlook-calendar-integration.md)
- [InterviewPlanner - HackerRank Integration](integrations/scheduling/6566949282-interviewplanner---hackerrank-integration.md)
- [InterviewPlanner-HackerRank Integration FAQs](integrations/scheduling/7401637722-interviewplanner-hackerrank-integration-faqs-.md)
- [Prelude - HackerRank Integration Guide](integrations/scheduling/6684042810-prelude---hackerrank-integration-guide.md)
- [Using HackerRank Interviews in InterviewPlanner](integrations/scheduling/3675175160-using-hackerrank-interviews-in-interviewplanner.md)

Integrations / Single Sign-On (SSO)

- [Getting Started with Single Sign-On Prerequisites Steps to enable SSO SSO endpoints Updating certificates](integrations/single-sign-on-sso/4264962721-getting-started-with-single-sign-on.md)
- [Just-in-Time (JIT) Provisioning for HackerRank SSO](integrations/single-sign-on-sso/8000473667--setting-up-hackerrank-sso-with-just-in-time-.md)
- [Log In to HackerRank with Google Workspace Account](integrations/single-sign-on-sso/9826965692-log-in-to-hackerrank-with-google-workspace-account.md)
- [SAML 2.0 Single Sign-on (SSO)](integrations/single-sign-on-sso/4516079405-saml-2.0-single-sign-on-%28sso%29-.md)
- [Set up HackerRank Single Sign-On with Okta Prerequisites Setting up HackerRank Single Sign-On with Okta](integrations/single-sign-on-sso/2841246365-setting-up-hackerrank-single-sign-on-with-okta.md)
- [Setting up HackerRank Single Sign-On with Azure AD](integrations/single-sign-on-sso/3007497492-setting-up-hackerrank-single-sign-on-with-azure-ad.md)
- [Setting Up HackerRank SSO with OneLogin](integrations/single-sign-on-sso/6114369280-setting-up-hackerrank-sso-with-onelogin.md)
- [Setting Up SCIM Provisioning with Okta](integrations/single-sign-on-sso/3939437783-setting-up-scim-provisioning-with-okta.md)

Interviews / Additional Resources

- [Attach a File to a Problem Statement](interviews/additional-resources/7571200514-attach-a-file-to-a-problem-statement.md)
- [HackerRank Interview Best Practices](interviews/additional-resources/5533854049-hackerrank-interview-best-practices.md)
- [Recommended Questions and Interviewer's Guidelines](interviews/additional-resources/1982891156-recommended-questions-and-interviewer%E2%80%99s-guidelines.md)

Interviews / Additional Resources / FAQs

- [Frequently Asked Questions](interviews/additional-resources/faqs/9583186367-FAQs.md)

Interviews / Getting Started

- [AI-Assisted Interviews Key benefits Enable AI Assistant for interviews Disable AI Assistant for a specific question Candidate experience Interviewer experience Post-interview report Frequently Asked Questions (FAQ)](interviews/getting-started/5821380141-ai-assisted-interviews.md)
- [Audio and Video Calls in Interviews Powered by Zoom Prerequisites Key benefits Screen sharing during interviews Customize the video layout Verify system compatibility](interviews/getting-started/6271433412-audio-and-video-calls-in-interviews-powered-by-zoom.md)
- [Introduction to HackerRank Interviews](interviews/getting-started/9059560249-introduction-to-hackerrank-interviews.md)
- [Network Monitoring in HackerRank Interviews](interviews/getting-started/6375174017-network-monitoring-in-hackerrank-interviews.md)
- [Question Types in HackerRank Interviews](interviews/getting-started/9999244916-question-types-in-hackerrank-interviews.md)
- [Self-Signup for Interviewers](interviews/getting-started/6028726783-self-signup-for-interviewers.md)
- [The Next-Generation of Hiring: Interview

Interviews / Integrations

- [Zoom - HackerRank Interview Integration](interviews/integrations/5805684780-zoom---hackerrank-interview-integration.md)

- [Interview Integrity Signals Enabling Interview Integrity Signals How it works Types of suspicious signals](interviews/interview-integrity/5161582600-interview-integrity-signals.md)

Interviews / Interview Settings

- [Hide Locked Tabs in Interviews Key benefits Enable automatic tab lock and hide Interviewer experience Candidate experience](interviews/interview-settings/2284202564-hiding-locked-tabs-in-interviews.md)

Interviews / Manage Interviews

- [Audio or Video Device Selection During Interview](interviews/manage-interviews/5936478208-audio-or-video-device-selection-during-interview.md)

- [Create an Interview Starting an interview immediately Scheduling an interview Search and filter Interviews Join as an Interviewer Candidate experience](interviews/manage-interviews/8404005945-creating-an-interview.md)

- [Delete an Interview Prerequisites Deleting an Interview](interviews/manage-interviews/6488043690-canceling-an-interview.md)

- [DevOps Questions in HackerRank Interviews](interviews/manage-interviews/8182862423-devops-questions-in-hackerrank-interviews.md)

- [Export Interview List Prerequisite Exporting interview list](interviews/manage-interviews/8398508792-export-interview-list.md)

- [I/o Console Inside the Interviews](interviews/manage-interviews/o-console-inside-the-interviews.md)

- [Importing Projects in HackerRank Interview](interviews/manage-interviews/1769104522-importing-projects-in-hackerrank-interview-.md)

- [Manage Interviews Templates Creating an interview template Sharing an interview template Removing user access from an interview template Renaming an interview template Deleting an interview template Frequently Asked Questions (FAQ)](interviews/manage-interviews/2837093779-standardizing-interviews-using-templates.md)

- [Observation Mode in Interviews](interviews/manage-interviews/1263202297-observation-mode-in-interviews.md)

- [Replacing Interview Questions](interviews/manage-interviews/8239997164-replacing-interview-questions.md)

- [Use Templates in Interviews Opening a template during an in

Interviews / Scoring and Reports

- [Interview Scorecards Accessing interview scorecards Custom scorecards Using the scorecard during an interview View scorecard in Interview Report](interviews/scoring-and-reports/9842091173-interview-scorecards.md)

Library / Additional Resources / General Questions

- [Using draw.io tool for Diagram Questions](library/additional-resources/general-questions/8569407083-using-draw.io-tool-for-diagram-questions.md)

- [\[Creating a Custom Checker\]\(library/additional-resources/programming-questions/6515044510-creating-a-custom-checker.md\)](#)

Questions](library/additional-resources/programming-questions/8626818013-defining-test-cases-for-coding-questions.md)

- [Defining the Problem Details: Coding and Database Engineer Questions](library/additional-resources/programming-questions/7816600113-defining-the-problem-details%3A-coding-and-database-engineer-questions.md)
- [Floating Values in Database Engineer Questions](library/additional-resources/programming-questions/7867481079-floating-values-in-database-engineer-questions.md)
- [Generating Code Stubs](library/additional-resources/programming-questions/9168425479-generating-code-stubs.md)
- [Test Case Input Format](library/additional-resources/programming-questions/2461683826-test-case-input-format.md)
- [Test Cases in Coding and Approximate Solution Questions](library/additional-resources/programming-questions/3245197419-test-cases-in-coding-questions.md)

Library / Additional Resources / Project Questions

- [Assessing Candidates for Azure Skills](library/additional-resources/project-questions/8545628905-assessing-candidates-for-azure-skills.md)
- [Assessing Candidates on Cloud Skills](library/additional-resources/project-questions/1938573113-assessing-candidates-on-cloud-skills.md)
- [Configurations for Front-end, Back-end and Full stack Developer Questions](library/additional-resources/project-questions/9443018671-configurations-for-front-end%2C-back-end-and-full-stack-developer-questions.md)
- [Cookie settings for HTML/CSS/JavaScript and Projects Questions](library/additional-resources/project-questions/javascript-and-projects-questions.md)
- [Hidden Test Cases for Front-End, Back-End and Full Stack Questions](library/additional-resources/project-questions/1626384486-hidden-test-cases-for-front-end%2C-back-end-and-full-stack-questions.md)
- [Package Information for Data Science Questions](library/additional-resources/project-questions/6282504591-package-information-for-data-science-questions.md)
- [Upgrading Custom Project Questions](library/additional-resources/project-questions/7922341412-upgrading-custom-project-questions.md)
- [Validating a Project for Front End, Back End, and Full Stack Questions](library/additional-resources/project-questions/1053996435-validating-a-project-for-front-end%2C-back-end%2C-and-full-stack-questions.md)

Library / Frequently Asked Questions

- [How can I edit HackerRank Library Questions?](library/frequently-asked-questions/7502854057-can-i-edit-hackerrank-library-questions%3F.md)

Library / Getting Started

- [HackerRank Question Count Comparison by Subscription Plan](library/getting-started/6095274436-hackerrank-question-count-comparison-by-subscription-plan.md)
- [Introduction to HackerRank Library Accessing the Library Question sources Searching, sorting, and filtering questions Related topics](library/getting-started/5664166353-hackerrank-library-navigation.md)
- [Question Types in HackerRank Supported question types](library/getting-started/2354192461-question-types-in-hackerrank-tests.md)

Library / Manage Question

- [AI Solvability Indicator and Filter](library/manage-question/7394210877-ai-solvability-indicator-and-filter.md)
- [Archive a Question Prerequisite Archiving a question Unarchiving a question](library/manage-question/2040951869-archive-a-question.md)
- [Associating Tags to Questions](library/manage-question/9412060538-associating-tags-to-questions.md)
- [Clone a Question Cloning a question](library/manage-question/9746551127-cloning-a-question.md)
- [Create a Question Creating a question from the Library Creating a question while editing a test](library/manage-question/4894957291-creating-questions.md)
- [Edit a Question Prerequisites Editing a question](library/manage-question/9349097996-editing-a-question.md)
- [Export Questions Prerequisite Exporting all questions Exporting selected test questions](library/manage-question/9028620307-export-questions.md)
- [Review Question Quality](library/manage-question/4691012356-review-question-quality.md)
- [Share a Question Prerequisite Sharing a question Transferring ownership of a question Removing access from a question](library/manage-question/6697457900-share-a-question.md)
- [Steps to Create Accessible Content at HackerRank](library/manage-question/4968606472-steps-to-create-accessible-content-at-hackerrank.md)
- [View Test Question Insights Prerequisite Viewing test question insights](library/manage-question/3255724462-question-insights.md)

Library / Question Scoring

- [Evaluation Methods for Test Questions Evaluation methods by question type](library/question-scoring/4666032442-scoring-questions-%28overview%29.md)
- [Manual Scoring for General Question Types](library/question-scoring/2056253220-manual-scoring-for-general-questions.md)

Library / Question Types / General Questions

- [Diagram Questions Creating Diagram questions Candidate view Scoring Diagram questions](library/question-types/general-questions/4376717308-diagram-questions.md)
- [File Upload Questions Creating a file upload question Candidate experience Scoring file upload questions in tests](library/question-types/general-questions/3284451474-file-upload-question.md)
- [Multiple Choice Questions Creating a Multiple Choice question Candidate experience Scoring Multiple Choice questions in

tests](library/question-types/general-questions/2513748038-multiple-choice-questions.md)

- [Prompt Engineering Questions Scoring prompt engineering questions FAQs](library/question-types/general-questions/6081633644-scoring-for-prompt-engineering-questions.md)
- [Sentence Completion Questions Creating a sentence completion question Candidate experience Scoring sentence completion questions in tests](library/question-types/general-questions/5866154232-sentence-completion-questions.md)
- [Subjective Questions Creating a subjective question Candidate experience Scoring subjective questions in tests](library/question-types/general-questions/2296520412-subjective-questions.md)
- [Whiteboard Questions Creating a whiteboard question Candidate experience Scoring a Whiteboard Question in tests](library/question-types/general-questions/2578948087-creating-a-whiteboard-question.md)

Library / Question Types / Programming Questions

- [Approximate Solution Type Questions Creating an approximate solution question Scoring an approximate solution question in tests](library/question-types/programming-questions/8117531949-approximate-solution-type-question.md)
- [Coding Questions Creating a coding question Quality review Candidate experience Scoring a coding question in tests](library/question-types/programming-questions/2474669643-coding-question.md)
- [Database Questions Creating a database question Candidate experience Scoring a database question in tests](library/question-types/programming-questions/8826242281-database-engineer-questions.md)
- [HTML/CSS/JavaScript Questions Creating an HTML/CSS/JavaScript question Candidate experience Scoring an HTML/CSS/JavaScript question in tests](library/question-types/programming-questions/javascript-questions.md)

Library / Question Types / Projects Questions

- [Code Repository Questions Key benefits Code Repository artifacts Creating a Code Repository question Adding questions to an existing Code Repository Editing an existing Code Repository question Frequently Asked Questions](library/question-types/projects-questions/1900882930-code-repository-questions.md)
- [Code Review Questions Creating a Code Review question Candidate experience Scoring a Code Review question in tests](library/question-types/projects-questions/4262355406-code-review-questions.md)
- [Data Science Questions Creating a Data Science question Candidate experience Scoring a Data Science question in tests](library/question-types/projects-questions/5187107609-data-science-questions.md)
- [DevOps Questions Key benefits Creating a DevOps question Candidate experience Scoring a DevOps question in tests](library/question-types/projects-questions/5929074504-devops-questions.md)
- [Front-end, Back-end, Full-stack, Mobile, and QA Engineer Questions Key benefits Creating front-end, back-end, full-stack, mobile, and QA engineer questions Candidate experience Scoring front-end, back-end, full-stack, mobile, and QA engineer questions in tests](library/question-types/projects-questions/1570281449-creating-front-end%2C-back-end-full-stack-and-mobile-questions.md)
- [Generative AI Questions Creating a Generative AI question Candidate experience Scoring a Generative AI question in tests](library/question-types/projects-questions/7355446816-creating-a-rag-retrieval-augmented-generation-question.md)

Screen / Best Practice Guides

- [Best Practices for Email Delivery and Bounce Management Understanding email bounces Best practices to improve email deliverability](screen/best-practice-guides/1258426835-best-practices-for-email-delivery-and-bounce-management.md)
- [Best Practices for Screening](screen/best-practice-guides/3584214233-best-practices-for-screening.md)
- [Best Practices to Maintain Test Integrity](screen/best-practice-guides/1878974014-best-practices-to-maintain-test-integrity.md)
- [Mitigating Candidate Drop-Off](screen/best-practice-guides/5269412517-mitigating-candidate-drop-off.md)
- [Plagiarism Best Practices Guide](screen/best-practice-guides/4291690360-plagiarism-best-practices-guide.md)

Screen / Frequently Asked Questions

- [How Can I Cancel a Test Invite?](screen/frequently-asked-questions/7974410169-how-can-i-cancel-a-test-invite%3F-.md)
- [How can I delete a Question that I No Longer Require?](screen/frequently-asked-questions/4964125282-how-can-i-delete-a-question-that-i-no-longer-require%3F.md)
- [How can I Try a Question or a Test?](screen/frequently-asked-questions/1202456939-how-to-try-a-question-or-a-test.md)
- [How Do I Upload All Test Cases at Once?](screen/frequently-asked-questions/5773853281-how-do-i-upload-all-test-cases-at-once.md)
- [How to Allow Candidates to Retake a Test?](screen/frequently-asked-questions/4428221834-how-to-allow-candidates-to-retake-a-test%3F.md)
- [How to Assess Data Engineering Skills on HackerRank?](screen/frequently-asked-questions/1572498839-how-to-assess-data-engineering-skills-on-hackerrank%3F.md)
- [How to Assess Kubernetes Skills on HackerRank](screen/frequently-asked-questions/8730911957-how-to-assess-kubernetes-skills-on-hackerrank.md)
- [How to Assess Machine Learning Engineering Skills on HackerRank?](screen/frequently-asked-questions/2229796182-how-to-assess-machine-learning-engineering-skills-on-hackerrank%3F.md)
- [How to Assess Selenium Skills of a Candidate on HackerRank?](screen/frequently-asked-questions/4357184721-how-to-assess-selenium-skills-of-a-candidate-on-hackerrank.md)
- [How to download Bash history, logs and session playback recording?](screen/frequently-asked-questions/5819570244-how-to-download-bash-history%2C-logs-and-session-playback-recording%3F.md)
- [How to Move Questions Across Sections in a Test?](screen/frequently-asked-questions/4989710628-how-to-move-questions-across-sections-in-a-test%3F.md)
- [How to Rename a Test](screen/frequently-asked-questions/2426927743-how-to-rename-a-test.md)
- [I made changes to Test content. When does it take effect for the Candidates?](screen/frequently-asked-questions/3765449705-i-made-changes-to-test-content.-when-does-it-take-effect-for-the-candidates%3F.md)

-

[Screen

FAQ's](screen/frequently-asked-questions/8754663182-what-is-the-maximum-number-of-candidates-i-can-assess-using-coding-assessments%3F.md)

- [What happens to Candidate statuses if the cutoff score is altered?](screen/frequently-asked-questions/6321836373-what-happens-to-candidate-statuses-if-the-cut-off-score-is-altered%3F.md)
- [When I edit a live test, when will the edits take effect for the candidates?](screen/frequently-asked-questions/9355761217-i-made-changes-to-test-settings.-when-will-it-take-effect-for-candidates%3F.md)

Screen / Getting Started

- [AI-Assisted Tests](screen/getting-started/1152916770-ai-assisted-tests.md)
- [HackerRank Certified Assessments](screen/getting-started/1649328687-hackerrank-certified-assessments.md)
- [HackerRank Glossary](screen/getting-started/3572240492-hackerrank-glossary.md)
- [Quick Start Guide for Recruiters](screen/getting-started/9248897371-quick-start-guide-for-recruiters.md)
- [Scoring Certified Assessments](screen/getting-started/8606775858-scoring-certified-assessments.md)

Screen / Invite Candidates

- [Cancel a Test Invite](screen/invite-candidates/6257623198-cancelling-a-test-invite.md)
- [Deleting an Email Template](screen/invite-candidates/1128741183-deleting-an-email-invite-template.md)
- [Editing an Email Template](screen/invite-candidates/7775986938-editing-an-email-invite-template.md)
- [Invite Candidates to a Test Prerequisites Inviting candidates to a test](screen/invite-candidates/6027855406-inviting-candidates-to-a-test.md)
- [Limitations With HackerRank Projects](screen/invite-candidates/3052727240-limitations-with-hackerrank-projects.md)
- [Manage Email Templates Prerequisite Creating a custom email template Editing a custom email template Using a custom email template Using a shared email template Setting a default email template Deleting a custom email template](screen/invite-candidates/9684438314-creating-an-email-template.md)
- [Reinvite Candidates to a Test Prerequisites Reinviting candidates to a test](screen/invite-candidates/1002936098-reinviting-candidates-to-a-test.md)
- [Send Bulk Email Invites Sending bulk email invites Troubleshooting bulk invite errors](screen/invite-candidates/7127221409-sending-bulk-email-invites-to-a-test.md)
- [Using Shared Email Templates](screen/invite-candidates/4162887849-using-shared-email-invite-templates.md)

Screen / Managing Tests

- [Archive a Test Prerequisites Archiving a test Restoring an archived test](screen/managing-tests/8415416322-archiving-a-test.md)
- [Clone a Test Prerequisites Cloning a test](screen/managing-tests/3225598042-cloning-a-test.md)
- [Create a Test Creating a Test Additional test actions](screen/managing-tests/6967597139-creating-a-new-test.md)
- [Create Test Variants](screen/managing-tests/7530103378-test-variants.md)
- [Delete a Test Prerequisites Deleting a test](screen/managing-tests/9552481360-deleting-a-test.md)
- [Delete a Test Submission Prerequisites Deleting a test submission](screen/managing-tests/9556988565-deleting-a-test-submission.md)
- [Download Tests as PDF Prerequisites Downloading test as PDF](screen/managing-tests/4481890289-downloading-tests-in-pdf-files.md)
- [Export Tests Data Prerequisites Exporting tests data](screen/managing-tests/7081156839-exporting-tests-data.md)
- [Extend Test Duration for Candidates Add Time Accommodation Add extra time](screen/managing-tests/4811403281-adding-extra-time-for-candidates.md)
- [Grant Test Access Frequently Asked Questions (FAQs)](screen/managing-tests/9398245856-sharing-a-test.md)
- [Lock a Test Prerequisites Locking a test Unlocking a test](screen/managing-tests/2125093931-locking-a-test.md)
- [Manage Email Alerts for Leaked Questions Key benefits Enabling email alerts Receiving and responding to email alerts](screen/managing-tests/3105510130-email-alerts-for-question-leakage.md)
- [Manage Leaked Questions Detecting leaked questions Reporting leaked questions Viewing leaked questions in library Viewing tests with leaked questions Handling leaked questions Leak mitigation and takedown actions](screen/managing-tests/8820947031-managing-leaked-questions.md)
- [Manage Sections in Tests Prerequisite Add a section to a test Add a code repository section to a test](screen/managing-tests/5546852679-section-based-testing.md)
- [Modify Test Expiration Time Prerequisite Modifying test expiration time](screen/managing-tests/2979262079-modify-test-expiration-time.md)
- [Replace Leaked Question Replacing a leaked question](screen/managing-tests/2349070108-replace-leaked-question.md)
- [Revoke Test Access](screen/managing-tests/2097730024-revoking-access-to-a-shared-test.md)
- [Test Labels](screen/managing-tests/2096315953-test-labels.md)

Screen / Test Integrity

- [AI Plagiarism Detection](screen/test-integrity/8000786908-ai-plagiarism-detection.md)
- [Best Practices for Running Group Assessments in HackerRank Desktop App Mode Prepare candidate systems in advance Ensure a stable internet connection Set up webcams Set up lighting Prepare the physical environment Complete pre-test setup Troubleshooting](screen/test-integrity/2686193421-best-practices-for-running-group-assessments-in-hackerrank-desktop-app-mode.md)
- [Best Practices for Running Group Assessments in Proctor Mode Prepare candidate systems in advance Ensure a stable internet connection Use supported web browsers Manage browser extensions Optimize the test environment on each system Set up webcams Set up lighting Prepare the physical environment](screen/test-integrity/9264843630-best-practices-for-running-group-assessments-in-proctor-mode.md)
- [Evaluate Integrity Signals for Flagged Candidates at Scale in Proctor Mode Evaluating Integrity Signals for flagged candidates at scale](screen/test-integrity/9728791902-interpreting-integrity-signals-at-scale-in-proctor-mode-tests.md)
- [HackerRank Desktop App Mode Enable HackerRank Desktop App Mode How HackerRank Desktop App Mode

works](screen/test-integrity/5973590014-hackerrank-desktop-app-mode.md)

- [HackerRank Test Integrity Test Integrity Modes Additional integrity features Built-in integrity features](screen/test-integrity/1079706165-proctoring-hackerrank-tests.md)
- [Impersonation Detection Photo Identification Image Proctoring Multiple Monitor Detection Webcam Switch Detection Image Analysis](screen/test-integrity/7825915809-impersonation-detection.md)
- [Proctor Mode Enable Proctor Mode Proctor Mode compatibility How Proctor Mode works](screen/test-integrity/5663779659-proctor-mode.md)
- [Review Integrity Issues in Proctor Mode Reporting views in Proctor Mode Workflow for reviewing integrity issues](screen/test-integrity/9607697321-review-integrity-issues-in-proctor-mode.md)
- [Secure Mode Enable Secure Mode How Secure Mode works](screen/test-integrity/2545360734-secure-mode.md)

Screen / Test Reports

- [Advanced Evaluation](screen/test-reports/7098008997-advanced-evaluation.md)
- [AI Fluency Evaluation Key benefits How AI Fluency works Enabling AI Fluency evaluation Viewing AI Fluency results Frequently Asked Question (FAQ)](screen/test-reports/1773201418-ai-usage-summary.md)
- [Candidate Benchmark Key benefits Viewing Benchmark data](screen/test-reports/6075450367-candidate-benchmarking.md)
- [Code Quality Evaluation Key benefits Evaluation method Enabling code quality evaluation Reviewing candidate results](screen/test-reports/9625818007-code-quality-evaluation.md)
- [Download Test Reports PDF test reports Excel test reports Downloading test reports](screen/test-reports/1786677446-downloading-pdf-and-excel-test-reports.md)
- [Errors in Test Reports for Coding Questions](screen/test-reports/1972468979-understanding-errors-in-post-assessment-reports-for-coding-questions.md)
- [Filtering and Sorting Candidate Test Reports](screen/test-reports/1829746072-filtering-and-sorting-candidate-test-reports.md)
- [Front-End, Back-End and Full-Stack Test Reports](screen/test-reports/3527033062-front-end%2C-back-end-and-full-stack-test-reports-.md)
- [Optimality How it works Set up Optimality Evaluation View Optimality insights in reports Frequently Asked Questions (FAQs)](screen/test-reports/4755292353-optimality.md)
- [Plagiarism Detection Using MOSS (Measure of Software Similarity)](screen/test-reports/2106056073-plagiarism-detection-using-moss-%28measure-of-software-similarity%29.md)
- [Test Insights](screen/test-reports/7964147006-test-insights.md)
- [View Candidate Test Summary Report Summary Report comparison Accessing the Summary Report Old Summary Report New Summary Report](screen/test-reports/8111267829-viewing-a-candidate%27s-test-summary-report.md)
- [View Candidates List for a Test Viewing the candidates list](screen/test-reports/9135272973-candidates-list-in-hackerrank-tests.md)
- [Viewing a Candidate's Detailed Test Report Prerequisite Viewing Detailed Reports Key Features of a Detailed Report](screen/test-reports/8263794320-viewing-a-candidate%27s-detailed-test-report.md)
- [What is Code Quality](screen/test-reports/9722863972-what-is-code-quality.md)

Screen / Test Settings

- [Assess Candidates in Canadian French Language Enabling Canadian French for a test Candidate experience](screen/test-settings/6201558176-assess-candidates-in-canadian-french-language.md)
- [Configure Email Settings for Tests](screen/test-settings/2564162886-modifying-email-settings-for-tests.md)
- [Configure Onboarding Settings for Tests Prerequisites Configuring onboarding settings](screen/test-settings/5956879724-configure-onboarding-settings-for-tests.md)
- [Configure Test Invites Settings for Tests](screen/test-settings/9544354489-configure-test-invites-settings-for-tests.md)
- [Hide Question Title Enabling Hide Question Title Candidate experience](screen/test-settings/2274056414-hiding-question-title.md)
- [Modify Evaluation Settings for Tests](screen/test-settings/8294988738-modifying-score-settings-for-tests.md)
- [Modify General Settings for Tests](screen/test-settings/9672590042-modifying-general-settings-for-tests.md)
- [Modify Question Settings for Tests Prerequisites Modifying question settings](screen/test-settings/5424328799-modifying-question-settings-for-tests.md)
- [Modify Sections Settings for Tests](screen/test-settings/2528926257-modify-sections-settings-for-tests.md)
- [Watermarking the Tests](screen/test-settings/2519766322-watermarking-the-tests.md)

Settings / Company Level Admin Settings

- [Accessing Audit Logs](settings/company-level-admin-settings/8979783963-accessing-audit-logs.md)
- [Centralized Interview Settings Prerequisite Accessing centralized interview settings Available interview settings](settings/company-level-admin-settings/9244658640-configure-interview-settings.md)
- [Centralized Test Settings](settings/company-level-admin-settings/6271327319-centralized-test-settings.md)
- [Disabling Implicit Sharing](settings/company-level-admin-settings/2553508615-disabling-implicit-sharing.md)
- [Diversity and Inclusion Settings Page](settings/company-level-admin-settings/8847622491-diversity-and-inclusion-settings-page.md)
- [Enhancing your Account Security on Hackerrank for Work](settings/company-level-admin-settings/7425207053-enhancing-your-account-security-on-hackerrank-for-work.md)
- [Set a Reply-to Email Address](settings/company-level-admin-settings/1231466817-set-a-reply-to-email-address.md)
- [Update Company Logo Prerequisite Updating the company logo](settings/company-level-admin-settings/6195679465-adding-a-custom-logo-to-your-account.md)
- [Update Company Name and Sender Name Prerequisite Updating the company name and sender name](settings/company-level-admin-settings/1019487408-changing-the-company-name.md)

Settings / GDPR and NYC AI Laws

- [GDPR FAQs for HackerRank for Work](settings/gdpr-and-nyc-ai-laws/2634495557-gdpr-faqs-for-hackerrank-for-work.md)
- [HackerRank Services and AI Laws FAQs](settings/gdpr-and-nyc-ai-laws/3067349942-faqs%3A--hackerrank-services-and-ai-laws.md)

- [Summary of Bias Audit Results (HackerRank's Image Analysis System)](settings/gdpr-and-nyc-ai-laws/8514725302-summary-of-bias-audit-results-%28hackerrank%27s-image-analysis-system%29.md)
- [Summary of Bias Audit Results of the HackerRank's Plagiarism Detection System for New York City's Local Law 144](settings/gdpr-and-nyc-ai-laws/9355824728-summary-of-bias-audit-results-of-the-hackerrank%27s-plagiarism-detection-system-f-or-new-york-city%27s-local-law-144.md)

Settings / Insights

- [Account Insights](settings/insights/4945003466-account-insights.md)
- [Create Custom Reports Key features Creating a custom report Available functional objects](settings/insights/7355624862-create-custom-reports.md)
- [Schedule a Custom Report Prerequisite Scheduling a custom report Editing a custom report schedule Deleting a custom report schedule](settings/insights/8981360888-schedule-a-custom-report.md)

Settings / Open API

- [API Overview](settings/open-api/2067417637-api-overview.md)
- [Candidate Status in API Results Status ATS state](settings/open-api/3094540490-candidate-status-in-api-results.md)

Settings / Roles Management

- [Getting Started with Roles Management](settings/roles-management/9675847328-getting-started-with-roles-management.md)
- [Skills on HackerRank](settings/roles-management/3872148153-skills-on-hackerrank.md)

Settings / Teams Management

- [Create a Team Prerequisite Creating a team](settings/teams-management/9032143729-creating-a-team.md)
- [Delete a Team Prerequisite Deleting a team](settings/teams-management/2181136239-deleting-a-team.md)
- [Flexible User Roles Key features Entitlements Accessing flexible roles Available entitlements](settings/teams-management/3929488044-flexible-user-roles.md)
- [Getting Started with Teams Management](settings/teams-management/1508181842-teams-management.md)
- [Grant Team Admin Access Prerequisites Granting Team Admin access](settings/teams-management/9611303302-grant-team-admin-access.md)
- [Invite a New User Prerequisite Inviting a new user](settings/teams-management/9482219268-invite-a-new-user.md)
- [Lock User Access Prerequisite Locking user access Unlocking user access](settings/teams-management/6534774997-locking-user-access-from-hackerrank.md)
- [Manage Team Members Prerequisite Managing team members](settings/teams-management/2203617737-manage-team-members.md)
- [Modify Entitlements for Developers Prerequisite Modifying entitlements for developers Available developer entitlements](settings/teams-management/8127960820-modifying-entitlements-for-developers.md)
- [Modify Entitlements for Interviewers Prerequisite Modifying entitlements for interviewers Available interviewer entitlements](settings/teams-management/2072399562-modify-entitlements-for-interviewers.md)
- [Modify Entitlements for Recruiters Prerequisite Modify entitlements for recruiters Available recruiter entitlements](settings/teams-management/4851183051-modifying-entitlements-for-recruiters.md)
- [Searching for a Team](settings/teams-management/8843222800-searching-for-a-team.md)
- [Set Team Logo and Sender Name Prerequisites Set a logo at the team Level Set a sender name at the team level](settings/teams-management/5319929416-setting-logo-at-the-team-level.md)
- [Team Member Status](settings/teams-management/6857846818-team-member-status-.md)
- [Transfer Resource Ownership Prerequisite Transferring resource ownership](settings/teams-management/8845665482-transferring-ownership-of-all-resources.md)
- [Types of User Roles](settings/teams-management/9603546665-types-of-user-roles.md)
- [Update Team Role Allocation Limit Prerequisite Updating a team role allocation limit](settings/teams-management/2788636010-update-team-role-allocation-limit.md)
- [Update Team Settings Prerequisite Updating team settings](settings/teams-management/3481284381-update-team-settings.md)

Settings / User Account Settings and Preferences

- [Advanced Account Settings](settings/user-account-settings-and-preferences/9526242649-advanced-account-settings.md)
- [Cancel Subscription Cancelling subscription](settings/user-account-settings-and-preferences/3131912618-cancel-subscription.md)
- [Changing the Account Email](settings/user-account-settings-and-preferences/9181791010-changing-the-account-email.md)
- [Email Notifications](settings/user-account-settings-and-preferences/7318805499-email-notifications.md)
- [HackerRank's Approach to Accessibility](settings/user-account-settings-and-preferences/8440817776-hackerrank%27s-approach-to-accessibility.md)
- [Manage Billing Updating credit card information Updating billing address Downloading an invoice](settings/user-account-settings-and-preferences/4255542979-manage-subscriptions.md)
- [Pause Subscription](settings/user-account-settings-and-preferences/5157311476-pause-subscription.md)
- [Report Settings](settings/user-account-settings-and-preferences/5213013268-report-settings.md)
- [Safelist/Allowlist URLs and IP Addresses for HackerRank Affected areas Allowlist URLs Allowlist IP addresses](settings/user-account-settings-and-preferences/6769658535-safelist-or-allowlist-urls-for-hackerrank.md)
- [Time Zone Settings](settings/user-account-settings-and-preferences/6839245613-time-zone-settings.md)
- [Update or Reset Password Updating password Resetting password](settings/user-account-settings-and-preferences/7046498277-update-or-reset-password.md)
- [Updating Personal Information of your Account](settings/user-account-settings-and-preferences/9551418346-updating-personal-information-of-your-account.md)
- [Upgrade Plan Upgrading plan](settings/user-account-settings-and-preferences/7542858084-upgrade-plan.md)

SkillUp / Getting Started

- [Accessing SkillUp Employer Platform](skillup/getting-started/4329363164-accessing-skillup-employer-platform.md)

- [Audit Logs in SkillUp How to request audit logs](skillup/getting-started/2103106582-audit-logs-in-skillup.md)
- [Create Custom Certifications Prerequisite Creating custom certifications](skillup/getting-started/9232804257-create-custom-certifications.md)
- [Custom Certifications](skillup/getting-started/3726813028-custom-certifications.md)
- [Get Started with Certify](skillup/getting-started/2960935422-get-started-with-certify.md)
- [Get Started with Learn](skillup/getting-started/6047728972-get-started-with-learn.md)
- [HackerRank Role Certifications Guidelines](skillup/getting-started/9866041175-hackerrank-role-certifications-guidelines.md)
- [HackerRank SkillUp](skillup/getting-started/4624433684-hackerrank-skillup.md)
- [HackerRank SkillUp Licenses](skillup/getting-started/1238999371-hackerrank-skillup-licenses.md)
- [Manage Users Accessing User Management Adding a new user Edit user details Deactivating a user Reactivating a user](skillup/getting-started/3868789028-user-management.md)
- [Roles and Skills in SkillUp](skillup/getting-started/1506621765-roles-and-skills-in-skillup.md)
- [SkillUp Employee Platform](skillup/getting-started/8522032191-skillup-employee-platform.md)
- [SkillUp Manager Experience Manager Learning Tracking Team Progress](skillup/getting-started/9473085715-skillup-manager-experience.md)
- [Track Developer Progress Using Overview Dashboard](skillup/getting-started/5272020175-track-developer-progress-using-overview-dashboard.md)
- [Weekly Challenges Accessing weekly challenges Leaderboard Evaluating weekly challenges Available weekly challenges](skillup/getting-started/7992263058-weekly-challenges.md)
- [Reporting APIs Available endpoints Configuring reporting APIs? Error handling Best practices Rate limits](skillup/getting-started/3081122402-reporting-apis.md)

SkillUp / Integrations

- [Configure Single Sign-On (SSO) for SkillUp Prerequisites Configuring SSO for SkillUp](skillup/integrations/7581923631-configure-single-sign-on-sso-for-skillup.md)
- [Extend SCIM Provisioning with Okta to SkillUp Prerequisites Updating attribute mappings for SkillUp How SCIM provisioning works](skillup/integrations/9570265682-extend-scim-provisioning-with-okta-to-skillup.md)
- [Setting Up SCIM Provisioning for SkillUp Prerequisites SCIM endpoint and authentication details Supported SCIM operations SCIM user schema SkillUp-specific attributes](skillup/integrations/9005750838-setting-up-scim-provisioning-for-skillup.md)

[integrations/applicant-tracking-systems] Rooster - HackerRank integration

title: "Rooster - HackerRank integration"
title_slug: "rooster-hackerrank-integration"
source_url: "https://support.hackerrank.com/articles/5902644770-rooster-hackerrank-integration"
article_slug: "5902644770-rooster-hackerrank-integration"
last_updated_exact: "Jan 22, 2025, 10:38 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"

Rooster - HackerRank integration

Last updated: Jan 22, 2025, 10:38 AM (Last updated 1 year ago)

HackerRank Side

1. Generate an API Token for Rooster

- Use the partner header provided for this configuration.

2. Configure Workday-Specific Credentials

- **Username and Password**: Use the credentials for the **Integration System User** created in Workday.

- **Endpoint Configuration**:

1. Locate the **Public Web Services** report in your Workday tenant.
2. Navigate to the **Recruiting (Public) Web Service**.
3. Perform the following:
 - Click the Related Actions menu.
 - Navigate to **Web Service** > **View WSDL**.
 - Identify the URL under the soapbind:address tag.

3. Configure Interview Ratings

- Obtain **Interview Rating IDs** from Workday that correspond to:
- **Pass**
 - **Fail**


- To configure ratings initially:
 - Use the **Maintain Interview Feedback Ratings** task.
 - Later, use the same task to update feedback descriptions if needed.
- To manage reference IDs for the **Interview Feedback Rating** business object:
 - Access the **Maintain Reference IDs** task.

Note: If your Workday tenant changes, update your credentials with the HackerRank team to avoid disruptions.

Workday Side


1. Integration System User Configuration

1. Access the **Create Integration System User** task.
2. Configure a new user account:
 - **Name:** HackerRank_Interview_Integration_Rooster
 - **Password:** Create and securely store it.
 - Set **Session Timeout Minutes** to 0.
 - Enable **Do Not Allow UI Sessions**.



2. Create Integration System Security Groups

1. Access the **Create Security Group** task.
2. Create an **Integration System Security Group (Unconstrained)**:
 - **Name:** ISSG_HackerRank_Interview_Integration_Rooster
 - Assign the previously created Integration System User.



3. Edit Domain Security Policies

1. Grant required access to the following domains:
 - **Interview Integrations**
 - **Candidate Data: Interview Schedule**
 - **Candidate Data: Interview Feedback Results**
 - **Worker Data: Public Worker Reports**

- **Person Data: Work Contact Information**

2. Steps:

- Access the **View Domain** report.
- Perform a Related Action on the domain:
 - Select **Domain \> Edit Security Policy Permissions**.
 - Add the Security Group to the necessary permissions.
 - Assign Get, Put, View, and/or Modify permissions as applicable.

3. Activate the changes:

- Use the **Activate Pending Security Policy Changes** task.
- Provide a comment and confirm activation.

4. Manage Password Rules

- Access the **Maintain Password Rules** task.
- Add the Integration System User to the **System Users Exempt from Password Expiration** field.

5. Manage Authentication Policies for API Access

1. Navigate to the **Manage Authentication Policies** task.
2. Edit the authentication policy for the current environment:
 - Create a new **Authentication Ruleset**.
 - Specify:
 - **Rule Name**
 - **Security Group**: The group was created earlier.
 - **Authentication Condition Name**
 - Allowed Authentication Type: User Name Password
3. Activate all pending authentication policy changes.

Troubleshooting

- If authentication issues occur, use the **Signons and Attempted Signons** report to identify and resolve failed sign-on attempts.

[integrations/applicant-tracking-systems/ashby] Ashby - HackerRank Integration Con

```
title: "Ashby - HackerRank Integration Configuration Guide"
title_slug: "ashby-hackerrank-integration-configuration-guide"
source_url: "https://support.hackerrank.com/articles/4146164514-ashby---hackerrank-integration-configuration-guide"
article_slug: "4146164514-ashby---hackerrank-integration-configuration-guide"
last_updated_exact: "Mar 11, 2026, 3:54 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Ashby"
---
```

Ashby - HackerRank Integration Configuration Guide

Last updated: Mar 11, 2026, 3:54 PM (Last updated 2 months ago)

Overview

HackerRank's Tests integrate with Ashby to facilitate a seamless and efficient candidate screening process for recruiters. As part of their interview workflow, Ashby users can directly send HackerRank Test invites to candidates and obtain the Test report for further evaluation.

This article provides you with detailed configuration steps on HackerRank and Ashby.

[Prerequisites](https://support.hackerrank.com/articles/4146164514-ashby---hackerrank-integration-configuration-guide#prerequisites-4)

- [Configuring Ashby Integration with HackerRank](https://support.hackerrank.com/articles/4146164514-ashby---hackerrank-integration-configuration-guide#configuring-as-hby-integration-with-hackerrank-6)

- [Generating an API Key from HackerRank](https://support.hackerrank.com/articles/4146164514-ashby---hackerrank-integration-configuration-guide#generating-an-api-key-from-hackerrank-8)

Ashby](https://support.hackerrank.com/articles/4146164514-ashby---hackerrank-integration-configuration-guide#adding-the-api-key-in-ashby-11))

Prerequisites

<colgroup>	
<col style="width: 50%" />	
<col style="width: 50%" />	
</colgroup>	
<tbody>	
<tr>	
<td data-colspan="1" data-rowspan="1" style="background-color: #eafcef; width: 436px"> In HackerRank for Work </td>	
<td data-colspan="1" data-rowspan="1" style="background-color: #eafcef; width: 447.139px"> In Ashby </td>	
</tr>	
<tr>	
<td data-colspan="1" data-rowspan="1" style="width: 436px">	
You must own an Enterprise plan with a Recruiter license.	
You must have an activated Recruiter-type user account with Company Admin permissions.	
Log in with this user account.	
</td>	
<td data-colspan="1" data-rowspan="1" style="width: 447.139px">	
<p>Log in using the Ashby account, which has the same email address as the HackerRank for Work Company	

Admin user account. This is important for sending HackerRank Test invites from Ashby.

Example: If the email address in HackerRank for Work is `jackpeters@hackerrank.com`, the Ashby user account must also include the same email address.

You must have relevant administrative permissions to the **Integrations** page.

Configuring Ashby Integration with HackerRank

When configuring the Ashby integration with HackerRank for the first time, the administrator generates an API key. The administrator must keep a record of this API key for further use.

Generating an API Key from HackerRank

1. Log in to HackerRank for Work with the Company Admin user account.
2. On the home page, click the drop-down next to the user icon in the top right corner.
3. Click **Settings**.

 (https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046525251-?Expires=253370764800&Signature=WqmxEZDjXf39BupXQQvM942M4302oiduF9nap8NiqJpr8QJNjyB5ERAFfD9hxDyOIHWNGjmtUxxGwVamGGD-W6F-DWanc56eLwrtKQQIz5azXjL3VfpAlq-R6DxI9HBiuCtTUGx68YuAICKjcnrVmbgtVf4w94fRdr9Up5aweTC-HfM2jYlQBPq2XcxPmBUFaF9Mfbgfl3JH3dY4533ORRmCrURyuvnxZWDPmbA-A0b5gXq-MtLH0LZrVJ9e-70hAE-o7fNjECBAcf1ocZI-rwgt5wCJgD8buxf7uJuvCor9MK-BPiSTKHvVOAuc6amC15zm-wwwdODVNMZxx4w__&Key-Pair-Id=K3NV4LZ47N8M46)

4. On the left pane, click **Integrations**. The **Integrations** page is displayed. Scroll down and click **Configure** on the **Ashby** option. You can also search the Integration from the Search bar.

 (https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046525752-?Expires=253370764800&Signature=qvcaMj3Mb5gmnAt6-yb4MU2ojbqbYjbJ--m3HZ4B4wC1hj0Kz1ee6UxPu4Lidwy63mX9h-l9VL1nSqCt7RL922WIXP9zJnGoaWGzfOullYeo5rsuOmynp9gZ9nJMJ3HOU0yIUd019eSfwh6jmnaxAcPfsJWG67qlxSIOI6aAmv1YNBFr2l6tB-NQ6WtsETIcAKnJ82iq5M3a-ywbX2R-SK6QYgrPa6p5MjDlbqyGR7NJusjVI2J63dpAD9FXucMPKGgm3xytMJcpUugebZrD9f4jvpApuKOqk--ZPjWbFdq5t-61QgY5lh7KyhOQKoo1xSMfLG-avNNz6pr-cD2hw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click **Generate API Token** to generate the API token.

 (https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046526111-?Expires=253370764800&Signature=YCVzHm6TDMz2ov7U-xVI5zmGMXlt2NdbRYwO0-Ztb2cGA25CRluqdcM1EVr4w-8Da-eNXixmHYG-x36vzM826ZH uAeMrg2f8TQluykKtcuotnorfXDXyULCLIRexeRtNNIARSJkQTBLwMtCrggT-fvr6TL7PiLMff19K-w59L-7ZDgVXbg-pzRPTwHALyvtqCTNHe6c-yE8lxP4BaIEcvxieHgfOnLxLo6ahxNyMVrgdLVULG8Q-ndDP-fpZF0Kv4rRCQL-YgUq2yrQIQh0BNAgawjEdxmwZawM48iZ9kmYV3F2z1QSox9vuC98HUOe49DJq6LdMD12ZarRdWf8uVg__&Key-Pair-Id=K3NV4LZ47N8M46)

A unique API Key is displayed.

 (https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046526481-?Expires=253370764800&Signature=RAR-K66xfq3UGGiKPJsV4S6WHwxUaYoOZv--a3qtcYMJ4envUhGNUKGQwql2jSHWeCpLsRSTW1ng-iNWhYID0TutUsQVY0u-2JqGnT9Qc5k2IYMOgIE29SJG7na6iqz-ojyrXGIIJxuDIvVDqrU-Vjyb0GO5-0PdvMlgKGJ4wD9nv8Ci-CuZ2d2dRDdSL5g0wu1szwi9IMxUyjn-VyBAIv-DTk4SAZE-8uy3WaG5JRDeJxppmwfOMiioL0LC7RYq89Oui0yXI9uqmtfzUg93ThWuYJIQPW5H9bsl6phwYN4qFHIUGDt7RIQbbrAwI-5Zb1t1kfVEquFoSaR7IzVqiw__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Copy this key. You will need to add this key to the Ashby account to establish the integration.

Note: Ensure to store the API key safely. Once the popup is closed, you cannot retrieve the key again.

Adding the API Key in Ashby

1. Log in to **Ashby** and click **Integrations**.

![[integration_hr.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046526847-?Expires=253370764800&Signature=Z6vgaRhety6-FnDvP2tFxCd3p3fBNhBbgm9PdFBFI46HO5~7B87CxEOmRSiBaIP2RIFkiEEPW7gNW8EJZJoqmSrEWM7o9Bj79vDkq~wSXR8iyDgmR7UwhXtnYlkaibJq3miXIRWEvccPU5DyFfb0yD4m~XN16j~5S89W~sRQo-yCSZfw5Yy1j3tKW-bN0nUBytIQght-NPZ4kSjYy~Z0YH3hgM9gxJqCh8zqvcJkdj5Bh0a4-0m6ICIG9xZ6ZelZ2FV4qbf-0DY98QbTuyAl7trEstGJUFnkqB2eJs1W4P4cVY6ny0oeqHaNznBMQSk-gjGHs1VFYm8redh113A__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Search and click the **HackerRank** tile.
3. The HackerRank pane opens on the right. Click **Enable HackerRank**.
4. Add the Ashby API key.

![[hr_api.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046527180-?Expires=253370764800&Signature=AIM38dofl3WVdDwm5pn5IgLx3U8NWb5Y2kJCEI5q3iZF2H5XA~Vs8iqBniu6OwpMUgNRRFtbOFy9XD4yk1vDsA~AwlwvL98T34TSCAnX9ej0IGYq9Nki7g6rS7Xd1wysnUQxi-Mogn4X-SB6NgBRC4w9IYsxzQ~zi9QCriVnKt1OBPDNPrdJJujVNR6x~N-d4vcKpmTeaNFGU14qQqvH69lpjmWa7BgeBeX2n19EvEs8keA8iq7NrPR~1Hlc9YZOrkj7DCZho3Lzll5S2HlwUO5gsu5QsdWJno7ojKRBFN~i7vCRjT0t-EFKgDReqmhKC84C-dG-HGpCqb7lQCM0w__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click the **Test API Key** icon to verify the API works correctly.

![[test_api.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046527455-?Expires=253370764800&Signature=NclunBGFzPvIcxO5xpWr-BxIMATjLjPrwj8oXFaz0EXXpMITQXq63QkMmD0l3lwlinw7NiImLJW~YYuyJKihb0Rmp3LiwpBsh0G3pbNUe5EmVkv0WQZZdb4~EEhglZmlAixMoNkLZIQTDEAeXzmEbtXA407Qq5GBCq4mqFfC0h9-hR~omv-MCT1ZB6UEzmcmp1SbnfkYNEpkp4ADmp1zfnpqF49BkDhAoHsAM9B9rBY~jNo4oOyqhE7NhwEyLgBviKe5bl8JYy-luP5lfl0mtJrCKebQ3MTaKBe~Am6LMslN4fPdPA1lJbq4YwaanBoSCwxVd~QAU4zs5c9WbOsVw__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Now add the HackerRank API key that you generated from the [HackerRank for Work platform](https://support.hackerrank.com/articles/4146164514-ashby---hackerrank-integration-configuration-guide#configuring-ashby-integration-with-hackerrank-6).](https://support.hackerrank.com/articles/4146164514-ashby---hackerrank-integration-configuration-guide#configuring-ashby-integration-with-hackerrank-6)

![[hr_ashby_integration.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046527856-?Expires=253370764800&Signature=Ar5~s-N9kinL3J5V01vpCBIDIS7mi4kpwwoZpIKXeAfQtF5Fs-V1fD6OqrScxDuG3N1LLUv8Cjg4C2h-VSE-Cl4VvFwgC9PISGY0TQd95Tt1v13PgWt7QZJ6L-mtaQ9d-9G4tyW-kh4M8tDVLtkpnuQjDKPNu3nir1bCVR2ra3Yb98aWT2lZI~gle4L~k1qeZgWd12ED3qEONuz7hjah0-KZLwebAb6sHsgscW~7GYNnX2JTib1NXGDIXgAZeQ0dr3k-AA9z7c0CmUAxta~ow0tZB5ZIOOmBdUQVSh9De6PFaPO7DXahMP9tq0ucpe44gFYivKQkCZqsYNKYN1arA__&Key-Pair-Id=K3NV4LZ47N8M46)

7. Select the integration partner as **HackerRank** from the drop-down.

![[addapi_key.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046528389-?Expires=253370764800&Signature=flxrZCHGPKK3ODFtgDdCD-1RzrbUAQ1ymjJjDnaiF5NeVOx~cCw9FX2JzlgfTyhTBQnv28ecd5ztwOKYCFllKuyO46nsEaG87IG9r2Lursj-zMbFiqHXPT~96qAiF8mkrG85SVqBBYauB3qiVSuGf8mRtYPpR0AKNFe8T-ElziYkiGu6pZwoYTulBNGrO-imV5WPT5CuuhJqLmrV5dSPGMR~JGScD6R8LOy8Vf806Vd2S0tydalC-xA~WHHLNce6yxkeYi9fMLOjiPqa8v83ABbjjDYrp1QOV8FYa4Gzyu07fabv8jw8kevBEDmWwpQrj1NhlYlhmIZeWMQ58sv3sA__&Key-Pair-Id=K3NV4LZ47N8M46)

8. Click **Create API Key**. The API key is created, and the integration is enabled.
9. To check the integration, go to **Ashby API > API Keys**. The integration with HackerRank is displayed as **Active**.

![[active_integration.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046528845-?Expires=253370764800&Signature=XAGF8mf~r-7W2l2BdJK~gAAA2DO61unRtRbPpXXE1c5ijgODSeGp3lzP57vzY9gJ78MnN5CC9AtYvjqElbHZ1wejUrm9tiNmrEXW72dnOK-A0gF9UtwTiYNVfUk8LGcxaeXN5PV~dDWKpOJ04VeJvO8OWu~FP54qoggmECA7O9tywyhaYpQ00y9Mc-JH9Tt8EvkXtLAI5G0dp4bNM9xdbUWd034n5XXoHYbuUpAJTAFE0eY4POIFuT0sqQ69uhj-OFy6lZPTIXabTKzbo6z3OD6cZLCW9JdAsY6hyn4yxk4Nineh6tN~BIORcaAyHUPP4yqtsN74xjxILElmLZxeA__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: The email ID that you have used with your Ashby account should be the same as the email ID associated with your HackerRank account for the integration to work seamlessly.

Related Articles:

[? Ashby - HackerRank Integration User Guide](/articles/5999209869)

[integrations/applicant-tracking-systems/ashby] Ashby - HackerRank Integration Use

title: "Ashby - HackerRank Integration User Guide"
title_slug: "ashby-hackerrank-integration-user-guide"
source_url: "https://support.hackerrank.com/articles/5999209869-ashby---hackerrank-integration-user-guide"
article_slug: "5999209869-ashby---hackerrank-integration-user-guide"
last_updated_exact: "Jan 24, 2025, 10:19 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Ashby"

Ashby - HackerRank Integration User Guide

Last updated: Jan 24, 2025, 10:19 AM (Last updated 1 year ago)

Once the Ashby-HackerRank integration is complete, users can utilize it to send assessments directly to candidates. This article explains how to send HackerRank test invitations through Ashby and access candidate reports.

Sending HackerRank Test Invites from Ashby

Once the integration with HackerRank for Work is configured, you can send test invitations from Ashby, allowing candidates to take the HackerRank assessments.

- Click the **Customize Interviews** drop-down on the left pane.
- Click **Interview Plans** and then **Job Interview Plans**.

![[interview_plans.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046490001-?Expires=253370764800&Signature=gDzWR9NODX5uUS7ppGq95SLCQd4~APgNNMxC2X1oZ2Jthbf6nv2s0ZxeOQbefoYffw1dLZDLLnOigk8kEI19W4jQ7AvUraT0zFW9MLPz18bMof0syZX7b28pANtbtXnhtCMHIIOYcY9apiXQxSQjtnU4ZURHmgn447h-H0Mw4MhswVG60adR-q3ktJEYEvVrottQOunZ6rPMNZfgi0Ublk6qxHjle2YTLqcdR7R17nAxYnqYll~Jd4Bfvcti4Tq47Z146tFYG8Ga1pXwR1t3DvVpohXVF-ZxMeND2WiddZHds1HnxtUnSEvf2yZkL7HPO6fPdHdNsAPNLJtHRbFIQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- Select the required interview plan for the role. For example, Backend Engineer. The **Standard Interview Plan** pane is displayed on the right.

![[interviewplantype.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046490468-?Expires=253370764800&Signature=YMZZYss7qeWiZvEpJJ0f2C7B0CFqVRSL3WruB6-07umlmg4LeW3t3Wjldy7FkeEoOgmxEWpZ5lCikcj8D867j1C5an4Ddrh07gpOF2-Ph-M7kaibhGjISNoAx7YqC3H8JkvDmR7oTRPB6EI7HUdE79At-miJVqyl-5HOFewgV9ioHKEgv5dYQrShGT5M~zrFR6uP2FcMoiKFr4VGAjv6mVBzvH04Z0S4dB6~XbHZ5WTXntkekY6JPe9y9UnTkP9r1xN5fQwqTUzbYsQ2s1z4szXCXLMPX8iG30p3QVRRjDH~8NmIW5Hwf4UAJ4zZUw7eq2QC6EcVgx-JEVusQ22c0g__&Key-Pair-Id=K3NV4LZ47N8M46)

- Click **View Job** beside the name of the interview plan. Note that each job has a default interview plan. This plan defines the interview stages for candidates that are added to the job. The **Interview Plans** page opens in a new window.

![[interview_plans_newpage.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046490904-?Expires=253370764800&Signature=vMQuTBuYt-pZz1ctGZV21VYMoD8LQ4Ust0SBp52ysfVeoX8-PvtszLutogGrjG1C3NoIH4o0aiKFe8L5qBvyai5ViLV6aHrn1SZp6S~-yqspWoi8uYmqLx1bJKPnps~MKodg6q8DzBnBcOslt0mLVUPKzV0H56dgSZmT03QNK~0CSHSt5nDMFCoUtO5uEVQM0NAkn-VNGB~3SMSc1FMgW0N6oXRZ6kwWjzMJ2JilEbh5dEcXoj3X3XmzLM3B0bSenh2dNmTkdQuq0hqFrD9TJlR3ND13efn4HOKWXD2oD0~erVKELgOsBIQYP1WbFIAdKVEq6nNAVhy1Hgm8JmA__&Key-Pair-Id=K3NV4LZ47N8M46)

- Select the appropriate stage in this plan. For example, Recruiter Screen.
- Click **Activity**. The **Add Activity** pane opens on the right.
- Click **HackerRank** in the integrations and then select the **Assessment Type** that you have created in HackerRank. Note that the tests you have created in HackerRank for the Ashby users are displayed in the drop-down.

![[hr_activity.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046491465-?Expires=253370764800)

0&Signature=a1LvDLVr1GlnN7QGU55hemTkFwwHS3l-SIZiSf~lmoiozEmFDZaqHHYPomMNBvVOTSIDf59nRlhJ8Ja6UM5R0ZD6x7
sxlUbBaU3XabBXfGPrBv1gdqF8iFLgceceSphyc1KokW4xUvLABivUnkSst7PuHaWuNFD7UFcMV4pODIZR1NVLKO~hEtLJcsaXB
CokqDsR5vkk0k-pAlrEuZB2~6UHPFw1gCwpZRk03vBhR4jz1nH2W8Bq8orAA3aAodbqhsWwCR6K6rQBIUNH9PP9HMcEcZfzpXDYk
TchuPXhTzjHmx-w9eHcLCSC8~gS57KrluNQID-B4mzPAXbWWp6w__&Key-Pair-Id=K3NV4LZ47N8M46)

- Click ****Add**** to add the assessment you have selected. You can also add a reviewer for the test.

- Now, create a new candidate or add the test to an existing candidate.

![[add-candidate.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046491847-?Expires=25337076
4800&Signature=f81ad2Cq9hEpMc-RVQbWgl4C9HnmjszpE45ErsV4ftxLoXOomv6~bksOPjcfz3eyVZiZY7gDD~IHAl7O~-zHOjSbH6Q
If1WtMuDewrgsKP3uG6e~QDvUfK1758MRg7jOjJixKlJhLGXRu4OHg9ec25WzRjh8P~En2I7tuTw9Z0hfCQB7cFjB9uJ7oiZ~QNGdmii6
ZKiuPZJFiA1wRXSMobbW0RfVqgJITjo5Y3TcmAJneRU93JltSuobR9O~kLzflrV6nLSjDpJ7L2btOqBU9P1il45uDS0zTrnO8vzbE1P50
PDJ3EOhsWzqQG3Pw143CNX-rzqCBcGBCOSQIOBRw__&Key-Pair-Id=K3NV4LZ47N8M46)

- Click ****Add Candidate**** and fill in all the candidate's details.

- Click ****Next.****

- Choose the job role, interview plan, and the candidate's interview stage.

- Click ****Add to Job****.

- Select the interview stage and click ****New Activity****.

- Add the HackerRank Assessment by selecting the pre-created test in HackerRank for the assessment type.

- Click ****Add Activity****. The HackerRank Assessment will then be displayed.

Starting the HackerRank Test from Ashby

- You can start the assessment by clicking ****Start Assessment****.

![[start_assesment.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046492391-?Expires=253370
764800&Signature=sKMvb7UqerN~O2NgpefUCiwqrqI8bJHqqSa5uaGXHEkUN9yV5fEKKXHPHNAiSFcn942hTL~pp2p4qDT54dpLI5F
OOUcuRaQkMiih~eUL-HADdc~wcKLI1IK9GhHpTSeqWkr1DbKcUxx6ys2D8amyhCXF6cPPCIZ5X0yUEFqFxNsmPNBehW~dG1Sal
mBgBa~sR8k1T6etXMxFVaRVzh~7H2sgs~PBcAxCOhEhLFQ31a6zAlrYyHilDhN~YvWoZ9qwAcQmyFaO7HbaW025iuwrKQcsCE7p2
EL60yL9axeJhCLV8cnCjE4gGp9y3AlaBLPbXDzxvXOcJiXiHd3mM1AbQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- An email is sent to the candidate's account.

![[test_invite.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046492782-?Expires=25337076480
0&Signature=Ml-yICU545paGqXlCMJ2nX0lv3Jg~g8w8V~onPYtEbCX41Op~bJQn67i~YTO7jttXlvi6gRz7hD0hiKXrb3E8JgoFHHJvtL7
gXsgJlDhFOpIYuNuP0yj0pqQgdgwT1cuuvFFwxcz5glphGcoCyiLkzruWL5wid9btg37Fjfcid4GVNh9t2V~q~FNULdZR7vg~ohmA67IX9r
Ns42wDdeYzd8ZNo0ykir8jQg1cXQkmDz50HqULdbOXyrmBf3AJ8JBXE1neBVIVzrBxq6BN0Gwlb1-2EH7M7rINnjhABjHtTadRGKJPJY
QUWJ7s5m-TF-d-s7RS~Qt3ZQ1~Sjavab2g__&Key-Pair-Id=K3NV4LZ47N8M46)

- To begin, the candidate needs to click ****Start Test****. They will then be redirected to the HackerRank platform login page.

- After a candidate completes the test, the test status is updated on HackerRank.

![[candidate_teststatus.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046493238-?Expires=25
3370764800&Signature=piAq2VXVnTK7TBvyJ~x8jua3BB5QvWY1XNbibuzXzVJDOPaFCAtmUiW0qDHTBefmravbVoWVfFFwSEp
k57in8lqEEIXhUg0EFihz3sSssvV9gQktaQdJBECzy~wBQL9sqTwdOsGKFGg~0vuF6U488sunny3KOBgfz5dshZibR2mMEuANm0NqFs
adcH4Mb0LBuq03XQ0eTShYXDKTLD~PChL~fgaGW~l~p1Ca~HXrtUS99O13Lx9IW7g~f~ZPInxpNWGSXJJk4PfZ0E2WkQ1bfTzFe1Q
9a5C3D~hPiNvhGf~SvqgCsd0dJXVcoG81z~BDvtWG2hl34cJtT0HC2usPtw__&Key-Pair-Id=K3NV4LZ47N8M46)

- The recruiter can view the candidate's assessment reports on HackerRank.

Review Candidate's Test Scores in Ashby

Once the candidate completes the assessment, HackerRank sends their HackerRank test scores to Ashby.

- At this stage, HackerRank checks the answers submitted by the candidate, checks for plagiarism, and prepares reports.

- Once the report is prepared, it will be published back to Ashby.

- The **Status** column of the Assessment line item gets updated as one of the following values to match values with HackerRank:

- HackerRank Completed - Evaluation Required

- HackerRank Completed - Qualified

- HackerRank Completed - Failed

Note: For a particular coding challenge in HackerRank, if the cut-off score is set, and if a candidate crosses the cut-off value, their status gets updated to **HackerRank Completed - Qualified** in Ashby. Similarly, if candidates fail to cross the cut-off, their assessment status gets updated to **HackerRank Completed - Failed**. For all the other cases where the hiring manager's evaluation is required, the status gets updated to **HackerRank Completed - Evaluation Required**.

- Recruiters can click on the Report URL from Ashby and access the candidate's report hosted on HackerRank.

!ashby_result.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046493664-?Expires=253370764800&Signature=knehqBzYEHUDZjGLuZenQnT0zrVnVmAiR3zIUOi2GUfWbBADCwTo5HGmcrM10L9dXvb-d1hUWKKcQtcDgZJr3C4ICZQk4NI8XtbNO6~PsFb18hGZMKZsGnFUH-SCZ1k~0J5IS1OtZ4st17DR-CA7QWzBaeHbAZKFCy0Aa3Yp0t0FDC0PiH3yi1KpzEBk6Y8buxMmKRtvFgogwm4Eck~kESgSd1Mj5n-t4XYDS-KJGrrFWFqwm3ETXu0xmFN~9Uq-S5HTTblo1lqkopoECvIRSgc-Gt2PC7OI~uïYEYpPUFY30~g5YoAgOcNDIC4gVXHJEFd2t0T0uEulTkW73drQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Related Articles:

[? Ashby - HackerRank Integration Configuration Guide](/articles/4146164514)

\

[integrations/applicant-tracking-systems/ashby] Ashby - HackerRank Technical Interview

```
---
title: "Ashby - HackerRank Technical Interview Integration Guide"
title_slug: "ashby-hackerrank-technical-interview-integration-guide"
source_url: "https://support.hackerrank.com/articles/7862793608-ashby-hackerrank-technical-interview-integration-guide"
article_slug: "7862793608-ashby-hackerrank-technical-interview-integration-guide"
last_updated_exact: "Jun 5, 2025, 6:03 PM"
last_updated_relative: "Last updated 11 months ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Ashby"
---
```

Ashby - HackerRank Technical Interview Integration Guide

Last updated: Jun 5, 2025, 6:03 PM (Last updated 11 months ago)

This article explains how to configure and use the HackerRank - Ashby integration to send **technical interviews** via HackerRank's Interview product directly from Ashby. Once the setup is complete, recruiters and coordinators can attach live coding interview links when scheduling interviews and track interview activity within Ashby.

Prerequisites

```
| | |
|----|----|
| **In HackerRank** | **In Ashby** |
| Pricing plan with Interview access | Admin user account with permissions to manage integrations |
| Recruiter license | Email address must match HackerRank for Work account |
```

Configuring the Integration

![[Ashby_Interviews.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1749126769422-Ashby_Interviews.gif?Expires=253370764800&Signature=QOckradUwW3VvLeZSBSyBPEjehUEV-igE5vjsQJ6WDh6GdzESCViqsWRgvv47JRvjoZU12F4HEydESKy04D2pDh4BvNgBcJjNYFuo9dxbIrrC0uzb82vEzi9CkgfOnkOTIdrj5PiA0Wy~vp0oVBmT1OGxDncGzNxB199iyJHP6uNyqWDAec4Bj18wT1iWbYIV4sbDtANUQnm-PhpovzupOfG5QWQ1auj2RZPZM3O~XZdyUOWEu7DMOzfRSbUCgS7c5A5gKyW0J4PcKzma7-MBO2tO5-plPps8SI3O5XHyglrugqdwu-Y-ZhNxDfxAABeyvSN0Wi1GOT7eruOFRMfAQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Step 1: Enable Integration in Ashby

1. Log in to [Ashby Integrations Marketplace](https://app.ashbyhq.com/admin/integrations/marketplace).
2. Locate the **HackerRank** tile and click **Enable HackerRank**.
3. Under **Configuration**:
 - Select or create an Ashby API key.
 - The key must have write access to the **Candidates** endpoints (specifically, `assessment.update`).

Step 2: Generate HackerRank API Key

1. Log in to **HackerRank for Work** using Company Admin account..
2. Go to the **Settings \> Integrations**.
3. Locate the **Ashby** integration tile and click **Configure**.
4. Click **Generate API Token**.
5. Copy the token immediately. You will not be able to retrieve it later.

Step 3: Add HackerRank API Key to Ashby

1. Return to the **Ashby HackerRank integration** panel.

2. Paste the **HackerRank API token** into the designated field.
3. Click **Test API Key** to validate.
4. Select **HackerRank** as the integration partner.
5. Click **Create API Key** to complete the setup.

Sending a HackerRank Interview Link

Ashby allows you to include a HackerRank **Live Interview** link when scheduling interviews.

To attach a live interview link:

1. Go to the **Job** > **Interview Plan**.
2. Click **Schedule Interview** for a candidate.
3. Under the **Communications** tab, toggle **Attach a HackerRank Interview?** to **On**.

The generated interview link will be:

- Sent to both interviewer and candidate in their invite.
- Logged on the candidate's activity timeline.

\

\

[integrations/applicant-tracking-systems/ashby] Ashby Integration with HackerRank

title: "Ashby Integration with HackerRank"
title_slug: "ashby-integration-with-hackerrank"
source_url: "https://support.hackerrank.com/articles/9896080715-ashby-integration-with-hackerrank"
article_slug: "9896080715-ashby-integration-with-hackerrank"
last_updated_exact: "Feb 4, 2026, 12:05 AM"
last_updated_relative: "Last updated 3 months ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Ashby"

Ashby Integration with HackerRank

Last updated: Feb 4, 2026, 12:05 AM (Last updated 3 months ago)

HackerRank integrates with Ashby to provide a streamlined candidate screening experience. With this integration, users can send HackerRank test invites directly to candidates, and the test results will appear within the candidate's profile in Ashby.

Follow these steps to set up the integration between Ashby and HackerRank:

- [? Ashby - HackerRank Integration Configuration Guide](/articles/4146164514)
 \
- [? Ashby - HackerRank Integration User Guide](/articles/5999209869)
 \
- [? Ashby - HackerRank Technical Interview Integration Guide](/articles/7862793608)
 \

Below is a list of features that the Ashby Integration offers:** **

Feature	Ashby
Screen	☐
View the Full list of HackerRank Tests	☐
Invite candidates to a specific test	☐
Cancel or Reinvite an invite	☐

```
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 28.607%; height: 20px"><p>Status update from invite to completion</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 28.607%; height: 20px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 28.607%; height: 20px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 28.607%; height: 20px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 28.607%; height: 20px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 28.607%; height: 20px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 28.607%; height: 20px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 28.607%; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 28.607%; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
</tr>
```



```
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 28.607%; height: 20px"><p>View Result</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1"><p>View Interview Scorecard</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
&#10;<p><br />
</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="width: 28.607%; height: 20px"><p>Link to detailed report</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

\

[integrations/applicant-tracking-systems/avature] Avature - HackerRank Integration A

```
---
title: "Avature - HackerRank Integration Avature Integration features"
title_slug: "avature-hackerrank-integration-avature-integration-features"
source_url: "https://support.hackerrank.com/articles/7339966937-avature---hackerrank-integration"
article_slug: "7339966937-avature---hackerrank-integration"
last_updated_exact: "Mar 19, 2025, 11:36 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Avature"
---
```

Avature - HackerRank Integration Avature Integration features

Last updated: Mar 19, 2025, 11:36 AM (Last updated 1 year ago)

HackerRank integrates with [Avature](https://www.avature.net/avature-integrations/) for screening tests, allowing users to send tests from Avature and view results directly in the candidate's Avature profile, resulting in an efficient screening experience.

Documentation

To access documentation on the Avature-HackerRank integration, contact your Avature representative or their support team.

Integration Cost

- **HackerRank:** HackerRank does not charge for using the Avature integration
- **Avature:** Avature may charge a one-time fee for any development and/or implementation work needed for integration setup, along with an annual fee for ongoing maintenance. For detailed pricing information, please consult your Avature representative.

Avature Integration features

Tests

Feature		Avature	
View the full list of HRW Tests			
Invite candidates to a specific test			

```

</td>
</tr>
<tr>
<td data-colspan="1" data-rowspan="1" data-colwidth="682" style="width: 682px; height: 20px"><p>Cancel or Reinvite an invite</p></td>
<td data-colspan="1" data-rowspan="1" data-colwidth="25" style="width: 25px; height: 20px"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-colspan="1" data-rowspan="1" data-colwidth="682" style="width: 682px"><p>Bulk Invite</p></td>
<td data-colspan="1" data-rowspan="1" data-colwidth="25" style="width: 25px; height: 20px"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-colspan="1" data-rowspan="1" data-colwidth="682" style="width: 682px; height: 20px"><p>Status update from invite to completion</p></td>
<td data-colspan="1" data-rowspan="1" data-colwidth="25" style="width: 25px; height: 20px"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-colspan="1" data-rowspan="1" data-colwidth="682" style="width: 682px; height: 20px"><p>View Total Candidate Score</p></td>
<td data-colspan="1" data-rowspan="1" data-colwidth="25" style="width: 25px; height: 20px"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-colspan="1" data-rowspan="1" data-colwidth="682" style="width: 682px; height: 20px"><p>View Maximum Score</p></td>
<td data-colspan="1" data-rowspan="1" data-colwidth="25" style="width: 25px; height: 20px"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-colspan="1" data-rowspan="1" data-colwidth="682" style="width: 682px; height: 20px"><p>Link to the detailed test report</p></td>
<td data-colspan="1" data-rowspan="1" data-colwidth="25" style="width: 25px; height: 20px"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-colspan="1" data-rowspan="1" data-colwidth="682" style="width: 682px; height: 20px"><p>View Question-wise scores</p></td>
<td data-colspan="1" data-rowspan="1" data-colwidth="25" style="width: 25px; height: 20px"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-colspan="1" data-rowspan="1" data-colwidth="682" style="width: 682px; height: 20px"><p>View Candidate Feedback</p></td>
<td data-colspan="1" data-rowspan="1" data-colwidth="25" style="width: 25px; height: 20px"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-colspan="1" data-rowspan="1" data-colwidth="682" style="width: 682px; height: 20px"><p>View Reviewer Comments</p></td>
<td data-colspan="1" data-rowspan="1" data-colwidth="25" style="width: 25px; height: 20px"><span data-name="cross mark" data-type="emoji" contenteditable="false">?</span>

```

```
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="682" style="width: 682px; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-rs="1" data-cw="25" style="width: 25px; height: 20px"><span data-name="cross_mark"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="682" style="width: 682px; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1" data-cw="25" style="width: 25px; height: 20px"><span data-name="cross_mark"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="682" style="width: 682px; height: 20px"><p>Templates</p></td>
<td data-cs="1" data-rs="1" data-cw="25" style="width: 25px; height: 20px"><p>user default</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="682" style="width: 682px; height: 20px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1" data-cw="25" style="width: 25px; height: 20px"><p>user</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="682" style="width: 682px; height: 20px"><p>Reinvite</p></td>
<td data-cs="1" data-rs="1" data-cw="25" style="width: 25px; height: 20px"><span data-name="cross_mark"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="682" style="width: 682px; height: 20px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1" data-cw="25" style="width: 25px; height: 20px"><span data-name="cross_mark"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="682" style="width: 682px; height: 20px"><p>Update results after editing
HR</p></td>
<td data-cs="1" data-rs="1" data-cw="25" style="width: 25px; height: 20px"><span data-name="cross_mark"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

Interviews

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" data-cw="539" style="background-color: #eafcef; width: 539px"><p><strong>Feature</strong></p></td>
<td data-cs="1" data-rs="1" data-cw="14.5306%" style="background-color: #eafcef; width: 14.5306%"><p><strong>Avature</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="539" style="width: 539px; height: 20px"><p>Create Interview
QuickPad</p></td>
<td data-cs="1" data-rs="1" data-cw="14.5306%" style="width: 14.5306%; height: 20px"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
</td>
</tr>
```


[illegible]

/

[integrations/applicant-tracking-systems/breezy] Breezy - HackerRank Integration Se

```
---
title: "Breezy - HackerRank Integration Setup"
title_slug: "breezy-hackerrank-integration-setup"
source_url: "https://support.hackerrank.com/articles/6794716414-breezy---hackerrank-integration-setup"
article_slug: "6794716414-breezy---hackerrank-integration-setup"
last_updated_exact: "Dec 28, 2024, 4:53 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Breezy"
---
```

Breezy - HackerRank Integration Setup

Last updated: Dec 28, 2024, 4:53 AM (Last updated 1 year ago)

HackerRank integrates with Breezy for Tests to facilitate an easy and seamless candidate hiring experience. You can use Breezy with HackerRank to screen the best tech talent.

As a part of the workflow, users can send HackerRank Tests to candidates. Test results show up directly inside the candidate's Breezy profile.

This results in an efficient interviewing experience for the hiring team and for the candidate.

The Breezy - HackerRank integration is quick to set up and get running. Admins can set it up from the ATS Settings Page: <https://www.hackerrank.com/work/settings/api/breezy>(<https://www.hackerrank.com/work/settings/api/breezy>)

Please refer to the Breezy Support document for steps to set it up:

<https://resources.breezy.hr/docs/hacker-rank>(<https://resources.breezy.hr/docs/hacker-rank>)

Below is a list of features that the Breezy Integration offers:

Tests

		Feature			
		Brassring			
		View Full list of HRW Tests			
		Must be added manually			
		Invite candidates to a specific test			
					
		Cancel / Reinvite an invite			
					

```
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 537.641px; height: 10px"><p>Bulk Invite</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>Status update from invite to completion</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1" style="height: 22px; width: 293.359px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1" style="height: 22px; width: 293.359px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>View Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>Templates</p></td>
```

```
<td data-cs="1" data-rs="1" style="height: 22px; width: 293.359px"><p>user default</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1" style="height: 22px; width: 293.359px"><p>user</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 537.641px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>Update results after editing HR</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>Results Sharing and Validity </p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>Add Time Accommodation</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

\

[integrations/applicant-tracking-systems/darwinbox] Darwinbox - HackerRank Integration

title: "Darwinbox - HackerRank Integration Guide"
title_slug: "darwinbox-hackerrank-integration-guide"
source_url: "https://support.hackerrank.com/articles/2001883323-darwinbox---hackerrank-integration-guide"
article_slug: "2001883323-darwinbox---hackerrank-integration-guide"
last_updated_exact: "Dec 27, 2024, 6:36 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Darwinbox"

Darwinbox - HackerRank Integration Guide

Last updated: Dec 27, 2024, 6:36 AM (Last updated 1 year ago)

Overview

HackerRank integrates with Darwinbox for screening Tests. The integration between HackerRank and Darwinbox allows hiring teams to send HackerRank assessments and view candidate scores, directly through the Darwinbox platform. This reduces friction by eliminating the need to switch between multiple platforms.

Tests Features

Below is a list of features that the HackerRank - Darwinbox Integration offers:

Feature	Darwinbox
View the Full list of HackerRank Tests	☐
Invite candidates to a specific test	☐
Cancel an invite	☐
Reinvite	☐

```
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Status update from invite to completion</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Templates</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><p>user default</p></td>
```

Invite sent from	assigned recruiter on requisition
Public URL sync	
Update results after editing HackerRank	
Result sharing and validity	
Add Time Accommodation	

Interviews or Code Pair

Feature	Darwinbox
Create CodePair link	
Schedule CodePair Interview	
View Result	

```
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 80.4655%; height: 30px"><p>View Scorecard</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 80.4655%; height: 29px"><p>Link to the detailed report</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

Reaching Out for the Integration Help

To know more about how to integrate the Darwinbox ATS with HackerRank, you can reach out to Darwinbox ATS. See the Darwinbox website <https://darwinbox.com/>

[integrations/applicant-tracking-systems/eightfold] Eightfold - HackerRank Integration

title: "Eightfold - HackerRank Integration User Guide Overview"
title_slug: "eightfold-hackerrank-integration-user-guide-overview"
source_url: "https://support.hackerrank.com/articles/2155086316-hackerrank---eightfold-integration-user-guide"
article_slug: "2155086316-hackerrank---eightfold-integration-user-guide"
last_updated_exact: "Apr 22, 2026, 10:11 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Eightfold"

Eightfold - HackerRank Integration User Guide Overview

Last updated: Apr 22, 2026, 10:11 AM (Last updated 4 days ago)

Overview

HackerRank Tests integrate with Eightfold to trigger invites to candidates directly from the Eightfold Recruiting portal. Recruiters managing candidate profiles in Eightfold can use this integration to seamlessly carry out skill assessments of candidates for different job requisitions. Candidates receive the HackerRank Test and Interview invites and take up the challenges. Once done, the candidate's score and performance data is automatically available in Eightfold for further evaluation.

This article describes the steps to trigger HackerRank Test and interview invites to candidates from Eightfold.

The workflow to assess candidates with the HackerRank - Eightfold integration is as follows:

1. Create Tests in the HackerRank platform with the required roles for Eightfold.
2. Select the appropriate candidate in the Eightfold platform and send the HackerRank Test to the candidate. You must move the candidate to the respective stage defined by your organization to trigger an assessment.
3. View the results within Eightfold after the candidate attempts their Test.
4. Schedule an Interview from the Eightfold platform by moving the candidate to the respective interview stage requiring a remote technical interview via HackerRank.
5. View the performance of the candidate as a report on Eightfold.

Sending HackerRank Test Invites from Eightfold

1. In the Eightfold platform, click **Positions** to view all the positions available.

!positions.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046328683-?Expires=253370764800&Signature=nYJr3AQbg8uQ6RWrO1~NP8e3zT1rQ-qlkXySLgSnNcxUVwdZd-ZkOfoF4WiC1gWmX8kyK8Y2PZ45k4qClu1EwODN84mvSNV73pyEXbFuhVQzmihAPCx-JN4FS56yvXAdq36ahVf49mJNE8M9NcejjsQ1VJ-1CGBovfc6WII8NJZNY893y-qm0~uL~VFipgOJxwbhuhkjk~iON0rYuL~6d9rNKLUDkQd8NiZKHfwyv6rgyzVyflFbyoaFjolTrg8cJZLkPoeRGLqEZHQ0UpVv0hLypZ-g-xJO0JGL9j2SdxnUI0InnOlrkNSGPv7ghzOnwFFV4pvN3cwAp-AsRWww__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Select the required position for which you want to send the Test to a candidate.
3. Click the **Leads** tab.

!leadstab.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046329125-?Expires=253370764800&Signature=SdOfEq~0PflwYJaDyaGsOhNCEJce4ELq86jfvf9bXw9FvuokS20BR29pQiQIs3fl6vSydp9xABOGwckYUjCYw7Q6G2PrD3~8Gl62~Taq9gmIYwZmo6vxrFtAQIvpv8JOTOEpswVStfPsc4XsCPzJzoiWKbe9I5G01doxw2W0dgKIXQTQFrCGu5~xyX~7xg~o5Z87qlHxfJhqJwDC-JBoyn6mWM4P7HCN0sUI~D8J7vHcLxh7hsZDH0zQnElX2P1c--mDGVzBhHDEpAoD0yJWSoYgWb5CrT8-kCJJRSs970nQaFXaGutR~asPdqGhW4Oyk7hURs-8riKB4ZtjyOdNqw__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Select the appropriate candidate whom you want to assess.

![candidate_profile.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046329583-?Expires=253370764800&Signature=JKaDoizsRwJjYE5osLae-8ow2j53qHza4a1unWvD8xU87PlkuJ2uyYCHOoxcHm1XqQuCRk255tov4hT1JZxofk8yM2Sesi63inR6mMBC~tcYYGIDDuXsQrcHkHTZrh6n3sEeDoUGfiCPAylJyC47KLpGOXfPMQyZs9Uv-1AROTp72L4Ee4FAXieOCUuPd25S~h1RqklOI6XP0luLxtCOWg2GxvzynV2g2cr4v8qDMJkZejm9L9FYcQnRtPPYB09E5veEM~PjnSJkc29Fh9jQObzOwUmnFZ38zG4s-nM3g259gfXkYhcxB5ZtjmM0hMf-Zr7Fgz~2XvgwvyRuzDMA__&Key-Pair-Id=K3NV4LZ47N8M46)

5. You can view the candidate details in the right pane.

6. From the ****Advance Stage**** drop-down, select the appropriate stage to send the assessment to a candidate. For example, to send the assessments to candidates, select the ****Recruiter Screen****.

![stage_candidate.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046330233-?Expires=253370764800&Signature=XO26VzyWEsTMz39s7ED0Mnmfd1McVgnji00bv1Vjm8Pm2fKV~QRL3h~zUr4BWVifof686uNb1BAUYpyovC~vgORA8ZyeKdwrJy-3aZZf8GvTlr-YgfTNR~VipmG3lvfitvjNMblwE9U39ylUcQV148ruw5sNLyCfSeUZaMDt10tuKm0rE-Ca2b6xNNKC9A2uYMGciuOzJ~mUZhWiCkzpz5PSzrINXdqPw~ktJVd1PvmRWscJE3S4o6AcEiEyytRVF7XD8cpTWHtyAKIPTNtlH5cPllic7j~BCfAomasJvvS3a3ELWAvN~OD3N8Q5XVBgAPJEkE~8hwrG7TmK4448A__&Key-Pair-Id=K3NV4LZ47N8M46)

7. The ****Confirm ATS Action**** is displayed which allows you to select an assessment.

![select_test.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046330872-?Expires=253370764800&Signature=GF84kGrw5fpQDXLQvpMEsZRLIJs~PU~UpXCxMkdohN7oQipEsKGOD~4dcrsAnryKsoSjv6w6MnekfgSgSuuiBJsnFnFyrZMXG~VDNPFsN9FbyJn8kuM6joEo~tVwa7NGO3dRFYgR2EF~qTPcdsGzQn~oJalM96M5AZ5YnJiwF~inTEOp7yk6RHqN5~wUVHDrD5oYFh3FTJWqjclXRgfmbVuGwKwnqD6wM~IICB7kGpLRqU82wt6wUZn9~723bmUSUCsPJtWaCGTbFKhWFX3zelzZw4T5Ehx7ZlZZ1NHjwWQ~q2rUSTwyO6cVMww2EuK5Fu5uoVnrD7e7eaY~urRQ__&Key-Pair-Id=K3NV4LZ47N8M46)

8. After you select the Test, click ****Confirm****. The selected Test is sent to the candidate.

9. An email invite is sent to the candidate's account. The email invite template is pulled from the default template set on HackerRank by the recruiter. For more information about the invite templates, see [Email Templates.](https://support.hackerrank.com/hc/en-us/articles/360010817373-Creating-an-email-Template)\

![hr_invite_test.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046331230-?Expires=253370764800&Signature=N9k0Kg7UHjVEHWol94AqG2k0KfNEetoEMrR5EDCPghyntYcDS20gooCzUQDr9xO4~FHHulsXunv~gPRXdladeGjpnRDPvhgfrBsyHO3VGTAELQxPsUT7BjgaKkBB82ex0JXDHDJiCDqFUsB~FAJb~BeEfviNt6LAvqaPOqagmZPWW2vH~ZDyQb3g6iaD~gWiBDza97X4OPOOjBOq8TyT1awiCN2r2WAcSA7fthUbh79K7HW9~Ctego7aELQ7P~c9pgQhyJi7OzeHCZxJ9hr9ve7QMlhQiUxc1~R6Ac6~3TN6XN0WaWbTzEapu~pZr6hYzU~6o~C4z1Qw4PJFv4FY9Q__&Key-Pair-Id=K3NV4LZ47N8M46)

10. The candidate must click ****Start Test**** to start the test. The candidate is then redirected to the HackerRank platform login.

11. After a candidate completes the test, the Test status is updated on HackerRank.

![candidates_test.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046331601-?Expires=253370764800&Signature=gQyxdzKcZOYg4YgbsRBxgSuamJQFnwZkKiKcjaOqnPa7FbdN~bmA33ODX7ViuuPWzbsu60emxLyAJSQfQsf453ebb98~uAgZ~xl3EgNtvMCHbo4cU472xZIX7HelWqmQlqm~qy9U~6caslgeEamPNqWdUiPC9fSJwlxmKDLe~c8nvdGUOM5h2ShtO8D5pkhfUfGsZBOWLnf~hOykQHyH4WUiBI~noFI4d~yuYsWQscs8W9lezdPZD728zkKo64mCV9KADlb3QR~1IXShbATYUKcl7TRTRAe1c3hlxc8f4ikhHj8ph6eeR4ksUMoHX2gTH~gt0gQB5V4UWw9rghhLpg__&Key-Pair-Id=K3NV4LZ47N8M46)

The Recruiter can view the reports of the candidate's assessments on HackerRank.

![candidate_report.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046331971-?Expires=253370764800&Signature=nnRVgwYTWlhlu~dtUQbnak8iWVDzIX5vjHxoxna4qGVvew~9kRgMtksl9qhe7HA2VzT7TLQM6wJ~i4eokA8HotRZcaRb1kclVFEZie30rpJvZz2AzdQW8ANomZ8RtIjQU7UcTZ3Sk2qbnxJ~gsAP5bWswROL2hvjWw2KvX~nz~2TWfKAltNIX8e2nyQG3X3mef32L1J2lpg3X22WQWBy6ZzCyXkODksBkfhDWneEqGPX87P8~rmYZ~jQ0YKSujegT~kAQ4cBPG2rBuZIAyyNqGSGs9s~RmdEh8tZly2WkZjEHTzKQ26QipM7YSj11DyIGQ2UFFxphqEs5~gsfcPw__&Key-Pair-Id=K3NV4LZ47N8M46)

Viewing Candidate Test Report in Eightfold

After a candidate completes a HackerRank test, Eightfold displays the test report in the candidate's profile.

To view the test report:

1. Go to ****Positions > My Positions****.

2. Select the relevant position.
3. Go to the **HM Screen** tab.
4. Select the candidate.
5. Go to **Hiring Activities \> Assessments** to view the test report.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776339894412-image.png?Expires=253370764800&Signature=b-bUrw2IlM695uruQGuvCRZ2pHxeHu0TKyYDmJiBE2h7pPCYFKEuU5rJUDCT6vMkwxU0OfvI86ozWWjHNSfdytiNpnwsw4rt9neQu4c9pYahmr1X~fiOO9ipH5KCuQujM3ZeIRCYQQ9A5N-wk5KeCLRzk1Pd-JZF6el2gCzNNIsKkt0mszzddCuyBMwepxgMO14hmBukJP6fiyzILGsfG0LIyuJH3xyvuWGG~yLvRp6S5gzdCzq7Bdo52bWOwk~4zMO5EjXcKuqt4Dhna5FzZOcoOctk9zpRCq7Hd19dn-16vlBXZpa3v82TVhi2C6GxUZZs5nQ45mQg4QYn5dcUBQ__&Key-Pair-Id=K3NV4LZ47N8M46)

The test report includes the following information:

- **Name:** The name of the candidate
- **Invite link:** The test invite link
- **Score:** Candidate's final test score
- **Plagiarism:** Indicates whether potential plagiarism is detected
- **Report:** Click **View Report** to open the detailed report in HackerRank
- **Sent At:** Date and time when the test was sent to the candidate.
- **Started At:** Date and time when the candidate starts the test.
- **Finished At:** Date and time when the candidate completes the test.
- **Comments:** Includes candidate integrity signals:
 - **Integrity Issues:** Indicates whether potential integrity issue is detected.
 - Note:** Integrity issues are classified as **None**, **Medium** and **High** based on severity.
 - **Integrity Summary:** Overview of suspicious activities detected during the test.

Scheduling HackerRank Interviews from Eightfold

After you pass a candidate based on the assessment, you can promote the candidate to the Interview stage to conduct or schedule online coding interviews. You can schedule the interview from the Eightfold platform and leverage the HackerRank Interviews to assess a candidate based on their skills. The HackerRank Interview is an efficient tool for recruiters and technical managers to conduct interactive coding interviews with candidates located remotely.

This results in a seamless recruiting experience for the hiring managers and recruiters, and the results are directly displayed on the Eightfold platform.

Scheduling an HackerRank Interview from Eightfold

To schedule an interview from Eightfold, perform the following:

1. Select the candidate that you want to schedule an interview with and move the candidate to the appropriate stage, such as an Onsite Interview.

!onsite_interview.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046333345-?Expires=253370764800&Signature=kW9-YULrsH5FXFoXyUAjIF0e3w10Aihc1VVgeikxa4OQrgx1rwVs9ygnn3dp8LMezE5fEWh~-a7AwdczrGHCvwsIw dDZwZ4bqfYP~EHQMUBZsySJLdGpFp5DOLD~F00DoBR1jJfSZW1M8TVJ5BHbiC1-rj1G5armDwW6o2qC8VF7i2vxktPH-IGFv0bKIB hGuuOFdBGyVOYxT3SCcZJk9RnbI1uf3nevmusFSe-6hQ9NWjVpRFoujm56DASrh2cyqsDLVqlxuz70Ww70Yo54U~oTgticK5qFgYx4 njSqazu90iN4yhp2ekNrmHNe2ca58DstlbOQOKQqJ8kuUTf~A__&Key-Pair-Id=K3NV4LZ47N8M46)

2. The Confirm ATS Action window is displayed.

!confirm_intrw.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F173404633733-?Expires=253370764800&Signature=FydszcA6H6AdeEiu09jPKaZqom4ud-NG5Jy9PRxUe~iANmKd4y3gnNFInuR9NJ-oEZqoQPHR8wK67a4ZFaSEUQquRd76d3TcXmW1T9e4C-V7pD8U~XiMOLWcCBzzi-Pq4yoRNtj-PcWmF8Mk2gfCATjosWYbsDXSAQ7ImNBTEwkvSBQvtnf1G2o-iHan-vq3luhTMn5o3YTAjv0FdIoJciPLzRRQGsp6Q5xgKODve-OQdMagZzKM5S8-hF0l1hJzZZRq24xlePjajF1Z0Bj9fcRF4MhIEPUF74ljfumFwnJ~i51Uy2EBMw-haSke9aJxne8EwzsUFBV0X7XMO-HZGw__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Click ****Confirm****. The candidate is advanced or promoted to the ****Onsite Interview**** stage.

!advanced_intervwstage.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046334080-?Expires=253370764800&Signature=W2jSFoD-uNZ8QKbDNZc2bPgk3T8f9dVnvyoVpJqJ64yzlh~LMI4yD3~~Jf7UhmGwJHXBuHHIPvliandrFHw-7Lrl1syh16vZbLgzlFOKHR7-ouu0E6OANCvU4Kofts6~aVjYPwGef18WauXR21djbDyUdtW9XkG38KR819usq2AY4UnGAYoGkIN2JVxdH7BioSajTHfWBsTQXFLl8qB5tsWRGrm6QIOYiJi-l-qZDWzzkWO54X4nUmPHYxpSDv-tBT6ypcAXC7izUX6asbde8yZXWGYAFZJCSjL1cP3ODZrDSFKuj6je5K4TJLKuAlj6Y14FZvlk2sjeZylpFl4cg__&Key-Pair-Id=K3NV4LZ47N8M46)

4. To schedule the interview, click the ****Schedule**** drop-down and select ****Schedule A Meeting****.

!schedule_intervw.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046334503-?Expires=253370764800&Signature=iwce-KzWeGJN0oOsl5bQmeuut6rncnLno3WerBJpb~gpsg4XDmnxKpppm4sAr1Om65qtRXnUCnefO4RYY4EiuMsHaHqWQ11A2jobD4m6XTFoe9iS4cXNWQwVDgNBr3ygNMXVEFFPLiU3Tr-CuR~VZChdBNmULJvdBrrPYzhxlesht62Ks4j7fhRDof9MiugdUQe5K5S-jqu9dAwZU68oxH0pZJ75KvuFsX5d3Shj7HZ0pz6BJdjXXfyAcaUkgyDnhixl-isM1qgy-ZrKzv14rXsxAasyjnCKBRTITNzQCSXrrTo~U7z8rp3S4CLR9zZFDbj~1oNComjwxWn8f7g-A__&Key-Pair-Id=K3NV4LZ47N8M46)

5. The ****Schedule a Meeting**** window is displayed.

!schedule_meetingwindw.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046335038-?Expires=253370764800&Signature=oA-SXeE6-tXDhue4N1YXD6YtSq3-sR8o8VVhAXACEfA0HdH~w~QeEmDalaauX5sceCoqUOiVSetonytYIJjBgD9Ag7H6sMS4Fep3QwOdMfR7wc8htfiNZrNOxG9VJi4pSSiwxjXutCYBd1f3alWX83~xMIYbPK45b7Raaw83YMIozyk3vzE8guj~J1DIZEBTCSwhtW5u7viymDC8NU-60qXBanT56B4WOOoHkK7-LWfnUXS~r8Zro3VY~CflMp2s7HFDcplelJCpBFZHG1uvcnM-a4xXN8JdPZm95rlF-X1ui1C7S5zExu22U92LNoOAVmYay8Wxz-cAUk3u8~EJg__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Select the appropriate interview ****Template****.

7. Provide the appropriate details to schedule the interview such as the interviewer name and email ID, the mode of video conferencing, and so on.

!intervwdetails.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046335480-?Expires=253370764800&Signature=OVaK7QWMc6JGjoCbH6Wr4itiqqSQZfyo2O5qHDuGBHwoRhEvOpc6pXwI9qrRcTMs~BabCKA56QHHCpGn~mjKDvFNSy8d-ZG-SBee6s7zXIAUA5BioElh5O5TBMp9kjhtaTi~VJ2otg9DlwHcyUatZ6615cTGTwbOa~ToybwYRczYtxRZPbH86B65h5VsQdZ2XVaY6UL6TZUXVvm6xa2QIjlvhJAmaRF-upTLVYQtHlKNZ-g8jiD7l6bb~BMDYAHWMAykriUGpelGpX8Hf3iOo5X9ZEyvHvh5yoax2~EsDdBzVGFURGA9AyTdpNrnc8xkGNzeH37PfKZuZjF9PODEg__&Key-Pair-Id=K3NV4LZ47N8M46)

8. Select ****HackerRank Interview**** from the ****Live Coding**** drop-down list.

!live_coding.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046335827-?Expires=253370764800&Signature=hV2BQsjxFck~LPSQSQV-qQK0gMwFShmf~nuxyY6NLSJWYDJTrqTdozHnaPSHalpYdf1L2E4HMs~6gkediHbreyalttd3kh~boANulHpTuKKnEnpfs56lfhQktRzJPNBxxnuZvBDH5ptd8iKg9TLjluAXUBFduulGeQINU8g8JRL35xBWppQoR~3K6dx4DmjopH adCddvmeI~Gcl03LGGZ68J1WBDGdYkzm2qyDp7WSMToxpJuKjFg5M1cdxrCOZbZbpJcYTztllg2SwgZW6FkZD~nmrln5F5v4Q96GOuR7OE-pwZY3cuSMNBzkm6xkA6bcyb3s7yHzB1qW7EE1zqa__&Key-Pair-Id=K3NV4LZ47N8M46)

9. Click Next - Scheduling Options.

10. Select the time and date of the interview.

!intervw_time.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046336182-?Expires=253370764800&Signature=H8ou8-pFXRHAJaa6o5aM5so-iPvScGt9bp4z3N~NHfLEK4tQoeQ4ojpr~8nxYuBW6sc0qr3Y~4Tz3-emLS1l-zonjbwrkAsHh8GBAf-QKRmRFAXjxkGgCsv3Bd9QmH1E0cAb~66cSyBq0kKgVGRu~cObTtZOX~yKmS47eAinUtwFMg9MzAervljs9pG7si19AgTVIAUrczIBUUAa-ZHls13bgwrdYlqTUUFsfKJ1j1epU7104StZZTyWbZT74fkK-5XC~mMfMw5lKx~-1zhb01Tu9cwUr3rU4OBI7i5uSABhHUfRUXi1wiiHrqNrhvohOx7O8ppKlJmUXssnHUg__&Key-Pair-Id=K3NV4LZ47N8M46)

11. Click ****Next - Communication****. The ****Scheduling Communications**** tab displays details about the template that will be sent to the candidate as a mail.

![[template_intervw1.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046336560-?Expires=253370764800&Signature=WfDeaoluK3JRoiEe~vGW2w3rXVddmodi2dS0qY-qSU650tV9qX9-NDwGjy1Tf2T5neEmjFzhTikLQ1ucq2fC0OOWmWKFNau6wu1twTq502aMrz4JAPclFU0NdtKvTLFxJ9I1HliOA79YornkJFZNIoeTiHz6w3L2lz8KuOyH3ihHNHNU2rVj~OOS4TDXLpvMu5N8NSTJtGqsWLaYBmvxKXE6yzWUc2HE~bJvjzNL0tAPcfbUoocM3bfSOltV7NBRmTnpKH4AL4XoWXHDJnELoVm5kVC0kkvHz8LaAag8~tCis8ZP8NnGIH~198qb~46Bn-Zlu1jg~8gW88hpCTXbw__&Key-Pair-Id=K3NV4LZ47N8M46)

12. The interview schedule is also displayed.

![[template_intervw2.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046336979-?Expires=253370764800&Signature=OTKVB4QqW-D8gcyliqnQmwyev6L52bCKVAcJlbvdv86kON0CG8NvbJEUss7WqtxPIId6JxrwLs~68o8N24Uclcl1MXqvXaqZMX9h6zaZlcQtfsJu0Z3-jbW9fNvSOznrNmKFyu8pVZKldWtTKqnnJR7mBbsIRkGY-O2lZ6UgwJhCXQyleysR~zQ0UTWfLgdOLrqaZ4TG4tCITVVxnaM7tDZyhti77Y4H-TTTl09s83jyzIEoCXoIBvH-U5kpZHcQu0kNIJymq3VTOyjV-Aab7smR4qVQX3Tsky5hexfT7awxGOipBtyLJedPjLAN4ko3iO4Qk0YvYBDYOzxZJSadn8tA__&Key-Pair-Id=K3NV4LZ47N8M46)

13. After you review all the details, click ****Send Invite**** to send the interview invitation to the candidate.

14. The scheduled interview is displayed on the candidate's profile.

![[scheduled_intervw.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046337387-?Expires=253370764800&Signature=cRZsLnsaJOWXXBO0JhzVY35kq2Tx1ZDwQS5OW9avkAMGCIgtDFCukLgbMOaU-aJdvcCOHuPIOT-b6l5bg4uEzhlua5E6dpFqRuak7YrOcdg0OKRzHCuq8oNonYYHqSoZEFkWoPfmE0zFc5U4SZUABcQ6vvyHkeBoHsBdAzD8so6DDcRgx3JzxUw27myx9V46Of~TmB1d8v3EcsxqJ7onkag-AjaymaS1qBw3KODyKE720-yXUEUoAgthFdKclDCyN9u7dCZ3EMHSHZ-cX34hHB6z3lDEEB5SVaCihhnsW4Ow5MhG4ssam0r9IX~kx0l2tHCarp-RKpQnZVgYWk4gv7A__&Key-Pair-Id=K3NV4LZ47N8M46)

15. Interview links are sent to both the interviewer and candidate email.

![[intervw_invite.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046337798-?Expires=253370764800&Signature=mpicK~uMS29iD5JJdQrx~iK~3y-utiH9kmXjhpMc38-JyMBGmqUGA-P9lwT0sKTaeNFFVuMsVsl8jKWmpclRnSgoIYlhQl15aL4upOfDabS2AHkNKQv-1dHhdoB2DUonMSTOQvbXmvckSmNONEnnr2OyimUW4qSTnIFAE5Rk9tAiQckhjEPiJFLi6Pj7QWH~LkKzIM9w0hMqBjxq5~PKWowqLNbJXOmnZGXlwcoPJcLZ1lgXpF0F4x5LbX5~u6CVHA1k3vj4f515lhbCihLxpYA4UgEE1DqcoSAA-P-R8cG6t~XciO0W~wp5CStN-37NZ5wVGM45e51lis58Me2Qxg__&Key-Pair-Id=K3NV4LZ47N8M46)

16. As an interviewer, access the interview link and log in to the session with your HackerRank for Work account. For more information on conducting coding interviews, refer to [Conducting a HackerRank Interview](<https://support.hackerrank.com/hc/en-us/articles/115007439768-Conducting-a-CodePair-interview>).

Viewing the Candidate HackerRank Interview Report on Eightfold

1. After you complete the HackerRank interview with the candidate, the results are displayed as a report on the candidate's profile in Eightfold.

![[intervw_report_eightfld.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046338178-?Expires=253370764800&Signature=KzAXXec64olnMvadyTA1u6l0ds3bJpkjSgfcKKpmT0QlQELFb7zeMERloXfsCgXxf1zmQ7Ew5tlfoaLcu3u8kw-m90XLf~u~2lBp0NlmLqD~l5cWyNHVqJb2n5Nb0hYC6v5Sj0xbylahHQEKn3uwLEmhQVA~KHjml39yJmE6BMmCGFrdNyJf5hpT3L6yA1Ooto0~HW9qqUZdopqco5ogFrjZi61b1PR4rcwQUQFVa3leg8notWX0JMdLrN7mYwPDkOE2yL4emlxv6W0KvqdJLIQH8w-Ba iXFRc-Y5j8FhmdUzVJP1NEmfrpdloX7jZEjbSwfpv0ZDxN32ERgSOg__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Click the ****View Report**** link to view the candidate's detailed report on HackerRank.

Recommended Articles

- [Understanding the HackerRank Interview interface](<https://support.hackerrank.com/hc/en-us/articles/360016528573--Understanding-the-CodePair-interface>)
- [Logging in to a HackerRank Interview Session](<https://support.hackerrank.com/hc/en-us/articles/115008018328-Logging-in-to-a-CodePair-interview-session>)
- [Interview Preparation Checklist for Candidates](<https://candidatesupport.hackerrank.com/hc/en-us/articles/4402914035091-Interview-Preparation-Checklist-for-Candidat es>)

[integrations/applicant-tracking-systems/eightfold] HackerRank - Eightfold Integration

```
---
title: "HackerRank - Eightfold Integration Configuration Guide"
title_slug: "hackerrank-eightfold-integration-configuration-guide"
source_url: "https://support.hackerrank.com/articles/2732992835-hackerrank---eightfold-integration-configuration-guide"
article_slug: "2732992835-hackerrank---eightfold-integration-configuration-guide"
last_updated_exact: "Dec 15, 2024, 10:53 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Eightfold"
---
```

HackerRank - Eightfold Integration Configuration Guide

Last updated: Dec 15, 2024, 10:53 AM (Last updated 1 year ago)

The HackerRank-Eightfold integration allows users to invite candidates to HackerRank tests and interviews directly from the Eightfold platform. After completing the tests or interviews, candidates' scores and performance data are added to their Eightfold profiles. This article provides a step-by-step guide for configuring the integration.

Prerequisites



To configure the integration, ensure the following:

- **HackerRank Account**: You must have an Enterprise plan with a Recruiter license.
- **Admin Access**: Only users with Company Admin privileges can generate the API key required for integration.
- **HackerRank Tests**: The tests must be created and published using the same Company Admin credentials for access in Eightfold.
- **Eightfold Access**: You must have access to the Admin Console and App Configuration pages on the Eightfold platform.

Steps to Configure the HackerRank-Eightfold Integration

Step 1: Generate an API Key from HackerRank


1. Log in to **HackerRank for Work** using your Company Admin credentials.
2. **Go to the Home Page**, and click the drop-down menu next to your user icon in the top-right corner.
3. Click on **Settings**.
4. In the left pane, select **Integrations**.
5. Scroll down, locate the **Eightfold** option, and click on **Connect**. Alternatively, you can use the search bar to find it.
6. Click **Generate API Token** to get a unique API key. Securely save this key, as you will need it for integration. It cannot be retrieved after closing the pop-up.




****Note****: You cannot recover the API key after closing the dialog, so store it in a safe place.

Step 2: Add the API Key to the Eightfold Platform


1. Log in to ****Eightfold****, and go to the ****Admin Console**** from the More menu.

The screenshot shows the 'API Key' configuration page in the Eightfold Admin Console. It includes a long alphanumeric API key and a 'Key Pair ID'. The page has a dark header with the Eightfold logo and navigation links. The main content area is white with a dark border. The API key is displayed in a monospace font, and the 'Key Pair ID' is also visible.

2. Select ****Apps****, and then open the ****App Marketplace****.

The screenshot shows the 'App Marketplace' in the Eightfold Admin Console. It displays a list of available apps, with 'HackerRank - Assessments & Interviews' highlighted. The app card shows the app name, a brief description, and a 'Install' button. The background is dark with a grid of app cards.

3. Search for ****HackerRank - Assessments & Interviews****, and open the app installation page.
4. Click ****Install****.
5. In the ****Configure Settings to Install App**** window, enter the ****API Key**** generated from the HackerRank platform.
6. Enter the appropriate ****Stage**** for the app (e.g., ****Recruiter Screen****).
7. Set the ****Webhook Authentication Type**** to ****no_auth**** to receive notifications on HackerRank assessments and interviews.
8. Click ****Save Settings & Install****.

The screenshot shows the 'Configure Settings to Install App' window for the 'HackerRank - Assessments & Interviews' app. It contains fields for 'API Key', 'Key Pair ID', 'Stage', and 'Webhook Authentication Type'. The 'Stage' is set to 'Recruiter Screen' and 'Webhook Authentication Type' is set to 'no_auth'. There are 'Save' and 'Cancel' buttons at the bottom.

9. To verify, go to ****Apps**** \> ****Installed Apps**** to see the ****HackerRank - Assessments & Interviews**** app listed.

****Tip****: Click the app name to check and update the ****Configure Settings**** if needed.

[integrations/applicant-tracking-systems/eightfold] Eightfold - HackerRank Integration

title: "Eightfold - HackerRank Integration"
title_slug: "eightfold-hackerrank-integration"
source_url: "https://support.hackerrank.com/articles/7924497743-eightfold---hackerrank-integration"
article_slug: "7924497743-eightfold---hackerrank-integration"
last_updated_exact: "Dec 24, 2024, 6:34 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Eightfold"

Eightfold - HackerRank Integration

Last updated: Dec 24, 2024, 6:34 AM (Last updated 1 year ago)

HackerRank integrates with Eightfold for Tests and Interviews to facilitate a seamless interviewing experience to schedule remote Interviews from Eightfold. Users can also send HackerRank Test invites to the candidates. The Test results and Interview feedback show up directly inside the candidate's Eightfold profile.\

You can send an assessment or schedule an interview from the Eightfold platform, irrespective of which stage the candidate is in. This results in an efficient interviewing experience for the hiring team and the candidate.

Refer to the following articles to set up various features of the Eightfold - HackerRank Integration:

- [? HackerRank - Eightfold Integration Configuration Guide](/articles/2732992835)
 \
- [? HackerRank - Eightfold Integration User Guide](/articles/2155086316)
 \

Below is a list of features that the Eightfold Integration offers:

Tests

		Feature	Eightfold
		View the Full list of HackerRank Tests	☐
		Invite candidates to a specific test	☐
		Cancel an invite	☐


```
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 25px"><p>Reinvite</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Status update from invite to completion</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
```

```
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Templates</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><p>user default</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><p>assigned recruiter on requisition</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Update results after editing HackerRank</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 25px"><p>Result sharing and validity</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 25px"><p>Add Time Accommodation</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

Interviews or Code Pair

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="background-color: #eafcef; width: 84.0368%; height: 33px"><p><strong>Feature</strong></p></td>
<td data-cs="1" data-rs="1" data-rowspan="1" style="background-color: #eafcef; width: 119.523%; height: 33px"><p><strong>Eightfold</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="width: 84.0368%; height: 31px"><p>Create CodePair link</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="width: 84.0368%; height: 29px"><p>Schedule CodePair Interview</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="width: 84.0368%; height: 27px"><p>View Result</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
```

```
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 84.0368%; height: 30px"><p>View Scorecard</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 84.0368%; height: 29px"><p>Link to the detailed report</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

[integrations/applicant-tracking-systems/freshteam] Freshteam - HackerRank Integra

title: "Freshteam - HackerRank Integration Guide"
title_slug: "freshteam-hackerrank-integration-guide"
source_url: "https://support.hackerrank.com/articles/9978423020-freshteam---hackerrank-integration-guide"
article_slug: "9978423020-freshteam---hackerrank-integration-guide"
last_updated_exact: "Dec 27, 2024, 6:34 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Freshteam"

Freshteam - HackerRank Integration Guide

Last updated: Dec 27, 2024, 6:34 AM (Last updated 1 year ago)

Overview

HackerRank integrates with Freshteam for screening Tests. The integration between HackerRank and Freshteam allows hiring teams to send HackerRank assessments and view candidate scores, directly through the Freshteam platform. This reduces friction by eliminating the need to switch between multiple platforms, thus saving time, eliminating cognitive bias, and bringing more order to your recruiting.

Tests Features

Below is a list of features that the HackerRank - Freshteam Integration offers:

Feature	Freshteam		
View the Full list of HackerRank Tests	?		
Invite candidates to a specific test	?		
Cancel an invite	?		
Reinvite	?		

```
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Status update from invite to completion</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Templates</p></td>
```

```
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><p>user default</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><p>assigned recruiter on requisition</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Update results after editing HackerRank</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 25px"><p>Result sharing and validity</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 25px"><p>Add Time Accommodation</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

Interviews or Code Pair

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 80.4655%; height: 42px"><p><strong>Feature</strong></p></td>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 123.094%; height: 42px"><p><strong>Freshteam</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 80.4655%; height: 31px"><p>Create CodePair link</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 80.4655%; height: 29px"><p>Schedule CodePair Interview</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 80.4655%; height: 27px"><p>View Result</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
```

contenteditable="false">? </td> </tr> <tr> <td data-cs="1" data-rs="1" style="width: 80.4655%; height: 30px"> View Scorecard </td> <td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px">? </td> </tr> <tr> <td data-cs="1" data-rs="1" style="width: 80.4655%; height: 29px"> Link to the detailed report </td> <td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px">? </td> </tr> </tbody> </table>

Reaching Out for the Integration Help

To know more about how to integrate the Freshteam ATS with HackerRank, you can reach out to the HackerRank point of contact or raise a support request by writing to support@hackerrank.com.

You can also refer to the [Freshteam ATS support articles](https://support.freshteam.com/support/solutions/articles/19000072352-integrating-hackerrank-with-freshteam).

[integrations/applicant-tracking-systems/greenhouse] Greenhouse - HackerRank Integration

```
---
title: "Greenhouse - HackerRank Integration Guide Prerequisites Integrating Greenhouse with HackerRank Glossary Frequently Asked Questions (FAQs)"
title_slug:
"greenhouse-hackerrank-integration-guide-prerequisites-integrating-greenhouse-with-hackerrank-glossary-frequently-asked-questions-faqs"
source_url: "https://support.hackerrank.com/articles/1406188460-greenhouse---hackerrank-integration-guide"
article_slug: "1406188460-greenhouse---hackerrank-integration-guide"
last_updated_exact: "Feb 16, 2026, 1:06 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Greenhouse"
---
```

Greenhouse - HackerRank Integration Guide Prerequisites Integrating Greenhouse with HackerRank Glossary Frequently Asked Questions (FAQs)

Last updated: Feb 16, 2026, 1:06 PM (Last updated 2 months ago)

HackerRank integrates with Greenhouse to streamline the candidate screening process for recruiters.\nThis guide explains how to integrate Greenhouse with HackerRank for Work, allowing you to send tests, schedule interviews, and view results seamlessly.

Prerequisites

Before you begin, ensure you meet the following requirements:

- You have admin access to your HackerRank and Greenhouse accounts.
- Your organization has an active Pro or Enterprise plan with HackerRank.
- Your HackerRank login email address matches the email address associated with your Greenhouse account.

Integrating Greenhouse with HackerRank

To integrate Greenhouse with HackerRank:

Step 1: Generate an integration API token in HackerRank

The integration [API allows token](https://support.hackerrank.com/articles/1406188460-greenhouse---hackerrank-integration-guide#glossary-11) Greenhouse to connect securely with your HackerRank account.

1. Log in to your HackerRank account using your credentials.
2. Go to **Settings** > **Integrations** > **Greenhouse** > **Connect**, or open the [Greenhouse integration](https://www.hackerrank.com/work/settings/integrations/greenhouse/configuration) page directly.
3. In the **Configuration** tab, click **Generate an API Token**.

!1.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1762499532770-1.png?Expires=253370764800&Signature=jqHqJMSlNYmpUoKaZADH-l23RBq0MAXz0KsClOvYHvcFjRfEbZGrSg9Rz4V49XYw2lpwUNpguflamXdcHnesW6M-TShhyFBqllXwOChHDubJstBA6eZeoGeumWEABslpmCBiQBQQAgiVB03OJivU-08KoZ6HcTpSrm25lx529WolSL--A~8kBmZCCnHTPzS9kjZVvaY8KSSSUQCCMX3uxURBr4US8dwDULKH1~IWhlomZ618LNnGIDmQmVs5iG-GhH9hUy-ORPRSpec0T930-TPc4Tp-u9SSepJm7GoyVRm9FU65bCHqugO21texBnWokW3t8gZPnC9Oaayq561wwg__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Click **Copy and close** to copy your token.

Note: You need this token in Step 2: Add the integration API token in Greenhouse and Step 6: Create a ticket in Greenhouse Support.

Step 2: Add the HackerRank API token in Greenhouse

This step authorizes Greenhouse to connect with your HackerRank account.

1. Log in to your Greenhouse account using your credentials.

2. Go to ****Integrations \> HackerRank****, or open the [HackerRank Integration](https://app.greenhouse.io/partners?partner_type=integration&partner_id=45) page directly.

!2.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Ffebe30ed1-6dcf-4b0c-ac3d-6d6bda894aa1-1762499579416-2.png-5e064202-7d70-4e27-b58d-85c7f86ef6c1?Expires=253370764800&Signature=mZ7SNvYFYeWlpyu420v8XOT-eVjoAUbJfqIElgwEEctBeHjF~u~7tV9equ60vrr8dj0vMHfCWcxw-zp-3yeobF1lthKPwOvwsXpcGFIKzUhMitKxJQC2-T61~O2UN4DGuAFrdgOZX1ikcoS4Rxyz6P6625U9zu8TAVWaNCEOnORpXweGJPoS07EI4AVPHsYJlyNkPiWpl0Bcmr3gUjORpIE0NjB9M~ynmgbD3CsTPwwLH0le6e-nF5YO9ngktMJbXhjkufk3eia-kviMk9FcmeEnlRoMsdbksO4ywgI34691F5jzR-QRd1X8qvD5BY7HY-M4SMJPyvH~sTo1geJHQ__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Click ****Connect****.

4. In the ****API Key**** field, paste the API token generated in Step 1.

!3.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F70adee1f-1563-4c44-91ef-5c1e9c70061c-1762499682796-3.png-8e62d846-f329-4460-9b60-29af408ba4c2?Expires=253370764800&Signature=CeVzs8OcyzDIOQg0ze5iw76NQfF1vmW81horL9L9pEeTu5wbhvmzCY2FXlydw03iJRKJG~wl8z8SalYKe6LbxUfglm1MiRaYM7aamFNNZaLvQ-c4gjnHmatpVApv6SThMaD5dAysR9MZr1dCZ-rKr4Adw9Zs9P23sH5B1Os9QKuRp5ulhpXxK18Do4XCe25keya3izVJe1OrfS551U197IHqtSDAMKUAqEAaWz9-Lhx8PVFeLex5hHSWurb9Tv~HuNzND6AveW3hedUjDnYtgn0zC5jS4acKaPBZnn75Gv~iL7-CLASHqUUnJJz6VzrD7gbQBbpDqAFNY-Zt9OaVAw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click ****Save****.

****Step 3: Create a Harvest API in Greenhouse****

The [Harvest API](https://support.hackerrank.com/articles/1406188460-greenhouse---hackerrank-integration-guide#glossary-11) allows Greenhouse to securely share candidate and job information with HackerRank. It also allows automatic syncing of test results and interview information.

1. Go to ****Configure \> Dev Center \> API Credential Management,**** or open the [API Credential Management](https://app.greenhouse.io/configure/dev_center/credentials) page directly.

!6.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Ffeefcb0b4-1a44-4f74-a42a-53b1ccbe4653-1762499735124-6.png-bd2fc004-8cf8-49dc-b240-948e56123288?Expires=253370764800&Signature=u3kimmw3R2QVQclMemm0fu9SzssUzjRH4A~a7tOidqxHTpl~mBv77Mi3zB2CmgUH2F~2pIDGvAC7Gjxt4dHVI~zWUSwgKzaU41dKzd71D3RmCBagPMvfU~k2fwY6~Hi~L4gKNk3xpRCF20aBRHAMJNbOv11tqd64yNY3ZDvNVA6ACoE9XMuNGYcZXL--HNBhugWom3R-hAEHispyr5EwYdihZyz2odvIvB6O9lu~0Z5Pp2nz6WRQFrm-26hcMj7DaqUh0aAoh3qjzLfUbjEekSjAQus5BCL4N1-CjO2lnEn-UGeY45kJRFHsw803PqGPvFKqBTakXrMAKaI4k3tYZA__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Click ****Create new API credentials****.

3. In the ****Create new credential**** dialog box, set the following options:

!7.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F35da600d-ccfa-4660-abc1-278c303d746c-1762499825540-7.png-a6cf8061-3137-4e09-8788-6ce13e9db997?Expires=253370764800&Signature=U7LIThL7K6P65GIEZdvZjOEidcR-ndIXIst1vw91KjD2ySeSD6A42yx4-y5AheZZeMDc9ufyvuOVTa576GGJ1vnVwBtyVRUOGzIU~S0C0ACHBaVL5cyw0HT~CtCr2MHmbmEZ-KdxazmBZXUQdEDxb61l~J4aPS4A5uDoCNrtKGAAiEht1M-yy8M9yT2nxCG-6ZVoGBply1kqn6Kv1EGP4Tk4havZby4MD6mx-l4k-gfHUb1RSSYBgL7EDk978zg9EqLt42vESax2k~KqqwmZxdNNx9o4mVbBKDDVR7eU~SQ-5PyL9femHpZlnoGDCEYrEXBFMIImk7VQul6mc9UtQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- Select ****Harvest**** as the API Type.
- Select ****HackerRank**** as the Partner.
- Enter a description.

4. Click ****Create****[(http://Create.Click)]

5. Click ****Copy**** to copy the API key to your clipboard.

!f[9.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fea08dc92-cc1a-4653-a979-bc41f81ab5b4-1762499909784-9.png-a1758e4b-665e-4619-a8a4-699f762899a6?Expires=253370764800&Signature=heBBjvQ6FpyXsq4leDSON9~ve4oifqGPe2YRXFbLmhPEg8IEzK3eThKOcES9eLaRf07xsn6lnXTvsK-iMjOPkXxqdKX-c4cf1U~fgG7WKcm5xYV1Ms0rFEwKiaUmaluHdo57JfBh3qJbmR3MHB57pCdv-QltpHdHiCvTecQKgQOYRUCUrbzRRCKy9dwY6EgPE3jOtj4wPax1zTkZku3AFhADF6Ak8wv4qeGxXG1aJrSN17MeLCR0TndOsYj7mxmvSoJEUxi-huFE9w-myF3a04ITU3Kznfek74Exq-aWr1glbpSASUQulv3RA-hvyRqXR0PDBwTA4SDxK7NTGh3Q__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: You need this token in Step 5: Add the Harvest API key in HackerRank.

6. Click **I have stored the API key** to confirm that you have saved it securely.

7. In the **Manage permissions** section, select the required permissions listed below for the HackerRank Integration.

!f[8.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fb7aa915d-f4f0-4841-ae5f-81a5fde7ff84-1762499978729-8.png-c7bbd53a-416f-482f-85d2-1e010181bdd8?Expires=253370764800&Signature=B2r8QLfuHs7HTOUbdy6mZuPWhpvidEbfKvivil2uD1YhycOXDjF5y7AXDpg-edZi~dH-7vyx-8Hka54jhviGJu4NKPWNW4Nufk1Ai1YsDQ08tQEIJHMB-ME1b~0BhLpnTSPct0UHBTwYE4tgPopOENmvXbzYO0QNvyxaaQzS-l3GUaJJRB6z0HtRVW9jsoQaGa2rifaw-Y6iiGdR4qWmmpbSz0kwqxGKmph-mo0nbPfl23IGspRsEoEtKmK4uhanwZ23YtH9geQTCWCYjgLtJqm9iBjrdwOkfm8SSrHaeoWoQs7aPTqJMhZA46wq5ERLSYinbldeOUD4TNX98VpN4JnA__&Key-Pair-Id=K3NV4LZ47N8M46)!f[screenshot-app-greenhouse-io-configure-dev-center-credentials-permissions-2025-11-06-15_26_21.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F8d5cce9e-9be1-49f4-8c38-d1a0ae2d0bca-1762502920226-screenshot-app-greenhouse-io-configure-dev-center-credentials-permissions-2025-11-06-15_26_21.png-45caae91-0b87-44ea-8290-ac0de9909301?Expires=253370764800&Signature=pWWOQC2ZhGN~C6sLHcSj4h82tMz2SZy5r~9FxE62FSF6cnjDBPOlcb4qikyKw8fsPSBT9Dxpt6bJox1fmqaynz8TZOUXA5OYsJgbnWGLmlv7JOPF1sPJQGLbtXsPeNFI4~oirfVU5g1~XwDT8DBwtO5H9gDIU1skBvIUiksmxbeb4Ttd~G-rCl-qbp3WZ9T3b5U0yh-3GnWhL1DLjt898qy1I-JbOmdCZZaweSwNZhNHLTI9ZnwLmx5d7qc24tP62ktWYP0Cz20bpjsYE8wR7RBtsJk21Ccin6lQrE7KmX6WP1Z0F~NCvJ6vit2sUTaND42EKK8H5WxexLP1heQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Applications**

- **Get: Retrieve Application**: Retrieves a specific application when need. For example, to validate application details or support features that use application data.

- **Get: List Applications**: Lists or filters applications by job or status to support configuration.

- **Candidates**

- **Get: Retrieve Candidate**: Retrieve a candidate's current data, including custom fields, before you add or update information. This prevents overwriting existing data.

- **Get: List Candidates**: Verify the API key when you connect Greenhouse. The system sends a minimal request (for example, one result) to confirm the key works. It does not retrieve candidate data for normal operations.

- **Patch: Edit Candidate**: Updates candidate profiles with HackerRank data such as test results, integrity signals, interview feedback. The system stores this data in custom fields or activity.

- **Post: Add Candidate**: Create a new candidate in Greenhouse when you create a candidate in HackerRank. This ensures the candidate appears in Greenhouse and can receive notes, attachments, and tags.

- **Post: Add Note**: Add notes to the candidate's activity feed in Greenhouse. For example, test name, score, report link, PDF link, and score update messages.

- **Post: Add Attachment**: Attach the candidate's resume to their Greenhouse profile when you create the candidate from HackerRank.

- **Custom fields**

- **Get: Get Custom Fields**: Retrieve existing custom field definitions and current values on candidates or jobs. This allows the integration to append new data, such as integrity signals or feedback, without overwriting existing values.

- **Patch: Update Custom Field**:

Update HackerRank data to your custom fields. For example, store test results, integrity signals, and interview feedback.

- **Post: Create Custom Field**:

Create a new custom field in Greenhouse if a required field for HackerRank data does not exist. This ensures the integration stores results and feedback correctly.

- **Departments**

- ``Get: Retrieve Department``:
Retrieves department information associated with jobs or applications.

- **Jobs**

- ``Get: List Jobs``: Retrieve job information when you configure or use the integration. For example, validate or filter by job.

- **Tags**

- ``Get: List Candidate Tags``: Retrieve existing tag names in Greenhouse. This ensures the integration adds only missing HackerRank tags, such as test status tags.

- ``Get: List Tags Applied to Candidate``: Retrieve the tags currently applied to a candidate. This helps keep status in sync and prevents duplicate tags.

- ``Post: Add New Candidate Tag``: Create new tag names in Greenhouse, such as HackerRank test status tags, if they do not already exist.

- ``Put: Add Candidate Tag``: Apply the appropriate tag to a candidate after the candidate is created or updated from HackerRank.

- ``Delete: Remove Tag from Candidate/Reove Candidate Tags``: Remove or update tags on a candidate when the status or workflow changes. This ensures tags remain accurate.

- **Users**

- ``Get: Retrieve User``: Verify that the On-Behalf-Of user ID is valid when you connect your Greenhouse account. This ensures the integration attributes actions to the correct user.

- ``Get: List Users``: Retrieve user information during setup or support to validate or identify the user acting on behalf of the integration.

8. Click **Save**.

Step 4: Get the admin user ID in Greenhouse

The [Admin User ID](https://support.hackerrank.com/articles/1406188460-greenhouse---hackerrank-integration-guide#glossary-11) identifies the Greenhouse user who owns the integration.

1. Go to **Configure > Users**, or open the [Users](https://app.greenhouse.io/account/users?status=active) page directly.
2. Click **Export to Excel**.

 (https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fa2c35710-09db-4cda-8d64-b2c99778c3a1-1762500109623-10.png-4f370bd0-1e77-4b08-bcc8-c5fafa004b4b?Expires=253370764800&Signature=uZQlxc5dxnCyJPvaBetm6u-0lgFs5siMgrrb7CmY7XvRiWBSVKiOOdhcTkhQOcVOLyq2vhgru~DPtICqSxrwzVApTrDmxGMFz3euXHS2l8qWITMI2bYTKK-Gr2Rs0Y3o3tJgV9BaeARbW49oxOcvIrljNdvciW2bJUH6vJTBwadyLpnbMr-DL8c~IAi0oTlOhyWTkx-Np7uEA3FPbyWmYbQEt5N3dc84QzR7w34eFZlYfaq8MT~oHJGNjCuZF~Hnv-YAQKM2Gd8LFX2ZNAHqH45BMXAa~eRRAGvDcECroMraHhqv2B5zmlZxEtwMeNlnQUIySap3APx7P5ffUEhDg__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Open the downloaded file and locate your user ID in the **User ID** column.

Step 5: Add the Harvest API key and admin user ID in HackerRank

This step completes the data link between HackerRank and Greenhouse.

1. In the HackerRank account, go to **Settings > Integrations > Greenhouse > Connect**, or open the [Greenhouse integration](https://www.hackerrank.com/work/settings/integrations/greenhouse/configuration) page directly.
2. In the **Configuration** tab:

 (https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F493af6b6-1075-4c50-9993-d96a73c036eb-c0f4b6b7-54bd-43b6-9ec3-2cfd4ddf812d-1762500185786-4.png-0088a265-e3b8-4d6b-ad1e-9ab7b95a842b-2560ffd6-59c2-4c5d-aa17-3feb27639f5f?Expires=253370764800&Signature=VhV5epzzLUZdsaxKTdKn853GON6X9StivpmaVxEU4DCUnt-w-706O6gC9QfkX1OPgWY9Nri9NADmmVUFFG~XJ6~IRDBluZ5pZnWMxZU-ZiHtMF~kkCiG~xdpxLCOGI8HH5aq~vMHSzthidmIZ~jMOD0NWG97XeIDzpVr

RkU5YcqFjCmmmts60zjDNguUMty8ilvPsunntPtQxSXzdHpb-K9SXtba8RoVfOudVfEOcHpNXcei6aUY1KHyyDODaGcM9T~w8ST6bW0dw9OOADpfBhhLgqvRhwvTZ3Za2M9BpxJYqq5LivihkbnFK6TQ-nPln7rWpem77VJKIX9ljwtdUJA__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Paste the Harvest API key from Step 3 into the ****Greenhouse Harvest API Token**** field.
2. Enter the user ID from Step 4 into the ****Greenhouse User ID**** field.
3. Click ****Test and Save****.

When the configuration is saved successfully, the system displays the message ****ATS Settings** updated****.

![[11.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Ffc3d23a2-2671-4227-868f-fe2b3521935d-814eff63-ae22-4a79-a6eb-f10e58561060-1762500224011-11.png-cc7b33aa-382d-4330-8a41-ce7ba9e97db5-e912ebc1-6661-488e-b3b0-b45378bbdcf5?Expires=253370764800&Signature=oe77v9TgyHixGNeQUPNoUOY~hH3BY3x5yH97a~SyG3PzZ7KP0boVOProJl~x-eWDeAbT87kceAf-SsXGgSoWlpEzjIEp6cWR4sNenRBFN7JO2E~KVizy6UUKyR6qlKH7oXR-9tt17zErr3nJn11uINOFDNvR2PEHD1oWTO~tYQpVULpp7F3V2ybStcqyOJL8aJu1Lp5jcVpD6rsA2u5l1v80sOao0fL4IV0uhn4RiCe1k5uwOMYsnhQAOXxD9Qi8KudqdyrePk8x~HdPLpU-GRvu-kYQDQyOWiaCena~WXKXXptlczd-nSOVCWvQ3ep~gLDW2ZUsLWv8Red9LKyAxw__&Key-Pair-Id=K3NV4LZ47N8M46)

****Step 6: Create a ticket in Greenhouse Support****

The Greenhouse Support team manually verifies and activates your integration.

1. Go to the [Greenhouse Support](https://support.greenhouse.io/hc/en-us) page.
2. Click the chatbot icon.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fcb99356f-fa3c-45c1-84be-f2c213b83049-2e045035-1d0d-4f69-a0c8-727889580bb6-1762534850344-image.png-834d4ebc-6489-4074-89f5-367df6ff1567-36f4c28e-f368-40a8-92c9-c26b8d7184fc?Expires=253370764800&Signature=Xe5TQpEE3tjKXbPj9T9hccVZbEGSD8isXR7KSMVrXJcelPhG8fQsfgfQ~0SNxiwy~3JRcGLPRE0A0yjuqOoxA5M~eISBwHaEzaqwDz2x2l8vzqxhF8~tlozpm5UxEL0WLayXENbllmIFNVi~Cufo7DR7uR0S6AwYKMP~6NOug9NolqVitEjAIHnxdYRadKeswDvhJredDoy2iPKYWR8RH2C6DhNbxH7ELiSx8nyqYnw6fpAxPPp9w6rSKx0kx0nv8hEjL1HLXX5eocIEH-fd7ReiZA5tql9JwUr8Mb4yBf2C57qTMS~dMb1AmkzUIOhzx3l3sJ2nxVY3znJuzS60g__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Select ****Ticket****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fdc37a554-1ce8-4780-9a21-a1fd197f1e03-8c9002dd-58ad-4bb5-b590-4e315d40dcb0-1762534919007-image.png-45783a88-eb4e-4bf0-828e-f05062abb157-00538116-dfb1-43ae-83ec-55026fd0cf40?Expires=253370764800&Signature=l3zOcWZj6~ihMWtb0UCTT2gwx8mBCIOCjkOSGUi6xWvz5T7~bx8UwPogc~Bw-6w6OhLYRYZRgmc5bFh1cdnPrllWySWp2q5guMHTMr3FxlE9Nz3Y~BdlW8fU9-2kCc5gyVM0R4BhuiQ5UNlccV~WwqUnTC8fEO1wUHxxKnidjJHX5CsLP9A9GAAAviP~QyD7QAXI~T7d99CGv5iYmxPRViQvSWHdixWMVnfewxhb25ReRKfsx546WLhf~KDsG~EPQndiSzptYo9cK0QZ~5ii4u9gQZ32NDmUfoSF~Wq3l~U-LV5NZV3ML4jVWlJFwy7jX77s1v~Kal-U2jflj6gVw__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click ****I'm a customer (I use Greenhouse at work)****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fae2a2f94-4f94-498b-a84c-4a76bf60abf7-762ee5bf-28ff-44ff-8344-412082be0e4b-1762534936908-image.png-5441a813-372b-4884-a35b-23ec42924813-42b14d5a-536d-4beb-a714-ff41f3408bb6?Expires=253370764800&Signature=EybNzTOMkbbFxFu88SszSHzdICm6Z~c-ikCmYZ~aeiyv~UnQzGoFzl~7xcZfzm9w0OBHh0tOkVrx9~ZuJ~h9uPkrkBFW0XoaelbmGLKPbdlUXhqSr~pB~i0ysBn7upe5sj0BhDMN3AWOdm633Rev8fpHYuil0ShcrP8oNRKcUE1M3VOMenGRwDgx84kNNwYyKB2i~uOVk7KXoGYV5mOxdnB3lqHAaijvnlIU07PWWyfyYrddyGo9sS1iS~1hUESkvoNKpSqNWVGihADgcpJwn1bRB~sthRDDBSXyFmUruwUYI5qg64g4HOHf6l1DBZWBZzTxt0rVgnCbrUcyMpT8LQ__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Enter your ****Full Name**** and ****Email****, and select ****Product question**** for ****Request Type****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F506800b0-173a-4184-b6cc-413c84624afb-eb1beb26-bccd-4db9-a942-baec5ed291ca-1762534495319-image.png-112c9c54-6f60-46d2-8374-8af3d69e2e17-8a4c660e-5d27-46d4-b461-3b05c2d49942?Expires=253370764800&Signature=aO30VmMnbdUsouATDEv64AMlxjB2CWbTLxDtIO~nep~9pFEu~K3cjuW e63CYwS9HueQxOoFlpaxbhLx46IDb6lWeZ~yHgJvobknVheTAEKJuHUFvXsrqDSHJUNfqKShofX5fEEthQq~wqzjJZTm4Ad1Rd5mc sEMlt-dSAUSPBx5U06z3Wp~AMYjYry3to9J18WOWWCyYXrr~QL0QUwvg0Olelo79XHnnlW~mhtOnt0zUoSxmv3CM~U6aM7ti~FA6Ntc3WWTtot1~jOyxnkTMBww4ir~DIAK1aNpffLtlWpzu2Y~V7h8i~BAV0HJOSIhoeQoHmT~qpOCQAgQ88cQ__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Click ****Send****.

7. Create a ticket:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fb7ab0695-b518-43d0-a977-45c92610840b-a389bd8f-70bb-4dad-acab-20b6010960cd-1762532836137-image.png-c6a570a9-b55e-4006-a619-1de9a6a47c46-9bff2b45-38a0-47cd-a31a-9a26d5c4da32?Expires=253370764800&Signature=srZYWDe2lUKKz-23xGTxmsnmO~56ddcGcFk~8eiOfRq3denEmsDpnVn15~~rW8e0u4LI8OErjWbET6Zw7u5ZCEUNx7xeWEIACkN24p47nUVjRNPfHpiiH9QO7YGq35KgStbYs3Zc0bIOyW2iZ~qMxtgActB~8mNXHSTLmQ1-G9ycVo-AjWB6abraWWI~Qly1Dfruvo7kmDWxAtJuz43ITQHmZedwb3LYQR8v0CY3z50DkCP9SF~ZCknHcxc51uG9v275XbHKpq9QuDDXtMdAhP97hmOI7Bq-B2EFLqYSvYaxlu4WICEgBk4rkY9Zmt4bXk0mKbpwxePtBzltS8XEDg__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Select ****Partner Integrations**** under ****Request topic****.

2. Enter `GreenHouse HackerRank Integration API` as ****Subject line****.

3. Enter `Request to securely send the HackerRank Greenhouse API key for the Greenhouse ? HackerRank integration.` ****as Summary of your request****.

4. Click ****Send****.

8. Click ****Submit**** to send the ticket.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F40b304bc-422e-4d18-bb0d-7749a4c01078-6222ecca-bf91-4a87-9314-ce363f587f0a-1762534977079-image.png-4e13ed22-60ec-4f3b-94e1-b95515561f87-6d9527d1-8432-4653-a1ea-5d7b014081d4?Expires=253370764800&Signature=Zs5rVaCzgxVhbTt2iPxMPc4q146B3g30nQY0ioZDECrHbR0MhOrbg4a5vi8QmuK9mAbCc-j7EWw8RxRXWvpLMYVc-Uxv0cYTYA66pueunuUgGZDaWyl~WzJP3J1~H3WhKdiqNs098nps9NtewwDKRYM7zvuWk42PJ4zpmKR6ckWdsDcT5c2MhZM5RRSWfnPQRwpcnKDcltBJ1DqlS7QL9l0nVaWPUVH7mgzqrzpOdQqQ4N3BuatcSHqNMjo~i~0SGmTdGehrWCoi03yjqDRc47UC7obSKEVqE91q~hCKih70eVPh~YCTRrbxzp6m-zBeX9vrzvsNBvpzhL~nHmigA__&Key-Pair-Id=K3NV4LZ47N8M46)

Once you submit the ticket, Greenhouse Support contacts you with the next steps to complete the integration. You receive a link to securely submit the API token created in Step 1.

****Note:**** If you did not save the API token from Step 1, you can retrieve it from your Greenhouse account. You do not need to generate a new token or change any existing integration settings.

To retrieve the API token:

1. Go to ****Integrations > HackerRank****, or open the [HackerRank Integration](https://app.greenhouse.io/partners?partner_type=integration&partner_id=45) page directly in your Greenhouse account.

![[derer.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fbb146f9-3803-439b-9329-d39c688824a2-a842045c-b1c1-4b0f-b14f-96b73c6bfbd-1764695327555-derer.png-9f40208b-daff-4be1-abe4-daf97fdae9ac-726cfa9c-714e-407e-897c-4a2080557c65?Expires=253370764800&Signature=fhag1XAqwgz18JXJe6zHzM6NoRLr09ERvF66YBjN5NNKDrNaNJ04-OihFgv-8oArNCjC-tMnewmLSVeQ28g-bKjj6bKHkelh243wxpLfgW-RrCRrnMQIGXUoDrYcBBdUfgX0uTGNiguBpkDxk4trR5EcGiL~fgrC37wEG7di-gKeYcbFbo7naUgWGvyH6UU6y1WyYHZSXN2~-SmDishCfkggzmix60cPDX0hyIxxWA0HICCSiUWsoFy9XwsvZazyIAzsGpVkpJz-w~iyY6FyMURRA7V58fHK8lzGEZy30S-KHBom9UFHVmaT2AelXmrz5cep2PX7PqoVhd-CxQQg__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Click ****Edit****.

3. Copy the API token in the ****API Key**** field.

After you receive confirmation that the token is saved, the Greenhouse-HackerRank integration is complete. This process is usually completed within 24 hours.

****Step 7 (Optional): Add a user to the Greenhouse - HackerRank Integration****

After you complete the Greenhouse-HackerRank integration, you can let other users integrate Greenhouse with HackerRank using the same API key.

To add a user:

1. Log in to your Greenhouse account using your credentials.

2. Go to ****Integrations \> HackerRank****, or open the [HackerRank Integration](https://app.greenhouse.io/partners?partner_type=integration&partner_id=45) page directly.

3. Click ****Edit**** and copy the existing ****API Key****.

!5.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fe52b117f-c818-4ac7-9ce8-9d3ef06cc509-1762500306383-5.png-d9f21ee7-b133-478e-a1dd-356262069669?Expires=253370764800&Signature=UFPQMDwBr70B4ezNbPFQIZSo1Tk0aRXbo6diYrSA7c-NAOnzcDG02xd1gtY3birN4~UgzycooWAgOeWlx3PQX99cCX7BCSIVWVqoTSY3pKIGovhqybuV9BTMXFFRQvsLC4ymwYtMyTyLqPdSgSv97Yqlar1uPqGiSZvc4-nZ-l7r35XLk4f-2fk~0xqYySiwOkL6KTHgZT7MiRjFJKY1knFD1hlmMRw9vs-p7i1woWaT0LZPDsmO36hmYUQpd6Oq~L51KRB5748tj0Cx3NLlomx1Yy-eHsobP-bIVAHTVJNqMdSYJVHfbbf6OFWAj32vsg5DAzwGRrZlibANulhrEgA__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Share the copied API key with the user you want to add.

5. Ask the user to follow Step 2: Add the HackerRank API token in Greenhouse to add the API key to their Greenhouse account.

Glossary

- ****Harvest API:**** Greenhouse's data-sharing interface that connects partner applications such as HackerRank.
- ****Admin User ID:**** A unique identifier for your Greenhouse admin account that specifies who creates the integration connection.
- ****API Token:**** A secure key that allows Greenhouse to recognize and authenticate HackerRank's connection request.

Frequently Asked Questions (FAQs)

****Why is the Greenhouse Integration page not showing in my HackerRank account?****

You do not have admin access to your HackerRank account. Only admins can access the integration settings page.

****Why don't I see the ATS Settings updated message after I click Test and Save?****

Verify that you entered the correct Greenhouse User ID and Harvest API Token in HackerRank.

****Why am I the only user who can't send tests through Greenhouse?****

Check the following:

- Your HackerRank and Greenhouse login email addresses match.
- You have a Recruiter or Company Admin access in HackerRank.
- You have ****Send Test**** permissions in HackerRank.
- The test you are trying to send is active (not expired or deleted).

\

[integrations/applicant-tracking-systems/greenhouse] Greenhouse - HackerRank Integration

```
---
title: "Greenhouse - HackerRank Integration Test User Guide Prerequisites Adding HackerRank assessment stage in Greenhouse Sending HackerRank test invite to a candidate Sending bulk HackerRank test invites to candidates Viewing candidate test results Viewing updated scores in Greenhouse"
title_slug: "greenhouse-hackerrank-integration-test-user-guide-prerequisites-adding-hackerrank-assessment-stage-in-greenhouse-sending-hackerrank-test-invite-to-a-candidate-sending-bulk-hackerrank-test-invites-to-candidates-viewing-candidate-test-results-viewing-updated-scores-in-greenhouse"
source_url: "https://support.hackerrank.com/articles/2499611070-greenhouse---hackerrank-integration-tests-user-guide-"
article_slug: "2499611070-greenhouse---hackerrank-integration-tests-user-guide-"
last_updated_exact: "Mar 11, 2026, 3:53 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Greenhouse"
---
```

Greenhouse - HackerRank Integration Test User Guide Prerequisites Adding HackerRank assessment stage in Greenhouse Sending HackerRank test invite to a candidate Sending bulk HackerRank test invites to candidates Viewing candidate test results Viewing updated scores in Greenhouse

Last updated: Mar 11, 2026, 3:53 PM (Last updated 2 months ago)

This guide outlines how to use the Greenhouse?HackerRank integration to send HackerRank test invitations and review test results directly in Greenhouse.

Prerequisites

Before you begin, ensure you meet the following requirements:

- You have active HackerRank and Greenhouse accounts.
- The HackerRank integration with Greenhouse is complete. For more information, see [? Greenhouse - HackerRank Integration Guide](/articles/1406188460).

Adding HackerRank assessment stage in Greenhouse

Interview plans in Greenhouse consist of multiple stages, such as Application Review, Interview, and Offer. You can add a **HackerRank Assessment** stage to allow candidates to complete a HackerRank test as part of the hiring process.

To add **HackerRank Assessment** stage to a job interview plan in Greenhouse:

1. Log in to your Greenhouse account using your credentials.
2. Go to the **Jobs** tab.
3. Select the job you want to update.
4. Go to **Job Setup** > **Interview Plan**.
5. Click **Add stage**.

![[image (1).png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fdfd42ff4-2947-4504-85a1-89354672656e-1770361188652-image%2525281%252529.png-310beaff-fb2d-488a-b1d6-7ae5d7bc41eb?Expires=253370764800&Signature=jo~7OI6g~ijUWgydif00W6mAddrBGWSDHuUFj4xtlgM4U~DAAZ4KTVy~R7WNSiz4ztcpxIY1F8hQ2lrFpLZrqQdUelz4oPhzMmr0pRPthwJoKQK5PJ DzLifuvxUJr-2OT6adZ~oLYKSRKlvXmf-dz8y4Uefci3dT43R1RNUOHM~1VyG-eIYbZPf9MAE7Anq2H2Lp6nJX3sFgEHPxJUnWIGhm UC~U8IcuwP0sanuMhuL8A42GbpkPdgM7-QjgU4zqjayn9htieQ22OUNhzu1KDskdsILpHdzVKk1ONpOZZI5W44j10lgmvFqs2WM4O~v5mek1SSItlcxzSu4grlgjXg__&Key-Pair-Id=K3NV4LZ47N8M46)

6. In the **Add Stage** dialog, select **HackerRank Assessment**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F991d9a36-d348-49b9-9b2e-dace95099b31-1

770361240371-image.png-c9a6b42f-2ed5-4369-be6c-395976cd5ecf?Expires=253370764800&Signature=W3AJ-IA0zAJajDQ6oygT2eC0SCfdvZckQQasl1jABcdekTeQYa22rZMeINQ3RT1ejkTDqMdwTEc~fKdBHXGEIJZq1-Q4q5YruKeM7A0ZCGI-vcXWbMpDTE5NNqsYmTeaFzuikPCcaJaL~DN~nfS8tB5E-H8awy7IFozKGOwvyjCzEzls4bEkrOH79vdDuk7CVYhdyCURohd0opsfMHWxGJnZO6toMTdCYsXji0Bq36tSlxjRCQzcozZDMjR~CLOINVxV8NAZEZb72nx4uOqq8m8dX9UkZnio9~AQdJ2MJ8RRDmogLiCaANV8nfvt1YmHW82fVe2GaAnkoi99Tr5wow__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: If **HackerRank Assessment** does not appear in the stage list, the integration is not configured correctly. For more information, see [? Greenhouse - HackerRank Integration Guide](/articles/1406188460).

7. Click **Add**. Greenhouse adds the HackerRank Assessment stage to the interview plan.

Tips:

- Rename the stage to match your hiring workflow.

- Move the **HackerRank Assessment** stage to the appropriate position in the interview plan.

Sending HackerRank test invite to a candidate

Note: Before you send a test invite:

- Create and publish the required HackerRank tests in your HackerRank for Work account.

- Add **HackerRank Assessment** stage to a job interview plan in Greenhouse. For more information, see [Adding HackerRank assessment stage in Greenhouse](https://support.hackerrank.com/articles/2499611070-greenhouse---hackerrank-integration-tests-user-guide-#adding-hackerrank-assessment-stage-in-greenhouse).

To send a HackerRank test invite to a candidate:

1. Open the candidate's profile in Greenhouse.

2. Go to the **Stages** tab.

[image (2).png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F0c9bca6d-2cff-4032-b794-449aab09c112-1770361774235-image%2525282%252529.png-d9374e65-723c-41f9-acef-21b059388808?Expires=253370764800&Signature=K8yUEJsCNdvehJShvAAWdWxcWwXGDHqFiE5GvElU7i5bs-zfxbMgHkspNsfPVAQ86t4lUnyAUQlptnCmp41i6Ai9KilzX-jWMvUZe02OTHF1d1CQyWQtnjicOpY5mWZx8hAKYpWmJ-hW0Y01nManXEGMrMTTKGRhXBPRmitXKaJVF7TbJg5xiFvrnmhkStUI9j68j6qxX5-7uSQAUG1NQBTMNa-yu2Tyttc6CJkKvOIOHD0uY~eD2mdH7HkN7F2f8mcGCtt~g3Jfg0e7jG~BddaiRZvGgAvghT8kysRcfqtGQA9Plc8xg67O-w2ZB-1DF6mmOxLfzcuCze1~hlJhRQ__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Click **Move stage** and select **HackerRank Assessment**.

[image (3).png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F0eb5a36e-ae3b-4d9d-aac5-7c7fef711e7e-1770361819456-image%2525283%252529.png-09f4f8dc-f00d-40b6-86ed-24c327d28f31?Expires=253370764800&Signature=hfvJCKh9TE~qUWOrknLWG15Krq-ZOq3KeYMrZwbLt9sFpYeOSqj3XstVnVbmqlaMyivIV-dwoM3biVUhety6Pr0dPIHBn4H-cjg4dKYqz060Sb~jKn3W1h9uM3hAOuX9xu3txjBUNS~pv9Jnw2s5sMZ8s2~Y2rjRa50BzjtaW~XWSqDlI8XoqiZWsoWd7lRGbv7dZm8adFv5s8A3X1~Q01eAjQlI-UMPIZyhFiTcQX~5~JswcdOUFCa-Cs68fj3yHZD~vZAJfaikr2VGkGoKa~Xq021vo5glTnX5ZVxn5y7zwCZYNM7wPD0-QlSkT0ajOsc hfoHFL9k~k7xgrsOGYA__&Key-Pair-Id=K3NV4LZ47N8M46)

4. In the **HackerRank Assessment** stage, click **Send test to candidate**.

[image (4).png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fa8cf38ad-dc97-4387-b147-920ec7f0495b-1770363272248-image%2525284%252529.png-2d0fd3b6-9470-4d3f-aa24-9569e8a9f980?Expires=253370764800&Signature=npFZXOy4m9mO1WW5gzQyeSOT5KeD3hovhOucfDi4w1Dua9PMTa0liHDrWwdaAp6BPdvpG-XZl449mmz1OeqANp~G9JHnSmsfkoRNHfb0gsaiccqla9njUryvh2-Yl-bXl~nbYYyvng86Z-jEwlCdls1qYhPWR28Oa4uukQRwPXHmffh4Wl25CEtm9Pz~a9PEICShBUUXa8PYVnFWNT~GfI87DunCB1rX0y2N06GXqNrf~wMvfVfpciiLniFCZ5Z9Alw4Q2b4EYFg2m8f3gAptxK~ID39b1cwC~vz-2UdPsARZzafnVIZM3J~Lr2xxBrz1zA4fba7tJvYjoLP0sGfBg__&Key-Pair-Id=K3NV4LZ47N8M46)

5. In the **Send test** dialog:

[image (5).png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fca5cf2bc-dc19-4de9-ba1e-04158ee620a4-1770363250983-image%2525285%252529.png-3b934615-166c-4817-b8dd-13250d7ea0ed?Expires=253370764800&Signature=pTww72hQOulH26dDh-sY6BndnHL1EPKHkt8c3KHr-w2Hadalx5JzyDoFDMVnp8Gh68rdA0urzt5x6mCqXUCuS3aDCPJ3tLjtWkPHmKTIWklbRZ

DnTOHi5PHiCwbMxno9plfZOYJWFQXJpVNUevT5I3EMP~bVfw5MmyRWDMwHJKV6hs0SWACLyDIO8LdeqJEOB7JvbrGCOMAhL
GcT4AI3yPK~Nd1nYz~buHP7Qw~SPbEOhQJ9Xv1IYOpdY4-qZQzV76ggteohXu~O~Wu79iLyPaQ907ztzyE4IXuD5GZX~Cf1ol~C~NVs
fiiVzn2BY5tUa5mOQZ2down5by6cS8p7E7g__&Key-Pair-Id=K3NV4LZ47N8M46)

- Enter the candidate's email address in the ****To**** field.
- Select a HackerRank test from the ****Test**** dropdown.
- Select the Greenhouse user who evaluates the test report in ****Who should grade it?**** Field.
- Choose when to send the email:
 - Select a predefined option, or
 - Select ****Pick a custom time**** and specify the date and time.

6. Click ****Send test****.

Greenhouse sends the HackerRank test invitation email to the candidate.

Sending bulk HackerRank test invites to candidates

You can send HackerRank test invites to multiple candidates at once by using ****Bulk Actions**** in Greenhouse.

To send bulk test invites:

1. Go to the ****Candidates**** tab in Greenhouse.
2. Apply the following filters:

!image
(6).png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F5d02c74c-d383-46fb-9e78-68c1b64031e7-17703
63224712-image%2525286%252529.png-a00c3d3c-826a-4f97-a735-75f4b79be726?Expires=253370764800&Signature=iAUelm6ks
nq7SPeM6zNr2q~wZCzWaxuNjW1D-UwBa5pznJKgCg9ANGwUqWEJYJ1sl5mcFaJ6ONqwhbKvgc8N0bbQtv7BatYcZzmWzh4bYVj8
s2y~MVuFozj-EDg9daBJSxiyfPiqPNcuEfVv8A8pYomOEzGhc3AOUbHguzHFhgo6VG93U~71EDK4ZNPW4gsXQVG1sjLziDvGtmjIE
VruZvu4vLjpyYZy3SeDtS7ZzFbnkmtHNTv2bumMBcRhagHjTOElfj-9vmT63w8jJzA4nO5GbWx7Ke4dCsoURBtIGtsTHyop2yzGy4rQQi
624Cb~7DXN6I1fEIhUPiq56o9t4w__&Key-Pair-Id=K3NV4LZ47N8M46)

- In the ****Jobs**** section:
 - Select a single job.
 - Select ****HackerRank Assessment**** from the ****Stage**** drop-down.
- In the ****Pipeline Tasks**** section, set ****Test Status**** to ****To be Sent****.

3. Click ****Save****.

4. Click ****Bulk Actions**** in the upper-right corner.

5. Select the checkboxes next to the candidates you want to invite.

!image
(7).png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F7d52e712-b503-450b-8964-c79e9fbe361d-17703
63206880-image%2525287%252529.png-a0a9b7e8-ff57-457f-bd50-80412ec3d5cd?Expires=253370764800&Signature=R2oA5AWC
88JXfg1owDk8Aoo4C2Zo6VH0d1BmxmqW4aa7dyTHmib5SLpqNNUVDZXEur9NTvkTLNyUwhXwvFfwXILj-RGDnpTOOBj65I2xSKe
Tt41oW41f24be7bFD8xj1UBA~a5CVaoANOG62jgm9IczloaFrkd0db-aQfg1po4HqUIPE7kgDkcs3gYPF61rDutBMeATOhAh7kqQC1Np
rZZqX7SP-VuoXPes9QRBntyy6ibUWhY8AGihM9Ln1D2gxONGz-zIAZtldSinjc-xqKTI~A0XEQM4ZBn4zzCqiFavSsXCoLbIMruii0~vna
jxjQ6yJwSNWbGEOj8jHKDAQ__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Click ****Edit Selected****.

7. Click ****Send Tests.****

!bulk.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F645eb839-ddc2-43e5-8b66-7243577a1768-17
70364293398-bulk.png-c9cecd6b-f603-459f-a744-5aa8edd4973b?Expires=253370764800&Signature=UvB81OACNyPmpOxpF6JZx
UB7IXFgmCdZI3BDmp1kcYQ8YcuQGo8~WrghF4C6p-Bf2cww3G95Dn5GVo1awup0Z2OH683FABr1So0aem0ocefTXQ6CFu5xWYM

Hr3l4jyxNbck1vCsYSATILg3PrY6i1GSBdYsxsAYYeAlfCni7kjdZbwJk8kuJG6PtAzmUKSox1wZiWzVv8GI5vSKQCMY12Qibc4atmnfEQj-DIDxvAe1hx0yyLGS41aAYTbWQxsiwI6BhxQlg0wVpfd~5uvrKYMy31drlCBquvbYBz-A5gU~uy3IRAJ4rzAR~PBHfsGdWy3F3dA6-OIeGN7ZAPQxY~Q__&Key-Pair-Id=K3NV4LZ47N8M46)

8. In the **Send Test** dialog:

!bulk2.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Ff5fa40b2-d595-42d0-b2ba-08c3171dc538-1770364335942-bulk2.png-2367b265-7e87-4515-9a28-e2c70dab6902?Expires=253370764800&Signature=c20Y2Z2Kg3TgeW9vpJbcUhuWcC-967aP13J~XLkdYKx5Y-Cn0f0trun-TZ9slk3Q8ZLd51DEs-v6kYTn9qUhi4bTpcpzg0YGH08VfnbHPiSxHj1RhC3G4yTHw0GdKsERXl9Cl4qkzWkJDqW7CHxl8ff84ptQkXuk9QjiirZv~fn0yaaFrRQTyObycacxsO~9~793tgtqvJB5rzaissgfBdymQ0hGOetr0ucG2YBNGI-tBFnovvwxRYy3fA0aVU5kkDoT08f5AWmDBGbLjgc4C9SalMk0-xKkCcS01HOO62UMsgEUunxs14zcvAYSinIfVHzQspR9ZxZumw454T12seQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- Review the **From**, **Subject**, and **Body** fields, and update them if required.
- (Optional) Add recipients in the **Cc** field.
- (Optional) Add files in **Attachments** field.
- Select the Greenhouse user who evaluates the test report in **Who should grade it?** field.

9. Click **Send Test**.

Greenhouse sends the test invitation email to all selected candidates.

Viewing candidate test results

When a candidate completes a HackerRank test, Greenhouse displays the test results in the candidate's profile.

To view the candidate's test results:

1. Open the candidate's profile in Greenhouse.
2. Go to the **Stages** tab.
3. Open the **HackerRank Assessment** stage.
4. Review the test score, which reflects the candidate's overall performance.

!image(8).png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F369156cc-97ee-439f-b2e5-8aade718cdb3-1770363141867-image%2525288%252529.png-8515663b-6b02-4ea5-b065-f13a77bc8d1a?Expires=253370764800&Signature=V2WxSkn1khWCE6AaYy-ikPXQBL7DpZNEAE~7kCXK549KrG1aoQIzKUrvw3u3bzTioINdpgcl0IBzNIQj8prQmnjc5g9SLfU-rDUn0sZTqve1D9oyEhJaXj3DtIgNI65d925ryMxq6TD73WzJF3gbjgmr1Ss235QaVloxyyqENg~EEsdlQAQ8lqlPhZN8MnIO78lw5BGTa9HXD2SLz8zJ3VTjPqto7tdMfmNky~P4q-NC1df7PKpzc7~nayU9y09BiTze6JtxcZnWTCuJ1vRiuR93on1qXO97~n7E3Dflvrjd2gRUxFTW~uOA0DEMMndR6B~s7qsLDde1JVaWlaziUw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click **Go to Interview Kit** to view the following details in **Grading Instructions** tab.

!image(9).png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F2de5e0da-51c2-40f0-8925-d38f0b39f663-1770363123297-image%2525289%252529.png-12a88d58-b5e8-4110-8133-ca22fa4e0caf?Expires=253370764800&Signature=rx6U8LbSd3e-VnviQV7Xzv8JLI9LOqFK0HjVW12h3ECMGizWNo9gPTI1J79h2TXou-R5pHDBUMpvD7zIni3GWh~6-GMIFS4Fu1cx-3MLbmr-H7dpehuv1Jvx8coGX1ZF7KdMWA9I~aQEw1USjBuPEY4EtGOkzmcqirAb0Q~A9bN7Tr3FDjHY8UyK-zH8hOk-v-2DB513-FiGVr-KTpcCRVI2bCBGKq1U2kEvbsLmToWrpBU7~tDy~35pW9JVneH5ZDQp2EXI3Y~cxp-5KqdtQVCddRFVvFnvrXgvgKHbi~c0uDDg8irmFwJ1Fpr7OsOLL8Pr2UwXdBU3ompKC1gA__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Score:** Candidate's final assessment score.
- **Started At:** Date and time when the candidate started the test.
- **Completed At:** Date and time when the candidate submitted the test.
- **Total Time Taken:** Total time the candidate spent completing the test.
- **Test Name:** Name of the assigned HackerRank test.

- **Total Score:** Candidate's score relative to the maximum possible score.
- **Plagiarism Status:** Indicates whether HackerRank detected potential plagiarism in the candidate's submission.
- **Question details:** Provides a breakdown for each question, including:
 1. **Question name:** Title of the question.
 2. **Attempted:** Indicates whether the candidate attempted the question.
 3. **Score:** Score achieved for the question.
 4. **Question type:** Identifies the question format, such as coding or multiple choice.

6. Click **View Report** to open the detailed performance report in HackerRank for Work account.

Note: Click **Download kit as PDF** to download the Interview Kit.

Viewing updated scores in Greenhouse

When a recruiter updates a candidate's test score in the HackerRank for Work account, Greenhouse adds a note to the candidate's **Activity Feed**.

To view the updated scores in Greenhouse:

1. Open the candidate's profile in Greenhouse.
2. Go to the **Activity Feed** tab.

!image
(10).png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F6b519b7d-1806-4553-8160-f83477a27d0b-1770363086183-image%25252810%252529.png-f0fac362-4a07-4ac0-9507-f1645a78f2b2?Expires=253370764800&Signature=blX1mEVmDnT9Xrljd-DHrLe7WAC4q4-XJszA4aFDm7csd-PgTU6unlr-6VsX~AC6VLnWI4sl7jjicuf5QfFsLlopQj1JQQIUrySkX6Le~jUg7iV4kZE5dcTJek6PCRkBCRDHd28DOMp3J2y4iUevjzueSsvQseXC75wJrA~dvkuPLH8Sq9ZrnwVWRpKSzAgp581xgd28giEAlaBlmC61~hQasTGqGuTxSMjGUMhfUhfJXsLCiC7T9We9s-1~o0FIMBeKdkaNUsf4mRouDfVudtYNB7jPr7bV~Rd-qR1WNAdUNesITnyS6Ea4L6i9~Ui uLTNQosNf0mX4Hm-Vu35hVQ__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Review the note added to the Interview Kit, which shows the recruiter's name, the test name, and the latest updated test score.

\

[integrations/applicant-tracking-systems/greenhouse] Greenhouse - HackerRank Integration Overview

title: "Greenhouse - HackerRank Integration Overview"
title_slug: "greenhouse-hackerrank-integration-overview"
source_url: "https://support.hackerrank.com/articles/2646010908-greenhouse---hackerrank-integration-overview"
article_slug: "2646010908-greenhouse---hackerrank-integration-overview"
last_updated_exact: "Nov 14, 2025, 7:52 PM"
last_updated_relative: "Last updated 5 months ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Greenhouse"

Greenhouse - HackerRank Integration Overview

Last updated: Nov 14, 2025, 7:52 PM (Last updated 5 months ago)

HackerRank integrates with **Greenhouse** to streamline the scheduling of remote tests and interviews. This integration enhances the interviewing experience directly from the Greenhouse platform. Two integration versions are currently available.

- **Enhanced Integration**:
To improve efficiency and provide access to the latest features, we have rebuilt the Greenhouse integration. This enhanced version is available to all new users. To set up your integration, see [? Greenhouse - HackerRank Integration Guide](/articles/1406188460).
- **Standard Integration**:
This is a legacy version of the HackerRank-Greenhouse integration. It remains available for existing users who have used the integration since its initial release.

User Guides

- [? Greenhouse - HackerRank Integration Tests User Guide](/articles/2499611070)
 \
- [? Greenhouse - HackerRank Integration Interviews User Guide](/articles/8806262569)
 \

Other Related Links

- [? Greenhouse-HackerRank Integration FAQs](/articles/3678461564)
 \

Managing Email Templates

- **Standard Integration**:
Users with standard integration can continue managing email templates through the HackerRank platform.
- **Enhanced Integration**:
Email templates created on the HackerRank platform are accessible on the Greenhouse platform for enhanced integration.

Below is a list of features that the Greenhouse Integration offers:

Tests

Feature	Standard Integration	Enhanced Integration

```
Integration</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 42.3223%; height: 20px"><p>View the Full list of HRW Tests</p></td>
<td data-cs="1" data-rs="1" style="width: 26.052%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
<td data-cs="1" data-rs="1" style="width: 78.8681%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 42.3223%; height: 20px"><p>Invite candidates to a specific test</p></td>
<td data-cs="1" data-rs="1" style="width: 26.052%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
<td data-cs="1" data-rs="1" style="width: 78.8681%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 42.3223%; height: 20px"><p>Cancel an invite</p></td>
<td data-cs="1" data-rs="1" style="width: 26.052%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
<td data-cs="1" data-rs="1" style="width: 78.8681%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 42.3223%; height: 25px"><p>Reinvite</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 42.3223%; height: 25px"><p>Bulk Invite</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 42.3223%; height: 20px"><p>Status update from invite to completion</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 42.3223%; height: 20px"><p>View Total Candidate Score</p></td>
```

```
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span><br /></td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span><br /></td>
</tr>
<td data-cs="1" data-kind="parent" data-rs="1" style="width: 42.3223%; height: 20px"><p>View Maximum Score</p></td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span><br /></td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span><br /></td>
</tr>
<td data-cs="1" data-kind="parent" data-rs="1" style="width: 42.3223%; height: 20px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span><br /></td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span><br /></td>
</tr>
<td data-cs="1" data-kind="parent" data-rs="1" style="width: 42.3223%; height: 20px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span><br /></td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span><br /></td>
</tr>
<td data-cs="1" data-kind="parent" data-rs="1" style="width: 42.3223%; height: 20px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span><br /></td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span><br /></td>
</tr>
<td data-cs="1" data-kind="parent" data-rs="1" style="width: 42.3223%; height: 20px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span><br /></td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span><br /></td>
</tr>
<td data-cs="1" data-kind="parent" data-rs="1" style="width: 42.3223%; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-kind="parent" data-rs="1" style="width: 26.052%; height: 20px"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span><br /></td>
<td data-cs="1" data-kind="parent" data-rs="1" style="width: 78.8681%; height: 20px"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span></td>
```

```

<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 42.3223%; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 42.3223%; height: 20px"><p>Templates</p></td>
<td data-cs="1" data-rs="1" style="width: 26.052%; height: 20px"><p>All owner templates</p></td>
<td data-cs="1" data-rs="1" style="width: 78.8681%; height: 20px"><p>All owner templates</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 42.3223%; height: 20px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1" style="width: 26.052%; height: 20px"><p>user</p></td>
<td data-cs="1" data-rs="1" style="width: 78.8681%; height: 20px"><p>Company Owner</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 42.3223%; height: 20px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 42.3223%; height: 20px"><p>Update results after editing HR</p></td>
<td data-cs="1" data-rs="1" style="width: 26.052%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
<td data-cs="1" data-rs="1" style="width: 78.8681%; height: 20px"><p><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span><br />
(Changes are visible in the <strong>Activity Feed</strong> section)</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 42.3223%; height: 25px"><p>Result sharing and validity</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 42.3223%; height: 25px"><p>Add Time Accommodation</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>

```

Interviews

[illegible]

</table>

\

[integrations/applicant-tracking-systems/greenhouse] Enabling Outcome Data and Public Link with Greenhouse

```
---
title: "Enabling Outcome Data and Public Link with Greenhouse"
title_slug: "enabling-outcome-data-and-public-link-with-greenhouse"
source_url: "https://support.hackerrank.com/articles/3593554348-enabling-outcome-data-and-public-link-with-greenhouse"
article_slug: "3593554348-enabling-outcome-data-and-public-link-with-greenhouse"
last_updated_exact: "Dec 28, 2024, 5:01 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Greenhouse"
---
```

Enabling Outcome Data and Public Link with Greenhouse

Last updated: Dec 28, 2024, 5:01 AM (Last updated 1 year ago)

Overview

A HackerRank Public Link helps you assess a candidate's skills before they even enter your ATS system. With this feature, any candidates with the link can take the test without having to be invited. If you are a Greenhouse user then after taking an assessment from a public link, a candidate profile will be automatically created within your Greenhouse account.


You can map your test to a particular job on Greenhouse and obtain detailed candidate test reports for that job role whenever a candidate attempts the test on HackerRank.

What's more, with HackerRank's **Test Health Dashboard**, you can now get a full view of your complete conversion funnel, right from the initial invite and engagement through **who finally received an offer**.

Importance of Outcome Data

A high score on a test does not always mean a hire. This is where the data through the test invite to offer (outcome data) come in handy. If you knew what scores were given to the candidates who made it through, it might throw extra light on the difficulty level of the test.

Outcome Data also helps you understand how efficient your hiring funnel is and the ratio of the candidates you invite for a test to candidates that you hire.



When Outcome Data is not enabled for your account, the candidate performance funnel in your test health dashboard looks like the below image.



If you are a Greenhouse customer, you can unlock the offered stage by providing HackerRank with your outcome data through an automated connection to your ATS.

Enabling Outcome Data and Public Link for Greenhouse

****Prerequisites****

- An Active Integration with Greenhouse - or you can set it up from here:[? Greenhouse - HackerRank Integration]/(articles/2646010908)
- Company Administrator access for HackerRank - you need to be able to see [the ATS integrations

page](https://www.hackerrank.com/work/settings/api)

- Administrator access for Greenhouse - you need to have access to [the API Settings tab](https://app.greenhouse.io/configure/dev_center/credentials)

****Steps****

Inside Greenhouse

- Open the ****Settings**** tab and go to ****API Credential Management.****

![API_Credential_Management.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047208557-?Expires=253370764800&Signature=MfkEvAgtwF0MqpQdk0Y~~tlESLk82xxyekv6fdUOE7-STJFoF7zJYIUGFefVLj0vn9N8TImYx5gVU5ZxG9gNdgpq6MssGv0FJSPGBWtQ20k2p7t1T1hliBQQ~rZzvpjy9mBg4SoUWegHtoWfw5iz9lizCQxj~gj7-mtWdg98--E-nHjbgsmKjJGV60T6sgnd97iOv3zgs5L1uBeQ2hLc~qjekAyEerSQtaMDIKf8CWPoTGavzTUnIHmZz30usEBadnzhaYDsfChpHukq4ubq8U9a~RMyyqBKz92pBCO1WmqFcyln3Na4JvqNWEWackS-Jc92x48TK2Zi3gXNYeE-Rg__&Key-Pair-Id=K3NV4LZ47N8M46)

\

- Click ****Create a New API Key.****

![Create_New_API_Key.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047208950-?Expires=253370764800&Signature=qO6pp-YoifGKsMvUytjzjj34A0MAz8kok6tKgB5grESZbtXa9JSI2Fa32E0RAjlfE17Dejf31wp~Lr1Gd5PscXwAdImVtBQ8e53fc4DktC7BwJbJfJq4HG54jyONPfdhXjaAPhJbVwjBV0GuhRZ4sRsrfaa6Y9RwpavEVGrDk7Zgky7DnRX1YFgxBIIR2e28nYmnhMzWGERORzkJJyiZ0j94z33jBIFST1VIsaW2rIGV3bw86-2jGJOVGsSKT6y8GmsGM1ciezsSAV2XR-vHouBUJgrBDqVwW50Nsi1C0DHGk4k28b7IJ2qPTuQilfo92bYtNRKu-LFGq4nbqfKA__&Key-Pair-Id=K3NV4LZ47N8M46)

\

- Enter key name, choose Harvest Key, and create the key.

![Create_New_Credentials.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047209289-?Expires=253370764800&Signature=F5baogiUnXrRS2brsHBAGLYwtXq7n61F19io2VTM8hVx4~wbSt6mY2A~Kx0iXq7NlkDayrgahMwPjg19RrffN5mnlrBJfR7jYxflVLXb3YIKYnVOWmHoibSaZfScNYBjaf3B8FLcxaAq1rwxHvBk~rn8QP38ty9MdvuqsVJoliQcwRHI3kQtECY3JfJP5KE2EtKmdVm-fMdBxN9pKPWKg-q0KIJcwXp4rzHpNetP4riE-gos7HKG7RgkQ4e56wMSCdbf7MO1Vtlg5Sxp4Z8kDg0XK1pRKKeoXHyEUC2E3zkJwFAI1G7-BD9K0NqrDbd9Xlz3eKuoZ2HmXjo0qrvuKQ__&Key-Pair-Id=K3NV4LZ47N8M46)

\

- For Outcome Data, choose the following permissions:

Under ?Applications?
GET: Retrieve Application\
GET: List Applications\
\

- For Public Link, choose the following permissions:

Under ?Candidates?
POST: Add Attachment\
POST: Add Note\
\

Under ?Departments?
GET: Retrieve Department

\

Under ?Jobs?
GET: List Jobs\
\

Under ?Tags? - *all permissions*
POST: Add New Candidate Tags\
DELETE: Remove Tag from Candidate\
GET: List Tags Applied to Candidate\
GET: List Candidate Tags\
PUT: Add a Candidate Tag\
DELETE: Remove Candidate Tags

Under ?Users?
GET: List Users

- Don't forget to click Update to save the permissions.

![[Permissions.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047209686-?Expires=253370764800&Signature=IYz-KeUxtYnQxw1lo0JCA1wkd9PRXnEnMLgwW-NNpAhopRwqrHPdOLGEfnd7-anAkL9S7IEsudkBlrzVhZWp-CQFjhPK4QOOXm6uyXsl4eSR9XQVrDWLI23UKO6n1eYNCQdBKbtAwlwj0FLPzKrmU0hq5t8DFfjpJCxL1Qwww6bgqlCLYmaEnzk0KaeSQ7pk4k7TtGiUGz4--eaELjm~xvldbuWddVNvIKx6ly9cWnDv8GoBbMhxG3-FfOW9yPs2il1PSeljmZamr196pX0TKXLJeq8UoRJP-Oj3jPh42w-Y7JQ2EoDfl2fyYIC13rNWzC3q7eABpFjx6KFEJ57hTA__&Key-Pair-Id=K3NV4LZ47N8M46)

\

Inside HackerRank

- Go to **HackerRank ATS Settings** page for Greenhouse Settings>ATS Integrations>Greenhouse

- In the Greenhouse API Key step, enter the Harvest API token you created on Greenhouse, and click **Save**.

![[Greenhouse_API_Key.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047210113-?Expires=253370764800&Signature=qCHAwAXRIFIUV-QCaeUuglvL7vHivAgLfS9g-z7GKXuSN-b3vAyy5y6rZQVKTP6U1MZNx5Syc1k4I9Hv9gRue2CC7KVjVRYKwDeOnR2OMkCiWaibnq7bsuOhCHQ5OfEjNo~LwY4auAhyk~VFwd6EJ8GIQ2nxWOvsBsCSWvqDlrspAPQJyqTQL3DcyETmLePszcR6sp53pC2vXI-O-0Li9qaUQ-H9SUVJDkvH-QMjdlqGKxjBibRCTGePk96PBn8QzfOVkaeMd69ZdfmJe0j4fkxCLen7Uqoq3d~9TOql-SF0HIF5cFZ4Utlf5o-bjFzPXvrgMMG2PssF7glasDHUA__&Key-Pair-Id=K3NV4LZ47N8M46)

For Outcome Data

- In the **Candidate benchmarking and test outcome** section, select **Sync Outcome Data**.

- Once done, it will verify the permissions for the key and if everything goes well, you will see the green check box.

![[Candidate_Benchmarking.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047210480-?Expires=253370764800&Signature=HczMH85X02nR1HQPVs0VsW5ldsMrdwGFoN1-dMREaMeSEnyRQ79jK~~GVf3qQ2-YjqPqdt2zqJLSnGAuHANqn0XMsVuXavsWvmsa9tee1386JKYRnf8Rn6J~MhmKuoHKND6SG7DIhQdTO1-sWvDPt6RIYfhL5xl6KpxnZELUFj6lwrocyYnX0Z-EqhuFkw~NCCa~tqvqc93h7sYKmZl2DsJ-PUx6aA02Zlo5M7SacSLUuavhls3kRL3Ira4EMv6iZF1XRV1KJXyaizQKo5jlrU4uZplb0oslQ13IPI~fv6JT79VL0QI4NYklLgluWVz5GYpMXwFimGQSI0lx1uTA__&Key-Pair-Id=K3NV4LZ47N8M46)

- In case your key is missing permissions, you will see an error message. In this case, go back to Greenhouse and enable proper permissions for Outcome Data then come back and click **Try Again**?

![[Candidate_Benchmarking_Try_Again.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047210779-?Expires=253370764800&Signature=EBWc4tzFTlufZWnj2eyX6wzEU73E1xO6LbL28qHpaMbyqpK9iDAu4gkOQBT-tpuEyYcbdBnWa9VRsfHReeSEJyzkMqu9JvdOegvyMjRxAfiWRWasGRUzLiP-3h6gyKjXK2kaJDALQz1oI4VeL~z~I7UjOu9XESdGjovlvbZjDRN5fKgnCZ51z9bWcjXkqcnDDbyQqa1e1MqzBRGi67B-f1knXiL5nrrALjpXJdieCP545apdDyvgWIKgNV4XmJEqSXUfJcU0gxGKSa2qaD5-b9nA3v9HgDakKWT3M2or~vZa10oY38RCsvxAzIRcc5cYAQc7Y5MK1R~S~o3gLS9fw__&Key-Pair-Id=K3NV4LZ47N8M46)

For Public Link

- You can enable Public Link access and generate a public link for each test from the Test Settings for that test.

- Refer to the [\[? Modifying Test Access Settings\]\(/articles/8915306379\)](#) article to create a public test URL in case your test does not have one.

Note: If you do not see any errors after enabling **Sync Outcome Data**, you will see the outcome data in the Test Health Dashboards for all your tests within 24-48 hours. Data refreshes once a day.

Frequently Asked Questions

1. **I have entered a Harvest API Token. Why can I still not see the Outcome Data?**

If all your permissions are correct, then you will see Outcome Data in Test Health Dashboard in the next 24 - 48 hours.

If you are getting an error, please ensure that you have enabled the correct permissions for your Greenhouse Harvest API Key. You can find this in Step 5 of the **Inside Greenhouse** section of this document.

\

2. ****All my permissions are correct and my Test Health Dashboard is blank.****\

The Test Health Dashboard is a current indicator of your Test Performance. Hence, it only shows data for the last 90 days. If your test has had no activity in the last 90 days, you will not be able to see insights into your Test Health.\

\

3. ****Where can I see Outcome Data on a company level?****\

Today, we are using the Outcome Data as an indicator of your Test performance. Hence, it is available inside your Test Health Dashboard.\

We are working to provide you with more insights using this information. Please reach out to your HackerRank representative for requests or feedback on how you would like to see this Outcome Data.\

\

4. ****How can I enable Public Link for a test?****\

This document ensures that you enable the connection for successfully pushing candidate information inside Greenhouse.\

You can enable Public Link for specific tests from ?Test Settings? by following this document:[? Modifying Test Access Settings](/articles/8915306379)

\

\

\

\

\

[integrations/applicant-tracking-systems/greenhouse] Greenhouse-HackerRank Integration

title: "Greenhouse-HackerRank Integration FAQs API Token and Access Tests and Interviews Common Troubleshooting"
title_slug: "greenhouse-hackerrank-integration-faqs-api-token-and-access-tests-and-interviews-common-troubleshooting"
source_url: "https://support.hackerrank.com/articles/3678461564-greenhouse-hackerrank-integration-faqs"
article_slug: "3678461564-greenhouse-hackerrank-integration-faqs"
last_updated_exact: "Aug 1, 2025, 2:57 PM"
last_updated_relative: "Last updated 9 months ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Greenhouse"

Greenhouse-HackerRank Integration FAQs API Token and Access Tests and Interviews Common Troubleshooting

Last updated: Aug 1, 2025, 2:57 PM (Last updated 9 months ago)

This article provides FAQs and troubleshooting steps for common issues encountered while enabling and using the integration.

API Token and Access

Why can't I view the API keys in my HackerRank for Work account?

You must log in to **HackerRank for Work** with a **Recruiter-type** **Company Admin** user account to view the API access page and generate the Greenhouse API key.

Refer to the **Prerequisites** section in the > [Greenhouse - HackerRank Integration Configuration Guide.](https://support.hackerrank.com/articles/1406188460)

How do I reset my Greenhouse API key in HackerRank for Work?

1. Log in to **HackerRank for Work** using the company admin user account with the same email address as the Greenhouse user account.
2. Go to **Settings** > **API access** > **Greenhouse**.
3. Click **Delete** to delete the existing key and click **Generate API key** to create a new key.
4. Add this API key in Greenhouse to enable the integration.

Refer to the > [Greenhouse - HackerRank Integration Configuration Guide](https://support.hackerrank.com/articles/1406188460) for detailed integration steps.

Why am I unable to access or send HackerRank Tests from Greenhouse?

To use the HackerRank?Greenhouse integration, you must have user accounts with the same email address on both platforms. This is the primary requirement for the integration to work correctly.

For example, if your **HackerRank for Work** account uses the email address `jackpeters@hackerrank.com`, your **Greenhouse** user account must also use `jackpeters@hackerrank.com`.

You must log in to HackerRank for Work with this email address to:

- Generate the API key required to enable the Greenhouse integration
- Create and publish HackerRank Tests used for candidate invites
- Create email invite templates for sending Tests from Greenhouse

Alternatively, you can also use the HackerRank Tests and email templates shared with this user account to invite candidates from Greenhouse.

You must log in to Greenhouse with the same email address to:

- Access HackerRank Tests and invite candidates.

- Generate interview links.
- Log in to HackerRank interview and conduct interviews with Greenhouse candidates.

Tests and Interviews

****Why do I receive an error when generating a HackerRank interview link in Greenhouse?****

You may receive an error due to one of the following reasons:

- You are not logged in to Greenhouse with the same email address as your ****HackerRank for Work**** account. Both accounts must use the same email address to generate an interview link and access the interview session.
- The candidate's profile in Greenhouse does not have a valid email address. Update the candidate's email and try generating the interview link again.

****Which HackerRank Tests and email templates are available in Greenhouse when inviting candidates?****

All the Tests and email templates owned by the user who generated the Greenhouse API key are available in Greenhouse. You can also access those Tests and templates which are shared with this user account.

For example, if you generate the API key using the `jackpeters@hackerrank.com` account, you must log in to ****HackerRank for Work**** with the same account to create the required Tests and email templates. Alternatively, you can use any Tests and templates shared with that account.

****Why do I see an error in Greenhouse prompting me to publish the selected HackerRank Test before inviting candidates?****

You see this error because the selected HackerRank Test is in ****draft mode****. Greenhouse allows you to invite candidates only to ****published**** Tests.

To fix this, log in to ****HackerRank for Work****, open the Test, and publish it. Once published, you can return to Greenhouse and send the invitation.

Refer to the [\[Draft Mode of a Test\]\(https://support.hackerrank.com/articles/2464685918\)](https://support.hackerrank.com/articles/2464685918) topic for information about publishing a Test.

****Can the email invite template include name placeholders?****

Yes. While creating an email template in ****HackerRank for Work****, you can add the Candidate name and Recruiter name placeholders in an email invite message.

Refer to the [\[Creating an Email Template\]\(https://support.hackerrank.com/articles/9684438314\)](https://support.hackerrank.com/articles/9684438314) topic for detailed information.

****Who is treated as the Inviting Recruiter if I invite a candidate through Greenhouse?****

Greenhouse sends metadata about the user who initiates the candidate invitation. HackerRank uses this information to identify and record that user as the inviting recruiter.

****Will Greenhouse reflect the updated score if I change it in HackerRank after the result is synced?****

No, Greenhouse does not update the score after the result is synced.

****Where can I find the candidate's completed record in HackerRank for Work?****

To find a candidate's completed record:

- Log in to ****HackerRank for Work****, and in the ****Search Candidate**** field at the top right, enter the candidate's email address to view their Test attempts.
- Alternatively, from the ****HackerRank for Work**** home page, select the relevant Test, go to the ****Candidates**** tab, and click the candidate's name to view their full Test performance report.

For more details, see the topics in the [\[Test Reports\]\(#\)](#) section of our knowledge base.

Log in to ****HackerRank for Work**** and in the ****Search Candidate**** field available in the top-right corner, enter the candidate's email address to view the candidate's attempts.

Alternatively, from the **HackerRank for Work** home page, select the required Test, and click on the **Candidates** tab to view the candidate's list. Click on a candidate's record to view the complete Test performance report.

Refer to the topics in the [Test Reports](https://support.hackerrank.com/collections/2192436165-test-reports) section of our knowledge base for detailed information.

Why do I not have permission in HackerRank for Work to grade a Test I was invited to through Greenhouse?

In **HackerRank for Work**, ensure that your user account belongs to the Test owner's team. Alternatively, you can request the Test owner to share the Test with your account.

Is the candidate's submitted file for a File Upload type question available in Greenhouse?

No. To view the candidate's submission, log in to **HackerRank for Work** and open the candidate's detailed Test report.

Common Troubleshooting

If you encounter issues with the integration, try the following steps:

- **Verify the API key**: Ensure the API key added to your Greenhouse account is valid for your HackerRank for Work account. If you are unsure, you can generate a new Greenhouse API key in the HackerRank account settings page and configure the new key in Greenhouse.

- **Check your user account type**: Confirm that your HackerRank for Work account is an active **Recruiter**-type account with **Company Admin** permissions and belongs to a team. You cannot send Test invites using a **Developer**-type account.

- **Verify candidate email address**: Before sending Test invites from Greenhouse, ensure that the candidate's profile includes a valid email address.

Note: For more information about admin permissions, see [Company Admin Permissions.](https://support.hackerrank.com/articles/9603546665-types-of-user-roles#company-admin-2)

\

[integrations/applicant-tracking-systems/greenhouse] Greenhouse - HackerRank Integration

title: "Greenhouse - HackerRank Integration Interview User Guide Prerequisites Adding HackerRank interview stage in Greenhouse Scheduling HackerRank Interview Viewing Interview Results"
title_slug: "greenhouse-hackerrank-integration-interview-user-guide-prerequisites-adding-hackerrank-interview-stage-in-greenhouse-scheduling-hackerrank-interview-viewing-interview-results"
source_url: "https://support.hackerrank.com/articles/8806262569-greenhouse---hackerrank-integration-interviews-user-guide"
article_slug: "8806262569-greenhouse---hackerrank-integration-interviews-user-guide"
last_updated_exact: "Apr 23, 2026, 1:17 PM"
last_updated_relative: "Last updated 3 days ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Greenhouse"

Greenhouse - HackerRank Integration Interview User Guide Prerequisites Adding HackerRank interview stage in Greenhouse Scheduling HackerRank Interview Viewing Interview Results

Last updated: Apr 23, 2026, 1:17 PM (Last updated 3 days ago)

This guide outlines how to use the Greenhouse - HackerRank integration to schedule HackerRank interviews and review interview results directly in Greenhouse.

Prerequisites

Before you begin, ensure you meet the following requirements:


- You have active HackerRank and Greenhouse accounts.
- The HackerRank integration with Greenhouse is complete. For more information, see [? Greenhouse - HackerRank Integration Guide](/articles/1406188460).

Adding HackerRank interview stage in Greenhouse


You can add a HackerRank Interview stage to include HackerRank Interviews in your hiring process.

To add **HackerRank Interview** stage to a job interview plan in Greenhouse:

1. Log in to your Greenhouse account using your credentials.
2. Go to the **Jobs** tab.
3. Select the job you want to update.
4. Go to **Job Setup** **>** **Interview Plan**.
5. Click **Add stage**.

 (45).png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776926252797-image%252845%2529.png?Expires=253370764800&Signature=m4zMxRlpSdIScFo1rXzrsuMizextpbX7EfxClv06XVnJCi9Vd~il5oOHZmadayHSXfGubuQ70LD3rNXHlqy1g5KxWE7E1-9TMcs8Wg8Am3wh~1TBBD9Vx0yQZeJAZULmo3BtAO0ssmAlDO3X890VK1VvLsmierCommqHngYJgdPmU6SHgdeFGKc24nwMKO~wrlBrWg8H5qG0vLv2-m6z15AWcQjkCgwWXQwM06RLWOLg-zmEWJgUf1SmYe9UxJYC2~PudXLpGgMdv5erUNezSfklDmpA9UP2KZ4kev0hnxaoBeLjhCffyEK3hcWCJObPsn0A1Xpy6W3zL~GMHGX6g__&Key-Pair-Id=K3NV4LZ47N8M46)

6. In the **Add Stage** dialog, select **Phone Interview 2**.

 (46).png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776926232358-image%252846%2529.png?Expires=253370764800&Signature=Sc7x~VEVQM58wrjZcl8G5VxYo~J4SIHqKqdTH29YsZC0vpy4t6mK0j8dlIme5b0-WYiSONOn9EY56lTJ~g4lq4uzLgLWHFeWPn9JQmjmx23WJF9qCi9dPoPTiMi89hY8eeNKMBit9k7tEby84eKyvuaqLDJud-hDEUIDbYAN~OEx8SarQUmeh0VMXyeSPeYHAjup8AE8K81k3yjkqEpJjNbVO7ViZZBDdJ0ZoEz5Mkx1WWu76OwN7mgzIA4lhoQPnACNdC6LNyqH0RNeSxjSGt8cKmj~5gYDo1VBFjZWAT4t0BKbrtQ~Lu71aTYgqcv-Re-YUNvzusjPyh-T1nHgv~w__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: If **Phone Interview 2** does not appear in the stage list, the integration is not configured correctly. For more information, see [? Greenhouse - HackerRank Integration Guide](/articles/1406188460).

7. Click **Add**. Greenhouse adds the HackerRank Interview stage to the interview plan.

Scheduling HackerRank Interview

Note: Before you schedule an interview, ensure that the HackerRank Interview stage is added to the job interview plan in Greenhouse. For more information, see [Adding HackerRank interview stage in Greenhouse](https://support.hackerrank.com/articles/8806262569-greenhouse---hackerrank-integration-interviews-user-guide#adding-hackerrank-interview-stage-in-greenhouse).

To schedule a HackerRank interview in Greenhouse:

1. Log in to your Greenhouse account using your credentials.
2. Go to the **Candidates** tab.
3. Select a candidate.
4. Go to the **Stages** tab.
5. Click **Move stage** and select **Phone Interview 2**.

!image (47).png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776927060672-image%252847%2529.png?Expires=253370764800&Signature=uokoCg6o-m3F24SGIP8DmBMAO-fmZ04V6gb75nKYR5lispJSn5t6WVw2nw2JmCL6BiNlzTq20vsD3a4VMu~qGnucvEtT17JlR1c8Q7LVlynFKIAbrVjefw4y~zD6RGdAFNm46Ulqai6V9xOqJjTSPrbmRGAKFdcR1jk~iGfKtO3Su0i8hQXjR2Hd7dMY5Td5fjg-jXkSYZd9vXFgWntsZVj1HjkFTOWWkzdeGHXwVgRxsBgFGjjnmKFTRf6OPhwE4OUfBG-zPZWQQ9ewtEQS8QW9lnMyKnMqERCj-F8gOPk1S1m3WE8jrYCscUpmq-llnvYxBqgtkx4LUHGoWC1lg__&Key-Pair-Id=K3NV4LZ47N8M46)

6. In the **Phone Interview 2** stage, click **Schedule manually**.

!image (48).png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776927147825-image%252848%2529.png?Expires=253370764800&Signature=c0IAPdgWmlTUvsgO4YskTxxlgJL1-1knCyRJqJnlsQs0aCFD9cmOWzwDUNvQ46ZFwbYNOYQcDZQbTsFJdePBYwA8apuiTcJ6S2uJnFDhO5t05C1NUx12jxDibKZj9lgtJh4rsnf5rBS8fQ3wno9GPvqOu1-Ctt4HjZgPQODEk6qDsL11vPFUQ2zeaVhRcmPFF6GjhnNRNFFnkReKP00bQhe2ZhKZiIVRHHg0LIGbRCA89Y1Yiafe2gnmdveTCv5wAR~FXkC~2mGvUMbmrmnbULOJPMZ5KZ7lHk6ViyEyEs6APk8lZhybTBcPhzqEnZlQpGvROtzFQFsoAZcyoDw__&Key-Pair-Id=K3NV4LZ47N8M46)

7. In **Interview settings**, select the following:

- Interviewers
- Date
- Start time
- End time

8. Click **Create HackerRank Interview**.

!image (49).png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776927187005-image%252849%2529.png?Expires=253370764800&Signature=qobb~ye-8lrwkOGcuBuKyStfJlFmDact5lSeeo5rcC2QOP8nigIq9YlqRu-UmqZuxPvV0pWuXpFvblh9vaAbBThsVXxvHpurMt09am9W99Qu086sytWmM6UJx2FjEt9jo37Jrp37k9zWOn7uNCblpb3lm-wauul04ZAdUFcAxc7WrhfUCLMdb5gF5jYX2uYBOBBL71ZV8FFltBn-vhV0BBMUCh31q-5jpLN3eYOCjB5adTOGQrxeT-hdecftS6ztXujCYvOnNtq5awzAjdKqoEFaLHBpd2hirRXMM6sg0jkcArPs3LaUOeVEWGDCKzi~UMozNwp4M53k2hBM818w__&Key-Pair-Id=K3NV4LZ47N8M46)

Greenhouse generates the HackerRank interview link and displays it under **Interview settings**.

9. Click **Continue**.

!image (50).png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776927217043-image%252850%2529.png?Expires=253370764800&Signature=Ae5SRYO46FK6LkiX1oPxXxretG0RY2zU9UFV9qf9m~vbq6c6iQdQSDvZDoL6Mui8M7hq3lzx8cVcBmChKOHh-EPv3cDWEibSRLaOMZwVOxd4XiCvEBoxH~omSbCcgnWBdXAqhUuCykbsQh9~XWMFVfXUEqm2r6Zus5X1RAqlUcPNVihZt0tpM~i4jX2QtQqRw3At3KyQsdAQYwMvhgzWz45DnglnJoAzL6dQRMuRACH0rU-Gt8z7Ssr8xWTw6c3s5MXZKzpO1v3gzx4hA

Ht3VLYuEnZZNL8PSoApE8EiBGBUxR5kL1qUeTt-ZV4h9TnRfNEokNds9~qSunF5rQxkQ__&Key-Pair-Id=K3NV4LZ47N8M46)

10. Review the invite details under ****Send calendar invite to interviewers**** section:

- ****Email template****: Auto-selected as ****Default Interview Invite****
- ****Subject****: Auto-generated; edit if needed
- ****Description****: Autogenerated and includes the HackerRank interview link; edit if needed

****Note**** The ****Send an email update to all interviewers**** checkbox is selected by default. Clear it if you do not want Greenhouse to send an email update to the interviewers.

1. Click ****Send invites to interviewers****.

![[image (51).png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776927649788-image%252851%2529.png?Expires=253370764800&Signature=ilt7Qulh70abXXGRe8MEElDymwjDQ9DrLKB~df1~u136LQmdAZdre7kkHI2ZpW61xfRCnPOY0h297qTZB1SCRmlfneZBPio1V-clfAeSvamHerYz8453fn~8MV5dBn1PVvi6EIFsO8TmOOLuyV~ytTMJ5-DdmCVZKXSUGOEAc8yiSMKZyVxIDCbnPmd77A7N~ah-D0e3AizGXUgD5bkjius8draq52Lg1adONP1IgB4WUhcDgX2mm61g9WwF5AB06AykWrg6g0Lfj8-jGiuaui~NlibzyZ8BRlaS-sBv8JU47AaDEoi2ZXI7sy0x8VWwLgDyLLXUVRpU1fokbnG2w__&Key-Pair-Id=K3NV4LZ47N8M46)

Greenhouse sends the interview invitations to the candidate and interviewers.

Viewing Interview Results

After interviewers complete the scorecard in HackerRank and click ****Sync to Greenhouse****, the interview report link appears in the candidate's profile in Greenhouse. For more information about using the interview scorecard in HackerRank, see [Using the scorecard during an interview](https://support.hackerrank.com/articles/9842091173-interview-scorecards#using-the-scorecard-during-an-interview).

To view interview results from the ****Notes**** tab:

1. Open the candidate's profile in Greenhouse.
2. Go to the ****Stages**** tab.
3. Select the ****Phone Interview 2**** stage.
4. Click the report link in the ****Notes**** panel to view the full interview report.

![[image (52).png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776927762630-image%252852%2529.png?Expires=253370764800&Signature=iWK~NWVfxziT2y4KT~VukXkalQzJMyz5H-3ltlj3sMkp9YoN-fhMUIP3DP0xTxiUXAk4U26Zs8c~BsmR4F~qOG1KHa3QXIS3-voVgg6f8bRPKBR0TXVuLf6JtWIL-N3weNZ37G4Q4iyMkb~BuaYVEhhWA83J-PoHmVEdHnxoRpewT-dlqtHV8yVnlk90ajht-DXy5vLxqMQZEKSOQDGN0wiObRTBmHVazZ1mnOqAGGqzUuZNOB1GcgL7~Uhyh~Fg7vcgbXn3dX7R0sMmf~xMXN3VvFtabby3KdBu4jWurgyuPXXn4Abz3RXf4-ildN8plJm41klib1yS5wg8s7VPyA__&Key-Pair-Id=K3NV4LZ47N8M46)

To view interview results from the ****Activity**** tab:

1. Open the candidate's profile in Greenhouse.
2. Go to the ****Activity feed**** tab.
3. Locate the note labeled ****Note added to interview kits****.
4. Click the report link in the note to view the full interview report.

![[image (53).png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776927787887-image%252853%2529.png?Expires=253370764800&Signature=Kncmm2SL~gE5JejUbYVw03SW-0ROpN4ZUn7-Qt0oMC8SNflCq9nXFA8~gPYZ3yjHuZVjdMsFZMV8j79E9VSXyD2wZXjVtkwhoen3BcvY7ExQDgQ7ouCMPpt3ztvn9Ri~XfLQLjGqFsJH4Yc9gliRGP671jPf-tZFSdgvn-wwqRaGG9ZIBCJOeTidm1R5W4jLDa51YIhAHKyZqjGm5UCFqJJjMkZknaPuQXMWrg-D9WNVbTjtmJ0yl4wZIS6MEXHNaWfjl4vpta7VO8M9AyHh9xOnQRhCIOfrLQeb~mzh~KdZHlmWd6mWrwXs4AivO4Ky1GyuUZOjK0bCtX9SeFNUXQ__&Key-Pair-Id=K3NV4LZ47N8M46)

\

[integrations/applicant-tracking-systems/ibm-kenexa-brassring] IBM Kenexa BrassRing

title: "IBM Kenexa BrassRing - Interviews Integration Overview Integration Steps"
title_slug: "ibm-kenexa-brassring-interviews-integration-overview-integration-steps"
source_url: "https://support.hackerrank.com/articles/7390910463-ibm-kenexa-brassring---interviews-integration"
article_slug: "7390910463-ibm-kenexa-brassring---interviews-integration"
last_updated_exact: "Dec 28, 2024, 4:12 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "IBM Kenexa Brassring"

IBM Kenexa BrassRing - Interviews Integration Overview Integration Steps

Last updated: Dec 28, 2024, 4:12 AM (Last updated 1 year ago)

Overview

The below diagram describes the workflow of the BrassRing and HackerRank Interviews integration for recruiters. Recruiters will move a candidate into a custom HackerRank Interview status. Upon entering this status, BrassRing will dispatch a payload to HackerRank via the Candidate Export API. HackerRank will then generate a new Interview URL and Scheduling link and respond back to BrassRing. The Recruiter can use the Interview URL directly in their own scheduling tool. Optionally, they can access the scheduling link to set up a date and time within HackerRank. HackerRank will then send out the calendar invitation automatically. After the Interview has occurred, a link to the Interview report will be sent back to BrassRing via the Form Import API.

Integration Steps

The integration involves a 3-step process:

- Step 1: Configure the Candidate Export to generate the Interview links
- Step 2: Configure the Form Import to accept the Interview links
- Step 3: Configure the Form Import to accept the Interview report url

Configure the Candidate Export to generate the Interview links

Obtain the BrassRing API key from HackerRank for Work

Note: If you are using the BrassRing Tests integration, you can skip this step and reuse the connection for the following candidate exports.

1. Log in to HackerRank for Work with the Company Admin user account.
2. On the home page, click the drop-down next to the user icon in the top right corner.
3. Click **Settings**.

![[settings.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047115359-?Expires=253370764800&Signature=bhCN-7djBeLEjRgjkzK7pENaw-kbfGGvPRtmEMa-LhdNCn-gsSHgwu1EAMy4Xm79-tHCBVz1XtSLkjQaFYWoUSqyALmjkhnQ96PgCxDbAb0hv6S24hCAAdOOMIEB4GhWpOFoO1U4R8WNTW3r0s1iDHIzvk7k3X928SQqPDnDtQ9ykCdYT--Q6Ckjl6IdhgOeEISJ0~buexz13DghkyBqx1YYRo0SffTKhlm8BQ14gRJQiQgIJqjYx6rXd1gR~OvU8GRIn9FaO-NTTUTCgJ73MUle66t9Or5qAQoOrSMaU6IL8U4J7cenYrozZc06-ArBrx0PXoRSAQOI3PVeKax8Hg__&Key-Pair-Id=K3NV4LZ47N8M46)

4. On the left pane, click **Integrations**. The **Integrations** page is displayed. Scroll down and click **Configure** on the **BrassRing** option. You can also search the Integration from the Search bar.

![[integ_brassring1.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047115685-?Expires=253370764800&Signature=CIAL5XHAMJ8heU0V9GZXSnLRK3FtG9PnLEr5KbVMJhBHEopRaEQFhtLYawcZIHaquYHM~IB1ddaSAKpDmtfJrwUudrJHhUuXFzYL~UI21OQbjlMnPP99XxEEKEN5Sy3qyGFbGd7p83yyZ3aMqvYfgCPBGiXzhGwK4PoeTtgyZ25jB~6bXXwMydO27bcboZWSuc8K4gjlMAt~iC8wmq2~UEQLD4e0hENeCTmif2Rx9wLChacx7d4hNzyl~K2q3PFx68dmkaBdjvblusuKnleAiWh~GjC28FzR4prPyu6wlKHZaiXvTJ-RDUJdr1m6R42v0vvMSf~yohN8FfXchinw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click ****Generate API Token**** to generate the API token.

[integ_brassring_api.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047116385-?Expires=253370764800&Signature=awMxp32WICJ-WyFncEa1hBL9iiiTT0cwNx5dFbtJ7oVcn30rnp5EG0OE0O-f04Cp8VfC1MonRPAcyPr9XtVYkRJJvIaRdQD1yMU6c5va0u4iCAEhfe3EP~5cJIGUI0wMzQhL4zs2v2YhtJQI5fzgbIE-18~-Prk4pypZDM9LsDYxNGrA13Lz~l8qQruYIIS4mWAdNTGtbPUuQOOv8t~-Mk-YGMfpofX6BJFnpQpm68DMB~6gxKPIi-tL7WHR6KgXI3X0MIC8rz-VB5DZewMw9qjf26a41MIgUS6p5Tl510Zbqt-XI0O73COV24zAkRrBGO40~brodkOVsQjvZqTlhw__&Key-Pair-Id=K3NV4LZ47N8M46)

A unique API Key is displayed.

[integ_brassring_api_token.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047116693-?Expires=253370764800&Signature=fAidW7JDScS5Cg8SyPajYzexBIM03hfnssz9Vq80UPcQK1lvP6Ox9sQck2fNUDPOpdtpeCiaX1q4dzV62-YxRTrSnOgnkg2Yo843np2fgAZencruNkluAT6jflMV5J7A62b--YpZJWP1pqNfkpxCKBSIk4e-OdGMfnjHe7IKWuphw1nEu33bSRdKbheAyZ8ZIWJGXH7biD5IUYo0ccle37WEsJGP2wkIfYu-Ao8SIO73l4OaNoDwpY0Vwhvx8wo-oW5L-tmcg0ild5QYrB8Alk0kk7wZRRO2uThJvqKGDDvOGv-jcq4pboOmG3oe9LT2cZ4veXSIUfxm8N4G1sAGwQ__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Copy this key. You will need to add this key to the BrassRing account to establish the integration.

****Note****: Ensure to store the API key safely. Once the popup is closed, you cannot retrieve the key again.

****URL and Authentication Setup****

In BrassRing, create a new Candidate Export payload. It should be sent to the following URL:

PROD:

[https://ats.hackerrank.com/brassring-codepair/v3/schedule-codepair](https://ats.hackerrank.com/brassring/v1/schedule-codepair)

STAGE:

[https://ats.hackerrank.com/brassring-codepair-stage/v3/schedule-codepair](https://ats.hackerrank.com/brassring/v1/schedule-codepair)

The username for this export should be set to the BrassRing API key generated within HackerRank. (The password field is not used by HackerRank and can be set to any value if it is a mandatory field.)

Note - The API key might be longer than the username and password fields allow. If this is the case, you will need to make a request to your IBM integration representative to have it configured by IBM.

****Setup Candidate Export XML Payload****

This is the format for the [Candidate Export XML](http://media.kenexa.com/Training/TSBR/Outbound/IBM_Kenexa_BrassRing_on_Cloud-Candidate_Export_Technical_Specifications_API.docx) that is understood by HackerRank out of the box. You will need to configure Workbench to create a matching XML:

...

<?xml version="1.0" encoding="UTF-8"?>

<Envelope version="01.00">

<Sender>

<Id></Id>

<Credential>26059</Credential>

</Sender>

<Recipient>

<Id>http://server123.testcompany.com:8044/b2bhttp/inbound/kenexa</Id>

</Recipient>

<!-- Target URL where data will be sent -->

<TransactInfo transactType="data">

```
<TransactId>HSCAND19681</TransactId>

<TimeStamp>2019-08-23 14:23 PM</TimeStamp>

</TransactInfo>

<Packet>

  <PacketInfo packetType="data">

    <PacketId>1</PacketId>

    <Action>SET</Action>

    <Manifest>CODEPAIR_CANDIDATE</Manifest>

  </PacketInfo>

  <Payload><![CDATA[<?xml version="1.0"?>
<CODEPAIR_CANDIDATE>

  <CANDIDATEID></CANDIDATEID>

  <REQUISITIONNUMBER></REQUISITIONNUMBER>

  <BRREQNUMBER></BRREQNUMBER>

  <JOBCODE></JOBCODE>

  <STATUS></STATUS>

<EMAIL></EMAIL>

<FIRSTNAME></FIRSTNAME>

<LASTNAME></LASTNAME>

</CODEPAIR_CANDIDATE>

]]></Payload>

</Packet>

<Packet>

  <PacketInfo packetType="data">

    <PacketId>2</PacketId>

    <Action>SET</Action>

    <Manifest>CODEPAIR_CANDIDATE_REQEXPORT</Manifest>

  </PacketInfo>

  <Payload><![CDATA[<CODEPAIR_CANDIDATE_REQEXPORT language="en">

    <REQFORM id="111"></REQFORM>

<CHOOSE_CODEPAIR></CHOOSE_CODEPAIR>

</CODEPAIR_CANDIDATE_REQEXPORT>

]]></Payload>

</Packet>
```

</Envelope>
...

Mandatory System Fields

Data sent from the Candidate Export:

Field Name	Format	Note
EMAIL	Varchar	This is the candidate email address. HackerRank needs this to tie the interview to the candidate
FIRSTNAME	Varchar	Candidate First Name.
LASTNAME	Varchar	Candidate Last Name.

Candidate Export Response

Field Name	Format	Note
Long Description	Varchar	Schedule link: (link) Interview Link: (short link)

Send Candidate Export XML Payload Preview to HackerRank

Once the Workbench configuration is complete, generate the sample XML and send to HackerRank for validation.

Configure the Form Import to accept the Interview links

Setup Form Import XML Payload

This is the format for the [Form Import XML](https://www.ibm.com/links?url=http%3A%2F%2Fmedia.kenexa.com%2FTraining%2FTSBR%2FInbound%2FIBM_Kenexa_BrasRing_on_Cloud-Form_Import_Technical_Specifications_API_update.docx) that is sent from HackerRank out of the box. You will need to configure Workbench to create a matching XML:

...

<?xml version="1.0" encoding="UTF-8"?>

<Envelope version="01.00">

<Sender>

<Id>HRXMLEMPID</Id>

<Credential>26059</Credential>

</Sender>

<Recipient>

<Id />

</Recipient>

<TransactInfo transactType="data">

<TransactId>15747</TransactId>

<TimeStamp>2019-08-23 14:26 PM</TimeStamp>

</TransactInfo>

<Packet>

<PacketInfo packetType="data">

<PacketId>1</PacketId>

```

<Action>SET</Action>

<Manifest>CODEPAIR_LINKS</Manifest>

</PacketInfo>

<Payload><![CDATA[<?xml version="1.0"?>

<form formTypeID="376" formName="HackerRank_CodePair_Results" formId="" action="Insert" resumeKey="" FirstName=""
LastName="" email="" homePhone="" language="EN" autoreq="" optionalreq="">

<!--form action can be either "Insert" or "Update"-->

<FormInput name="(generated by BR)" title="CodePair Schedule Link"></FormInput>

<FormInput name="(generated by BR)" title="CodePair Interview Link"></FormInput>

<FormInput name="(generated by BR)" title="First Name"></FormInput>

<FormInput name="(generated by BR)" title="Last Name"></FormInput>

<FormInput name="(generated by BR)" title="Requisition ID"></FormInput>

</FormInput>

</form>]]></Payload>

</Packet>

</Envelope>
...

### **Custom Form Fields**

| | | |
|----|----|----|
| Field Name | Format | Note |
| Interview Schedule Link | Varchar | url to schedule the Interview |
| Interview Link | Varchar | Url to start the interview. This can be pasted into a calendar invitation. |

### **Send Form Import XML Payload Preview to HackerRank**

The following fields are generated by BrassRing and will be environment specific:

- formTypeID field

- formName field

- Each FormInput name field

Once the XML payload is created, you must send a preview XML to HackerRank so the correct identifiers can be send from
HackerRank for Work.

## Configure the Form Import to accept the Interview report url

### **Setup Form Import XML Payload**

This is the format for the [Form Import
XML](https://www.ibm.com/links?url=http%3A%2F%2Fmedia.kenexa.com%2FTraining%2FTSBR%2FInbound%2FIBM_Kenexa_Bras
sRing_on_Cloud-Form_Import_Technical_Specifications_API_update.docx) that is sent from HackerRank out of the box. You will
need to configure Workbench to create a matching XML:

...

<?xml version="1.0" encoding="UTF-8"?>

<Envelope version="01.00">

<Sender>

```



```
<Id>HRXMLEMPLID</Id>

<Credential>26059</Credential>

</Sender>

<Recipient>

  <Id />

</Recipient>

<TransactInfo transactType="data">

  <TransactId>15747</TransactId>

  <TimeStamp>2019-08-23 14:26 PM</TimeStamp>

</TransactInfo>

<Packet>

  <PacketInfo packetType="data">

    <PacketId>1</PacketId>

    <Action>SET</Action>

    <Manifest>CODEPAIR_RESULTS</Manifest>

  </PacketInfo>

  <Payload><![CDATA[<?xml version="1.0"?>

<form formTypeId="376" formName="HackerRank_CodePair_Results" formId="" action="Insert" resumeKey="" FirstName=""
LastName="" email="" homePhone="" language="EN" autoreq="" optionalreq="">

<!--form action can be either "Insert" or "Update"-->

<FormInput name="(generated by BR)" title="Assessment Name"></FormInput>

<FormInput name="(generated by BR)" title="Candidate Status"></FormInput>

<FormInput name="(generated by BR)" title="Feedback"></FormInput>

<FormInput name="(generated by BR)" title="First Name"></FormInput>

<FormInput name="(generated by BR)" title="Last Name"></FormInput>

<FormInput name="(generated by BR)" title="Requisition ID"></FormInput>

<FormInput name="(generated by BR)" title="Date of Assessment"></FormInput>

<FormInput name="(generated by BR)" title="Link to Assessment Summary Page"></FormInput>

</form>]]></Payload>

</Packet>

</Envelope>

```

Custom Form Fields

```
| | | |
|---|---|---|
| Field Name | Format | Note |
```

Feedback	Varchar	This is the text that is set during the interview
Candidate Status	Varchar	We will send the status of the interview. For exaple: Qualified, Failed, Evaluation Required
Report Link	Varchar	url to the report

Send Form Import XML Payload Preview to HackerRank

The following fields are generated by BrassRing and will be environment specific:

- formTypeID field
- formName field
- Each FormInput name field

Once the XML payload is created, you must send a preview XML to HackerRank so the correct identifiers can be sent from HackerRank for Work.

title: "IBM Kenexa BrassRing - HackerRank Integration"
title_slug: "ibm-kenexa-brassring-hackerrank-integration"
source_url: "https://support.hackerrank.com/articles/7600349400-ibm-kenexa-brassring---hackerrank-integration"
article_slug: "7600349400-ibm-kenexa-brassring---hackerrank-integration"
last_updated_exact: "Dec 28, 2024, 12:21 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "IBM Kenexa Brassring"

IBM Kenexa BrassRing - HackerRank Integration

Last updated: Dec 28, 2024, 12:21 AM (Last updated 1 year ago)

Overview

HackerRank integrates with IBM Kenexa BrassRing through a standardized **Candidate Export** and **Form Import** XML API. If you have experience with these APIs and are a BrassRing Workbench administrator, you should be able to configure the integration yourself. If you are not familiar with these APIs, it is recommended that you work with IBM Kenexa professional services who can make the changes on your behalf.

Key Features for Tests Integration

- Send Test invitations to HackerRank assessments from within BrassRing
 - Optionally specify Time Accommodation% to extend assessment for certain candidates
- Receive Test Results in a BrassRing form when a candidate completes an assessment.
- Support for Candidates on Multiple Requisitions.
 - If a Candidate applies to multiple requisitions, they only need to take the HackerRank assessment once, the results will be sent to all requisitions that requested the test.
 - If a candidate has taken the test in the past, the historical result will be sent back to BrassRing.
- Preserve HackerRank role-based access and permissions when taking actions in BrassRing

Key Features for Interviews Integration

- Create Interview link and scheduling link
- Receive results and report link in BrassRing form when Interview has finished

Please refer to the following articles to set up and use the BrassRing- HackerRank Integration:\

- [? IBM Kenexa BrassRing - HackerRank Tests Integration](/articles/7795424803)
\
- [? IBM Kenexa BrassRing - Interviews Integration](/articles/7390910463)
\

Below is a list of features that the Brassring Integration offers:

Tests

```
<tr>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 537.641px"><p><strong>Feature</strong></p></td>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 293.359px"><p><strong>Brassring</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>View Full list of HRW Tests</p></td>
<td data-cs="1" data-rs="1" style="height: 22px; width: 293.359px"><p>Must be added manually </p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>Invite candidates to a specific test</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>Cancel / Reinvite an invite</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span><br />
Reinvite only. No cancel</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>Status update from invite to completion</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
```

```
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>View Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>Templates</p></td>
<td data-cs="1" data-rs="1" style="height: 22px; width: 293.359px"><p>Owner default</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1" style="height: 22px; width: 293.359px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>Reinvite</p></td>
<td data-cs="1" data-rs="1" style="height: 22px; width: 293.359px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1" style="height: 22px; width: 293.359px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537.641px"><p>Update results after editing HR</p></td>
<td data-cs="1" data-rs="1" style="height: 22px; width: 293.359px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

Interviews

Interviews

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 541.641px"><p><strong>Feature</strong></p></td>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 289.359px"><p><strong>Brassring</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 541.641px"><p>Create Interview QuickPad</p></td>
<td data-cs="1" data-rs="1" style="width: 289.359px"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
```

```
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 541.641px"><p>Schedule HackerRank Interview</p></td>
<td data-cs="1" data-rs="1" style="width: 289.359px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 541.641px"><p>View Result</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 541.641px"><p>View Interviewer Notes</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 541.641px"><p>Link to the detailed report</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

\

title: "IBM Kenexa BrassRing - HackerRank Tests Integration"
title_slug: "ibm-kenexa-brassring-hackerrank-tests-integration"
source_url: "https://support.hackerrank.com/articles/7795424803-ibm-kenexa-brassring---hackerrank-tests-integration"
article_slug: "7795424803-ibm-kenexa-brassring---hackerrank-tests-integration"
last_updated_exact: "Dec 28, 2024, 4:09 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "IBM Kenexa Brassring"

IBM Kenexa BrassRing - HackerRank Tests Integration

Last updated: Dec 28, 2024, 4:09 AM (Last updated 1 year ago)

Overview

The below diagram describes the workflow of the BrassRing and HackerRank integration for recruiters. Recruiters will move a candidate into a custom HackerRank Test status. Upon entering this status, BrassRing will dispatch a payload to HackerRank via the candidate Export API. HackerRank will then send a test invitation to the candidate. After the candidate has completed the test and HackerRank has graded the test, HackerRank will send the results back to BrassRing via the Form Import API.

!image2.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735339058668-360039450754-e50edc3a-3e1e-4ee3-9acc-145d25fe2ede?Expires=253370764800&Signature=G0vCFotadmKcgStG6ARJO~JVhCbqAP1cff7UjLc-kRBkr~dyZf7JPCJto1qU2~cM9a1HjQ2ZFF7rsBIYOdBZ7vfR9Ut1xbjCw9iP3CuNEUcTx5ZNysnr893lvqghPVYIJPW4cOcfJmfvpkqEEq05CbZmeXwcM62hOUxic16u5-XLWhYAav4BKtiq64RsMBW~vgR0GOdW2krzTLKWFcxt4DlzMYeD-0KFksvQNGIJ3bkH0Gw14uexdTexGfilyPIX2o~G9zSCpo37xZh9~8RaF2bXUJ-tc00KCGgqJEhtCYG~o~nki5byQSBBN1HApB-AT-d86VdpZAOpXaP2ct~9GA__&Key-Pair-Id=K3NV4LZ47N8M46)

Prerequisites

	In HackerRank for Work In BrassRing
	- You must own an Enterprise plan with a Recruiter license. - You must have an activated Recruiter type user account with Company Admin permissions. This user account must belong to any team. - Recommended: HackerRank for Work Sandbox account for integration testing.
	- You must be a BrassRing customer with access to Candidate Export and Form Import APIs. Contact your IBM representative if you are not sure if you have access to these APIs. - You must either: be a Workbench Administrator and configure the integration yourself or work with IBM professional services. - Recommended: BrassRing Sandbox environment for integration testing.

Integration Steps

The integration involves a 3-step process:

- Configure the List of HackerRank Tests in BrassRing

- Configure the Candidate Export

- Configure the Form Import

Configure the List of HackerRank Tests in BrassRing

The lists of tests need to be set up on the BrassRing side as options in a HACKERRANK_TEST_ID field.

![[integ_brassring.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047113161-?Expires=253370764800&Signature=FNiV8TWIRlf2qVIsIsgHkF8NGXHB6bVwvTJoTdZCbd2EjxOP5idgWgrBWzZVZ~TmSJZL2vsYTtf17BZuosVLLNaqjNBrlzPgy7pcTX6GBBEXe7yZUeHhuOp3psZxbFkbtEIJHc7rqGuWml1gbNQ2RNGy8EhO15xfxPrEJRzd0rPbAMz3MiOsQ-n~ICH6XjlgMzWBGfVmq0Q0b1AheHRq7wYl1MUxWGMqCTvRDt~P8QvTjQY2sUeUOLcySEC90hIs5cExaM9yb5iSkEu0eap6eiHDrGOySnklkhs8WIMqdnxBc7mQwMI0HyABzR-GALGGUuKLMXUwyOXdiH4L-Pg5djA__&Key-Pair-Id=K3NV4LZ47N8M46)

When building out and testing the integration for the first time, you can get the Name and Test ID from the HackerRank Test page and the page URL, respectively. In the example below, the Test ID is 454785 and the Test Name is ?HackerRank Full-stack Developer Hiring Test.?

When the integration is ready, your HackerRank Solutions Engineer can do a one time bulk export of all Test Names and Test IDs to be entered into BrassRing.

Any time new tests are created in HackerRank that need to be used in BrassRing, you will need to add them in manually.

Configure the Candidate Export

Obtain the BrassRing API key from HackerRank for Work

1. Log in to HackerRank for Work with the Company Admin user account.
2. On the home page, click the drop-down next to the user icon in the top right corner.
3. Click **Settings**.

![[settings.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047113574-?Expires=253370764800&Signature=S0swkFPuDGbPT9yOP7eZVv0DPW4L35MaaHA0V08r21xbnml0ppHhRdl2hyaiuw7V5XF-6bzqMYMEGbnkFQvGLIL107KjCaQ85N7SAye2CS7xFu4ymzM3ykbVwjnNvUKQpNOpbV27iciJu4oKKoDDqD5ha07r6eLfgG-ilXZ3oQ8lx15FL89T~npET-sLIOXsBLOpqhQHfzM6Cw20bhq4M8XwVQIJ-J9c-aW7eixUFscOO4O8Tw2HoVhHiCH2fZjjmFDalvITJe~bdg-4VcxDjProF2FkeOk7XJzC5pNIC8LeY5h~VAI7GFpj48u8hy7yP0zV0-CZryrLY3mk7-og__&Key-Pair-Id=K3NV4LZ47N8M46)

4. On the left pane, click **Integrations.** The **Integrations** page is displayed. Scroll down and click **Configure** on the **BrassRing** option. You can also search the Integration from the Search bar.

![[integ_brassring1.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047114090-?Expires=253370764800&Signature=JL4OJLXWQxVjixi7RGVYzJswW5EPWf1uVlcruvj0L3ma4brHIYSrFD5oMIWNw1G8ol99Fsk5dAbpyl7oxcweeZR1shVU-c7dOfuCQFv0wHUcCVqyNa~ITJKeJ1KTAOYwzKoNbSTOZUrC7rNjjO1vMOcaRj7rqNvthW7lAs8wiFMEzr6FGpunMKECztzxdGDNmOTu5jDckU-IR7fGgqPQWwZpnFwTp~2kP2Cwf3NYcy1R95hXwpd3ZZWtl5avTJOyRw--B0cfKXGEyHylkh7~HH2GTlwmVkskM8tUagLA8i2-mf5Ar-aUZsFYWLSQ0cFsYPE0sO3kGZOM7n8i~u5uw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click **Generate API Token** to generate the API token.

![[integ_brassring_api.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047114510-?Expires=253370764800&Signature=CFnCNJwUGrEhVylH~7jKueu-Zs6-MQCcBWNIDFSF1-T2sQOHU9HQeJZLQrjk~1q60nhGnmulVQnQlZzfqmKJc4CPj7tXYTArMRsdUmOB~IQ256Wo~agdeNuA8Q1LSk2aCgCnp2nmmbvA2hbLMDikERWYa4hGf1Buwg5LR1ghHi~iam54rehX0kceUK7cst86w6tFDAI-4dqB7iV4UUXVJ8627tV1Wc8MR6MtxTyKVuiDKM9j5LbozgtJbqPJw4laYTjfvhOpvLM8Y-46sd1abtsEak7MGQ-lDBX31nP1WD7TkwRB4~8hFsMvHgpBrZNxjiSfxKkJPlONcNlC28xsQ__&Key-Pair-Id=K3NV4LZ47N8M46)

A unique API Key is displayed.

![[integ_brassring_api_token.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047114833-?Expires=253370764800&Signature=VOZF25qo10yNvdWNCL44KM~rT4CZGd2K83i44nV95mWGmflf199sm3SqUuTBKmcGd0rT4GnX~a3N2jfEwGRuKYRonoCEYxwsAvOG~LI2WIC2fSH1ZQkpn-G9bOmyAw-jcpQ96SvQoLvphg1Lrsq8QSLq-Yg~IglkRx4HzOUGl4zDjVgUYrTVYDOV39WvPn-rwpgUYeNWgMbeMIG8NAYKtfuWri3YrpiHMfkdpg4CB8SjC1hgZAUJBDEpVvuCrb5NmZWesl83er6Adoa3cdchDI

DNnd0o50zNx6gEB8S-FBFHN5lkrPIXqKBoBoUwOvr1F7bbn0heZiswiCinSiSlw__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Copy this key. You will need to add this key to the BrassRing account to establish the integration.

****Note****: Ensure to store the API key safely. Once the popup is closed, you cannot retrieve the key again.

URL and Authentication Setup

In BrassRing, create a new Candidate Export payload. It should be sent to the following URL:

https://ats.hackerrank.com/brassring/v2/invite

The username for this export should be set to the BrassRing API key generated within HackerRank. (The password field is not used by HackerRank and can be set to any value if it is a mandatory field.)

Note - The API key might be longer than the username and password fields allow. If this is the case, you will need to make a request to your IBM integration representative to have it configured by IBM.

Setup Candidate Export XML Payload

This is the format for the [Candidate Export XML](http://media.kenexa.com/Training/TSBR/Outbound/IBM_Kenexa_BrassRing_on_Cloud-Candidate_Export_Technical_Specifications_API.docx) that is understood by HackerRank out of the box. You will need to configure Workbench to create a matching XML:

...

```
<?xml version="1.0" encoding="UTF-8"?>
<Envelope version="01.00">
  <Sender>
    <Id></Id>
    <Credential></Credential>
  </Sender>
  <Recipient>
    <Id></Id>
  </Recipient>
  <TransactInfo transactType="data">
    <TransactId></TransactId>
    <TimeStamp></TimeStamp>
  </TransactInfo>
  <Packet>
    <PacketInfo packetType="data">
      <PacketId>1</PacketId>
      <Action>SET</Action>
      <Manifest>HACKERRANK_CANDIDATE</Manifest>
    </PacketInfo>
    <Payload><![CDATA[<?xml version="1.0"?>
<HACKERRANK_CANDIDATE>
  <CANDIDATEID></CANDIDATEID>
  <REQUISITIONNUMBER></REQUISITIONNUMBER>
  <BRREQNUMBER></BRREQNUMBER>
  <JOBCODE></JOBCODE>
  <STATUS></STATUS>
<EMAIL></EMAIL>
<FIRSTNAME></FIRSTNAME>
<LASTNAME></LASTNAME>
<HR_ACCOMMODATION></HR_ACCOMMODATION>
</HACKERRANK_CANDIDATE>
]]></Payload>
</Packet>
<Packet>
  <PacketInfo packetType="data">
    <PacketId>2</PacketId>
    <Action>SET</Action>
    <Manifest>HACKERRANK_CANDIDATE_REQEXPORT</Manifest>
  </PacketInfo>
  <Payload><![CDATA[<HACKERRANK_CANDIDATE_REQEXPORT language="en">
  <REQFORM id="111"></REQFORM>
<RECRUITEREMAIL></RECRUITEREMAIL>
<HACKERRANKTESTID></HACKERRANKTESTID>
```

```
</HACKERRANK_CANDIDATE_REQEXPORT>
]]></Payload>
</Packet>
</Envelope>
...
```

Mandatory System Fields

```
| | | |
|----|----|----|
| Field Name | Format | Note |
| CANDIDATEID | Integer | This is the unique identifier of the candidate in the BrassRing system |
| REQUISITIONNUMBER | Varchar | (Optional) This is the Client Req number also referred as the Optional Req Number. The value
will be blank if client does not use it |
| BRREQNUMBER | Varchar | This is the unique identifier of the Job in BrassRing. It is always a value that ends with ?BR?, for
example 100 BR, 3423BR, etc. |
| JOBCODE | Varchar | (Optional) This is the standard job code associated with the Job |
| STATUS | Varchar | (Optional) This is the HR Status value that triggered the integration |
```

**Custom Candidate Fields **

```
| | | |
|----|----|----|
| Field Name | Format | Note |
| EMAIL | Varchar | This is the candidate email address. HackerRank will send the invitation email. |
| FIRSTNAME | Varchar | Candidate First Name. |
| LASTNAME | Varchar | Candidate Last Name. |
| HR_ACCOMMODATION | Varchar | (Optional) This field represents a time accomodation that is candidate specific. The field
expects a value in percent. The percent time will be added to the test to create a candidate specific test time. For example, if the test
is 1 hour, you can send in 50 to make the test 1 hour and 30 minutes. |
```

**Custom Requisition Fields **

```
| | | |
|----|----|----|
| Field Name | Format | Note |
| RECRUITEREMAIL | Varchar | This is the email address of the user in BrassRing who is taking the action. This is important so that
the report from HackerRank is sent to the right recruiter. Additionally, this ensures correct auditing in HackerRank. |
| HACKERRANKTESTID | Varchar | This is the Test ID of the test that should be sent to the candidate. For example, the Test ID for
the following test URL is 454785:
[https://www.hackerrank.com/work/tests/454785/questions][https://www.hackerrank.com/work/tests/454785/questions) |
```

**Send Candidate Export XML Payload Preview to HackerRank **

Once the Workbench configuration is complete, generate the sample XML and send to HackerRank for validation.

Configure the Form Import

Setup Candidate Export XML Payload

This is the format for the [Form Import XML](https://www.ibm.com/links?url=http%3A%2F%2Fmedia.kenexa.com%2FTraining%2FTSBR%2FInbound%2FIBM_Kenexa_BrassRing_on_Cloud-Form_Import_Technical_Specifications_API_update.docx) that is sent from HackerRank out of the box. You will need to configure Workbench to create a matching XML:

```
...
<?xml version="1.0" encoding="UTF-8"?>
<Envelope version="01.00">
  <Sender>
    <Id>HRXMLEMPID</Id>
    <Credential></Credential>
  </Sender>
  <Recipient>
    <Id />
  </Recipient>
  <TransactInfo transactType="data">
    <TransactId></TransactId>
    <TimeStamp>M</TimeStamp>
```

```
</TransactInfo>
<Packet>
  <PacketInfo packetType="data">
    <PacketId>1</PacketId>
    <Action>SET</Action>
    <Manifest>HACKERRANK_FORM_IMPORT</Manifest>
  </PacketInfo>
  <Payload><![CDATA[<?xml version="1.0"?>
<form formTypeId="(generated by BR)" formName="HackerRank Results" formId="" action="UpdateIndividual" resumeKey=""
FirstName="" LastName="" email="" homePhone="" language="EN" autoreq="" optionalreq="">
<FormInput name="(generated by BR)" title="Assessment Name"></FormInput>
<FormInput name="(generated by BR)" title="First Name"></FormInput>
<FormInput name="(generated by BR)" title="Last Name"></FormInput>
<FormInput name="(generated by BR)" title="Percentage"></FormInput>
<FormInput name="(generated by BR)" title="Requisition ID"></FormInput>
<FormInput name="(generated by BR)" title="Date of Assessment"></FormInput>
<FormInput name="(generated by BR)" title="Link to Assessment Summary Page"></FormInput>
<FormInput name="(generated by BR)" title="Overall Score"></FormInput>
<FormInput name="(generated by BR)" title="Assessment Code/ID"></FormInput>
<FormInput name="(generated by BR)" title="Candidate Status"></FormInput>
</form>]]></Payload>
</Packet>
</Envelope>
'''
```

Custom Form Fields

This is the status of the candidate's results. It matches the status that is shown in HackerRank.

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="background-color: #eafcef"><p>Field Name </p></td>
<td data-cs="1" data-rs="1" style="background-color: #eafcef"><p>Note</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 44px; width: 50%"><p>Assessment Name</p></td>
<td data-cs="1" data-rs="1" style="height: 44px; width: 50%"><p>This is the candidate email address. HackerRank will
send the invitation email. </p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 50%"><p>First Name</p></td>
<td data-cs="1" data-rs="1" style="height: 22px; width: 50%"><p>Candidate First Name. </p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 50%"><p>Last Name</p></td>
<td data-cs="1" data-rs="1" style="height: 22px; width: 50%"><p>Candidate Last Name. </p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 50%"><p>Percentage</p></td>
<td data-cs="1" data-rs="1" style="width: 50%"><p>This is the percentage score for the candidate</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 44px; width: 50%"><p>Requisition ID</p></td>
<td data-cs="1" data-rs="1" style="height: 44px; width: 50%"><p>This is the Requisition number. It will match the
BRREQNUMBER from the Candidate Export. </p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 50%"><p>Date of Assessment</p></td>
<td data-cs="1" data-rs="1" style="height: 22px; width: 50%"><p>This is the date of the assessment</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 44px; width: 50%"><p>Link to Assessment Summary</p></td>
<td data-cs="1" data-rs="1" style="height: 44px; width: 50%"><p>This is a link back to the test results in
```

```
HackerRank</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 50%"><p>Overall Score</p></td>
<td data-cs="1" data-rs="1" style="height: 22px; width: 50%"><p>This is the score, in points. </p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 50%"><p>Assessment Code/ID</p></td>
<td data-cs="1" data-rs="1" style="width: 50%"><p>This is the test that was taken. </p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 46px; width: 50%"><p>Candidate Status</p></td>
<td data-cs="1" data-rs="1" style="width: 50%"><p><br />
</p></td>
</tr>
</tbody>
</table>
```

Send Form Import XML Payload Preview to HackerRank

The following fields are generated by BrassRing and will be environment-specific:

- formTypeID field
- formName field
- Each FormInput name field

Once the XML payload is created, you must send a preview XML to HackerRank so the correct identifiers can be send from HackerRank for Work.

[integrations/applicant-tracking-systems/icims] iCIMS Prime Assessment - HackerRank

title: "iCIMS Prime Assessment - HackerRank Integration User Guide"
title_slug: "icims-prime-assessment-hackerrank-integration-user-guide"
source_url: "https://support.hackerrank.com/articles/1495212030-icims-prime-assessment---hackerrank-integration-user-guide"
article_slug: "1495212030-icims-prime-assessment---hackerrank-integration-user-guide"
last_updated_exact: "Dec 27, 2024, 5:55 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "iCIMS"

iCIMS Prime Assessment - HackerRank Integration User Guide

Last updated: Dec 27, 2024, 5:55 AM (Last updated 1 year ago)

Overview

After integrating iCIMS Prime Assessment - HackerRank platforms, you can use this integration to send prime assessments to the candidates.

This article describes how you can send HackerRank Test invites from iCIMS Prime Assessment and view the candidate's reports.


Send HackerRank Test Invites from iCIMS Prime Assessment

After you have configured the integration with HackerRank for Work, you can send the prime assessments to the candidates in two ways:


- Status Change
- Inline Assessment

Status Change


1. Click **Search > Jobs** in the menu on the iCIMS platform.




2. Specify the Keywords of the job you want to search in the **Job Search** page.



3. You will land on the Job page.




4. Click the **Candidates** tab on the top and select the appropriate candidate you want to send the Prime Assessments.




5. The Candidate details window is displayed. Click the **Additional Info** tab.


6. Now, in the **Additional Info** tab, click **Advance** on the upper-right of the screen to advance the candidate to the next stage.




7. Click **Send Prime Assessment** to send the assessment to the candidate.



8. You will be redirected to the **Trigger Assessment** window. Select the Connector as **HackerRank Prime Assessment**.




9. Select the assessment you want to send the candidate from the **Select Package** drop-down. Note that the tests you have created in HackerRank are displayed in the drop-down. If the integration has been enabled, it may take some time for all HackerRank tests to sync to your iCIMS platform.



<!-- -->

1. You will be prompted to confirm sending the assessment to the candidate.



2. Click **Send**. The Prime Assessments are now sent to the candidate. An email is sent to the candidate's account.

Take the HackerRank Test from iCIMS

1. Once an invite is sent to the candidate, an email will be sent to the candidate's account.

2. The candidate must click ****Start Test**** to start the test. The candidate is redirected to the HackerRank platform login.

3. After a candidate completes the test, the Test status is updated on HackerRank.\

The Recruiter can view the reports of the candidate's assessments on HackerRank.

Inline Assessment

You can add the test to the job and create a job post.

To create the job posting and add the Test:

1. Select the Job for which you want to create the Job posting.
2. Click the Detail tab in the Job and then click Edit.

3. The Detail tab displays the details of the Job.

4. In the Prime Assessment Package, select the Test you want to add to the Job posting.

5. Click Save.

6. Now, the Test is added to the Job posting.

7. Click the Postings tab.

8. Specify the Job in the **Career portal**, select the start and end date.

9. Click **Post**. The Job is successfully posted.

10. Click Jobs to apply as a Candidate.


11. The Apply for job page is displayed.

12. When the candidate applies for the job online, they will get the test link as part of the application process. In this case, they will not receive an invite by Email. Candidates will take the Test from iCIMS.


<img

src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046177927-?Expires=253370764800&Signature=BTteAZtwzUOKSv2uZbyX1mRk-am4hw8ScUsM4t86J7O8CTDb9deI6KhJKeCrY5x8yyyS~a1~SgdG5Px0My0R-9psRV~ZO7MQq-WhjvdKiJIJ7x23CM8Lhhxp~BDoXo-cFGG5s3w9s~dpHNu-i5rYutoBvNmQpo07rhVwaakWPKqbycZLQTuy2vwckQfZ2nsas4hh~qnOGrZXqBTEjN4OnU7cxAOCPpiEiEmF~U~Ke9UB87k26iBco-po~41vrYntBw8827rExYx1AOKthu~IPfQJnsbftY52jquNR0yLNkNeMFFJwk70kRTtxCTT9Dx8A2oKfY7711GL1GTiDwyi4Q__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />


13. Once the Candidate clicks the Assessment link, they are redirected to the HackerRank page to take the Test.

The screenshot shows the HackerRank assessment interface. It includes a header with the company logo and navigation links. The main content area displays the assessment title, a progress bar, and a list of questions. The interface is clean and professional, with a focus on the assessment content.

14. When the Candidate clicks Continue, they are redirected to the Test in which they can take the questions.

The screenshot shows the HackerRank test interface. It features a header with the company logo and navigation links. The main content area displays the test title, a progress bar, and a list of questions. The interface is clean and professional, with a focus on the test content.

15. After the candidate submits the Test, the status is updated on iCIMS.

The screenshot shows the iCIMS status update interface. It includes a header with the company logo and navigation links. The main content area displays the candidate's name, the test title, and the status. The interface is clean and professional, with a focus on the status update.


Review Candidate's Test Scores in iCIMS

Once the candidate completes the assessment, HackerRank sends their HackerRank test scores to iCIMS.

- At this stage, HackerRank checks the answers submitted by the candidate, checks for plagiarism, and prepares reports.
- Once the report is prepared, it is published and sent back to iCIMS.


To view the result on iCIMS Prime Assessments:

1. Navigate to the **Screen** tab on the **Additional Info** page.

The screenshot shows the iCIMS Prime Assessments page. It includes a header with the company logo and navigation links. The main content area displays a list of assessments, including the candidate's name, the test title, and the status. The interface is clean and professional, with a focus on the assessment results.

2. Click **Prime Assessments**.

3. The details of the Assessment sent to the candidate are displayed. Select the **Show Custom Range** option to view the HackerRank-specific status of the test taken by the candidate.

The screenshot shows the HackerRank test details page. It includes a header with the company logo and navigation links. The main content area displays the test title, the candidate's name, and the status. The interface is clean and professional, with a focus on the test details.

data-drag-handle="false" />

4. You can view the detailed report of the candidate, the candidate's percentage score, and the assessment status sent.

Assessing the Status Values for Assessments

The status of the candidate's test is displayed on the **Screen \> Additional Info** of the Candidate.

Note: Any other status except **Pass** and **Fail** will appear as **To Evaluate** on iCIMS.

For example, in the above scenario, the candidate has passed a test, and the score is displayed in percentage. The scores for the individual questions in the test are also displayed in percentage. If a question is not attempted, it is displayed as **Not Attempted**.

Different HackerRank Status in iCIMS

- **Failed:** The candidate has taken the Test but has not passed the cut-off score.

- **Pass:** The candidate has taken the Test and passed the Test.

- **To Evaluate:** The candidate has taken the Test, but the Interviewer needs to evaluate it and update the status in HackerRank, or the test contains questions that need manual evaluation.

<!-- -->

- **Assessment Not sent:** This status appears if the Recruiter on the job profile does not have a HackerRank license; hence, the test invite is unsuccessful.

- **Invited:** A test invite has been sent, but the candidate has not yet taken the test.

\

[integrations/applicant-tracking-systems/icims] iCIMS - HackerRank Prime Assessment

```
title: "iCIMS - HackerRank Prime Assessments Configuration Guide"
title_slug: "icims-hackerrank-prime-assessments-configuration-guide"
source_url: "https://support.hackerrank.com/articles/2481948575-icims---hackerrank-prime-assessments-configuration-guide"
article_slug: "2481948575-icims---hackerrank-prime-assessments-configuration-guide"
last_updated_exact: "Dec 27, 2024, 5:57 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "iCIMS"
---
```

iCIMS - HackerRank Prime Assessments Configuration Guide

Last updated: Dec 27, 2024, 5:57 AM (Last updated 1 year ago)

Overview

HackerRank's Tests integrate with iCIMS Prime Assessments to facilitate an efficient candidate screening process for Recruiters. As part of their interview workflow, iCIMS Prime Assessments users can send HackerRank Test invites to candidates and obtain the Test report for further evaluation.

This article provides detailed configuration steps on HackerRank and iCIMS Prime Assessments.

Prerequisites

In HackerRank for Work	In iCIMS Prime Assessments
- You must own an Enterprise plan with a Recruiter license. - You must have an activated Recruiter-type user account with Company Admin permissions. - Log in with this user account.	- Log in using the iCIMS Prime Assessments account. The Recruiter email address on the iCIMS job should match the HackerRank email address. Example: If the email address in HackerRank for Work is jackpeters@hackerrank.com, the iCIMS Prime Assessments user account must also include the same email address. - You must have relevant administrative permissions to the Integrations page.

Configuring iCIMS Prime Assessments Integration With HackerRank

1. Log in to HackerRank for Work with the Company Admin user account.

2. On the home page, click the drop-down next to the user icon in the top right corner.

3. Click ****Settings****.

![[settings.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046183582-?Expires=253370764800&Signature=OeOqHWWGZTPgy9dZ~fqaT-Uvj-ghyJGzS5yYTzgdHuOsFNq40AHgayya7dqw-0PE4rxP5OIUCBhINbIHJdgV8oT1cSGw~wbO4VbTf0h2~eKnCRU6dLxSJja40cmhQvM8TJQCreoAgRQhTCGx1fyv4rOASzvcoLwILQ8cZmw0PSd0dcaV53YFZT0344KbHHIFeK-Ya31Dhtg4xkMultjZ2T1PUSVvP2XQiltCB141EzF1rsJlrDe9xAmvXYXwofLQJqxArY69rWt9EBH6aNI1tbfVSjlXCh0QoQHfpObFnqqn5jqMAvE7YlbWil~27hPpyIS3MPdg~xhIORnZSbjRQ__&Key-Pair-Id=K3NV4LZ47N8M46)

4. On the left pane, click ****Integrations****. The ****Integrations**** page is displayed. Scroll down and click ****Configure**** on the ****iCIMS Prime Assessments**** option. You can also search the Integration from the Search bar.

![[icims_integ.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046183990-?Expires=253370764800&Signature=RjBI8EtN117m3l2QFuuQj6hwg1aWlyQQi7GT-LSKOFHhUN5jp~Uuqa9CNhggkBcn2xEEsfUOTuzaqs9NFKjO9z168ZCqUlllFQMSXYw0AHryO1VuH-bDm5kFofUJCDrluELIILA4keYwOx9ywnqndUyfpkwZ8Of8s35cgBpcZdbd23-LINaolIUQsl0wY3CNa0XTULFbTlnaeBWKA3WgrjKgvdyjgnrYqP0TGd1EC15z0BCHgRolsZln95UYQV4XclOqMAGRTTJMOLHUQezguB6ZpJZEz6hYxc5vWfOwYovH4rXrmJ8IA1ioYI57FNK80R~gaesV4nOazs8Bo2HFt9w__&Key-Pair-Id=K3NV4LZ47N8M46)

5. On the ****Integration Setup**** page, specify the iCIMS Customer ID, provided by the iCIMS team.

6. Specify a validity period for the assessments in ****Set Validity Period****. This is a period in which a test taken by a candidate is valid. If a Recruiter sends an invite to take the same test within the validity period, then HackerRank does not send an invite. In place, HackerRank will send back the last Test results.

![[icims_id_name.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046184364-?Expires=253370764800&Signature=e3R4c5B5yc-MRJ~PSTK-9DIzU-7fsqSRWpnliQSWdwLkQ3EBt72iKO4oEwslG38nDe4u-m1DprD1IKSCnNjRNOI3EogliC30Ap6gHWLZ8HeBki2ji0XDvUMNt2yt4x4mPxzn2la1~YIE92o8Kr25OBITfr-Tulcubw2s0wiSujZAbDH7y8ws54ifolPtyM3rJov3HJde7XkdfIKI9FBA8lGAaLyJHuY3vZdajaFzilqOxiV8UiYxRcPEXtOn-amvmCBvSB1ywX4rl12RvWpMfhBBEsfmO514ebm1yzx96dPsPoZOHT2IWAvmT1QU0NNbFOvyMKFvn3JbFSD4fVxuQ__&Key-Pair-Id=K3NV4LZ47N8M46)

7. Click ****Save****. The iCIMS integration with HackerRank has been established.

Related Articles:

[? iCIMS - HackerRank Integration Guide](/articles/9631673147)

\

[integrations/applicant-tracking-systems/icims] iCIMS - HackerRank Prime Assessment

```
title: "iCIMS - HackerRank Prime Assessments Integration Guide"
title_slug: "icims-hackerrank-prime-assessments-integration-guide"
source_url: "https://support.hackerrank.com/articles/4539361473-icims---hackerrank-prime-assessments-integration-guide"
article_slug: "4539361473-icims---hackerrank-prime-assessments-integration-guide"
last_updated_exact: "Dec 27, 2024, 6:03 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "iCIMS"
---
```

iCIMS - HackerRank Prime Assessments Integration Guide

Last updated: Dec 27, 2024, 6:03 AM (Last updated 1 year ago)

Overview

HackerRank integrates with iCIMS Prime Assessments to facilitate a seamless screening experience for users. Users can send HackerRank Test invites and review test scores and reports within iCIMS. Test result report shows up inside the candidate's iCIMS profile.

Reaching Out for Integration Help

Before establishing the HackerRank - iCIMS integration, users need to ensure these points:

1. Approach iCIMS to enable the HackerRank integration.
2. An iCIMS Integration Specialist enables the HackerRank Prime Assessments Connector in the user's iCIMS Platform.
3. iCIMS will share the CustomerID with the user.

To know more about integrating iCIMS with HackerRank or to begin the integration implementation, you can reach out to your iCIMS point of contact or [\[raise a support request with iCIMS\]\(https://care.icims.com/s/case/Case/00Bf4000003OteiEAC\)](https://care.icims.com/s/case/Case/00Bf4000003OteiEAC).

You can enter the customer_id in the iCIMS Prime Assessments Integration Page.

You can configure the integration for iCIMS Prime Assessments with HackerRank using these guides:

- [[ICIMS Prime Assessment - HackerRank Integration User Guide](#)](/articles/1495212030)
- [[ICIMS - HackerRank Prime Assessments Configuration Guide](#)](/articles/2481948575)

Tests Features

Below is a list of features that the HackerRank - iCIMS Integration offers:

Feature	
iCIMS	
View Full list of HackerRank Tests	
Can be viewed on the iCIMS platform	

```

</tr>
<td data-cs="1" data-rs="1" data-colwidth="151" style="width: 151px"><p>Invite candidates to a specific test</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false"?></span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="151" style="width: 151px"><p>Cancel an invite</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false"?></span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="151" style="width: 151px"><p>Reinvite a candidate</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false"?></span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="151" style="width: 151px"><p>Bulk Invite</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false"?></span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="151" style="width: 151px"><p>Status update from invite to completion</p>
<p>(the status will be displayed on the iCIMS platform)</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false"?></span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="151" style="width: 151px"><p>View Total Candidate Score in
percentage</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false"?></span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="151" style="width: 151px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false"?></span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="151" style="width: 151px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false"?></span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="151" style="width: 151px"><p>View Question-wise scores in
percentage</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false"?></span>
<br />
</td>
</tr>

```

View Candidate Feedback	
View Reviewer Comments	
View Code	
Play Code	
Email Templates	
Invite sent from	Recruiter
Public URL sync	
Update results after editing HackerRank	
Result Sharing and Validity	
Add Accommodation time	

</table>

[integrations/applicant-tracking-systems/icims] iCIMS - HackerRank Integration Guide

```
---
title: "iCIMS - HackerRank Integration Guide"
title_slug: "icims-hackerrank-integration-guide"
source_url: "https://support.hackerrank.com/articles/9631673147-icims---hackerrank-integration-guide"
article_slug: "9631673147-icims---hackerrank-integration-guide"
last_updated_exact: "Jun 24, 2025, 7:10 PM"
last_updated_relative: "Last updated 10 months ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "iCIMS"
---
```

iCIMS - HackerRank Integration Guide

Last updated: Jun 24, 2025, 7:10 PM (Last updated 10 months ago)

HackerRank integrates with iCIMS to facilitate a seamless user screening and interviewing experience. Users can send HackerRank test invites in bulk and review test scores and reports within iCIMS. The test result report appears inside the candidate's iCIMS profile. Hiring teams can also generate a HackerRank interview link for the candidate and feed the link back into iCIMS.

Reaching Out for the Integration Help

To learn more about integrating iCIMS with HackerRank or to begin the integration implementation, contact your iCIMS point of contact or [raise a support request with iCIMS](https://care.icims.com/s/case/Case/00Bf4000003OteiEAC).

The iCIMS team will assign an implementation consultant to help you set up your iCIMS environment. Once this is done, HackerRank can configure the integration. Please engage your HackerRank representative or support@hackerrank.com for this configuration.

You can refer to the [iCIMS Support Site](https://care.icims.com/s/article/Assessment-solution-by-Interviewstreet-Inc-d-b-a-HackerRank-Integration-Overview).

Bulk Assessment Invites


The **iCIMS-HackerRank Integration** now supports **bulk assessment invitations**, allowing you to simultaneously send test invitations to hundreds of candidates. This feature streamlines the process, making managing large volumes of assessments directly from iCIMS easier.

To enable this feature, please contact support@hackerrank.com.

Once candidates are moved to the **Bulk Invite** status, automatic invitations are sent for the **default assessment** linked to the job requisition. This process streamlines candidate management by automating the following:

- Sending invitations
- Updating candidate **completion statuses**
- Recording results in **iCIMS**

This eliminates manual tracking, allowing recruiters to monitor progress effortlessly within iCIMS. Furthermore, the recruiter initiating the invites receives a comprehensive report on the status of each invitation, ensuring complete visibility of the process.



Tests Features

Below is a list of features that the HackerRank - iCIMS Integration offers:

[illegible]

Link to detailed test report		
View Question-wise scores		
View Candidate Feedback		
View Reviewer Comments		
View Code		
Play Code		
Email Templates		can be selected during invite
Invite sent from		user
Public URL sync		
Update results after editing HR		
Result Sharing and Validity		

```
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cowidth="421" style="width: 421px"><p>Add Accommodation time</p></td>
<td data-cs="1" data-rs="1" data-cowidth="261" style="width: 261px; height: 20px"><span data-name="cross_mark"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

Interviews Features

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" data-cowidth="421" style="background-color: #eafcef; width: 85.8637%; height: 42px"><p><strong>Feature</strong></p></td>
<td data-cs="1" data-rs="1" data-cowidth="261" style="background-color: #eafcef; width: 121.165%; height: 42px"><p><strong>iCIMS</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cowidth="421" style="width: 85.8637%; height: 31px"><p>Create CodePair link</p></td>
<td data-cs="1" data-rs="1" data-cowidth="261" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cowidth="421" style="width: 85.8637%; height: 29px"><p>Schedule CodePair Interview</p></td>
<td data-cs="1" data-rs="1" data-cowidth="261" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cowidth="421" style="width: 85.8637%; height: 27px"><p>View Result</p></td>
<td data-cs="1" data-rs="1" data-cowidth="261" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cowidth="421" style="width: 85.8637%; height: 30px"><p>View Scorecard</p></td>
<td data-cs="1" data-rs="1" data-cowidth="261" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cowidth="421" style="width: 85.8637%; height: 29px"><p>Link to the detailed report</p></td>
<td data-cs="1" data-rs="1" data-cowidth="261" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

Note: The following special characters are not supported in passwords: `", \`, \/, \}, \", \{.

[integrations/applicant-tracking-systems/jazz] Jazz - HackerRank Tests integration

```
title: "Jazz - HackerRank Tests integration"
title_slug: "jazz-hackerrank-tests-integration"
source_url: "https://support.hackerrank.com/articles/5164370576-jazz---hackerrank-tests-integration"
article_slug: "5164370576-jazz---hackerrank-tests-integration"
last_updated_exact: "Jan 23, 2025, 4:08 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Jazz"
---
```

Jazz - HackerRank Tests integration

Last updated: Jan 23, 2025, 4:08 AM (Last updated 1 year ago)

Overview

HackerRank integrates with Jazz, an Applicant Tracking System (ATS) previously known as *Resumator*. The integration enables recruiters to access HackerRank Tests directly within Jazz and invite their Candidates to attempt these tests. The Candidates' scores in these Tests are also updated in Jazz, allowing recruiters to select the best-performing Candidates for the further stages in the hiring process.

Tests Features

Below is a list of features that the HackerRank - Jazz Integration offers:

Feature	
Jazz	
View the Full list of HackerRank Tests	
Invite candidates to a specific test	
Cancel an invite	
Reinvite	

```
<br />
(only if a candidate has not completed the test)</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Status update from invite to completion</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Templates</p></td>
<td data-cs="1" data-rs="1" style="width: 167.679%; height: 20px"><p>owner default</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1" style="width: 167.679%; height: 20px"><p>owner</p></td>
```

```
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Update results after editing HackerRank</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 25px"><p>Result sharing and validity</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 25px"><p>Add Time Accommodation</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

Interviews or Code Pair

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 31.198%; height: 42px"><p><strong>Feature</strong></p></td>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 172.361%; height: 42px"><p><strong>Jazz</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 31.198%; height: 31px"><p>Create CodePair link</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 31.198%; height: 29px"><p>Schedule CodePair Interview</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 31.198%; height: 27px"><p>View Result</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 31.198%; height: 30px"><p>View Scorecard</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 31.198%; height: 29px"><p>Link to the detailed report</p></td>
```


<td data-cs="1" data-kind="parent" data-rs="1">?

</td>
</tr>
</tbody>
</table>

Reaching Out for the Integration Help

To know more about how to integrate the Jazz ATS with HackerRank, you can reach out to the HackerRank point of contact or raise a support request by writing to support@hackerrank.com.

Configuring Test Integration

![image2016-2-1_7-38-32.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047205707-?Expires=253370764800&Signature=CzK6gAkznTER25QBrDjhjccUrTgtBvSrRU1UzC9FIWpPQhSZ0DXsWi~uDyqmMTNzX6rK7nkhGglyda1eKZY~NOiiNn~Rj7qfI829O5G9LltuzNiIVJmW0W~XuYEKajo9v32krHo-8Fyn68wqQjq6rMyY47JiX1uoEyup9HBNrVL7TzhXzh23t65TkFTHS~T85hOcw2T3fbdxFao0Z~ID~c7ekgFvsHBB~P1Cce-vcDkeXeiH8sutywSSiJCEV3LncThIE1D0D8ZBI8P3Ijmh9S6O9C1vkrcOtpRX9o8baFjFFhwRxTZ9F~30Yv~RjmUqhaRHBO15DEX0oIHhqQGyw__&Key-Pair-Id=K3NV4LZ47N8M46)

Prerequisites:

- You need to have a HackerRank for Work account.
- You must log in to HackerRank for Work as a Company Admin user to obtain the API key.
- You can log in as a **Recruiter-type** user to HackerRank for Work to create and design Tests.

****Tip**:** Refer to the [Teams Management](https://support.hackerrank.com/collections/8854641529-teams-management) section of the Knowledgebase to learn about the different types of users and permissions in HackerRank for Work.

Generating the API Key/Token

1. Log in to HackerRank for Work with the Company Admin user account.
2. On the home page, click the drop-down next to the user icon in the top right corner.
3. Click ****Settings****.

![settings.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047206032-?Expires=253370764800&Signature=TIWqGKabcEJfMpM-23e-W2hp~XqpK9E~jzHOSQ1ZoLkRL-ZAwPCS8G4ia9OGh7RO4ixwVZcaTq1zmMXuicYge0KrrNIPRLdbetIG8luTERAzuE-8neKCujAe-nWTDPOB9y5C9hpwQmj8Vul-w9416XSChvuL9GqEWwXH8K3ezXf5-i1jd416lYrWfdlgXxiWwAxe whoGuS460HfToY~rk1uCHYMYRAVE7Oc0m5BVgP~NdCtnOh7u2c-Nw0kxn3L6HICXt3xOoMhd9KNM-M1NVOKJ7rIYJNvmK2mTRQI7SArusHsx35NqQML5mc0lvloNOKMOPg9S9rc0v-rHvSQHPgg__&Key-Pair-Id=K3NV4LZ47N8M46)

4. On the left pane, click ****Integrations****. The ****Integrations**** page is displayed. Scroll down and click ****Configure**** on the ****JazzHR**** option. You can also search the Integration from the Search bar.

![integ_jazz.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047206523-?Expires=253370764800&Signature=YaqfM8kWd5FcfVikpnvAAHtlHdzkqe01vxzfkunZQPEI816RgxaXB4pZwUYVAVZPSqzv39fd98mUb5xtSHAQ9YKmhZG~T0i3ZRaE8JxVwYm3lWxEgCgRbteeyC0KtvIfaq0NFX7c3ql8C2I6NOHZN4odSa202F1RpJiCZhbBJxqZ0UladFsQ6c35bLYEtMLAKPxrksGqpURBPtwog~7TqjgHXHzRkdlt2HFJRUEQ2lr1wSxUHRd~oQixSNq0ipl6lI4yFTiUdUEojx54Xh3tqq4cI9LFmLUBViiUrNviHIK7G7jjpAajV9EJpZ1lo0jvC8OVqtoTDj50P7Euzyfw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click ****Generate API Token**** to generate the API token.

![integ_jazz1.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047206915-?Expires=253370764800&Signature=q5Xl7ZgCrviyV~qCIDsw1L6q3CyHn6EjgsIzbqckBUccwZbpIIAJO9YvayJpOJLyggDlyOt1D0KM89e6dEOMI5PLdgY~bTOfl9UxzPAS8xCGHB1Zxgl9pONKvYCOPNed~9Ou59n~vAO8gZCMwVv88MetoOEZcR~Nh1VNWwGN6wVFcUZduF3pZ8vgHJ3Yx7QnHht4maCPSFZbWCtZxwiLXrQitAoEvj6L73nYa7ahRhHnpp9iLKAXb07H9DH3yHadwzftmOuU2Y1KhNEg3KfnRNjIHx-YxnWapb9DBol~V8P9p9OkGF3Sz9-Yc8On-SOIh6oDMNnInoz2RaKL3JvQ__&Key-Pair-Id=K3NV4LZ47N8M46)

A unique API Key is displayed.

![integ_jazz2.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047207371-?Expires=253370764800&Signature=SnFFCNK9ZWWKacNp6GSs2d5S5Z04V-mFExcajmSr5nal8xAGnr2AOe2uy3F6P8uqpkB7KkYRsQG8IH7bddtPmSpM~Modt2tp2iX09sg712OpgJ8dSO7H2pvpatS81Vg1DL~qO3i7rNoSvg5GYWUXxo6jZMoVJOYRbVa2~1h6jvEEgToCPom7KvZU9X8nelfGLSHgrpe9Y9nY1i2nbSKKoZv7Wyp0dYmml4ACFVz6A1gGhcHROzheUT7rzYFHgO1OO-tdJ8OLOwYJj3V~5biMS2Y6MEUjq1X73TEuQbwAxjxtnIo9aK9Ak8Ac0j6IkD7BYJyoWIEUldjNiqK7q4s-bw__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Copy this key. You will need to add this key to the JazzHR account to establish the integration.

****Note**:** Ensure to store the API key safely. Once the popup is closed, you cannot retrieve the key again.

To know the further steps required for integration, refer to the documentation on [Jazz support](https://help.jazzhr.com/s/article/Setting-up-HackerRank-Integration).

\

[integrations/applicant-tracking-systems/jobvite] Jobvite - HackerRank Integration Co

```
title: "Jobvite - HackerRank Integration Configuration Guide"
title_slug: "jobvite-hackerrank-integration-configuration-guide"
source_url: "https://support.hackerrank.com/articles/1202195004-jobvite---hackerrank-integration-configuration-guide"
article_slug: "1202195004-jobvite---hackerrank-integration-configuration-guide"
last_updated_exact: "Mar 11, 2026, 4:49 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Jobvite"
---
```

Jobvite - HackerRank Integration Configuration Guide

Last updated: Mar 11, 2026, 4:49 PM (Last updated 2 months ago)

Overview

HackerRank Tests integrate with Jobvite to trigger HackerRank Test invites directly from Jobvite. Recruiters managing candidate profiles in Jobvite can use this integration to carry out a seamless and efficient candidate skills assessment for different requisitions without leaving their Jobvite account. Candidates receive HackerRank Test invites directly from Jobvite, and after they complete the test, their scores and performance data are automatically available for evaluation in their Jobvite profile.

This article describes the configuration steps required for integrating HackerRank with Jobvite.

Prerequisites

HackerRank	Jobvite
You must own an Enterprise plan with a Recruiter license. You must log in as a Company Admin user. Log in using the same Company Admin user credentials to create and publish HackerRank Tests, which must be accessible by Jobvite.	You must have a user account. You must have relevant permissions to edit Requisitions and candidate details in JobVite.

The integration involves a two-step process, after which you must verify whether the HackerRank assessment-related custom fields are available in Jobvite.

Configuring the Integration for HackerRank - Jobvite

These sections describe the steps to set up the integration on the two platforms.

- [Retrieving the API Key from Jobvite](https://support.hackerrank.com/articles/1202195004-jobvite---hackerrank-integration-configuration-guide#retrieving-the-api-key-from-jobvite-9)

- [Adding the API Key and Secret in HackerRank for Work](https://support.hackerrank.com/articles/1202195004-jobvite---hackerrank-integration-configuration-guide#adding-the-api-key-and-secret-in-hackerrank-for-work-11)

- [Configuring the HackerRank Test ID in Jobvite](https://support.hackerrank.com/articles/1202195004-jobvite---hackerrank-integration-configuration-guide#configuring-the-hackerrank-test-id-in-jobvite-13)

Retrieving the API Key from Jobvite

You need to contact the Jobvite support to obtain the **API key** and **Secret** that are required for the integration with your HackerRank for Work account.

Adding the API Key and Secret in HackerRank for Work

1. Log in to HackerRank for Work with the Company Admin user account.
2. On the home page, click the drop-down next to the user icon in the top right corner.
3. Click **Settings**.

!settings.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047124343-?Expires=253370764800&Signature=kLVvEn3GQcQOgPuyZhyZhpWQZMgko16CLKIQUnPIMmwt635ZMMkNVc2Uk42zbaIYOjJU9JQVNixxPw8~s9b1zFA5DPQ4h6GT8bo0URbWymc3BPjZGXyR2BtPNEgcNVEIDoDkR6YkGJ0-cE-mO5pGL26g5jnEmHFwth5kXa0~B89n3v2SycLOkpwNLMaktwcHoo8Suoxe0MyOoaPNCPIK8kS7WtySdW1TNdd9wZyXbrlcEjM4htOBIZe4LcSn~vvC5nzYEN~DPd1mplapn9KG8si991Ay-YmQixlc299clQ~W0NKo5dFR9atMPRw2n-juiOUjmazkSyYjBq-ba0dlw__&Key-Pair-Id=K3NV4LZ47N8M46)

4. On the left pane, click **Integrations**. The **Integrations** page is displayed. Scroll down and click **Configure** on the **Jobvite** option. You can also search the Integration from the Search bar.

!integ_jobvite.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047124773-?Expires=253370764800&Signature=EiHOTqgNtfsD52nbVTsrKcdN1RusqvL0OBhNG2UAf4lqxKfJ-FRE0Dyr-n7s-b91Y3YI1SM6nxDyGrYuEMMKEx~4jqmAgIfites8NWtqWgiPDGv1AbSKIHmwyNn-0djP7ybD4A-qkQigwRPKmkSd3D0HHhfMKcCiQ3Kxy783UZwoqK--70xoSzG4t7RIIQ-Hm2SXi7pXt68RUc1aIV5Yn2NiCXY~9gBaQUFQQHE-TAUkBrZujMwhV7i7gu6VHLZMlcaWCxxb1gXoB2NRN-OcPFQundpOCtaMN6FIQVJtYWNTTr25dJsF6XGEMGcVPIE7fMusUSntJDvO3oqQJ4xOw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Inside the Jobvite configuration, enter the **Jobvite API Token** and **Jobvite Secret** fields obtained from the Jobvite support team.

!jobviteapi_token.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047125079-?Expires=253370764800&Signature=KIT~gHkfiDz3HDnjp~k21JwqyfqlLGeHXapS07l~8K3HMQ4~SDWPme2EPAPlAC504CfdLkBXHJ-hjsrRcYYUTC OOcKHeihVv10q5ASYSMlwTFK2T3S6561MYX-U8oubBmAo~82iIAUiawGhAciXqVWOqsUuyIL35jr1zHBQLXX4hkTdKveLRn4Lm5PMvKcLulv1C4GYpJk~QVn7vZ-WzPXvkHGIzXt7dYYug8JWWhYS4sYJvml7jIjbPKwTTtvS8cIBQKx1IPBZyRyh2B1-CtYdsS0hHLD-aEmmtbry2plzghaNX-k1Vrpzn1CdHTX4~jiKdr1q1E7r1clcpXhyQ__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Click **Save**. The integration is now complete.

Configuring the HackerRank Test ID in Jobvite

In Jobvite, the integration creates HackerRank assessments-related workflow steps in the **Candidate** object and adds custom fields in the **Candidate** and **Requisition** objects.

To validate the HackerRank workflows in Jobvite:

1. In the **Candidate** object, click on the **Workflows** drop-down list and verify that the HackerRank Assessment workflows are available. There are three workflows:

- **HackerRank Assessment**: This assessment workflow indicates the HackerRank Test status sent to the candidate.

- **HackerRank Assessment Completed**: This assessment workflow indicates the HackerRank Test completion status of the candidate.

- **HackerRank Assessment Error**: This assessment workflow indicates that the test could not be completed by the candidate due to some technical glitches.\

!workflow_hr.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047125702-?Expires=253370764800&Signature=Wat2m8NCxsXRIB5CALB-Eqq4M2jAhPOHIVNw7-vnec71QAACKCm9D9VPeA3mBxlgBobwlrADtO2F83kVnEzqCRtw2hbmorzx0q7yYGRlrU6tUjJWuAwYW0blQIkGyhlsItk-U-bcG-gtRfsF77nS709vxTeopv2y3R01uVeUdLMEwNPC-g-F4lmo7yC9l9dXEq-d3ZACAgCSvOkR96g67p~pxUYM9pktu3JotaKYGQs7MgQfneLK5uDqRW1d-fc~~5tSrPafcMxmyQN0cxHhgTdcjKLv4UMGr3quTdRLOTQlq61uTiPFyGlvBLc3arTrf3exoBd9XDb40~~c-MVlqq__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Navigate to your profile settings and click **Admin**.

!admin.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047126104-?Expires=253370764800&Signature=n2K1GI6lYX3AE6~MzFyEHTWH8EVSAXZMDKO4SO~aaz3idOEcu5a-jkmlzDFqNG9doTyWiEVQim5jHbXSPiXAtliobj9iGbushgBVKN77-bVqOFA8CBYBYjP3nqhWmU~gz3TeTXKsk2cjHpQW314B8rFhiTT2DXGklBp3PANjZ69m~hFZDPL5aFJXvxHat-3PZ55l oi6tSLBgjba-W5txD3ZymxMpmqimoLYI3w4xfBtJmxdpZbkDxeOMSNNW5L4oIBRtK1TYGfOdDEuLBX5~~ICIG9kLkMBN-rf4hRn~T2tKl Qg1bnDwieVjNr6O0PErySeOCUfLIRhm0Ji~U1gCTA__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Click **Configurations**.

!configurations.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047126537-?Expires=253370764800&Signature=LcNfmEw56QUnlWGMXDToOZjRel2Ja1qefX1JOlvARFZ~3h0ubCeyw5PKFL~HAhOlnj2knNcggP3MXu9n73aexxbu pMrkMAM2FeQID1bYJFR0TziLEqVVlo3xqf-qkkaH6HFTFZJNu9rvtol9f~ldGzgXzV6SzfZL1dtPSlq3VNdVaLbyEdnANRqX7DDOjuZi8 euMz7KRXBjWSjn1au6553O4WWEaDO6J-MUPIWjaV77eybAqM4ieh0~NEXZKAXLMFF7M6mX9psYVPnuHIX4kAp-hDO1dUsB~R UEZWQU6nB97nyllT8QhXtUh3mHPMPXp3usemFrXkBs8zMw4ADXysuA__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click **View Custom fields**.

!custom_fields.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047126928-?Expires=253370764800&Signature=qAvbGF3-CVazo7OgmijUJyPI9MXswwuUgWwlp30xNvFDLk7TXuUbu-8GZlULFlxAnBPNSRnb~PGGyDhfh5vm8o d2eDu98q0mKFRwc1yrnHkklYwGSvxDM0Z7~POpT3JbNfbPLewXqWkOxBlakKoShCZUIS-ddVmOj80o9n3ZYg7ZyeQwffyorv2lleH0h yKw~CJUQtJXxptjkYJGJe402ukroZ4ylqVsv3jBP6EygDxUUfns~FCUzJa8xkcV975ZVcVUU8YQqAgB7bbSzdSE6A~rbBj4Wa9V2rhyq OkIEheMQurzYIPNHok2IRwCgA-xuoJUALNOXqcPXMVOhQmKQ__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click the **Candidate** tab. Verify that the HackerRank assessment-related custom fields are created for the Candidate object as shown below.

!candidate_hrfields.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047127352-?Expires=253370764800&Signature=a1mqremvDUjsEcC5p5WeQ8pDlqYQ~iYpEivPif5Oh7xfUusyftB2XKNbQoBhhJhlxloEEb-dHzYjptDyAEKuLZgp GpVbl3JzaGJ5klmDZNPds9TweNBMLUIZuG-cBctUGpckX3X167C51wlQa-t3IPmoRAXw3txnQurB9U2wc-TAqjZn8vS-qz2unbzViCjv 3sdXixw0z9AroQ6FvUfOEGFyS514jm6irKBtekbDpFTOPEXNWlxVs-54ITcL7u9wSszj3zKf47B7NUNxl30eW8F5Is~zW2LYZo2cXccs5iJ XNiXukVY5tAAM7oTcizJKbOBvY2yyeCKXFQwIqD5GA__&Key-Pair-Id=K3NV4LZ47N8M46)

The following table summarises the custom fields for HackerRank.

Candidate - Custom Fields	Description
HackerRank Test Link	The URL of the test sent to the candidate. This is useful if the recruiter wants to resend the invite to candidates manually
HackerRank Test Status	A string indicating the status of the invite. If this is not empty, then it will be one of the following: ?Invited? or ?Completed?
HackerRank Test Score	The score obtained by the candidate for that particular test
HackerRank Test Report Link	The URL of the test report sent to the interviewer. This is useful if the recruiter wants to share the candidate's test performance with other team members
HackerRank CodePair Link	

Verify that the **HackerRank Test ID** custom field is created under the **Requisition** object.

![[requisition_id.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047127674-?Expires=253370764800&Signature=KPtwyJOq1YrvfOltiprls2cEhwnTJgmJznzIsNwmRImM83VpTIS6ugKQujSFa5eXS-HHIYrZvybCoA9yFH5C99S1Owk1HLen8VVqWnXFLqSWH~hd3mJxWUAEy3ahnnDCJ3flg0LcUwUzCeNBFEafM9HSonth6xrVm9ac97eqYJb8zIqjCV-Z-8kuDkf~4w5-Dv~nTjB-eFEqWSMNcvdZgh6nPsawamlKP7Z8n-DJoDFLGXC6aSpZlksxDsquLX~utJZa9sxesKGBmXOPHylyTJqNIMcXdQaJMijTwlPhxD46n5LOZxXKZz13fTuzWXTcD9D-PXo2-KfF1tTbFkKZZA__&Key-Pair-Id=K3NV4LZ47N8M46)

Requisition - Custom Fields	**Description**
HackerRank Test ID	Edit this field to add the required HackerRank Test IDs. When you create or edit a particular Requisition, you select and assign one of the Test IDs from this field.

Note: For each requisition in Jobvite, a HackerRank Test is tied to the requisition.

To view the HackerRank Test Id for the requisition, select the requisition and click the **Details** tab.

![[req_details.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047128075-?Expires=253370764800&Signature=agX3m9L4uJr7m3XY8gPfyKp2Sm7AvS7nUH10TCuuVGby9m~CFQirzRxd2hnyyUJv1NGJiuAleb4XvJZxW~aEJzG-ucOujZbiroXW9UaAxBR30cdfbdGdq-n5zv4Jn08-LJvDdp4NIH4twNBjOAaYMs2W9PpZwDRpheEbLW3S~gktfe7Xgstgxkgwujepk4N1MFemXCaA3qVPBOKyF6ae5BtkmpXIABZ6m8a14RyZF3GLO77yu5GMLduvdVDgQIP6aUOlXOHluojXa4yhKbYV1iwFeYLxqMUtfYNI~o-5XVeWS24uYt3BXCLvRytb7-TyP8KRnRKKapLdk9MhaEXlw__&Key-Pair-Id=K3NV4LZ47N8M46)![[reqhr_testid.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047128487-?Expires=253370764800&Signature=FbWAvMEO04D2byc783uoj5FnEpTfw6N5jzBjksU~UvbZoe~Tam3CROlc4VM5Iye4os~xBz~oIFJbLXI~AOMK7obvt0KiL6kGzvTnRFjNjqj43v0jbTXm1Sy1XY65TmzEqLB22GylnicL68J4uisfqhSYzPt5NvzWeLD2IGorEYXHjpCYqfllfLNzZAgNA~Z8zSkVjKay1GPfwV37IbKfeMsy03VPP4S3mbOK4Cy4BXG8JFcOVTowWaz5mAPufQAHShLz8hg0Q1mwn6YDBY0z8DmWBirqG53SQir5RbZky~6PjZ9dwqisQWZuw6ZJOGsj6J7Ow2LnV8S5IUZRZLB-g__&Key-Pair-Id=K3NV4LZ47N8M46)

[integrations/applicant-tracking-systems/jobvite] Jobvite - HackerRank Integration User Guide

title: "Jobvite - HackerRank Integration User Guide"
title_slug: "jobvite-hackerrank-integration-user-guide"
source_url: "https://support.hackerrank.com/articles/2429924508-jobvite---hackerrank-integration-user-guide"
article_slug: "2429924508-jobvite---hackerrank-integration-user-guide"
last_updated_exact: "Mar 11, 2026, 9:40 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Jobvite"

Jobvite - HackerRank Integration User Guide

Last updated: Mar 11, 2026, 9:40 PM (Last updated 2 months ago)

Overview

This article describes how you can use the integration to trigger HackerRank Test invites for candidates from Jobvite.

The section also provides helpful troubleshooting tips for common issues encountered while enabling and using the integration.

Configuring Settings to Send HackerRank Test Invites From Jobvite

After integrating HackerRank with Jobvite, you can send HackerRank Assessments from Jobvite to candidates. The following sections guide you on the settings required for both platforms to send assessments to candidates.

- [Creating Specific Tests in HackerRank for Jobvite Candidates](https://support.hackerrank.com/articles/2429924508-jobvite---hackerrank-integration-user-guide#creating-specific-tests-in-hackerrank-for-jobvite-candidates-6)

- [Associating Requisitions with HackerRank Test IDs](https://support.hackerrank.com/articles/2429924508-jobvite---hackerrank-integration-user-guide#associating-requisitions-with-hackerrank-test-ids-9)

- [Triggering HackerRank Test Invites to Candidates](https://support.hackerrank.com/articles/2429924508-jobvite---hackerrank-integration-user-guide#triggering-hackerrank-test-invites-to-candidates-15)

Creating Specific Tests in HackerRank for Jobvite Candidates

Before using the integration to trigger HackerRank Test invites from Jobvite, you must create and publish the required Tests in HackerRank for Work.

1. Log into **HackerRank for Work** using your **Company Admin** user account.
2. Create and publish the HackerRank Tests based on the specific job roles or technical skills expected of the candidates. To know more about creating and publishing a test, refer to [? Creating a New Test](/articles/7073839065)
 \
3. In Jobvite, you must associate the HackerRank Test IDs with Requisitions. Therefore, note the IDs for the required HackerRank Tests.
 1. Click **Tests** and open the required Test.
 2. Locate the 5-6 digit number in the URL, which is the Test ID. Note this ID for all the required Tests.
 \

!integ_brassring.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047128869-?Expires=253370764800&Signature=GtPJD1jHXEVnBA-Ca7mdiXSbXwBjUX68B7Od2whpZJfdgpmcPUQej4pZ5ZhqNu-vKfPIrMfMhUQNH-WUpLIMbm eXEznI8C-yim1Nk3NK-V0PmQbYrcAKtjIGScdXFIKwxCPHQbn-24DewYmZnoDYOtPOnS1zJx-5aU4Pi6IWJlikesIX-645NAmwzZlyMf w-EsjNtpzByVFkqRJDMeOJoEKgrzO6EpBwBqCC4v8Yi9HdKtFYQrNk9ojVDk4x1lsaUfBshaGI5uIZ-g3kcDc0-gaPlciTmMu-X-liSta8o OPn56kpgaJdaw3AJJmQM4JAmG4Nrpqdwzu2clyWDzQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Associating Requisitions with HackerRank Test IDs

1. On Jobvite, add the required Test IDs in the **HackerRank Test ID** field of the **Requisition** object.
2. Edit the **HackerRank Test ID** custom field to include the Test IDs and click **Save**.

!Jobvite_Test_IDs.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047129202-?Expires=253370764800&Signature=i~obXrD6~gQqgEmnUL6hPYaJ2RciH5RI-aS4DmBGgDMik-aW0ObaWZ8rlfpKOrAZysaCOKtVEEJwRjaDlglfkzYukRYYg2UKLU4-UW3bBVUJ4cWHwNDojwWYyj4IRRhApKict9g9WbB~y8hylFTnKwiPcffxjnhUUIKjVZUuTzuHg~K8KrzrZEq60lazl~4PFzvYMWPOn5HIPu9l-lyfQK-7mX30kRoDf3wbapxUR0tiXK23iwwbiAc5SQseo9BiUJigRx-8JGs~AWEPTycP7dgSA-Qb1goPmNUwEpi1BIWPvCx78pv3aJ7VM8T-0uRIEVbIBR-Eg6BgLhJqvO8ag__&Key-Pair-Id=K3NV4LZ47N8M46)

You can assign one of the above HackerRank Test IDs to a Requisition. For candidate profiles associated with this Requisition, when the Workflow status is changed to **HackerRank Assessment**, the event triggers invites for the HackerRank Test.

1. Edit a Requisition and in the **HackerRank Test ID** field, select the ID of the required HackerRank Test and click **Save**.
2. Similarly, you can associate a particular HackerRank Test ID with all other **Requisitions**.

!Associate_Test_ID.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047129575-?Expires=253370764800&Signature=n62vehTBbVmSAsYEEIXIU7R2CtuPC6WLWjpCkKNmyHdzDk5aB1ZsueycO8sNEGjKJ8orcAevPElpf5eTCEBuwhH5pmrpRQDpOAU7UxK4nv-p6E8RLh6rDf6DYZQ5CFBgaNhwvjnz6cCMSdEKo6bgZtDS0WhfMmSWnILFYfCaoNHQC2XZlCkg5l11LqUvCKMn2iSqz1f4uo0Q9LNEA4lmZcLm6QGSJFK9wcNLPkRfYbKaZySvGXamWVp~WvzqEhzqzeXO9yksludjdkgUWySTPhdkGq0cPEDTzkphnjGMQ649L5gxdEwjR8PflEbbS2PuRn5PSfMvz0GM5iraaHmfCQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Linking a Test ID to a Requisition

1. Link the candidate profiles with the relevant Requisitions containing the HackerRank Test IDs.

Triggering HackerRank Test Invites to Candidates

1. When the candidate is ready to take an assessment, change the **Candidate Workflow** status to **HackerRank Assessment**.\

!hrassessment_status.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047130014-?Expires=253370764800&Signature=EqvJfP2jt8NJu64m61cHWW61rXfnBhbWTYfwBe1tcJSesTtSCvxORAb4Smf7VkianXO6SXWfjwNKJyKfepeCZ7gAhLjgi0hNmWWGwT1t76sQgDQ~JJM7CL-7YfUgTexRb89~imiKoq9CFOSrmkOGLXAIKMOTHb3Dvaeq8ajaXv~DzpFbjoNvSnUKkNuA8Ab0LWmczl3amVHSP87Xr7e5iCF3hjTBG3WLOviGZQ3hi2E8FXNG7X8AHBG36DF8GS18B9~MqnISEJs3MnSIGbwZSfm2cyu8kTZ-fnHUkeTBGpV6kQB0qtD2bN~XTZOjiZ8dRI0dYlmlnBORJMC4gzqt8AQ__&Key-Pair-Id=K3NV4LZ47N8M46)

2. The candidate will receive an email invite with a link to the Test for that specific requisition.\

!emailinvite_test.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047130345-?Expires=253370764800&Signature=rv3TPSl6rkkHsNVICJLT2DvRW3~O586swfNDUJv1Mc-6PpW3UH9wluwz2HQ1Tnhzdl5YlwUnqVRyoZuGA6yRPJ-jriprQkN8XsoA889p-H5CUfU7EVkPSmejcGTKKEQ4mctJEooKo8S9wvRcmLJIW2jJpKo9PneitVudGA0PxJ9s5kWKPDULwn4TB2hHAE8~QmQHwsrDhhXYS9czusKgMyKzStX3~8y680vDAXzLn1p7SBbt9mhWDFIZCRZM~dCcO5JX6w5~P-yVXIbLjsEUCphc0-flixAF4Xp1DHrnmpt07pi9T5HgQmFs6pEKjOw1qd5UqvwAmRpmBsUtiDxnw__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Once the test is completed, the workflow status in Jobvite changes to **HackerRank Assessment** **Completed**.
4. The Test report is automatically updated in the candidate record of Jobvite.

!candidate_hrreport.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047130696-?Expires=253370764800&Signature=pdRCbKYbqm8cDN7ZtnPXyZTQs1WMAAnIS4-ulPArpgEhcFgjsNSizjegPhh-av8FLDEA193yihhhs9m5rh9yY78KAVFsQqIMSR9M7NHRd1Zgv56pDeSfPBzZVa37p9X7BHRH6mT7x5cfcjEV~hzk7DIHwdEEemK9N6pFynvJK-HqQOWEP~SykK7TXnioCUp0S~DVLcMWZP~sOz34IGO9wTE6bNjjGQCw7Td8PzIKNCZ-m5MPy~y58PAW9tBage8i6wuFNQBBLrIPvaOodSMNhZoaQFWWwyZ3D4Ca1CoBbGxZk8twF5JL3eUYk0x9hmGpSA7EUh5GKmJPuz7rVctsfw__&Key-Pair-Id=K3NV4LZ47N8M46)

Troubleshooting

View the **Application Details** section of the Candidate profile to note any issues encountered which failed to send the Test invite.

![[application_details.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047131025-?Expires=253370764800&Signature=h9ksZoS-fbZ1lFWvc2D0vLDiPW-EOd9ZKdHw439jra9G1k~Uvxegq6zd6REeKBFdoPRh043b0OJ0mwGkgHSu pCwu90OJshUidoTU7z3FaNDwWHXRiZLz05zM8yDUx-ZDj4NFImfV38DMVkw1fHzcpUlnqo-HGtV~Cu7gKXG01u6CWioEWZLw-jcy wGTjs~7N0Uy2xlztPw3zEleWBZEBII3RDhR2L8HiDC7lIVOJjKogRK5GaOE8a99ZqzHhcy5P-ZeMA9-rZD2wca1Nk-aDUt-S3qL1mYK7 bgTvTGZVOyoDqZY0H77QCWmwdcP4iCWtnVJEoU7vIx-jf3PAP-h0Q__&Key-Pair-Id=K3NV4LZ47N8M46)

The **HackerRank Test Status** is set to error status when an invite cannot be sent or another such error exists. These are the possible error statuses and the resolutions:

Error Status	Possible Resolutions
Not Invited. Email address is not valid for this candidate	Verify that the candidate's email address is valid. Add an alternate email address and try changing the workflow status to HackerRank Assessment
Not Invited. Email address is missing for this candidate.	Ensure that the candidate's profile has a valid email address
Test ID is missing for this requisition/No such test exists.	In HackerRank for Work, ensure that the Test ID linked with the Requisition exists and is a published Test.
Not Invited. Company/Test Owner in HackerRank does not have permission to invite candidates.	Not Invited. Company/Test Owner in HackerRank does not have permission to read the test.
In HackerRank for Work, ensure that the Company Admin user account is set to the Recruiter type and has the required permissions to send invites.	
Not Invited. Inviting Owner's HackerRank Account is not activated.	Ensure that the HackerRank for Work user account is activated.

Frequently Asked Questions (FAQs)

After the Test result is initially synched if I change the score in HackerRank, will it be synched back to Jobvite?

Yes. The first time HackerRank sends results to Jobvite is at the end of the test once the report is generated. After that, any user action in HackerRank for Work that changes the candidate report will be synched back to Jobvite. The significant visible changes are:

- A change in the candidate's score
- A change in the status of the test report - for example, from Completed - Evaluation Required to Completed - Failed.

I moved a candidate to the HackerRank Assessment state, but the candidate has not yet received the email. Why?

The HackerRank servers pull the Jobvite servers once in every 60 minutes. Therefore, it can take an hour for the candidate to receive the invitation email.

Who is treated as the inviting recruiter if invited through Jobvite?

The owner or creator of the test is treated as the recruiter inviting the candidate.

Can I use a custom template that is saved on HackerRank?

You cannot save a custom template to be sent to the candidate. The HackerRank for Work default template is used.

[integrations/applicant-tracking-systems/jobvite] Jobvite - HackerRank Integration

```
---
title: "Jobvite - HackerRank Integration"
title_slug: "jobvite-hackerrank-integration"
source_url: "https://support.hackerrank.com/articles/6917918087-jobvite---hackerrank-integration"
article_slug: "6917918087-jobvite---hackerrank-integration"
last_updated_exact: "Dec 28, 2024, 4:15 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Jobvite"
---
```

Jobvite - HackerRank Integration

Last updated: Dec 28, 2024, 4:15 AM (Last updated 1 year ago)

HackerRank integrates with Jobvite to trigger HackerRank Test invites directly from Jobvite. Recruiters managing candidate profiles in Jobvite can use this integration to carry out a seamless and efficient candidate skills assessment for different requisitions without leaving their Jobvite account. Candidates receive HackerRank Test invites directly from Jobvite, and after they complete the test, their scores and performance data are automatically available for evaluation in their Jobvite profile.

Refer to the following articles to set up the Jobvite- HackerRank Integration:

- [? Jobvite - HackerRank Integration Configuration Guide](/articles/1202195004)
 \
- [? Jobvite - HackerRank Integration User Guide](/articles/2429924508)
 \

Below is a list of features that the Jobvite Integration offers:

****Tests****

Feature	Jobvite
View the Full list of HRW Tests	
Invite candidates to a specific test	
Cancel / Reininvite an invite	

```
<td data-cs="1" data-rs="1" style="width: 70.1315%; height: 20px"><p>Status update from invite to completion</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 70.1315%; height: 20px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 70.1315%; height: 20px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 70.1315%; height: 20px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 70.1315%; height: 20px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 70.1315%; height: 20px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 70.1315%; height: 20px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 70.1315%; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 70.1315%; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 70.1315%; height: 20px"><p>Templates</p></td>
<td data-cs="1" data-rs="1" style="width: 47.8688%; height: 20px"><p>user default</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 70.1315%; height: 20px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1" style="width: 47.8688%; height: 20px"><p>user</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 70.1315%; height: 20px"><p>Reinvite</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
```

```
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 70.1315%; height: 20px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 70.1315%; height: 20px"><p>Update results after editing HackerRank</p></td>
<td data-cs="1" data-rs="1" style="width: 47.8688%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

[integrations/applicant-tracking-systems/kulaai] Kula.ai ? HackerRank Integration Us

title: "Kula.ai ? HackerRank Integration User Guide Prerequisites Integrating Kula.ai with HackerRank Managing integration"
title_slug: "kulaai-hackerrank-integration-user-guide-prerequisites-integrating-kulaai-with-hackerrank-managing-integration"
source_url: "https://support.hackerrank.com/articles/5121238837-kula-ai-hackerrank-integration-user-guide"
article_slug: "5121238837-kula-ai-hackerrank-integration-user-guide"
last_updated_exact: "Oct 14, 2025, 8:41 PM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Kula.ai"

Kula.ai ? HackerRank Integration User Guide Prerequisites Integrating Kula.ai with HackerRank Managing integration

Last updated: Oct 14, 2025, 8:41 PM (Last updated 6 months ago)

HackerRank integrates with Kula.ai, an AI-powered recruitment automation platform that enables teams to efficiently engage and convert top talent. This integration allows Kula.ai users to automatically create HackerRank assessments and manage candidate evaluation workflows seamlessly.

Prerequisites

- You must have admin access to your HackerRank for Work account.
- You must have admin access to your Kula.ai account.
- Assistance from the Kula.ai Support Team, who activate the integration on their end.

Integrating Kula.ai with HackerRank

To integrate Kula.ai with HackerRank:

Step 1: Generate an API key in HackerRank

1. Log in to your **HackerRank for Work** account using your credentials.
2. Click your profile icon in the upper-right corner and select **Settings**.
3. Go to **Integrations > Kula.ai**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760430537345-image.png?Expires=253370764800&Signature=SgUO3r67vFAgLu52xq0b8zNQPk2ii8QWU1gSAXOvB1K8yFBMNYxcJL47Bji7UEepNZZJlIPz1kniL1wi18RaLfoUdpNbC9vwnLANimgg6DgxOi8tzZReszLxAOhAVZNe4pwRly0QR1edrDE8nyChyguCwBFHd98JCXnD0ivQlhGnWkMeQ!paUcvCfJG0oL9nUm6DPvVQEMBh7LnOqGYHplQ0IYI-ftpKb-Zz9HVVWGiGPGKBruolsacb4010~Ni~IKGyQOoxyXjxX3JrO7VILI61AAq3V5dDah2HQewe7I9NJKYjU5VYB4VsKUqBiwyO218AqWINOhSPcCTVW38Yg__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click **Connect**.
5. In the **Configuration** tab, click **Generate an API Token** to generate an API key.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760431378680-image.png?Expires=253370764800&Signature=p2W4BwXDTa2nv0wnYZyfDfU6N6r0sID3ki16sW7cqBML~4x~GUiVMctUR1loAK-ce~b1bOw67aPloJF-YCNmDGIM3xo5plzObgsr6adlHtzxMV3h~293mztvStJn8Da5oGam3QqGZR2NtYsLjje04GxTK-5aWGe15gZuaNDE-39mDQ92KbeoSB88IQkXeptAEjrbFI-4tTPv1x-TcVREY0jPMwxAZYtgsxajdAxG~QJ8TyqXMb3ndjpHnaGm7GIL-ika9CojRprJ9gO2DYZWPf27DFp4krSAGIPbpw6i7gbxOoLCkcczQH27Gij1d0PEtwT~xZ1K~zrcVLhAwoQNLA__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Click **Copy and close** to copy your token. You need this token in Step 2: Share the token with the Kula.ai team.

Note:

- You can view, regenerate, or delete tokens at any time on the same page.

- The **Token Activity** tab displays when and where each key was last used.

Step 2: Share the token with the Kula.ai team

1. Share your HackerRank API token with your Kula.ai account manager.
2. The Kula.ai team enables the integration for your organization.

Important Note: Share API tokens only through encrypted or secure channels.

Step 3: Complete setup in Kula.ai

1. The Kula.ai team configures the integration in your Kula.ai account.
2. Once setup is complete, generate HackerRank test links directly within your Kula.ai recruitment workflows.

Managing integration

You can manage the integration at any time from HackerRank.

Go to **Settings \> Integrations \> Kula.ai**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760433910759-image.png?Expires=253370764800&Signature=vCBIDV1olrvVr464B4dQ4SbA59cTpyQGULzviiQdSab7Ri8kaBgqFOgWz1c9Iri3fdHwD1pz27Bv31QmBS76lKkz6RslgXfTqBmsk~opFotajvSJkxPIQRKXyqbNriDV9ocPqam5IKQ1brduIXXVXuAO5H6TkyvVinOu2e6VApS8uFPArxkkbCWmjtq2VYLWSamc-Vs4V3KvAMkcB6lakfLcEobR3plkXiZGqnFKQG~Jq3kMumJbRAMPLlkkU8psdC-G2WAEbqj5GWAIXKvuleAThwF-ab4OQJ2gHJFMavQVofLzbtgO3iFCUhcSgLNv70P6~tDQ9Rm39jf6w2A__&Key-Pair-Id=K3NV4LZ47N8M46)

From this page, you can:

- View or revoke existing API tokens.
- Monitor token usage in the **Token Activity** tab.
- Review API connection logs under the **Logs** tab.

If your integration stops working or a token expires, regenerate a new token and repeat the setup process with the Kula.ai Support Team.

Note: For setup assistance, contact your Kula.ai Customer Success Manager or reach out to HackerRank Support at support@hackerrank.com.

\

[integrations/applicant-tracking-systems/lever] Lever HackerRank Integration

```

title: "Lever HackerRank Integration"
title_slug: "lever-hackerrank-integration"
source_url: "https://support.hackerrank.com/articles/1538275190-lever-hackerrank-integration"
article_slug: "1538275190-lever-hackerrank-integration"
last_updated_exact: "Dec 28, 2024, 12:14 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Lever"

```

Lever HackerRank Integration

Last updated: Dec 28, 2024, 12:14 AM (Last updated 1 year ago)

HackerRank integrates with Lever for Tests and Interviews to facilitate an easy and seamless interviewing experience.

As a part of the workflow, users can send HackerRank Tests and schedule remote interviews from Lever. Test results and interview feedbacks show up directly inside the candidate's Lever profile. This results in an efficient interviewing experience for the hiring team and for the candidate.

Refer to the following articles to set up various features of the Lever - HackerRank Integration:

- [? Lever - HackerRank Tests Integration](/articles/7177093032)
- [? Lever - HackerRank Interview Integration](/articles/8274807044)
- [? Scheduling HackerRank Interviews with Candidates in Lever](/articles/2634152447)

Below is a list of features that the Lever Integration offers:

```
### **Tests**
```

<table> <colgroup> <col style="width: 50%" /> <col style="width: 50%" /> </colgroup> <tbody> <tr> <td data-colspan="1" data-rowspan="1" style="background-color: #eafcef; width: 75.493%; height: 20px;"> Feature </td> <td data-colspan="1" data-rowspan="1" style="background-color: #eafcef; width: 74.1819%; height: 20px;"> Lever </td> </tr> <tr> <td data-colspan="1" data-rowspan="1" style="width: 75.493%; height: 20px;"> View the full list of HRW Tests </td> <td data-colspan="1" data-rowspan="1">false">? </td> </tr> <tr> <td data-colspan="1" data-rowspan="1" style="width: 75.493%; height: 20px;"> Invite candidates to a specific test </td> <td data-colspan="1" data-rowspan="1">false">? </td> </tr> <tr> <td data-colspan="1" data-rowspan="1" style="width: 75.493%; height: 20px;"> Cancel or Reinvite an invite </td> <td data-colspan="1" data-rowspan="1" style="width: 74.1819%; height: 20px;">false">? 	


```
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.493%; height: 20px"><p>Status update from invite to completion</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.493%; height: 20px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.493%; height: 20px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.493%; height: 20px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.493%; height: 20px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.493%; height: 20px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.493%; height: 20px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1" style="width: 74.1819%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.493%; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-rs="1" style="width: 74.1819%; height: 20px"><p><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span><br />
(through a PDF report)</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.493%; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1" style="width: 74.1819%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.493%; height: 20px"><p>Templates</p></td>
<td data-cs="1" data-rs="1" style="width: 74.1819%; height: 20px"><p>owner default</p></td>
```

```
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.493%; height: 20px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1" style="width: 74.1819%; height: 20px"><p>owner</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.493%; height: 20px"><p>Reinvite</p></td>
<td data-cs="1" data-rs="1" style="width: 74.1819%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.493%"><p>Bulk invite</p></td>
<td data-cs="1" data-rs="1" style="width: 74.1819%; height: 20px"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.493%; height: 20px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1" style="width: 74.1819%; height: 20px"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.493%; height: 20px"><p>Update results after editing HR</p></td>
<td data-cs="1" data-rs="1" style="width: 74.1819%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

Interviews

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 810.766px"><p><strong>Feature</strong></p></td>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 228.234px"><p><strong>Lever</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 810.766px; height: 20px"><p>Create Interview QuickPad</p></td>
<td data-cs="1" data-rs="1" style="width: 228.234px; height: 20px"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 810.766px; height: 20px"><p>Schedule HackerRank Interview</p></td>
<td data-cs="1" data-rs="1" style="width: 228.234px; height: 20px"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 810.766px; height: 20px"><p>View Result</p></td>
<td data-cs="1" data-rs="1" style="width: 228.234px; height: 20px"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

```
<tr>
<td data-cs="1" data-rs="1" style="width: 810.766px; height: 20px"><p>View Interviewer Notes</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 810.766px; height: 20px"><p>Link to the detailed report</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 810.766px; height: 20px"><p>Interview Scorecard</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

\

[integrations/applicant-tracking-systems/lever] Scheduling HackerRank Interviews with Candidates in Lever

title: "Scheduling HackerRank Interviews with Candidates in Lever"
title_slug: "scheduling-hackerrank-interviews-with-candidates-in-lever"
source_url: "https://support.hackerrank.com/articles/2634152447-scheduling-hackerrank-interviews-with-candidates-in-lever"
article_slug: "2634152447-scheduling-hackerrank-interviews-with-candidates-in-lever"
last_updated_exact: "Apr 3, 2025, 11:37 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Lever"

Scheduling HackerRank Interviews with Candidates in Lever

Last updated: Apr 3, 2025, 11:37 AM (Last updated 1 year ago)

Overview

Lever users can leverage the integration with HackerRank Interview to quickly conduct or schedule online coding interviews with their candidates. The integration looks for candidate profiles in Lever which include the **HackerRank CodePair** tag, and when a candidate's stage changes, an Interview link is automatically added to the profile. A recruiter using Lever can access this link to schedule remote interviews with a candidate, thus progressing seamlessly through the hiring process.

Scheduling HackerRank Interviews with Candidates in Lever

Example: In Lever, you add the **HackerRank CodePair** tag to a candidate's profile, or associate it with a **Job** having the same tag. When you change the candidate's profile from one stage or another, say from **New Applicant** to **Phone Screen**, the Interview link is automatically added to the profile.

!Candidate_profile_with_Tag_and_link.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047211350-?Expires=253370764800&Signature=oddDegu4feT1xn7PGWfLL2BaJ1T3IBkoy7wr6Sjpqtl9Ocil6p18qhsWiD-A~g7eg2rgoG0Lle5do-1lqygYiOVpO6EfSPu29VOllrimtrQX8djmnKBHIAmpPGxIhqj21DOFzDb0vbeUtqM7Bp~7P-CA1JpHDxBXeIl7dqPPO61Jq6D1X~sURmbTgTjX6BPcXWOAjiV29ZOyfH4LAbkYYLZPnQ5tkmKERKAASYMsO79WOaH~hQp~6QmEXk7GZk0J9CtYIDzMcGZJXleD-EDdyQkhrwD8ajAvH7qly7EnNqbXsRWvwBnM5MWhXRPksoar3UM6mO5ds-Vq3665MILQ__&Key-Pair-Id=K3NV4LZ47N8M46)

A candidate's Lever profile with the "HackerRank CodePair" tag added

Steps

In Lever, follow these steps to conduct a HackerRank Interview with a candidate:

1. Ensure that the candidate's profile has a name and a valid email address. This is mandatory.
2. Add the **HackerRank CodePair** tag to the required candidate profiles, or link them to a **Job** with the same tag.
3. Change the candidate's stage.

!Changing_the_candidate_stage.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047211882-?Expires=253370764800&Signature=Tg3NbB-1Kz5IJ9H1IL7suh4uqehDiCl5nSPk~~zgc5FCTO5A3EilPWgmxOwKCytltz8cqUtxfDgQjwyOTc5Klf5~vVaO2BXWITkKoe12d8DAXMgo7ulBYBb4Asu98sr3-H~BYqlKaFnt-DKn4LiE4HoLKw4mhoP3jnpUuAfcLyUKgwEO~sGgFf6dWkyPSaa-rD8qqVOrDtzptX-VCfomvVry5Ya8Ozzi0oVkcNqQBmc~Qc3fobs7FUDnztDdBRoYQZEFvRUTf3IkfxDafbGnL0KgkgNHOH9QCLeZlBHUU3YjG-o34mBJbLmnifhjdNUxvAUHeTTuOICTPEwFMIDhA__&Key-Pair-Id=K3NV4LZ47N8M46)

Changing a candidate's stage in Lever

1. The Interview link is automatically added in the **links** section of the candidate's profile.

!codepair_link_generated.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047212256-?Expires=253370764800&Signature=mHtZC4sYn9huKq6o8Rq9FSbnS5nK9d3s~h2ekJ6P3STNkcy721mJPzBvlz2rYCxYmp4WD90Onfgk4T26Sag4m~6W-DmsDkH7t59o~o97WshJpakU24aepgBrbTOwpp~JkoirptCnuyyMQ2V1i6MH1ToCs~a8~Exi7BK1ERndmac9bFNVDX21deM9usa7fjHb4r1dTqxklhBt4pwD0dE-dsJ9JIKt07dQ69NEy40N8H0Jb3yZOblWsat1571rPTCRicGbg85lcQC0gXtMKT~B37mrzTTE6BLzLi9GHmblwbX6bbzQPvQ9vjaniaqWsTCW7DXAf9RSoEYo0rnBWoEg__&Key-Pair-Id=K3NV4LZ47N8M46)

HackerRank Interview scheduling link

1. Clicking this link directs you to the Interview scheduling form. Use the **QuickPad** to instantly create an interview session link. Share this link with your candidate to start the interview immediately. Alternatively, use the options provided in the form to schedule an interview and automatically send invites to all the participants.

![[Setup_CodePair.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047212615-?Expires=253370764800&Signature=Fflyu2RT0-itafkJ95dmqbcyMeQd9h3DWxGqkf6hTD71-8fxZT3yKBe0RUg870sw9~D2DajAmQXreZey5NJG~qsvAbc6fDmD0i3astn~FGK4t7vRENlMBjWiL5fW1cOYSGQhTichbL3TBKL-Gi3WNulwO~VluBiNRCJ3DDDOPqBObKjQFTN9nPcTLW~~TrcMwDBBacI0yiFv~a16M86lhZblZlk6EHOWxpXvRKDRZceCasPI~~Vj1VSUL8D8av61VfvvZQEEkkqq9EtcEIWBrtLwF3wYJu1ICIFkBGmbDGUQkAVchPmAlvvVfAfhWwBZWihmmxeXigMySKon1805w__&Key-Pair-Id=K3NV4LZ47N8M46)

HackerRank Interview scheduling form

Pushing Interview Scorecard Feedback into Lever

Within a remote HackerRank Interview, all interviewers can fill a scorecard to capture feedback on the candidate right inside the product. This is available in the "Scorecard" tab on the right side of the screen.

![[scorecard.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047213020-?Expires=253370764800&Signature=IU5FmvvwAsiwG7aWRzoKNj6O8JjyWuEYY52RXhNep4QLhjBIMZadFrYcEHDfpMKVH8BGRcbU3YzNpKoam4LWq2xgFIJmMAj4wyaUFvCsD79KS63lnluFFF7QfVcf1Q3sbhGUfBZMpGGJuZM0Zvvp28PomxPEDi11BGbWW-IZOkkB0nE3fVd5uMbC4v7tjEJmT4ECbtDJnvvaO0Fno0QfbcSL6BdAq7n65wALdNg6Ecb9kEh9E7vAJGx25vChRQLWZIM-opBTkAEKlzh84YaCWf6oGnEshRd2Bxd0hQ4jJ7YXXW8YKaXsDjVREn0Lbv1rXUuCSVBXtdSt8z8Cquo5xg__&Key-Pair-Id=K3NV4LZ47N8M46)

Interview window with Scorecard filled out

With a Lever Integration, you have the ability to directly push a candidate's Interview feedback into Lever. This will help consolidate all information on the candidate inside Lever. So, the whole hiring team can look at one place while debriefing a candidate.

You can enable this by checking the **Push HackerRank Interview Scorecard into the Lever** checkbox on the HackerRank Lever Settings page.

![[blobid1.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047213499-?Expires=253370764800&Signature=ozc47tCoZsdaugrd3n1~j-iHo8Brxei28Z7B1cQMpPAYJBihov1tZwy2gTVdf9m0v17DA7TdcGtjibQbheTuoGihjSVfkl0MuVi3kObDNCYTWlPolqfmZ448KrRuwlzqljrOHuMerHxW3tP873RjKqH6ZCZ4GVuMaMVKf2CbegPtD4U5c2S49sli8BFCdOGsVDZwGw6oKfuOHLRYQu7oMV~AW-1sQJtplXphEwCUwAl4l~dcf~mcZ1wLxplYqWZkXkMI7hVtt55Ngw-m-KLXkDQwVMgAXEvpun7GVxPcel7KphQeefuukYM7QKJpMrs41fP3NXLDfBtkEyABaW6Q__&Key-Pair-Id=K3NV4LZ47N8M46)

Enabling Interview Scorecard Sync

After you enable the scorecard sync, all interviewer's scorecards will show up in the candidate's Lever profile as Notes.

![[Lever_Scorecard_Sync_Lever_Notes.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047213920-?Expires=253370764800&Signature=Bw0DpVbaJLVjJOSnk8G0vJR0EUuG7FTefRRQAls9Xeq908YbZy002CwnNRLTTGAf4cgzUesyDETpkCMKQ4dMpMXrHK8IAeGPYAGUzrBYZiQblptnFSjqKJWWnVuO4DjZvd7l2nboYT0vW-k-Mt3NBN9FFVJ1TCWJIDQO-j7l dfkVCrOVjwe-yjyhD9~6ASb7s12ujc4mggvJwREqo0x17ozRY2Nu-l6loXa~~aUowxTPpkP1zp4-el~rQeF~CvKPUHEtqsF6Bd2yDhkH6Jnvgnp2HFyp6rkWi5ql8M3zOvtQyR7xForQKx0rd5zCovTdm9OpZ5TG19wgscTMIHt1w__&Key-Pair-Id=K3NV4LZ47N8M46)

How Scorecard shows up in Lever

Note: You will need to have the [Lever - HackerRank Interview Integration](/articles/8274807044) set up to enable the scorecards.

You can recommend the following articles to your candidates to help them familiarize themselves with HackerRank Interview before an interview.

- [Interview preparation checklist for Candidates](<https://candidatesupport.hackerrank.com/hc/en-us/articles/4402914035091-Interview-Preparation-Checklist-for-Candidates>)

- [Understanding the HackerRank Interview interface](<https://support.hackerrank.com/hc/en-us/articles/360016528573-Understanding-the-HackerRank-Interview-Interface>)

\

[integrations/applicant-tracking-systems/lever] Lever - HackerRank Tests Integration

```

---
title: "Lever - HackerRank Tests Integration"
title_slug: "lever-hackerrank-tests-integration"
source_url: "https://support.hackerrank.com/articles/7177093032-lever---hackerrank-tests-integration"
article_slug: "7177093032-lever---hackerrank-tests-integration"
last_updated_exact: "Jan 23, 2025, 4:04 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Lever"
---

```

Lever - HackerRank Tests Integration

Last updated: Jan 23, 2025, 4:04 AM (Last updated 1 year ago).

Overview

The HackerRank Tests - Lever integration enables Lever users to directly invite their candidates to different HackerRank Tests at the appropriate stages of the job interview process. After candidates attempt HackerRank's Tests, their scores and performance data are automatically updated in their respective profiles in Lever. The ability to leverage HackerRank's Tests for candidate skills assessment facilitates a seamless and efficient candidate screening process in Lever.

This article provides you with detailed integration steps and also describes how you can use the integration to [send HackerRank Test invites from Lever.](<https://support.hackerrank.com/articles/7177093032-lever---hackerrank-tests-integration#sending-hackerrank-test-invites-from-candidate-profiles-in-lever-21>)

Integration Steps

****Prerequisites:****

<table> <colgroup> <col style="width: 50%" /> <col style="width: 50%" /> </colgroup> <tbody> <tr> <td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 50%> For HackerRank for Work </td> <td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 74.8333%> For Lever </td> </tr> <tr> <td data-cs="1" data-rs="1" style="width: 50%> You must own an Enterprise plan with a Recruiter license. You must log in as a Company Admin user to generate the Lever API key. Log in using the same Company Admin user credentials to create and publish HackerRank Tests, which must be accessible in Lever. </td> <td data-cs="1" data-rs="1" style="width: 74.8333%> You must have a user account. You must have relevant administrative permissions to the Integrations settings page. </td> </tr> </tbody> </table>	

```
## **Steps**
```

Obtaining the Lever API key from HackerRank for Work

1. Log in to HackerRank for Work with the Company Admin user account.

2. On the home page, click the drop-down next to the user icon in the top right corner.

3. Click ****Settings****.

![[settings.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047098785-?Expires=253370764800&Signature=ItDyr46xUbsa38as7T~NcnEb6qUDHaqyH~j~XyMGO7dRYLOJeeAeYi5GpKa-89hnHgrYqXisHVjec2rEX1xm67qDmy4BMliOo4IRHF9t0P~3~AXx5yN7uyLkTK7yvu~MP0QObfaEHwQ45X7rL4x2LicOtnQO2AWwhuCu~w5hnjd~5wKkmECmBggYOIYN3IDnFiT PFQL8U8Nz1X00OsXmm-E8cnP6x~ssKhZHB8mjpnQzViEK-sZFfA7TU2O6eyDITr2dtY2v~PfxmxAijQ8QNTAG6239gyxj6q2DVVeMI O9-qrjEBtL8xArkmXUUA~TliDEJpPfdkf0EaWKJLw5JA__&Key-Pair-Id=K3NV4LZ47N8M46)

4. On the left pane, click ****Integrations.**** The ****Integrations**** page is displayed. Scroll down and click ****Configure**** on the ****Lever**** option. You can also search the Integration from the Search bar.

![[gh_connect.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047099521-?Expires=253370764800&Signature=WBS28J25bqLB3OvmUo0m6HIRNSgBnaQmLsc7spVA4ppuNLrA1WAXCV6UyGAjQhfmYPcmUPLgEV6wL5qDVAUUI-Bwj07L3XeIRvASleE81SX0I3YThQPd~SqKrON6Tu~uj6Ez0D6pzfhQe9h4BpDW0fSSiWoCDL6CEj51Enx2qItQlaeSgWBt9t7CF27bl ovNvA-MztYHRiM7fwM5NpdjEQ3ZqZPJkwqPA~--SG4ZEP1A~i92joVrabk~wWq1uPThC6bs5HB3sMeUv~D6QnJpoRAQOFw~6plwG dctCmMmOvsCRdxJy5WWtBFEiEtHTIMFyZs8w~n86OPZDXXF9WLbPA__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click ****Generate API Token**** to generate the API token.

![[integ_lever.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047099928-?Expires=253370764800&Signature=BiO9pP-Xx7e6BMmaiPUeAs81j9G2noK2FI3GNJ~PlfDoE-hZCQipRT5c9DF0i4yV6Soz7xRZ4OBeeKeielTP4b2yGGq WwkRcc5N-IDqqpXNqQjD1DQN8MOZtha1xVTmdFpRHldCtn~diuOqxN9pITZjrssZ-YFgB90WMDhs~ZM0yv1rvnknCh7HWlqH5IBIU F3HcjQYFdxZRVpDU92KuuV02NdPsoMNF1-5D1dR29OycrGHUV5IJY9ayBSCV8vj0WXJWwc5tw7V1N6uXGU4xfe05rLodV4kQH7F8 ET44vIOa31imgv4ayJi93DQd6X9UipByW81Qh0hARJcv0Isfw__&Key-Pair-Id=K3NV4LZ47N8M46)

A unique API Key is displayed.

6. Copy this key. You will need to add this key to the Lever account to establish the integration.

****Note****: Ensure to store the API key safely. Once the popup is closed, you cannot retrieve the key again.

When a new user is added to the Lever account, the user needs this key to set up the integration. Also, when the admin changes the API Key or generates a new key from HackerRank, all the current users need to update their keys. Hence, admins need to store the key and share it with all current users for them to update on Lever. Each new user added to Lever must enter the API key again. Store this API key securely so it can be shared with new users later.

1. Log in to HackerRank for Work as a Company Admin user.

2. On the home page, click the arrow next to the user icon on the top right corner of the page and select ****Settings****.

3. Go to ****ATS Integration**** and click on the ****Configure**** button under the ****Lever**** option.

4. Click on the ****Generate API Token**** button to generate a token

5. The unique API Key will be displayed in the next pop-up. Copy this key and save it as it is not stored and hence can not be retrieved.

Adding the API key in Lever

1. Log in to the ****Lever,**** and click on the ****Integrations**** option from the ****Settings**** menu.

2. Scroll down on the page to the ****Interviewing**** section, and enable the ****HackerRank - Tests**** option.

![[HackerRank_Tests_option_in_Lever.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047100303-?Expires=253370764800&Signature=Z2Qo0aI8jTOMxedGmYTqb3Bh0kKrf4BJVqNpfr73uTu7CIYmaKo3nuyWso8DJVJIOAGSPtS oHdnLKdqCUW9pTYv-Z5~-WpJHSoEdozY9EzXI9s~jiVqucKDOygVfl7oq4csCH5571MYMTRyCz1fZgXDYad6Q8KNG7TXdwzGdAtb~jequL4KGINJ9giKwim4FNp1enhmcynMqoA4gF-m~tIPbil39GCjjVIGAUxndaFbYM2QDf2TlpSYpgHACwhs6nfJO7JNCAG7X7Pnq0Xtw8 0mRWRBOxZCdJgwBuemmJABFBFaZljoIHboCxMUzVjHLsYMYsYiuo2O9GPZsOV5ohw__&Key-Pair-Id=K3NV4LZ47N8M46)

Enabling the "HackerRank Tests" integration in Lever

1. In the ****Access token**** field, add the API key obtained from HackerRank for Work.

2. Click on the ****Verify**** button to test the authentication request between Lever and HackerRank. Verification should be successful.
3. Click on the ****Done**** button.

)

Verifying the authentication request from Lever to HackerRank Tests

Create Tests in HackerRank for Work

1. Log in to HackerRank for Work using the same Company Admin user account which was used for generating the API key in the first step.
2. Based on the specific job roles or technical skills expected in candidates, create and publish the HackerRank Tests, which must be accessible in Lever to send Test invites to candidates.

To know more about creating and publishing a test, refer to[? Creating a New Test](/articles/7073839065)

\

****Note**:** In HackerRank for Work, you must log in using the same ****Company Admin**** user account to create the HackerRank Tests and generate the Lever API token required to enable the integration between the two applications.

Sending HackerRank Test invites from candidate profiles in Lever

The integration automatically creates the ****HackerRank**** assignment form for the relevant Job interview process stages in Lever, and you can assign this form to the required stages.

)

The 'HackerRank' assignment form for different interview stages in Lever

Simply change the candidate pipeline stage to the one that is assigned the ****HackerRank**** form, and you will find the ****Send Test**** option to invite the candidate to a HackerRank Test.

)

The 'Send Test' option is displayed when the Candidate pipeline stage is changed.

Alternatively, you can also click the three-dot menu in the candidate's profile and click on the ****Send Test**** option.

)

The 'Send Test' option from the three-dot menu

****Note**:** A candidate's Lever profile must have a valid email address to send a HackerRank Test invite.

In the Send test window,

1. Click on the ****Choose a Test**** option and select the required HackerRank Test.
2. Verify that the candidate's valid email address is populated in the email address field.
3. Lever users can click on the ****Send the candidate an additional email**** option to send any additional email message to the candidate.
4. Click on the ****Send Test**** to send the HackerRank Test email invite.

![[choose_a_Test.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047102635-?Expires=253370764800&Signature=j1miRmAYtKNUVbrEyHpBx6vwRFbFFhvYPZ3wGR5agn-xGKpH-8Hltr1xH62h-8CKHNkO1sCTzVVP6GXLoxI5rcznPwmW2OKo9Avyp8ws-2GYZEZD-DfvrI4ZqyAb7iA6aulY6F8QrPyhbHwrj509fwMLOHxrKOnssbQUPVkvNvwdl71hIKgBncFulabJDaygUlgr3HYIfIz9oGZbsut0TgZj1aeSgKvW046YkjMXqCzGjoF4p2rEzn~8V4~HG6xPi2Edl4RingVkpM0ZoTbR4kL6QJTNtW8IX8s91XiC270drKIEIJxl3ql8mQ2WGV4Fxy3VNnpG0rz01Scf1Jj6A__&Key-Pair-Id=K3NV4LZ47N8M46)

When the Test invite is sent, you can see the ****Pending**** status in the candidate's profile.

![[Pending_Test.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047103159-?Expires=253370764800&Signature=YJePeYtBObc-3CAbNnCTxtysl7A01QtgVA~MjPG8Wn6gOKOp7K-KFGcMaO2kycH~zHsLpZ4xKKNLVEA3aPAAtQS1UPYquvUgFWW9Xb~Thx8nDuR5JSwzonuESxC6Y7Ss5fWLVD8kW0eAEkFdIPGkLE0Ky6AiHnUsZXS6ZFmUdBnkfEQr4IltfjEKTvqx2RxA~n3yrlwYc7~hMrSPG57nTwN6YgxPcfuuS70YV1cC4sOnONYLQVPIJ3gouj6QXJgZvkqGPXyPewW91vwd-iB~3Cx6aqELQ40P3SIEx7ab0HGfllbwvSDTNPqzqaQLsXkwOr38pmGo0URwmmG-Yuq7hg__&Key-Pair-Id=K3NV4LZ47N8M46)

Sending a HackerRank Test invite in Lever

After the candidate submits the Test, a link to the Test performance report is automatically available in the ****Add links**** section of the candidate's profile page. The Test report is also displayed on the candidate's profile page, as shown below.

![[Candidate_Test_Report.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047103469-?Expires=253370764800&Signature=qbl34SQ1eCjIIKR76A~Q~5ONF6XPuVQ8XPnYsZ-IndjH7h89be-57oMd3A4ISEmtZMuCkSLif3Rk0dXeZQKBX4fld6jfX9XofITDoCTXwMQCiROTHDdO79ZkVGr~YIe6M0GB4UYfpEPm4dlHa5gxAMN6osyl~VNytPwDOxxZxwuomljADryh~0dhzne0NSD2f4dgr4FJZzZskU-k2lk2DMA9GZmZ5GUbYCGoVL1JMc-4HA9764cKWm~ZBTFKc6ACX5D6sHzT-rJLggiUH~bO0-iln1izk1UYuEi058E6ONCV4ga1ydNgB3qUhfVvz~O-YcY3oq376EuYeM5oWAn7Ug__&Key-Pair-Id=K3NV4LZ47N8M46)

The Candidate's HackerRank Test report is updated in Lever

Lever users can review the report to assess the candidate's performance and knowledge in the required areas for the job role, and decide about the next steps in the interview process.

Please refer to the [Lever support article](<https://help.lever.co/hc/en-us/articles/217332106-How-do-I-enable-and-use-the-HackerRank-Integration->) to know how Lever users can view and receive alerts about their candidates' performance in HackerRank Tests.

[integrations/applicant-tracking-systems/lever] Lever - HackerRank Interview Integrat

title: "Lever - HackerRank Interview Integration Overview Lever - HackerRank Interview Integration"
title_slug: "lever-hackerrank-interview-integration-overview-lever-hackerrank-interview-integration"
source_url: "https://support.hackerrank.com/articles/8274807044-lever---hackerrank-interview-integration"
article_slug: "8274807044-lever---hackerrank-interview-integration"
last_updated_exact: "Dec 28, 2024, 4:06 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Lever"

Lever - HackerRank Interview Integration Overview Lever - HackerRank Interview Integration

Last updated: Dec 28, 2024, 4:06 AM (Last updated 1 year ago)

Overview

HackerRank Interviews integrates with Lever to facilitate a seamless hiring process for companies. The Interview is an efficient tool for recruiters and technical managers to conduct interactive coding interviews with candidates located remotely. The integration with interview allows Lever users to directly start or schedule coding interviews with their candidates.

This article provides you with detailed steps to integrate **Lever** with **HackerRank Interview**. To know how to use the integration and schedule interviews from Lever, see[? Scheduling HackerRank Interviews with Candidates in Lever](/articles/2634152447).

Lever - HackerRank Interview Integration

Prerequisites

In HackerRank for Work	In Lever
- You must own an Enterprise plan with a Recruiter license. - You must log in as a Company Admin user.	- You must have a user account. - You must have relevant administrative permissions to the Integrations settings page.

Steps

Lever - HackerRank Interview integration is a two-step process that involves the following actions.

- Obtaining Webhook signing token and API key from Lever
- Obtaining webhook URL from HackerRank and connect it to Lever

Obtaining the Webhook Signing Token from Lever

1. Log in to **Lever**, **click** on the **Settings** option.

![lever_setting.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047105067-?Expires=253370764800&Signature=X1cCulKciFd2NS6vI5HzsqZUe60rpmT8MSYZ7SfPXYuhR6zlaLSZ9IVCL31zblACCRRjoO~zNtb-VGMhLdSo8oo1li~u sE9QiH4GY~ni3OZO9m7rRqIDolwHc8i3H2yNfDI9LRRFS8mfRY~7WY9lhQ6RXAdTzNZnXp0oKAbFLsHgn7HwOabAugugwIQ3Z6OI ~hYNfSx9B67DQ6668nZiaigESoXDDpVBUOHMKPCcll60N2ABcy-yhquld2oCbzitDbZbKuzzshJDzwdek6VD7quodx~XUs0B5CwAlOs mYSMf2b09Q6jdQV96-fOx5leao64MQR50nRUoCbxbBndQpg__&Key-Pair-Id=K3NV4LZ47N8M46)

Lever Settings

1. Click on the ****Integration and API ****option from the left pane.

![Intergration_and_API.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047105476-?Expires=253370764800&Signature=nXe~UMYhxCM1SdA4Mllmw3Xt3Y06AOYvoYE~9yJfJpxoHqGW7EAxoDkeollv5nArcSt0i4TSod4tG0lKn-Z5hx fV-UbFmO5OGH6mgUFhgYIC7RXBDcAe0gWhJwBlpDD6hkLPKyUueloPRDtjRyAXJVcAUGI73itmhMQQ2YyzkQZ~3amPmTtk255VP BG9yJ3yUsIX~GZWve2fobwf-iElByO2pBoqv9HhmMfdasqS9-ZSeZExtbvttxPDIS4aXAHcbIsoNozJMQu10lx4feap8tbT~cyThMyGWG6 kJGda6ZaOwyd0J~pP-MWY3tzJgLDNRCwRpZZ0lelJ78JFqIsIBQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Integration and API tab in Lever

1. Click on the ****Webhooks**** tab to open the Webhook configurations page.

![Webhooks.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047105949-?Expires=253370764800&Signature=mO~9cOVb7gs6T6lMOuycFRRrM1sFR8IYvZWkYxnWH2tW9ICzWiRcP7iq9jE2o61qgWLHkf4n0e1QBMYYVo4YQbPAnU 4kp0AJ2f5cz73F-HmAk5N0HxHPgXzV3jIGASHPlhv8gfsRnR-jOOm0NwurKSuHvSz2ycwz6ll1GVkcgI00cgJrrOHxNmCbsXSda1sKlq gaYeLJVrvl1v6fP5VxXMUFZK783ecxzAhI2BvZm~0YFC24p-S~qta~zQIZKXyp8kCRH29nMPQmqX98HA0vXNUxdUXybhx5XZoOSYn kLTQp8F5goBa9~Xmq3jtW4QQA2GS7~r~P5W6eh1KT0HEX1Q__&Key-Pair-Id=K3NV4LZ47N8M46)

Webhooks Configuration Page

1. Perform one of the following two options to generate the signing token specific to the Webhook URL,

- Toggle the stage change button.
- Click on the *****+ add webhook**** option as shown below.

![Options.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047106761-?Expires=253370764800&Signature=llhefL1VyLv~6ORa7gAGhEsvep28JrmczumUPJsGy~gmVWo7qXcJNh5~t5pWnqHF36NP7hOPa9J0reZgG2Ka9q~jfXqJS suh9835KvjsMnzU6wJHU~oE~axJoe54yX2Ez1v9YMU8PTLSpmJgy1xpJ2t9Huy1wy61wyOACWvnoMG9o6J03VaCjSfqYxy7XP3FgL bDMtHdu6~hLgApXjLXduU1dpCFguuzYrGjMf~sVNrUQRmTk~mep3WJ8pPKjm3A~qlxTKnz~NM0on0~903U~Lf3FTRUTtLj5~U3Hg5Ct YkhMUg8sl9JTJ6BCIKPIR~OFI~B84MX7A5sNnxZVrzQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Options for generating the Webhook URL

1. On either of the options (toggle switched on or '+' is clicked) a unique signing token is generated as shown below.

![Signing_token.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047107160-?Expires=253370764800&Signature=c7tokvlm~lfZAxJLMS8qvhfNHaeJ6LemgwcOq~2UsB5nWQPFi2DOze~DVAT3a663H~lyiBGF3IA386gE9xun~atd8~F VGV80tVX5kvl7a2ztBA~UE6W6ypnn36yZmNd40dhRfIplv6yZgBQM88szrytmPbrjqW1c6e0ABWX8ExpGI1SBpxD1VRbn9y~DwaWJg fOLCjAOWun46Zp7CzYV6O3pnCzgLOO2NBivWP4pyFP7KimloQ1~mduQqPgKPCupusz~Bq0WP3GxcjealLwxhhh1dTvK5ADUfXxb XT1ZDffFwONIDPxh7ZcSjvs3wMgfsLomSMOeUYvKAnScPSIgA__&Key-Pair-Id=K3NV4LZ47N8M46)

Unique Signing token generation

1. Copy the token and store it as it needs to be added to the HackerRank.
2. Click on the ****Partner Integrations**** tab.

![Partner_integration_.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047107604-?Expires=253370764800&Signature=iCTZU9i8yCvcRD8hXiky42cSWRfpmSAShHOHyEcjtczK09DYPneqviy~CHHGxNXuuS1MfEBDIXOAwWc02C XycT~mTmdKZ8oM7c42FXE65hmTwtXU0xgwek6ELWgqkNvN8dSeZ551sT0ylex8Aepbs2ftrMKTYoshf2TqHCAqvJ7DLS80W7K~BN QeY27WMHCGSgu99qmH6~a3whrT3Tc4xCJpCMCP6tMd~GVXnAvcZ2IWcB7fYGJGHQUzWPVUB5YhV9ivsaFBHl8O~cT0nqDo~ZT Z9yHzpMhXngf0ZkwmECO~9TjSTzUmcLkqm64Uml2O0Bz8SzKjqBF60cEx6qQ__&Key-Pair-Id=K3NV4LZ47N8M46)

This page provides settings to enable integration with HackerRank

1. Scroll down on the page to the ****Assessment**** section, and enable the ****HackerRank CodePair**** option. \
- **Note: **Although you'll need to enable the HackerRank CodePair, **you will not need to copy the key that is generated**.**

![[Assessment.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047108074-?Expires=253370764800&Signature=OOXfUkZUJzbPPdoZSKKx1MnQlpY7O8GUC-P4i2cf7vuJXGoU6Ye8gavnKcs4Eb7as~5Oy4g5ybEEEWfzzA8GKEUuKu88AlvmvSuP4h1D-Mz8sm4p-qnc3j2MGXPgjP-DON6ypQxY8fPua3rP3eZWgGCc6oX01XfQlawYf~pjfEn8ATfk50ch~DT0SI-rUhlDzmW8vjj9SiBfVp~QkCX8ywRqVhPPZNmDR4qXxxoxbwbA4h2K6Oe7qJX2E~w2EC0RuuxwZrCkZC9K07SMdPNNL9PkHrfoHN~hNTK6R5ReHGGHr21dDxO8402MJq9SLvIVs5OUr7P6zRS3DsgL3z7QA__&Key-Pair-Id=K3NV4LZ47N8M46)

Enabling Lever's integration with HackerRank Interview

1. After checking on the connection status of HackerRank Tests, scroll up to the top of the page and access the ****API Credentials Tab****(At the top of the screen)

![[Lever_API_Credentials.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047108464-?Expires=253370764800&Signature=TKWkLn0nA7vmmr27ybv02ciuUQ86HP18ObZgnW8fv-MHoNpkzwnIx2XVb6-mSNmtELocCyodQYYsDUpsNhMNPe2nuJN14iQ2vwrM3fBYwU9FRUwxfkJKM6L7wEm-2hnkKt~7DnZFxk7O-QeXuwkdg9-KEQoLpOiSe1v6A3WpNhKp7C07GHEJIS0TzngzIKyB9NsRKxruG0g-ILYPDuwynRfWW5TmdGXIfYrGIRrPpwMYbsF6FINkbXXPflKToyE-5qBOgqPSJDB7pQute1qEaY8rpgJUZchZTKix64y4lcgrZXiVJ5XjCsTz63xHVdkMAvpB-m6fHHJicSDXpY71tg__&Key-Pair-Id=K3NV4LZ47N8M46)

API Credentials Tab within Lever

2. From the ****API Credentials t**ab, scroll down to the ****Lever API credentials**** section**.** (As seen highlighted above within the API Credentials tab)

- You'll then need to ensure that the Key that you'll be working with for ****HackerRank Tests**** and ****HackerRank Interviews**** has the proper ****Read ****and ****Write endpoints**** assigned, including both:

- Create Candidate

- List Posting

- The ****Read endpoints**** and ****Write endpoints**** are two separate sections; make sure both fields are checked in each section.

- Scroll down past the ****Read endpoints**** section (as seen below) to access the ****Write endpoints**** section.

![[Read_Endpoints.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047108940-?Expires=253370764800&Signature=Ly13NiLCaYr89rpVJMZYlb-TyJk8DA1LuHN24SpfPvF37AqaNxSFgw6WsT~Smk7R0zHxZtgn7LI7XIMHW3r1dJ7bBMf0ykfK~FLbfnyBLHQhefxqeuMe3pyGLK2KIHVxR1q6mIYW5VLOtTO3COdxtN76nYv91Uyh8buQDX29qvf4wxk-IY~H2OKjJX7H4o28hIIHLHdOw09RJVBrryVaKvfi2RHI032kV3rjKdJWd-nGQorFNli7gx9cQ2lkeMhTvfsgEuRNbz74Lpfmtg5XklrmdfPQT~BwT33q7pgofnfqxmkmj1-3MPo15TsS22yOOkc-yjDeFqdNpK4TPegQyw__&Key-Pair-Id=K3NV4LZ47N8M46)

Read endpoints within Lever API credentials

Obtaining the Webhook URL from HackerRank and Adding it in Lever

1. Log in to ****HackerRank for Work**** as a ****Company Admin**** user.
2. On the home page, click the arrow next to the user icon on the top right corner of the page, and select the ****Settings ****option.

![[HR_settings_Lever.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047109348-?Expires=253370764800&Signature=pNz1s8oGgdSW1jY-Q2FEcE2uUX1u0jbsS3C4xGwNBt2Lf2f9DpSE2fgGeTMnckcle-N~LdPEG3PtytO4ndp--MHGTNp4FIHwJhh9oAxJV9FDBeFjBVfTp1I6-4QpDpanzriqbHoXrFLhNRvdvFTVvkPxygqgvOBuHVGi-WowD3WZspzFNYfs7VNUao-PH3R-gl7E6gvXYc3wMTq2ro7keEXgfoVUUwjhwg2iev~HPP2rlkdOj~bjEEWofJymPTIaZ4LaDrBmdhrFDU-CkLlLh1ZObo4O7XOG6xpNn8tLb8gOkY23EptcrFRusP55UsiHvilQSBmhLj-ytnesJcgdg__&Key-Pair-Id=K3NV4LZ47N8M46)

Accessing the settings page in HackerRank for Work

1. Click on the ****ATS Integration**** option, and navigate to the Lever integration area.

![[Lever_Configure.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047109701-?Expires=253370764800&Signature=F3F33iXGIlU0FFtBm6hOAmj2B2rvWMpB6RWxa6AjX8eR~w3YYJzH8p55SfCgsHUf1dooETDycTExVmm9FXMJoeUJvquD0IHPHLS7vo8Fsm2s-EKkzz0l1p0FfSPYDflm4N1LAfYgKVUEldxwCOlhGYaMGmBuLrRoVFwpG3fa91EHXsVA1ra6Sn3MGg4axuxjfQYpSkSvdOLIENTOntl7oCYKNAewO1GF~6tPVbWyDWU7bF8gjDecmy7jBHPqtVSzi4WFYvRKOf~FUAD8H5Gj6CatrQ59uv0lqP29OWz3yTd8yu9Zsl332mSxzDIs4Y6zUDQBD3ydEQ4F6XLVovgpgp__&Key-Pair-Id=K3NV4LZ47N8M46)

Lever Configuration

1. In the respective fields, add the ****Lever API Key**** and ****Lever Webhook signing token****, as shown below.

![[image5.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047110153-?Expires=253370764800&Signature=cavBAec2nkUwJzjaporqaOSqu6cORqpp9Lrwg7KnF7Lkn2KAKMtQse6LKXPbKg3uJ-D8kQEGEAMCSww0PLQsISDTRSGsAjlVfv9BgyNr8HPcLoUJ2vYirfONwRkXPA0uc6bDmuRxFZpEd-ofxBjY2EHFw7yFCG8C488LNHHRRBm8eYOQawmSJ9nod9CdmPpDBXhZTVqOXiP1HYs9A3MGilbJERFcYVFyTFLJfFgW1oB-RF496q2hE8AEGKdQYuNtniOLbHHJaGB5LTEclN7~mjBPiDByCiwDjh~YwflJx4n~vzhEsgJXvFDbZUZtrnzKBCfF4FM2hV5vdWw1UhQ__&Key-Pair-Id=K3NV4LZ47N8M46)

The HackerRank settings page with Lever integration fields

1. HackerRank creates the Webhook URL. Copy this URL. The integration completes when you add this URL to Lever.

![[image2.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047110449-?Expires=253370764800&Signature=FYhXln1qzS9jlpvboTJa6TcXDMtaO8WRxwFYLPmORMqqKxf-fzuoUSZFMKGpBafzDwKJGgaG98AQZxWC3XIQ~R5D5HL0l77bxsMi2NGUALRGokLSOCJNMBH51plxkGT3c3deKybQ5EeH0-CIU15C5hc4gxI71AHxVqhwNCB6iquruHtTQBkOUoJDJrgtE8Ok8ZKkQTzZ3zz3JfJlWahkLp7uHr8DaUirdRnWdVdLSZF93du9cZgANjRqY5mXi9V5nfTlJuBjZRdf-JcZppqPUC32ATj5WWnA9MR0zQQUhMpfYiuQE4MbiMl6PsHbmcmNL18Hf6HcpsTQRsuoU5di8Q__&Key-Pair-Id=K3NV4LZ47N8M46)

The Webhook URL from the HackerRank settings page

<!-- -->

1. In Lever, navigate to the ****Webhooks**** tab on the ****Integrations and API**** page.
2. Click on the ****Webhooks**** tab, and under the ****Webhook Configuration****, turn on the ****Candidate Stage Change**** event. In Lever, this is the event trigger that sends an interview link request to interview.

![[Candidate_stage.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047110855-?Expires=253370764800&Signature=Aam5SdlhVtfkuYX5CoidBeMmU0pw6U9pKcd6CBIR1l5ac86Kx~HQyIlBuU2u47rv~ARqUYV7jDziQ6F-yclNdrPsq2FOs4cdtCCT9O6Thsmj~qMXTqVMEYdopD1shM~ZpfDDFiorjOSOuWtMePZPMXC4kjHYl4KJ3~5dgLEb990MkcVZ1dDpAG8Wgdoo0YwGSh0MyC97wKEgYUyTgoqFiTQBV7p6PIpQOcBwXE1Y9ctw1kizlUu~2xVLUDhhdDy7cr85FqNIPOMhXLFmslFxy~EnR37TqbJ1stczud~klXXh2ObrEb2JIT9hoXA4l59HXbB~NbPuEZOkXRKYvucrw__&Key-Pair-Id=K3NV4LZ47N8M46)

The 'Candidate Stage Change' event trigger sends a request to interview

1. Click on the ****Add Webhook**** option for the ****Candidate Stage Change**** event, and add the Webhook URL obtained from HackerRank.

![[add_webhook.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047111289-?Expires=253370764800&Signature=GCktrvSxTnc7UxQ0vFta8ycWRrcDX0Sn1078ev4zyNS70sGqfugVSkjbZF3f8DvegD-W1-QiH394Ycvmeq7q3pkXATfw5icaXwMM~QmTCB-gSMkO9yv~zH36x~g2ZBC6lbKabSVGs1MqQS-osg-yRDhvpF5l5~UKpC6WXFIAbPHFBmEtlMdmu9ohyzUb nClkVQtV7mm9YGCJJiUU61ePtRhLbuSqZvYqbB24RGfYDw~kdUjvAy1caZAC~YQYCDG8enwXAGTCp7mrDKKUvLYuRQZdmc2lwQNyrxgYW-33vIhgA2Zz-6KgEQ7sCaXHRrQyDaYy4CF8MzOW5L5~Y4CnA__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Click on the ****Verify Connection**** button. When the URL is verified, you will see a checkmark displayed. You can include or remove the 'https://' from the HackerRank URL.

3. \

![[url.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735338969593-url.png-ad91ab99-fe48-45de-a1c9-8da8cc9e3b02?Expires=253370764800&Signature=HEVwXDG~yEGSg1u9pIBykMC-D7JoR-btxiN4SsouM81rqHmOxp4aMKXbYZ~1YA-iwNaqLX9jfbke7CLP03YuaPRY60f5rmCtDISdfz0wfA7sdYZPoRYYmNJSTeQWnKT8DL1X4wUnfuySfWJ8tc2zLBFxOAOeJNGqTZswGnf4LX7Jc~yr77zMhiu~5P14K6SQl1AvfkQ9iWuCXYNlg2c8frBNNb8PkmGCRfi72IhRli-xUxly407d5HeafHBPpWUt~srQwDpHsa3vKZiUXo1o82E5PzQYUjYwhC0J5z3DZf9hnOBkz9juxvyJvAXv81wnZGJpzGJc2oHGDvSvS5HNw__&Key-Pair-Id=K3NV4LZ47N8M46)

Adding HackerRank's Webhook URL in Lever\

In Lever, candidate profiles must meet the following requirements before the "***Candidate stage change***" event can trigger a request to HackerRank Interviews:

1. A profile must have the candidate's name and a valid email address.
2. A profile must include the "***HackerRank CodePair***" tag or be linked with a **Job** that has the same tag.

When the candidate stage is changed, an interview link is automatically added to the profile. Recruiters can click on this link to quickly start or schedule an online interview session to assess the candidate.

For more information, see[? Scheduling HackerRank Interviews with Candidates in Lever](/articles/2634152447)

\

![Candidate_profile.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047112224-?Expires=253370764800&Signature=WNUr37jatNQOcn8PX2bGPdDwZLtJj3fOGkpXm9digC6V7pfpVOIMQiFwLuikQv1NWoH8bfCDmjFB7gE61Cog0H~88pM8mftPSygZF4WwUsux7ZuozQSY6AV12AHiVv58sTf568JIJ-luYdl6CQx0B9Xor9g~ptkvjqhuL~5qOThhUgks5A38Hw4jltaUSh2mbDNwwYV94tvrXiz1xAGDPAwZQ-7wqzPQ7cen1nLwzOGMhEFr86xGPHrGrFFhfJJpoXNJXHG9rlAQfldZbv88jud5DnYNjx8JOOjHKgtSW9p-gkOuMgih63lnB0omfN-2ZOidhc8T6UhegVwEumMsw__&Key-Pair-Id=K3NV4LZ47N8M46)

Candidate profile in Lever with the "HackerRank Interview" tag

[integrations/applicant-tracking-systems/lever] Adding Candidates to Lever ATS from

```
title: "Adding Candidates to Lever ATS from a Public Link"
title_slug: "adding-candidates-to-lever-ats-from-a-public-link"
source_url: "https://support.hackerrank.com/articles/9868451767-adding-candidates-to-lever-ats-from-a-public-link"
article_slug: "9868451767-adding-candidates-to-lever-ats-from-a-public-link"
last_updated_exact: "Dec 28, 2024, 3:53 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Lever"
---
```

Adding Candidates to Lever ATS from a Public Link

Last updated: Dec 28, 2024, 3:53 AM (Last updated 1 year ago)

Overview

HackerRank enables you to assess candidates' skills as a first step in your recruiting process even before they enter your Lever ATS system. With this feature, any candidates taking an assessment from a public link are automatically created within the Lever. (Currently, this is available only for Lever and Greenhouse users). [Click here for a similar article for Greenhouse.](<https://support.hackerrank.com/hc/en-us/articles/360023468373-Adding-Candidates-to-ATS-from-a-Public-Link>)

By mapping a test to a particular job on Lever, recruiters can obtain detailed candidate test reports for that job role whenever a candidate attempts the test on HackerRank for Work. This is done using an API access token (which queries the recruiter's ATS for their job list) and embedding that API key onto HackerRank.

This article explains the steps to enable a public test URL for Lever integration.

****Supported Applicant Tracking System:****

You must be using the Lever Applicant Tracking System (ATS).

Prerequisites

<table> <colgroup> <col style="width: 50%" /> <col style="width: 50%" /> </colgroup> <tbody> <tr> <td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 453.477px; height: 22px;"> HackerRank for Work </td> <td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 496.523px; height: 22px;"> On Lever </td> </tr> <tr> <td data-cs="1" data-rs="1" style="width: 453.477px; height: 307px;"> Code Pair and Test must have API integrated (integration should already be set up) You must own an Enterprise plan with a Recruiter license. You must have an activated Recruiter type user account with Company Admin and/or Team Admin permissions. This user account must belong to a team with access to the test. The test needs to have a public or private test URL. </td> <td data-cs="1" data-rs="1" style="width: 496.523px; height: 307px;"> Global configuration settings on Lever: Create candidate List Postings </td> </tr> </tbody> </table>	

Integration and Configuration Steps

1. Log in to your HackerRank for Work account.
2. Under ****Test Access Settings**** of the required test, ensure that the test has a Public Test URL (accessible by anyone who has the link to the test). Refer to the [\[? Modifying Test Access Settings\]\(/articles/8915306379\)](#) article to quickly create a public test URL in case your test does not have one.
3. Ensure that Lever has been integrated with HackerRank Tests:

- If your Lever Integration(s) need to be set up, refer to the [\[? Lever - HackerRank Tests Integration\]\(/articles/7177093032\)](#) article.

![image5.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735338033117-image5.jpg-c9eab7d9-4282-441e-9fb8-9a924b456023?Expires=253370764800&Signature=g290Vf0Ck3m1kcf74I0-xMhw9JgfmOo3pLc1FlxdOVqdDEz1q6MOGyOCmv4SKloJS8J7Gf4-nAOeXEHigH1VSkemCsEPPYuh-KBdmJB2DaYjnVCJkfQWbJ-E5YJvzN6L1R-QpgpjVFsAqdklZMBRDhzUVx-T0psgq8bZnFEHnCeS3Mbg~cDrjuVqEaKpFAXxYJcEn8z~2IMpdsE0oaYRNpZ0fPUHPMCLBNsAPJSt9t6rpJ-RE20d2ZvEJzq5TdIcwaPFthRFPEqYXhpW6ihpz9X8-EeQVkmD~sdiCvWwh67oS5AZ0CatQOxpC-q86u~BOYzwT1DN1PuB6SAOWiw__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Then, within ****Lever****, you'll need to access ****Settings**** and click on the Integrations and API tab, to ensure that the HackerRank Tests integration is connected.

![API_Integrations_within_Lever_.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735338069383-API_Integrations_within_Lever_.jpg-531c2e45-d094-4cc9-ae21-480913694684?Expires=253370764800&Signature=b2pD7Dbo4pbpiS805qK2vXwn4Hlt85ZPJ6c~j7ggSiwTEwpq1ABlvC3MtrQ-QH3CV8HDxalBclYPIWivF7enjXWVK-G20oU4dZH0MoHg929~8ZeRxZa-NoKlyJLN2dHbhFgNyDENwmXR5pfHhAR36U4NZt7ZF-TH8yFSmiJ8PhguOLb2IW9rJf7Oeph05J3u8owqmAPDYcPfvlfHctBC~L-DpeUyNNZQ9anJtfxTFxj9SAF0yhqjgnt6dJT06WFeOod-j7rJ8neD2OX21Halpconkm0dDsWIXK65vEF09bbonQvqan9XTX~4luHvAtS-U6Ep1l9IXYP62JjbyJmMHg__&Key-Pair-Id=K3NV4LZ47N8M46)

1. After checking on the connection status of HackerRank Tests, scroll up to the top of the page and access the ****API Credentials Tab**** (At the top of the screen)

![Lever_Integrations_and_API__API_Credentials_Tab_Access_Image.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735338092215-Lever_Integrations_and_API__API_Credentials_Tab_Access_Image.jpg-3842be90-686c-4291-9ce0-3ade8c3266c1?Expires=253370764800&Signature=cFvGLQv2pZ0I7ZjKC1ipGeyE1SQtAWpkuJUHGXCCrYmhEE9Hnc~Sscp3HqQugheNCX5hRR0DemwhGIO8PDh5mlwR-rP9VzMdaZKe79xFVGZQLBXTD-IDtLQB0cwCUcEjVF3pMseAD81kc-kvQsL-4rAts0ultrr93FshNq11u09alHObQGg801t1-TMkQnvpE0oA6VrbzklHrDc6lRYZC0vGI~rUpRYz1EdjM2W3kEkmmkfGSWAQPGszjSpf6b0R2nrh1xIVgBOsMlnLgKwLYB1-8xz-bv~S23VvKjFUhAa0O5LKphvY7HNkTDcAl3KwIK7DaBTYwJn8tOKybqKg__&Key-Pair-Id=K3NV4LZ47N8M46)

1. From the ****API Credentials t**ab**, scroll down to the ****Lever API credentials**** section¹. (As seen highlighted above within the API Credentials tab)

- You'll then need to ensure that the Key that you'll be working with for ****HackerRank Tests**** and ****HackerRank Interviews**** has the proper ****Read**** and ****Write endpoints**** assigned, including both:

- Create Candidate
- List Posting
- The ****Read endpoints**** and ****Write endpoints**** are two separate sections, make sure both fields are checked in each section.
- Scroll down past the ****Read endpoints**** section (as seen below) to access the ****Write endpoints**** section.

![Endpoint_Sections.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735338121317-Endpoint_Sections.jpg-f71c5d9f-44c0-4880-9a05-bb9da97fd0a2?Expires=253370764800&Signature=eTQ0CUscUw0fil-OtxlMIT~wZ4DYGfQ8yxBbVbaKAb8eLGNbU0BnRM2yfixatFMfwp05xZjXcDgw9dWPHW5byYuwCHG6uD7yUjW3-n6C4cs3p6sAB7f8Pi7QIt0ow0nzt~-ysoes~oieXOviyGRCoh5clp1vpfYx26UZRsVSwB9cAA8KmHvZzGxxQBIXp9sgr9opKeQe7dWufIK5i4BWtLEW8XicxF5ZlJS~6mklus6yULOWPeOUF8iWN9qq8RFOGMQd6U-XOD6WkkuvD00hgilvESlridZJ0l3caq9CqCg834FVTagXXvp5QEjT-SB1TZI~31DPEHQ8ymo5GKPXw__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Select the ****Integration**** option from the left-hand pane.
2. Click the ****Configure**** option associated with Lever.
3. After you complete the configuration, open ****Test.****
4. ****G**o to ****Test Settings -> ATS integration**** and ensure you see the connected ATS.**

Clicking on ****ATS Settings**** takes you back to the ATS integration setup page, shown in the previous steps, to reconfigure the ATS or choose a different ATS.

![Connected_Lever_ATS_in_Settings_taab_of_test.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047085626-?Expires=253370764800&Signature=ufUwhWUVC1-5KEUIMPf8FdH~IVRb5QF050PVRvijZSidiMfqoXtW41i2bLitvgKH-zq21JEhxJfJSQtxfZ4m5T8XTDE94FsTMYMwqArWPq~N0IPXiX4Afs7ENamd8IKYWI3X7~H0utk7SqY3GgHwPKvisyVhNcxaU8BKihmUbP5l7xiavAkM9dAf8RNIUJFc2BDw4E4C3Y7KZEuk9pRos3xuYVWJov~igWMmK7gCZ5TRiRK1JwRYQ6omOljFQ8O8vRZReKCYSUt7wptw1an33jIKT86g8TafuHGQgxee9yhZnrwUxOg1fxS66~JmWUDR9zh4cEzqM89G3YG-2d6-REQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Selecting a Job for the Candidates to Take a Test

1. After the configuration, candidates taking a particular test from a public link are added to your ATS in this Job. Click ****Choose Job**** and select the appropriate job role for which candidates are taking this test.

![ATS5.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047086042-?Expires=253370764800&Signature=QsqxzU7TWCr~VQQPfPtfBLh1PBdj2SrJNqr1oYMLldt1MKXsb6TowzDnTdhX927hE7VLQOD2r-LtxF8U~GNfRBu5VzUK01~0lfglvgrVSH61pY84jwES1CY95x2mA4CpYNwANDjkNSqiTLxYqUMttfZjXRxCb55EQGTHtPS~mFxyR0sSq2l8fYk1Mr-seV9RIB0~rXhggAd5cQ2B~h-KHktUaTJPIGUNj6SRgdU2GJLe8bUgC578ohSBX175X5ltrPICfk0oSVBjbSVi2FzZp1V8rMI8KtJOy3~yoRVxfGn8ymI4zwro1~A2qj-sBcrkrMjehTjOc-F8J89F8Ewww__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Mapping a job from the ATS to the test can fail under the following circumstances:

- ****The job has no owner**** - You can see a prompt screen where you can assign an appropriate HackerRank for Work user as the owner for the job.
- ****The owner of the job does not have a HackerRank for Work account**** - You can see a prompt to create a user account.
- ****The owner of the job does not have test access**** - You can see a prompt to add the recruiter to a team on HackerRank for Work, thereby granting them test access.

3. After you choose a job that is mapped to the test successfully, the candidate test reports are pushed to your ATS. You can change the job that is mapped for the particular test, or remove the mapping.

![Change_job_-_ATS.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047086332-?Expires=253370764800&Signature=EMJBMtvixK373c5tWiZgdsS1281e78wp-y4x1XMqma2Fdgtx99N-81fLWoolEXH-fCTGZkwPgZZDbafvB3HmaEqIp331sQNwab7PLr53szwZu9~CwfoMqU8bHvT6ShuQISYIZuaVnMGeJk665Y07BAnA415JZPzNUqv76aZLR3ky97T-GR~yVrFY4aAMsDn3UgLFAsPfUYVmEzzWxKfL7uaeMKqgLsqQ5nVLTmPfc38-sS6o1wTqooRCWtPQ31BULgnVO6JMB49q2o3pIP0i018QsU~UPrHZmRZpG6hqoV3a-e0SCLRSbyZnEfzuYx550-73iPPdVLwOIA6wvwnQA__&Key-Pair-Id=K3NV4LZ47N8M46)

4. With a successful test to job mapping, on your ATS, you should be able to see the candidate test reports and other details every time a candidate attempts the test.

For example, on Lever, sign in and navigate to the ****Candidates**** section for the job mapped to the public test link. You can see the candidate's test report, score, and test name as shown. This information is also available in the Activity Feed.

![Scores_in_Lever.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047086880-?Expires=253370764800&Signature=El7aOxjbFe11Ovky56cBkBeQEQLQghZZKlvEhvii3uKnwluFME26o8dSkbP4yxAus8fpzcw~I147uXd897J7RzmLylCpJyKU34LeylZZeSNe830oODX8UGzqbM8njWjuKQTao-EHWULikWnlBRhNUSti9MU5qTPBte5j5pAgtT6f7VaUtWrP4k7R4YZR0XjEa0F2AWyxXCb2PEpyJyVSEjldhmqtC1ca-9UpEoR6vNsVNxDfFLAz9qk2EaBazdmAROMNGRW3aD1yqDfJ9mZgmr4CMylKlxiN8h6Cgf5oE02vHQAIGdOd6wtKliiyCCOpq9zy3xCbP81Myptmq~T5w__&Key-Pair-Id=K3NV4LZ47N8M46)

[integrations/applicant-tracking-systems/lever-v2] Lever V2 - HackerRank Integration

title: "Lever V2 - HackerRank Integration Interview User Guide Prerequisites Scheduling a HackerRank interview from Lever Viewing Interview feedback in Lever"

title_slug: "lever-v2-hackerrank-integration-interview-user-guide-prerequisites-scheduling-a-hackerrank-interview-from-lever-viewing-interview-feedback-in-lever"

source_url: "https://support.hackerrank.com/articles/5269579148-lever-v2-hackerrank-integration-interview-user-guide"

article_slug: "5269579148-lever-v2-hackerrank-integration-interview-user-guide"

last_updated_exact: "Mar 12, 2026, 4:26 PM"

last_updated_relative: "Last updated 1 month ago"

breadcrumbs:

- "Integrations"
- "Applicant Tracking Systems"
- "Lever V2"

Lever V2 - HackerRank Integration Interview User Guide Prerequisites Scheduling a HackerRank interview from Lever Viewing Interview feedback in Lever

Last updated: Mar 12, 2026, 4:26 PM (Last updated 1 month ago)

This guide outlines how to use the Lever V2 - HackerRank Integration to schedule HackerRank interviews and review interview feedback directly in Lever.

Prerequisites

Before you begin, ensure you meet the following requirements:

- You have admin access to your HackerRank for Work account.
- You have admin access to your Lever account.
- The HackerRank integration with Lever V2 is complete. For more information, see [? Lever V2 - HackerRank Integration Guide](/articles/5647291926).

Scheduling a HackerRank interview from Lever

To schedule a HackerRank interview from Lever:

1. Log in to your Lever account using your credentials.
2. Go to the **Candidates** tab.
3. Select an existing candidate or click **Add Candidate** to add a new candidate

!image (17).png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1f4ecef9d-98ff-4080-924b-7149e219ac9b-1773126510052-image%25252817%252529.png-981243bb-a0be-413b-96da-88e8f42d36e2?Expires=253370764800&Signature=jxGS2hZ0Xkf-FkqJs8ivIA96z-cVCFftwKRskzGhR7ZdVgrA5EtrUPRY9K2ZZJAK9BLCBsrtOQtJaEMeH-fN9kqplA0dsf5paieewaX~GiQQLpcaJ53cTjMqvQXa~Wl06kh71N8VBzE6SZ6JGGHbRQbck59UCwu1sKBoBNWCq0LdQHjlYvTjmBI~MgnOikhRQO8PT~1PB7P9bEKHfFI351D1LKI3h4lIFFTgpy8BlDOVBZWFG92KHgRT9K8EG0YQbQwOR-06nf~la1CccwRw~LnefEEjRUHVtSFYhDwdCfo~uxz-k91mDPjzb4SD9i8VsGMMAKspPQFuKzZulbZSw__&Key-Pair-Id=K3NV4LZ47N8M46)

- If you select an existing candidate:
 1. Verify that the correct **Job** is selected.
 2. Verify that the **HackerRank CodePair** tag appears. If the tag does not appear, click **Add tag** and select **HackerRank CodePair** tag.
 3. Verify that the candidate email ID appears. If the email ID does not appear, click **Add email** and enter the candidate email ID.
- If you add a new candidate:

!(image (18).png)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F4bfaa58c-a9e1-41fe-857b-c4dcd70f06be-1773126589606-image%25252818%252529.png-a85e8fb3-ccdc-4e8f-b47d-9eb630f08421?Expires=253370764800&Signature=huzlRU8ERjesK1CsFJvU-2SzK1rXVXtN8seot7odtZKG4CKSIktUUUjEJs~cu8oylC9bmDKEc3WISnrL~4O8-IKaZiOWyGwx80pmk9brZ08BjN9pLH1RnTn8Kta5RpB-XNjDXPhWRIFlaVnRB4V-wHgnAb-l3nLoiqUVIObsKSEkaeqm8S9IGGO~gjPYbNOMwFFRVPQvcnr1~6cJ2YvQB6dAHHzdEAdHPP86wnyAbtTHKjPUeVGXzeju5PX3~HnO5KC8FEFfef-SZ~lckAEIzHNj3ZhPRTN-rDnWUY8hr7YS2lmKSlkA0AJCbiCydglOIMg4StFhqYsfAr5Zr4jg__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Enter the name of the candidate.
2. Click ****Choose Job**** and select the appropriate job from the drop-down menu.
3. Click ****Add tag**** and select ****HackerRank CodePair**** tag.
4. Click ****Add email**** and enter the candidate email ID.

****Note:**** Some jobs automatically add the ****HackerRank CodePair**** tag when you select the job. You do not need to add it manually.

4. Click the schedule icon.

!(image (28).png)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fcaf63cd7-12ca-4571-b07a-a0530bde8e83-1773126628161-image%25252828%252529.png-fba213d8-0c39-4fe1-93b7-e6c06ad1167e?Expires=253370764800&Signature=BeB7-0RssFyDgf6cm6WGi5SEAWiElitGOJNYy30mCNUg8f-GiEG~wpPFEj872XWMdNYfy9JrkKfONmXdRPJ3q34R0V-GYY6HpDQy8~FACxf8xRmG3jViDsQ4Lik0cysKT3-d9TYdnVjA0518egMSVEMvTm-xTDg60Lnh-wbnKixJKKoNMwTjtEvcPX7x5Z7I11piv6~XVslqEG3TKBVXSB7V8GmUgXYwqjKvCMykgZjqL6zhriN29DYN45HI4SelpFVteq4SdtgW60shqL0NmbYFei5~xs0NC8GdUH935IZMq24lgpCCIYvUboRREB3j3WHK8KeejKOIZsTM~HKGRg__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Select the interview date and time.

!(image (26).png)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F0d733a06-e05b-4603-b655-353912796b69-1773126667693-image%25252826%252529.png-fe208d60-a01f-4247-a8a3-5ad71cc80878?Expires=253370764800&Signature=B3zl3xJgmjXCKMtS23aWYfE6NyNTh6fzJt3xHgrmxH3Bk1x3WsZQH1eVeeSXGSR9Ugl748Nik9spqwoNQeUlux3LEhRB5Hz5Rcpdrs2nU6QF8jkLX1K6ZvRtADSBt3FGyizvXhgCiFJv37PwOPxHfOOkMwSTxKXwURnLraQoKmW11Ai2A8JRuz-tYzImnpDgCT6zj17P3F1uGdx e9LC1iBpOASLZxMWNxUJXr-jMEpk-cVu3D3zEgrOoGdBQy2e5YzBR8qzozoNWHGi9IoQyQ7ePYhRVTUO-GtEe9IkkipYqa0xRDgg9sszWsLhaGnxF9~gjbNqmilvFXSOmCqrw__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Add interviewers.
7. Select ****No feedback**** from the feedback drop-down menu.
8. Click ****Schedule****.
9. (Optional) Edit ****Feedback reminders**** and ****Visibility**** if needed.
10. Click ****Preview****.

!(image (21).png)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F90d04d7d-02e1-4437-8810-be37e100932f-1773126696471-image%25252821%252529.png-538e4b9a-5fbf-4a0b-9034-7b12ce3ad315?Expires=253370764800&Signature=Nc7kPnHOQW-2~3scqUb7URZzIQBXvRD0kro5FQoXStWlVNIfl2aZAKMw6GexLpSOsXpOSjE~PLblu0H1lvPHni6mSK7wwhHIK3yql0QGezeZm3HflThBcvBk25fiKLMGNsQalqPGyaNU7-Bz9iT8jgQ37cy7KPhhVPrsXFaikZxH3PSA6XC00C-Fx1sCO3T7lvV~3nqMuxjnR-7BWHUXFTanW6RU4rSNSQPb614H9Pw7hwWOV51o57ETJD4j9FhDRIZ-y4~Q6zaeRk4Emg3164JdAZikFIDDdZpPuAlmlLgDzR3nhX~dqrN1yQWlji1sKgrBrIF7RIglmWcKtKA__&Key-Pair-Id=K3NV4LZ47N8M46)

11. Click ****Send All****.

Lever sends interview invitations to the candidate and interviewers. Lever also creates the HackerRank interview link and displays it on the right side of the candidate profile.

Viewing Interview feedback in Lever

After interviewers complete the scorecard in HackerRank and click ****Sync to Lever V2****, Lever displays the feedback in the candidate profile. For more information about using the interview scorecard in HackerRank, see [Using the scorecard during an interview](https://support.hackerrank.com/articles/9842091173-interview-scorecards#using-the-scorecard-during-an-interview).

To view Interview feedback in Lever:

- 1. Log in to your Lever account using your credentials.
- 2. Go to the **Candidates** tab.
- 3. Select the candidate whose interview feedback you want to view.
- 4. Select the **Feedback** tab to view the HackerRank scorecard.

!feedback2.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Feea62f30-5e62-4e2f-b630-c2504b2b5f07-1773126765593-feedback2.gif-4f303eca-7ae2-45e1-a9c9-7691d1c59615?Expires=253370764800&Signature=tAEBB7SbFuE9nNAc hJuHtF58hof52GXm~X4j5MHD~l~PCPQqJh-yVWMtLHD1jhOYESrQvmEQnYLXTQxw~8SOlcUnMLzsdg7n6LEIKIY7tU3kGz2yCBNT m3Al8yE3-xjpK8swDnySqwhjajhc0~049-uASA0R5RFhKXi3UPP1W0s3ZoYoMHQ0ypDJKyY618Qu6nMj1IY-eQqRGLQh~ArwbVqD8 NrKbtkwPQbbhGvfDxoNF0ltk7qXWfpb3gq4fnQlgGyOvtOtyl2e~ynoxhLAsh4Z2QRyMwsP9s~V1IRObrsoEpKxej0FJdk0EFkhRyOCSk 1axexUHNayTrBFcCaIFg__&Key-Pair-Id=K3NV4LZ47N8M46)

\

\

[integrations/applicant-tracking-systems/lever-v2] Lever V2 - HackerRank Integration

title: "Lever V2 - HackerRank Integration Guide Prerequisites Integrating Lever V2 for HackerRank tests Integrating Lever V2 for HackerRank interviews"

title_slug: "lever-v2-hackerrank-integration-guide-prerequisites-integrating-lever-v2-for-hackerrank-tests-integrating-lever-v2-for-hackerrank-interviews"

source_url: "https://support.hackerrank.com/articles/5647291926-lever-v2-hackerrank-integration-guide"

article_slug: "5647291926-lever-v2-hackerrank-integration-guide"

last_updated_exact: "Mar 12, 2026, 3:22 PM"

last_updated_relative: "Last updated 1 month ago"

breadcrumbs:

- "Integrations"
- "Applicant Tracking Systems"
- "Lever V2"

Lever V2 - HackerRank Integration Guide Prerequisites Integrating Lever V2 for HackerRank tests Integrating Lever V2 for HackerRank interviews

Last updated: Mar 12, 2026, 3:22 PM (Last updated 1 month ago)

HackerRank integrates with Lever V2 to allow you to manage tests and interviews directly within your existing recruitment workflow.

With this integration, you can:

- Create and schedule HackerRank Tests and Interviews directly in Lever.
- Sync statuses, feedback, and scorecards automatically between Lever and HackerRank.
- Cancel or update tests and interviews in Lever and see those changes instantly reflected in HackerRank.

Note: This version replaces the [? Lever HackerRank Integration](/articles/1538275190) and removes the need for manual webhook configurations or redirect-based setup.

Prerequisites

Before you begin, ensure you meet the following requirements:

- You have admin access to your HackerRank for Work account.
- You have admin access to your Lever account.
- Your HackerRank login email address matches the email address associated with your Lever account.
- Your organization has an active Enterprise plan with HackerRank.

Integrating Lever V2 for HackerRank tests

To integrate Lever V2 with HackerRank for tests:

Step 1: Generate an API token in HackerRank

The integration API token allows Lever to connect securely with your HackerRank account.

1. Log in to your **HackerRank for Work** account using your credentials.
2. Click your profile icon in the upper-right corner and select **Settings**.
3. Go to **Integrations > Lever V2**.
4. Click **Connect**.
5. In the **Configuration** tab, click **Generate an API token**.

generation.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F30246bb1-dcd6-4a33-b361-e28620d08d86-1773300139776-leverv2apigeneration.png-365a168b-806a-453c-8a52-10deb285ddd6?Expires=253370764800&Signature=lbF~BZgsnPJ73q1WO1IHhBgSwsbbjec4X4PIId0-1O3ExmDR61kXJUiZCzBbeEUM7Zi~jQEAhTn02BXeJQZXaflTtINddjp6MXq188yy3NCBjv6iwdRBixSI3CZlvqqSRablUns9UeHIH4DfH7bnUBOYTP7VBrHixi2JyGCEWEu~V8x-moHxPu0f9E3pgXD3giGUPHoEj6Pxc6bpljKgcjJw~d49cXUZF6GN6kRgXqGbFKHt3WZYrQJIdUhzcyO2cs86KjwJObJEvpRobgJUlePAJoVvOsnWY9~-8W0jfnN4lsstYJRg9C5p4Ex5OocKvJvUNG-VcjU6YdcTsokw__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Click ****Copy and close**** to copy your token.

****Note:**** You need this token in Step 2: Add the HackerRank API token in Lever.

Step 2: Add the HackerRank API token in Lever

This step authorizes Lever to connect with your HackerRank account.

1. Log in to your Lever account using your credentials.
2. Click your profile icon in the upper-right corner and select ****Settings****.
3. Go to ****Integrations and API \> Partner Integrations****.
4. Turn on the ****HackerRank Test**** toggle under the ****Assessments**** section.

![[image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F02d02e4e-ae1a-4008-b8eb-30183d82f51e-1773300404810-image.png-79c0aabb-c681-4403-a1a9-205726ba6798?Expires=253370764800&Signature=NRaoNAWLP-WtiZrq4eUWwC~XZD0suNdeHxtyBCdxzbQ1I-9Dc4dwzQrKnUyuQoiE4N~3UzU8hGxyBHKMjVpv12CfLnKliR6E0hgaMr5ZgeDC2akFptGFOWcZjS4qJ~KqfjXvevPVjklX6bDrHTwyUSL0812kiRbC3~qK5UE~ZFqOfumYt~biS62JqwQqKfcb1ocGhuBEI26tJtcnEldWS190MWGpnIpuOI Dh19IXWsg3I71rSFYol-4Mla1UBra9BRoKsKOLK7gikW7LzPclv6DBWcENC7hRyJXXNjwr4ATI~PezaYFDFLwyxnmzIN5Pe18JGdw WPrRh4rr5zA0kGg__&Key-Pair-Id=K3NV4LZ47N8M46)]

5. Paste the HackerRank API token into the ****Access token**** field.
6. Click ****Verify Connection****. Lever displays the status as ****Verified**** after the connection succeeds.

Your Lever account is now integrated with HackerRank to schedule tests.

Integrating Lever V2 for HackerRank interviews

To integrate Lever V2 with HackerRank for interviews:

Step 1: Generate an API key in Lever

The API key allows HackerRank to connect securely with your Lever account.

1. Log in to your Lever account using your credentials.
2. Click your profile icon in the upper-right corner and select ****Settings****.
3. Go to ****Integrations and API \> API Credentials****.
4. In the ****Lever API credentials**** section, click ****Generate New Key****.

![[image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Ffe37cbdbb-ac5d-414a-881a-aba0caa93aa7-1773300533063-image.png-687aa40f-f137-492d-9fd4-c2b62aff1eae?Expires=253370764800&Signature=fAwTSeXazj7vAgicm7rQ1cfKShfdkwO0IKWUMRs~oxjXLX5TqMGTY4cW9N46DyWXElfeXUExudZBux7kDDWeFPshhmSK9S7Thw1SaApg7WxClu6fmndFRzS-4S I91EXCvcjBORRwHlazTAULJzl6c5wD0sTdp4i1LM8X8SA~oGxxKmHqKcN45RtF-77HgoB1SXnOz~3i5-Ww3ciQrrv5aNxJX43dvlcesN nI5HyLGG2tfZdQkbtWPLxXNgIba8io2eoYpL-igSojF9BGKX03uYHUOtwJLbHzdeCZIMdK1Emelug0jppqO9nXWFpgJFiJEbl7DZQf-9Fk 8RMJERDIJkw__&Key-Pair-Id=K3NV4LZ47N8M46)]

5. Select the required permission listed below under ****Permissions****.

![[image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Ffa5d5e83e-7421-4ebe-928b-6f6e5926c0f6-1773300596965-image.png-580cc5b3-b4cf-487b-8f9f-a357bd8404ae?Expires=253370764800&Signature=M8Rf8qCV20jiBGs2Kr13LyD9FuM1yBg5BRHgwQZ9542HFdyfGR1pbOeJ2~EuzhTCUPb6W1Igu0MuE3k0OLIOhhUiBzLwNuwTiFAvOn~ZC4-Tt2aH7IiliQC5Y6Xu koieWnG9VzAQ6vkke1NCYFpQCr9FUR87yH~3T1613jo~rnfqHwDltMhGKIIGxyFbTtM05IM~hUL-tQv2sE7DdEk3k0APG9falNmp4OIK

lebEDi1pLANyKtDS5UT8kXzKCfN-Y-8p-68DNdlqwlulgrkdncDYhKti-ho8sLf-XMMvKVYVOFWL6u9I4rZQoBljFdglRjLfwjUwP-t32WZmhjD2Q__&Key-Pair-Id=K3NV4LZ47N8M46)! (https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F5ea97828-55c8-4faf-bdf9-83241378333d-1773300585141-image.png-a08b7565-3d51-4010-b007-584b35a9ccf0?Expires=253370764800&Signature=pBu69PKeYETR6kmM9QCKeJtyTWDP~kftMgFx3ZzYK5809JMX9T83goeN0J5VJT1y~7YVjtyfbkqLTPPB~CHiuvXrR-44M8wC0imCQDDunj~ssnvofyIgT1taRhYS4678qKM7rCmqug5XBc-fSEihNThKjw9zHEogsOrsefSjHvVEMclD-mWvoRraND-RFYedYuFzmltZ-2Lm4qvcIRb9SnQ8R3RutbJUz61ybSULcfyoq8jVDZH55haOhVg3AP5kODOU87WqKc0JIW8lIXKpeHBH4MWwaD0-10BBvbPEly1uVFUAeQn~aeGMte7mHZPxYCyMne4~w8bzVhuhnrErw__&Key-Pair-Id=K3NV4LZ47N8M46)


- **Read endpoints:**

- **find an opportunity interview:** Retrieve interview details to sync interview status and updates.
- **find an opportunity:** Retrieve candidate opportunity details for interview creation and feedback mapping.
- **find all webhooks:** Retrieve existing webhooks to verify configuration.
- **find all feedback templates:** Retrieve available feedback templates.
- **find a feedback template:** Retrieve a specific feedback template for accurate feedback mapping.

- **Write endpoints:**

- **update an opportunity feedback form:** Update candidate feedback forms after interview feedback is given.
- **update a feedback template:** Update an existing feedback template when required.
- **remove opportunity contact links:** Remove interview links when an interview is deleted.
- **delete a webhook:** Delete an existing webhook during integration updates or cleanup.
- **create an opportunity feedback form:** Create and attach an interview feedback form to a candidate opportunity.
- **create a feedback template:** Create a structured interviewer feedback template.
- **add opportunity links:** Add interview and report links to a candidate opportunity.
- **add a webhook:** Create a webhook to enable real-time updates between Lever and HackerRank.

6. Enter a name in the **Key name** field under the **Confidential data access** section.

! (https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fda175f6f-74c1-4e4c-b916-9b2d59d3fe9b-1773300637411-image.png-752a80b1-566d-44cd-8bb4-634c19fb1119?Expires=253370764800&Signature=IDHbIfWpNACdNwefsCBOGETFAvDz2Pxl~t13yX29LOI-nEJlwwDKrVHI6hEnB5f9~efyRHnZY9vjF7mU0A7pFryGyMnriiR0xasNEz2Ik8S9tOgPHDFfh4eMLyWAXrbLQDTmWgVn6pMAltPVS0Sk1cD7rUHXm9cWhiVmQgSk-JvR8TcOdJ9e3LifxSnSm9zcof6Y0uUIF5QFL2kM-MqHzyuMUdBwFfgJ-0RcSj7kWW6a3s5BNnAiDcEcRo341CeGxhO1D7nehQg~CcliTpkWSJmT0LC795YNwYq1Xk5gmh0MEltzdHYFJJiTFIczEWRGpVSV9MQYvk~53gqRo8oJw__&Key-Pair-Id=K3NV4LZ47N8M46)

7. Click **Generate Key**.

8. Click **Copy Key** and store it securely.

Note: You need this token in Step 2: Add the Lever API Key in HackerRank.

Step 2: Add the Lever API key in HackerRank

This step authorizes HackerRank to connect with your Lever account.

1. Log in to your **HackerRank for Work** account using your credentials.
2. Click your profile icon in the upper-right corner and select **Settings**.
3. Go to **Integrations > Lever V2**.
4. In the **Configuration** tab, paste the Lever API key into the **Lever API Key** field.

! (https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F2e6c837f-ace1-4921-87d5-57475c868f18-17

73300813053-image.png-974900c2-e2bf-4e28-9ad3-74e20390001d?Expires=253370764800&Signature=sPVF5YzC836y1-g2XahCH0MHzXIJHkKEpbpAmGPYHmvKilgWUblhj7XydhxcDWyKNSUm2KNYNnoFwl-zt3uRw9ilZ1XUVn7NZDKe859rB2d-T0XVkdzMQf-jmj8XQWn8BfhsJmNbAq25BRVwnAxTsw6-HFrqzJBqvppGCWFT7pH6KVkiHwAx7iNhcLjOkd0VW7Orj9Fp0IKGr-k-skDzhhi9iNSJ0HjfbS HxrPzWXgeZ-KMWa6am3l-e42Zcxwld49FkrdsH4UWRP00n9hsmVypH8cz2ehyaFExBfJrdsh4WOFbmf37WZfPdsbGiwKqUplZsnCOlri BkevJrlkCjQdvqQ_&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click ****Save****. A success message appears.

Your Lever account is now integrated with HackerRank to schedule HackerRank interviews.

Note: After you integrate HackerRank with Zapier, refer to the following user guides to create HackerRank assessments and interviews:

- [[Lever V2 - HackerRank Integration Test User Guide](#)](/articles/6548604920)

- [\[? Lever V2 - HackerRank Integration Interview User Guide\]/\(articles/5269579148\)](#)

/

[integrations/applicant-tracking-systems/lever-v2] Lever V2 - HackerRank Integration

title: "Lever V2 - HackerRank Integration Test User Guide Prerequisites Inviting candidates to a HackerRank test Viewing test results in Lever"

title_slug: "lever-v2-hackerrank-integration-test-user-guide-prerequisites-inviting-candidates-to-a-hackerrank-test-viewing-test-results-in-lever"

source_url: "https://support.hackerrank.com/articles/6548604920-lever-v2-hackerrank-integration-test-user-guide"

article_slug: "6548604920-lever-v2-hackerrank-integration-test-user-guide"

last_updated_exact: "Mar 12, 2026, 3:31 PM"

last_updated_relative: "Last updated 1 month ago"

breadcrumbs:

- "Integrations"
- "Applicant Tracking Systems"
- "Lever V2"

Lever V2 - HackerRank Integration Test User Guide Prerequisites Inviting candidates to a HackerRank test Viewing test results in Lever

Last updated: Mar 12, 2026, 3:31 PM (Last updated 1 month ago)

This guide outlines how to use the Lever V2 - HackerRank integration to send HackerRank test invitations and review test results directly in Lever V2.

Prerequisites

Before you begin, ensure you meet the following requirements:

- You have admin access to your HackerRank for Work account.
- You have admin access to your Lever account.
- The HackerRank integration with Lever V2 is complete. For more information, see [? Lever V2 - HackerRank Integration Guide](/articles/5647291926).

Inviting candidates to a HackerRank test

To invite candidates to a HackerRank test:

1. Log in to your Lever V2 admin account using your credentials.
2. Go to the **Candidates** tab.
3. Select an existing candidate or click **Add Candidate** to add a new candidate

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1773301972977-image.png?Expires=253370764800&Signature=Ilj4drxCVb1XtH0gx95JDWHzTviEAmolift2~QFIhzaD3CApxOUkphQrfkpNua7Z~i9AX7MU1Ap7FJoe0NXlrKCqgXEFXgRQYqQHg-suttZIZbd6GlwYHJMzhhFwZKNs-00fMZd4gyalh35lboj-k~TLrrkV0uHZW9kXxD1RcZ8FwBjXp9-HNLwBoXmzl5FwJcl~4BrVXqVkwHW1akjx~vJSmXDiz0hZdloxJ2YbuQ896mmT7KqfpQ3h4UF1i3Wte9ox1XTxEPBMzgxlt7sjsf0Y75wxddnz6GiDTmRsbANkF6VR3a4qxr36jHOSK9sWoxkK~BgA7Z-z6SdhsCIQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- If you select an existing candidate:
 1. Verify that the correct **Job** is selected.
 2. Verify that the candidate email ID appears. If the email ID does not appear, click **Add email** and enter the candidate email ID.
- If you add a new candidate:
 1. Enter the name of the candidate.
 2. Click **Choose Job** and select the appropriate job from the drop-down menu.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1773302167534-image.png?Expires=253370764800&Signature=MaTiTQluV4sbRDtguJQ5bD7qP94V6Ky9ReFffl-ArN-1nXyCBQtp9JVEu-koKUUYtJQWGfaJYI1FIGBZByo4UqGXFB4BUMWIW2ijRxcwE1MrUxE27s8VoJDQmaU554U4IDZdc~1SpDzZcayC-OskocNEi0SOz~PanRTGvDBRMqsOYx7PH0vHndJe~MdBwa5Bs9aqH5E8O5qlkgPZ~lqa0EIhP0izPpzcMiC7qaEoiV9hOR-8tP7gPI7bO~XFIKVK4likov3P7yfQtpvgLS1JREUf0lqCNaiD380l8CkXK5DvITes7b8iaCGuLUKlXfHZS903uy9oHocD9lAyH4noQ__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Click **Add email** and enter the candidate email ID.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1773308313352-image.png?Expires=253370764800&Signature=gYmEb5K-ROJmtaHvXCnfXV8UJ2iOicAnLQvP217Z~dXg3FH9WufHrrjibesboYv1McCrMb~CYneHHztrMkh56TielrjsHXsdChf4cQ7jLUc3yFb~ESm9YdeKh9UbFVxJ8O04dmlR50lfY5ke0658CHe0qGdCQHfxpY1Onsx7XlgiVoj0Pwr0FiacqwexOEIL0kNUXki37jLcT7qNuenwMmx9NfvUPH4soNbR9oGAZZTArm0LbhQbkYuc3UW5bsd7auyYO7oAFWIqwOTLECSIdNdDb8sgXreKP2gbOg130lUVGz~SICLQs6o3RLyWNyIq1~HYdS2cFw5FVMJjDLaGTEA__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click the more option menu and select **Send Test**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1773302543404-image.png?Expires=253370764800&Signature=cA6HHpaEbXV4ft~8J7nKsUd-GcAiBs6X9qKN0A88rwdHv-u2~EimSOjnbugouWhl7jsSKQqyntzPKXpelkKisnb11n4s2ALJrFSZEC8FAbzgJcZKL6armwXrZkQ2CEInwwDHbItYymyeten0qrSZg0BoUsakQyc2U9fjvgJs~kJYi-4KWgxZdOfS~YMaEzetCDaryQ3w9EnzcgYXG1rOkI2bAPuj67g14iX15eS5YRyBf99N8zCw1RcJ5kyC1QB8IVy1GQZfhAEt1OglKzNjEjsMUL9n5WLyXLu2ytileSnm-C8RzS22~H5RgaSagdMMcZdBuMTYTW3ROY0gfv5sVw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. In the **Send test** dialog:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1773303091640-image.png?Expires=253370764800&Signature=oKsAgFyirTsK7tB3ypdJ5rGu~LyhGkMY3bdXK-6e4SLG7ztdlrGgno6ZGf66eZcbtCStdLEvjVaQfwYsnFpzFzSrBNGb1OfMW~nTlv7ywFXxH7Ot~yAezS2wCUvmbaJdNL~3giP~jyLxs3yqsJUqwx6CtzvQJAVpWdEBEJbCdXzV4gHksaE5SDHc1ayNQyqX4dqkAQOkE3nW5-WBw0SZ2AqDtrA9PP9-OEZu36X2Jv7obAyrBCKGcPNRtZU5ieItH-bx1PU88BnDMY7WZ7IPFThTYApc2eeXf~8hQpwTpkVCO~LSOz8s~C92XVW-JFgVKvAIHcGuYJaoenODDL5w__&Key-Pair-Id=K3NV4LZ47N8M46)

- Select the required test from the **Test** dropdown.

- (Optional) Select the checkbox to send an additional email to the candidate.

6. Click **Send Test**.

Lever sends test invitations to the candidate. Lever displays the test invite status on the candidate profile and provides an option to send a reminder email.

Viewing test results in Lever

After a candidate completes a HackerRank test, Lever displays the results on the candidate profile.

To view the test results in Lever:

1. Log in to your Lever V2 account using your credentials.
2. Go to the **Candidates** tab.
3. Select the candidate whose test feedback you want to view.
4. Scroll to the **Feedback summary** section on the **Overview** tab to view the test feedback and download the PDF report.

Note: You can also review the test feedback from the **Feedback** tab.

Test feedback

The test feedback includes:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1773302816577-image.png?Expires=253370764800&Signature=EyxV6~0zkQYYm2PLmfBYk6pliUUX6Dpuwo0TiXTEZBwa4yxOBTtdkYX70ZA0oxg8ITMJJEKmxOwboPqk6mfdAsOWn7ZwApZiYr0JBo~oYGzAtRIG0xgrvXbDUFP8Etic~vPsrImS2FFKRfrv2JJeSgk8nRc5f80vWmL8m4CCq4Mbqfh-uTCWHbF6H5gtovVK4HbWOMD6tQcs8VWTd~FM8P1mL-XVBTphijrJ2MbPasIUONdPBbikWzszto4o1AW0qfJ9rJbFE~fwBFpcqFvTuekdNAS47dumceOSDhi7f0p~hsB~Ay-J5Nw6TA0ervMSnXJN5e~lGkpfXwhSb6zaka__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Score**: Candidate's final test score.
- **Candidate feedback**: Comments submitted by the candidate, if available.
- **Plagiarism check**: Indicates whether potential plagiarism is detected.
- **Start time**: Time the candidate starts the test.
- **End time**: Time the candidate completes the test.
- **Total time taken**: Total duration of the test attempt.
- **Link to full report**: Opens the Detailed Report in HackerRank.
- **Test name**: Name of the assigned HackerRank test.

PDF test report

The PDF report replicates the **Detailed Test Report** and includes the following information:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1773302931936-image.png?Expires=253370764800&Signature=K2rnrqMim7UsOjr8Q8afhtsHBW0P6bXHERMwfaaKHMKPxCd59Fk5niuM9RzHMFfTnNtHXewJMFYIEzhCxULOhZrdIOIW5XGkK7x8y5jRv7FGLScpxpawQo1Nk3BWjVnfC5xqlGBF4H0IzpzEU5tqElmcMXMy~n0uwUxOTOtrxm3x--5uqmcFkHwDuJ3JssnEjWcQUbmHiyjVJGoeyy-7pGblcu390X~57Iq3hhzWhEaJVk5UgnycvyWfbFcrCh74lex~tUmORnBdqESVTuMWpOis9WlgOvYu64eTHwpswXRnjEgP-lt69RgWrzkVYuFPFyPRBA5g~PNeBhSku21YA__&Key-Pair-Id=K3NV4LZ47N8M46)

- Score
- Candidate information
- Skill distribution
- Tag distribution
- Questions and candidate answers

You can also access the PDF report from the report link on the right side of the candidate profile.

[integrations/applicant-tracking-systems/linkedin-talent-hub] LinkedIn Talent Hub - H

title: "LinkedIn Talent Hub - HackerRank Integration"
title_slug: "linkedin-talent-hub-hackerrank-integration"
source_url: "https://support.hackerrank.com/articles/2757478179-linkedin-talent-hub---hackerrank-integration-"
article_slug: "2757478179-linkedin-talent-hub---hackerrank-integration-"
last_updated_exact: "Dec 27, 2024, 6:31 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "LinkedIn Talent Hub"

LinkedIn Talent Hub - HackerRank Integration

Last updated: Dec 27, 2024, 6:31 AM (Last updated 1 year ago)

Overview

HackerRank integrates with LinkedIn for Tests and Interviews to facilitate a seamless interviewing experience to schedule remote Interviews from LinkedIn. Users can also send HackerRank Test invites to the candidates. The Test results and Interview feedback show up directly inside the candidate's LinkedIn profile.

LinkedIn Talent Hub users will be able to schedule and start technical video interviews directly from Talent Hub. This results in an efficient interviewing experience for the hiring team and the candidate.

Below is a list of features that LinkedIn Integration offers:

Test Features** **

Feature		LinkedIn Talent Hub
View the Full list of HackerRank Tests		☐
Invite candidates to a specific test		☐
Cancel an invite		☐

```
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Reinvite</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Status update from invite to completion</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
```

```

</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Templates</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><p>user default</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><p>user</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Update results after editing HackerRank</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%"><p>Result sharing and validity</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%"><p>Add Time Accommodation</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>

```

Interviews or Code Pair

```

<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 76.1613%; height: 33px"><p><strong>Feature</strong></p></td>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 127.398%; height: 33px"><p><strong>LinkedIn
Talent Hub</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 76.1613%; height: 31px"><p>Create CodePair link</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 76.1613%; height: 29px"><p>Schedule CodePair Interview</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>

```

```

</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 76.1613%; height: 27px"><p>View Result</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 76.1613%; height: 30px"><p>View Scorecard</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 76.1613%; height: 29px"><p>Link to the detailed report</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>

```

Reaching Out for the Integration Help

To know more about how to integrate LinkedIn with HackerRank, you can reach out to the HackerRank point of contact or raise a support request by writing to support@hackerrank.com.

You can refer to the [? LinkedIn Talent Hub - HackerRank Integration](/articles/2757478179) article.

[integrations/applicant-tracking-systems/modernloop] ModernLoop - HackerRank Int

```
---
title: "ModernLoop - HackerRank Integration User Guide Prerequisites Integrating ModernLoop with HackerRank Using HackerRank integration"
title_slug:
"modernloop-hackerrank-integration-user-guide-prerequisites-integrating-modernloop-with-hackerrank-using-hackerrank-integration"
source_url: "https://support.hackerrank.com/articles/9797503689-modernloop-hackerrank-integration-user-guide"
article_slug: "9797503689-modernloop-hackerrank-integration-user-guide"
last_updated_exact: "Sep 10, 2025, 4:42 PM"
last_updated_relative: "Last updated 8 months ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "ModernLoop"
---
```

ModernLoop - HackerRank Integration User Guide Prerequisites Integrating ModernLoop with HackerRank Using HackerRank integration

Last updated: Sep 10, 2025, 4:42 PM (Last updated 8 months ago)

HackerRank integrates with ModernLoop to create HackerRank interview sessions for candidates. You can add the HackerRank API key (Token key) to ModernLoop to generate HackerRank links.

Prerequisites


- You must have admin access to HackerRank
- You must have admin access to ModernLoop

Integrating ModernLoop with HackerRank


To integrate ModernLoop with HackerRank:

Step 1: Generate an API key in HackerRank


1. Log in to your **HackerRank for Work** account using your credentials.
2. Click your profile icon in the upper-right corner.
3. Select **Settings** from the drop-down menu.



4. In the left navigation pane, select **API**.



5. Click **New Token**.



6. In the **New Token** dialog, enter **ModernLoop** as the application name.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1757498998373-image.png?Expires=253370764800&Signature=hhmR61i9o4IeGCFWZ~xaUYFUUh-JlBxBGbyS6b4dmwcPaplh3XAgERbnWk5JnlpQ-YQbP2RPZoBQyhHjJNVRgPXzTOhjiBQjzjHGlc-x-ZQQLfeo~22wk0mNiB9WCa0VMX9D3xrSLj4q9m43I3gp-Q33lwSJaN2H9qCb4GgxpeSX79hFwilhpQDg5gXdwJ3fwOsr5i~l4aExFLcKDtkqSvqhgTbIMpbj8EK99EI~Tw8A27HGxGI7WqYbcmJlkuqSk~VNHFJki5AyXVMa1EQijlhXzXavfB-yFRNkxztIJa0D~4xKzJBfmz4H4ASrj4ltMsWg4fVCx8RLQFk6~zA__&Key-Pair-Id=K3NV4LZ47N8M46)

7. Click **Generate Token**. HackerRank generates your token.

8. Click **Copy and Close** to copy your token. You need this token in [Step 2: Connect HackerRank to ModernLoop](https://support.hackerrank.com/articles/9797503689-modernloop-hackerrank-integration-user-guide#step-2-connect-hackerrank-to-modernloop-8).

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1757499021138-image.png?Expires=253370764800&Signature=SioedW5Usht7frBGwcOPyejMkGX1zfnpviApNQF0LLUKqFXgbdnqUlvAtRPVr8EgSd5hvi08QDDZ20GMSVQp37Dcbp7oEV0vPe0sfnMdAESnRzXHMj81SLHTCEvWphvEGvqrdGKH9WY2Y5dO5KLXgd97nePZLiDPuCTnas7Rcdyy6ZVhvURboV1p0jYN~rkhVXk31l7bQvBLS948bnZZ8ytcatgwMuSu8zVhiewr1zTEFMVYYUh7Ddk03vAJkNBMK00By7CWazoRvCn7mnBGJxv8iluEBglqy1mpl88iEFJpx~no2gfk67nLN-MyFkySjfDYtC~m-3uaMuhREp4Q__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: The integration will stop working if the HackerRank account that generated the API key is deprecated. Best practice is to use a dedicated admin account or create a new HackerRank admin account specifically for this integration.

Step 2: Connect HackerRank to ModernLoop

1. Log in to [ModernLoop](http://app.modernloop.io).

2. Go to **Organization \> Integrations**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1757499080827-image.png?Expires=253370764800&Signature=Ki57DluPO7opwjOY3xfvxWUyN1aF9LMxhzp7VOazDRizEC9nzJsmxpl-Tp7gM~k1ZYs~oXGG4zMfFDN8gDEmeiigc5RUoDSE0bSfwb~fS2LDrKDD1tH3WLaYkYPTqG560yLnXXWL2r~0SUG7iuEawoAlSRF890HatWSk4GlffDbOZZm8fslYzgvrtMJw5tJiWGda2Vki1fH19Ai-O52auzta6dRQS1EiYTCJa1KnC-KGFRIZwuWsvC554TkZMNj~am45GI0wuCaB4LGgX2Q229IBVokvHaZRWONcaFZZL4CAyzfll~OignX~DCqOL21-QIVRam7luZeABqpB6gn1w__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Locate **HackerRank** under the **Coding tools** section.

4. Click **Connect**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1757500906066-image.png?Expires=253370764800&Signature=FAuizpnM0HN77b4bGU6~0uuBt1VGTOQLLwsfpLVVv7eT-EbNJ7fFlidER70UdDUt2fUlg31LuKEeCBSV4dfa32sq15aLs0JEU~teOXbDbfP4AnTjzHSDqelPzekO5Z3J-0ogUxifkhor5J1c6ZJCxQlxkPz1x3Xd7DXSCK6BtypFHP8rjbObcZeSN~QO6qqU7Lgh22qdvw-npKBKW77nFcf-zyv9lI81N-bhSib3fALhW5-Rrgi~2PFia-vuPiUAfeQN2vA2OtMM~M1VY2HFwx5wbXTybQEIXajGIHOpiw5z1cKCPicxeR42zZ5jAPJ8GQxDGfsNqCJkpyfg1wn0gg__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Paste the API Key (Token key) you generated in HackerRank.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1757501038229-image.png?Expires=253370764800&Signature=scTTP8hW1EZgjr8qH7P-NXnhtEqbTcVoPb99fCe1F9hRlZJgAS55wLtYGI19mfei-6xZDOGTyoDo8GhrXcMuXTU7SAPKB7IVbddyOuM5OmQ7fEBNQnguSUyyHGqhdWmcJ5MEt-PI3BepFn5mxSgq1ED28Ysi56yVDSMY~vSi03oF6BjSe7XE7awKRj17Vq-ekHgsKK56R2VxvF318j4VVdbn0VxKS-JjPTj4mID-T9nTKklq9Vky~Jqx65JZ1zJRJ0A4zOmrt65eB3JfsnuFW~K9xt69ubLeif6mOnyPQRHfPuOulaOYqmwU-7wzlKIT6RH6DXpezEdy20FoixxOvw__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Click **Save**.

Using HackerRank integration

To use HackerRank Integration:

Step 1: Generate HackerRank links during scheduling

When you schedule an interview in ModernLoop:

1. Go to the **Communications** tab in ModernLoop.
2. Select **HackerRank** to open the modal.
3. Click **+ Add HackerRank link** to auto-generate a link for the interview.

Step 2: Add HackerRank links to interview plans

To automate link generation for specific job stages in ModernLoop:

1. Go to the **Jobs** tab in ModernLoop.
2. Select the job you want to automate for link generation.
3. Choose the relevant job stage.
4. Select the interview for which you want a default coding assessment link.
5. Click the **</>** icon to configure the link.

Once configured, HackerRank links will be automatically generated whenever an interview schedule is created for that stage.

Note: If you deprecate your HackerRank integration, previously created links remain active. ModernLoop does not delete coding links.

\

[integrations/applicant-tracking-systems/northstarz] Northstarz - HackerRank Integra

```
---
title: "Northstarz - HackerRank Integration User Guide Adding HackerRank test to a job on Northstarz Sending HackerRank test invites from Northstarz Viewing a candidate test report on Northstarz"
title_slug:
"northstarz-hackerrank-integration-user-guide-adding-hackerrank-test-to-a-job-on-northstarz-sending-hackerrank-test-invites-from-nor
thstarz-viewing-a-candidate-test-report-on-northstarz"
source_url: "https://support.hackerrank.com/articles/4546750166-northstarz-hackerrank-integration-user-guide"
article_slug: "4546750166-northstarz-hackerrank-integration-user-guide"
last_updated_exact: "Sep 8, 2025, 2:57 PM"
last_updated_relative: "Last updated 8 months ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Northstarz"
---
```

Northstarz - HackerRank Integration User Guide Adding HackerRank test to a job on Northstarz Sending HackerRank test invites from Northstarz Viewing a candidate test report on Northstarz

Last updated: Sep 8, 2025, 2:57 PM (Last updated 8 months ago)

HackerRank integrates with Northstarz to send Test and Interview invites directly from the Northstarz ATS portal. Recruiters managing jobs and candidate profiles in Northstarz can use this integration to run skill assessments for job requisitions.

Candidates receive HackerRank Test and Interview invites, then complete the assessments. After submission, the candidate?s score and performance data automatically appear in Northstarz for evaluation

Workflow for assessing candidates with the HackerRank?Northstarz integration:

1. Create a test in HackerRank with the required roles.
2. Add the HackerRank test when you create a job in Northstarz.
3. Select the candidate in Northstarz and move them to the stage defined by your organization to trigger the HackerRank test.
4. View the results in Northstarz after the candidate completes the test.
5. Move the candidate to the interview stage in Northstarz to schedule further rounds.
6. View the candidate?s performance report in Northstarz.

Adding HackerRank test to a job on Northstarz

To add HackerRank test to a job on Northstarz:

1. Go to the **Job** tab in the Northstarz platform.
2. Click **Add New Job**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756893472278-image.png?Expires=253370764800&Signature=HPZo0TINvPEGo-yKQJxxa8-3OdhxbayCpNgDIwZUm2kxXhWVvAg8z4tPNKKcBTre1W44b2gunaNvf8j98fV8wqSJLkMNBh8N6Z5xXcy-JCyhqQO9g~3cr-DhEoLW8jceFriDjakaQUmA2I2~wM7ydQdgUJKJOjiHkn1YEwx1B1nt5H1TRBMYINI~IP3r9mWEuSYCSDh37N19nMvq0sHzR~ohSHRTsPXXB8WqrF1SrYvFktXH177j2Mx60UOvLkw-nvueTmK2b7anF7aRmf53xtUa8hFLoMLNPcccKejhYfWFFeK9QI~OJ8fA7tv0bOH9bTSI7ZScwvpv5I96zuQuQ__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Select **Templates** to use an existing template.
2. Select **Manually** to create a job manually.

<!-- -->

1. Go to the **Job Modules** tab and select **HackerRank Assessment**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756892664348-image.png?Expires=253370764800&Signature=uWr8BDTBjc~XA46KdMzFaaB83kS3~G4U5FywrVZ~tUVE9TmTZH79CGdtN27~--bg~UtiVAL7dsQN4bqxeJW4~37PoVH2HB2AUwW1DZVfnsEquBmcLuzkSaopVWlrQOb4YVPe4bVSINYOV3qRCedJki4EA7qDq8pwmv-yqsPop5~l4bnGaG--qanS-LVzjip5BjUiz0A9MAMGwfEWk77HZH94-bqcsYeR4m24gklz7UZzW7vEs~mpT~s3l4qXLSKxllIkN6ffqDI6K-lXomo6lu962oujBgy2t-QKBn78PUwhh7toqfS~wIPt62gCICduXzMMtWVct70clPA~ezulmQ__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

1. In the **HackerRank Assessment Settings** section:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756892734855-image.png?Expires=253370764800&Signature=Kj9XdAuNRaMCvFsGVffHJwswRfcPG3HOH8U709SxtcARw0to6qtbQEPbAfZ2bvjOHhr4EfZXonlh1ZMS75eoUYeAo~1nWUdQNgxg4TLhdYcwmFD4oRF5DuTk3pO0Tip3tbaM6SHMWd-DICckRFGZ~wyo00PRD2bR89Y0mhSICsMJMGtLDK1-pNDqGimElo1Js6aCq3~SOs0u9gPLLspJfaGJLoU-GKqzYJe9Re4o55gRoqwf5Wvo~lTe1izZxFMFYa2zKzGYkTCbWqUbRxdd2ldTdT~atXG1siSK-dn4CZwkVcSm5B96IEPdPI~4bkiwOavia0euMPzBhN88iRwENw__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Select the HackerRank test you want to associate with the job.
2. Enter the **Invitation Validity** dates to define when candidates can access the test.
3. Click **Save Settings** to apply your changes. The **HackerRank Test** button becomes grayed out.

<!-- -->

1. Click **Save & Next** to review the job summary.

<!-- -->

1. Click **Save or Publish** > **Publish** to complete job creation.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756892789742-image.png?Expires=253370764800&Signature=QwgDcxOy1MRHsqwXIPCGz65~KM49WFBYBICscP7NoSE2ezlQJu3cY7o~OBvnomqM4C~xgVwksWr8e9wpSo8mvcc4S23qijlDyhzEqomrBmE4eol7o6FBkrFwg8JovkJZwo-IRQclF-YKkoKtgJ6ljdNRHMDfGkYgoYn-7kyC8Gf4R5XNOSFxo6jCduK6wAOmyY6pd-YI4KOjVKsS9KhGOeMvLdRDVaGlwKACuSt49cQM~36AeRNsyTtAoCU4RTm7hCzF1l3JOB~XhDMgOW1ad-MDzqdAr2qW-h8pNpZDzqKsua6gJPa9ROLYdyaJshmJ-TcPsv997h5Dw7AWshyw__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: You can also click on **Save as template** to save the job as a template.

The **HackerRank Test** is now mapped to the newly created job. The selected **HackerRank Test** can be triggered for applicants for this job.

Sending HackerRank test invites from Northstarz

To send HackerRank test invites from Northstarz:

1. Go to the **Job** tab in the Northstarz platform to view all available jobs.

<!-- -->

1. Select the **Job Title** for which you want to send the test invite.

2. Review candidates in one of the following tabs:

- **All Application**

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756892830543-image.png?Expires=253370764800&Signature=cJRkqwlV8JJxRVP6OGYK89lpZuZ4WkwNw~WjsVt0sWbXJQakfAJ00Ts4JejkzSPX6ljsY75aoSYIvJ8iNMYrR3Wyph3Q09yCAQ-am9nJw50lefLovV2ePxBDXcAPaaTXQyE5m8CYpv1Yz8~jOq-QVYIcYpCBji8NLCgqtileuQAQjRPRJ6wfYra1FSXeucc~BRCo9vTe3lKIX0MuiWszcU1TUz-rTpiIWWH230ePAqBH6-XV-3~sBcQK0vVGqnjJK91jPLD1G2rUqucGqdX4lt00kj8U-O~g2yihGHfOTIjT0qwAagSCpt32GiMme8XcsKKbjyhKmMVxWlrQEgwg__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Interview** > **AI Interview**

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756892852565-image.png?Expires=253370764800&Signature=Kj9XdAuNRaMCvFsGVffHJwswRfcPG3HOH8U709SxtcARw0to6qtbQEPbAfZ2bvjOHhr4EfZXonlh1ZMS75eoUYeAo~1nWUdQNgxg4TLhdYcwmFD4oRF5DuTk3pO0Tip3tbaM6SHMWd-DICckRFGZ~wyo00PRD2bR89Y0mhSICsMJMGtLDK1-pNDqGimElo1Js6aCq3~SOs0u9gPLLspJfaGJLoU-GKqzYJe9Re4o55gRoqwf5Wvo~lTe1izZxFMFYa2zKzGYkTCbWqUbRxdd2ldTdT~atXG1siSK-dn4CZwkVcSm5B96IEPdPI~4bkiwOavia0euMPzBhN88iRwENw__&Key-Pair-Id=K3NV4LZ47N8M46)

764800&Signature=l2uOPkP4jH0CSYbleELQFAaiWG3k6fdm74cVupXLgrPuO4F2aUVbOX5QOfRdQ5445IsYtP0DY5RCIFeL5KB5K
RDAtAFWype~DmWf6ZnaG72L9OFjcYDVPkcIXkuug5yiXBOccXL7NFogtGHskRt-hErywq5M9vmubb3VtjnW12NoLTxfRRocK6YNE0
n9wCpy-BOmjPBWWOLpxSXE7oYrZ5BfslqFntwvqJTCyfwqTFPmu9SLCSOeiy2OX3Lc1DP2Hkm0gB1y~49j8sDyPEmvfhz35wu428l
WMOrv~RzdVW4HPxvkR4Z~MYwYwVvyqFQxRfDwpgVgaStJSaHqFCN4Cg__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

1. Select the candidate(s) you want to assess.

- ****Invite one candidate:**** Click the ****Action**** dropdown next to the candidate's name and select ****Trigger HackerRank Test****.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756892891993-image.png?Expires=253370
764800&Signature=gNS8Bv~QLRIUqJRRc6Dp9X3D1OVsi2ZmTzvPopq4--hsctU1fjy3RqBzxOX6h8Z2aw4R~Z9myCzNkvU62vnKSA
LfCLPUMvp8IVymQjJqfl4kIDtQanK~zYI9r9IFQ5j1-qrx1R034~kTOKq-BKCN0pbSO0-d8e0xZ0Q4v27QoKJrJ0PM2OPVe9WWdy5vtQY
swLiptB8~NDIqFOhDToFNstQOKc6x19kdl5Wza-0HNgcPqNfFstyN5FJvav4mRJPCdBjqpWnHel5JZMctBEUfBGU7-IVGIADR9Ou2Cz
BBiTs2ZkUcWoDsgJBvtvExEKZrdKd7W3sQ2NEohAA-ZrYfQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- ****Invite multiple candidates:**** Select the checkboxes next to the candidates you want to invite. Open the ****Select Action**** dropdown and choose ****Trigger HackerRank Test****.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756896649447-image.png?Expires=253370
764800&Signature=SzWve1QJTntDagUGI4LoyIXDRfbo5Esnz~sovV45tAhsi~YHVCEpsr3ZBhzslHp5tL1gPHltzGSJvNIWvZD7UpQ
DukTY~cvlwbBUU5oPLUAE93fp1ra2qeaEPyW8G-Hd9cnuqXh5cGUxvi~Y1TUv7JM~3~92do8ObBbm6Pa754KvAU0wBC2~hTyztXS
nmwrX~T~VKmcjZW2RyM2Clwv3b9nByam7E02KCM2Y1G8dK2-5NrpwY7pswIXXY3c2zUHOCHqha1F~mv6CrHnNb57pL~y9BA2-O
MKETK4CCK~JUQt3~4NkaOn5x-x~0HMPa086LR8jVOz6~UFm6U8Q8gYg__&Key-Pair-Id=K3NV4LZ47N8M46)

\

After triggering the HackerRank Test:

- The Northstarz platform displays a confirmation message. The system sends the candidate an email invite using the default template that the recruiter configures in HackerRank.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756892963188-image.png?Expires=253370
764800&Signature=mwwRahKsAFgk-MfQ76KxKfwySGt~u9dwJ-VeKnn0Bd~nijpyTzrcUEQ38GwAa-BglPMKEmoK6OCaaXyHmwdj8
Ydscz9pfJTkGqW5rdCuEe9GyVUsFNXnTJSRwn1ABOUmATEimATwJv5SzV4zKuTG7Wf9Uhg9ztNmp4Qo~MQahZXXdRF~wj3K8
0yuQMonY7m87qpiWonTJkPeUqxndxGe8sBgCsAy7H4yg1kaFBo-54DAXnb-yf5HCLkMDvVrxPML0VizYgbk1aJ~Wq4l~ZsBWtyebP
kxoqXKF49UVVvR0P3mMKMNoKoZrMXpK3-lkqc6deDf3DKy8Dmyy4lxWi2w__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- The candidate can click ****Start Test**** in the email, and the system redirects them to the HackerRank login page.

- After the candidate completes the test, HackerRank automatically updates the test status. The recruiter can view the candidate's assessment reports in HackerRank.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756893535632-image.png?Expires=253370
764800&Signature=nVnCUaSGp~5t7thxPYDYmOqU0fopUYSSN6WHHCm-wtMrR-EdtwPRGdfGdHtFk0nxWI8e6CLe-fKptb6HTFmD7
6~FSnBGCoHoDFULWlQIuYyUW0woiwCnwdxwpQsT0LQ~wF6G1lCeD~JWlidsx9hv7DKnCPTx4DpxYTGcqShrT4yVIZaLPUrriTvV6g
xpg5mzSf2fWU3gTzL46fGcoG3gVsfBW6OPaHz0izNWJaQ8PNAT7TunmMX7yWKvN-etCqdo4KIYVg79HGa1THFCltwikfgHVheDzTB
l4a~gGSQyQL~rEJDS96ZfWMIKO6qDNDgMpdVe97COnlZOSKJQTiLE3A__&Key-Pair-Id=K3NV4LZ47N8M46)

Viewing a candidate test report on Northstarz

After a candidate completes an assessment, Northstarz displays the results on the candidate's profile.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756893570801-image.png?Expires=253370
764800&Signature=lL0hYg3QviJbWymxl8Lwsl8inG91UqbljgmWKyzo1Fr99yB3HW-soLGxwiknHigcJ7yHrvkJyE861c4M4vZSTKZt8v
TyofIPhDPSSnFMMyKukX9zD~IPD9vJHSFT0fU1yQpO6hbJaNYLcCWmEvRBYL7~QhRK4UoKc~andw7tag93muAJIPTtECCDPTLN1
M6w7Xu4~4SgSewKFRaLS-kR3FMcRLNuj6t5JJ6ETZqmgAak-LE9rwdFtdW0TEYVU-sjnEQ6Z~lFk0MmO8AWCjX6WWOHdOyrCJk
WAhko~b~1UQnB2gugtpoqTTrUUGV6DqYeGBKEZAbiOT5kNcSXcsA__&Key-Pair-Id=K3NV4LZ47N8M46)

To view the candidate's test report:

1. Click **HackerRank Candidate** to view candidates who have submitted a HackerRank Test.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756893598861-image.png?Expires=253370764800&Signature=KkqfqJ9s16pcszGhkhWzWt626nl~ba-lptBSevh8psafqRUNoORmVLqdx8bc5J9AseQqfK-fs3vSYxwJL~FdkKwg0YewHHeyoF0PyxEDhjGC2Bj7v2p6ElmYwoYwNqBx8Qjdj7JmVonL53pCLnjOhwHapnK6L81WqyRaAkyuJSJ-zwWoBJuTFyqs9xzaUBpEJCsrmtYQdtm0AeUt0XQInx0HBvvcsh86JSy1vE9svvmfzyYKoEpMDatz8UyW26gFpMEs~KObLDcGd~Mp644m9OYSgXc2g9UrgBAouMNBk63sW8KFqpt1xEsA7xA-MTVGx2aSfU94aCePcmq1qQ__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Click **View Report** next to the candidate whose report you want to view.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756893775779-image.png?Expires=253370764800&Signature=Ujz05NsTltCizMSOgxCPgX70gPyOirAx3MoSvHB1cLiu-J-gpqcGyAIY5LaGtqA1mdZmBQ1Ox2jY385cxN-HWEHdHpd095hDYPh651xPTIeDTZdwYPB8wOhClR-ab917T2HwHxiaDqjaS4CRmnK8o0MaXOhPMveTPRgNzRRFK8vcsqPCPHmxTYxshyF44WVr6~Fg9LWtoQqalnwFbeZIJnKye7AYYxI0q32eRez2hHcLwdEmlA0xVjQScfZxmj7qnyz4GflCqmZBpCEOb~yldrB8WgjqfF8YTnVwn66Qwg1ToFW~BNDHu04VGTv2pPi0kiPN3Zi6n8yoM9ly-SHFA__&Key-Pair-Id=K3NV4LZ47N8M46)

The report opens in the **HackerRank** platform, and the recruiter can review the candidate's assessment results.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756893693916-image.png?Expires=253370764800&Signature=DvPP8u0uXNiYlhSRgF49glES3NMr2Fa5H3-L009a~e1la~QT-G5YrdYODLj~UBlpKchjrmzBUtJwQjHWZ-1HOPxdOmqvHZO7yZYLgYxTtl5yXfns2hAfnEZlom4lxIq765VKdi6m-TQP-OzXXxaJdZhPEZAo6-TVsvIO2FoiqKCWO0lmHqmnBUT0DgRv-FNK-urLsOPMFHJZUr9d315Nyu5-z51rxOwwDC0uYd~tf2lNtLnXRraPg0VPuCOS5kdMPR38QWAC~AVKOWlHx2rr2e1XK3SAVf74mvS0N0WQ7U3Z--jojKbO0crsnN3pG9xXdUPBvL3cX3cgJwpK06CZfg__&Key-Pair-Id=K3NV4LZ47N8M46)

\

\

[integrations/applicant-tracking-systems/oracle-recruiting-cloud] Oracle Recruiting Cloud

title: "Oracle Recruiting Cloud and HackerRank Integration User Guide"
title_slug: "oracle-recruiting-cloud-and-hackerrank-integration-user-guide"
source_url: "https://support.hackerrank.com/articles/3350882088-oracle-recruiting-cloud-and-hackerrank-integration-user-guide"
article_slug: "3350882088-oracle-recruiting-cloud-and-hackerrank-integration-user-guide"
last_updated_exact: "Dec 28, 2024, 4:37 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Oracle Recruiting Cloud"

Oracle Recruiting Cloud and HackerRank Integration User Guide

Last updated: Dec 28, 2024, 4:37 AM (Last updated 1 year ago)

HackerRank integrates with Oracle Recruiting Cloud for Tests and Interviews to facilitate an easy and seamless hiring experience. This document walks through different use cases supported by the HackerRank?Oracle Recruiting Cloud (ORC) Integration and covers FAQs.

Key Features

- Send Test invites to candidates from ORC via your Candidate Selection Process.
- View candidate?s Test results in ORC, including score and evaluator feedback.
- Have a direct link to a candidate?s Test report from ORC
- Include Tests in your ORC job application flow - you can choose if candidates take this Inline (while applying to the job) or at the end of the job application.
- Generate HackerRank Interview links for Virtual & Remote Onsite Interviews with candidates.
- View Interview results and scorecard information from interviewers
- Have a direct link to the candidate?s interview report from ORC

Prerequisites

1. HackerRank - ORC Integration Setup is completed
2. The user has access to a HackerRank license
3. The user has access to requisitions on ORC

Types of Assessment Triggers supported

Oracle Recruiting Cloud offers various assessment triggers that can be configured to send assessments to candidates. HackerRank has built the integration to support all these configurations that users can set up in ORC.

These include:

- ****Selection Process (CSP) Trigger:**** Assessment triggers are tied to ORC Phases and States while configuring a requisition. Each Phase and State can have one assessment tied to it. We support both a Single-phase setup and a Multi-Phase setup. In this case, we send an email invite to candidates to complete the assessment.
- ****CSP Automated Initiation via Phase/State:**** When a candidate is moved to the trigger Phase and State, the configured assessment will be sent to the candidate.
- ****CSP Manual Initiation:**** An assessment tied to any phase and state can be manually triggered for a candidate without moving them to the trigger state.
- ****External Applyflow Trigger:**** When this trigger is set up, candidates will be asked to take the assessment right after completing the job application on their ORC application profile. We recommend using this trigger type only for HackerRank Tests. At this stage, a live

HackerRank Interview would not be logical.

****Candidate Experience:****

After a candidate finishes applying for the job on the career site, they will land on the application confirmation screen.

They now see a message that they have submitted the job application. Here, they will also see an action item to complete an assessment to be considered for the position with a link to take the assessment.

In addition to the message shown by ORC, we also send candidates an email invite. This will use your default HackerRank email settings.

This is if candidates miss the message on the ORC page or want to attempt it later.

****External Applyflow Inline Trigger****

When this trigger is set up, candidates will be asked to complete an assessment while filling out the job application and before submitting it. We recommend using this trigger type only for HackerRank Tests. At this stage, a live HackerRank Interview would not be a logical assessment.

****Candidate Experience:****

While candidates are applying for a job, they will see an assessment block that informs them to take an assessment. They need to complete the assessment before they can submit the job application.

When the candidates click on the ****Take Assessment**** button, ORC redirects them to HackerRank to complete the assessment.

Once candidates complete the questions, they can submit the assessment.

After submission, they see a success message for a few seconds before being redirected back to their ORC job application.

<img

src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735340651516-35363887478675-153b11df-f87b-4e

0a-a656-ef5790dee665?Expires=253370764800&Signature=Xmyo1RqVRNnqsBPclwti-N9w1BdZtcT~yol~wVlygX80XSLXwa2urNQKTCMiwb1QD8JrzEW74nJizNvwCs-eNPQ5GlpUvAe5Y4cd9HBgl7NkcJ3KY0o1ccISQrH2z8FhFj-QrYLIImaiSfKQJe0KOJKmWbk hju210zsHg2J8PUCF0NK5iLeT08U95d5GNCndZIQKI~WSYTVzoG8JovCeNzfABJlyUVc2Gp2IB~TbSmgRJv9yrA8ArcgoFQ4xT4gYj DhWzAqpmTJiqnmJ7F1LYoUOGIM27XINcS3vzPU6rglFKt0pIVHF-57hPMOVn9zBJ4bf9xe2ZJsqijzMjsGA~A__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

At this stage, they see the ORC assessment block updated to reflect the completion of the assessment. Now, the candidates can submit the job application.

For this assessment trigger type, we do not send an email invite to candidates since they will be taking the test before applying and cannot attempt it later.

Types of HackerRank Assessments

The HackerRank platform supports two types of assessments. Both these types of assessments are supported via integration with ORC.

- **HackerRank Tests**

- Includes asynchronous coding tests, code review questions, and MCQs.
- Includes Projects.
- For HackerRank Test invites from Oracle, we send email invites to candidates with a link to take the assessment, except for the External Applyflow Inline trigger type.

<!-- -->

- **HackerRank Interviews**

- Includes synchronous interviews with single or multiple interviewers.
- For HackerRank Interview links generated from ORC, we do not send email notifications to candidates. We send the links back to ORC, and recruiters or coordinators can share this link with candidates and interviewers.

Adding Assessments to a Requisition

Once the integration is set up and your team has defined the assessments for a job, you should be able to add HackerRank tests and interviews to an ORC requisition.


- Navigate to the **Job Requisitions** page under **Administer Workforce** > **Hiring**. Click **+Add** in the top right to create a new requisition.

- You will need to follow the steps to create a new requisition, which includes all the necessary requisition setup information.\


- Under the **Configuration** setup, you can choose the preferred **Candidate Selection Process** and **External Application Flow**.

pusiFjMIYgoZRBbZz6GjzotEKHIOnJUj4S86zFPzhAWsFJxx05n95846SljcpfAjH9Nq4CVtA3-KGv-YhJZGoA4XEQzOIM2o152EHGIjfn
GMdNtfqvl6xR9PD~urW0bbvlvcpColprPQARaA__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block"
data-drag-handle="false" />


- You will have the option to define Phases and States that trigger an assessment based on the selected CSP flow.
- The **External Application Flow** will define the process through which the candidate is presented with an external assessment. If you prefer not to include an external assessment, the selected External Application Flow will not affect the assessment trigger.
- Under **Screening Services**, users can add **Background Checks**, **Assessments**, or **Tax Credit** services. Select **Add** under the **Assessments** section.


src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047164908-?Expires=253370764800&Signature=qYxslU4NW~pNdErFPycj9qCxyZW8L2WuKinl1x-vPMotNaRX1kxzTK9jglbpCveqwrp4-Pnkvs-ID4PV87tulSRVR2TJZvBoBDvVDDGRJvkFBf~-fs5Jeb8mCGJ-4t4dMoe6yyPgvsJS4nX8UKi0yZlQ-SHfIFxoHkDvPBGjyaMk0B7GuD6BAV~hoZf7GufcMn4CIURXZ~yxOlwSgc-QOOazrY3nFOj3Qxf6xoA8CzfCpUqnJzd2bxGxj-kH7efPeIP-wNqpQTSuXkToms-QsksOLNsBZxxe0p86ltQExTRTdE7U-zSXxh4vBh0uVH4TRCv0XPYjV3ng7sDiDxz8A__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block"
data-drag-handle="false" />

- Select **HackerRank** as the assessment partner and choose the relevant user account.
- If you have a specific user account provisioned, you could use that. Otherwise, select **ORC_HACKERRANK_USER** as the user account.
- If you select a specific user email under the user account, then you can only choose a HackerRank test that the user can access. For **ORC_HACKERRANK_USER**, you can select any HackerRank test in your company's account.


src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047165316-?Expires=253370764800&Signature=XZPd6ZE5lpFhScdEL57rJqno-vlVuyI5nD0JhBm-2bK94eoYzpdV91nMGcrMCEk4uYxjLUwX5UqjsXCuauCrXBtpDnC8yKDeVKMfDXYWGwFHz7HMNRJ1rcQm5rfMnv0t5Kts7mTbuSVbf2POZYafgNvqcb-pa70rfrnuh12H35pf2liHfXoQTQoMXuYAAa-rBow0JdiB15gmmlk~fTrRi7Qqn5KeVQnVel0Ns5HHoYluWRZZnPPHgDmT4JZLVHl7Djzrojbs3A~vPPCm2IMn-fAOulrhje28BM52gfJdC7JJGZqUqCV-GczgZodMh7DOSARqeWsBjWfYwplrO8Mdw__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block"
data-drag-handle="false" />

- Click **OK**. Then click on the edit (pencil) icon. Since the **Add Assessment Phases** box is not selected, this is a single-phase assessment setup.
- Users will be presented with options to choose assessments for various flows.



src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047165732-?Expires=253370764800&Signature=J1qYmeA92fjMuyxRV6kmmbLuGCBi3V1X0arnPY1EXp3ldfwjniMudl6nNGp-6V9pGa5v~GrT4fvleqcrH3yVTXB2zclhiCfAkPeMFZzCd~oJKpDo7~18e~iHweVqrcqs0o90fzuwjbmk01gOBT6GL8Nrow7XvEXORIVzqmXjJNsZaZOJHWzC35DYAbuaovxqOFDGB0Y00XphL-4FFGnXvWA7QMclK03VJnt6OZSJncE7Tn44N~FWeQBw71Zk86gYl4ICBo6a1tparHBS8AuEGgsd1JQzkEazWsGSycO-TmgJ6bDsBc58gSHGdOULhoEqn3lne-julux-Ygo0zpOg__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block"
data-drag-handle="false" />

- Assessments selected under internal and external job assessment flows will be presented to the candidates as a part of the job application flow. (Defined by **External Application Flow** chosen in Step5)
- Users can also choose a single Phase and State to trigger one assessment for the candidate. The Phase and State can be selected from the drop-down, and users can map one HackerRank assessment to it. Users can choose a HackerRank Test or a HackerRank Interview. This assessment will be triggered via the CSP flow when a candidate is moved to that Phase and State.
- **For HackerRank Tests:** Choose any test name from the drop-down menu. This test will be sent to the candidate when they are moved to the mapped Phase and State. Please ensure that the recruiter assigned to the requisition has access to the test on HackerRank.
- **For HackerRank Interviews:** Users can generate a unique HackerRank interview link in up to 5 interview stages. Note that multiple interviewers can use one link for the same candidate. Select one of the 5 HackerRank Interview options for each stage where you must conduct a HackerRank interview.
- Select HackerRank as the assessment partner for the Multi-Phase Assessment Setup, choose an appropriate user account, and select the **Add Assessment Phases** option. Click **OK**. Then click on the edit (pencil) icon.



src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047166106-?Expires=253370764800&Signature=C7dkKv9AGFz5c3hs~cSIN9dlBwGGMuyajlYVHwNrKfPqo6~YOPgmaUJpqGOK1BUWcXwFDdcQUsZ7d2W2eNspbeLsldQ2A4aRdgd~OwMBQ9zysZQfSylEsB7UnNkTXmpEmlKnB-Yd1bKNtVVs~z8P2GdWMnlRKPCxUKrA4OeHb9rMKnrBWucwn3TJsVctrQboQSQpRdZ52RcPvW43LrEYO8bbFR2v~cxOGB7vMDIPKz9Rty4ekwuzQnfg6fmx1zvQNxn3ODUJdsErFqFJLQe8rgGQ015mnVcIVLv4Y9E7nafLrRyvHF1K1az7-yv6bT~9DqOLw7tuKCIYAAqmM3Kw__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

- Users will be presented with options to choose assessments for various flows.


src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047166475-?Expires=253370764800&Signature=p71mFKM1ZXIK480S8QlJn1nJHZBaLOuUiKKictz6E5IRke0gZVx3WptzsgLDKsaFE4yt0LgmNriP4cjP0Vu9PEdCl5letjY299eTLH6TZpOMklCe3no95fIOR1Yo4PaUXVUU-Sq~FVyX6WR~lXrTHyu1cbeqO~ZgAvEEKSuRMcg5hHTG2Ylw7m7gyoEzf-odO8RwPtL0Vsad3kzRkPbTWPNOWO~Y3x~FYgq1dxX1nZ7xXZh4smQz2BG18g5COphlNhudFiqaPpyxT3N7Q3tqRVzyGPKYC~fvfbOfkv69e73Kljwk39CnQuKHanovBTkGsAzCn3Cy4DsxFqdSKCb9tw__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

- Assessments selected under internal and external job assessment flows will be presented to the candidates as a part of the job application flow. (Defined by **External Application Flow** selected in Step 5)

- Users can also choose one assessment to be triggered for each available Phase and State. Under each phase and state label, users can choose a unique HackerRank Test or a HackerRank Interview. The CSP flow will trigger these assessments when a candidate is moved to that Phase and State.

- Click **Save**. Proceed with the requisition completion. Once it is posted, the requisition will be available for candidates.

Triggering Assessments to Candidates


Candidates can apply for the position once a requisition has been posted and live. There are multiple flows through which candidates may be asked to take an assessment.

- External Applyflow or External Applyflow Inline Trigger

If an assessment is set up to be triggered as part of an external apply flow, it will be presented to the candidates automatically.


- External Applyflow assessments are shown to candidates after they finish their job application, and inline assessments are part of the job application requirements.

- Both assessments will be visible on the candidate profile. Once a candidate sees one, the status will be shown as **Requested**. Since candidate actions trigger these assessments, they will be tagged as **Requested by Candidate**.


src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047166895-?Expires=253370764800&Signature=mvX0ZPCRS4Dux7vGvfnT81i3iArjniilXD4xwV1-ZguZ8Lvhr0oL211Oh~KekGFp799SM42DCTFSrZfCn0CRdxKpXLCGeCwiqyDyw-S7QnPcp5mdqYvAVaG72OGL9j6Y8QjMFIgZRwpzakhsH3eB6EOOPYooONhDuYqG-SH7ESrjbK-34kSYKv8ToDYIeJ4yNqk3LV0oYEFicn3~ehULetFLOH6d90x-xniuqfnw2UhsZVIAJYKR1UhnQnlN9u2BcC-3suv7eel3zymK-vYWzKpRtN3~2E7iTyYKZBPbTZl6ghS2jsUp538IBS~N6~nHwmONmwigJ9MHI~lgBK7yTg__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

- **Candidate Selection Process Trigger**: When an assessment is tied to a Phase and State in the CSP, it can be triggered by moving candidates to that Phase and State.

- Select **Move** from the top right within the candidate profile to move a candidate.


src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047167298-?Expires=253370764800&Signature=acyorCajyukdFlwaXBmFAYr6cUVdWg09DN~3IZVUfHgVfDbaP6-O65iOwBeraBSMB8zR7I8nllV1cFRMvynecOxCTnGoo-6F4jR3o4EOevkPyZKFKYY2AKRteFlyEfoKTuJvKiKd0EAdwXShF8UrrwMvqUvmhPBADbdf6oDI7O8OHw~lriGrXA9GR7V5OpmhMNb2~Eyi9gARW~bvLyPaalRB88ln1z0oz8~iQ6ALKZq9sh3bgLr-OB1slvieUf5lCNVUTWOfikxau1eSS5~h4DK-rMoflb09vmjfZQ5G~jXruV17JW6rG67hn2UffMG9W7xeGQsRM64C19sGXEzg__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

- From the details section, move the candidate to a desired Phase and State. If an assessment has been set up, users will see a popup confirming that an assessment will be triggered.

Triggering HackerRank Tests

If a HackerRank Test is triggered via the CSP, candidates will receive an email from HackerRank asking them to take the test.

If a HackerRank Interview is requested via the CSP, HackerRank generates a unique interview link and sends it back to the candidate's ORC profile.

After the assessment (test or interview) is triggered, the candidate's HackerRank profile will also reflect the action. This will maintain a mapping of the user who requested the assessment from ORC.

The recruiter requesting assessments from ORC needs a HackerRank license with the same email address.

Reviewing Results and Evaluation

Once a candidate has completed their HackerRank test or interview, their results will be available on HackerRank and synced with ORC.

The feedback available for HackerRank tests and interviews is different. Here is a screenshot of the candidate's ORC profile before completing a HackerRank assessment.

ORC provides six fields for HackerRank to update:

- **Status:** Reflects the status of the assessment
- **Score:** Candidate's score on the assessment
- **Assessment Percentile:** Percentile based on the maximum score
- **Band:** Current band on assessment
- **Comments:** Additional information to help understand assessment results
- **View Results:** Button with a hyperlink to detailed HackerRank reports

HackerRank Tests

After completing the HackerRank test, candidates' test scores and percentiles will be sent back to ORC.

HackerRank updates the provided fields as follows:

- **Status**: This field will reflect the latest status. Based on the type of trigger, this field can take one of the following values: Not Triggered, Requested, Initiated, Started, Completed By Candidate, Completed - Pass, Completed - Fail
- **Score**: This will reflect a numeric value for the candidate's test score.
- **Assessment Percentile**: This will reflect a numeric value for the candidate's test percentile.
- **Band**: Upon completion, the band can be **Evaluated**, **Pass**, or **Fail**. By default, it will be set to **To Be Evaluated** upon assessment completion. If a cutoff score is set on the test level in HackerRank, the band will automatically update to **Pass** or **Fail**.
- **Comments**: For HackerRank tests, we provide additional test results in the comment section. This includes the **Max Score**, attempt end time and **Question Details**.
- **View Results**: Upon test completion, this link will direct to the most recently completed HackerRank assessment report.

Evaluating HackerRank test results

- When a candidate has completed their assessment, the result fields on the ORC profile will be updated. The following two fields will indicate recently completed and unevaluated test results.
 - **Status**: Completed by Candidate
 - **Band**: To Be Evaluated
- Users can review candidate's scores. For a detailed HackerRank report, click the **View Results** button. This button will direct you to the candidate's most recently completed HackerRank assessment report.
- Users will require a HackerRank license to view a candidate's detailed report on HackerRank.
- Once a user evaluates the candidate's test submission and code, the user can mark the candidate as **Test Completed** - **Qualified** or **Test Completed - Failed** on HackerRank.


src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047169809-?Expires=253370764800&Signature=HH3G3FVhwrIvu8sy-bzLPO4qkq7-wXP~wJ-0b0ROQid7Gkl3mplhRRGjGOipGgvrqQAZsv54MTXn5okxTvb8Px5v5rSrFvNeOQ7Ws4QUPQd5XKLxKWIPtI5M~spt02JFv2BgP8RH~9vOxkwC048PZViq0A~DUSs~n4gZbpjn9Ey5p7t1jVSqZk-3mzvTSGRDkcruLdGIHJsnbYlpBNocztV06knEAlhSEWMyJankQq9Xly8x3bOnWY-AsV2JMLYRoXoI3tA9zT-EaCecDo5nMrYMcdTetUiQl1IEwhx1YiZhFYqjEcEC6kALAF3iyJ80jN3NbNz0kWfBzDTNemqw__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

- Based on the evaluation on HackerRank, the ORC profile status for that particular test will update to **Completed** - **Pass** or **Completed** - **Fail**. The Band will also update to **Pass** or **Fail**.


src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047170221-?Expires=253370764800&Signature=RdHc3oOV4RmxzyYSevOI2ad6LYv1qplX0BUFc0Ir8HtkHr-z80ggpEadwl-6PVlt0fn-slpzuQvTuMFZ1i2aTjuUP5dg~MhmJt1kSZWXX1XrosK5Bu4U0vPY5-Bbxb74HgrerIDvcflzf06z3hBLbvl-9fW4oHznz~DCC4Js4vvSQBmK-vEr~zdt7zU6gMCWIXGFU-kCMRji0x8RrcKzRmDWaX4BhVUrTC0LRotHunkT-iFdrNb2olnZPAmrfCVEQjhJt0xkmohp7WDM~og6913jhHzvSOzt3FxxO2MZxWPIWmSvCK1-qtlwHNLm4RWHPQynlbU08Uqi968mIV0xg__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

Once this is done, the hiring team can decide whether to disposition the candidates or move them forward in the hiring process.

Please note that ORC only supports updating the Status once. So, you may be unable to update the candidate's status between **Pass** and **Fail** multiple times.

HackerRank Interviews

Once a HackerRank interview is triggered for the candidate, a unique link will be posted back to the candidate's ORC profile. This

interview link can be used to conduct interviews with the candidate.

HackerRank updates the provided fields as follows:

- **Status:** This field will reflect the latest status. Based on the type of trigger, this field can take one of the following values: **Not Triggered**, **Requested**, **Initiated**, **Started**, **Completed By Candidate**, **Completed - Pass**, **Completed - Fail**.

- **Score:** This will remain blank or 0 for HackerRank interviews.

- **Assessment Percentile:** It will remain blank or 0 for HackerRank interviews.

- **Band:** Upon completion, the band can be **Evaluated**, **Passed**, or **Failed**. As a default, the band will be set to **To Be Evaluated** upon assessment completion.

- **Comments:** We provide additional details in the comment section for HackerRank interviews. This includes the Title, Start Time, End Time, Interviewer Details, and Scorecard.

- **View Results:** Upon completion, this link will direct you to the most recently completed HackerRank assessment report.

Evaluating HackerRank interview results

- When the interview ends, the result fields on the ORC profile will be updated. The following two fields will indicate recently completed and unevaluated interviews.

- **Status:** Completed by Candidate

- **Band:** To Be Evaluated

- Users can review the interview feedback. For a detailed HackerRank report, click the **View Results** button. This button will direct you to the candidate's most recently completed HackerRank assessment report.

- Users will require a HackerRank license to view candidates' detailed reports on HackerRank.

- On the detailed HackerRank interview report, users can see candidates' live coding submissions, whiteboards, and feedback from interviewers.

- After reviewing the necessary information, users can choose the evaluation and mark the candidate with a **Thumbs Up** or **Thumbs Down** on HackerRank.

- Based on the evaluation on HackerRank, the ORC profile status for that particular interview will update to **Completed - Pass** or **Completed - Fail**. The Band will also update to **Pass** or **Fail**.

Once this is done, the hiring team can decide whether to disposition the candidates or move them forward in the hiring process.

Please note that ORC only supports updating the Status once. So, you may be unable to update the candidate?s status between ****Pass**** and ****Fail**** multiple times.

The hiring team can follow the same steps to review results for successive assessments upon completion.

[integrations/applicant-tracking-systems/oracle-recruiting-cloud] Oracle Recruiting Cloud

```
---
title: "Oracle Recruiting Cloud - HackerRank Integration"
title_slug: "oracle-recruiting-cloud-hackerrank-integration"
source_url: "https://support.hackerrank.com/articles/8503244016-oracle-recruiting-cloud---hackerrank-integration-"
article_slug: "8503244016-oracle-recruiting-cloud---hackerrank-integration-"
last_updated_exact: "Mar 20, 2025, 9:22 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Oracle Recruiting Cloud"
---
```

Oracle Recruiting Cloud - HackerRank Integration

Last updated: Mar 20, 2025, 9:22 PM (Last updated 1 year ago)

HackerRank integrates with Oracle Recruiting Cloud for Tests and Interviews to facilitate an easy and seamless hiring experience.

Key Features

- Send Test invites to candidates from ORC through your Candidate Selection Process
- View candidate?s Test results in ORC, including score and evaluator feedback
- Have a direct link to a candidate?s Test report from ORC
- Include Tests in your ORC job application flow - you can choose if candidates take this Inline (while applying to the job) or at the end of the job application
- Generate HackerRank Interview links for Virtual & Remote Onsite Interviews with candidates
- View Interview results and scorecard information from interviewers
- Have a direct link to the candidate?s interview report from ORC

Refer to the below articles to learn how to set up and use Oracle Recruiting Cloud

- [? Oracle Recruiting Cloud and HackerRank Integration User Guide](/articles/3350882088)
 \
- [? Oracle Recruiting Cloud - HackerRank Integration Setup Guide](/articles/8672148210)
 \

Tests

Feature	Oracle Recruiting Cloud
View the Full list of HRW Tests	
	?


```
<tr>
<td data-cs="1" data-rs="1" data-cw="433" style="width: 433px; height: 20px"><p>Invite candidates to a specific
test</p></td>
<td data-cs="1" data-rs="1" data-cw="109" style="width: 109px; height: 20px"><span
data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="433" style="width: 433px; height: 20px"><p>Cancel / Reininvite an
invite</p></td>
<td data-cs="1" data-rs="1" data-cw="109" style="width: 109px; height: 20px"><span
data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="433" style="width: 433px; height: 20px"><p>Status update from invite to
completion</p></td>
<td data-cs="1" data-rs="1" data-cw="109" style="width: 109px; height: 20px"><span
data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="433" style="width: 433px; height: 20px"><p>View Total Candidate
Score</p></td>
<td data-cs="1" data-rs="1" data-cw="109" style="width: 109px; height: 20px"><span
data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="433" style="width: 433px; height: 20px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1" data-cw="109" style="width: 109px; height: 20px"><span
data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="433" style="width: 433px; height: 20px"><p>Link to the detailed test
report</p></td>
<td data-cs="1" data-rs="1" data-cw="109" style="width: 109px; height: 20px"><span
data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="433" style="width: 433px; height: 20px"><p>View Question-wise
scores</p></td>
<td data-cs="1" data-rs="1" data-cw="109" style="width: 109px; height: 20px"><span
data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="433" style="width: 433px; height: 20px"><p>View Candidate
Feedback</p></td>
<td data-cs="1" data-rs="1" data-cw="109" style="width: 109px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="433" style="width: 433px; height: 20px"><p>View Reviewer
Comments</p></td>
<td data-cs="1" data-rs="1" data-cw="109" style="width: 109px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
```

```
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="433" style="width: 433px; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-rs="1" data-cw="109" style="width: 109px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="433" style="width: 433px; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1" data-cw="109" style="width: 109px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="433" style="width: 433px; height: 20px"><p>Templates</p></td>
<td data-cs="1" data-rs="1" data-cw="109" style="width: 109px; height: 20px"><p>User Default</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="433" style="width: 433px; height: 20px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1" data-cw="109" style="width: 109px; height: 20px"><p>Assigned Recruiter</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="433" style="width: 433px; height: 20px"><p>Reinvite</p></td>
<td data-cs="1" data-rs="1" data-cw="109" style="width: 109px; height: 20px"><span
data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="433" style="width: 433px; height: 20px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1" data-cw="109" style="width: 109px; height: 20px"><span data-name="cross_mark"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="433" style="width: 433px; height: 20px"><p>Update results after editing
HR</p></td>
<td data-cs="1" data-rs="1" data-cw="109" style="width: 109px; height: 20px"><span
data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="433" style="width: 433px"><p>Result Sharing and Validity </p></td>
<td data-cs="1" data-rs="1" data-cw="109" style="width: 109px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="433" style="width: 433px"><p>Adding Time Accommodation</p></td>
<td data-cs="1" data-rs="1" data-cw="109" style="width: 109px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

Interviews

```
<table>
<colgroup>
```

```
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 79.8918%"><p><strong>Feature</strong></p></td>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 33.4502%"><p><strong>Oracle Recruiting
Cloud</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 79.8918%; height: 31px"><p>Create Interview QuickPad</p></td>
<td data-cs="1" data-rs="1" style="width: 33.4502%; height: 31px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 79.8918%; height: 29px"><p>Schedule HackerRank Interview</p></td>
<td data-cs="1" data-rs="1" style="width: 33.4502%; height: 29px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 79.8918%; height: 27px"><p>View Result</p></td>
<td data-cs="1" data-rs="1" style="width: 33.4502%; height: 27px"><span data-name="check_mark_button"
data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 79.8918%; height: 30px"><p>View Scorecard</p></td>
<td data-cs="1" data-rs="1" style="width: 33.4502%; height: 30px"><span data-name="check_mark_button"
data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 79.8918%; height: 29px"><p>Link to the detailed report</p></td>
<td data-cs="1" data-rs="1" style="width: 33.4502%; height: 29px"><span data-name="check_mark_button"
data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

\

[integrations/applicant-tracking-systems/oracle-recruiting-cloud] Oracle Recruiting Cloud

```
---
title: "Oracle Recruiting Cloud - HackerRank Integration Setup Guide"
title_slug: "oracle-recruiting-cloud-hackerrank-integration-setup-guide"
source_url: "https://support.hackerrank.com/articles/8672148210-oracle-recruiting-cloud---hackerrank-integration-setup-guide"
article_slug: "8672148210-oracle-recruiting-cloud---hackerrank-integration-setup-guide"
last_updated_exact: "Jan 29, 2026, 9:24 PM"
last_updated_relative: "Last updated 3 months ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Oracle Recruiting Cloud"
---
```

Oracle Recruiting Cloud - HackerRank Integration Setup Guide

Last updated: Jan 29, 2026, 9:24 PM (Last updated 3 months ago)

Overview

HackerRank integrates with Oracle Recruiting Cloud (ORC) for Tests and Interviews to facilitate an easy and seamless hiring experience. The purpose of this document is to provide a step-by-step guide for setting up the Oracle Recruiting Cloud (ORC) - HackerRank Integration.

Key Features

- Send Test invites to candidates from ORC through your Candidate Selection Process.
- View candidate?s Test results in ORC including score and evaluator feedback.
- Have a direct link to a candidate?s Test report from ORC.
- Include Tests in your ORC job application flow - you can choose if candidates take this Inline (while applying to the job) or at the end of the job application.
- Generate HackerRank Interview links for Virtual & Remote Onsite Interviews with candidates.
- View Interview results and scorecard information from interviewers.
- Have a direct link to the candidate?s interview report from ORC.\


We recommend setting up the integration in a sandbox ORC and HackerRank instance before implementing it in your production environment.

Prerequisites

User has Company Administrator access on HackerRank\ Recruiting Administrator role (ORA_PER_RECRUITING_ADMINISTRATOR_JOB) on ORC

Integration Setup

1. Log in to HackerRank with an Administrator license.
2. Navigate to Settings\>Integrations\>[Oracle Recruiting Cloud.](https://www.hackerrank.com/work/settings/api/oraclerecruitingcloud)



3. Download the Integration ZIP file in Step 1 of the page.

![ZIP_file_screenshot.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047172680-?Expires=253370764800&Signature=Nm4fBnB50QLCH3-t7GjRvu5qivzfhMp6BGf4CxNw6Hk44tB30hFhmJm-UeI6txQ76N17egtj7l84GWXjSgUa-ROcvZk~wr6UdNlt3025oYovMGwqvSKoVxNABUp86RgJZRwANc9ayKTQ8EIYfSpPn8VwPu9uKGFN7Xa2138WFxhWpRo~M9LPtfpw9bDB55dQvh7WpRNGVF6q~qeMTejH4AKTurRqWsqUqj3xmXle5Fvz2SgGR8scsPGI6tyranLDEHDjzt5J7P6G8Kogzq6~6GHiu1skzZ-FIw2ABsXrlcqETJPj4fXfXwuYRokv1tK1wDYaOqtiyQ3iz4MuWI~Tw__&Key-Pair-Id=K3NV4LZ47N8M46)

4. The HackerRank Integration configuration file contains information on the integration entered by HackerRank while building the integration. This includes API Tokens, Endpoints, and so on that are used by the ORC to identify the integration partner. When you upload this .ZIP file to ORC (2 steps later), the integration triggers will be stored in your ORC instance.

5. Log in to ORC with a Recruiting Administrator Role (or higher).

6. Import the HackerRank Integration Configuration ZIP file.

7. Based on the instructions from the ORC team, here are guidelines from the ORC team to help you import the file into your ORC instance:

- Partner Enablement: Partner enablement consists of contacting the partner to obtain the implementation project .zip file and import it into Oracle HCM Cloud.

- You must have the Application Implementation Administrator role (ORA_ASM_APPLICATION_IMPLEMENTATION_ADMIN_ABSTRACT) and Recruiting Administrator (ORA_PER_RECRUITING_ADMINISTRATOR_JOB) are required to import the file provided by the partner.

- In the Setup and Maintenance work area, click the Tasks icon and select the Manage Configuration Packages task.
- In the Manage Configuration Packages page, in the Search Results section, click Upload.\nSelect the implementation project .zip file provided by the partner.
- Click Get Details to verify that the selected file is correct. If needed, click Update to select a different file and click on ****Submit****.
- When the warning message appears, click Yes. The upload process starts. Once the upload is done, the status changes to Completed successfully. Click the Refresh icon to update the status.
- Once the upload is done, you must import setup data.
- Select the row where Upload - Completed Successfully appears and click the Import Setup Data button.
- If needed, click the Refresh icon to update the status.
- Once the import is done, the status changes to Completed successfully.
- The partner is now provisioned. If you go to the Recruiting Category Enablement task and Recruiting Category Provisioning and Configuration task, you can see that the status of the partner is set to Provisioned.
- ****For any questions related to the above guidelines from the ORC team, please contact the ORC team directly.****

8. Create an API User for HackerRank on ORC.

- Here are guidelines from the ORC team to help you create an API User in your ORC instance:
 - ****Provide User Account Credentials:**** The Administrator provides the user account credentials to the partner for data synchronization. The partner uses this user account for authentication with HCM when updating the data.
 - A separate account is required for the testing environment and the production environment.
 - The following privileges are required:
 - ****For ASM:**** Use REST Service?Candidate Assessments
 - For any questions related to the above guidelines from the ORC team, please contact the ORC team directly.
 - Once this is done, you will have an API User Name and Password. Store this safely.
 - ****Optional****:
 - We also support the addition of IP allowlisting for an extra layer of security. This ensures that only requests coming from

HackerRank's servers make it through to your ORC instance.

- If your API User Name and Password are compromised, this logic will block requests generated from servers outside HackerRank.

- Include the below IPs to the allowlist:

- `100.25.76.193`

- `3.233.184.164`

9. Copy and store your ORC Base URL:

- Your ORC Base URL is the domain of your company's ORC instance. \

- We require this to be able to post data back to your ORC instance. We use this in addition to the API Users previously generated.

- The API User Name and Password tells ORC that we're a trusted partner trying to post data to your ORC instance.

- Here's how the ORC Base URL would look like:
https://www.yourcompany.oraclecloud.com/

- Here's a sample URL: https://eyte-dev12.fa.us2.oraclecloud.com/

10. Generate OAuth Tokens from HackerRank:

- For this integration, HackerRank uses OAuth 2.0 to authenticate incoming API requests.

- For each customer, we have 3 unique tokens that need to be entered in ORC. Once we validate these 3 tokens, we generate a temporary access token that is used by ORC until it expires.

- Once it expires, ORC has to send us the 3 tokens again for us to validate. This way any token compromised can't be used for a time longer than 1000 seconds (16 mins 40 secs).

- Click on Generate OAuth Tokens. You will get 3 tokens: Reference Key, Client ID, and Client Secret.

[Generate_OAuth_Tokens.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047173548-?Expires=253370764800&Signature=jcoGBYlVkkDoOyi1D2gXhmvjK3Zu8IAQU0~m5qkQNOS8x1Fh1ZqodGOa8pyuiCf42N4c17qmHfhqTwEOfqoSVVgyFfuTxOITRTa-MbQko9hFVBllwx7YktYs~iB2zY2dnMsbFMmimlDKcb4jgMMgQ1AJ0Z0FA8WJXzV-pfmhryARrPuLmrEx6Kc1YPbzgrGXfICURMiJX1CJhCm2GUR8GOICFotWjJ1WyPuzWxeJ7CPEAT7y3RWmSwpbETKg6omxl4V79mTZJXE7pCNj98IHkAD9pvNrSHUr0uNzGmLQvulDQzwh9et7A7nVaO1OfXGP3cg2ajm~XTE-IGvjULfMA__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: The **Client ID** and **Client Secret** are separate values. They look very similar but are not interchangeable and usually differ by only a few characters.

- Copy each token and store it safely. Once you close the modal, your tokens will be encrypted and you will not be able to see them again.

[Copy_OAuth_tokens.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047174083-?Expires=253370764800&Signature=N0dcWqi3rvoWeaEj9nv7n6n84Poknn~7UKTKaeWOX4J0r9RP3PBVS7~zBpBZy2Kfslb~kAGBvPNNdKxnKHs3XWplk7jSZLkjbaja01wmHVkUKX6r6W2ZEoZKB6hLCbTtDZTQ3X6lzFiOGv-zqh7fJsJyM6K0ZbWc-R0oVV33f4yMBTHUECvdfik2WKIX3SYqABAEgmPhnc6U~BFgdxpVduTh1xkuXyew5xFfc0AqKOaGDOW6xPCJeDpxZyCqLHgQODWHaQG6TkR7dx~2~G-BQc7q~Bh4FKPS6z9jdMcJMgn1xcc1Mi7ZCPnLNJP08kEgVZp9Z3UnENR6C34UN8LPg__&Key-Pair-Id=K3NV4LZ47N8M46)


- If you misplace the token and cannot find it to be entered in ORC, you can come back and regenerate tokens from HackerRank. One thing to remember is that if your integration is active with any old tokens, it will stop working if you delete these tokens from HackerRank.

11. Find the **HackerRank Integration Provisioning** page in ORC:


- In ORC, you need to enter all the OAuth tokens and activate the integration.

- You need to get to the HackerRank Integration setup page. Follow these steps to get there:


- **Go to Setup and Maintenance.**

The screenshot shows a web page with a list of job openings. The first job is 'Recruiting and Candidate Experience'. The page has a header with the company name 'usepylon.com' and a list of job titles. The first job is 'Recruiting and Candidate Experience'. The page is in English and has a white background. The text is black and the font is sans-serif. The page is a screenshot of a web browser.


- Click Recruiting and Candidate Experience.

The screenshot shows a web page with a list of job openings. The first job is 'Recruiting and Candidate Experience'. The page has a header with the company name 'usepylon.com' and a list of job titles. The first job is 'Recruiting and Candidate Experience'. The page is in English and has a white background. The text is black and the font is sans-serif. The page is a screenshot of a web browser.


- Click on Recruiting and Candidate Experience Management then go to RecruitingCategory Provisioning and Configuration.

The screenshot shows a web page with a list of job openings. The first job is 'Recruiting and Candidate Experience'. The page has a header with the company name 'usepylon.com' and a list of job titles. The first job is 'Recruiting and Candidate Experience'. The page is in English and has a white background. The text is black and the font is sans-serif. The page is a screenshot of a web browser.

- In the Integration Categories under Assessment Partners, you should see HackerRank. Click on the Edit (pencil) icon placed at the right end.

The screenshot shows a web page with a list of job openings. The first job is 'Recruiting and Candidate Experience'. The page has a header with the company name 'usepylon.com' and a list of job titles. The first job is 'Recruiting and Candidate Experience'. The page is in English and has a white background. The text is black and the font is sans-serif. The page is a screenshot of a web browser.

- You will land on the HackerRank Integration page.

The screenshot shows a web page with a list of job openings. The first job is 'Recruiting and Candidate Experience'. The page has a header with the company name 'usepylon.com' and a list of job titles. The first job is 'Recruiting and Candidate Experience'. The page is in English and has a white background. The text is black and the font is sans-serif. The page is a screenshot of a web browser.

12. Enter Integration Details in ORC:

- Once you get to the Integration Provisioning page, enter the 3 tokens generated from HackerRank: Reference Key, Client ID, and Client Secret.

- At this point, you will also be able to set up the Validity and Validity Period:

- ****Share Results Across Job Applications**** - If this is checked, we will use candidates' test results across job applications if they were invited for the same test.

- For example: If a candidate takes a test for Req A and then applies to Req B where you have the same test set up, we will not ask the candidate to take the test again. Instead, we will use their results from the previous attempt (for Req A).


- ****Validity Period in Days**** - For the Validity logic of sharing test results across requisitions, this defines the number of days a test result is valid.

- For example: If this is set as 30 days, and the candidate applies to Req B 40 days after taking the test. Then we will ask the candidate to take the test again.

- We typically see our customers use a 6-month (180-day) validity logic. Meaning that they consider that a candidate may improve their skills in a 6-month period to make it worth their time to take the test again.

13. Assign User Account in ORC:

- On the integration page, click on + Assign User Account. This will trigger a modal that will ask you for information on the user.
- This is the API User to which all HackerRank Tests and interviews will be tied.\nIn the modal, enter the User Name as ORC_HACKERRANK_USER (Use all caps and no spaces).
- You can use any description. We recommend ?User with all Tests and Interviews?. Then click OK.




- Once you click on OK, ORC sends us this User Name and initiates the first API call made from ORC to HackerRank.

- At this stage, ORC asks HackerRank for a list of all tests and interviews accessible to your company. We respond with 5 Interviews and up to 494 of your most recent Tests. (That makes it a total of 499 since ORC does not accept more than 499 packages for an integration).\

If you are able to see the list of tests shown in Screening Packages, then the integration was successful.

- If you are unable to see the tests or if ORC returns an invalid User Name error, check if you entered the ?ORC_HACKERRANK_USER? as is without spaces or quotes.

- This is an example of what you will see if this step was successful:



- Once you see this, one final step on this page is to click on the **Activate** button at the top next to **Save**. Now, your Oracle configuration is completed.

14. Assign Additional User Accounts in Oracle Recruiting:

- HackerRank supports adding more than one user account on Oracle. In the previous step, you added "ORC_HACKERRANK_USER" which is a user account that pulls in all the available HackerRank tests from your HackerRank account.

- HackerRank, now, supports adding individual users as user accounts on Oracle Recruiting. You can follow the same steps in Oracle by clicking on **Assign User Account** and entering the users' email IDs.

![ORC_Adding_UA.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047177606-?Expires=253370764800&Signature=U98iSxvpNGIXXInXlup~pzLzsP2dmxyjyxZDMw1fJmZ7G6k2wM7NQnTqOvndCZFUir1dpisfShXCV2Y6malzZVA0Z9rEVuFoQT8ak-EASaSSIY7vsvAWAxjVQFgmbVA-0C3w0pO6m10LNUa1003r9s1hwfhoKzkZgx6yt5pufDDVzGpu-79vfVi~R1kk7K6V-vPCumaKnizBQQ5T5wi8cl1k-2dWNCyA6-cZsFcLa8sKluLl6sYrEDJg026NqIPyFBdCll6pswLDzDWe1q0acE9DVLF84Vcr4rXXIlebjI4c3ZVSWGfWwF0TFPv5eJUN75zKvM~nLHmwZM~2dWqzGA__&Key-Pair-Id=K3NV4LZ47N8M46)

- Note that these email IDs need to match with a valid HackerRank license.

- By adding individual accounts, only the tests that the provided email ID has access to will be pulled into Oracle. Thus making it easier for users to select a test that is most relevant to them and avoiding scrolling through a list of tests for roles and regions that they are not a part of.\

This feature supports recruiters across teams and geographies to use the HackerRank - Oracle Recruiting integration effectively.

- All the added user accounts will show up on the integration settings page in HackerRank.

![[USER_Accounts.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047178028-?Expires=253370764800&Signature=IkhC1YUFvCEQ3afI5BM~nMeRQCJSD5MNYiMVe4DBIbMkY1Iy8tKeoUnmB7XfYZ8gePnHxdSNSHaGsKA7xKt8TCm4fyzObHjMt4hnDA45nb6EuhZKIVYBGnnEry3xPQhm9XDdb4Zds~dCPF511rX0uWGCZus-3WyyPgo~0CuuibH3lQbVRt~F6kUTD-yDudyKs66tyVHAQC7BcNCN5JjAVXSVyDecRGe5gnKsvVI2xLRq6sFQQagySHAwbD-mu5pb8tirhaYpdUJSyzHq-ucTdd7EUHPkvFajhbdKpkGMjoaDKonwC4F09jYAf6DkNe-8OVIHmW9ZXJIQkrFXukQotA__&Key-Pair-Id=K3NV4LZ47N8M46)

- Note that if you want to delete these additional user accounts, you could do so from the integration settings page in HackerRank.

![[DELETE_UA.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047178739-?Expires=253370764800&Signature=iROkbhfQVN~RQb2womDpR3~HQNU0F1OMOafnh5Wry8cO3FiS1Qsbj4xueoEWJKEgE681cEifRQTjPRy~VJJ3X4oCwZXhVMb2pZDa7QsaeMzhYYfxneWecv81od1DbkkYSikVwdsUtnKdPyvel0Wz2bDVhfGyuiZDRA7-W1q0a1622qs1F8iWl-C1-EqpWgj0Eawim~TLCjAXhYWcp6UbyicYgEr6SMha1H4WML9hhousPernoH-0Q8l~AK772-J4pxJQbsylwI89dwCcr8KdcMYzjly99c9wLUXtdi811HQ096OApLWKOnqdw2YpMSqmqbKM~WsVQ54tUTV8EyVSQ__&Key-Pair-Id=K3NV4LZ47N8M46)

15. Enter API User Details and ORC Base URL in HackerRank:

- Open HackerRank ORC Integration Settings Page.
- On the page, in Step 5. a. Enter the User Name and Password you previously generated from ORC.
- On the page, in Step 5. b. Enter the ORC Base URL.

![[Final_Step.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047179616-?Expires=253370764800&Signature=BUxy8aZT5GXb9TaW7tRBv-XaA0Gnqq6lqCwcSdl5RK42NeqbsLk85kCHU80k1CMzCnjzPPXYSCdjNgMQKnTYZ4nKJu-4wamSYp1zlh7U~PM9UjIIdbPg0l2L1Wc4voISAOD6XV8F670DuYFjh0s0OFyywgiQ202TskB95XDO~aeEt8jr4stpo8V39AmvPq1pICTjWfqqP0v-SxtzJKDWLNWaqBamQ1KU1RDs2cKmqbblahYauMKz09A0k0WeWihP2QXoPrLO8ImLH6cmzdb~JQ2jyxWRmlAr~fvakQRYbM1dkcdwBflPgV-PiUPRWLoudupJc3EQJiutJM7vLK5JQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- Make sure you press Test and Save. This will validate the credentials you entered. If the credentials are correct, you will see a success message on the screen and your details will be saved.

Now, your integration is successful and activated. You and users in your organization will be able to use HackerRank from within ORC.\

[integrations/applicant-tracking-systems/phenom-people] Phenom People - HackerRank

title: "Phenom People - HackerRank Integration Guide"
title_slug: "phenom-people-hackerrank-integration-guide"
source_url: "https://support.hackerrank.com/articles/7288417717-phenom-people---hackerrank-integration-guide"
article_slug: "7288417717-phenom-people---hackerrank-integration-guide"
last_updated_exact: "Dec 27, 2024, 6:10 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Phenom People"

Phenom People - HackerRank Integration Guide

Last updated: Dec 27, 2024, 6:10 AM (Last updated 1 year ago)

Overview

HackerRank integrates with Phenom for screening Tests. The integration between HackerRank and Phenom allows hiring teams to send HackerRank assessments and view candidate scores, directly through the Phenom platform. This reduces friction by eliminating the need to switch between multiple platforms.

Tests Features

Below is a list of features that the HackerRank - Phenom People Integration offers:

Feature	Phenom People
View the Full list of HackerRank Tests	?
Invite candidates to a specific test	?
Cancel an invite	?
Reinvite	?

```
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 78.1001%; height: 20px"><p>Status update from invite to completion</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 78.1001%; height: 20px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 78.1001%; height: 20px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 78.1001%; height: 20px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 78.1001%; height: 20px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 78.1001%; height: 20px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 78.1001%; height: 20px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 78.1001%; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 78.1001%; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 78.1001%; height: 20px"><p>Templates</p></td>
<td data-cs="1" data-rs="1" style="width: 123.003%; height: 20px"><p>owner default</p></td>
```

```
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 78.1001%; height: 20px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1" style="width: 123.003%; height: 20px"><p>user</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 78.1001%; height: 20px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 78.1001%; height: 20px"><p>Update results after editing HackerRank</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 78.1001%; height: 25px"><p>Result sharing and validity</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 78.1001%; height: 25px"><p>Add Time Accommodation</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

Interviews or Code Pair

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 80.4655%; height: 42px"><p><strong>Feature</strong></p></td>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 123.094%; height: 42px"><p><strong>Phenom
People</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 80.4655%; height: 31px"><p>Create CodePair link</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 80.4655%; height: 29px"><p>Schedule CodePair Interview</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 80.4655%; height: 27px"><p>View Result</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
```

```
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 80.4655%; height: 30px"><p>View Scorecard</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 80.4655%; height: 29px"><p>Link to the detailed report</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

Reaching Out for the Integration Help

To know more about how to integrate the Phenom People ATS with HackerRank, you can reach out to the HackerRank point of contact or raise a support request by writing to support@hackerrank.com.

For information about the Phenom People ATS, see the [Phenom People website](https://www.phenom.com/).

[integrations/applicant-tracking-systems/prismforce] Prismforce - HackerRank Integrations

```
---
title: "Prismforce - HackerRank Integration Guide"
title_slug: "prismforce-hackerrank-integration-guide"
source_url: "https://support.hackerrank.com/articles/5932438086-prismforce---hackerrank-integration-guide"
article_slug: "5932438086-prismforce---hackerrank-integration-guide"
last_updated_exact: "Dec 27, 2024, 6:08 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Prismforce"
---
```

Prismforce - HackerRank Integration Guide

Last updated: Dec 27, 2024, 6:08 AM (Last updated 1 year ago)

Overview

HackerRank integrates with Prismforce for screening Tests. The integration between HackerRank and Prismforce allows hiring teams to access HackerRank test scores for candidate profiles from previously completed tests.

Reaching Out for the Integration Help

To integrate Prismforce ATS with HackerRank, you can reach out to the HackerRank point of contact or raise a support request by writing to support@hackerrank.com.

To reach out to Prismforce support, see the [Prismforce website.](https://prismforce.com/)

Tests Features

Below is a list of features that the HackerRank - Prismforce Integration offers:

		Feature			
		Prismforce			
		View the Full list of HackerRank Tests			
					
		Invite candidates to a specific test			
					
		Cancel an invite			
					

```
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8707%; height: 25px"><p>Reinvite</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8707%; height: 20px"><p>Status update from invite to completion</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8707%; height: 20px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8707%; height: 20px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8707%; height: 20px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8707%; height: 20px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8707%; height: 20px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8707%; height: 20px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8707%; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8707%; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
```

```
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8707%; height: 20px"><p>Templates</p></td>
<td data-cs="1" data-rs="1" style="width: 187.077%; height: 20px"><p>-</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8707%; height: 20px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1" style="width: 187.077%; height: 20px"><p>-</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8707%; height: 20px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8707%; height: 20px"><p>Update results after editing HackerRank</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8707%; height: 25px"><p>Result sharing and validity</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8707%; height: 25px"><p>Add Time Accommodation</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

Interview Features

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="background-color: #eafcef; width: 30.2465%; height: 30px"><p><strong>Feature</strong></p></td>
<td data-cs="1" data-rs="1" data-rowspan="1" style="background-color: #eafcef; width: 201.073%; height: 30px"><p><strong>Prismforce</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 30.2465%; height: 31px"><p>Create CodePair link</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 30.2465%; height: 29px"><p>Schedule CodePair Interview</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
```



```
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 30.2465%; height: 27px"><p>View Result</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 30.2465%; height: 30px"><p>View Scorecard</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 30.2465%; height: 29px"><p>Link to the detailed report</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

[integrations/applicant-tracking-systems/recruitee] Recrutee - HackerRank Integration

```
---
title: "Recrutee - HackerRank Integration Guide Prerequisites Integrating Recrutee with HackerRank"
title_slug: "recrutee-hackerrank-integration-guide-prerequisites-integrating-recrutee-with-hackerrank"
source_url: "https://support.hackerrank.com/articles/1039021982-recrutee-hackerrank-integration-guide"
article_slug: "1039021982-recrutee-hackerrank-integration-guide"
last_updated_exact: "Jan 30, 2026, 12:26 PM"
last_updated_relative: "Last updated 3 months ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Recrutee"
---
```

Recrutee - HackerRank Integration Guide Prerequisites Integrating Recrutee with HackerRank

Last updated: Jan 30, 2026, 12:26 PM (Last updated 3 months ago)

HackerRank integrates with Recrutee to let you invite candidates to HackerRank assessments and interviews directly from Recrutee.

Prerequisites

Before you begin, ensure you meet the following requirements:

- You have admin access to your HackerRank and Recrutee accounts.
- Your organization has an active Enterprise plan with HackerRank.

Integrating Recrutee with HackerRank

To integrate Recrutee with HackerRank:

Step 1: Generate an integration API token in HackerRank

The integration API token allows Recrutee to connect securely with your HackerRank account.

1. Log in to your HackerRank account using your credentials.
2. Go to **Settings > Integrations > Recrutee > Connect**, or open the [Recrutee integration](https://www.hackerrank.com/work/settings/integrations/recrutee/configuration) page directly.
3. In the Configuration tab, click **Generate an API Token**.

integration.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769699679380-Recruteeintegration.png?Expires=253370764800&Signature=IqWGSqz~vXoSL7oFrZtjMe-lwD1raenFF-mNMsfqHnJH4Bw7c535iJOf~Ffgpni2uuWXYCkw1Im59jui6zJxNQVffh1hFI~tH7lsFJI~B1vvWH4fPcW5lq6ZEUn9jNyDfwzsD6OH0h6PXvrtE6JAFT6FplJBeRwe6sGxxDhfQbx1iWbsdnISXZMLQcxKcpz8TljD4tNrD2mamixsiRiKfFEwuvGUWak8ndvdqf12R~w6YUiG5ThamSzdV4~XhIDUfR2g36jMYuAYxQz4sPxbon1giC7zoV~FfGIIWP8JoHrBEZNVe5Xxv4Ak~jr~R7mKfAhndlbO7MShOdsMj9MOg__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click **Copy and close** to copy your token.

Note: You need this token in Step 2: Add the HackerRank API token in Recrutee.

Step 2: Add the HackerRank API token in Recrutee

This step authorizes Recrutee to connect with your HackerRank account.

1. Log in to your Recrutee account using your credentials.
2. Go to [Marketplace > Categories > Assessments](https://app.recrutee.com/#/marketplace/categories/assessment).
3. Select **HackerRank**.

1.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769754809473-Recrutee1.png?Expires=2533707

64800&Signature=NMaQ2KYuyJoOxdluToK2CqVqpxWPIxGEV9zWsSD2HOhOvspK~IV6pPEJvSOL83XGLfPgBjgWeVgYKRGvGPGsYXB30d8rWDU-GmX2fVWkLdUmtJTMqA99blqIT9U6s4EXuZ-uXxaEoRbjWc2-eLjb-Qhh-oJzdO9FXUE1RxvULQitw3LfPsYx7e6q4kn4cSXHMDhxHCmA2VzHovy9DnNM5fvhe9bwEbx4hf~t3lqUkzZdnlvBffihcfdFN41RmR8qbx5FexU2oEDnxYygRIXGFNdPg6yfG8k0bztWqQiXlgZkTO1v7fuTFcwAzLkG2YATVeAaJPNOcavKfdxI-Q__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click **Accept and integrate**.
5. In the **API Key** field, paste the API token generated in Step 1.
6. Click **Integrate**.

Your Recuitee account is now integrated with HackerRank.

![[Recuitee last but one.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769700303053-Recuiteelastbutone.png?Expires=253370764800&Signature=H4Na1nGR4XbAe7nO-r9RWLZZ7sZw8MPvBaUtzUzBuX2IPwb0afXYSaL5EjiFhtGI2SLGSMO-6rbiUfJ9Uel2iLQhDnniEkn6IK~H8wenLLbrsojXbcfLikmgaaNkV-kXh1d6upUSus79QwPCl5W3-fVHEqcw0mmd4IRnltRuhbLzl8xiSHF7TUJe2NGquXT58J-LJbp4YSGS10H8lrGSzGZwNGOoVI73g-KG9Dy5m83GbKkOrobbBUCG0-tihLraSvl-6LFYjVu6lWDfRf7PRs1OzhxgBsmwcnb7yVYDOCVqPBBDQJJR9x2Fzj2JYR-p~HlxRK4VEgskHa7OWKT5GA__&Key-Pair-Id=K3NV4LZ47N8M46)]

Note: Click **Manage** to control role-based access for viewing and sending tests, or to remove the integration.

![[Recuitee last.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769700369302-Recuiteelast.png?Expires=253370764800&Signature=rWjMYFAIgoz7bsm8il~PVj6bwJhbG2bTktEX8tnODKWvc-9mQeS8hu0odLyKOeACce1EqwrlGQiuAVuCIMkK7Lf7qT6M0USJU2hDNTN8aEK7gbdilo-FBGFEpwK4ZuGKapJMAMReLCOTgMrUHoeJz3QBlw3hzKF5z9KXC2uZsY2A7JzT7m1qdf2xuN8CcbzPTwruGfugP3NACrrG7dSpOPiGb0Mhmj-aA1M04YBurxGrGi3xt7ZJ0w6oBiKZX-nc5UkRj8HhzQl3RrreEvag3CCiPI-K3huWutWAlXvbWcLq0So0mwf1hG2scn9ccDM-AwyMbLJBikqT0FHP1HcQ__&Key-Pair-Id=K3NV4LZ47N8M46)]

\

[integrations/applicant-tracking-systems/recruitee] Recrui

title: "Recrui

Recrui

This guide outlines how to use the Recrui

Before you begin, ensure you meet the following requirements:

Inviting candidates to a HackerRank test

To invite candidates to a HackerRank test:

1. Log in to your Recrui
2. Go to the **Candidates** tab.

![[1.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770276683007-1.png?Expires=253370764800&Signature=rgMoYkfcacaEg5Uz5UUwinzKSMzhKp4KDIEYTm5KOBsmJmRBQh8gUY0AGOhTOU~MkeSRhDsGtYkWSEHunrbf856anyi~kebpMp3~eVNfHmCh0gMoDjhx1XGXnU5xxcTy8-tEzgdPvpTwpOLWnSddREZEDYDDEkVbGdQzowSeMnl9Y8vjrE1DA1HPUSclHE8bb67u4Vg~g2ZRJzh23y6aN8R1cA-mZkfrpQuliy4UTsh~xoFVXrKW9bc6qM~DWXDb6UfTlbzh-BBZAKxq7wPeFL~6zxSrR34yX1gybeg6~5UMYNz-DHK4QEsilAVwn9UsR-nFNmd1G9hLcNvVmZg5qQ__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Select a candidate profile.
4. Click the more option menu and select **Send HackerRank test**.

![[1.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770227042626-1.png?Expires=253370764800&Signature=X6csa0qB05sp0BS-77qKe1nXJcu~ZQaqFsvL5RWOak4E8e3MF9qIUaQ-cDmoVdvvyON8KTJNxirKCSc4jxurxwylxXF~pM49C-m~wxeg6fGhnbMzyQWNeumC26jGkryQR1hB-MIQaZ1dKRhzSVvnoCHE1nX0U0fqdRg2Imnvd7zUbXySrKJn7OhMJw7BKlnJPbCnsy4KTfImjkuIzVfwBAo2NTk4xPW5cc02yJi1WRuOBSSdzlWklwv4m~IYODLL27KdpCNV0QlZD3ip6dRHZsd7PwfNleCNFiVp4YMA4mITBafZqgRzbOupV4rSuqTFAzAdeLku6f6ClqzrX8McaQ__&Key-Pair-Id=K3NV4LZ47N8M46)

5. In the **Send HackerRank test** dialog:

![[2.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770227064954-2.png?Expires=253370764800&Signature=g7wneS6hwAk-K63qd83iaGg4k1jBBOje8SFQfMH~Q~WjRhGuKS-FbNPOud~ZycREjBYQvuquPUkAV3B9npg0LQLrS5l56p41CeSfXkhtg-1XPnxbba~Whnt8HVnwXh~LH4o59mUC2VgABXhPL~W3fJXqEHIO~J2CddYs7dNeo86-XeQ6Lwisjv4Hp0cZ~o~gNzgNkur7fbgZO7Y56rSYeUOGyxtPV6XxwJY9f6hTRW4674mnc-jFGGdnwg5~d3pvr-OQq~3FLn7hoWE-GhM20uWk5x8FIlva8bwMU-ITakgrm8jOdvYO-5UutWxgXTuDPRlqymYqg4YokAJVFkSEA__&Key-Pair-Id=K3NV4LZ47N8M46)

- Review the candidate name and email address.
- Select the **Test**, **Evaluator**, and **Job**.

6. Click **Send**.

After you send the test, the candidate profile displays a HackerRank badge.

![[3.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770227090803-3.png?Expires=253370764800&Signature=bqRCCY8YmGw2rNbGtKyWwnd8hmkrc-clZ1riGr0i5cQoHab4scCLX65zgJHfGxcz9Sc1n-PxNaamSydBkczGDjM~upH9AgHOnvfnZAlmmZEK9vqMND2u0PMMIudPLoUm2Ui6ExWRpW8TAR45E1suJ-5XBMQnmwSHaAnojRJ0bsvetbD6Voo4qR~VcFpD22zNkwG8vTpBr2tZNFhymJ3HscydKwCvJC146DEPN0-MIDXF0RcxEOYMX-4rBYJOGZuWfAWwp2Pb4Vak07sgMOIX0EAXktJtitc7BQb aseGB8QCBG7mXNECIXHwpSnddYKeeOA6WbKuwemMYUbq55vnbQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Viewing test results

When the candidate completes the test, the evaluation score appears on the profile.

To view the test report:

1. Go to the **Candidates** tab.
2. Open the candidate's profile.
3. Scroll to the **HackerRank** section.

![[4.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770227105999-4.png?Expires=253370764800&Signature=gN5mBWxi7HsFv6UoLNXeh3ODfd2WrsEsvQy7ynY2F~-FdnB2O40Ly9yM77ou3EwHqctPMZJ2GbqRV7cfZCttTiVcHYVTpzPWDVxvpVkf24G99RFj~8uXZ-EpVs2eSd44duo3Ph0WbKxZE~XhWTFqQV6trC6~g~jzBQ72W4HKHPDCTuS9QLvZjKvbD1XEb8onp-gTFxlqwS5Tm6SOXF1JsUEAN11tcDITCAItkLmAH90CLzQjfJ0zKPZ7X7cDvuJy55gvBk3M7AnHG5NaqmmYLqY57UHvmy8mX21YPI~VX0J~SFRkt2dqPEhEhnbX7Olgv-nOiv3QhwoCfYjf5BxDBw__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click **Open** to view the test report in the HackerRank for Work account.

\

[integrations/applicant-tracking-systems/recruitee] Recrui

title: "Recrui
title_slug: "recrui
source_url: "https://support.hackerrank.com/articles/6130823390-recrui
article_slug: "6130823390-recrui
last_updated_exact: "Jan 30, 2026, 11:23 AM"
last_updated_relative: "Last updated 3 months ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Recrui

Recrui

Last updated: Jan 30, 2026, 11:23 AM (Last updated 3 months ago)

HackerRank integrates with Recrui for screening Tests. The integration between HackerRank and Recrui allows hiring teams to send HackerRank assessments and view candidate scores, directly through the Recrui platform. This reduces friction by eliminating the need to switch between multiple platforms, thus saving time, eliminating cognitive bias, and bringing more order to your recruiting.

Tests features

Below is a list of features that the HackerRank - Recrui Integration offers:

Feature	Recrui
View the Full list of HackerRank Tests	☐
Invite candidates to a specific test	☐
Cancel an invite	☐
Reinvite	☐

```
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Status update from invite to completion</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Templates</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><p>user default</p></td>
</tr>
```

```
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><p>assigned recruiter on requisition</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Update results after editing HackerRank</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 25px"><p>Result sharing and validity</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 25px"><p>Add Time Accommodation</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

For more information, see [[? Recruitee - HackerRank Integration Guide](/articles/1039021982)](/articles/1039021982).

[integrations/applicant-tracking-systems/recruitee] Recrui

title: "Recrui - HackerRank Integration Interview User Guide Prerequisites Inviting candidates to a HackerRank interview Viewing interview results"
title_slug: "recrui-hackerrank-integration-interview-user-guide-prerequisites-inviting-candidates-to-a-hackerrank-interview-viewing-interview-r
esults"
source_url: "https://support.hackerrank.com/articles/7457838560-recrui-hackerrank-integration-interview-user-guide"
article_slug: "7457838560-recrui-hackerrank-integration-interview-user-guide"
last_updated_exact: "Feb 5, 2026, 4:00 PM"
last_updated_relative: "Last updated 3 months ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Recrui"

Recrui - HackerRank Integration Interview User Guide Prerequisites Inviting candidates to a HackerRank interview Viewing interview results

Last updated: Feb 5, 2026, 4:00 PM (Last updated 3 months ago)

This guide outlines how to use the Recrui - HackerRank Integration to send HackerRank interview invitations and review interview results.

Prerequisites

Before you begin, ensure you meet the following requirements:

- You have active HackerRank and Recrui accounts.
- The HackerRank integration with Recrui is complete. For more information, see [? Recrui - HackerRank Integration Guide](/articles/1039021982).

Inviting candidates to a HackerRank interview

To invite candidates to a HackerRank interview:

1. Log in to your Recrui account using your credentials.
2. Go to the **Candidates** tab.

!1.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770276508729-1.png?Expires=253370764800&Signature=HZK7SNkaySKo4hOe8DNkyPghCImzCNwMn5U9B7IvpTuwcehFCqMUwT8uE-kQ2yUL5xxuk8jXUI6LicxE~H-9xL-4eB8EkHDNatBhBtLtM8YYpSqf97dTfXAb44o8xy9Vi76MY5XoweOVyP3nFMhSqLAIJhHOZHcBxKCpaCK5QWASvYgsY-kOTRUxWvG3XbK7vpkQNQK-FgD9r31vZT9vPKC~Necm3Az-Kt-Bez3VkslrCUYwdVOAzmL38qhH5oZ1FleHIUQqgmqlnAj5EkQOARVDGjkkDBi1rHflKD VfJH-iKAqi-4F-CkhAU~lwo5opa2IA-HzfKudNYC5Ge1hdSw__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Select a candidate profile.
4. Click the more option menu and select **Start HackerRank Interview**.

!1.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770228890367-1.png?Expires=253370764800&Signature=OPieLgVm~NTMkuCkQBayE0uDTPyypx~OREBvADKMtVl29cje-KfsHLmy82foh3H6Tchln7tG0LRQO6zoTjxyl3sDISuRf39bUnOLTWxiI4170ARcGDizLTZrxGwEQunsdPxoPCMuCWEDTRV2erdaBGkwC2JQrpWUINwuUMVSE~KdWg68da8HAeoX6F71T1brROoiPviI9I13P2OCzmMbutuZN6xxVqoGDZJ3-Ecg83iuSye1ISRMwcSICguCP8d2WybWYcjWQQvLrqKUyeMw-wPzTGyA4JB63t8xPmJv3c-bNCGp0LUcFAZfrt~Csw9tqrDPBAmbbhUDidGSb39Wbg__&Key-Pair-Id=K3NV4LZ47N8M46)

5. In the **Start HackerRank Interview** dialog:

!2.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770228912547-2.png?Expires=253370764800&Signature=AfjF9mkhZmN5viQHPw0JZzpg6jP9IJsvoOgABx2zF6ZtxPJA9DzdomFtbKDnH2d1PfmjVjGb27KNNa-ASyaJQZLf7Jy9R12U~T7hur8pla6oDk~c4PSOHSKgc2o6hdTUrt8b-aSi39cPBMT-RQE6EZBqVuiOIQmp~grfQI-03WsqXWAq~Vr1tFwfWqkWFY7KDqK

vCwyPam2-IJ7uz7K0Axc1CmmXJHg~rAWTJxZwocR6xuwWCd6D6-z15l3z7exXQ9ZuOtTSF4qJmaOHIYPOtrbLhZgk2-33i1zXbn2xsF
MW45Ke8gDKW7Oph-ggUVXCTrHSzUnOCR4aEWVCpGspA__&Key-Pair-Id=K3NV4LZ47N8M46)

- Review the candidate name and email address.
- Enter the title of the Interview in the **Interview title** field.
- Select an **Interviewer** and **Job**.

6. Click **send**.

After you schedule the interview, the candidate profile displays a HackerRank badge.

!f[3.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770228933118-3.png?Expires=253370764800&Signature=DrQeX3Ots95ocnj6suwMe7VvSQFw~1CGedWrW-nwGAp0jl9FmwLwAkovCOIADwmgQpMLVevOU0DTTXMpsCAYd-sQ4LRPme0nVwsmj5za8mKXu9PDt~WQ0HYtlNO2W1ERT1JFY-zezHRctqrljbGOx~L6IOc9woSIMm2PoDhRTtuFAy34XTPV4rvt~l4epdAOC4fbLQYu9tBJAoxA0DYP1wJHDjN~rBC8EMth0xleNCKNKwd9Hs6ZjynARtMsNopgHTE11L7SA7lcAualZnxj8TwszdbZZF~plTBxbk-QW3ARn9LhCKj~KuVgWgn3kZvWBNUqphLT9g78--1CvuR5A__&Key-Pair-Id=K3NV4LZ47N8M46)

Viewing interview results

When the candidate completes the interview, the badge updates with a check mark.

!f[4.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770228948370-4.png?Expires=253370764800&Signature=TMkATpsFoeei2QKOHWowSm5NExNIWKXLI-zL3bRAXaWgT5EcA5FXCCI8PTMtmM9O8P27b9-G9r-DUasCBd6MSq0478PBzZ6ocRlv2kmDvzkj6p8Q1IDG2cykbiYpl8l1HXz2gVxAuX-X3bdZ8p9ijQ-hmc~2hdl7RR6CeabB8PggSXCydEyKFIxMqOWzaxxKVpHOMCI9FtV-RmaZ~5Kijdz4STB6bTzWiY5YhMAdJCNzpyeoZl8Mq0dOthH0W055Ep954iDWAsV0j8TwBTvkS4zU9kMMiuLVENr9zLuy6GP8kdGr--zZkRVsCLeHUd40CoNwu91AbvkbMz-gDRyjQ__&Key-Pair-Id=K3NV4LZ47N8M46)

To view the interview results:

1. Go to the **Candidates** tab.
2. Open the candidate's profile.
3. Scroll to the **HackerRank** section.
4. Click **Open** to view the interview results in HackerRank for Work account.

\

[integrations/applicant-tracking-systems/rippling] Rippling Integration

title: "Rippling Integration"
title_slug: "rippling-integration"
source_url: "https://support.hackerrank.com/articles/8750225690-rippling-integration"
article_slug: "8750225690-rippling-integration"
last_updated_exact: "Dec 27, 2024, 5:37 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Rippling"

Rippling Integration

Last updated: Dec 27, 2024, 5:37 AM (Last updated 1 year ago)

Overview

HackerRank integrates with Rippling for screening Tests. The integration between HackerRank and Rippling allows hiring teams to send HackerRank assessments and view candidate scores directly through the Rippling platform. This reduces friction by eliminating the need to switch between multiple platforms, thus saving time, eliminating cognitive bias, and bringing more order to your recruiting.

Reaching Out for the Integration Help

To know more about how to integrate the Rippling ATS with HackerRank, you can reach out to the HackerRank point of contact or raise a support request by writing to support@hackerrank.com.

You can refer to the Rippling ATS, see the [Rippling support articles](https://www.rippling.com/app-shop/app/hackerrank).

Tests Features

Below is a list of features that the HackerRank - Rippling Integration offers:

Feature	Rippling
View the Full list of HackerRank Tests	☐
Invite candidates to a specific test	☐
Cancel an invite	☐

```
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 25px"><p>Reinvite</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false"></span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Status update from invite to completion</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false"></span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false"></span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
```

```
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Templates</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><p>user default</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><p>assigned recruiter on requisition</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Update results after editing HackerRank</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 25px"><p>Result sharing and validity</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 25px"><p>Add Time Accommodation</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

[integrations/applicant-tracking-systems/sap-success-factors] SAP Success Factors

title: "SAP Success Factors - HackerRank Integration Guide"
title_slug: "sap-success-factors-hackerrank-integration-guide"
source_url: "https://support.hackerrank.com/articles/6922485557-sap-success-factors---hackerrank-integration-guide"
article_slug: "6922485557-sap-success-factors---hackerrank-integration-guide"
last_updated_exact: "Jan 22, 2025, 1:52 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "SAP Success Factors"

SAP Success Factors - HackerRank Integration Guide

Last updated: Jan 22, 2025, 1:52 AM (Last updated 1 year ago)

Overview

HackerRank integrates with SAP Success Factors for Tests and Interviews to facilitate a seamless interviewing experience to schedule remote Interviews.
\

Users can send HackerRank Test invites to the candidates. Test results and Interview feedbacks show up directly inside the candidate's SAP profile.

Tests Features

Below is a list of features that the HackerRank - SAP Success Factors integration offers:

Feature		SAP Success Factors
View the Full list of HackerRank Tests		Must be added manually
Invite candidates to a specific test		?
Cancel / Reinvite an invite		?
Status update from invite to completion		?

```

data-type="emoji" contenteditable="false">?</span><br />
<br />
(only on initial invite failure)</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1" data-colwidth="201" style="width: 201px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1" data-colwidth="201" style="width: 201px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1" data-colwidth="201" style="width: 201px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1" data-colwidth="201" style="width: 201px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1" data-colwidth="201" style="width: 201px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1" data-colwidth="201" style="width: 201px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537px"><p>View Code</p></td>
<td data-cs="1" data-rs="1" data-colwidth="201" style="width: 201px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1" data-colwidth="201" style="width: 201px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537px"><p>Templates</p></td>
<td data-cs="1" data-rs="1" data-colwidth="201" style="height: 22px; width: 201px"><p>user default</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1" data-colwidth="201" style="height: 22px; width: 201px"><p>assigned recruiter</p></td>
</tr>

```

```
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1" data-colwidth="201" style="width: 201px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 537px"><p>Update results after editing HackerRank</p></td>
<td data-cs="1" data-rs="1" data-colwidth="201" style="width: 201px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

Interviews or Code Pair

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 541.641px"><p><strong>Feature</strong></p></td>
<td data-cs="1" data-rs="1" data-colwidth="201" style="background-color: #eafcef; width: 289.359px"><p><strong>SAP Success
Factors</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 541.641px"><p>Create CodePair link</p></td>
<td data-cs="1" data-rs="1" data-colwidth="201" style="width: 289.359px"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 541.641px"><p>Schedule HackerRank Interview</p></td>
<td data-cs="1" data-rs="1" data-colwidth="201" style="width: 289.359px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 541.641px"><p>View Result</p></td>
<td data-cs="1" data-rs="1" data-colwidth="201" style="width: 289.359px"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 541.641px"><p>View Scorecard</p></td>
<td data-cs="1" data-rs="1" data-colwidth="201" style="width: 289.359px"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 541.641px"><p>Link to the detailed report</p></td>
<td data-cs="1" data-rs="1" data-colwidth="201" style="width: 289.359px"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```


Reaching Out for the Integration Help

To know more about how to integrate SAP Success Factors with HackerRank, you can reach out to the HackerRank point of contact or raise a support request by writing to [\[support@hackerrank.com\]](mailto:support@hackerrank.com)(mailto:support@hackerrank.com).

You can also refer to the [\[SAP Success Factors website\]](https://www.sap.com/products/hcm/about-successfactors.html)(https://www.sap.com/products/hcm/about-successfactors.html).

[integrations/applicant-tracking-systems/smartrecruiters] SmartRecruiters - HackerRank

```
---
title: "SmartRecruiters - HackerRank Integration User Guide"
title_slug: "smartrecruiters-hackerrank-integration-user-guide"
source_url: "https://support.hackerrank.com/articles/2880884436-smartrecruiters---hackerrank-integration-user-guide"
article_slug: "2880884436-smartrecruiters---hackerrank-integration-user-guide"
last_updated_exact: "Apr 22, 2026, 10:10 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "SmartRecruiters"
---
```

SmartRecruiters - HackerRank Integration User Guide

Last updated: Apr 22, 2026, 10:10 AM (Last updated 4 days ago)

Overview

HackerRank integration with SmartRecruiters helps you manage your HackerRank tests and interviews inside the SmartRecruiters platform. This article will act as a user guide to help you understand how to use HackerRank's integration with SmartRecruiters effectively.

****Prerequisite****

- You must have completed the [SmartRecruiters HackerRank Configuration](https://support.hackerrank.com/articles/5934100296-smartrecruiters---hackerrank-integration-configuration-guide)**.**

<div class="iframe">

<div id="container">

</div>

</div>

\
HackerRank Tests Integration with SmartRecruiters

- Once you have completed the integration, click on the People option from the top navigation bar.

![mceclip0.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046999658-?Expires=253370764800&Signature=Feacq76excifl2ObKgJfajCJct8hm9eOmXPlyZoydU6CFSWi8gFGAk1DwVQaezIZVUR~ZZ0vh6Q~Qzfr0JaGJ~6~tcvJr0wRhSGAZHZATuqNArtE55FL6nRfp89C~l8XPY7PSRgVd-x56tqR0upxy0ErApURRecEW6FMTxc6qF1DM4kz2URO5TZMkHJAGkUpzJkz~Mid~F6COqnpqKEh3ZJU0Bl0ppdgB-oQM~CzIO~Cj6RABapi-Eqkl2c-foEHk1GTgvW~S~5lkE3M31yKi-pDCiBynXtGh1W-7uRyn-oNQNXkORgFhFrzz46Y8w~oRCGmAhlvMruAyfAl8HZkQ__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- You will be taken to a list of the candidates. Here select the desired candidate to open their profile.

![mceclip1.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047000065-?Expires=253370764800&Signature=DvYm9mQJAwptXaf5vhbeqILJFU9NrQxvet8Wn2aPAvgzDltGqF34FUpuFn8PJB9HHeNdvZiBRSauCzZaRW1P32A4MzxZgOBW4plTIFwl98ZzbpmMVHFTcmoT-Trll56o4Pr8AJrhB4wlqD5mWToIIIMTaiJZGNou8JfegnJ7ROopQfVbxig0kMqlAZ~4o0-BCYYA4TFMsfT3U7s80jwMHY2sJC7kNmzCVIaJQ3RC~brEi2Adb-bV3dO6llnHhX6qXSKX2Lr79ypS-uk4f2mxAyC7eqJbBFCblu5eaedmHhE~4r77-ygWGG4PFYwYijSiazBaA0u5~oLkKjKfKZDo2kQ__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- Inside the candidate's profile page, click on Browse under the Assessments tab. You will see a popup where the tests created by you in your HackerRank for Work user account will be visible. Select the test title you desire by ticking the checkbox beside it and clicking on ****Continue. ****

!mceclip2.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047000587-?Expires=253370764800&Signature=KB0uDtyf67wALXJog3YF9QMMY4M-B4bN764mwMB-WBtrQebdcBEC0-fh3tt8phuubiAdf1OjKxhEgAcyUq8YIT7nVI2p4Ozp1X6WjtxCO7j2KpBURnM6oYKkUFhPMU6L08d6anJOHulugXvdc6ievQIGluts7XJTOLOxe7F1QdZux4eOcGsszewd9t2LIXyyPI3Of~1Uia9C1beu9o543IPN5AosWuY5WohmQHVS0Yz61yoYI0fVJynqu6-FkQK9ZpBQjq732SGIXJ8i330ZDcnUICmL4O3a4Z6jgS3LRIATLyCcTt06yuGn2MpmgOE~NZ2dfisIMD6~KzUPbryNQ__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- Click on ****Send**** on the following page to send a test invitation to the candidate.

!mceclip3.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047001105-?Expires=253370764800&Signature=DNZcMfJUC8KwqlbYzIERAnqPmizVZtGjM5J3QcdAvJPYRR9QmnDB07T4pnZ3l8weOXDZoMTEQmHqL-6gKYMqYW7XoDzz02JuKGLwOh-MtJRLq1skXEJQ3GDAOUfgCqv0XWJWYgaZxpnvp77Pu11hlnSHQOmZyOASnPClbHw1MVs3nw7XPoim5xU2WVXvMhJZox-fq3f0QpvLxsBoIEqoMRPxT9M6umRiDAnfq3F09BAKx0vkEc-e~nFjYRD69dj-ctEHVQTo~BBIDij5OGuUrqa0-RYR8qk2OnQs~BYpvQs~TwS1yZnjyy50jJ8G79lK~T6vKT~lQ6X90HKpLedkA__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- Once you have successfully sent the test invitation, you will be notified about the same on the right pane of the candidate's profile page.

!mceclip5.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047001484-?Expires=253370764800&Signature=C9q~VEbTowgJQJ5bv-HXHgxRrRJZptR2kbN8ufBDK5fUQ6NlyJbziDnHPuTx7t-u2zwRSrtRI-hfrdXVwa2BdDusAMWhg5vuQJjIO7hJWCfzm4o6ynnLP7D~M0UZZ2n76Ze1nDRjqUnwWVSe6yPEes7b5oJqJ1aaFx-QFKUvp6dQVTTlw1t5UigXqGa5LS0u9~e0t9qrU~12Gq1LQ93bw8pW8Zn9Sgz1g8O2D1Mw4Qt0Xg~nWl58A0tskaleils7gguLu1UpwubJ3q949KZHFSSiCqykUQ~nSkJfjLGbboD9ql6xq~PflaF3fy~Kp-zNTlaSITd34l3DPDzEWrkYk7Q__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- When the candidate finishes their test and gets evaluated, you can see their marks and qualification status as shown below.

!mceclip4.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047001936-?Expires=253370764800&Signature=XEFZYwVzpMjy~VtdB1jrG066YPD9KtWJEZryVJaTaAq3Mq-iHxkxjMYbG6NwIBn1oVGNwG7ZJC-HTw80Cd7nQTX-uBjF8Z1d0lADRI9HwWTBxQLgObafh2f60Alop5RTvXXDQM9DCusfCGyockaBicsAuaaoCXffYUQ0GR5Qg7uBgZyrbfAUAsO90NqDrWb82TUEa1NdsjXcV6hLGYoDfpOqoKCOA7HB-TH8sTuuw4gFj4FSDgrzO6p-10t4Ne43yPAIN7MzhinlyZG7SJCllJqaVRRKiOl9q0lJEwkAPvN~YVsxlcFFgT3ZDLXZ84DcMcm1muGWVxPHsGdCA__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- You can also view integrity-related information, including:

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776791115598-image.png?Expires=253370764800&Signature=G9wrl4gmOmnZ8tKqMcKcFMI6Hw9gvLQ5K70Y4gUxi7xiYx-Cj7gyYc0KqagR4vDIZVFECWBXm2avDAGuIrLPNixOTXKAT55lOzmtrsJFR2-EwHAYurw2YNQiX2xmAQmFyssa8JBI~lmChGo04zvDZ4jbtWby2snWhP5Qvp9vMykN8Xt5lG-n4-lZqwiGd5w8lBxSQ5gChqLmeq~zV~txrWUVcnZt-7oQ9oU8-eAi9sXTyGRjYhs4tJxkgkpwHkfftzJRgsiHCnX8ziml1CIdrnHdU6jmTggcWxLUxvltOAwkUSuWKagFW6jlvAnDXV4iasJvXv6nymEcZ3lf7XKxA__&Key-Pair-Id=K3NV4LZ47N8M46)

- ****Integrity Issues****: Indicates whether potential integrity issue is detected. Integrity issues are classified as ****None****, ****Medium**** and ****High**** based on severity.

- ****Integrity Summary****: Overview of suspicious activities detected during the test.

- When a test is in completed status, you can visit the candidate report page on HackerRank by clicking on the link icon as shown below.

!mceclip6.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047002377-?Expires=253370764800&Signature=UGpBhIL2S9m-z9oZgvGovr93d4jUKcplmfony2q33mULtJAg4mDkZFaRPWtfjBP3X3ai7DSWUYruNaIdglre~TXLyIIIOvry8Ft4VgeeEHgAsrmwM35HXAi88jUajaspRI2c04yq9fQ2dCr9pRLLQIB2C~tNaTZgPB7UgatQio29qSelMqw3mKtu3TwwgTXBfQ4RtdRuj-42nzXS1zR6t06p-A9JI72gmVL9lgXbUyyOfm6-j2vMCN2JwIEMng0jpBUsLh2-c~g1cV2hbcGw7SdP6n8ubqPbPEGWZkz3essMnkSgLG6g-dULyq~R5qcHtKXKbOCOaeTPrgGtAWDFw__&Key-Pair-Id=K3NV4LZ47N8M46)

Adding an Inline Assessment

- Click on the profile icon from the top right corner and select ****Settings/Admin****.

![mceclip7.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047002883-?Expires=253370764800&Signature=LpN6wfhyWxqTa8HN4JOC~w~wOOr~tMdjk8K1n4eDVolNIS81Qw4YTpS9ydwHfd3HHJaknv8HOxBgrVMBo8eF5IBnbi2WQG77ui4gqbwlVET3UlmzLkFnTrmmig32zOitymzojXbEQa~i6mbEiYAt-hNOMcAYXjqQH7C-J7wt91jA6diRyRqotoBk48LIotb76l~ltRqmcW~kfRcP54~6W-FxPMoFtZ4lmvkqUMpm8zUuFj11g5wcPsB73GgTXc1ENshPnC3HMrU~y3x4ap7nUEcC1USM0pMk-z1F8c9nXRl7CkMe6Alwdb7svlO1qjLML6unb6AEo7rDvvZCf0EEg__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- Select ****Hiring Process**** from the Settings page.

![mceclip0.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047003319-?Expires=253370764800&Signature=cp39QFMfkJYFGztwJtScgfvHjXsoJBeJ9cnDD1~LQo0UnMORdWIII6fizNWT3Nt29HVNqoY77GeXdC3jUDIKslnY-rWZAKQDWX3Dp8ZYxHS8u2aqpzRDOVTKovP2KcBRFRftqwhUhnHd20DdlFW65gOUoXzpvHooSRUqLosmyPZfJJB7tZHY~hiQ8NMuYwCScrlptL~OnNcmSehhp0GePINAcEtPB2bJGTPMbSMi8ikmS-DREO9z2bZQI-M~uBYzjUuhr-d9to~ce033mKUdp9wNXVqygB2pGtLg-VOCn5H~Kc2yKSeKcH3Fhg5xFGyvcqcXTqd155n6gaR27xkdA__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- Click on the ****Add in-line Assessment**** button on the following page.

![mceclip9.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047004054-?Expires=253370764800&Signature=mYXsuux3DfoN7EtdmR6ifZvekLydS2TPy5hVjmBaQjP6GAY02UadULTRvwwWI96i8tkXMz1QyC~0PYB9Q8jel1Zkl-Oqjeg8YZpi1h3~3aMLJCs6zYFWREPIqkCf4-Jx1MsYvQSfbl~vaCMIHwWmgW433uhgU0TxBQs8B2j4oNcpl48IMd8nPfcscurbSaFB4Kih6xkRI~1PnfE9IYNntGwTX-4a~QG1QwZHNIqQ3KQqP2js6JjdADzEKyokMqOwN1jH7ncFyxz0g31lIpFzhoM3BTjF8JZAID9RjhaAd8AQs234vSOFKaVflFgBZPhQ34ZygaPNy8qSpSAVSP2A__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- On the following page, you can see the list of Tests created by you in your HackerRank account. Select an assessment from the list.

![mceclip10.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047004534-?Expires=253370764800&Signature=etRs9~2x8kk2mBc9~hf-c83Nc5cmwvzwJfH5cWBMV1wnyOg1sqZTnTkPdK5dGNKR~qEZPltEzE0-gVmm5wlv0JSqteBDySx-xzKjG6pnP9EPngRkRk66fAVAX~QVkyR~Nj~wro8ixiN8BJc6YSd6DweQ6z~Q7WAC7YQZSf~b6Hhaff8PeOoaVIsM2O3oprKGJtJF7bO6~fuyFOuai6ya4OoL2IIAK0LSHgC4SavsgGCYrNciCeE8Vo~TRLakS2FqeGrQ7I2CKhJFNAX1~TMMpBzz0r4U6FMMogChl5-Rgh6DgeCYjZTdR~u4ncz-yIhfVIWzIV56SbfTxV0N-qXmw__&Key-Pair-Id=K3NV4LZ47N8M46)

Whenever a candidate applies for a job, they'll have to take this test before they submit the application.

![mceclip11.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047004957-?Expires=253370764800&Signature=NpLlLUhiQTfsoLo3VKZIP~nHCZ~FQcgRhb2G3EBBJ5qtua2YJHvR6NL5pcjfO3xrumt3S6DEVG8JRq5LQgCEUMAtRah3G~1Mnyot6SjPO9sJEPT5dR7jpiK39~x0HtdT2R3T0PLoJGYSag4TQOFNwiOdztwaJL9hapFAVgv25IKtthzR27tlm5prElWpzvxhpbjy4A4sUGrFhCKUshZzRtgGpParWhrwoTAEgzloKHwTurKTgDz0nuiD5Zr7SGz0pmiLtsQVveFvMclQyEG0YjfdFRA4NB1VzWZ8kMp6fmc3LWOVDljinsJ7pGqV~i8vAJduYr9dfQ3tWhE2sp-Q__&Key-Pair-Id=K3NV4LZ47N8M46)

When the candidate clicks on Next, they are redirected to take the HackerRank test you chose in the last step automatically. Once the test is finished, they are redirected to the SmartRecruiters platform.

![mceclip12.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047005385-?Expires=253370764800&Signature=lwsI9-usQcPYLJ8AkT93qhZsiPlcUeO91bbmFCDPlSxJjJx1K-opkvjyNowTqOm4bhel5vxp76NZSVdJozZmEl8TFxiGb78q-5ckq8Mpy4DxKfVDEkn1pSUIB3T2jp302d9JlrsRKjV37k0A2chvzktw3JgACG5xrpOWdTCRxm1wunsa9q~vhyZdnP1CWwWjTVcAtpbqMC3CRUcpQIPw6gV6~i83dEr4ljLXqH4vDTcgWCc2GnCRYXzcdv~IH6lQeVvRNVp2doti-sZfnQYPaTkxwoLTxk~NCAdXtLO74-s-Y9dMbVj2xa5tF3dMkFdJRJmvHsgtU1JTVWQBxB8sQ__&Key-Pair-Id=K3NV4LZ47N8M46)

HackerRank Interviews Integration with SmartRecruiters

- Once you have completed the integration, click on the People option from the top navigation bar.

![mceclip0.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047005769-?Expires=253370764800&Signature=L4LebYudU0vuF5S6H1VKW6HcAPE6rjMTrOwH8m3HRZzjb4~3SEtX01ptvHrHFLY51q6bxGwlZQIVKDFE4~CVdUQj-PJX

e7pOcBgfz0G-M-0IX7V9ff~Aso1GHhVA4dnzSMnOIRcWLj0BA0Od3xn5XY23QQ2LqUWeXxO7puQYLK0bx6Tq69hMHuXwck77s7FS
furmXatSMzz9G6ggUWIEp8Fs2jwtd6aj8063dNZBtUpQoprSwiYtwwheQpOCZvygWdaWea5DKELDwsx9oTXoJ0Uz3SZFfMK3c7JYZ6
J5zVGN~fnJ87QuwuM1McCoS8HL77XB0SPw~gJmk3XzONrKcA__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- You will be taken to a list of the candidates. Here select the desired candidate to open their profile.

![mceclip1.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047006132-?Expires=253370764800
&Signature=CBXAYQSLuWfNLj0VX7Vdw5EgTl6cr6n5-16p8wbRuudhHbFgQE9-VKZ8WBj8cUG3TnoftgqiDu9hV6lu4y0DRru5yN2VIO
Cc7wiB2DQrYF5kQgv5tGxp6LoqCYeMZTs841damDFX2UrT42jir4jClyUTOYU8XLJw4pAyRJAj2VVcWesn1x6vAHJkeiQT4OO0UH6
CUNBFJhVQ9~bGuxljKMTWW4iVBB~N-jh1jWj6zA5cY~Cju4kPou6im4UHPztI-mgUWJ7RfpYlZmpHia~DKAoq79JMuwZj-bkBKJd2iUL
MPXYsdjz-N94m4-YLIMTVEMlr3EebcoshTlBlWcTOqw__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- Inside the candidate's profile page, click on Browse. Select the **HackerRank Interview** by ticking the checkbox beside it and clicking on **Continue** to generate the interview link.

![mceclip2.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047006599-?Expires=253370764800
&Signature=FL1I8UXoVR7GoHLNjAlzoRD-5jkQT-CeUXazULixx9P~ggKS0DnMMZS1WQ0eU8p0a12RofwhTfd5QT2pKh85oIMtld79D
XKUP53sCTu0wFWyKw7IGE0U0wgpcNbNso9MI8gjF-J3~f2MYyjepy~VMYOaS2WEWsc4Z4WB7SKn3V8Wi9-RJhmcSe3vhDyvBhnf
UZWjvjW9HZB9Swpb9DxCQnpei-fbuBm4EcrflIjeGAU6uQLRVwHStmkc8d5FZ55hPz9glU7d5YMepqAGFTU6sUapJxZSowNme~hd
m1Lv~hhtLi5dkrkECqAOQlh0zvRzd8esVoJeXAljG8NeOMiyg__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- Once the interview link is generated, you can locate it on the right pane, as shown below.

![mceclip4.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047007015-?Expires=253370764800
&Signature=sZyWmLsTlYr4F8gw5LIYdG99IQx2VdJMS2jcf9L8abBNQp~GXHebGFytXAbB3-KG3qH550xW0geNMmu9b8Wm9DloYo
xePtX8buZIC8TmJWWpi4F7QcqKm5JLOvXk6giiQ5Gdiwls-gjgmN3MjiTRn5RAKstfcbxZbUzWuWx8fJCy6o-qDpniRaVsSsdFbGCr0Kh
zRc3Nf6lGRptBfYayhx9gbl~6pYrONXH~g8Y3FN91tbwGpl2kcoChprmq~x1Rx6SGv9L~tuzCXkaDgcgwlNzI33GC7fSEhQigSoLyXXEr
m3laGvCUosPNzj96PVT5AkIgeGzL2nIWbNjDwLhhmw__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- Copy the interview URL and share it with the candidate.

- You can do that by clicking on the Email from the top navigation bar.

![mceclip5.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047007577-?Expires=253370764800
&Signature=bdJt9tTSUVUshbQ5M6c2EOESfHQRsG8fk9TgTPBbGJzXgl9ofhDTN51BxLhJe7FsYr-TaiKA4U1OxEy0vGvyAmvYrOA
U0mACSgfsbc8xnRATpHTyEGlqUKfHgflQJiHmUbFuWbioXKOxoZ4cewc7FICcUF2RDXgn7jRi4F43Y7zcfyx1e0idf9VjOuzLgLvKJXPN
WfmDYqySa8nUHQ4EnHe~UvcUcH6SX9Bf-Y5U3Z1Bw59VfVv6KvHMPeTRgr3MMb4nK~9MYLXjyUfAXR-NkXbrib4v3TSWEK05
MTBxZapnoUsSSZoISZ8zq7sflbHB16ov7wCAsHpFyOUXxjQ__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- You can see the ratings and the comments on the right pane when the interview is over, as shown below.

- You can access the interview report by clicking on the link icon.

![mceclip3.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047007981-?Expires=253370764800
&Signature=fB6t3VQH0td5IzeJXXQ22wAm-TAn~pM1ZHpe8ybWfqG2aR7bufw1wUgRasR2li4BcWPtZT8k1dhAsBnnKSkZ8-Flurt-VE
42h8Z77JD4oOyChOXF4fpAr2FsSApKjevOXSSgZres9oZOfSw4QR8k26aTuPIPAq8eEWCDqMqnp2IcT~MtA8m6yzvF3VCSfDt-DYH
TpSjlQl2ouBY0Gar6OlyM3LHTQMjiyE7y6NM~Bxa5ISrXM5WZjzFMYxmWa6JZ0uebn8p3i8pHP58bSx0filUplrx-VZZquWY1Snft491vq
ydGyAwQyHBQ7YGUEa1SqTtZQ-R3qcD-T9unO8t0A__&Key-Pair-Id=K3NV4LZ47N8M46)

\

[integrations/applicant-tracking-systems/smartrecruiters] SmartRecruiters - HackerRank

title: "SmartRecruiters - HackerRank Integration Configuration Guide"
title_slug: "smartrecruiters-hackerrank-integration-configuration-guide"
source_url: "https://support.hackerrank.com/articles/5934100296-smartrecruiters---hackerrank-integration-configuration-guide"
article_slug: "5934100296-smartrecruiters---hackerrank-integration-configuration-guide"
last_updated_exact: "Dec 28, 2024, 3:47 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "SmartRecruiters"

SmartRecruiters - HackerRank Integration Configuration Guide

Last updated: Dec 28, 2024, 3:47 AM (Last updated 1 year ago)

This article will guide you through the process of integrating your HackerRank account with the SmartRecruiter platform.

Prerequisites:

- You must have **admin access** on **HackerRank** and **SmartRecruiters** to set up this integration.

HackerRank - SmartRecruiters Configuration

1. Log in to HackerRank for Work with the Company Admin user account.
2. On the home page, click the drop-down next to the user icon in the top right corner.
3. Click **Settings**.

![[settings.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046984519-?Expires=253370764800&Signature=cY50sXNk1a~j49IUj159BI8185Z7hNbbdiH~GiOS4-QwvTq8K7ETModvg88VUqsfvnJD-WCgxxgU8pF1rB2RS3utt4H2V7RMnieKniZjhG0KuFIV16aalFpZUWnW1HaPoCyN-kzbQslblb1a8qoi0UhFcQK49ix8vWIDDiSA8euRjWszf~y57o82xWaM8gKIUY3bO-WB3p8EGzhXw6y~3r2LTmiQXRzdc6ia5qNCVSS0zuv10ZZ0niR~zru7IDqs4qLJO7YueP3zys~cnJ9MXtd8oKolQmtaJ9RZt2NvexzZQZfi9Q0s6FH4~NBi4XRbwpfLJNaOCN0nhTTrabHUO8Q__&Key-Pair-Id=K3NV4LZ47N8M46)

4. On the left pane, click **Integrations**. The **Integrations** page is displayed. Scroll down and click **Connect** on the **SmartRecruiters** option. You can also search the Integration from the Search bar.

![[integ_smrcrecruiters.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046984872-?Expires=253370764800&Signature=Qs5dlcnofQNO3slcunk9KuB6brkHb8mObkOEIOAvKMRbWjmE7KtJhQVB2nRUv7ZCCW8zOi8yOKMuKi8KXjyjQ0ev48F90blrCg7y~gLZmu07hVX~UxGe8oD2GRebAEGiBIWU~ITlji9vqBjHOSwafrziCj2M5gGhgte6xfVyoa5XIFEPF7jlgIYVSKoy3uV8UeUyrvWL8BY9pPPDPtOebNrpv4RTII3KyifobY924iilDsMzYHnDo5PENcByYRI9~VG0tHNUUpUAj8rHHw19dxtuxr0TagsSrNiLQbv7sRd7UDjvWkHROh1T230lQbtxCrFraZkz8AexJxhOZyYHk1Q__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click on the **SmartRecruiters Marketplace** link.

![[integ_smrcrecruiters1.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046985183-?Expires=253370764800&Signature=TR9-appOnScT9DjRFMH3jnmSZ0GAV~f5ya88J1uswJDMNujGvRj1bmj0VM~TEvQ9aevfgYPJajqvbBHR~skRzFi8njeYHxYFpuXzyJzqxBP4nLypXPzkTex5HYOPnk-BH5e5DwFlvzQJhiB~vpOgGmxdkfa-dj2kTPDwZnDAAYN~pnHe6ViN9eLDppDm8iUqBjKLhldOPfhe6TMwgyFHwzPlmKkwddFPVaWFGf2Z9S8rMb3xVKOmRjWmOw~E3OSaVwS4CzX2Jp7ay-GSwow~4jm0u-eZ2zlyZieF6XI9PfimO9G5OZZ-4YQ88JZcTJbVkknwunaDxHyHAbKJcBsJ5g__&Key-Pair-Id=K3NV4LZ47N8M46)

6. You will be redirected to the SmartRecruiters Apps/Integrations page.
7. Inside the SmartRecruiters page look for the HackerRank app. You can also use the search option to find the HackerRank app.

![[image3.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046985666-?Expires=253370764800&Signature=hHF7eUOEIEikbyZ8tmoKkvxgO~GshqlAa6oWUEufANPJ5pqToOskwDPqJ9lIx8cnaofA7CJie6uBCa1p5INhXb7ZOkaYwolAyixunCwDCEQBfKWXfceRBmmqWdTYVRvyl~dKKbM8U0Hz~rYGtnzJqzOGvjLxHL1x9IZS1smFwj3hVC9MvnP5~6LAqQjCEUdSI5uqxDbQUcaRsel5TKE1miX7mQgzaAa3tUVsNwSNdj4i8XpJ0BheyWbpvKoOCHL7Anathh8HVNndbbz5SIOrn1S6UxOw6LraXGcmH5

UU9svRdWqaikoYGd2~GnTJAwK6f~apOficlLaK~PbngBZSsw__&Key-Pair-Id=K3NV4LZ47N8M46)

- Click on ****Connect**** and then ****Allow and Connect**** on the next page to complete the integration.

![[image6.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046986181-?Expires=253370764800&Signature=UV0fmzESK4mVtt89fyBo5F-L-T4FhQWuIU90rgdPEOwlRydyygUE9MGkb1auovl4zZ0ftf8oj1mdOjlXLRz5v3d6Zown9fzhZkrwfOxSkGrxzHVRQloCuW1JD72V1KcjHhkNpOHDLCogVvMCv5tVw1sW3vtlhaoin5r1gUJk41pmHWUwvPXpGUE9mUqvIMI3AFKCqlWVeetWh5bsJGkAaJ2Mz~t0B96C6sGi37BJ7hYb2JHh8O-X2zrjalVKOL5P6EJBFZk7Fcm-UrixHeNrrm3L8yxJjtY3aTkrLEGTSMuR38UoWLOpQw2abdYk~G~8RvmbjDhwTf21qFqlr-ht2w__&Key-Pair-Id=K3NV4LZ47N8M46)

- You will be prompted to authorize the integration. Click on ****Authorize**** to continue.

![[image14.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046986559-?Expires=253370764800&Signature=oWKajvgXWNpbmZZ49LawPPc2HyMt5iuctxTt~ODE0GMtwpHQVYV4QDaXErCj7tl8mMy7D~37jHyRIJJquGzDLq4H13LIAVbclBjnvVWo-3ls59vSViFBgLhgXppoCGYNJRw-HZ4OdOAYmOKsiDKfG7Hwl1zX5tshex6fsPEpwSs2ifblZP3N99Q~zQcLZyFnlXSIh9vmBXZ9EUnH7KZQLyGHEUTETLH9OpTQjYyYhqNwWIITQswjw3zfrx0NeEqiyWY~wDfVDeWVCdV3daCnbPmjPhobQEWAAl2loCcuSooOvktZuTE0RPCuvF3pUVM98GBXRwrEa-N8DMichyKBnQg__&Key-Pair-Id=K3NV4LZ47N8M46)

- Once the integration is complete, you can see the HackerRank is connected on the integration page.

![[image8.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046986882-?Expires=253370764800&Signature=ZugchafWkipy8zXdQzrbBZSo1LrwnK8D2VUuQ1IgFT7C-k86awOgxvFmnsWbFNr3UUBV0sr8SnzjSKWLDy16MM-jgfRnNK7-z2T0oGC6FgNt5SjubAeezXUglTRdFifS2P8E1xNRM6gnPsHjbXnmGiTF-1MJNbnM~1raZR5n52~BHTDG2cPAJgab4Lv4X7GZCZNkPxw7tLMxllHgJq0hcdWUMkoHOihrP0M9DQ61YMAZPoH-SbGKrK~Yy0VxSvMn2i5hgwhkoz~P0MwYgF2YFapvzepC0EA3UBNOQY3ZzHTN2pL~Q6PofxDIIRxo2OhzpGf74XDq0rnYfyq33dMJBQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- You will be notified about the same on the HackerRank-SmartRecruiters configuration page.

Now that you have integrated SmartRecruiters with HackerRank, you can manage your tests and interviews inside the SmartRecruiters. Refer to the below article to learn how to manage tests and interviews inside SmartRecruiters.

- [? SmartRecruiters - HackerRank Integration User Guide](/articles/2880884436)

\

\

[integrations/applicant-tracking-systems/smartrecruiters] SmartRecruiters - HackerRank

title: "SmartRecruiters - HackerRank Integration"
title_slug: "smartrecruiters-hackerrank-integration"
source_url: "https://support.hackerrank.com/articles/9231210914-smartrecruiters---hackerrank-integration"
article_slug: "9231210914-smartrecruiters---hackerrank-integration"
last_updated_exact: "Mar 25, 2026, 2:29 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "SmartRecruiters"

SmartRecruiters - HackerRank Integration

Last updated: Mar 25, 2026, 2:29 PM (Last updated 1 month ago)

HackerRank integrates with SmartRecruiters to facilitate a seamless and efficient interviewing experience for the hiring team and the candidate.

As a part of the workflow, users can send HackerRank Tests and schedule remote interviews from SmartRecruiters. Test results and Interview feedbacks appear directly inside the candidate's SmartRecruiters profile.

Refer to the following articles to set up various features of the SmartRecruiters - HackerRank Integration:

- [? SmartRecruiters - HackerRank Integration Configuration Guide](/articles/5934100296)
 \
- [? SmartRecruiters - HackerRank Integration User Guide](/articles/2880884436)
 \

Below is a list of features that the SmartRecruiters Integration offer:

****Tests****

Feature	
SmartRecruiters	
View the full list of HackerRank tests	
 	
Invite candidates to a specific test	
 	
View total candidate score	
 	


```

</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="313" style="width: 313px"><p>View maximum score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="313" style="width: 313px"><p>View question-wise scores</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="313" style="width: 313px"><p>View candidate feedback</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="313" style="width: 313px"><p>View reviewer comments</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="313" style="width: 313px"><p>View code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="313" style="width: 313px"><p>View result</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="313" style="width: 313px"><p>View scorecard</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="313" style="width: 313px"><p>Update results after editing scores in
HackerRank</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="313" style="width: 313px"><p>Templates</p></td>
<td data-cs="1" data-rs="1"><p>User default</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="313" style="width: 313px"><p>Status update from invite to
completion</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>

```

```
<td data-cs="1" data-rs="1" data-cw="313" style="width: 313px"><p>Re-invite a candidate</p></td>
<td data-cs="1" data-rs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="313" style="width: 313px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="313" style="width: 313px"><p>Play code</p></td>
<td data-cs="1" data-rs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="313" style="width: 313px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="313" style="width: 313px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1" data-rs="1"><p>User</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="313" style="width: 313px"><p>Current status</p></td>
<td data-cs="1" data-rs="1" data-rs="1"><p>Live</p></td>
</tr>
</tbody>
</table>
```

****Interviews****

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" data-cw="307" data-background-color="green" style="width: 307px; background-color: #D1FAE5"><p><strong>Feature</strong></p></td>
<td data-cs="1" data-rs="1" data-rs="1" data-background-color="green" style="background-color: #D1FAE5"><p><strong>SmartRecruiters</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="307" style="width: 307px"><p>Invite a candidate to an interview</p></td>
<td data-cs="1" data-rs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="307" style="width: 307px"><p>Create an interview link</p></td>
<td data-cs="1" data-rs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="307" style="width: 307px"><p>Schedule an interview</p></td>
<td data-cs="1" data-rs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
```

Cancel an invite	?
View the candidate's interview report	
Redirects to HackerRank interview report page	
View the interviewer's rating	?
View the interviewer's comments	?

/

[integrations/applicant-tracking-systems/taleo] Taleo

```
---
title: "Taleo"
title_slug: "taleo"
source_url: "https://support.hackerrank.com/articles/7459195623-taleo"
article_slug: "7459195623-taleo"
last_updated_exact: "Dec 28, 2024, 4:55 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Taleo"
---
```

Taleo

Last updated: Dec 28, 2024, 4:55 AM (Last updated 1 year ago)

Overview

Oracle provides documentation on how to configure the service in your Taleo instance. You can request it from your Taleo representative. Oracle's documentation includes a step-by-step activation guide and a detailed reference for the integration that will be useful for your Recruiters.

This article guides you on HackerRank's side of the integration. This article should be used in conjunction with the Oracle documentation.

Note: Currently, HackerRank does not support onboarding new customers onto this integration.

Configuring Service

To complete the service configuration, you must fetch your company's API Key and a list of all your assessment suites. You will need to plug these data points into your service configuration screen.

Generating the API Key


As the first step of configuring your HackerRank for Work assessment service, you must generate an API Key, which needs to be added to the Taleo Service Configuration.

As a prerequisite, you must have Company Admin privileges to perform these steps.

1. Log in to HackerRank for Work with the Company Admin user account.
2. On the home page, click the drop-down next to the user icon in the top right corner.
3. Click **Settings**.

 (https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047195132-?Expires=253370764800&Signature=P5sRnEyU4FQOXsHX-CdzblLnnboRi~RV3hYrgVNuJZyObSlirwMBbwDzXpf5mvLCIHqj1ljpX66rNpdBmdH~sO2zMDYTbp gfTeOWqxotBGRZGiTEICLfIA1snqg0eJ2gi3Y2uJ4GWvLgYsq45twlWk5od~6AoZKYbQY62zCZv6EdfBK23cwhVz8bs7TpvAAqrEWuLnYQSnwmV-InjOem0UITa7y9ixsOnBe65lt2PtftpElae6PbHb~U1GGD-iLigS9te5tvSG~CeP7m0-3U7sXE2Otj8ksB9kdFwEwbPBIUG6d FqNYCkKnGeAJI2slrDhmBrpUWVYDAPb0-hslQ__&Key-Pair-Id=K3NV4LZ47N8M46)

4. On the left pane, click **Integrations**. The **Integrations** page is displayed. Scroll down and click **Configure** on the **Taleo** option. You can also search the Integration from the Search bar.

 (https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047195555-?Expires=253370764800&Signature=X3MvjUE7eUGE5OGMXn6jvN0mF~h~XJuSeha5ZBO1jFhnhF~JynkH1TQ-kHbHb2ZzIxaXmVvxyxjYzd3XoVeKxtk3VkcWbVC0NOPIWiUcgKkNeHefQB-vWKbHtZENf6KHTQQhzCea64BQEYzNTJhTByTscmjD2k3UKefaarkTwpjoG0OAdielx6GciOh3j5M BlcltobyarXkrvmZbl1NjU4SnXRTyTneK8qyPKiQhDjr8m2AwibxyXDpwb8tclb-UAjZHEVPJ8cT-BS~mtxDKLJ1dsivkmHkYqxDPZVBqI HA6q-3tlIDE0f5doTtAXyyG3TBAQHfsideXsRU3h8pEw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click **Generate API Token** to generate the API token.

![[integ_taleo1.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047195968-?Expires=253370764800&Signature=kEGnyHmCqbgZaFQNX7UIApQ0vCbz8fmPQoQGz5v3G-itRIKVGJM68L6hZp49ORghKCIdpkk7pDJwj6BZmqJvN6NPHbtXY-XwP5LUSCKXDkFRQ81lo~27IAYUe2oj~RaXme8CB2foQEN0szG7PBPCV9xEhex5AGtsTIFjdgQUBK1R3~7hz2SgcB8So1GFMUORMyUG5-JJH981WHSuRz1Ht4zYGtHEC~4khSZhe6WXq9X9FdVnDtD9wl8m~ef2oobpcC3NkbQLvOdrW72odvJwYIKUNbWcBrxWI47ztD00EuFyaH6hQ-kMoqW7SmBArn2HcAHmNLDgyv2UxzphO7SbA__&Key-Pair-Id=K3NV4LZ47N8M46)

A unique API Key is displayed.

![[integ_taleo_api.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047196371-?Expires=253370764800&Signature=NOKwl6j6fXy9teG0DtHPByHCihyI9yNVVoEmnNyH63elkbUAQaA2rFNQ-52thrRkcg3t4E3SmxKIKx4veRCFQcBba4xoWX2hXcvRpWXrZoeBoHwyxIF9OrbTxquT3y3Spfy9JrPzxtdyiiwv60wTUI8AHE6cKy8Oj2nL-l2AI1PzmvK407o47za3GGI5mmVyKAR-kGgq~nz3JTFsuDLrm85SZ50WZ3PsqhJZj6NGmqUmEgbxjVm~~GmA2WGUL7mdYppG1q3ciFm0LogY1DKXg7jtpUqp8L5~coWxOFBqRR2AnsMhALIK~WIKRlAtffwkhYBaCB4cGPadZCkA8SLyiw__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Copy this key. You will need to add this key to the Taleo account to establish the integration.

****Note**:** Ensure to store the API key safely. Once the popup is closed, you cannot retrieve the key again.

An Assessment Suite is a combination of one or more tests and/or interviews. As part of your configuration, you will need to fetch a list of assessment suite IDs and names from your HackerRank for Work account.

You can find your Assessment Suites in the 'Suites' section under the three dots icon in the top navigation bar. This entry point will only be available if you have configured your Taleo integration in the "API Access" as shown above.

![[Suites_page.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047196635-?Expires=253370764800&Signature=YJgbZDYgAncl41JGfs5yU20UP4XxcOvBBxLmVwDuXxG5JRjgRyYGHgzVH6EeJx2-izRIGQnChDXU-kL-EDecKKxK2gl~zRAMTSJrbER1SgxbL3HeS381CmKc0pu7QOBp6DsIC2eInrrpZubjc5O9LdXGQhn-Bzc6TfWqOVYSPGEqmXpxT-flDec3HDU8nLMFFoXtWSfdVi3qtEKL0mh6lm63L6sxyf3a5y1w0jfXCGpK87e6VhTolt3Af5leZgAK4pBMKOznpihep6VOIK50QpHfYscAny8WO9jkqTWWyMrj7I8lGoXTKwoWhONTYD2rB5DqLTch9~oKF5BoHswjA__&Key-Pair-Id=K3NV4LZ47N8M46)

Suites section from the home page

The Assessment IDs and names you need are in the first two columns of the above table.

Creating Assessment Suites

When you start the integration, you will find an empty page.

![[New_Suite.JPG]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047197051-?Expires=253370764800&Signature=BU67bjDAMNrWQPeYwT1Xu--7MaV~kPIZucU3yytQdYHoLBgF4o3P6L7SYOKkrfi3tEx8X3U9ew2SFxXWSJf49~fFvf8NIMMG8v1bAXRLQDQPlzQ2-wHSShb38L-eszwPB142bEJH5oEHrCu-fJ56n9F0iNCRU~WSQECNHNp5Y5GvHsRY-LOpjKK~QkVGjBmoubc5kY8w7smoesliuBtHWZr0WjEyqysDQ7KgJakPoo56uVILo4SFu8hiAOe3x0Djre-t27ZDwLxIwJLxB42bJARUr3J1nW~l7M2QmlrxxD6JiD4jRPO1PwrJjUu4vs4e~jsH-yTRngMfB-0GAhaZ3pQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Empty page

As noted above, an Assessment Suite is a specification of a sequence of tests and interviews. If you have a test you want to administer, you should first set that up in the 'Tests' tab before proceeding.

You can click on New Assessment Suite to create a new one. You must specify a name and then add at least one phase.

![[Test_Suit.JPG]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047197361-?Expires=253370764800&Signature=PJZI6bpRqC6rQRrN4TzjEaAMmphQxI8g-LRiE0FZV0ihapZG~N50et5m2LKfZ3b1cKU-KgV1hGPtdwjFWTH~sDTV2SnmS21LGzJcGzn-vGYfdd~hk6kS0Pekmakha1676GeCapjAhQ-1i8lehs4Yy3cNAP9gzfgGRknC~SeFB5WN91nZREomvajeUsvO~gsrMICOuGOKISL1dNqD8zeEqBFg5~Hz8uKy18D7L0JOYS~7ZeGMgBzDi-tHKI6SpymAGEdanZIKC7jfnZXYBC6aX7VcW8xN5dKxaN6WA8lDOrQohc2sKIHalvHHMCHYKrij2jgxvIIZRTRDixlFyXIXEGQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Creating a new Assessment Suite

![[Adding_Phases.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047197783-?Expires=253370764800&Signature=h59pTzjRE2jpihbEp5~PunH1kRurd8aXiflJXJUZO3o6T-jrH2G1z39PdZIK1TuKYGUxrlveNrKLnk3Gytg21ivkOxsCVni4hgHLP-iyS7Cpk9VhouA9zgKnYVo8vofgidABJdSsj4-tLl8VosakuzfHLYRo0txfOYjl8fxHOQAYvXNy1f08cOiOMRZhlo97jtzN-nRfQEm~b2jt8rSF-gqdcKRZLBND3Z7FFpDv9eSISwlX4Molw0G4UXwqzc0~t-a3URpSi-Fb8CSISRoIk7~pJcy5ad1d0l-7YOnvUL8PDkHY88dCvto5RWbGvYnc-j7oBBQVmsnaFDY9cg__&Key-Pair-Id=K3NV4LZ47N8M46)

Adding phase

Each phase can be either a test or an interview. Select one of the options from the drop-down. If you select Test, you will then be shown a list of all the tests in your account:

![[Test_ID.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047198118-?Expires=253370764800&Signature=iFc4RDqpY6~51EPflqT4z2qByeSVzjvPGBZNdb1C6nPF1ksLmDD86TzJgQgJ8sfl9A2u8vKstqaZ~VMbJD9C20oTqQin2mur9yey-jlIRE7s70SAWxOtSWRp3jjue1DUxKZnJ4v1FZ2dPpLaXA4AVPvD-VM91glXzazXSA6YIX1x5MuxzT~CHAOcjlGs1YV79I-wEKkltUx4Wlsve0ZCsxl7preDmpER-fArT-RMDVllrTSbbPY0CnCGjScR13Vn2TZdmYqRqSmNt9UdLLSUfYz7NnptoZl2qWh6BKLZ3DMW2J0~dWoDjcTJaQ~MjU3gm8lavlftu01f0xMLjdOpPQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Selecting the test ID

![[My_suites.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047198490-?Expires=253370764800&Signature=c4ilrRo0kt3NKQeH56N6U9nGcfDw5U~5NXq2P8IKSBceE4GswlK5dmVABPBuJptc2uDhwmm~cs1txthguqWydpe4xS2WUEtzt5MjeEUiez0zRt47Vfxlp9AuORUEXMw6MjJZbl855H2gUnjU8Aj3IEkR~zkwNqLTnKQwgdo3RMX6wBAjSTlhrXQDAcDz0GidZCZ4pBxt8BWrhSgEt6osD7T-poC7gBTvt20IDPpLWFnsD9MXGEng-y0WllwfuTqVhcS-p4tMmAMk4oJ9eJAQkdBGwG8ix1-KwuGxx30LGPB5~LBZknwpDdlMKvS-O2htMEb07yKGfkK7xpcpjklKMg__&Key-Pair-Id=K3NV4LZ47N8M46)

My Suites

Requisition Configuration

There are a few requisition-level settings that are specific to this integration.

Invite Settings

The candidate invites workflow allows you to specify the number of advanced parameters, such as using a custom invite template, providing candidate tags, and so on. The Taleo UI will not allow recruiters to specify these additional parameters. As a workaround, a hook has been retained in Taleo at a requisition level through the setting called 'Invite Settings' which can be set to True or False.

[integrations/applicant-tracking-systems/teamtailor] Teamtailor - HackerRank Integra

title: "Teamtailor - HackerRank Integration Configuration Guide"
title_slug: "teamtailor-hackerrank-integration-configuration-guide"
source_url: "https://support.hackerrank.com/articles/3927772988-teamtailor---hackerrank-integration-configuration-guide"
article_slug: "3927772988-teamtailor---hackerrank-integration-configuration-guide"
last_updated_exact: "Dec 28, 2024, 3:42 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Teamtailor"

Teamtailor - HackerRank Integration Configuration Guide

Last updated: Dec 28, 2024, 3:42 AM (Last updated 1 year ago)

To set up the Teamtailor integration, you have to reach out to their support team and ask them to set it up. The below steps elaborate on how you can do that.

Inside the HackerRank Platform

1. Log in to HackerRank for Work with the Company Admin user account.
2. On the home page, click the drop-down next to the user icon in the top right corner.
3. Click **Settings**.

![[settings.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046859963-?Expires=253370764800&Signature=R1LwVPIJmLEnJmLP3PZxHpQJZb5SaY9UBFkODzZf82kAg5DchvuNY5f358ioaX5GkV~7V0Til6rUgOku9YX2mCbFPe26b3BS4y1DsVyHf8qDaFDEhGAox2axLFmleEMF2HhV8kLfg8EYl3n5ZFqmvY6Cgs3Kti1NcWXh5NISg9u6Pm~L2J8Mz6g~09iDszRW8b-QiugtMr9b~K-mGBsu0UsNn~1Tb5bnHgTNB19dqYUNU5EvJVGpJYbPQ0u5dS7bXULOnH-zHI7-LlflEAhnWVx1-Zu1gnfWn-DL-M4JPTSwTmwBwr5HpAGsKkQ43Zz6MPoQqvmaP2oHynZfLIXVQw__&Key-Pair-Id=K3NV4LZ47N8M46)

4. On the left pane, click **Integrations**. The **Integrations** page is displayed. Scroll down and click **Configure** on the **Teamtailor** option. You can also search the Integration from the Search bar.

![[integ_teamtailor.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046860376-?Expires=253370764800&Signature=B-wZsI904pMegKKvFUaEDgRWvF6oJoOMq2ea8EG5Jvvu2hNknRY33b8m3zecA2l32RlzoXEqAtWjLMg742VMr2HGDbQ33FfUV6y2MojpUjpdFvYE0PTI9bRaAzV4nz9lmltDhNH7fcWeNNKK6Tu32AOWjY5MwrTc~txWONEBC7iox1t-tsXqb5S0ME mHVfjSv0D2d04Sv4kO0DANfeEosmr~ETp9VsRBzloxtG~8RzWJvMJSnE9TB3i0EM8fdd6EZIMQ1-HLsAghRikN7iKgV1B8PDS2Kg4UF~7XI7sdf7DJOfsNRX~QcA~yM~zVziN9qswjHCp0u7ob5-5AOAw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click **Generate API Token** to generate the API token.

![[integ_teamtailor1.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046860748-?Expires=253370764800&Signature=Q-qWHBrpdEAMuj-uK-L7lpQRKadqeNe5s8N3MzRNwDlXpwLQGvKiNi-cgz7MfoGxjnCN1kl-L71Jf8jmDfVxsamw9NhD7fVCOHistVulbMPOBNEOqGLg25B2kvyzbOutXPCZFkSXTpVUI1HvHjni-aoCKVn4fw249ZP3zy3ex6GHvv4Wv9h3dLFWA9wlu28TH8s5yayNepbKD9MgYfS4NK1Rs7IrvBAI~BNnUw4LC9nXDtezy5jHxEC0klBzAeAm1X5Kjgt3pzir2pK5kNWm9x~TcrfpqFHV9rax0ct8vjTh277tRUJ76cPuPZ9hihd14jPwXDv7mXLIYeR6t0vw__&Key-Pair-Id=K3NV4LZ47N8M46)

A unique API Key is displayed.

![[integ_teamtailor2.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046861108-?Expires=253370764800&Signature=mOLhToe10G4ISlyx7CUq7xrjo83Utrm0oc2v1R3Uwhw2YhC5w58i0uE4np0KuGH418Oz9LWotgJqrTRYWB2z4-Vr0EzftUvLXMumbBvAe2UncNrdAn6Q8sA2PNLZOxDEibYJr-nCK~JZzqNbr8uk5bGbgxugS9KBrDSDpUd3mNtVpPBKMg9Jy7vQZzvX~zoiQXw0bfuFvNdF6TxeROL5QHR-iwG9EFtw7rwn0dqedXXmBRAlptrd7nrL8Uwdwk~sx1oFP7~6gfrMuo6r8XRHHr73SSG1JNtNCCS7b2EcuThnRYp~CVWfGX89OC8X4DKB1p5UowlS0QWKo69IHFQ__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Copy this key. You will need to add this key to the Teamtailor account to establish the integration.

****Note**:** Ensure to store the API key safely. Once the popup is closed, you cannot retrieve the key again.

Inside the Teamtailor Platform

- Click on the dropdown arrow next to the profile icon on the top right corner of the Teamtailor website and select ****Marketplace****.

![[image2.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046861520-?Expires=253370764800&Signature=Puy5xlsetek-AlacsDrOoCDQn13kBUWriuKzvGt9IPYSGR1xBaxOYzTm9TGyD2wRXJKasNtfMQAa86ywNqukFbPb~njTXGRZfVP6G-o5FwL4wLjY1lv~tRM88w9FTTrCzZQMtHD~LEegvbsyBoc7Eqvh7VdqRnbkbY4INZ~hRhgLv5Ag6f-FFhmKUaW0VUvhGFJHcktX2~09423rT9gyglakUYU7MRhrVTIBTwMitBFHQeHWQLOBEKfeOvNQXF3qM~1eIFQ8ZeuS9o-hZDvbSrb1CXcci-HTyUEA9zWirNuyLnz9fy2APQFp4EFqpLhmOgyhlpvzTWnKUPYc4DPDcXA__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- Inside the marketplace, look for the HackerRank application, and click on it.

![[image4.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046861999-?Expires=253370764800&Signature=VOg1d0vbpMF6gECp0GA0dxS0MZCdJ-SVyL1BbC8bA6KwzsgFH4ItCOqsWhvJ3CmYBOD681X3jrcnMOg8xSG5-k8ljNQYmn~4nqNQs6AdhkHJewSi5A7prHvIYN07TxNpFqS0SQ8p9maJtlpQxaZBkEbWq~GYlaweE4ePRDVTThF7hWmRUknORzz3KTD9s2diFkVM2-DdM6HsU2Yx~SKFnA3E9dN1Khmbj2i0en2QEzIulm4lJxplaGbcc1IM8Aw--LiuB0oGCYEId4PwzQqPvttcJ8~XJWlbX8RCdkgl eWm0ZVVTdJbChp3Xn-gBabsDaWrf6WCpxHxHvKZShSJTYig__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- You will be prompted to activate the HackerRank integration with Teamtailor.

![[image8.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046862487-?Expires=253370764800&Signature=iwQbE5TKGUONF4p~HRSb3FqwGydxOmsr1uvTJyRk7~3l05izRmeC~RDBuwDcM73M7dn~Fkt5-Y8SQme~dGzOO71Fxdn60fBRlpeiJtZr239mefA8NSaV2Aq004o1FO~R6AFLBCMablKC5uFa6xivpLhSBsbo5M6xvrPgugRBV9sjXYGGSi9ThCGlkgEflaY6iM~RUd16aUv~aqPXKW-fv~gHWdI8OvIAlvPj7Xsa5fiVmxmH16mCCyZN6gN4p24Tktbnj8543bfuUghOmT9XuyVMgXA3CYD~~Zp6kFDXCampniGOvfkU7B82BxxzxlhwW-uwIjwac8K2FDMSkx3A__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- Click on ****Activate**** to request the Teamtailor team to set up the integration. A Teamtailor technical support team member would need to activate the HackerRank integration for your account.
- Once the application is activated, click on ****Go To Settings****.

![[image5.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046863559-?Expires=253370764800&Signature=OL1gfEpA9cHldDnnu8NiznxWQQ8I5aL1N4NvMj9V-k1D7jIU80gKOSV8yqTIOX-IRBUPLIncmij2fddQsTEOagj2h8ewWLBtcbkAUJwJOBrhndH6loBb4VIVPDAsK6rwa7xlv5sNur36QcUKQtV3vxAUmYTE1mqhgWEMqDhyYshL4FQsN2~u1Hf8w~RaaiTncNYPxTCNxgrhMzrNH63KKTk6rFvllxmfoIGtVH4vlakPmpCzW~2ZPf-y4UHOicqixRLcJzjsmSILGQFWILLcrVv4XvQ4GfF-Hh4N4j7VVnNGezeMM5F-Inuswrn5X3tNJQh1X7LIUmO2nsdlgw__&Key-Pair-Id=K3NV4LZ47N8M46)

- Inside the settings, you will be prompted to enter the Integration (API) key that you obtained earlier from HackerRank.

![[image12.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046863999-?Expires=253370764800&Signature=YRzq-VauahJ8-zIHJrtLMAKHqn1anAbNslwCLVgfk33Ny6tMj9WZsXM91laiCbX-jiaOe3vy0DXliND1QQMQQRVa-chczLrLa9T1i9fWaSJq6BW77Rg2j6ZxrsPGhMWc-tSwilWn0R7Eu6K~rmlzuEz70KSVFqR6ilbmTs-fB5q06WZO7h2NTV5V0ZxfR9QueCuR~5PB4qTekDKZpmq5LNqS2kt1k92f-8-IRnwKXhXz3XWfhplKigik~gFJU~I-IXJKR7MvJ7NhjAS2ja47gmGHNZkBSVIO1LMhVRSPDqgiMratE~PXlwZzqeu4Z7zDZbwybZVn7yavGSSR~WFI9w__&Key-Pair-Id=K3NV4LZ47N8M46)

You are all set! The HackerRank - Teamtailor integration for Screen should be set up.

Refer to the document below to learn how to use HackerRank Tests from Teamtailor.

- [? Teamtailor - HackerRank Integration: User Guide](/articles/6599779249)
\\

****Important Note:**** The email ID that you have used with your Recruitree account should be the same as the email ID associated with HackerRank account for the integration to work seamlessly.

[integrations/applicant-tracking-systems/teamtailor] Teamtailor - HackerRank Integra

title: "Teamtailor - HackerRank Integration: User Guide"
title_slug: "teamtailor-hackerrank-integration-user-guide"
source_url: "https://support.hackerrank.com/articles/6599779249-teamtailor---hackerrank-integration%3A-user-guide"
article_slug: "6599779249-teamtailor---hackerrank-integration%3A-user-guide"
last_updated_exact: "Dec 28, 2024, 3:45 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Teamtailor"

Teamtailor - HackerRank Integration: User Guide

Last updated: Dec 28, 2024, 3:45 AM (Last updated 1 year ago)

Overview

Assuming that you have already enabled Teamtailor - HackerRank Integration, we will move forward and learn about how to use the Teamtailor and HackerRank Tests integrations to their full potential. This article will walk you through the process of sending HackerRank test invitations to your candidates from the Teamtailor platform.

Sending a Test Invitation from the Teamtailor

- Click on the **Jobs** option from the top menu bar.
- Select a job from the available options.

![[image18.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046851074-?Expires=253370764800&Signature=C-6P4guxPrxacNUbk53HC14-IRYKAq-901KKfzn24klRgxB78zLHAjO4AXy51FPy~ULid-px~z28frTkBBtrTv4AKUsJ4MNpW7CDwCW63~NYk1ZJRk89nj2AKM6KHJ3uuDetstzybDwB1jSADF4e-xWpzsPY8oTN1xB2hnfCuNef7~pSTXWwF1feb3g-8hWsU0X01V6P2~vWGZptsvGyDGkZgEGrRD93R0pwUBxY~WmzOH~yVhbgkE8OkzEht27beUX80Xu5ar3kk1N-yXZeINTGOXdvQGOyNsYUtqQbuMrZv8~J6-AhFBXL8jadGGfHFDO-h-XJ6e-qyz7Q__&Key-Pair-Id=K3NV4LZ47N8M46)

- Inside the job profile page, click on the three dots icon on the right pane and select **Edit Job** as shown below.

![[image7.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046851672-?Expires=253370764800&Signature=YIFodlwgpJhl0DG5tKRLOzgMv-l63xGnUmKw7Ws1SaMU0cUpeDeEWGpKyHcgJn7bQUXEbAPB6k~41AXqhYfsrSrZUiCQRSt2efKeHvn-FZ-wtQEnYrky0mhCOS-jX2BbNA1BaqZzP9CV2F435HzPtdMXK1UTOkJOR~Cw0HQUINRqiUTjQBs5RRDKELcvI6TWMfdZlZVZFzXKptqH2IUDqPr-nV7p6LBojQCITikJsvAicU01EdzyebbOiTBkEMeulxrnrQgyCPUo3tHbnDj5caEP6qkJS6lLAr0fM0oJjq5g3MTzmiz18beiK8Z9r29Ikj~yOrvXIKcgc8iyT~GKw__&Key-Pair-Id=K3NV4LZ47N8M46)

- Click on **Stages** from the following page.

![[image15.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046852148-?Expires=253370764800&Signature=tB6qULkzffh85U7h9d8PYTi1oHK8NEvQsBsYicgXcZQi-lpYd1TJARKYtsUplGCv~vJzALmzAbQ~BCjDh8l-yMofapzI5WYlxBdlos9HUgcA0VMJwyQrXWQJ20mNgJAYQTlnNCM15jDXFoWuW7Yx8MaLm-Jf13BPdULx0A5hxSV1xmkm~NZVTtd0xd3JAzsnUY1f0t6nPqwsWJS-pRh1XiF61F7IQMpivPvPyQ1GFYL-kTUOYSXslnIHOMMsAL0lyw~MvoW9QIvFAzbUoogQParz4DroDP9PY5trmYu77RH3RqiKWRDABfQoG28tvxWCkxgUGkwZNNspGxT3ZzVQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- Here you can add the HackerRank test triggers to each stage.

![[image10.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046852638-?Expires=253370764800&Signature=qAbOBYmzBONPGVlrolA6tW4r7TSjVpc0AW9WEJ~0OMCJPUtYNhb-TaZASCGxUy0Q9PAJ87wofxb8VRNtpUMKQTxE MZr3S2nQ9k0XpKD8MWmwEMu5x1Ce691e4pYPeQiC31uilaJ6UADQSGSjsbWjz0Oay1nPcrtwWrt4xY3vuua2-MAapVbEit-lhQqvm4YRh9Mon-ZctFB~W86OhS6AbZ0WTEhVQ0F~qYcxdqCdZhdEJH3SxF82F26YZmzb2nwEpIlX7dAI93Y1lxNMffoX1~tnK5NoeGK4YJVXynbQAhdVfgk36SI7BN2UFxuck-IT8sy3x2wb8GaskHfQudQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- Click on the trigger switch and select **Send Test** from the available options.

![[image11.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046853077-?Expires=253370764800&Signature=Mla-ltAfDZjl6vBqcJDlTCDszkv6gN7LzT8rOrxMk7GljAFMWWm3-oCP~hPiddErKNodTMFnSMXFbv45drfFG4Ksx5xjF02SuaX84eUdIMiPintjiYfFINLS9ShXb2TuPyt~nWshplzHxRNdOXUWIN-IHVfl~Svq-1x5JaoKeg0ZYqxOqlwcm9ACDzzY4RgZfppCQVsMAtqecQPfRO2x2rWpWpVRynf3FhtKtVfQN6f5B3qhxCmnQknPk--NMjVSBle7vZl1qZe-UC-9p2MstklyYaLCnb~dbbTUVpKvVFB6mK0zvqwSZiOf8hyQdjAkpF7h5Az9wWTE-XBBFbxGg__&Key-Pair-Id=K3NV4LZ47N8M46)

- A popup window will appear where you can select the desired test that you have created in your HackerRank account. Click on ****Add Trigger**** to send an invitation to that particular test.

![[image19.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046853509-?Expires=253370764800&Signature=Z~GH06~sBzlChBmJB-lplk1Vs~otGSeOKCQogwU3FTpCAD7-xeYL7~Qv14i8QvoopUYN1RkbFFED6vMkFD9OgPm2-jxCYPsLXV99NidyQYlh8S7UKNk216TisVD3l7mobwVfyu0wiWoRhCWeScbPOOOCrLroWsn4I3lawav85gN31771Y30hVWSNVT2FH-1zlv89FfmXhRmpSgelxudNwUmYrYNaUKAiPb5n4JNk7GGIUm-EpAqu45ciewRgv3PjUrf88NrfPyQjHU6CY~8mM4Frk5FOCAq~G3m6NvreJ7mjwck5Tmxzwp7HPDIV2y68OBoPagH7Uv8DE5iWYrQJfA__&Key-Pair-Id=K3NV4LZ47N8M46)

****Note:**** The email linked with your HackerRank account and the email linked with the Teamtailor account should be the same to map the tests created by you.

- When the candidate moves to the respective stage where you have set the trigger, they will receive the test invitation.

![[image16.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046854007-?Expires=253370764800&Signature=PyL9nKKV4ub3jcg-DXab0laMpDulhhWzg~1Zq2oqRwl3rtvejKKFdLzCfD7YE7OOPiARPeiNi-3yzevNXk3c5qRgeeRI-gnOSGNLD3NeScXcRufs7B6s89DvW0AcqestdKySk-xzrEijCrN2PbMbSRILUSLDX8NMVo-Qzt66rSYC1TZfAAQTA7nkKi3jbdaABuEKvhS651g4lF792uHVcbr-KUj081lBoVYtO4P~mOjqBTJxiyADn4J-mOUd8FU0HRUNXcbRhlyac4-rAMrYXf3gU-zuJZomE4EiZ4mxnGozXzV44frJn8p4f4dx8l1zc59Oao-lfkiOmtwMu2ZqmQ__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- Once you have added the trigger, click on ****Save**** at the bottom of the page to save the trigger.

- Once the candidates take a test, you will be notified about the same in their profile, as shown in the below image.

![[image3.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046854508-?Expires=253370764800&Signature=tsa~fUmmjOreAmOu3ns9~7cR3FQJfPMXvtlJejxmmOGIJ14Ujg58CczFgb4-SttlvBcCb~yNpCwBpnkOZulvRzjaTxAEElftfx9Dlii7dRMHPclbuwZJzJ7oZldWVzVdDe8F6MLKTynyzzl8IR5i-qCLDdyf-INEprHxXRqCXDy7tGhaAOSPCMZCe2N4gyl0atEFEleTgNeJzOLq4~E7IFRGqxk5mU~vWHRNkrqKrAKWlxjGCA5cRcRTBsF-4k63mPawV3~D5ju1et6-xTSU-PZ0Ha2MuRfoBBgwJ3bCr~N318G91wzXXdA9eTsOrpWNIQVetclBzXpjbZRUaZNFw__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- You can click on the ****View Details**** button to know the status of the test, duration, and other details.

![[image17.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046854841-?Expires=253370764800&Signature=guHMPqEL7o7pLb9qPklesJsguslDkQ9WwUfUAbQY5FaGATzWTm1pkahGVfKJceXfb5GkovdNh5mggScNEshiSYnfZz9Z8jpRlSjlfSR27wkR85TgmojQvIsYFKJpl7y9eFQTM9EUrFG6qBvfrut1U~YRD5McySJQ-VKeHeLPTmuAJc~lFq8KvIc8i7g6lrlqukZ~0p9UXs38ciFXWVOSxGRSyyplg9hxa4Qz18iRofEdOZ~0bIDN~KMKJ8~n6QbXNQdDfpmBkqkp3A1vsezZb1SHlPdZn7T2P3icxzWYEbRQ-ne3~1u91Wiiqw33fBcX2NHeH7yKc4qGH0ybqBFNw__&Key-Pair-Id=K3NV4LZ47N8M46)

- You can access the test report by clicking on the ****Report**** button. You will be redirected to the HackerRank test reports page.

![[image14.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046855138-?Expires=253370764800&Signature=ZsWaSgELUWMG~qPCG~wPVZqrdg1ubUBJ8pheyHJp2SWaS2Zt2e0qVo79mgsekncUkLxypRxHnGJ1rDY066O3GxlcSm~wjb7g~CPZEM1zAGrqJKqn3unOlthWk5YvEP5b6adBFhQl6K28uhUp2zkE~P~cyGqOW~hPNnAXgdojRRn~qcLqrgefQ7tmQLI2qNiqdinHPISwyhSiXyJmhYewL8DGZUmiWljSDAxV5~iKzISDvaGETL4OqJ7pyjkrqg7Vb9BGzPy0pYXmRElbK2fzPHQt4fzHKneGhUK5hxmFSouTMGJoBhnJaOW6uocUEGc2mW1MrCQHx1a7Jr3A9k5KuQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Frequently Asked Questions

I am unable to invite candidates to take a HackerRank test what is the problem?

The email ID you have used with your Teamtailor account should be the same as the email ID associated with the HackerRank account, which also possesses a Recruiter license in HackerRank.

What type of license do I need in HackerRank to use the integration?

- To invite candidates to take HackerRank tests via Teamtailor - you would need to have a Recruiter license in HackerRank.
- To review results in Teamtailor - you need to have appropriate permissions in Teamtailor.
- To review detailed code submissions or evaluate candidates in HackerRank - you need to have a Recruiter or Developer license in HackerRank.

\

[integrations/applicant-tracking-systems/teamtailor] Teamtailor - HackerRank Integra

```

title: "Teamtailor - HackerRank Integration"
title_slug: "teamtailor-hackerrank-integration"
source_url: "https://support.hackerrank.com/articles/9251533406-teamtailor---hackerrank-integration"
article_slug: "9251533406-teamtailor---hackerrank-integration"
last_updated_exact: "Dec 28, 2024, 12:26 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Teamtailor"

```

Teamtailor - HackerRank Integration

Last updated: Dec 28, 2024, 12:26 AM (Last updated 1 year ago)

Overview

HackerRank integrates with Teamtailor for Tests to facilitate an easy and seamless hiring experience. As a part of the workflow, users can send HackerRank Test invitations from Teamtailor. This results in an efficient recruiting process for the hiring team and the candidate.

Refer to the following articles to set up various features of the Teamtailor - HackerRank Integration:

- [? Teamtailor - HackerRank Integration Configuration Guide](/articles/3927772988)
 \
- [? Teamtailor - HackerRank Integration: User Guide](/articles/6599779249)
 \

Features

Below is a list of features that the HackerRank - Teamtailor Integration offers:

Tests Features

[illegible]

```
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 25px"><p>Reinvite</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Status update from invite to completion</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
```

```
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Templates</p></td>
<td data-cs="1" data-rs="1" style="width: 167.679%; height: 20px"><p>user default</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Update results after editing HackerRank</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 25px"><p>Result sharing and validity</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 25px"><p>Add Time Accommodation</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

Interviews or Code Pair

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 31.198%; height: 42px"><p><strong>Feature</strong></p></td>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 172.361%; height: 42px"><p><strong>Teamtailor</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 31.198%; height: 31px"><p>Create CodePair link</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 31.198%; height: 29px"><p>Schedule CodePair Interview</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 31.198%; height: 27px"><p>View Result</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
```

```
<tr>
<td data-cs="1" data-rs="1" style="width: 31.198%; height: 30px"><p>View Scorecard</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 31.198%; height: 29px"><p>Link to the detailed report</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

\

[integrations/applicant-tracking-systems/workable] Workable - HackerRank Tests Integration

title: "Workable - HackerRank Tests Integration"
title_slug: "workable-hackerrank-tests-integration"
source_url: "https://support.hackerrank.com/articles/3863699223-workable---hackerrank-tests-integration"
article_slug: "3863699223-workable---hackerrank-tests-integration"
last_updated_exact: "Dec 28, 2024, 4:23 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Workable"

Workable - HackerRank Tests Integration

Last updated: Dec 28, 2024, 4:23 AM (Last updated 1 year ago)

Overview

Workable is a global leader in Applicant Tracking Systems that uses automated and AI-powered tools to streamline the hiring process. HackerRank integrates with Workable to simplify candidate tracking and accelerate the technical hiring process.

The HackerRank Tests - Workable integration enables users to send assessments to candidates and view results directly from Workable. This results in an efficient interviewing experience for the hiring team and the candidate.

Tests Features

Below is a list of features that the HackerRank - Workable integration offers:

Feature		Workable	
View the Full list of HackerRank Tests			
Invite candidates to a specific test			
Cancel an invite			
Reinvite			

```
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Status update from invite to completion</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1" style="width: 167.679%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1" style="width: 167.679%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Templates</p></td>
<td data-cs="1" data-rs="1" style="width: 167.679%; height: 20px"><p>owner default</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Invite sent from</p></td>
```

```
<td data-cs="1" data-rs="1" style="width: 167.679%; height: 20px"><p>user</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1" style="width: 167.679%; height: 20px"><span data-name="cross_mark" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Update results after editing HackerRank</p></td>
<td data-cs="1" data-rs="1" style="width: 167.679%; height: 20px"><span data-name="check_mark_button"
data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 25px"><p>Result sharing and validity</p></td>
<td data-cs="1" data-rs="1" style="width: 167.679%; height: 25px"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 25px"><p>Add Time Accommodation</p></td>
<td data-cs="1" data-rs="1" style="width: 167.679%; height: 25px"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

Interviews or Code Pair

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="width: 31.198%; height: 42px"><p><strong>Feature</strong></p></td>
<td data-cs="1" data-rs="1" style="width: 172.361%; height: 42px"><p><strong>Workable</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 31.198%; height: 31px"><p>Create CodePair link</p></td>
<td data-cs="1" data-rs="1" style="width: 172.361%; height: 31px"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 31.198%; height: 29px"><p>Schedule CodePair Interview</p></td>
<td data-cs="1" data-rs="1" style="width: 172.361%; height: 29px"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 31.198%; height: 27px"><p>View Result</p></td>
<td data-cs="1" data-rs="1" style="width: 172.361%; height: 27px"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 31.198%; height: 30px"><p>View Scorecard</p></td>
<td data-cs="1" data-rs="1" style="width: 172.361%; height: 30px"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
```

	Link to the detailed report
	

Reaching Out for the Integration Help

To learn more about integrating the Workable ATS with HackerRank, contact the HackerRank point of contact or raise a support request by writing to support@hackerrank.com**. **

Check [HackerRank - Workable Recruit documentation](https://help.workable.com/hc/en-us/articles/360037183674-Integrating-with-HackerRank) for more information.

Configuring the Integration

****Prerequisites:****

In HackerRank for Work	In Workable
- You must have an active HackerRank for Work account. - You must log in as a Company Admin user to generate the Workable API key.	- You must have a user account. - All Workable recruiters requesting assessments must have a recruiter license with the same email address in HackerRank. - You must have relevant administrative permissions to the Integrations settings page.

Generate an API Token from HackerRank

1. Log in to HackerRank for Work with the Company Admin user account.
2. On the home page, click the drop-down next to the user icon in the top right corner.
3. Click ****Settings****.

[!settings.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047136791-?Expires=253370764800&Signature=eMpTpDoWGVRSVgN9OUVYSc~o1fWyDM88~cWrlvJJOSU~soqnNiT1BvnNujElPieKQ9L-XPxON8zIP5hNTHzD5YxWRRw8ptYCBPxpR2kKbs8xvNmalFMT3h-D8EDaU76PmSy6VW-Vf8X8tgo1-SQJefZHIAj5SCYdX46Ct4QMgWM8YjyaY6hF68ArYjm78xBAXp3lXpo3z1TcBe1pAsmTXRV~m4iKuCj5XBPPEcefxfBWEaV-tlXf~ULwSqnm6KThC6N1vF1zZbRe49VwQ10RdhaOpbwnvzdFMj9ORYV1qlAxUDxu4h2W~RpxAFCqu~SxvLyozPT8eyOwMpmypZA &Key-Pair-Id=K3NV4LZ47N8M46)

4. On the left pane, click ****Integrations.**** The ****Integrations**** page will appear. Scroll down and click ****Configure**** on the ****Workable**** option. You can also search for the Integration from the Search bar.

! [integ_workable.png] (https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047137236-?Expires=253370764800&Signature=pKwNY1wPScs8mvWZDIWqIU3Q4OKGbpVdfHHf8bsAEaeF3OxXAnd1rHhCZrutW-sFn9lKkx4A4dO1RKEtSHix

Y1GVjqtSo-dkikXrA1aUesNsk~f8n6z3ss2PDQfHJUUV4ZGIFIFQvDl4y31hybTkz8XouuuEMN~2C5JelZssFol93BvmIS~4kpZJLDkn6gKs
fX87QQUg0kfuzxBWzdtugtetWI8zd2gnoWHb~R07djwiBEmPXhoq5-78FcvVr76m0OG2tl3Cr1rv3z9~WVEIxYlKMEhX3j4A-GzRQR2T5
hHfifzETXw-ZgV84n4QOJ74mvyJY3g~kJV-xiiGAMWUQ__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click ****Generate API Token**** to generate the API token.

![[integ_workable1.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047137707-?Expires=253370764800&Signature=MClee2c45uV~92j4OuO6f5SwJgk~pj9OfC1UW-GJS~VyrpjTnpsQG0nldd4xwmc0iBO8L8xR7z2rcAUIS3tewWiC
X-mPzRQe950sTKXs6CoKUBm5ia1ueXBByEEszxdRdbjUr4qUmzgMZY2rHdZ48Qi2KiVyGqxbdWt-9HFhjP4FrciJmvmXQ7ABjO5u24
N9wkKAYvxNgHvB4Fru2JGYuqDFOoBf-CCsLdVb2GzPF8PZFw94ZfoQNHapUX6sbnQDL-0Sd5NRZv~oPPJM3FDAbwHApEf7qx4
LwKRAEd8xjhDDPmkmjT6VWvejTLZi0zOVRcZ6P9LTBek2qk1Nic7JYg__&Key-Pair-Id=K3NV4LZ47N8M46)

6. A unique API Key is displayed.

![[integ_workable1api.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047138099-?Expires=253370764800&Signature=C9LbwbjJ7nvQd~QGL8kBoO2~LComV~mojO2WjeqDNYEJKYIEjgy24POrF6JyhudLiaP23hHX2J5dJaX2XQZ
JFAo6Fs~cqC~VovobAwBujBaJEptVlxfy~QOch3F9m6jNxm6w5n9KlrdNDVWG~8ZCdaNroWQZtELRgYFgZ8SjXf4ZpGyF8008MXjk
w4DDa1w36TzvwS-2YEaD0QBHMURB4w4CI7aOka8GqmDM1MhleBxkOrzlf0fjFH66Ts6aOHVjRtuja5npXN6gdpo2YQ7ritf5pEVUs2
qszRqYBju3EF1qLGdLc3CsGHDj3CoBmXZRUlq2u3zc7Welh9sre~g__&Key-Pair-Id=K3NV4LZ47N8M46)

7. Copy this key. To set up the integration, you'll need to add it to the Workable account.

****Note****: Store the API key safely. Once the popup is closed, you cannot retrieve it again.

Add the API token to your Workable Account

1. Sign in to your Workable account.
2. Navigate to the ****Integration**** section.

![[Workable_Integration.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047138524-?Expires=253370764800&Signature=NyLeyR2J4bJTTQBuXxcX7XUoEmooPFri9EBYXsxsGsyGOMt0CPI7g8sBuq2V7MRCcEW8h7sxpVBXxZ8jg
VHwQtoEn4jSLDOKoVOUXabWN3NJK5RA3vV9OLxMnpvoGZXBQrWVVoATN-EerF9Uh4wA-i0Niwi-xlx5RdLuVjklMslAQ-053k5wvul
L-p9weUJJs3X2Eu20NGVeKtZWcNBf12x7O~K8nnnLf1d39jlf-uXe9cOPUY17hSXp5S4fvSJl2lBalmVEW-Tiedjv8dd0UACGFwesWKyzgi
6xwq2L3wujAn4IzNF2h7~ehFHO09PyDKgd4YicbZOIVy992DS9qww__&Key-Pair-Id=K3NV4LZ47N8M46)

- Locate ****HackerRank**** and click on it.

- Paste the API key in the field, and then click ****Update Settings.****

![[Update_Settings_-_Workable.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047138942-?Expires=253370764800&Signature=NajfBuF3TETctHq1T~o5s7zfb8XIKBLqtcYmLAp1Oq~0rurPcx3hMTWez932~pH5GnOO0KJDYFI4jb
4NxIMGFIHCobLp2QIG6Vbgp2h0NBxoh~c0EEFY~AOzRzkHHglxbYw9f7OfYfWNbMMzejB4UuDVnOq6J-sX1ROSPIY-l2c2g6pmGiB8
a0x0VCOPIjX1rfxMA0EcxtKVdAhxj2BAB6L4Af7k8dOSngsF9vC9pGcKdr4Hgw0qHprKh6OQe2V55IQG1kbvzH0mkWSpDbrNnsUX78
tNpEm0SSgu2-h6PrBrg6kq5A0vTy6oEP1QzPuM1iz9hlvHNPMnANibSG3f4A__&Key-Pair-Id=K3NV4LZ47N8M46)

Assign Tests and Invite Candidates

1. Ensure the HackerRank tests are accessible and workable when sending test invites to candidates.
2. Add any HackerRank Assessments to the relevant recruitment stages and send tests from a candidate profile.
3. After the candidate completes the assessment, the results appear on their Timeline.

![[Report.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047139313-?Expires=253370764800&Signature=ckx5DjJinw8pkRzW2YKqmuZd1c12VHalK~IHfrT0sd~9fhPsLWj1FCfLYNBgzpIPoPLYStCBJGmFO2GY60Vfpgd01MOMC
EU2W5GsmRZBLPzXaCPOz26LEZGR82KhBJBQbkacynp~fGmYMaH5knK-TINHbIFp-ME-CtaKKk8sgQjug6-o2rFYnil1fqfT5vZJbm0
UY2KHiOS6Oww1doN6aLvPeIS6r2zwYkNqfEAllmttebhCHL~JU0DBLBYTs6T4sMrLnCw4FATZjiJtHcoTdqqAHofFCM05zsSqyxliDJ-u
tyyXtiQCdxMdGTgQ5SJXeMfB9m8WGpgguKQ7QQ6vg__&Key-Pair-Id=K3NV4LZ47N8M46)

Using the Integration

After you configure the integration, you can use the integration by referring to these articles.

1. [Adding a HackerRank test to a stage in Workable requisition](https://help.workable.com/hc/en-us/articles/115013399068-Adding-an-assessment-test-to-a-stage)**.**

2. [Trigger the test from Workable](https://help.workable.com/hc/en-us/articles/115013244907-How-do-I-send-an-assessment-test-to-a-candidate)**.**

\

[integrations/applicant-tracking-systems/workday] Workday - HackerRank Tests Con

```
---
title: "Workday - HackerRank Tests Configuration Guide"
title_slug: "workday-hackerrank-tests-configuration-guide"
source_url: "https://support.hackerrank.com/articles/1782819445-workday---hackerrank-tests-configuration-guide"
article_slug: "1782819445-workday---hackerrank-tests-configuration-guide"
last_updated_exact: "Mar 26, 2025, 11:41 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Workday"
---
```

Workday - HackerRank Tests Configuration Guide

Last updated: Mar 26, 2025, 11:41 AM (Last updated 1 year ago)

Overview

This article discusses the configurations required to set up HackerRank and Workday integration.

The configuration guide is broadly divided into three sections.

- 1. Workday Security Configuration
- 2. Assessment Configuration in Workday
- 3. HackerRank Configuration

Workday Security Configuration

Login to your Workday account and follow the steps below to complete the security configuration for setting up the integration between Workday and HackerRank.

- 1. Access the **Create Integration System User** task and configure a Workday account for the integration.
 - Name the account ?HackerRank_Integration_User?
 - Keep the Session Timeout Minutes to the default value of zero to prevent session expiration. An expired session can cause the integration to stop before it completes.
 - Select **Do Not Allow UI Sessions**. This option prevents the integration system user from signing in to Workday through the UI.

![[A screenshot of a cell phone Description automatically generated]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047141270-?Expires=253370764800&Signature=B2rkHj~qMkO98EI529HrHRGML-qtiGdyz4c~pZ4r8azr5BEjKiuAv1QCohREY945STnk3oMaQbmBbDnDVqUYx--b-zX543GPYXLVmH1e84BtoUkxd1q7piSnSYOC6GqWBie7W5hTNeUUK20HKFuXH59x~CR9bJHQ2sNK8sy3auvLN0-dnRKP3KFG09C0qJW9fY7OduvSmqETzSrmZiOLRWRRaTZA-ntNaws7ZGLLe48jE1KDoOXmDzSxMB93SnNfQZ6NzKSyz5I16HH6BaqxMUL90iD4tUmUpDtBFghzt6-lruTNTqNHrvHVNmd~na2SZCeno9nA9z2glZMN0pO2ng__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: It is advised not to use special characters such as "& (ampersand), = (equals), ?(question mark), % (percent) / (forward slash), \ (backward slash) while creating an ISU password for Workday.

- 1. Create Integration System Security Groups (Unconstrained).
 - Access the **Create Security Group** task.
 - Choose Integration System Security Group (Unconstrained)
 - Name the Security Group ?HackerRank_Integration_SG?

![[A screenshot of a cell phone Description automatically generated]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047141646-?Expires=253370764800&Signature=QC4ozJacipXeXVcdq-Gdj41ms478nSE7Vd43roB69f194N61PwlkMvIhL7-ea7ABomc6juhrpkd3ENwN0p7c8luC5UEtL-L1inVDFrm-4Kra5tKp3i3LKcjQZRje15ZFu9ECJqE7GnOsZBExvLVuNnazD-g805vZFCb-fWsruiiw4FoQQUVCgOQ4H2imJ45SWJDS8XcPq

ONGkiUon8OorPdNieeU2BUamDmhXccA__&Key-Pair-Id=K3NV4LZ47N8M46)

- Add the security group you created to the Integration Permissions and select Get and Put based on the table above.

![[A screenshot of a cell phone Description automatically generated]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047142577-?Expires=253370764800&Signature=WNfSIFcDoPEewcGq1vkz~opiOgvOxrtZ0CC9votCKp7-2e9uigYDwil3xmywgPCfqvxBaaYqg5q352YQIngfHgdRF5deLWfGj~yRSKnlQ1SY~Y1BS8WKq6uocGsCae0zeCX7a2S5EV-EhBCNX8YqcXudCL9wdlU48KtOijkHnqcAGick5ZlsHvs3OY6ttJrhSx6mN9yqN4SGUj3RG0O-ycr18sjybV9T22XK284eNK7rDviSszsvqxbOfzcVewQFoEW4Mf63-IUQbNNYHySpwx8zO7WqJh~7~iXILProVizvNFHB32Kbc4oJSOb1IsvEllyOcJ7p3KMWFXJavkOtaTw__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Activate Pending Security Policy Changes.

- Access the Activate Pending Security Policy Changes task.

- Describe your changes in the Comment field.

- Select the Confirm checkbox to activate your changes.

1. If the ISU authenticates using the user name and password, access the Maintain Password Rules task. Add the integration system user to the System Users exempt from the password expiration field.

- To avoid integration errors caused by expired passwords, Workday recommends that you prevent Workday passwords from expiring.

IP Address Allowlisting (Optional)

You can add an <u>extra</u> layer of security by implementing an IP Allowlist. The HackerRank service communicates to Workday from the following two IP addresses:

- 100.25.76.193

- 3.233.184.164

We suggest implementing in a sandbox or implementation environment first and testing completely end to end before introducing the static IP address restriction to simplify troubleshooting.

Assessment Configuration in Workday

This is a two-step process that involves

- Setup Assessment Status in Workday

- Setup HackerRank Assessment in Workday

Setup Assessment Status in Workday

In this step, you need to set up the assessment status on the workday.

	----	----	----	----
	Assessment Status Name **Reference ID** **Overall Status** **Test Status**			
	HackerRank Send Invite HackerRank_Send_Invite Yes			
	HackerRank Accepted HackerRank_Accepted Yes			
	HackerRank Declined HackerRank_Declined Yes			
	HackerRank Invited HackerRank_Invited Yes			
	HackerRank Completed - Qualified HackerRank_Completed_Qualified Yes			
	HackerRank Completed - Evaluation Required HackerRank_Completed_Evaluation_Required Yes			
	HackerRank Completed - Failed HackerRank_Completed_Failed Yes			

Follow the below steps to set up the Assessment task.

1\.. Access the **Maintain Assessment Statuses** task

![image1.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047142862-?Expires=253370764800&Signature=JQJQVeNCxbl~n96jR2fneGaKnATLYdwM9mAPosoYHCH3MLVbGyyNjbe3MSUJL7QptmZgC11z5~HWnpDG39CC-VzkuTGcnvB68crlCRJfhurW6ZNcE3bc1ndztzsq3C93bwomQUjbmcrcXHGtcCYLbwiYoK2FWQB0rEcbBMWnCoN5FHtl7qaTOn9uO77Qt29ak2THQ~iEwfrYaa9A5gFFCJkIS551tKOsykTEW29M7dXjoxNC8ooilOOmLOQEXHSu87gnlLwMy3A31xobXyWwwJx8f6vPNqhXxVEx3V-

Qn0QRUGoMJtZuWi4OKnZgea1yyvHt81yd4VUfl8NU1rMFzhQ__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Click on the Plus mark at the top to add a new Status

3\.. Give a name, then check the box for Overall Status or Test Status. Overall Status will refer to the integration working. Test statuses will be used to track the candidate?s performance on the test.

4\.. Click on the ****OK**** button at the bottom of the page.

****5.** After the page saves, Hover over the magnifying glass and click on the three dots for more options. Go to Integration IDs -> Edit Reference ID.******

![image2.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047143253-?Expires=253370764800&Signature=nbaLlfwBUqpLoPHpo8tPRCuGg8PfrEOBuRO9VJaQs-5Pt8bqeosQRWEguCXT0agzITU6RZ7PBePI9Y0XgPOR9ctoazGr-9Ja8qufcC1bzj9GoD0e~N5fwWF-zSJmZ0u8IPV8uiQPjXFma5LRJuPJz0XZMM8fXLH60EC2BcX2jKlIX1fmGgmfPUuYJWzADK5I~1T-j62EfskKtSmBTuqTN4PabdwYWUwwYR-JGBJh9LpxcwvJh47PGFI2DjnhYgX5vZxTfjESHqtV1YqWOEn7jtOwePr5zXE1K5jvd-9iEOIzsoB2iVDFjIUPeUbAFmAjtAiDN5xExt~6kDOWRYjw__&Key-Pair-Id=K3NV4LZ47N8M46)

6\.. Set the Reference ID to match the value in the table above and then click on the OK button.

![image3.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047143565-?Expires=253370764800&Signature=HqxlzUygeZU2j~Ls8J8ioBUNI44U~GUp~7HIMKJfu6tIEgAiDnPgloI3ldXwt5q9lmpHv9zVAFwLc5JJXHoGIT0EuCia5KHezYSBdYOPayyuEzRne4A9MMvFN9DI65sTd3Z6dDiT9bnejfhSHBBFCAHHulzsjrKSI5I3CjYdSarGEzrX5aZ2yxhdvH0JgZOkb5Wn7R8Dw9k30zRYupCmzGtgMdBpkOVY3PmPDI98yklq29IDaGGbqNSCOEY59yxtGr~e0BjwXD9FyoZp5aPLtEYSRe6zeofyOhduEVBuumpZYlhseFeL9vYtW7NJ~9oabx3nMoSBmw8~r74kXyeA__&Key-Pair-Id=K3NV4LZ47N8M46)

This is what the table should look like when you are done. Note the order, which will make it easier for recruiters to use.

![image1.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047143879-?Expires=253370764800&Signature=VMG~HD9xdMZ9XF8y5vNqSqXsViXriuLsi7jYyh-Tn5jELYL6KgqyfHI0afHLhM-zU4KX4x0BAiNN7sK1kFBSaGL1Sc2mMSt7SRk8GsHCN9g9GkoRXeEtpLAFZKRIJBhGgiHfr2b3T-4STFOsntKA2rX75sYdLKGjw6UvD6AcV-VkYSBZ~o1LOW9OqGEXJrWmWtWVvofTue1u5hxxv5xl5C4DQxngGOW15ySgljYaMja-El~Btaeve125go0AmGHycYjuPJNHXKzhqxJW2Sct~HA2aymnacdFLm0Scn2IqKxtZC-SmrOAH3Tu3U3A8YNk4CxGtyhMjz8Wu32qUkWftQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Setup HackerRank Assessment in Workday

HackerRank customers can create their own custom tests, and the identifiers for these tests are unique for each customer. Therefore, any test names and test IDs must be added to Workday on a per-customer basis. This process is not something that can be automated, so it requires an implementer to add tests manually to Workday.

****Steps:****


1. Open a test in HackerRank

2. Note down the Name and Test ID from the HackerRank Test page and the page URL, respectively. In the example below, the Test ID is 1128102, and the Test Name is ?Software Engineer Hiring Test.?

![jobvite_test_id.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047144262-?Expires=253370764800&Signature=J0W51Hq6S1H3v11Ge3vSln4z-SERTD1XCLuExQMsZkt7NC7tp0qeIVM0w1gOkm6v0nKuIDGXzV7XVt3xH8S2PvW KohEJTcsCsuyAISg3BN~V0tKm-izW546mDNZu7aFubh8GBU5Psk5yJ4G9T7R~odEVphWFh~HeaZmFok3fLwpQyoAZAu4oBuEWMVwgHfOAgLnAumAPWYhSpu8Uce7KZtJDAYnWqX1Qx8VoMwhhqM8D90tK7LMYqy7~QW4y5thAMyhajsmPw3bqaw-yzNQYleRv8Y YEGgx2wClho0joiJnclBhl1Gfdv2WMrwWzutkxycbVHYExpWpu70tHphUxw__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Open Workday and access the ****Maintain Recruiting Assessment Tests**** task.

2. Add a new Test. Set name to the ***Test Name***



<!-- -->

1. Chose Ok on the page

2. After the page saves, hover next to the magnifying glass and choose Integration IDs -> Edit reference ID.

```

```

1. Set the Reference ID to the *Test ID* from HackerRank

```

```

Note: When building out and testing the integration for the first time, you can get the Name and Test ID from the HackerRank Test page and the page URL, as described above.

When the integration is ready, you can log into your HackerRank for Work account and do a one-time bulk export of all the tests that need to be entered into Workday.

Follow the below steps in your HackerRank account to bulk export the available tests.

- Click on the **Settings** button from the top left menu
- Select the **Integrations** option from the left panel
- Under Workday, click on the **Configure** button.
- Under the CodeScreen Integration setup section, click on download all published tests.

```

```

Note: You need to add all new tests that are created in HackerRank and need to be used in Workday manually.

Business Process Configuration

This integration gets initiated from the Assess Candidate Business Process. This integration does not require any configuration that is different from the default.

Make sure you configure the Job Application business process to include assessment.

Configure Default Tests (Optional setup)

Follow the below steps to configure default tests in Workday.

Steps:

1. Access the **Edit Job Requisition** task.
2. Search for and open the **Job Requisition**.
3. Proceed to the Job section of the Job Requisition and scroll to the bottom of the page.
4. Click on the **Edit** icon in the Assessments section.

5. Add a test to the **Default Assessment Tests** selection box.

[A screenshot of a cell phone Description automatically generated](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047146519-?Expires=253370764800&Signature=SKYerdxo0LA2jWaP6~5L0P~tlK-2mOTw300WU5FUGTqATUsBH~drh4ENjL140pQDkE6I0C~OU1~aQ62Gj8mFI3QGpliBPZbhPEAshtl4s-n9g1cLueaHQtdsvp3GBRbilMITJIhuvIH5jaeTnU0sDGpHv3yjUSExnWEd6Hde1J18DM7dzRarhml6B~PPAy1s2--W~Qg0xEdp1CSigbhR0J~R1HS9C4qu1d-Wzrj5N1arvk36j2p7JdeRYuLy8HWB4aT7vwWm-OC0Q6nR27h~Juhgrl7QHQtAdQMDxKwAcq5ARoqbdKrrUdYaOfvzj4SEIS5BfQ0LDTgXYXKc8~brA__&Key-Pair-Id=K3NV4LZ47N8M46)

- When assigning an assessment to the candidate, the default test will show up by default in the list of assessment tests. The recruiter can change this before sending the test if the default is not right for the candidate.

[A screenshot of a cell phone Description automatically generated](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047146786-?Expires=253370764800&Signature=PM0s49QTQ~yv4mvjWLIIEBb0B6xJW7ThyJec0zxqrDwVvlpCQ8PrQ~enRm7GiKlrNyq6s8Sy3qpoNj3bC~rIS9wYAHoWwb7IVEDCtGGIbLHckFCUqX~SB1MRuE~WcyzMQOXhLr7fgH0nLK8hBYCQFkAlvAthbn7JGMfe42UCNGAoQWn4I25GXpx2INXI20g2Lt0bHqBx6vXIH-c5R1BwAhKFLBBgi4VeeYg~qU6MZyByJY4rsZ2IDNK3~2QVMTGxpKHpshpNL8tKVlq5SmNQ7Dfpgmicrvfa19dnK-5W3OUQT0HV9rmMo~YzzrefveYLY84uwujMyEas9H25d1rdA__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: A default test cannot be added once the job is live and candidates are added to it.

HackerRank Configuration

The HackerRank side configuration involves the URL and authentication setup.

- Login to HackerRank with an account that has Company Admin permissions.
- Click **Settings**.
- On the left pane, click **Integrations**. The **Integrations** page is displayed. Scroll down and click **Configure** on the **Workday** option. You can also search the Integration from the Search bar.

[integ_workday.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047147412-?Expires=253370764800&Signature=YnfB5EjJeENTQV5oLa4B7WUxWiHT3RQoAFndkfvgRa-bW1bnxV90RHVY0xC1YRLTuNI983HZTgx7UghSDfrnzt1UTQvicGe0SPLzx5bFkpoo2oEaSqtyR4QmfTLI9hGSTaitjq6EWJOf3AKdyAuqjf~UefpG1722s8gFzGvCNk48z1QtT07a4Lin1b4yxWar8byymYeiNWqXTZ~XqX65qDJLhi4jh2TmX65scKk8gH9JJFC1T9FDEbPXjokfN~usP37cnzYiW7fSDCOHv1-AZDPuFSFgHuNv0-iESDYOl2grHsU4cVHMwnOZXOrdX3rTPeNniApKiytRMHHZDeX3Pg__&Key-Pair-Id=K3NV4LZ47N8M46)

- The Workday Integration page is displayed.

[integ_workday1.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047148262-?Expires=253370764800&Signature=qL2KCbUFYMXp50qZK8BW0wGgasCP8tcJyuZr3MZD-GTr3nnjGVgeXOmZBlvY9c49up7oJs3Blzu~IBn-RCx7kuX9ClyhTCCWMJ0z8T99sj2tsXCCSWH3vhdIMJBPJ9sv4UIAVyVqSVWVRC48ciL7B9oiA-zFT2X9fkbz4EPsugPYW1De5gub8XQERRtNKF-dUa4z13l-d5gCmOgNYXOFHoDN5V13qSAYYgCeG0Tl96N3bY3tBZEnV23nJkiHHIU2K-Okqqjixz8l47ZQtGgwZhKaYytma~lcBQ40j4FQyleKQLcB449Tw6a72mnNymHSdWG94LJkaK~UiTf4E2gw__&Key-Pair-Id=K3NV4LZ47N8M46)

- Enter the valid Workday Security Configuration and the URL and Authentication Setup details.

- Click **Save and Test**.

Note: Once the recruiter invites a candidate to take a test, HackerRank will not invite the candidate again to retake the same test or take a different test. If you want to change this setup and want your candidate to get another chance after a certain period of time, you may control the setting from the below option.

[Screenshot of the Workday Security Configuration page showing the URL and Authentication Setup details. The page includes fields for URL, Username, Password, and other security-related information. The URL field is highlighted with a red box. The page also shows a 'Save and Test' button at the bottom.

Important: Once the configuration is completed, click the **Enable Integration** button to complete the process.

[Screenshot 2023-10-30 at 5.12.11 PM.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047149235-?Expires=253370764800&Signature=Bbq6XaRtAM3Uq581FKa6MF4XZgcSrPi8tfg46EAPceRqvZuz566gJeev8eqw2ONWbeDOAig4FcrMu3Jgtm30Hy5246MhQpSt

m0IOg~kdRnHaaWEuv6JxtfcYuy1dJeN5xtkxd6NFtTmKZRQncbREUgovUNIRohGjg0uVmzSlc2o1WIDkGMnFwKhsYmFca8rxU2hV-i~5bKU0IUu3eQxffg6GraWeaEZeMoqePXgZaMMcyLjQUBxCCJ2pOwPXVzNiM6hCe6OdqMSiJft7X4ponqquWFs~AHIFGJN04kQEIZpVtpm6rpLH4k8YI96eIl5jmoWQxlerWdE5tp8jTVdF1A__&Key-Pair-Id=K3NV4LZ47N8M46)

This marks the end of the configuration process. After this, you can invite candidates for HackerRank assessments from Workday and view their results.

You can check the [Workday - HackerRank Tests User Guide](#) to learn more about the workflow.

[integrations/applicant-tracking-systems/workday] Workday - HackerRank Tests User

```
---
title: "Workday - HackerRank Tests User Guide"
title_slug: "workday-hackerrank-tests-user-guide"
source_url: "https://support.hackerrank.com/articles/199975553-workday---hackerrank-tests-user-guide"
article_slug: "199975553-workday---hackerrank-tests-user-guide"
last_updated_exact: "Dec 28, 2024, 4:25 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Workday"
---
```

Workday - HackerRank Tests User Guide

Last updated: Dec 28, 2024, 4:25 AM (Last updated 1 year ago)

HackerRank Tests integrates with Workday to enable recruiters to send test invites directly from the Workday Recruiting portal. This integration allows seamless skill assessments for external candidates, with test scores and performance data automatically syncing back to Workday.

This article covers the steps to send HackerRank Test invites from Workday, publish assessment results, and includes answers to frequently asked questions.

Send HackerRank Test Invites to Candidates from Workday

Prerequisites

In HackerRank for Work	In Workday
- You must own an Enterprise plan with a Recruiter license. - You must log in as a Company Admin user.	
- You must have access to Workday Recruiting with relevant permissions to edit requisitions and candidate details in Workday. - All Workday recruiters who will be requesting assessments must have a recruiter license with the same email address in HackerRank.	

Follow the below steps as a recruiter to send an invitation to external candidates to take up a HackerRank Test.

Recruiter Workflow

- Log in to **Workday Recruiting**, and then open the **Job Requisitions** section.
- Select any open job requisition and go to the **Candidates** section
- Select the candidate who has applied for the job requisition (Step/ Disposition column should display ?Review?)
- Select the **Move Forward** button, and then click on the **Assessment**.

![[Review-Assessment.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047139776-?Expires=253370764800&Signature=LDI8pmpRsBj3iMavvEok9FgsjXgFujnSEgArBLHpo08T17f9fCZ0GVc08k3E-Urqfa4TyNiisl5FSXX1edB8K-BEv-sU4gOGCwwORuZ1i-4H2wKVilidXCdsdnRHYQGM3KvHoeXkC--IsQNDsqvkTICISr7HQR3y2AQ9tey1gMLH9cnLyYgVORVsFBWcjFlvn5M6dYnUPpQecbKhM~hp8SQSsfwbnyQaAHDSy9Uf08KXo2U6wUZ3T7hY850WMGz0e7v5zlc-ItByD0jF705H-mgiKacBqMkDNzHFGoACPkJhODrdP97xx2143RrweBu8WkizsDRw6-w5YeUeu-UwQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- Once the candidate is moved to Assessment state, open the new inbox entry labeled ****Assess Candidate****

- In the new window that opens, perform the following actions

- Set Overall Date

- Set Overall Status as ****HackerRank Send Invite****.

![[Overall_Status.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047140098-?Expires=253370764800&Signature=bIBM6kXR06hH-Fik2sGnkWaqp-gNT8Jt2mDZYhUvD2TW7mCPtc8V3mVSbtz5zTA8bV3Kzmbu-c4il0ZQ~iwVpMjq1-stGgf~u76HhJXKx4pHCaU3tqa1LOokHtOPj0jqNljMzoXKOKWKEqVeq9OeZsb-n5sKZrY6Ego7ZR1zdMzwJztBr5XJcFpufwwb~WF6RmV3LrPgpFc2fewNEXqcwb3z7wuFvjXPyD1CVHGKvGqgOcqVCerwKEaAntNI2ZGSfFhLckadGO6Xk~cRKbWag-DCJ4-TifC-CS5eVkrxRf8le9YEGsxk2j4yNYC-76x3c4NkcGW-nD55~3wINiSad0w__&Key-Pair-Id=K3NV4LZ47N8M46)

- Add Assessment from the list of assessments available.

- Click on the ****Submit**** button.

![[HackerRank_Send_Invite.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047140488-?Expires=253370764800&Signature=vlbtmkWs3LVxzM9DVXSSQ5jeRp6Id2QD9wxERBp2icYee-SHXNqpc2JKHnO7XiVDMHIXoPJgiA6E8H4pfB2rejzCW3pQyTnZX3uyx20XPfPn4d3XCpxSCqAhqjrZwiDUGy2PE51fbjaQ4jcyia~tFULKqLLpla0S9pkfWJbsdsCAQpzogGry0x8nNx~Z2qNic-iuRwV-aCmmw2CsmklzzEd0WPOsy7ZQ7hiC2QSn7MEpQNi0AfOx5ZRFpy6vuzJmeEDEBwSCOPdFIXblRzq9rZa6HGFBUKs8RblbjS2IUgym13UPUHLno49609dzJbw3zeH-TUypCRGD66zjcYXtQA__&Key-Pair-Id=K3NV4LZ47N8M46)

HackerRank Workflow

- Once the recruiter clicks on the Submit button in the above workflow, a job is scheduled to run every 10 mins from the HackerRank side.

- This job checks all those records in the ****HackerRank Send Invite**** state and sends the invitation to respective candidates for taking up the challenges.

****Note:**** If at this stage, HackerRank finds that the recruiter who has moved the overall status to ****HackerRank Send Invite**** does not have a HackerRank account, or the test does not have the correct reference ID set, HackerRank does not process the request further. In such cases, the overall status is changed to ****HackerRank Declined****.

- Once the invitation is sent to the candidate, the overall status changes to ****HackerRank Accepted****.

- At this point, the Assessment status gets changed to ****HackerRank Invited****.

- The ****Comment**** section displays the Assessment link.

- You will be able to view the updated statuses from your Workday Account if you click on the ****Screening**** tab on the candidate?s page.

![[HackerRank_Invited.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047140789-?Expires=253370764800&Signature=A7p3Uzd8EkeGWHsQ0KQ~3~EEVQrvKuPUgtxTHypnBqijof~mrX6BZEabbZIVU1KIGgaJlJenzSp4WpCiilWcfLGh6DcKyc~gAEKQFsP1PrYNx8qzUA~WhXQBCEiXcEpv~mB~gn1~yGseDek5py55RayAc53IHwkKUWW0iCOE61D2PPiLHQEGdFhHnLmHjyBcAL17ucMOWX9~RwY9R~E5XHZEZ94sLrxfSaGfF~LcL0oHlo~jG2IViY7qbZN2RHWMpqZvMkTQ80bJhm5mlDAgTefuxeXzIJDZHB6CHg3x7QmIBX-GRvarbjRsovVAXgRinpvW3quoebXy6plwbJNGhw__&Key-Pair-Id=K3NV4LZ47N8M46)

- Once the Assessment status gets updated to ?HackerRank Invited,? the candidate receives the assessment invitation in their inbox and the Assessment link.

Publish Assessment Results from HackerRank Test to Workday

Once the candidate finishes taking the challenge, this process is triggered.

- At this stage, HackerRank checks the answers submitted by the candidate, checks for plagiarism, and prepares reports.

- Once the report is prepared, the same is published back to Workday.

- The Status column of the Assessment line item gets updated as one of the following values to match values with HackerRank.

- HackerRank Completed - Evaluation Required

- HackerRank Completed - Qualified

- HackerRank Completed - Failed

Note: For a particular challenge in HackerRank, if the cut-off score is set, and if a candidate crosses the cut-off value, his or her status gets updated to **HackerRank Completed - Qualified** in Workday. Similarly, if a candidate fails to cross the cut-off, his or her assessment status gets updated to **HackerRank Completed - Failed**. For all the other cases where the hiring manager's evaluation is required, the status gets updated to **HackerRank Completed - Evaluation Required**.

- Apart from the Status column, HackerRank also updates the below columns in Workday.

- **Score** (Candidate's score in the particular challenge is displayed)

- **Comment** (Candidate's percentage score in the same challenge is displayed)

- **Results URL** (This column is updated with the URL of the candidate's assessment report).

<!-- -->

- Recruiters can click on the URL from Workday and access the candidate's report that is hosted in HackerRank.

Frequently Asked Questions (FAQs)

I have moved a candidate's status to ?HackerRank - Send Invite? but the candidate has not received the invitation

The job is set to trigger every 10 mins from HackerRank to check for records in the ?HackerRank - Send Invite? state. So, if all other criteria are met, your candidate might take a maximum of 10 mins to receive an invite.

After the Test result is initially synced if I change the score in HackerRank, will it be synced back to Workday?

Yes. The first time we send results to Workday is at the end of the test, once the report is generated. After that, any user action in HackerRank for Work that changes the candidate report will be synced back to Workday. The most important visible changes are:

- A change in the candidate score.

- A change in the status of the test report - for e.g., from HackerRank Completed - Evaluation Required to HackerRank Completed - Accepted, etc.

What kind of notifications are sent from HackerRank to the candidate and the recruiter?

From the time HackerRank checks for items in the ?HackerRank Send Invite? status till the candidate finishes the test, **three** times, emails are triggered from HackerRank for Work to the candidate and the recruiter. Those instances are mentioned below.

- Mail is sent to candidates inviting them to take the test.

- Mail is sent to candidates when they finish taking the test.

- Mail is sent to the recruiter with a summary of the candidate's score on the test.

Can we use custom templates for sending emails to candidates?

There is no way to customize templates at the assessment level and send them to candidates. HackerRank for Work default template is used to send emails to candidates.

[integrations/applicant-tracking-systems/workday] Workday - HackerRank Integration

```
title: "Workday - HackerRank Integration"
title_slug: "workday-hackerrank-integration"
source_url: "https://support.hackerrank.com/articles/3252953266-workday---hackerrank-integration"
article_slug: "3252953266-workday---hackerrank-integration"
last_updated_exact: "Dec 28, 2024, 12:17 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Workday"
---
```

Workday - HackerRank Integration

Last updated: Dec 28, 2024, 12:17 AM (Last updated 1 year ago)

Workday integrates with HackerRank for Tests to facilitate an easy and seamless Test experience. As part of the workflow, the recruiters can trigger test invites to candidates directly from the **Workday Recruiting** portal. Candidates receive the HackerRank Test invites and take up the challenges. Once done, their score and performance data are automatically available in Workday for further evaluation.

Please refer to the following articles to set up various features of the Workday - HackerRank integration:

- [? Workday - HackerRank Tests Configuration Guide](/articles/1782819445)
 - \
- [? Workday - HackerRank Tests User Guide](/articles/1999755553)
 - \
- [? Workday - HackerRank Interviews Configuration Guide](/articles/4722432610)
 - \
- [? Workday - HackerRank Interviews User Guide](/articles/7842363172)
 - \

```
## **Tests **
```

Feature	
Workday	
View Full list of HackerRank Tests	☐
Invite candidates to a specific test	☐
Cancel / Reininvite an invite	☐

```
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 81.6198%"><p>Bulk Invite</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 81.6198%; height: 20px"><p>Status update from invite to completion</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 81.6198%; height: 20px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 81.6198%; height: 20px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 81.6198%; height: 20px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 81.6198%; height: 20px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 81.6198%; height: 20px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 81.6198%; height: 20px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 81.6198%; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 81.6198%; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 81.6198%; height: 20px"><p>Templates</p></td>
```

```
<td data-cs="1" data-rs="1" style="width: 106.016%; height: 20px"><p>user default</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 81.6198%; height: 20px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1" style="width: 106.016%; height: 20px"><p>user</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 81.6198%; height: 20px"><p>Reinvite</p></td>
<td data-cs="1" data-rs="1" style="width: 106.016%; height: 20px"><p>?</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 81.6198%; height: 20px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1" style="width: 106.016%; height: 20px"><p>?</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 81.6198%; height: 20px"><p>Update results after editing HackerRank</p></td>
<td data-cs="1" data-rs="1" style="width: 106.016%; height: 20px"><p>?</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 81.6198%; height: 22px"><p>Results sharing and validity</p></td>
<td data-cs="1" data-rs="1" style="width: 106.016%; height: 22px"><p>?</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 81.6198%; height: 22px"><p>Add Time Accommodation</p></td>
<td data-cs="1" data-rs="1" style="width: 106.016%; height: 22px"><p>?</p></td>
</tr>
</tbody>
</table>
```

Interviews

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 81.8086%"><p><strong>Feature</strong></p></td>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 105.389%"><p><strong>Workday</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 81.8086%; height: 31px"><p>Create Interview</p></td>
<td data-cs="1" data-rs="1" style="width: 105.389%; height: 31px"><p>?</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 81.8086%; height: 29px"><p>Schedule HackerRank Interview</p></td>
<td data-cs="1" data-rs="1" style="width: 105.389%; height: 29px"><p>?</p></td>
</tr>
```

```
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 81.8086%; height: 27px"><p>View Result</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 81.8086%; height: 30px"><p>View Interviewer feedback</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 81.8086%; height: 29px"><p>Link to the detailed report</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

[integrations/applicant-tracking-systems/workday] Workday - HackerRank Interviews

```
---
title: "Workday - HackerRank Interviews Configuration Guide"
title_slug: "workday-hackerrank-interviews-configuration-guide"
source_url: "https://support.hackerrank.com/articles/4722432610-workday---hackerrank-interviews-configuration-guide"
article_slug: "4722432610-workday---hackerrank-interviews-configuration-guide"
last_updated_exact: "Jan 23, 2025, 3:49 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Workday"
---
```

Workday - HackerRank Interviews Configuration Guide

Last updated: Jan 23, 2025, 3:49 AM (Last updated 1 year ago)

This guide describes the configuration steps to deploy Interviews for Workday Integration.

Prerequisites:

1. You must have the Workday Recruiting Module enabled and in scope.
2. ?Interview (Default Definition)? business process must exist in the tenant.
 1. Search for ?bp: Interview? to check if this exists in the tenant already.
 2. If not, set up and configure the ?Interview (Default Definition)? Business Process in your Workday tenant using the ?Create Business Process Definition (Default Definition)? task. Refer to the [Workday Community guide](https://www.workday.com/en-us/homepage.html)[.](https://www.workday.com/en-us/homepage.html) Also, you can refer to [additional documentation.](https://doc.workday.com/admin-guide/en-us/human-capital-management/recruiting/interviews/wks1564421850508.html?toc=3.12.0)

<!-- -->

1. Download and Install Workday Studio on your computer. For more information, refer to the [Installation Guide](https://community.workday.com/node/11810).

Configure the Workday Studio

Configuring the Workday Studio involves a series of steps:

1. [Import the CLAR File into Workday Studio](https://support.hackerrank.com/articles/4722432610-workday---hackerrank-interviews-configuration-guide#import-the-clar-file-into-workday-studio-7)
2. [Add a Connection in Workday](https://support.hackerrank.com/articles/4722432610-workday---hackerrank-interviews-configuration-guide#add-a-connection-in-workday-9)
3. [Deploy the CLAR File to Workday Tenant Using Workday Studio](https://support.hackerrank.com/articles/4722432610-workday---hackerrank-interviews-configuration-guide#deploy-the-clar-file-to-workday-tenant-using-workday-studio-14)

Import the CLAR File into Workday Studio

1. On the Studio menu bar, select **File -> Import**.
 1. Select the CLAR file import wizard in the **Workday** folder. You can find the CLAR file at this [link](https://s3.amazonaws.com/downloads.hackerrank.com/ats/Hackerrank_Interview_Integration.clar).
 2. Click **Browse** and select a CLAR file to import.
 3. Click **Next** to display the collections and projects in the CLAR file.

4. Select collections and projects to import from the CLAR file.
5. Edit all project name conflicts if applicable.
 - Select a project with a name conflict.
 - Click **Edit**.
 - In the **Project Name** field, rename the project.
6. Edit all collection name conflicts if applicable.
 - Select a collection with a name conflict.
 - Click **Edit**.
 - In the **Collection Name** field, rename the collection.
7. Click **Finish**.

Add a Connection in Workday

1. Select **Window -> Preferences -> Workday -> Connections**. If this is not accessible, you can do the following: Go to **Window -> Show View -> Cloud Explorer**. Click the icon in the upper left corner of the **Cloud Explorer** box to open **Connection Details**.

<!-- -->


1. Click **Add**.

1. On the **Add Connection** window, consider:

- **Option** **Description**
- **Name** The name of the connection.

- **URL** The URL of the connection. -

https://workdayinc.force.com/partnercenter/apex/PartnerPortalKnowledge?id=kA04X000001DXF4SAO



- **Group** Adds the connection to a group. (Optional)

<!-- -->

1. In the **Credentials** section, specify the Tenant and select an authentication method, Basic Auth, or OAuth 2.0.

1. To use OAuth 2.0 authorization, you must first register an API client. For more information, see the [Workday Community Article.](https://doc.workday.com/admin-guide/en-us/authentication-and-security/authentication/oauth/dan1370797831010.html)

Option	Description
--------	-------------

```
<tr>
<td data-cs="1" data-rs="1" style="height: 22px; width: 19.2926%"><p>Basic Auth</p></td>
<td data-cs="1" data-rs="1" style="height: 22px; width: 47.2669%"><p>Specify the Username and Password for the
connection.</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 134px; width: 19.2926%"><p>OAuth 2.0</p></td>
<td data-cs="1" data-rs="1" style="height: 134px; width: 47.2669%"><p>Specify these details for the
connection:</p>
<ol>
<li><p>Grant Type</p></li>
<li><p>Client ID</p></li>
<li><p>Authorization Endpoint</p></li>
<li><p>Token Endpoint</p></li>
<li><p>Access Token</p></li>
</ol></td>
</tr>
</tbody>
</table>
```

<!-- -->

1. Click **Test Connection**.

- The Studio confirms whether it can access the connection.

- The user needs to have certain permissions to deploy. Refer to the list in Workday Studio to ensure the user is a part of at least one of the security groups for each section needed to deploy the CLAR to the tenant. For more information, see the [Workday Article for User-Based Security Groups](https://resourcecenter.workday.com/en-us/signin.html?fromURI=https://signin.resourcecenter.workday.com/app/workdayciam_aembetadoc2_1/exkd1j067IBdQMGI4x7/sso/saml).

```
!<img alt="config_guide1.png" data-bbox="48 476 959 535"/>(<a href="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046123389-?Expires=253370764800&Signature=EUXEZqRnzLkuE~eez1n1v8ZPep6egPsCxsCW5S1-0S9TY7ot3U5L7sn7qnusVsZWqvxoKrOotYxx0VCpGCWsvSDSMfm1jtg-zLFbb5KIYWNU94xscCY9bj14fKAK~YEuoYR94cz5f5bydBD7mmSZExvmiY17SJl9sdxTS64XgQ9-b~xq4B18mJzDn~ag7wAf23EQLXBBk4s1kzR1m5Px10oOrpwweECcE1~KYibtwFRTgZW797EUAv7kyu8GOFZZHbawWpDp96eUAxSDGDt8oVV66SZVPYB4ikBBxJXnMSbshy-rrG0PliksekDbfqJcy~WS2LsYV954gldSev9TQ__&Key-Pair-Id=K3NV4LZ47N8M46)" data-bbox="48 535 959 558"/>!<img alt="config_guide_testconnections.png" data-bbox="48 558 959 617"/>(<a href="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046123815-?Expires=253370764800&Signature=F-EBc0fAOy1MSKm7Q46k0segf5G7WcefhZlbtD1rKrvA1-j4bJMCgG4gPxz8zC5IH6xkzykjOanHVLlJu5W9nsaAyLG~bhlEHIn6uG0XuR6jJq0JrgeJXzDNG5yTrvsXCFIv7d-GM5cgwriHBIG62lp44Tode9CE1HquKpQVg7CCynDbQLP~8cC6fyKocR5LvDJoTFk-rtQYmQKKnDauThdo4js3E0fXIFk7tpgYFX0mufN-pgpctM2NHB68-EsFzVY1SynlGXNNQSCfq~K3OdRaoCznTOF-l~HrRcFJpfa2D0UML2GBK6tAu-h93FZFWY69D5bljnf~lgbhUszzw__&Key-Pair-Id=K3NV4LZ47N8M46)" data-bbox="48 617 959 676"/>!<img alt="config_guide_testconnections2.png" data-bbox="48 676 959 735"/>(<a href="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046124227-?Expires=253370764800&Signature=BoSpt7spaRveZ4kQ-dhM065aL2elnLZCcmdPYp3etfD-JxgwoVX1fCnHagbyPikL~xmLuI4UwnpScKuRJSnJmphEmtw1V3CbdFgnhd-d~O~JBEEne91emeAFBwrUh-ra4pdTrAFccWbpl3p43wFO0B9bGVkaMacJRQ8XlpxRaFxsV5XAt8E2HpXSJ-XV9JDufBH-MxJ1mEbVFoYf2hlaGupGJt8wxvBn~XjsC3s1Xr2PolFZYM-cZxAK50nn90DeMP-vwAV4Oeuwkf2KoQalwFkTLO96vimPBvgnSOhRV~17U0LP2yXrJTVi0gvwghVvVr0~jCghU9R9ONx9QbXnA__&Key-Pair-Id=K3NV4LZ47N8M46)" data-bbox="48 735 959 794"/>!<img alt="config_guide_testconnections3.png" data-bbox="48 794 959 824"/>(<a href="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046124704-?Expires=253370764800&Signature=c-CjTRGsZJmzEcQrzWyj0hoNPNwiK3Crxs6Z3JqwApl1wuSiS3khoSJwiTpnQYk5XSdmyfSqZUVVjtYTHyWvuSkyjLr-QBSBeYKbd-od3lZSgFTQVZX4idKfIZAr6QI5O-A465o1gHTo1UIHIAq4ehm5m5q-tUDWlwsz5JCwaFDEaOteh6Tkd4HKGaw9ITbkxU1g7D5QlOdniJJXffZ7~8b8xmS73fj-RocSUTimP705yJgBkDe1iXnuj3BruylRxAomjU7P2Ap0ebBN5reXHcUhTC1ZAqcpoa5YvHjnPPI0iT6ax-bihf~zpTxqNGEvgrl2v6pdGWXoEGEqkBOTPW__&Key-Pair-Id=K3NV4LZ47N8M46)" data-bbox="48 794 959 824"/><img alt="config_guide_testconnections4.png" data-bbox="48 824 959 854"/>src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046125142-?Expires=253370764800&Signature=UoiXQUoY4054xcJu9ky4PmzPtgZIPjsKgnxNRUVja0muCV1Q6NIJZj-NNolB15156WQXVCzVBGAnclOHAuOgUgCINdRsdZjqjXihHAVP59z2qgF8ilairwhl-t7tVrc~ddJ~fx6EGfie7MF6SQ-BDCXKbtjORz7bZ5pUdXd-YDA46ZuNXIB~yduuaH2ZhiWxiepfP8DXfsYKS8uSWrAZr5UeY0EssldwLisZrxvbnpiZMoQUlirQAKeWmGGJdgqWX5cA-nNeQKBMVgpZEXGb8HzmTNItO-HkpM258UC9lagydCLwbc2l9bQ0DanmacJFFKhltf~at6-fBjbrT~A__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false"/>
```

Deploy the CLAR File to Workday Tenant Using Workday Studio

1. Deploy CLAR to Workday Tenant by right-clicking on the project in Workday Studio and clicking **Deploy to Workday**.
2. Select the Workday environment you wish to deploy the CLAR file. Make sure the option **Include source code in deployed CLAR** is selected.
3. Click **Next**.

4. Make sure your project is under the ****Configured**** section.

5. Click ****Finish****.

Configure the Workday Tenant

Prerequisite


You will need access to the domain **?**Security: Security Configuration?**** to perform the following steps.

****Create and Configure Access for an Integration System User (ISU) Account****

****Note****: If you are unable to perform these steps, then update the security fields accordingly. If you are not able to access a specific task or report that is a part of this guide, use the ****View Security for Securable Item**** report to review the domains required for that task or report and the security groups.

1. ****Integration System User Configuration:****

- Access the Create Integration System User task and configure a Workday account for the integration.
- Name the account as ?HackerRank_Interview_Integration_User_Step1?.
- Specify a password and save credentials somewhere for future use.
- Keep the ****Session Timeout Minutes**** to the default value of zero to prevent session expiration. An expired session can cause the integration to stop before it completes.
- Select ****Do Not Allow UI Sessions****. This option prevents the integration system user from signing in to Workday through the UI.



Follow the above steps and create an additional Integration System User named ?HackerRank_Interview_Integration_User_Step2?.

2. ****Create Integration System Security Groups (Unconstrained).****

- Access the ?Create Security Group? task and configure an Integration System Security Group for the integration.
- Select the type of ?Integration System Security Group (Unconstrained)?
- Name the group as ?ISSG_HackerRank_Interview_Integration.

[A screenshot of a group Description automatically generated](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046125817-?Expires=253370764800&Signature=gXRndnACieXepBqwnrauHQPEFy2X82tB78I8UqS-oO0zD7PyUBDUKc7r4DhGCJdV0RJZZFqLg-GF33Z3MtV0t7vidVPQU~sM-AA2Wuor-KpSjQ7Giv2s2EUfCOWooFAme1NowQNp7Jcx5r8wS3c72CCvPiZ-V~~BhCFx610UwUwoRBjFTSou257Fc9XZrgAdopRWusCMcW-xhYXi2Q1cAzGxPxExD4Cn6SWrh7IZPiPem0CoRjySxWr-03eNDELKy71~3Q1NXRLyp2rCxBrb6EZ3362ESx1a9av3F8vkTydcW33LB~fy9T09rWlwaOGA~YgTS0GQbUy5WFK0xfGAmw__&Key-Pair-Id=K3NV4LZ47N8M46)

- Select the ISUs you created in [Step A](https://docs.google.com/document/d/1lrNn1ZeGfUsSf76WNQMDD2-QJUEbaZRkjhwljCTc5Z8/edit#bookmark=id.uxfve663sjpr) in the ****Integration System User**** box.

- Click ****OK**** to save.


3. Edit ****the Domain Security Policies.****

1. To grant the security group access to the domains required by your integration, follow these steps for each domain:

1. Domains Required:

- Interview Integrations
- Candidate Data: Interview Schedule
- Candidate Date: Interview Feedback Results
- Worker Data: Public Worker Reports
- Person Data: Work Contact Information

1. Access the ****View Domain**** report from the search bar and find the domain.
2. As a related action on the domain, select ****Domain \> Edit Security Policy Permissions.****



2. Add the security group you created to the Report or Task Permissions and Integration Permissions. Select Get, Put, View, and/or Modify based on the table in the following step.\

!A screenshot of a computer Description automatically generated](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046126452-?Expires=253370764800&Signature=kyR3QSB~lbDUjJu3uqtGiS5rVQk1~BymsFUGfeuQF3EXEjfqmrXlG9lR5DWi~88mSXqJ7lOwtK6wd69bgDO89VupGRTYUN5-c3RYe1JcOaNsTrEbtIvDoGYy76EII~PadGvFqPZtRAtNjhg2wyhuECNks9eVJdV9GkcfkJO25H6Mi1kF51QYoNFF~qQ4fhVkwQ8-AXJTKnJ6PuB1~x7wGe0UR6OjLUYfX2Mo82Pb0iQoCCKz8csaEL0n0TZ3GmdJVdoy4vJ51sYbZuTWteHqVhBmibRmzHtsF41KhO2xqdVToaPxq7UF69UMZjOLhsSqlqMLOPXWLMQ8PISk-EtwA__&Key-Pair-Id=K3NV4LZ47N8M46)

- Activate Pending Security Policy Changes.
 - Access the Activate Pending Security Policy Changes task.
 - Describe your changes in the Comment field.
 - Select the Confirm checkbox to activate your changes.
4. ****Access the Maintain Password Rules task****. Add the integration system users to the System Users exempt from the password expiration field.\

Note: ****To avoid integration errors caused by expired passwords, Workday recommends that you prevent Workday passwords from expiring.****

5. ****Assign ISU to the Integration System.****

1. Search for ?intsys: Hackerrank_Interview_Integration_Step2? and click into the Integration System.
2. Using the Related Actions off of the integration, navigate to Workday ****Account -\> Edit.****
3. Select your ISU named ?HackerRank_Interview_Integration_User_Step2?.
4. Repeat these steps for adding the other ISU for ?Hackerrank_Interview_Integration_Step1? Integration System.

![config_guide_editaccount.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046126740-?Expires=253370764800&Signature=BHBMwpwaMiTHy4od6Pn38Qi~Or-FbQWluY6PelqbFIQJ7ebszAkSXjTxJCXc6Zx29Bux6MMuZdEdQq8AP9a5gh56-yW6EHTGisZJPO9O36FyyzDD0SNKMAj0-f7UUSkrfbO289Cr77BZ2Ueaf0438EEMJZS0P12X8VJZrOuUxEqVc5ZldVFCfEm5P7NJSnoew-zlYW1bD7fP~lSbLm2rABwEcJ9XtV3nJH6aQ9hz7Y~ilYxrQ3G0ncD8nwGSfiDDWopsfm0gF7YCBuP5Ni-hjl06QGxvEuqp-KsXlmeHcQBqP~kC~dWXq3F5QxbmuCZGf8aK2gzcTS5VzyXAv97lg__&Key-Pair-Id=K3NV4LZ47N8M46)![config_guide_unknown.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046127179-?Expires=253370764800&Signature=iYXqcQP210E-c2TlLerCUQuYAhZ8gMW8qcTQDgWqueQGa~aEK8GL~v8Ruvugd2pPQsLI84AiYxBtkUMJoabLgbVq8Fcu3BM6GPNv~pMx6Z6d66d64lkmWTnByq4J4dOoRfhvluam3Gm3DSP~nLbMWCLKacDFs1ZtbuP-1dguekZaRaY4STdr1iFWTXKUgEFj6glqC5Co-2r19SSZKAm5ie~CpEmb8t6s7wpFDuZiq~xTwBHclZ9Npp7p8dpF1aO~SxTe2CIIA4DHu3EklpXGkaeS6C3fQpeUGY~fBgh

mwTxTe2bEu6e4SAv9zHnTWnLc35yDfkRKJR5xvaaCw__&Key-Pair-Id=K3NV4LZ47N8M46)

6. ****Manage Authentication Policies for API Access****

- Navigate to ?Manage Authentication Policies?.
- Edit the authentication policy for the environment that you are currently working in.
- Create a new Authentication Ruleset using the Plus icon in the top left corner.
- Provide a Rule Name.
- Select your Integration System Security Group created above under ?Security Group.?
- Enter a value for ?Authentication condition name.?
- Choose ?User Name Password? for the ?Allowed Authentication Types? section.
- Click ****OK****.
- Navigate to ?Activate All Pending Authentication Policy Changes? to activate your changes.


****Note****: If this is not set up correctly, it might result in issues with HackerRank making web service calls back to Workday. If there are issues with authentication, use the ?Signons and Attempted Signons? report to troubleshoot the failed sign-on attempt.

Add HackerRank-specific Fields to the Integration

****Note****: Refer to the [Configure the HackerRank Settings](https://support.hackerrank.com/articles/4722432610-workday---hackerrank-interviews-configuration-guide#configure-the-hackerrank-settings-page-39) section below in the document and complete the setup in HackerRank to retrieve the access_token and Company ID needed in the following steps.

1. ****Search for the integration in the tenant by searching ?intsys: HackerRank_Interview_Integration_Step2? in the search bar.****

- Add the ****Access Token****? provided by HackerRank to the ?Access Token.? Integration Attribute using the Related Actions of the Integration System (Integration System -> Configure Integration Attributes).
- Add the ****Company ID****? provided by HackerRank to the ?Company ID? Integration Attribute using the Related Actions off the Hackerrank_Interview_Integration_Step2 integration system and doing Integration System -> Configure Integration Attributes.

The image shows a screenshot of a web application interface for configuring an integration. It displays a long URL in the address bar, which includes a key-pair ID. The URL is: https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046127669-?Expires=253370764800&Signature=plZLOSooW7IE5bLyRsfV0sJ1ZMTLiyqwW1c~SQujWMqQgkX9IAiQ8ytZfRfC3HW9Se3XosF5ZLPzcRTIEP9frG-q1x2VWYHRHgm63roqY8dq1oFusXoZtAtjwD6SiolBE6kCEdJ8M1AnhMksMzBNP1RnHmHSJEU6~W-R6PFaKAi553cLRPeP11re7ETrgHyZLO~jpXobu1tB7ZDgGstyXjlj7FnjJCR1uLgKFvU~a9xbtYNTvBfQ4ScN-IN7CRd38fFVASwdEUF50O3hPRANHh4NfN00EppTsJ-JbKfR4PvJz6cFbRxpGWYjpPjlzEvZNzwapA~2U-dsRhalA~2JQ__&Key-Pair-Id=K3NV4LZ47N8M46". The URL is displayed in a monospace font, and the key-pair ID is highlighted. The image is labeled with the class "kb-image" and the attribute "data-drag-handle=false".

1. ****Access the Register External OAuth Client task.****

- Navigate to the ?Register External Oauth Client? task.
- Find and select your integration system named ?Hackerrank_Interview_Integration_Step1?.
- Enter these values provided by your HackerRank contact:
 1. OAuth 2.0 Client Name
 2. OAuth 2.0 Client ID
 3. OAuth 2.0 Client Secret
 4. Scope
 5. Authorize Endpoint URL
 6. Token Endpoint URL

- Click **OK** to save.

![[workday_new_ss.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046127983-?Expires=253370764800&Signature=nVg9rVtppl5Osfo5z197sC5PMMG6myyI8CKuh08iziryngaJKGnEwfU8XcvzTebKGU0QtsJkMYCwCR2YaTny53wobMuQXadMqGxvz5H44t08ZRKYTY9sRBOH9x1U7qgopyxGU8toXa9lOW-4he4FvJuQnqKdXc6NbaZfHCOXYsBjact3nFCKP0l~yRDy76TadpBQ5EQFOB~66NsaqF3IDF9GPRLrCPj4MaRTxBZ697FRsF9~SEcfVJVTH0fCfOnwgKXGpUjb7P8dWMgPartSUqvQNjA4aVHG2rZGDxvt9U1nVAOu9M-R-ZiG56ONVldjBQ3FRJlaTajFJoP4TbiXRg__&Key-Pair-Id=K3NV4LZ47N8M46)

Navigate to the Edit Tenant Setup - Recruiting Task

1. Select the integration system named ?Hackerrank_Interview_Integration_Step1? from the Web Conference Integration System prompt and save.

![[config_guide_webconf.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046128305-?Expires=253370764800&Signature=CL9gHEOuwsWi8rXbkyGI-MVjTPs99SOleVmr0i9KyQZn~g~n1cY3M25CQC387J5KaghdffueHJmVHn99P-2FDVsKHrSMRisPIbj7BVPJBYPKWbLwcYt0r3dHGoczI7twLrU8vcEJAOTzaMf3ywfO5QtUeqeGU4UNSWT7T285T~mLfkfj7tmwG5OyWGT1zF8WeP2IYK68yo4Y5vGNOu9GLrZ~yYWCplOBrxCZ7VI4yjlq73VRM7eTGcKnqKcJRTfconRJkpIS~Sx97AVxZ~-QkVymMavuyF-VIBlf3lmqD4QLzq5I2hvuhBHBEu4VOFWWn~5C9Qu9a3Kcl6Uv3rDQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Build Calculated Fields

Build out the following calculated fields using the **Create Calculated Field** task using the following screenshots:

1. **Field Name: CFI LRV Candidate from Interview**

![[A screenshot of a job search Description automatically generated]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046128609-?Expires=253370764800&Signature=KMdK2OmkvqoGG7ub41AcF4A3ZDkbAWLEl pitsVHse5kxqYgY3pYH3CUYTRppM0YnxuSYBUoqrayKn~ycNXzyFXKyKkzPmP9pCxxGr6QrQFRXfDNv8Vi-pNW72GFxlZdljPZ4RstVf510jSRqpBFA5PNQwyj1tle3VZ33hR9Hfq42Sqf6iuLPCprZUYthiBtlcYsf0w6xGallLdgGRgxIQj31jmh2d08yyh-VcM3IMoswdm3jn1-aumwsjwZF67TIZWnhkND2SALZiPNZ7DBhJd1luwplfortZrs9Ra3ul71QHXSryeJvsxqW18GtyXLWL1m5vJ6OUAAHPiY6AkzA__&Key-Pair-Id=K3NV4LZ47N8M46)

- Function: Lookup Related Value

- Business Object: Interview

- Lookup Field: Job Application

- Return Value: Candidate ? Field Type: Self-referencing instance (Viewable from the Related Actions off of the field)

<!-- -->

1. **Field Name: CFI LRV Candidate Email for Candidate from Interview**

![[A screenshot of a web page Description automatically generated]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046128892-?Expires=253370764800&Signature=C6LrvCJyBfeyHIXTkixYeq0RFOub04C63dhv-ZiJpeKm7mlv81UTQz2rjfgob2w5BTMJK2CnHUzCBfpYSIBuuRciBwSgJBo1KxrMDytZZDen1BSiWygIWU2QWUzR1AOhxQihVoDZn6rZJAj~cVFHZOSnQhGU6zPD8aok7mfZS0nJ8tQXld9Whlq5zfOVldqqRzsP9ccDYW09qfn0YonF-3pCuh5dTUK5Np7oK7C5OTcYuexxgldp0vjG63sb7vMfg7n80nFWzUj0Tm4sndpQ~88bkNTva10xCA272-NitenMsVVRORURvaZUisat5oHUn3tCNGW1l-zx40dJXUE~0g__&Key-Pair-Id=K3NV4LZ47N8M46)

- Function: Lookup Related Value

- Business Object: Interview

- Lookup Field: CFI LRV Candidate from Interview

- Return Value: Email

<!-- -->

1. **Field Name: CFI LRV Recruiter for Interview**

![[A screenshot of a computer Description automatically generated]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046129255-?Expires=253370764800&Signature=BmT8xtx48UYW2yskW3M3rJNKR3E~e5EiNTHZkdulOzyrXQHD8Ntqg5KueIPdFEmWzElgQe~5QVAyzHVZkYN12ywRXhLOU

TMrq2tUOTQ35ifAtDTjnPtTZZT21cbOILwR6brUw5IE9S8jROTyAjkmT9ncVZu6QJBgiFSRwMsZ21EtQzU5vWbPHasmTjqLhOdl~Rer8uucQlbi-G5r9A6bPnsv922-7TLTYxdq196Eq3Zs2Pk~xlgK3vjemLCxrUMHMBtor5mevkehQmpf8QWwRIUOyjAIEZQ18sfl8ia1~CE6qTT-rpqIK1fJ05KKzPPpU-vnlv85fYvwx4foUshuqh__&Key-Pair-Id=K3NV4LZ47N8M46)

- Function: Lookup Related Value
- Business Object: Interview
- Lookup Field: Job Application
- Return Value: Recruiter

<!-- -->

1. **Field Name: CFI LRV Recruiter Email for Interview**

![[A screenshot of a computer Description automatically generated](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046129551-?Expires=253370764800&Signature=XhPnj30GcMcll6U0pvLB5N3-EwdAVLINu8T0TvLeXct~3MdJNaQRlpVTRx5Zy4zqEU5BideUy-L96JJLvXpRa02iLA26M1DwJHU5n8nkOTW-h5mn-prlsm7G3H7wzz7lgyEN5E8R8gSVkW5xzdOCRIOZadmMASde6yv0EF17TaRBwpctFy4aaqsLJ3-0zZ-oDry04FTKL4lySDWSgMvECAEUwAxFwGE-LHTk27zMF~2bnpA4VtC~N1Z9JgElerwZJoga47JpggmV5798maSjzzxsanBrT0DQ5J31qwvyHfNLUKkvsOq53r-ytlz037RJZ~AzKwTiliNiqMdu97w__&Key-Pair-Id=K3NV4LZ47N8M46)

- Function: Lookup Related Value
- Business Object: Interview
- Lookup Field: CFI LRV Recruiter for Interview
- Return Value: Email - Primary Work

Business Process Configuration

Note: Workday recommends the following setup and has been tested for the integration to work. We recommend keeping all the steps mentioned below in the specified order. If you have additional steps in your setup, make sure first to test if the integration works for your setup.

1. Search for ?bp:interview?.
2. Click into your ?Interview (Default Definition)?.
3. Edit the business process definition using the Related Actions and navigating to **Business Process -> Edit Definition**. Click **OK**.
4. **Set up Schedule Interview Step:**
 - Add a new step using the Plus icon in the top left corner.
 - Type a letter for ?Order? that places the Schedule Interview step after the ?Initiation? step.
 - Select ?Action? in the ?Type? column.
 - Select **Schedule Interview** in the **Specify** column.
 - Choose a security group for the **Group** column that should handle the ?Schedule Interview? step.
 - **(Optional)** Populate the **Due Date** column.
5. **Set up Integration Step:**

- Add a new step using the Plus icon in the top left corner.

- Type a letter for ?Order? that places the Integration step after the **Schedule Interview** action step. For example, if the ?Schedule Interview? step is Order b, make the Integration step Order c.

- Select **Integration?** in the **Type** column. Click **OK**.

- Hover over the magnifying glass for the Integration step and click **Related Actions**. Navigate to **Business Process -> Maintain Redirect**. Click **OK**. Select the **Move to Next Step** and **Rerun and Integration** check boxes and select the allowed security groups for the redirect.

Note: If there are no security groups in the drop-down, click **Related Actions** off the Business Process Definition and navigate to **Business Process Policy - Edit**. Add the desired security groups in the Redirect Action box.

- For the step that you just created, click **Configure**.

- Select your integration system (Integration System Name: Hackerrank_Interview_Integration_Step2) and Click **OK**.

- Configure the Integration Criteria as follows:

![[A screenshot of a computer Description automatically generated](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046130252-?Expires=253370764800&Signature=ZfetuH2Opz5C0LeXgYNN2w9cwcs9ki73p2rS8rNGOYAO0tjcgksguuW1afuxdhMqQ90TN9LOzOjyRriITi9OOIMovrrwKNtLVCeW7Rrfy5-nC0JefclL5IZoCVvPWuRABI3ZaIldlMMrn~rM75MIOembxSE2g6MJ50FxBhIP7wvXGRyHGkDCtqAUtRfnyRX9DiR7E3fEarukirNI0Jdm70V7xpypZgfkajHDbZyGbhWAZePbistx6Bt5Mw-wiBwMS6yDDL YHKSnXAs3UpwtAU4ko4raWhwck2i9V1so2NhQGHLa2LXthfC2s4VlqPO3Dj7gPKwzr1Fw7~fniPDyg__&Key-Pair-Id=K3NV4LZ47N8M46)]

6. **Set up Manage Interview Feedback:**

- Add a new step using the Plus icon in the top left corner.

- Type a letter for ?Order? that places the ?Manage Interview Feedback? step after the ?Integration? step.

- Choose **Shared Participation** from the **Type** column drop-down.

- Choose **Manage Interview Feedback** from the **Specify** column.

- Choose the appropriate security group(s) under the **Group** column.

7. **Set up Make Interview Decision Step:**

- Add a new step using the Plus icon in the top left corner.

- Type a letter for ?Order? that places the ?Make Interview Decision? step after the ?Manage Interview Feedback? step.

- Choose **Action** from the **Type** column drop-down.

- Choose **Make Interview Decision** from the **Specify** column.

- Choose the appropriate security group(s) under the **Group** column.

- **(Optional)** Populate the **Due Date** column.

- Click **OK** to save.

- Hover over the magnifying glass for the ?Make Interview Decision? step and click on the **Related Actions**. Go to **Business Process -> Set** and set as **Completion**.

- Click **OK**.

Configure the HackerRank Settings Page

1. Use any one of the Integration System User's Username you have created.

2. Use the Corresponding Integration System User Password.

3. Specify the **Recruiting Public Web Services Endpoint**:

Search for the ?Public Web Services? report in your Workday tenant. Navigate to the **Recruiting (Public) Web Service**. Click on

the **Related Actions** next to it and navigate to **Web Service -> View WSDL**. Search for ?soapbind:address? in the WSDL.

4. Enter the Interview Rating IDs from Workday that should map to ?Pass? and ?Fail? on the HackerRank Side.

1. The ?Maintain Interview Feedback Ratings? task can be used to configure the ratings initially. After setting up initially, the task can be used to update the feedback descriptions only.

2. Navigate to the ?Maintain Reference IDs? task to update or view the reference IDs for the ?Interview Feedback Rating? business object.

Note: If you move tenants, provide updated credentials to the HackerRank team.

\

[integrations/applicant-tracking-systems/workday] Workday - HackerRank Interviews

```

title: "Workday - HackerRank Interviews User Guide Prerequisites Schedule Interviews on Workday View the Interview Scorecard in Workday"
title_slug:
"workday-hackerrank-interviews-user-guide-prerequisites-schedule-interviews-on-workday-view-the-interview-scorecard-in-workday"
source_url: "https://support.hackerrank.com/articles/7842363172-workday---hackerrank-interviews-user-guide"
article_slug: "7842363172-workday---hackerrank-interviews-user-guide"
last_updated_exact: "Dec 30, 2025, 1:52 PM"
last_updated_relative: "Last updated 4 months ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Workday"
---

```

[Workday - HackerRank Interviews User Guide Prerequisites Schedule Interviews on Workday View the Interview Scorecard in Workday](#)

Last updated: Dec 30, 2025, 1:52 PM (Last updated 4 months ago)

HackerRank Interviews integrates with Workday to schedule Interviews to assess candidates' coding skills for different job requisitions without leaving the Workday platform. Once done, their score and performance data are automatically available in Workday for further evaluation.

This article describes the integration steps to schedule HackerRank Interviews with candidates from Workday, publish results from HackerRank Interviews to Workday, and Frequently Asked Questions[.](https://support.hackerrank.com/hc/en-us/articles/24539497321107/preview/eyJhbGciOiJIUzI1NiJ9.eyJpZCI6MjQ1Mzk0OTczMjExMDcsInJldmlzaW9uX2lkIjoiaWZlZDZTMzA2SEpiRk1TSiRYRTAxVDJCWFgiLCJleHAiOiE3MDQyOTMwNjIj9.0Aw9V_F9vvQT-Mi7_g3pCTGyFdLSU61EZLi31ETv4#3)

Prerequisites

In HackerRank for Work	In Workday
You must own an Enterprise plan with a Recruiter license.	You must log in as a Company Admin user.
You must have access to Workday Recruiting with relevant permissions to edit requisitions and candidate details in Workday.	All Workday recruiters requesting must have a recruiter license with the same email address in HackerRank.
Interviewers participating in the Interview must have the Interviewer or higher license in HackerRank. The email address must be the same as in Workday so that the feedback can flow back to Workday.	


Schedule Interviews on Workday

1. **Schedule the Interview**:
 - Launch the Workday application and select the candidate you want to Interview with.




src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046135382-?Expires=253370764800&Signature=A9mldl3W7RKCPwrlzh5Fd6xjMhozdseYzBBASZdaFLMBY3M8kAwvsZFJvy9GEobsfOOJ0vzHKh8j9ymxT1H96KTczxd0Jz5P-GqGpBpRFkLUe6quVbsPAErvQrY1ny1IDEuBgJ5HdhONLHwghYBPfKQ7Ds5DFw9b0uZj4X1NLUULTcw8Xm6TZ1-VC32ktxeMU26xJ-6jGxONDgExWBG536SLBguhVwi5hReaKY~vVsbkCz-e3GoIWsgZ-iB8WkFICbnqVD3grek5ZmMZc-IP81rwLzQMEdvom5ZZZv9ytYP0UMqghth0kvX5J8OSBbM6yT3boW4bBDJ7nBRZ4MRI~vw__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />


- The candidate page is displayed that contains all its job applications about the candidate.

src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046135787-?Expires=253370764800&Signature=cj46dNodgJM5nO9~GMST8x0vvoTgHbuYznZgnN73b9RQp8gHAXSKjUJiiHnO-sSZjYj~wvO9l~PI0KmKXS0a9dWR6gOok0kVmFF7JsELBIIHOr-fee4BoOFo2pCU2-hK7ZhcRLHE33eEeVK1hlsisImLZ00N4I8bS3mRM216~acB37AloYjyu4Q7e4qhc1Vi5cktYNnyr6YTmbz8TAp8jENgQO-OcQgX0j8yQqE0nLogD5w-xTyj6vz-aTsrfzcPPrHRb6HxH46VLAHBO2w0EKN3uTMq~Yb9Yro7I3ky2mrugQMft6qbzMBiXG9oAV~29mLKNfnHBw9SvUazt6vQmQ__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />


- Click the Actions drop-down and select Move Candidate.

src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046136143-?Expires=253370764800&Signature=dHQMb7c1Oe-HqxocSpesl3dwtqMPDL0DERkxLtDra7eJmbQIR0-n75JjXUoyB1nYspJKJb9j3Ulc6ht70BvuDEluXQa6O7J91EzEEbsmT~wEQgzZ~fvFIFb9VlxWhl6wlcC5qrmS0zcl~BNXln7EzowvjpcfkfkybhXZnWZPpXW85Gw1nFDs-mwyrtZ9S9n4-MbEDxUwFGeEJJ5NXihcwqj-N4ew1XCICvQeApkby7b48BaOvYEngb-DNnamqeL15NSmf887P7izFonA2KP7mWLJsEXlztV19hCsO5Cpi~c3a~vDG6Dw33Ybot5F06aENR1tiqfb4XAYbJ9p5POPW9w__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

- Click **Move Forward** on the **Move Candidate** page and select Interview/Additional Interview.

src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046136459-?Expires=253370764800&Signature=S-dkjinAONApE82o0oFX4fhXQ3QzL9ZYFsag2kCV1tu9xGpyLUZKyh61sGJzocp4wL1621nO5MdpzSyA6OtlmmbJ-8u22t4xnzdFyjKsaju~eQhH9yQyivr7UxM4KkqxfNVvspFPKO8~HydRhVz9GBCpG4t8qNlpPZmsy~S0BSK-MJFEp~F3-oYY4B9sLHTVJ6XmXb3-Ydd5TPsNd-6FZYUMUti3wRcM3XX48Rt~gprREjBTmWzYpYfBOB0DAH01SwxWOA6spms4emvs-cW7ziCLCjHYyObqb4-twRDYKcNJJtbOvinP484d8l1vcFRXNzXgjoXrXGzG2B4WiVvSg__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

- Click **OK**. The Schedule window is displayed.


src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046136913-?Expires=253370764800&Signature=oDCR7KgUz30rhxuv79p6xMNITBaDR2985jFJe~ZuBIZ5U9EKWl6CTg4g6nXTeZ6J~zfAQmUQHjxTWZXwR956ynap9I6v08XgIyfg9ml3CAFqOssOXVxuhYPvI2SadpbchhtrBqo-vZUDzj-olp4uYymMM7x3Gx6zsH0t~7i2-wLyKXpSW2vzJ8G5FdPhZ-88~T-RiENhIj2CgllSs2KclCnHcWP4yB~zzFOD-ZtQyPEqqji0Pyw84wk0TssUbDbHfzfQ7IFTpt0bPobTjtEtPIKzN~QXia65BK27-zjKuijg~8hCc9VG60KXWYaMvEO1VgkLibXirrbxiloUVJGLwA__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

- Click Schedule to schedule the Interview with the Candidate.

<!-- -->

1. **Sign In to the HackerRank Account:**

- Before you generate the Interview link, ensure that you are signed in to the HackerRank account.
- Click **Sign In**.

src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046137308-?Expires=253370764800&Signature=qLLHL-aw9Schcl5C-7UAhWC8L1a1GOglTie9uP38re~RBxPTxXX7RBJHBREGcB5JCLi7wyM5QTu4cj5k-vnVJqpWYMLJKFdMQWkPDdLQC79wraLC-qbx-jbrfEJsxWmc5UFAwh~cAu5sfhZF-JYkFFKrXEbhk8SkXKQ29TGHnA5zVphYUDAtcpQE2xf8TX8pSB8yD2SfhIS2j8Eg2BNoSINvDJ-xwWwuMZv-jrp1Vw3iGSTt~aBcVC5p8UK2QCizlZsc2zq62gDrTFvBc4-oGCGzbrFPZuXSZ2nlke5tn~TgOoXzEpQfbANZ9xx9bXj5otACK409hTTwYIP3dBkQ__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

2. **Generate the Interview Link:**

- Select the **Include Web Conference Link** check box. Note that this option will be available only if you sign in to Workday with your Recruiter account.

- Select the other fields required for your setup, and click ****Next****.
- The Schedule Interview page is displayed with the Interviewer's information.
- Review the time by clicking on the Interviewer information.

- Click ****Schedule****. The ****Schedule Interview**** dialogue is displayed.

- Click ****OK****.

- Once the timings are updated, click ****Next****. The ****Proposed Interview Schedule**** page is displayed to confirm the Interview details.

- Click ****Confirm****.

- The Interview link is generated as the ****Web Conference Link****.
- After verifying the Email body message and other details, click ****Submit****.

- The Interview is scheduled for the candidate.

View the Interview Scorecard in Workday

After an interview ends, you can sync the interview scorecard from HackerRank to Workday and review the feedback in Workday.

Step 1: Sync the scorecard from HackerRank

1. Complete the candidate scorecard on the HackerRank platform. For more information, see [Using the scorecard during an interview](https://support.hackerrank.com/articles/9842091173-interview-scorecards#using-the-scorecard-during-an-interview).
2. Click ****Sync to Workday**** to sync the scorecard to Workday. A success message appears when the sync completes.

****Note:**** If multiple interviewers participate, each interviewer submits their scorecard in HackerRank. Sync the scorecard to Workday after each interviewer submits their scorecard.

Step 2: View the scorecard in Workday

1. Open the candidate profile in Workday.
2. Go to the ****Interview**** tab.
3. Review the interview details and scorecard to decide whether to move the candidate forward in the hiring process.

Note: If the scorecard has not synced yet, the status shows ****Pending****.

\

[integrations/applicant-tracking-systems/zapier] Zapier - HackerRank Integration Inte

title: "Zapier - HackerRank Integration Interview User Guide Prerequisites Configuring Zaps for HackerRank interviews Sending interview invites Viewing interview results"

title_slug: "zapier-hackerrank-integration-interview-user-guide-prerequisites-configuring-zaps-for-hackerrank-interviews-sending-interview-invite-s-viewing-interview-results"

source_url: "https://support.hackerrank.com/articles/5179178131-zapier-hackerrank-integration-interview-user-guide"

article_slug: "5179178131-zapier-hackerrank-integration-interview-user-guide"

last_updated_exact: "Mar 6, 2026, 12:30 AM"

last_updated_relative: "Last updated 2 months ago"

breadcrumbs:

- "Integrations"
- "Applicant Tracking Systems"
- "Zapier"

Zapier - HackerRank Integration Interview User Guide Prerequisites Configuring Zaps for HackerRank interviews Sending interview invites Viewing interview results

Last updated: Mar 6, 2026, 12:30 AM (Last updated 2 months ago)

You can use Zapier to automate HackerRank interview workflows. This guide explains how to configure Zapier Tables and Zaps to:

- Send HackerRank interview invites to candidates.
- Receive and store interview results.

Prerequisites

Before you begin, ensure you meet the following requirements:

- You have active HackerRank and Zapier accounts.
- The HackerRank integration with Zapier is complete. For more information, see [? Zapier - HackerRank Integration Guide](/articles/9883166979).

Configuring Zaps for HackerRank interviews

A Zap is an automated workflow that connects two or more applications to perform tasks without manual intervention.

You must configure Zaps to automate the following HackerRank interview workflows:

- Send interview invites to candidates
- Receive and store interview results

Important Note: This guide uses **Zapier Tables** to demonstrate how to configure and test Zap workflows. Zapier also supports many other apps as data sources or destinations, including spreadsheets and collaboration tools. You can replace Zapier Tables with any compatible Zapier-supported app based on your integration needs.

Step 1: Generate a webhook URL to receive assessment results

This step is used only to generate a webhook URL that HackerRank uses to send assessment results.

1. Log in to your Zapier account using your credentials.
2. Select **Create** **>** **Zap**.

!5.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769491810164-5.png?Expires=253370764800&Signature=hXErxjHmmswj9sxqmuJ773X7qy~fE9S3SclyfwgduVVuKB7silW~APN9cF61m2h5t5ZLPNcY2AlOjh4uKIgB~KTmJ5-Vir7~dUF2qLHVWNX75OcEgcSweMXOK9jSG38wmfI9W7~qG6LSH1qX3YUCqD4yMTIGJ3wBP8SbEDwQovCu850YMcBXMkxKWtjrgX039Q1H2F29Yy11hZaRbKIA4FErYAv6bvCmB2xpkAqoDsV2HpB9l6t8nOulIPBp1qV4tUOQqOG2VX2QyKZnkw-RKZJS5H74IM5j0EaGqNy3oXS15KkW~dBrw9H5ZOLKXb-KHuEIN874mb6jROT6l~mMA__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Rename the Zap:

1. Select ****Untitled Zap**** at the top.
2. Select ****Rename****.
3. Enter ****Interview results****.

![[6.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769491918973-6.png?Expires=253370764800&Signature=Hj~wk-CAXfiuLO3PduxTsQmvMpbYo5jGUy0-zrjDBjRqeNVJb1BgVj9clJlxqqHouGcw5zdQkmDPN-mGufct5mjWGIWChtn6aKCHzc6eWmNhEwZmxrZEc627GSoTOrc27D0X8dZcX0fSM6GKnuLOVeUaQIU9R4kYooGT1xzMM0QQIbhm9GL0yykCyQns~rWKbw2sEwGOXmAycEc61WDSyE61OIsjXiLPCc05Xj2i90VHUUVChg3M4vBvTMe2POcbYp5~QU9pstadf4km3v6lsTE--Pff8nUgcgAheyaqXjcJhh95bxU~Qb3AmiztxhAxTInMSO2S4d-gnnOzehKyEQ__&Key-Pair-Id=K3NV4LZ47N8M46)

4. In the ****Trigger**** step, select ****Custom \> Webhooks.****

![[10.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769494359142-10.png?Expires=253370764800&Signature=XiqnWoRZ-JFGimEXNCdYmhtPrdsTITpef6CLNmtayzbnyCSfSjzWRVZSGR4ewGe0yoESi7Y7oqaVWC0DocY~tN7h0I4~rqSFSPZY-JHKKgzlu8NfQ0Pdx9tx6BfHqKlbYfr97uYiGrDIzdanSbYez6b2ddKnG6Fcd3aUMyPehs~3PaKqOhQNI1fxIPKuRZhfR79xYy4mazKtDuRpITi8fhDHUOapyqkCytINGebvNcywYJHgQYuhFI6APHWYQovmTfyT7Pb4OIMjvES14Tru~TTokDsDQa275oPRRBIfzdaEt fQH-62kPFE74jtkl7DebFdZx0fgra3-xylEf8CULg__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Select ****Catch Hook**** as the Trigger event.

![[11.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769492861247-11.png?Expires=253370764800&Signature=EQZyWBbsXBdYpVQDzvVHezLc8pAbsuaj4qrTjQCCirmHjIPNeWyagY7pPT-ANwN7Kz1Bioh6ZV9j1JEdbrLwbfiHx-A3JFcJvk0zTaMawfFyzF5C5FGIdix4cErJOoB-vR8tFZmAjlyZ6eN8hLdArpZqJn01ANWwaw~W6P~poE99su-1oQpg0TtBILT~3oB9P40nZ0FBchFnbo9VUmA~WGRupC3FVhpiMYxOg~8utEBrd9Sj182tebzK0cjovv0JrwcQFMA2CKXdLsBuzJ01oSzsTo435GbED8lx4Ti-IDsxsZDgpNZ5NWW7MnXDzLQedkNPL0p2zmmwS3qZ3Z4-g__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Click ****Continue****.

7. In the ****Configure**** section:

1. (Optional) Enter ****Pick off a Child Key**** if you want to capture a specific line item.
2. Click ****Continue****.

8. In the ****Test**** section, click ****Copy**** to copy the webhook URL to your clipboard.

![[12.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769493012305-12.png?Expires=253370764800&Signature=gPMPYo4zwwgaBWuiE4zXcikWLvMhSRXcNwj~8X8CcdUJPyg1k4EoaPdmufmiXyX8L0cEpzdUM2SOijpy13kfQBebOuFwaWoARV06~aj-cMZFV3G7KhNLNKx0uKclJ7FFgww9a2SnSYaQqOn2NKC24hPV9ef78KwUispazCZ994F5jRGYFiGVbeUdprDsa8BTFZ589ojRCnRwj4mpPk0dr3D-nW~RxRnj6PrI9clW5hDo1OjtjB7pq-FfRyg7fX~6xz4dFKMOUegLCwdTICpV2CbWY8Mp~EntF0aDT3cl~mmIY-vskD0qofkUiv2f15h33pTtpEUKQpVTSI24clYQ__&Key-Pair-Id=K3NV4LZ47N8M46)

****Note****: You need this Webhook URL in ****Step 2: Create a table to trigger interview invites.****

****Step 2: Create a table to trigger interview invites****

Create a table that Zapier uses to send HackerRank interview invites.

1. Go to ****Assets \> **Tables****.
2. Click ****Create.****

![[7.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769498894142-7.png?Expires=253370764800&Signature=Tuu9-zeEKrmdvPTifd7oj6O~9JgjcJsXNq-vJk6~wCsA6W817vgh1yMjprs5C3ApwCLATehpcDUAnoZzdBBn3BQAMc4Lg8~8g0cl-kehcbWeOkB7WOXM26elZfrBjDvx6aw7pccqY68Ert009FEw6ncMYwGwkb-Aif~loGw-XdQTtIjYgd53JaJVJxpr-IJzaTUN7zmSHOc8X~x15~Etr4NOKE8QEmeCPec-AK5o7YDbuLabTvoAJNHJeUElrfYQjaYa2C3SZPa-Vw6uryvclBv2dQ8PsPCmStcYYZ0o29J18xq5OjGMfdhGrptHcKEgk0OCAzUAhEDyR6K7aEHuBg__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Select ****Blank table****.

!f[8.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769498917372-8.png?Expires=253370764800&Signature=UNG3JZNgPfAvAi5zYdoLpgMVrijHlBjRrKoZ0eGOaMtdDe-XuCVQDtF0X7eVEi-dMOXm3mvyUCoSg6A1B8fbe9j1fkXI-S-bu s6MJ94YmpJc9cwKJswvQFVplIWiWSoZ7RCS~t5ITfhQTTJuv9zzboiDCEmB6BJyRe6bdUs~PFc3Vy7fN6mlEieY2WdCO-jLhXxqzIUf 6-AMB2BTfNssgpVCJMRMJF56hhwFRdHUs7DPBB1ycOz7dbSF30FS5vNRfufP7fXug6ugaom2LRQM3yCHtYUczNDKisM4oIbGHC mNk0SdGmuHMHsfuS8mWaPVEzS2o5GDhpJEqzD8PEGgHQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: If you already have data, select **Import data** to upload a CSV file or import data from another platform, or select **Use a template** to start from an existing template.

4. In the **Create a new table** dialog:

!f[9.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769499104907-9.png?Expires=253370764800&Signature=EKBYhcHaZjk0zU2vSui4Cop4U-7AYIN~QDIK6v0MOkMm8ANSn9t6jeDllewbaoN8P9gk1YBOLO-i0UYCWffVDed3C5gUJ7 7Mjuwisl~xnaesatfZAFnmFxxS8nGc6aVmUkDrRNd2Ev-dG0TILwyyDxhbw2j25SF1q0xrYQ4IZrbpw3SJKzTZW6wwDukCI6M9V705Gt zTHuLx-a5dBOFU4t-vAFDI0EL2VconIR8WrTYKKJKUz7UadSvqqwtjedlM55cimVOOwwksB18k~YROG7kC~3bnYapbfb-FYl8TuFi-jJv VL9YdzJaUzgmIvnnvYbsYqBjUYIDYn28-4LFLMw__&Key-Pair-Id=K3NV4LZ47N8M46)

- 1. Enter **Interview invite** as the table name.
 - 2. (Optional) Add a description.
 - 3. Click **Create table**.
5. Click **Add fields** and add the required and optional fields listed in the following table. Select the appropriate field type for each field.

!f[3.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769509439609-3.png?Expires=253370764800&Signature=l0nuTrImOOP5iSSKtco5RwyTV~22SaispL0mFzcM61DDyVEDIZA4o-MGC-BhO5g8RdjWZdyDnQgwQoGZ9YTPj0D6OreGf 9rd1FZNzgKsfp8lsg4Sd2vrfQZwA8un2FYDmPGXu4j3yN7yZBrvtV5qk~cAyJVfunt3Td6x2LM2FooJHpxfaO6Xw9iZuU~BQT638bdhKJ YJAoFJD0p6h~ljpnRtU3JOTLRtpDqi6HHquv1-NwSdhVb7eBI3YVvnGrrJC3CvIjW-qTVxutvGN-5ZzYnB4fvfndkz0MtFRBgH1mjaCV8g aqQnhRgM1iW-GhRjif6gc3VyJtrnDqpIMB0-7mQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Field name			
Type			
Description			
Required/Optional			
Title			
Text			
Title of the interview invite email			
Required			
Requisition ID			
Text			

```

</p></td>
  <td data-cs="1" data-rs="1" data-colwidth="171" style="width: 171px"><p>Job or requisition identifier from your ATS.
This value helps you associate the interview with a specific role.</p></td>
  <td data-cs="1" data-rs="1"><p>Required</p>
  <p><br />
</p></td>
</tr>
<tr>
  <td data-cs="1" data-rs="1" data-colwidth="117" style="width: 117px"><p><strong>Candidate ID</strong></p>
  <p><br />
</p></td>
  <td data-cs="1" data-rs="1"><p>Text</p>
  <p><br />
</p></td>
  <td data-cs="1" data-rs="1" data-colwidth="171" style="width: 171px"><p>Unique candidate identifier from your ATS.
This value helps you track results back to the correct candidate record.</p></td>
  <td data-cs="1" data-rs="1"><p>Required</p>
  <p><br />
</p></td>
</tr>
<tr>
  <td data-cs="1" data-rs="1" data-colwidth="117" style="width: 117px"><p><strong>Candidate email</strong></p>
  <p><br />
</p></td>
  <td data-cs="1" data-rs="1"><p>Text</p>
  <p><br />
</p></td>
  <td data-cs="1" data-rs="1" data-colwidth="171" style="width: 171px"><p>Email address of the candidate who receives
the interview invite.</p></td>
  <td data-cs="1" data-rs="1"><p>Required</p>
  <p><br />
</p></td>
</tr>
<tr>
  <td data-cs="1" data-rs="1" data-colwidth="117" style="width: 117px"><p><strong>Send email</strong></p>
  <p><br />
</p></td>
  <td data-cs="1" data-rs="1"><p>Checkbox</p>
  <p><br />
</p></td>
  <td data-cs="1" data-rs="1" data-colwidth="171" style="width: 171px"><p>Determines whether HackerRank sends the
interview invite email to the candidate. Select this checkbox to send the invite.</p></td>
  <td data-cs="1" data-rs="1"><p>Optional</p>
  <p><br />
</p></td>
</tr>
<tr>
  <td data-cs="1" data-rs="1" data-colwidth="117" style="width: 117px"><p><strong>Result URL</strong></p>
  <p><br />
</p></td>
  <td data-cs="1" data-rs="1"><p>Text</p>
  <p><br />
</p></td>
  <td data-cs="1" data-rs="1" data-colwidth="171" style="width: 171px"><p>Webhook URL that HackerRank uses to
send interview results to Zapier. Paste the webhook URL generated in <strong>Step 1</strong>.</p></td>
  <td data-cs="1" data-rs="1"><p>Required</p></td>
</tr>
</tbody>
</table>

```

6. Enter sample values in all required fields. You will be using these values to test the configuration in the next steps.

****Step 3: Create a Zap to send interview invites****

This Zap connects the ****interview invite**** table to HackerRank.

1. Select ****Create**** > ****Zap****.

2. Rename the Zap:

1. Select ****Untitled Zap**** at the top.

2. Select ****Rename****.

3. Enter ****Interview invites****.

3. In the ****Trigger**** step, select ****Products** > **Tables**.

![[5.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769498462495-5.png?Expires=253370764800&Signature=hlgtzbcTJ2WjnsGkcRGtJx7nDckHb-XYMBP4NmZeTw3~Y8Dxb2M3VmJ04qpJTbOhb0JhjRmhbau682hVL4v8799RsvWX5BIQCuZS6hKAq9cb27ZpQMDVgjk1KaaNY8k1cGBEo8OowYqH8Mz94HVtGts~N5WSfn20NQVWrFMRtTWG8DMNFiBT1uPotmAlZ NUN4wSUuXWv7oS0jZeTcVeG80K-00oCsE3YfWj1arjTE67DpkWVjA3tflH8JzqxgUwvkwfWn7zqUIUBvTw1PK7WJhO0pb5GOq2zaiN Dy9zHrnXUfGTdLTECn07HWKs3sWoiXd1Clu5Kx~ZtUhmtpEkrGA__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Select ****New or Updated Record**** as the Trigger event.

![[6.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769498570192-6.png?Expires=253370764800&Signature=U7eVdYampmRkXCIE5pKLVBIVkjopAL45OnuJcsyF6OAMD~n8DVk9ZeJUubPAs71ZTv9u~ZKs8cfUo9GrDnqqAEDSjQvhf OFZmjjuuneqZfYagrF2gRsHo1~3mbp4O9-7zhAEor6qdoeQrCpt4NAttURF~K1NDI-duleyw~qR8J--SCIX6qsk33nt9126D~FTIK4QVrpJz ceK3FCE-d1C-ne42Wv9WMEeNxQAtXldTw04sC4D2cT9nEErAn90eLbymbdAhnggOe2LqxUZ3rAmOAO1oWfPolSL0CpJYBdCNXdW krP4GVSJlm4zem6OHnhKhqNXYq0h7DMGvScTIMjrUyEA__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click ****Continue****.

6. In the ****Configure**** section:

![[7.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769498601160-7.png?Expires=253370764800&Signature=slt~0wrs~swEmGTKNiVu6CmtXbiNrnCfKU3efqpCYlez7JCaWtQeN3oAvKVXn8S5~pODY8Hf4lwXb-iXiph43aT7Lim37zpp QjKFT9601CV9DxBdlvrvSqcugmHlu~hPJbrONJzLmh-7rO3LInFf~zzqPwYqA0zZABkoUzWu9QfV~UaO6UW~YeQGfdl6WyQmX7oZ Nz4R0IVRWCgypMTPyvBZBC0AVXT5g80D7-M2MqoSNseAlpgPtTVP0Q1YInpNniP80aNKb8VikhX9zAyyimjrGZrJMSW1t7F6ov9~v GPzsPKvFmpT4UKw6s-w8M6xndDw1d3LssNEIUc6f~LzA__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Select the ****Interview invite**** table created in Step 2 from the ****Table ID**** drop-down.

2. Click ****Continue****.

7. In the ****Test**** section, click ****Test Trigger****.

8. Select a record that contains interview data.

![[8.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769498622696-8.png?Expires=253370764800&Signature=Jzpclz9sJtQvqxiMW7RVw7KU8TsXggcq76NhoBQ4sPusZzp9LKTkni8WCUMal1XfgKrw-1V98JyY49e4sU99BSsV628Y2U uWvpbv0r-RytsOee3i-ot8Nx776uJaCVP1svtotH3dGIOQjC~VL9o92CdrvKskfBVo2qnK~ofwzMI2Y4J4W1JmYUF3lJRTk-znsjyu9lI2KhF RXMVIV~KySSAC9A9vwlia0eBUN7wuxx5dpRUvqNw9zWJULaxcsDznSV0lbsUgel~fq-o2Ingu2a9HC6l-W7iqkaYFuCVv0K9LtpSTPa 7saplYjUpX6lu~Og6MmKOSSI7eQz3Ft15w__&Key-Pair-Id=K3NV4LZ47N8M46)

9. Click ****Continue with selected record****.

10. In the ****Action**** step:

![[9.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769498650443-9.png?Expires=253370764800&Signature=Uy5a9YUY53ZOblMrgnkWfy8VwG6TAvM3APqBIToZLBMEHogjnf9EKI-yP0e0FdUhT6SVhpOnHrb5p6OmMDg2aDIYNKf ZHHDlKqbVgrQ3ra1~KMIROHGic-TcNbiCacxiyl3xEHKsyW9H9Pi-SCz97qyH9s8BolHEjjA9QJsTA4a50Nve-Gp2mYmfxXBoVAVIIT W-214IK6s0fLeEPRJI6EaAsrJxJD7~rPErRJUNBNdyTzugZz4qv8ZsUHDKjen9uFUuOZdsNfYnOCixXCEXuN5MGBrx2GzNokvdwUm

3z5aWDwQkQiQ7Z4H3x6A9d8Z0BRsrDwswZnzC1yLQCnQ__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Select **HackerRank**.
2. Select **Schedule Interview** as the Action event.
3. Click **Continue**.

11. In the **Configure** section:

!f10.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769498673525-10.png?Expires=253370764800&Signature=dHaLo~QV3wdhNf5ljyPoDbIxrmBeRAWNGbbuPX66AyhYRjHLzkyU1GNX9prkryTOswaHkFXojxfW9dDByMbTP2bbU9wM~mlu5km1RvvajUp2vPxJR2cmO3BF3Ock82ogVirTzrUrQ9qAleCMszGsgOr0462okDTECPX37v1Ch7RIWH-p1IAzvG7YkLS1oQTZ9Yc-JXa0eb5Mjp-r6SgZXDts96iexIJcnd4GETFrFONKeczBQg8i6YxmAmTk1tqpbg7SaGlp9vHdnB61buiJQD9CXMO-hiT18ulsxr1kgfbixMvLlhZLCyHBwfz12eulyfwzQl5xxslkj0uZPkxg__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Map each table field to the corresponding Zapier field. Use the forward slash (/) to select values from the table columns. For example,

- Map **Title** to the **Title** column from the table.
- For checkbox fields (for example, **Send email**), select **Yes** or **No**.

2. Click **Continue**.

12. In the **Test** section, click **Test step** to send a HackerRank interview invite using the sample data you added in the **Interview invite** table in Step 2. Verify that the candidate email address receives the email.

13. Click **Publish**.

Step 4: Create a table to store interview results

Create a table to store candidate interview results sent from HackerRank.

1. Go to **Assets > Tables**.
2. Click **Create**.
3. Select **Blank table**.

Note: If you already have data, select **Import data** to upload a CSV file or import data from another platform, or select **Use a template** to start from an existing template.

4. In the **Create a new table** dialog:

1. Enter **Interview results** as the table name.
2. (Optional) Add a description.
3. Click **Create table**.

5. Click **Add fields** and add the fields you want to store from the HackerRank interview report (for example, candidate name, score, or test status). Refer to the [HackerRank sample interview report](https://drive.google.com/file/d/1IB29Bmn11Zve2DzGWPmGCAY2OKZp3l2/view?usp=sharing) to identify the available result fields. Select the appropriate field type for each field (for example, Text, Number, or Checkbox).

Note: Zapier Tables is one option to store interview results from HackerRank. You can also store results in apps such as Google Sheets or Slack, depending on your workflow needs.

Step 5: Complete a sample HackerRank interview

Complete a sample interview to test the Zap configuration.

1. Open the interview invite email sent to the email address you entered as sample data in the **Interview invite** table.
2. Complete the interview.

After you complete the interview, HackerRank sends the interview results to Zapier for testing.

****Step 6: Complete Zap configuration to receive interview results****

Complete the Zap created in ****Step 1**** to store interview results from HackerRank.

1. Open the ****Interview results**** Zap created in Step 1.
2. In the ****Trigger**** step, go to the ****Test**** section and click ****Test trigger****.

!f[11.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769498380731-11.png?Expires=253370764800&Signature=QhSfSklnuV6ZnjzXpCpYVWbzhH-Fkx~6z47Jl2CNazYFNqQ0eCdFHOxfUfElqei4tAUg0tDQ579B-N5DcRD93Wgz86RBSeK0O2sfXAtuN1f7fq7eayqW6L5K2vc3CDizmR7NXv6bZG8KSjzXfFXxcaV8QK6d2hfa7y~PJeDsNqYB7pXA2xVXqglUu7knIRLW0ww037xiK-kafHp9oJwRUUcZhpzDTMAS8AxuZels~4HKSp-1vRUf~VmnLpcM4CsE9XewfGOU6wJ4uQkwUBQeylBD~X2nVz-vcMbUtNp5QpYBjNZ9LzCuBSfwAKLh9kftiW-WzAs0cPk1lqOxwg~eGEA__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Select a record that contains interview results of your sample data.
4. Click ****Continue with selected record****.
5. In the ****Action**** step:
 1. Select ****Products \> Tables.****
 2. Select ****Create Record**** as the Action event.
 3. Click ****Continue****.
6. In the ****Configure**** section:
 1. Select the ****Interview results**** table created in Step 2 from the ****Table ID**** drop-down.
 2. Map each table field to the corresponding Zapier field. Use the forward slash (/) to select values from the table columns.
 - For example, map ****Test ID**** to the ****Test ID**** column from the table.
 3. Click ****Continue****.
7. In the ****Test**** section, click ****Test step**** to verify that HackerRank sends the interview results to the ****Interview results**** table created in Step 4.
8. Click ****Publish****.

Your HackerRank interview Zap automation is now complete.

Sending interview invites

After you have configured the Zaps for HackerRank interview, you can send interview invites to candidates.

To send interview invites to candidates:

1. Log in to your Zapier account using your credentials.
2. Go to ****Assets**** ****> Tables****.
3. Open the ****Interview invite**** table.

!f[12.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769498266147-12.png?Expires=253370764800&Signature=EKCvcCgYp3UugN4tJ2l1rCTfD-YOBqo-as6SY4Q7tjIV-eB6h8eft4y4yi6bSwQUXYrz4tyrdMSP9jH6XXErZqzG15Hyc-Y7Xn7i3NjG7VuUBrQSL1iOPIaJQiUphIHjSCNjbq30cLNLrinxAQiGb9xM-OR5xXwHjACMdfpwqJmA0Y57soZh6r3hoQNpNUBV278B5PgZQsUP7WsE3sUQSAmFIpXH-TFb9ml2gRyi9k61Hb2s6qvSmg-ckfPcPOeNPUfUN0w9zHn6QJUIUY2kCbx8V-IMuG-NjccGdhUNukUCSD-mCuDOYrjE~bArF~2pbrwywfMxiWbMR7pj4OiHA__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Add a new row for each candidate.
5. Enter values for the required and optional fields listed below.

[illegible]

</tbody>
</table>

<!-- -->

1. Click **Send pending records**.

![[13.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769497983631-13.png?Expires=253370764800&Signature=DMBmidjruHbHK4b78G2P3do6B9QZEN8DL8s31yC1EujHbXjhdCeQCOYlbyduCC-TXb5Kkk~1FalhDXQcc1DjWdQkS9z4rT5GvSXRxB33iwodyH0BO1sxia8JjbctpEUSN08XD-qokJgGfDLmQvA8gD8rqEtDsXcVh7hl7iBdZxYrUMDCD53yeylzlW28QbvC9flllekSZSVHh5ggK3XtzMOqgm9WofQ5MKxdaRR7fZzJCc1kHAvzFEMdc0HeV3ozF6nfSqfDJBCfgqa7rqfMwTXaNLhfCZlmmvmnAy77c72rkahFzrMT9UIKzfAduFcmqPWItNKMkz30QnX8s3gw__&Key-Pair-Id=K3NV4LZ47N8M46)]

Zapier sends HackerRank interview invites to candidates based on the data you enter.

Viewing interview results

When a candidate completes an interview, the results are automatically added to the **Interview results** table.

To view results:

1. Go to **Assets > Tables**.
2. Open the **Interview results** table.

You can now review all candidate submissions from this centralized location.

\

[integrations/applicant-tracking-systems/zapier] Zapier - HackerRank Integration Test

title: "Zapier - HackerRank Integration Test User Guide Prerequisites Configuring Zaps for HackerRank assessments Sending assessment invites Viewing assessment results"

title_slug: "zapier-hackerrank-integration-test-user-guide-prerequisites-configuring-zaps-for-hackerrank-assessments-sending-assessment-invites-viewing-assessment-results"

source_url: "https://support.hackerrank.com/articles/7100809601-zapier-hackerrank-integration-test-user-guide"

article_slug: "7100809601-zapier-hackerrank-integration-test-user-guide"

last_updated_exact: "Mar 28, 2026, 3:35 PM"

last_updated_relative: "Last updated 1 month ago"

breadcrumbs:

- "Integrations"
- "Applicant Tracking Systems"
- "Zapier"

Zapier - HackerRank Integration Test User Guide Prerequisites Configuring Zaps for HackerRank assessments Sending assessment invites Viewing assessment results

Last updated: Mar 28, 2026, 3:35 PM (Last updated 1 month ago)

You can use Zapier to automate HackerRank assessment workflows. This guide explains how to configure Zapier Tables and Zaps to:

- Send HackerRank assessment invites to candidates.
- Receive and store assessment results.

Prerequisites

Before you begin, ensure you meet the following requirements:

- You have active HackerRank and Zapier accounts.
- The HackerRank integration with Zapier is complete. For more information, see [? Zapier - HackerRank Integration Guide](/articles/9883166979).

Configuring Zaps for HackerRank assessments

A Zap is an automated workflow that connects two or more applications to perform tasks without manual intervention.

You must configure Zaps to automate the following HackerRank assessment workflows:

- Send assessment invites to candidates
- Receive and store assessment results

****Important Note:**** This guide uses ****Zapier Tables**** to demonstrate how to configure and test Zap workflows. Zapier also supports many other apps as data sources or destinations, including spreadsheets and collaboration tools. You can replace Zapier Tables with any compatible Zapier-supported app based on your integration needs.

****Step 1: Generate a webhook URL to receive assessment results****

This step is used only to generate a webhook URL that HackerRank uses to send assessment results.

1. Log in to your Zapier account using your credentials.
2. Select ****Create \> **Zap****.

!f5.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769506927314-5.png?Expires=253370764800&Signature=YCU-AqzHnTSWzEiJoQC7uBbhgteM73dITurPvClfjTM16RE53uZwwEpfbztAViAmfTmxKhzKISR1TPIg0qQDv3zPD09DKABs5QMic46t~il527enrt96Y~7kqsUQxWZ6orX~vKj6vDDvsAUa1pC7~zG1APiVZxmZLpM7hdO1A7KJkXHUK2Bwzw870ejnOH3U0QKndJi5vWa458XbocaMpsnIntafwKXKKR2bilsAenYWrh3I1AqKrWPTw7A2GqfHRYyl9W77aQF9PhZtcc6fMUelKN6hCEvfyKqYlwpkYK~9dP4ytSQ1~GjHWPXWV2KTHgDLKI8OmpxKST~gPg~kPw__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Rename the Zap:

1. Select ****Untitled Zap**** at the top.
2. Select ****Rename****.
3. Enter ****Assessment results****.

!f[6.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769506994420-6.png?Expires=253370764800&Signature=rKiv7f0r65jLBOese4X8ugDrItA~bz61DnyppBatG99WmvjtlPibUZfmexFdXYxfzQHpbuHYa8qsWSSOivjpFkZXNH06BL-cl5gKx4efdtCihVUNS8pGBNbhXZ9AckPF6z~mgebqHnUBerU3uC2to1Lx8FiQMxi9~OJ4Ev5-Q6i5h0gBQjBe2zN6piZm0jj~apxPeCpAEowQXyyNdjD9qT97FhCrQNLXMBtA2jgXqH4vLi4Q-ZI8tMT-Xh295TlhulbLA3IM3KON1eQ2PXDzCIh9xVrT~59a-eINQGZZR8BQaGegSbyQ84oKUD4Bv1EG3yb-2q4XaQKYEfJQ5vExqg__&Key-Pair-Id=K3NV4LZ47N8M46)

4. In the ****Trigger**** step, select ****Custom \> Webhooks.****

!f[10.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769507046687-10.png?Expires=253370764800&Signature=OK83qzUFIX6ibl7DedPvpyVS-WNUzFTjnm7fpXVnB1EsAzZV5fabD9azF4pfnWR-tzgEBu7AhcODjzEDNeaT7NsKnhLWS0ALY78yPsVYhVH6e9LRrBiAjzUnAV7n3~LKalM~kdcZed~jGbnjEfxbdpmNad0wvFOUwIAum-ONPVrc~QkVp1QskklIWUL~joVpVFm ozIENK~mEe7ZpEmHBCpkE9Bg3ZMTK20Zv~a0IXpWiYhE1fGaYcrXyhA5AkzM0VwVyEZne2gchaPly4Buj9WqWj10hGwFxsEJ--bXUNFmXJ5AtnfzgXTUKd2MbKDINOSeb8tdIE8tTXKvOeW8Xyw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Select ****Catch Hook**** as the Trigger event.

!f[11.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769507076075-11.png?Expires=253370764800&Signature=sPFqHieD1EVfD7bJAJrk2O53h-huHEwbcKgYZPoSzGO7Gsl9hcGa4AbPwdTE93BtxluNF-PJIDa7JVgH4AjopUFCY4TY9Xd3yNPpWvgnSfdkbPql2aEHDdYCKGenZGdK7gdvapA0ATzXxgl05TNCCjcuL8qKjiFCAd3hHNO9~SB4OTqU~YeyXoVerjrfjJH8AxIRsahZyTIGERj9FvrOB0XTP99xqFaRzs~bNdRUZLtiHLIQ4~ZHc3mGIEZnIyu211sUNqBmJVA3wMwqEZ~CWomiu8pYYSiH-tFK0yLCkzH4wUixPg0bMeiQ851d9~zxgaY~S1g91t6CtPo~-6YTA__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Click ****Continue****.

7. In the ****Configure**** section:

1. (Optional) Enter ****Pick off a Child Key**** if you want to capture a specific line item.
2. Click ****Continue****.

8. In the ****Test**** section, click ****Copy**** to copy the webhook URL to your clipboard.

!f[12.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769507245829-12.png?Expires=253370764800&Signature=HYGSlwMvk3LhEIJ5aPozJ5SVz~5QB6Z3WHL8xVPQd6ccmFqSnSsydbpw4YH5BiJQHx54jfONyHZ4PjXSeg85p0gTdm cwozRO1lwf3KMISjQB8TuzjBdDefFhijA5tyek8m6VYqRa602tfQs21nXnp8DDrNrY~U7qPuSOBcu-SV4hH7jRipvZgTTg90Xm-RVrlxXeLVbfpzhdP1-NnaAv2H35si434ppUUUr1BWcENYbyMHSK95YnYEcHkMG0mUUi1F~ko4ngZ86h1r55PdQSUvnDUFWgRXRvPJ5gVq8zmsfbQxq9lwHMB627W3s45x255ZJJ2kSYiz~E~V4Oyp9w__&Key-Pair-Id=K3NV4LZ47N8M46)

****Note****: You need this Webhook URL in ****Step 2: Create a table to trigger assessment invites****.

****Step 2: Create a table to trigger assessment invites****

Create a table that Zapier uses to send HackerRank assessment invites.

1. Go to ****Assets \> **Tables****.
2. Click ****Create.****

!f[7.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769507302412-7.png?Expires=253370764800&Signature=Ql6za7bPNSiu-AyAN4SpVEMPEzolrhAC7bQ1mxykxwaAJeD5-grHFIb55871Nk45VWmaJlekDZaASh5rdneEnaylQQ44ZNkxg6XS7aRF2OARIx-4lZ1PEKUsUp5XgHphZDO~4o032Le~ZU~tdSTZDcQecUSKD~QAF~vaXzXxTjqN5VmyTduHOXKj-1FrY37HihiiKAJCPYEC3EExl2CqGCV5kv2zBI4PiVc3nBtg6PpYnXqP0qEJH2puJPYVQECmHZwlOhvibkS~fxwx4mrQVRVLYMX3id0s6U7zc2lhVo5Zzo3IXmEKwADbiipeoq7~RbkFieghh2h26OKY50Wxw__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Select **Blank table**.

![[8.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769507323947-8.png?Expires=253370764800&Signature=WTy67E1PadbrONaJiRVYYcb8IWtdZkCWvBFEQ23LbZBDLJNC8t3ljcBw8u4zegZiTgVHLTr0med1-K5bfTxImbww6Q-jWnDAK1uqCmSK98~b2vT9vpM8lduhclnuF3SurbZPgnSxXf-KQwwhj3xCu5qwMicXP-ckLGnCrilQS4Us49hp~AXUokIE3GTXScSS-GmvZuWGbD3GgQEmIQMAKb~RqEV2vsSLU~525I7AVlcc6PPm8j1i7rdSG4e14vdeppfoqbQqxwEn1K-Fc7HYBFH7EgP7bv7Vg5zr0bg~soQX7NGClwee36SFjZbHbGdWyn87VBSt3~Heh0ID9XrgVw__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: If you already have data, select **Import data** to upload a CSV file or import data from another platform, or select **Use a template** to start from an existing template.

4. In the **Create a new table** dialog:

![[9.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769507355765-9.png?Expires=253370764800&Signature=fCIKaF~U-AMQolcm8adcGztg9YEHMXvdVn8rpYPYFulg9pmtYzuwumORj5hcZm6OgNPjoKFA~GDtF6peJIFSXoQ4xqlJb9vz9Z0EzaR8HprwlCSE9~3cqE4TF8aSNg0netS3u~u1DxoN21Oq8svPDijnZVsdB23ABLwX9YppFP5aP720oy7R7cfE9heNGAg7ev1TybMIGOp0~PAY~7H9~dA25s9vx930wNXt20dq7mX1RFqS0iR4gzTSn~fkjKUXq5tEgyul4qRXTfinu8d6-sNY~8Bk50SpruXss~KEMjCjo7SCxLRcvt6BbFzhGSnUN9m3I9OMX7FpCAAU2KLUlg__&Key-Pair-Id=K3NV4LZ47N8M46)

- 1. Enter **Assessment invite** as the table name.
 - 2. (Optional) Add a description.
 - 3. Click **Create table**.
5. Click **Add fields** and add the required and optional fields listed in the following table. Select the appropriate field type for each field.

![[15.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769507403578-15.png?Expires=253370764800&Signature=Amt9oeM1M8Gb~M85fPJ0h59X2HhF6p54p3ZeCaG1aXfcjLgTCgcDz8aJo2XP7ZQq1GbaeFCwWQ-srvQN2ClnlGvCH990tAaYteJMofLoBZfK6W3~hOJvjdulLGSxaq~Yy2Aj~hPMeypxoo~RKcyb~FMSKqb5HkMkNxvLFtwD0gZpaCCNroWyHWEQjk4kspilFA9zqdhcnHG25RC72~jm3ZriWig3xpftuyFaS2Grz153Swqut3MWY12-oe5tNqTQnRKjKHwveczPe27Poo3rYxAUq2PS-4jPG4kWMMDHZJuqD-IZYoPHC3EOx455LrJYKEu-yjPvEd4oOElyKCgTw__&Key-Pair-Id=K3NV4LZ47N8M46)

Field name			
Type			
Description			
Required/Optional			
Test ID			
Text			
Unique identifier of the HackerRank assessment.			
Required			
Candidate email			
Text			
Email address of the candidate who receives the assessment invite.			
Required			

```

</tr>
<tr>
<td data-cs="1" data-rs="1"><p><strong>Candidate full name</strong></p></td>
<td data-cs="1" data-rs="1"><p>Text</p></td>
<td data-cs="1" data-rs="1"><p>Full name of the candidate receiving the assessment invite</p></td>
<td data-cs="1" data-rs="1"><p>Optional</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p><strong>Requisition ID</strong></p>
<p><br />
</p></td>
<td data-cs="1" data-rs="1"><p>Text</p>
<p><br />
</p></td>
<td data-cs="1" data-rs="1"><p>Job or requisition identifier from your ATS. This value helps you associate the
assessment with a specific role.</p></td>
<td data-cs="1" data-rs="1"><p>Required</p>
<p><br />
</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p><strong>Candidate ID</strong></p>
<p><br />
</p></td>
<td data-cs="1" data-rs="1"><p>Text</p>
<p><br />
</p></td>
<td data-cs="1" data-rs="1"><p>Unique candidate identifier from your ATS. This value helps you track results back to
the correct candidate record.</p></td>
<td data-cs="1" data-rs="1"><p>Required</p>
<p><br />
</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p><strong>Send email</strong></p>
<p><br />
</p></td>
<td data-cs="1" data-rs="1"><p>Checkbox</p>
<p><br />
</p></td>
<td data-cs="1" data-rs="1"><p>Determines whether HackerRank sends the assessment invite email to the candidate.
Select this checkbox to send the invite.</p></td>
<td data-cs="1" data-rs="1"><p>Optional</p>
<p><br />
</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p><strong>Test Result URL</strong></p>
<p><br />
</p></td>
<td data-cs="1" data-rs="1"><p>Text</p>
<p><br />
</p></td>
<td data-cs="1" data-rs="1"><p>Webhook URL that HackerRank uses to send assessment results to Zapier. Paste the
webhook URL generated in <strong>Step 1</strong>.</p></td>
<td data-cs="1" data-rs="1"><p>Required</p>
<p><br />
</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p><strong>Accept result updates</strong></p>
<p><br />
</p></td>
<td data-cs="1" data-rs="1"><p>Checkbox</p>
<p><br />
</p></td>
<td data-cs="1" data-rs="1"><p>Allows HackerRank to send updates if the assessment result changes after initial
submission.</p></td>

```

Optional
Force
Checkbox
Forces the assessment invite even if the candidate already exists or has a previous invite.
Optional
Force reattempt
Checkbox
Forces the candidate to reattempt the assessment, even if they have already completed it.
Optional

6. Enter sample values in all required fields. You will be using these values to test the configuration in the next steps.

![[16.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769507449284-16.png?Expires=253370764800&Signature=WgVcWGMtSxqTX5e28pO~9GhWZ8gA8EkysxHd0qBf6K8ePLoXyO~97Xw6pQCHc3A5tyFTQfeHWpb2rc1-4e7IxmRL~W0nZzez~OkmA3B5jEW9IW7ZgiC7fUkLx9XP-4W6X52igqGfcEa~FgLkXgf61N5KAKkUNCtj4X8AYWqJCvi9NIUoFC-5dWOZbbg8NkY43wsuiw7q-Q7Rez7AE87CslyRHF-p02Re2BnQ~ADtRQ97v49II9TfUpWe4hPwzXLSID~JVYKk~mU~MiCDmrCsUruMMr-EjOJ9eBfJ5FHfJjmkklGySllLpSb-vbTpxjGxBYIoZuTwYf6TNQ6BjXEaOw__&Key-Pair-Id=K3NV4LZ47N8M46)

****Step 3: Create a Zap to send assessment invites****

This Zap connects the ****Assessment invites**** table to HackerRank.

1. Select ****Create**** \> ****Zap****.
2. Rename the Zap:
 1. Select ****Untitled Zap**** at the top.
 2. Select ****Rename****.
 3. Enter ****Assessment invites****.
3. In the ****Trigger**** step, select ****Products \> Tables****.

![[13.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769508259846-13.png?Expires=253370764800&Signature=om6sCOXcEYUkFSNVc9NVMcSfLEjdb9H0-l6B0deCdLElqOFTdm81rFsOcIKYmVGojFw~-zVXZR2~Sfl7zoRq0JkbM~xBsAlqIMjCEazkVcColaMV6NB4A0IxaYrZ2SWXKBpDJEt9M4GPd0Lh8HIU~7pxAPn8XAHIO-11-idTRVB7KhIrhhqg31e-j3N-PomUJS3FqOmeRVlooNun9cF2bUJQArdHNlaHcCUVjP3TBo7kZ~jKN56m2jMUDozbVKyhMh5204eWRUx-WeElbepi~50bL9n~qTyCzOVz-d3GKCaNKsFJSN9Mq8muACWiegCaye-Ulxc5FGHlwGtIrdg__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Select ****New or Updated Record**** as the Trigger event.

![[14.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769508431609-14.png?Expires=253370764800&Signature=NcOcdEMo4~XUfeXHheapXDfKyENNr2rG5AcBCHTu86lljynLSoajJ3CUKmkQxYZ0DvmExmbOE6TNIFUomrPDbdZ~VnzOt1b~Jllj-FNHLX0S-XGZX8Aqy3yMcsScvKGTgChCaF5uKsZQaJhFJXHsXLsITjqG3OCLnNKX2S7Nxu0wYu3lMhtj5BEh14lcRwYiDibqdUEL-uOJMtkSP6EfcB8JT4nSdN4NEO2Ec7Td17n3GRSSkF~1tzqCEBHSASCsaAsVHDFwDTrJ2veJUdfrkkoDgQjoHpqeYwuoy7KJs-xCHbP~RRwLUUyRkF~UageNplXfDn52GXJeVhTyC-tg__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click ****Continue****.
6. In the ****Configure**** section:

![[17.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769508456475-17.png?Expires=253370764800&Signature=ZwzxmKcx2wiFffSm2oTMogmi7UmktTmUIA9VN~S1T-O8c1TvHisB-aGtFGOd59EohkTw3zGviEbn7-NAP4CGa4ZuDIjc2~4KtXUTSwAdTj8CW3UVbKf4~P8mfnK5yOw8KKxf9uoPXqF8RjwVWWF8F4ViEoE4eeQq-B3cyRQTdbNo7F42lq3gazGmeQj0jXhMRTCYnhJHUDDPQ4M-hGHxthZnPUB6j-7PyAp3PtX1UMoUZMwstzjqUg7y7Q-er6iFk~-RFJwTo4AjHuSLEOxaqwgSEXALHYzyfzBcmCLd2e53bsTg-RT8BbPeHgg1R2tU-fgOqtG~P8wXy69UtUaw__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Select the ****Assessment invite**** table created in Step 2 from the ****Table ID**** drop-down.
2. Click ****Continue****.
7. In the ****Test**** section, click ****Test Trigger****.
8. Select a record that contains assessment data.

![[19.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769508487869-19.png?Expires=253370764800&Signature=VfthfkN7M3klxsA6KvVgaxcAqG9zQyWzbdS6Mn~4kwHe-FywO0CI5-GkoIq0oIF6hEktPQC8z8ZNqnOiUy0rDgflY-BIztpuaylITNV-OSHvX2cG5YH4aFP2tjVnDbtmjQxEgmGLdjhMZFAce~wD-YatphkICaBNKe9UZVaSWP-Jstl3SQbzE42MmX45JhmtjqYT7t1tAL4~dQtXFT3Oke1IEEPKuss6TjYaxDg3B~fdHj2UtwYeKOUPK8zICmXbjz2fkJFIMDIgsO0YJXpB5y-IhUXcQajHLlyhd-SrSi5bQQQEXXrUWA2ckctqxF~PH7~itqgZWc0KeG7~S8IHlw__&Key-Pair-Id=K3NV4LZ47N8M46)

9. Click ****Continue with selected record****.
10. In the ****Action**** step:

![[18.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769508527340-18.png?Expires=253370764800&Signature=P04t6FpPP8txMJi9FDGIP31yeCeSDosVZlzo0NrGU~~KCyEaYcW0bqb9zQ9sfhxrPV4RrkNRN1CRyZi7EoFCAhITbpHNwQ3voLJK3Fq3G7wUsgaBnh3gl9XUP6RvELySjeO78X23Fgr0aP-vwzctLvU7K6rSG9aM7zcaxPUQmDWrZKEY7PPPrlwEgJN737L~wt8FT-WxOG1tr~LLx~olQ9eu4gHsV-NypeFHqSsTEvUsHNY7efHcrnOX7Rtlf4sEF5k1PL1L1v41qBAo2fKTT8TUEIT9NNdxJ9ATGbGBO2BWxak4-sApuOa0LGIVsfNejAPyd-o4egwSfrlZELJPg__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Select ****HackerRank****.
2. Select ****Send Assessment**** as the Action event.
3. Click ****Continue****.

11. In the ****Configure**** section:

![[20.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769508549239-20.png?Expires=253370764800&Signature=mcPyFoIMKlupcpykdmT-APoqhRmk~0qLxcu2phLJtbLcvR1X0pYB~1UNERqGmtX4cJl8DFz8VZDNzGa3vcRyLiGPNfUd9pOSOMExQUI0jbbfWJfzWEMmQbF-znYfLHRh3rQZSxMwtmFeRU~iPYXe5RChaywC2DkFaDmehC7xxCD1XLXd5VZq3~orHN8aUGa6RqdXeJ-fzke-6ooY8aetO033WL6zCYlpFXN1kuHLJaXa8szFvr6qah7oYSIVtyVNFE4qjinr176jMaW6D1a11OmMKgeWYgZgdNvKx0JEQoFVPuzeSrvn06EXzJSkevC6zlvFSVOv-GwXX6j3jRa-A__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Map each table field to the corresponding Zapier field. Use the forward slash (/) to select values from the table columns.
 - For example, map ****Test ID**** to the ****Test ID**** column from the table. For checkbox fields (for example, ****Send email****), select ****Yes**** or ****No****.

2. Click ****Continue****.

12. In the ****Test**** section, click ****Test step**** to send a HackerRank assessment invite using the sample data you added in the ****Assessment invite**** table in Step 2. Verify that the candidate email address receives the email.

13. Click **Publish**.

Step 4: Create a table to store assessment results

Create a table to store candidate assessment results sent from HackerRank.

1. Go to **Assets > Tables**.

2. Click **Create**.

3. Select **Blank table**.

Note: If you already have data, select **Import data** to upload a CSV file or import data from another platform, or select **Use a template** to start from an existing template.

4. In the **Create a new table** dialog:

1. Enter **Assessment results** as the table name.

2. (Optional) Add a description.

3. Click **Create table**.

5. Click **Add fields** and add the fields you want to store from the HackerRank assessment report (for example, candidate name, score, or test status). Refer to the HackerRank [sample assessment report](https://drive.google.com/file/d/1jIZpQhe_NnzJcy7YoW7Jg1BTz18p_q/_view?usp=sharing) to identify the available result fields. Select the appropriate field type for each field (for example, Text, Number, or Checkbox).

Note: Zapier Table is one option to store assessment results from HackerRank. You can also store results in apps such as Google Sheets or Slack, depending on your workflow needs.

Step 5: Complete a sample HackerRank assessment

Complete a sample assessment to test the Zap configuration.

1. Open the assessment invite email sent to the email address you entered as sample data in the **Assessment invites** table.

2. Submit the assessment.

After you submit the assessment, HackerRank sends the assessment results to Zapier for testing.

Step 6: Complete Zap configuration to receive assessment results

Complete the Zap created in **Step 1** to store assessment results from HackerRank.

1. Open the **Assessment results** Zap created in Step 1.

2. In the **Trigger** step, go to the **Test** section and click **Test trigger**.

![[21.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769508646004-21.png?Expires=253370764800&Signature=LBfIA7S7XLyRyjCQZOADKpSWWuemjKkRGla1JTlwqXgBvYtthubWXouxW~jLlnBjNReOSeev68Z0aPKr4XkFkRtlrwU4na4ehbXOX03GGPXfTdK6edYkSoTTJSEmvpS2OfIkyudwHVSEXmJza3b6xW-Z1r46R9-1Zuroz46f1TzQ2Fz6gyUOlPnz-etn5v7iqklp91j2DS3wkT87aDP-2q9JrrbHpJXmBy3Ed5jdA3fsmM985y4fAl3afslCfSioopB8eZ8xlzHdt913CVQj1YzcQkY5zcJuHUrggZz7wGO3MP7Ysflp8oImME9K9PQyqjYvnFoHr5fCqobLqJA__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Select a record that contains assessment results of your sample data.

![[22.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769508674042-22.png?Expires=253370764800&Signature=TIffLYixq5uTVjODB7PBTYRjXIQ29avfwagemd0iuh08jtjXnnytGTAAJWclixuNf7TstTiOT-M9HdmJWNEMCWIXUwdISmD2WI213dPtmd1a2mqKpSBdHQtgNyQZTaxSwByFoYJD3y~YiAhknzJK8~75lQE7JkWGkab53lrTxP5Chlp8bwS~M5TJqUI7fZd4dF8RyVrPClt6dVwhvVA3bxvKjvH5HRYHmypo6IdUx5Z52Wl5zQ3vFUL2WiCxFcu-NpCEwMen1EXijF1WQjWZvTArInDoPDSq9MnceshFaO0weyEhQ6rbicR35daZgIKOB91PEwTBzhbRgp1ReSRC3g__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click **Continue with selected record**.

5. In the **Action** step:

!f[24.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769508799424-24.png?Expires=253370764800&Signature=Js3tkA4D5wLSGgohKeEJj1j83XonWJH9nfoUdBWOZNuduKU6XYXdLFupt9--25IEXJEfADSKpeE~wNtJV26JRSy~CtDVHni48y5Ke4g9tWciQJv15KtQ1K~~JEBeyh0j3L51yebzjJnmLagNi0lv1H9wGIJ2qMTNQK4rzwhvkBXoLKxIM0ZLGcl-yd53ljCifRTq~Xqy46ezfClwLVxCtb7kNuOB8mSJ7p8Rn-1-nNx-B-26sBAD8GAQjeQqLFD3zB0nNoBvOuvT1mb~GUOuTbQHZ6gt8vy21ISU7k6wlvHC6pFvHluAnHZnIYU4tSUymNpGL-QdbdR1bshXchcuQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- 1. Select **Products** > **Tables**.
 - 2. Select **Create Record** as the Action event.
 - 3. Click **Continue**.
6. In the **Configure** section:

!f[23.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769508843397-23.png?Expires=253370764800&Signature=KBFVIOmV5ANaTgV71jMaieWqHT7sJ4nell5nJmqH6SQ3Yhw9jMP-SAuYHi2XJ-NgQq~l9qIKuHCiK9sketdQaW30Lt53mzrFhcLIC14WZr62ZrFe-m7TZuTpq4UTQ291nIrRIU-W1Eo13A6FN5CktcdTkbmLMaaFpTxLRK1CDw962bKOBJSFthgjc6zpLGn8gGx-BM6cIWsn72DJgmehsEPxTQWXVnxFRyWLaGCUC0niqDNLYPFOk0kaPJ5EUZBpP4rqxWEZzSR4ATEIc5BBZ1~FG6Bhs5t4SvWi p~ZnehE49qelBfe2GNLo3c2qhpJdRN00cL2uBITMaDtoDEnQA__&Key-Pair-Id=K3NV4LZ47N8M46)

- 1. Select the **Assessment results** table created in Step 2 from the **Table ID** drop-down.
 - 2. Map each table field to the corresponding Zapier field. Use the forward slash (/) to select values from the table columns.
 - For example, map **Test ID** to the **Test ID** column from the table.
 - 3. Click **Continue**.
7. In the **Test** section, click **Test step** to verify that HackerRank sends the assessment results to the **Assessment results** table created in Step 4.
8. Click **Publish**.

Your HackerRank assessment Zap automation is now complete.

Sending assessment invites

After you have configured the Zaps for HackerRank assessment, you can send assessment invites to candidates.

To send assessment invites to candidates:

- 1. Log in to your Zapier account using your credentials.
- 2. Go to **Assets** > **Tables**.
- 3. Open the **Assessment invites** table.

!f[25.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769508900999-25.png?Expires=253370764800&Signature=Mat~NU-1ChWlxS22DP4MtPCbEEawD2sGRVcte1qSglF1nFM8TBj40L6blm38Yj~ngWdJ8ORbi7tePRr90cuXztD32NtJT KW1Ye2rBU5ydgmg7G3GiFm2KGrm34mX55Pt~BVclymTgJABOuQQjGzMd-cmE1xZgp3BWJvSSjZg7PpOJoMitNZQKMn2o6F8NKIQ UD~ivbLkGUFlcH2w5L6xd4hYuZauPvV0aeObYXMcpymF5gBhhfXnuksQe9oYA7cONEdHQ1LBrwOwseCDYKBAZT~fBTxUwG8MQ -w2Blh37yve0oxoMVW6dhmzA70mp43KzNjhMikNqqiz3WrIkd42WA__&Key-Pair-Id=K3NV4LZ47N8M46)

- 4. Add a new row for each candidate.
- 5. Enter values for the required and optional fields listed below.

```
<table>
<colgroup>
<col style="width: 33%" />
<col style="width: 33%" />
<col style="width: 33%" />
</colgroup>
<tbody>
```

```

<tr>
<td data-cs="1" data-rs="1"><p><strong>Field name</strong></p>
<p><br />
</p></td>
<td data-cs="1" data-rs="1"><p><strong>Description</strong></p>
<p><br />
</p></td>
<td data-cs="1" data-rs="1"><p><strong>Required/Optional</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p><strong>Test ID</strong></p>
<p><br />
</p></td>
<td data-cs="1" data-rs="1"><p>Unique identifier of the HackerRank assessment.</p></td>
<td data-cs="1" data-rs="1"><p>Required</p>
<p><br />
</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p><strong>Candidate email</strong></p></td>
<td data-cs="1" data-rs="1"><p>Email address of the candidate who receives the assessment invite.</p></td>
<td data-cs="1" data-rs="1"><p>Required</p>
<p><br />
</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p><strong>Candidate full name</strong></p></td>
<td data-cs="1" data-rs="1"><p>Full name of the candidate who receives the assessment invite.</p></td>
<td data-cs="1" data-rs="1"><p>Optional</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p><strong>Requisition ID</strong></p>
<p><br />
</p></td>
<td data-cs="1" data-rs="1"><p>Job or requisition identifier from your ATS. This value helps you associate the
assessment with a specific role.</p></td>
<td data-cs="1" data-rs="1"><p>Required</p>
<p><br />
</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p><strong>Candidate ID</strong></p>
<p><br />
</p></td>
<td data-cs="1" data-rs="1"><p>Unique candidate identifier from your ATS. This value helps you track results back to
the correct candidate record.</p></td>
<td data-cs="1" data-rs="1"><p>Required</p>
<p><br />
</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p><strong>Send email</strong></p>
<p><br />
</p></td>
<td data-cs="1" data-rs="1"><p>Determines whether HackerRank sends the assessment invite email to the candidate.
Select this checkbox to send the invite.</p></td>
<td data-cs="1" data-rs="1"><p>Optional</p>
<p><br />
</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p><strong>Test Result URL</strong></p>
<p><br />
</p></td>
<td data-cs="1" data-rs="1"><p>Webhook URL that HackerRank uses to send assessment results to Zapier. Paste the
webhook URL generated in <strong>Step 1</strong>.</p></td>
<td data-cs="1" data-rs="1"><p>Required</p>
<p><br />
</p></td>
</tr>

```

Accept result updates Allows HackerRank to send updates if the assessment result changes after initial submission. Optional	
Force Forces the assessment invite even if the candidate already exists or has a previous invite. Optional	
Force reattempt Forces the candidate to reattempt the assessment, even if they have already completed it. Optional	

6. Click **Send pending records**.

![[26.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769508938856-26.png?Expires=253370764800&Signature=eNF7fufjWMYFk-faKKv-5I2TECkcNkW8k6DiJ5ybqMGZxGPpdmyQdK6eJmfypiTJMCohREb1bPfmqlxSQfLb6U5hPo4F1G~ivfAj0hVFAIkTj0~oqcRyffcrEeXQq3NsTTNTolUpsS6J-rqNfjZMjDcezdHz1a-ZfoD-7zMloVLh4TdNNi3A66Krnu3GnWjAGqJUMC4HHhF6UoouC6FYuc1XSgN3hwdiubA~nvLydFsB6oiJ3Juj68uY36wnUPZh1IB8oUVy3yk1vEQb4m7FLQHbma2BdBjAWJxt0xuijX13MM90DCmsypkURSAcEhQxySo8F624uzlX2oABF5JcMA__&Key-Pair-Id=K3NV4LZ47N8M46)

Zapier sends HackerRank assessment invites to candidates based on the data you enter.

Viewing assessment results

When a candidate completes an assessment, the results are automatically added to the **Assessment results** table.

To view results:

1. Go to **Assets \> Tables**.
2. Open the **Assessment results** table.

You can now review all candidate submissions from this centralized location.

[integrations/applicant-tracking-systems/zapier] Zapier - HackerRank Integration Guide

```
---
title: "Zapier - HackerRank Integration Guide Prerequisites Integrating Zapier with HackerRank"
title_slug: "zapier-hackerrank-integration-guide-prerequisites-integrating-zapier-with-hackerrank"
source_url: "https://support.hackerrank.com/articles/9883166979-zapier-hackerrank-integration-guide"
article_slug: "9883166979-zapier-hackerrank-integration-guide"
last_updated_exact: "Jan 30, 2026, 12:26 PM"
last_updated_relative: "Last updated 3 months ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Zapier"
---
```

Zapier - HackerRank Integration Guide Prerequisites Integrating Zapier with HackerRank

Last updated: Jan 30, 2026, 12:26 PM (Last updated 3 months ago)

The Zapier-HackerRank integration lets you connect HackerRank with Zapier to automate workflows between HackerRank and other applications.

This integration enables non-technical users to create no-code automations that sync HackerRank events, such as assessments and interviews, with third-party tools such as [Airtable](#).

Prerequisites

Before you begin, ensure you meet the following requirements:

- You have admin access to your HackerRank and Zapier accounts.
- Your organization has an active Enterprise plan with HackerRank.

Integrating Zapier with HackerRank

To integrate Zapier with HackerRank:

Step 1: Generate an integration API token in HackerRank

The integration [\[\(https://support.hackerrank.com/articles/1406188460-greenhouse---hackerrank-integration-guide#glossary-11\)\]](https://support.hackerrank.com/articles/1406188460-greenhouse---hackerrank-integration-guide#glossary-11) API token allows Zapier to connect securely with your HackerRank account.

1. Log in to your HackerRank account using your credentials.
2. Go to **Settings** > **Integrations** > **Zapier** > **Connect**, or open the [\[Zapier integration\]\(https://www.hackerrank.com/work/settings/integrations/zapier/configuration\)](https://www.hackerrank.com/work/settings/integrations/zapier/configuration) page directly.
3. In the **Configuration** tab, click **Generate an API Token**.

```


<!-- -->
```

1. Click **Copy and close** to copy your token.

Note: You need this token to complete Step 2.

Step 2: Add the HackerRank API token in Zapier

This step authorizes Zapier to connect with your HackerRank account.

1. Log in to your Zapier account using your credentials.

2. Select ****App Connections**** from the left pane.

3. Click ****+ Add Connection****.

![[3.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769057106427-2.png?Expires=253370764800&Signature=Bqd2ULJ~3rKU4V-sxGWPPYek4KJBU5NC456gT3S7A6Kpg5I4UF1KmHWz3osiMP~Geo2oYTZNxKlzMmbU70HhRcRajQYhkGZpnjZwBzCFa6j0loVK-wpwM3PPWrvuC05v0pxh-vSVIG787JMf7pv0SXXDK-xYJmkvuB2ASPznq8WEawjJftJWega44UnOqtVoA58fq2nP9GPADvGPvx6Jfoum30BM5kmwVBLXbfcumDuwC2r3q7-BgyXyb6usEMqH5OJpF924Gwl59FXcrj60ePuau4mrR50Hq18nWqw02xjYbRO8gsnsJeJRefDHvsLzOs7KuNpCLuC~pCAWeS~g-w__&Key-Pair-Id=K3NV4LZ47N8M46)

4. In the ****Add new connection**** dialog, search for ****HackerRank****, and then select it.

![[3.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769057127083-3.png?Expires=253370764800&Signature=Kitt12qkZ~gGZiGmbMq1WLUgfZHT00LA0aEtoHiFtn0FboE336SA3mLPmTKDkqYOCr57QFpDlo-R23~djrC3J1ztiiyFPH3WPvXU~t1zf9A4p7GRFvM7lbCrGdEoaDgB2iN~vEUzAvS3fvx4695vn7jbmGphyOilxG9UtSplk6J6CZkwNZ86g7gfrxRmNSKUBVUpM8EltqA2grVI2i3Mo8uWzV4fi7WUcAjPPIoM3RI-ZQJ0~omHY7W0V56-Oi7V5iDgaHGdfAx605Ykz2-36T4XvZ6uC9bA8k7AKHaGWNsaFn-WO1ekUZVa6asfOVT7YWvX38UxDcDxzHaZdNOXSw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click ****Add Connection****.

6. In the ****Connect an Account**** window:

![[4.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769057135350-4.png?Expires=253370764800&Signature=KCaBFU4vMBqDAMaGyJzMG5nKuo0fMyMPi6KxH7H~wALDs3EfwjchJ1g-WI5VWzV2cKFmZJrowTo1IOeAY3~M1b2uGtWwGssllpYeWd42FxWk2rjqGEwaQw2ZtmJ0aCX2EH50Az5eJ5WSaigIP4xpRNNZG~JCRgPPri1ROyMvh1deIMS-c9SA7sRmq9jaJWg9c0lcMFXpjWnAaJE6dCjX44VSqI6~6nmcmNDcgTsc0auyJhv32-1Xhx4zciBa-clU7Vho8bBitptKz83UXk1k1HFv7Kwnrub0O0bGczDvhAY5Xj8Dh9Zjf45uXLwtP59iulNbuUGDHP00qF99eYNnw__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Paste the HackerRank API token from Step 1 into the ****HackerRank API Token**** field.

2. Enter the email address associated with your HackerRank account into the ****User Email**** field.

7. Click ****Yes. Continue to HackerRank****.

Your Zapier account is now integrated with HackerRank.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769057297274-image.png?Expires=253370764800&Signature=NZXiA3kJ7aOPbbEz3Cj9gMGgkj4EibvmVOslTPGmm5IG4t7zZ8HAvL5e7USBlwxuSlnLrrU77YLVQMwGWBfZ03oU3OzOAYbRrgd7BdpnDcNADiRfPM4JOEYRPwAQUDXYbflO0MzDPTQI96dYTxxjEW18zkJS8xhQsJXqY15Sk1Q2uJGMy93JCU5uUWe1VkYIUutIsbVp~4fScTjN92XqrCa39Pq468C8IVbYIOPuY8PY-dNX3muQndvDYWef7r9GYq5uw5sVLznEJ122xy-anJM4M1~hyoKTS6KclPPUA2DrG51g4UmDWr6datz~GgpXXlp7InagasGw3UkUlbQ__&Key-Pair-Id=K3NV4LZ47N8M46)

****Note:**** After you integrate HackerRank with Zapier, refer to the following user guides to create workflows for HackerRank assessments and interviews:

- [? Zapier - HackerRank Integration Test User Guide](/articles/7100809601)

- [? Zapier - HackerRank Integration Interview User Guide](/articles/5179178131)

\

\

\

\

[integrations/applicant-tracking-systems/zoho-recruit] Zoho Recruit - Sending HackerRank Tests and Interviews

```
---
title: "Zoho Recruit - Sending HackerRank Tests and Interviews"
title_slug: "zoho-recruit-sending-hackerrank-tests-and-interviews"
source_url: "https://support.hackerrank.com/articles/3696308525-zoho-recruit---sending-hackerrank-tests-and-interviews"
article_slug: "3696308525-zoho-recruit--sending-hackerrank-tests-and-interviews"
last_updated_exact: "Dec 28, 2024, 4:51 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Zoho Recruit"
---
```

Zoho Recruit - Sending HackerRank Tests and Interviews

Last updated: Dec 28, 2024, 4:51 AM (Last updated 1 year ago)

Overview

HackerRank integrates with Zoho Recruit for Tests and Interviews. Recruiters managing candidate profiles in Zoho Recruit can use this integration to seamlessly carry out skill assessments of external candidates for different job requisitions without leaving the Zoho platform.

Candidates receive the HackerRank Test or Interview invites and take up the challenges. Once done, their score and performance data are automatically available in Zoho for further evaluation. This article is a user guide for the Zoho Recruit - HackerRank integration. For steps to set up the integration, see[? Zoho Recruit - HackerRank Integration Setup](/articles/8020207036).

Creating a HackerRank Test

- In Zoho Recruit, navigate to the candidate's profile.
- From the candidate profile, click on ****Initiate HackerRank Assessment****.

![[1.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047187690-?Expires=253370764800&Signature=B3puNcf8KeJnnQ17HonpsxOSplbqh~EmTyCbBXZKii1TUpd1gAbQQ7pHcQ7H~cjK~aOB73ZePJHgc~w28AaduubAZxioCzRx-f8AWbGJFAx3SLFhKAMNPduP0QmwLafq82Jj9mFvd33jejMvcAd3xzBemrTarVvJwqU3l1ms4v6gTqecrRquTL3~U7o7rjqDF1bQTdTH3g7YpAUsq3Mlr3sq6gCsstKnoakx4SZsiOinatYPxpoAqbbbU-ues3Z1lixcGg0JX5nX3iUvyUOIEYjrPuQF1RZ5By~FIDtyl5wnRyh7OOUSWZ2T0vrLem0r~qoZZ53xDB3MyrtwymLoQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- You will be redirected to the assessment form. Choose HackerRank Test and relevant test for the candidate.
- After you fill out all the details, click on ****Initiate Assessment**** and you will receive a Test Invite URL for the candidate. You can use this link in communications with the candidate.

![[not2.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047188126-?Expires=253370764800&Signature=AyEYb2BnFNBzv~cV6xQC-EjkWDRiHU9MiVHPMBKRPhvDKcK-DkBNWdQ9Rw7~mndDZn~-8~wLKDy7up3UB4yCfuvQb19ThBfKjq-eHxaS83sUsX35Eg6LcSfv40SoQ0BYsV6ZRFghkYMWIKnhC7epW1tLI9ciwanqjMhEEWuQAtvHowmgxWYTmXon-KOIoUIV7zg9S-jAdwMKrAJIPGo-wBmtLSSMVmKtmfZRSpOczkePv3dVQlxxC77IdHlanFbll3okzuUGmPpEqXZyDb70Ha2upsajvltKLI3ussTO3r2C3Wde1dcmWJZ0YYKhup3M~V-qkW33KA9Apg6gv9-zuQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- Once the candidate submits their test, their detailed HackerRank report link and PDF report download link will be sent to the candidate's Zoho Recruit profile.

![[3.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047188530-?Expires=253370764800&Signature=L~Qyj5d2EwOwP4m380aRvA8DCsxJwTe9o7Gq62gZz6PoSX5iM~0PUjOjEMze76Gu~MRwNbD5f5Aljh3ywbhUZM2uErN9OVTROT0QLr-N9~IXIlyzfJBlo7PGZ4NLkLOGihphfYT7YEkr9e~MUNarTsf0rQyisM95BTqXOt1YuQ8arxL2hu~GzgQrnHVZiWCbkI4dE1GjABYQocv5G7Li~yi6dBsaAP11aUhdpP4U2~fl~TeMpFHF2AoKDqTExeBKHAnDAoVw-648Z32yrnmAiWI2yEKhMlrpGsyVT5o4a4jliwWVLozRXyOKoL~tiLkT1Gr5w~fKltPpY0pDvGwQC-A__&Key-Pair-Id=K3NV4LZ47N8M46)

Creating a HackerRank Interview

- In Zoho Recruit, navigate to the candidate's profile.

- From the candidate profile, click on ****Initiate HackerRank Assessment****.

!1.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047187690-?Expires=253370764800&Signature=B3puNcf8KeJnnQ17HonpsxOSplbqh~EmTyCbBXZKii11TUpd1gAbQQ7pHcQ7H~cjK~aOB73ZePJHgc~w28AaduubAZxioCzRx-f8AWbGJFAx3SLFhKAMNPduP0QmwLafq82Jj9mFvd33jejMvcAd3xzBemrTArVvJwqU3l1ms4v6gTqecrRquTL3~U7o7rjqDF1bQTdTH3g7YpAUsq3Mlr3sq6gCsstKnoakx4SZsiOinatYPxpoAqbbbU-ues3Z1lixcGg0JX5nX3iUvyUOIEYjrPuQF1RZ5By~FIDtyl5wnRyh7OUSWZ2T0vrLem0r-qoZZz53xDB3MyrtwymLoQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- You will be redirected to the assessment form. Choose HackerRank Test and relevant test for the candidate.

- After you fill out all the details, click on ****Initiate Assessment**** and you will receive an Interview URL for the candidate. You can use this link in communications with the candidate and the hiring team.

!not4.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047189309-?Expires=253370764800&Signature=lvAN7SQwBLnI~Y5YKugPegmcCCR8ZrfoFb2vYRr-ushjM-jr93QidzjLI6zjPFCEQxuFZbsTpCqydRzQwcjpFm2R0pt7N62PjFMkbTsgQN6aMC3VujLjrJXffbaCX6GtYlpF6Xj0SnglOxUBGEjbL46kPj~dlmDYkcWPQHwOqn74rJ3xaFSDSYsN71qBfQHvF8q4f1vpzk4Bv5765e-WW8qBzoTHijD4uFKLoUvkJfY9JEqLUL6Uyql3gmDwiRdb0TLFzdB2FzwpBUKCDLidxw1GAM8whhJxH5hyLUoXkl6e9L1SpTeqvybsqB6EvHM1l2ccBrKXowAwtsr2O0SA__&Key-Pair-Id=K3NV4LZ47N8M46)

- Once the candidate has been interviewed by the team, the interview report and feedback will show up in Zoho Recruit. The hiring team can use this information while debriefing candidates.

!4.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047189742-?Expires=253370764800&Signature=cXdjnc30J38F5z9VCy~-0ITXOXN8IOi5U2s~Rk51XXTDRCuT4gpJUbjL6mT-45-GClLvNe4PCY8HiefnW3Mmfc1Cxlo9VrcR83xL8miQyZF2-elEhlZoNllleZ7lakME7t1NU6IMqiJQf6GcgwS2PAz1M8SOSpjruvvizBkQwfNep6Nu0S6XfnDxMa2Mre0-FKpLln8RpQ-jf7IE2jeNeat83lv0s1BZb83c1tmCsb42G~jcqiuq-Zzee1Fu~npgDmAdHegDUB-nNJGaVHHT2Cg5G8mH2t-MHZypBR4~neX8FWD3m6VHZaDfpeiigFRx1mBb8QJxC-fYDRodUrb1w__&Key-Pair-Id=K3NV4LZ47N8M46)

You can also check the Zoho Recruit Support document [here](https://help.zoho.com/portal/en/kb/recruit/marketplace/assessments/hackerrank-1/articles/hackerrank-for-recruit#Sending_an_assessment_to_a_candidate) for steps to use the integration.

[integrations/applicant-tracking-systems/zoho-recruit] Zoho Recruit - HackerRank Integration

title: "Zoho Recruit - HackerRank Integration"
title_slug: "zoho-recruit-hackerrank-integration"
source_url: "https://support.hackerrank.com/articles/6202373438-zoho-recruit---hackerrank-integration"
article_slug: "6202373438-zoho-recruit--hackerrank-integration"
last_updated_exact: "Dec 28, 2024, 4:49 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Applicant Tracking Systems"
- "Zoho Recruit"

Zoho Recruit - HackerRank Integration

Last updated: Dec 28, 2024, 4:49 AM (Last updated 1 year ago)

Overview

HackerRank integrates with Zoho Recruit for Tests and Interviews to facilitate an easy and seamless hiring experience.

As a part of the workflow, users can send HackerRank Tests and schedule remote Interviews from Zoho Recruit. Test results and Interview feedbacks show up directly inside the candidate's Zoho Recruit profile.

This results in an efficient interviewing experience for the hiring team and the candidate.

Refer to the following articles to set up and use the Zoho Recruit - HackerRank Integration:

- [? Zoho Recruit - HackerRank Integration Setup](/articles/8020207036)
 \
- [? Zoho Recruit - Sending HackerRank Tests and Interviews](/articles/3696308525)
 \

Tests Features

Below is a list of features that the HackerRank - Zoho Recruit Integration offers:

Feature		Zoho Recruit
View the Full list of HackerRank Tests		
Invite candidates to a specific test		
Cancel an invite		

```
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 25px"><p>Reinvite</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Status update from invite to completion</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 33.4229%; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
```

Templates	user default
Invite sent from	user
Public URL sync	
Update results after editing HackerRank	
Result sharing and validity	
Add Time Accommodation	

Interviews or Code Pair

Feature	Zoho Recruit
Create CodePair link	
Schedule CodePair Interview	
View Result	

View Scorecard	
Link to the detailed report	

Reaching Out for the Integration Help

To know more about how to integrate the Zoho Recruit ATS with HackerRank, you can reach out to the HackerRank point of contact or raise a support request by writing to [\[support@hackerrank.com\]](mailto:support@hackerrank.com)(mailto:support@hackerrank.com).

For more information about the HackerRank - Zoho Recruit documentation, check the [Zoho Recruit Support document](https://help.zoho.com/portal/en/kb/recruit/marketplace/assessments/hackerrank-1/articles/hackerrank-for-recruit#Sending_an_assessment_to_a_candidate).

[integrations/applicant-tracking-systems/zoho-recruit] Zoho Recruit - HackerRank Int

```
---
title: "Zoho Recruit - HackerRank Integration Setup"
title_slug: "zoho-recruit-hackerrank-integration-setup"
source_url: "https://support.hackerrank.com/articles/8020207036-zoho-recruit---hackerrank-integration-setup"
article_slug: "8020207036-zoho-recruit--hackerrank-integration-setup"
last_updated_exact: "Dec 28, 2024, 4:50 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Applicant Tracking Systems"
  - "Zoho Recruit"
---
```

Zoho Recruit - HackerRank Integration Setup

Last updated: Dec 28, 2024, 4:50 AM (Last updated 1 year ago)

Overview

HackerRank integrates with Zoho Recruit for Tests and Interviews to facilitate an easy and seamless hiring experience.

As a part of the workflow, users can send HackerRank Tests and schedule remote Interviews from Zoho Recruit. Test results and Interview feedbacks show up directly inside the candidate's Zoho Recruit profile.

This results in an efficient interviewing experience for the hiring team and for the candidate.

The Zoho Recruit - HackerRank integration is quick to set up and get running. Admins can set it up from the Integration Settings Page: [https://www.hackerrank.com/work/settings/api/zohorecruit.](https://www.hackerrank.com/work/settings/api/zohorecruit)

Steps to Set up the Integration

HackerRank Setup

1. Log in to HackerRank for Work with the Company Admin user account.
2. On the home page, click the drop-down next to the user icon in the top right corner.
3. Click **Settings**.

![settings.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047185607-?Expires=253370764800&Signature=ujcYITOS~daW8r3nEXfwkTAuqcRIcmQqHzq3KqDbIKTSVFWDKFSSMitEYpL4wzMLnjFHyOoVieTa1WWmbt5g6o~OkGd7ymaChBMXBtxVMww2KDG--LWV1cS9XSvGiXXwzA819wB~WfgSoCUwGBufmQtGsTbQd0F1-pKsnu6T-sPZSZw7OOQBrjcSyl8pB~1gHmMiHDBOCKn~aHBqOGVxG60~YlaS57u3l0AYLoZgMLIoF~vTWUcA5TbU4yecWpHwuomu0SxrGSH7mhwpmOgBEFTX8ombpCBZGhdDwYaTHu4wHLYPMOumRr4Yn6GcJOfS1XrrAhnPUNAYvQ2E7a31g__&Key-Pair-Id=K3NV4LZ47N8M46)

4. On the left pane, click **Integrations**. The **Integrations** page is displayed. Scroll down and click **Configure** on the **ZohoRecruit** option. You can also search the Integration from the Search bar.

![integ_zoho.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047186107-?Expires=253370764800&Signature=izCYyVoIDS50Fjn21QMbncl2zOtyNSvABXRLpNllwBORKtoPTZzutWH92JfDzhElI4r6emRaGlfW8BYbjckizoeaexZAia257ZFLpMV~ZBR-wGiVzwUWShkDZceIL-hBeRFSMGSEm8HF4ZnCh94osk7P~-HKZQ73Kana7zGz8bywHOFpgpKbdLNOG2OT6e2y3s0jYlVM51lBoNGUul4uA3Hwzx9PKITcedYCC-shXtw4JVTXIGbseh3v5Ry8Evp1dlmZINwS0MWWPTNU1SD6EGZ5bS1Gw-SXPCTPVxc-CNaXGLY-p99PrpXBSpnrlQfQlsr467h0Wq~rXrmPNG~mw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click **Generate API Token** to generate the API token.

![integ_zoho1.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047186505-?Expires=253370764800&Signature=CPwtTU~NuUpEoW6a0tEYT1o0GCEtePeAhgLU1HcSVMUGQuMdku90ZNEoBi9JCwbFQTlJJo4avfUkRaRY~T~vgHBFlaMg79qfIEevveT8l-nZGUEkY1GIJLUCgBhBgTyM2s-a~EheUjno1tEzSO2lti02wrNqwChmOx8lSrEkYoROifr-KrubhOFn50Sq5bBWqtTH3qjQ1MxwilaYa~UwCYnhF4WN0yM9GiBWU6t8zaCJscnYqdUqa-dv~NPbMYNxbKGy7~Hp46etZXkDiGsBG3hquMR2bRuYZqrXurXDwuLTL2hoHoKRTdD00vLNyUYJcJgZ1SS5Cc4J74eRt5hccw__&Key-Pair-Id=K3NV4LZ47N8M46)

A unique API Key is displayed.

![[integ_zoho_api.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047187022-?Expires=253370764800&Signature=S~UJm5a~iB~sa3QEGYBBHFjH6Z~7o7oToL2gtTZsotlPsPYAmQ9AmwWwb5dalmSKfUgCGFYnKGue27pyAt1xqB4R9zP6-eygzLqIEkwadnifz9KnMCB6MBbdKLA4ITrKNIZOsPDU4rs2S8nsazhNseosMvElhLO2AJdNk~-1lvQM4YHh6sGZzFAOV4sTirqsFeaRkbOnCjJ-yUiLrWU9meg~K3RnrGy5e3tnxxaWUfeArharh4377unplciq9ZwL1Om4YzUiucorxc6IHYMOqSmsRCqnZtke7YwpS~LD1MFCNNjGZTu4fmHUoyvF5UYx6zjISMCVpMRsVqNHwCwlqw__&Key-Pair-Id=K3NV4LZ47N8M46))

6. Copy this key. You will need to add this key to the ZohoRecruit account to establish the integration.

Note: Ensure to store the API key safely. Once the popup is closed, you cannot retrieve the key again.

Zoho Recruit Setup

- Click **Settings > Marketplace**.

- Search for HackerRank in the list of integrations and click **Install**.

- Choose **users/profiles** to install the integration.

- Add the API Key copied from HackerRank into the **HackerRank API Key** field under **Extension Settings**.

You can also check the Zoho Recruit Support document [\[here\]\(https://help.zoho.com/portal/en/kb/recruit/marketplace/assessments/hackerrank-1/articles/hackerrank-for-recruit\)](https://help.zoho.com/portal/en/kb/recruit/marketplace/assessments/hackerrank-1/articles/hackerrank-for-recruit) for steps to use the integration

Next steps:

- [[? Zoho Recruit - Sending HackerRank Tests and Interviews](https://help.zoho.com/portal/en/kb/recruit/marketplace/assessments/hackerrank-1/articles/hackerrank-for-recruit)](/articles/3696308525)

\

\

[integrations/getting-started-with-integrations] Integrations Overview

```
---
title: "Integrations Overview"
title_slug: "integrations-overview"
source_url: "https://support.hackerrank.com/articles/1847021717-integrations-overview"
article_slug: "1847021717-integrations-overview"
last_updated_exact: "Mar 12, 2026, 2:56 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
  - "Integrations"
  - "Getting started with Integrations"
---
```

Integrations Overview

Last updated: Mar 12, 2026, 2:56 PM (Last updated 1 month ago)

HackerRank provides seamless pre-defined integrations with several trending HR tools, including Applicant Tracking Systems (ATS), Talent Intelligence, and Interview Scheduling tools. You can manage talent from one convenient location by assessing and interviewing candidates within your talent automation or intelligence platform. This ensures a streamlined hiring process and makes the recruiter workflow smooth.

HackerRank supports these integrations based on the following types:

- [Applicant Tracking Systems](https://support.hackerrank.com/articles/1847021717-integrations-overview#applicant-tracking-systems-4)\ Embed HackerRank into your recruiting process by accessing HackerRank Tests and Interviews from your ATS.
- [Scheduling](https://support.hackerrank.com/articles/1847021717-integrations-overview#scheduling-6)\ Ease the technical interview scheduling by integrating HackerRank Interviews with your scheduling tool.
- [Talent Intelligence](https://support.hackerrank.com/articles/1847021717-integrations-overview#talent-intelligence-8)\ Manage talent from one convenient location by assessing and interviewing candidates within your talent automation or intelligence platform.
- [Single Sign On](https://support.hackerrank.com/articles/1847021717-integrations-overview#single-sign-on-10)\ Keep your recruiting data secure and also ensure a seamless login to HackerRank.
- [Productivity](https://support.hackerrank.com/articles/1847021717-integrations-overview#productivity-12)\ Automate your processes by connecting HackerRank to your preferred productivity tools.

Applicant Tracking Systems

```
| | |
|---|---|
| **Application** | **Functionality** |
| [Ashby](https://support.hackerrank.com/articles/9896080715-ashby-integration-with-hackerrank) | Send HackerRank test invites, and review test scores and reports within Ashby. |
| [Avature](https://support.hackerrank.com/articles/7339966937-avature---hackerrank-integration) | Send HackerRank test invites, and review test scores and reports within Avature. |
| [BrassRing](https://support.hackerrank.com/articles/7600349400-ibm-kenexa-brassring---hackerrank-integration) | Send HackerRank test invites, schedule interviews, and review test scores, reports, and interview feedback within BrassRing. |
| [BreezyHR](https://support.hackerrank.com/articles/6794716414-breezy---hackerrank-integration-setup) | Send HackerRank test invites, and review test scores and reports within Breezy. |
| [Darwinbox](https://support.hackerrank.com/articles/2001883323-darwinbox---hackerrank-integration-guide) | Send HackerRank test invites, and review test scores and reports within Darwinbox. |
| [Freshteam](https://support.hackerrank.com/articles/9978423020-freshteam---hackerrank-integration-guide) | Send HackerRank test invites, and review test scores and reports within Freshteam. |
| [Greenhouse](https://support.hackerrank.com/hc/en-us/articles/360059774493-Greenhouse) | Send HackerRank test invites, schedule interviews, and review test results within Greenhouse. Create candidates from public links and sync outcome data with Greenhouse. |
| [iCIMS](https://support.hackerrank.com/articles/9631673147-icims---hackerrank-integration-guide) | Send HackerRank test invites, schedule interviews, and review test scores, reports, and interview feedback within iCIMS. |
| [JazzHR](https://support.hackerrank.com/articles/5164370576-jazz---hackerrank-tests-integration) | Send HackerRank test invites, and review test scores and reports within Jazz. |
| [Jobvite](https://support.hackerrank.com/articles/6917918087-jobvite---hackerrank-integration) | Send HackerRank test invites, and
```


review test scores and reports within Jobvite. |

| [Kula.ai](https://support.hackerrank.com/articles/5121238837-kula-ai-hackerrank-integration-user-guide) | Send HackerRank test invites, and review test scores within Kula.ai. |

| [Lever](https://support.hackerrank.com/articles/1538275190-lever-hackerrank-integration) | Send HackerRank test invites, schedule interviews, and review test scores, reports, and interview feedback within Lever. |

| [Lever V2](https://support.hackerrank.com/articles/5647291926-lever-v2-hackerrank-interview-integration) | Send HackerRank test invites, schedule interviews, and review test scores, reports, and interview feedback within Lever V2. |

| [LinkedIn Talent Hub](https://support.hackerrank.com/articles/2757478179-linkedin-talent-hub---hackerrank-integration-) | Send HackerRank test invites, schedule interviews, and review test scores, reports, and interview feedback within LinkedIn Talent Hub. |

| [ModernLoop](https://support.hackerrank.com/articles/9797503689-modernloop-hackerrank-integration-user-guide) | Schedule HackerRank interviews, and review interview feedback within ModernLoop. |

| [Northstarz](https://support.hackerrank.com/articles/4546750166-northstarz-hackerrank-integration-user-guide) | Send HackerRank test invite, review test scores and reports within Northstarz. |

| [Oracle Recruiting](https://support.hackerrank.com/articles/8503244016-oracle-recruiting-cloud---hackerrank-integration-) | Send HackerRank test invites, schedule interviews, and review test scores, reports, and interview feedback within Oracle Recruiting. |

| [Recruitee](https://support.hackerrank.com/articles/6130823390-recruitee---hackerrank-integration-guide) | Send HackerRank test invites, and review test scores and reports within Recruitee. |

| [Rippling](https://support.hackerrank.com/articles/8750225690-rippling-integration) | Send HackerRank test invites, and review test scores and reports within Rippling. |

| [Rooster](https://support.hackerrank.com/articles/5902644770-rooster-hackerrank-integration) | Send HackerRank test invites, schedule interviews, and review test scores, reports, and interview feedback within Rooster. |

| [SAP SuccessFactors](https://support.hackerrank.com/articles/6922485557-sap-success-factors---hackerrank-integration-guide) | Send HackerRank test invites, schedule interviews, and review test scores, reports, and interview feedback within SAP SuccessFactors. |

| [SmartRecruiters](https://support.hackerrank.com/articles/9231210914-smartrecruiters---hackerrank-integration) | Send HackerRank test invites, schedule interviews, and review test scores, reports, and interview feedback within SmartRecruiters. |

| [Taleo](https://support.hackerrank.com/articles/7459195623-taleo) | Send HackerRank test invites, and review test scores and reports within Taleo. |

| [Teamtailor](https://support.hackerrank.com/articles/9251533406-teamtailor---hackerrank-integration) | Send HackerRank test invites, and review test scores and reports within Teamtailor. |

| [Workable](https://support.hackerrank.com/articles/3863699223-workable---hackerrank-tests-integration) | Send HackerRank test invites, and review test scores and reports within Workable. |

| [Workday](https://support.hackerrank.com/articles/3252953266-workday---hackerrank-integration) | Send HackerRank test invites and review test scores within Workday. |

| [Zapier](https://support.hackerrank.com/articles/9883166979-zapier-hackerrank-integration-guide) | Send HackerRank test invites, schedule interviews, and review test scores, reports, and interview feedback within Zapier. |

| [Zoho Recruit](https://support.hackerrank.com/articles/6202373438-zoho-recruit---hackerrank-integration) | Send HackerRank test invites, schedule interviews, and review test scores, reports, and interview feedback within Zoho Recruit. |

Scheduling\

\

| | |

|---|---|

| ****Application**** | ****Functionality**** |

| [Goodtime](https://support.hackerrank.com/articles/7205562153-goodtime---hackerrank-integration-guide) | Add HackerRank interviews as a video interviewing option on your interview plan within Goodtime. |

| [InterviewPlanner](https://support.hackerrank.com/articles/6566949282-interviewplanner---hackerrank-integration) | Schedule HackerRank interviews directly via InterviewPlanner as part of your interview process. |

| [Cisco Webex](https://support.hackerrank.com/articles/7623780280-webex---hackerrank-interview-integration) | Start a HackerRank Interview within your Cisco Webex interview, and conduct a coding or whiteboard session. |

| [Google Calendar](https://support.hackerrank.com/articles/1262999130-hackerrank-interview-and-google-calendar-integration) | Add a HackerRank interview link to your event within Google Calendar. |

| [Microsoft Outlook](https://support.hackerrank.com/articles/2480863637-hackerrank-interview-and-outlook-calendar-integration) | Add a HackerRank interview link to your calendar event within Outlook. |

| [Prelude](https://support.hackerrank.com/articles/6684042810-prelude---hackerrank-integration-guide) | Schedule HackerRank interviews directly via Prelude as part of your interview process for single or loop interviews. |

Talent Intelligence

| | |

|---|---|

| ****Application**** | ****Functionality**** |

| [Eightfold](https://support.hackerrank.com/articles/7924497743-eightfold---hackerrank-integration) | Send HackerRank test invites, schedule interviews, and review test scores, reports, and interview feedback within Eightfold. |

| [Phenom People](https://support.hackerrank.com/articles/7288417717-phenom-people---hackerrank-integration-guide) | Send HackerRank test invites, and review test scores and reports within Phenom. |

| [Prismforce](https://support.hackerrank.com/articles/5932438086-prismforce---hackerrank-integration-guide) | Access HackerRank test scores for candidate profiles from previously completed tests. |

Single Sign-On

****Application****	****Functionality****
[Okta](https://support.hackerrank.com/articles/2841246365-setting-up-hackerrank-single-sign-on-with-okta)	Log in to HackerRank through Okta accounts. Create, update, and deactivate user accounts through HackerRank's Okta app.
[OneLogin](https://support.hackerrank.com/articles/6114369280-setting-up-hackerrank-sso-with-onelogin)	Log in to HackerRank via OneLogin. Create, update, and deactivate user accounts via SCIM 2.0.
[Google Workspace](https://support.hackerrank.com/articles/9826965692-log-in-to-hackerrank-with-google-workspace-account)	Authenticate your HackerRank login using your Google account.
[Azure Active Directory](https://support.hackerrank.com/articles/3007497492-setting-up-hackerrank-single-sign-on-with-azure-ad)	Login to HackerRank via Azure AD. Create, update, and deactivate user accounts via SCIM 2.0.
[SAML 2.0](https://support.hackerrank.com/articles/4516079405-saml-2.0-single-sign-on-(sso)-)	Using a different SSO? HackerRank supports all IdPs using SAML 2.0
[SCIM 2.0](https://support.hackerrank.com/articles/3939437783-setting-up-scim-provisioning-with-okta)	Set up provisioning through your SSO by configuring SCIM protocol
[Just-in-Time](https://support.hackerrank.com/articles/8000473667--setting-up-hackerrank-sso-with-just-in-time-)	Assign user licenses on the fly with a one-step JIT provisioning setup

Productivity

****Application****	****Functionality****
[Slack](https://support.hackerrank.com/articles/1480104967-slack---hackerrank-integration-guide)	Generate quick HackerRank interview links, and receive interview reports within Slack.
[Splash](https://support.hackerrank.com/articles/1979161599-splash---hackerrank-integration-guide)	Send HackerRank test invites, and review test scores and reports within Splash.
[Interview Vector](https://support.hackerrank.com/articles/6541817100-interview-vector---hackerrank-integration-guide)	Include HackerRank tests as part of your assessment process via Interview Vector.

****Note****: To learn about APIs, refer to the detailed [API documents.](https://www.hackerrank.com/work/apidocs#!/Introduction/options_intro_api)

New Integration Partner

If you are interested in integrating with HackerRank, contact your HackerRank point of contact or [support@hackerrank.com.](mailto:support@hackerrank.com)

[integrations/getting-started-with-integrations] Integration Logs

```
---
title: "Integration Logs"
title_slug: "integration-logs"
source_url: "https://support.hackerrank.com/articles/7263906600-integration-logs"
article_slug: "7263906600-integration-logs"
last_updated_exact: "Dec 13, 2024, 5:02 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Getting started with Integrations"
---
```

Integration Logs

Last updated: Dec 13, 2024, 5:02 PM (Last updated 1 year ago)


Overview

Integration Logs in HackerRank for Work allows you to access the records of activity between HackerRank and your primary system of record. These logs provide insight into the integration's transactions. They are available in the Integrations tab of the Logs page providing transparency. Users can inspect and debug the logs with ease.


Note: HackerRank displays logs only for the API calls that are made to the endpoints listed in the [HackerRank API documentation](https://www.hackerrank.com/work/apidocs).

Accessing Integration Logs

1. Login into your HackerRank account with a **Company Admin** user role.
2. Click on your profile icon located at the top-right corner of the HackerRank homepage, then select **Settings**.
3. On the left pane, click on **Integrations** under the Company section. This will direct you to the Integrations settings page.
4. From the view of active integrations, choose the specific integration for which you wish to view logs. For example Ashby from the below screenshot.



5. After selecting an integration, you will see tabs such as Configuration, Token Activity, and Logs. Click on the **Logs** tab.
6. In the logs section, you can view the integration activity logs. You can search logs by recruiter email or apply filters based on date, status, and request method to narrow down the logs you need to view.
7. If needed, you can download the logs for offline analysis or record-keeping by clicking on the download icon located near the filter settings. You will be able to get log results for a custom date range for an ATS instance and download a report in CSV format.



Availability

Refer to the below table for a summary of which integrations currently have log availability.

|----|----|
| ****Integration**** | ****Log Availability**** |
| Ashby | ? Yes |
| Avature | ? Yes |
| BrassRing | ? Yes |
| Breezy | ? Yes |
| Darwinbox | ? Yes |
| Eightfold | ? Yes |
| G Suite Calendar | ? No |
| GoodTime | ? Yes |
| Greenhouse | ? Yes |
| Interview Planner | ? Yes |
| JazzHR | ? Yes |
| Jobvite | ? No |
| Lever | ? Yes |
| LinkedIn Talent Hub | ? No |
| Oracle Recruiting Cloud | ? No |
| PhenomPeople | ? Yes |
| Recruitree | ? Yes |
| Rippling | ? Yes |
| SmartRecruiters | ? No |
| SuccessFactors | ? No |
| Teamtailor | ? Yes |
| Workable | ? Yes |
| Workday | ? Yes |
| ZohoRecruit | ? Yes |
| InterviewVector | ? Yes |
| iCIMS | ? No |

\

[integrations/getting-started-with-integrations] Partner Guide to building an integration

```
---
title: "Partner Guide to building an integration with HackerRank"
title_slug: "partner-guide-to-building-an-integration-with-hackerrank"
source_url: "https://support.hackerrank.com/articles/8660206242-partner-guide-to-building-an-integration-with-hackerrank"
article_slug: "8660206242-partner-guide-to-building-an-integration-with-hackerrank"
last_updated_exact: "Feb 7, 2026, 3:34 PM"
last_updated_relative: "Last updated 3 months ago"
breadcrumbs:
  - "Integrations"
  - "Getting started with Integrations"
---
```

Partner Guide to building an integration with HackerRank

Last updated: Feb 7, 2026, 3:34 PM (Last updated 3 months ago)

This document is meant for partners who wish to develop an integration with HackerRank for Work. We are constantly working with ATS vendors to develop integrations for a better user experience. This document will give you all the information you need to develop an integration yourself.

Background

A number of our enterprise customers - i.e those who use HackerRank for Work Tests and Interviews for the evaluation phase, also use some other IT systems to manage their overall hiring process. These systems could either be Commercial Off-the-shelf (COTS) systems such as Oracle Taleo, Jobvite, Greenhouse, Lever, Kenexa, RecruiterBox, etc., or some bespoke home-grown system. We will refer to these apps jointly as Applicant Tracking Systems (ATS).

Such customers frequently ask for integration between their ATS and HackerRank for Work so that routine actions of managing their candidates can be done inside their ATS workflow. Examples of such routine actions include (a) inviting a shortlisted candidate to take a HackerRank for Work test, (b) viewing the results of a test for such candidates in their ATS, (c) scheduling a HackerRank interview session between an engineer and a selected candidate, (d) viewing Interview reports within the ATS interface, etc. Thus, the most commonly requested integration points involve pulling data from an existing HackerRank for Work account and doing specific actions from inside the ATS interface. We have API calls that will help implement these actions from within the ATS UI.

General Workflow

The integration typically involves adding functionality to the ATS via a plugin or customization using the HackerRank for Work API. This is best explained visually using the following diagrams.

Conventions Used in the workflows below:

```

```

Integration Setup - One Time activity

```

```

Note: Every official ATS integration will have a section within HackerRank for Work where each company's account admin will be able to generate a key. Your ATS will appear in the following location: https://www.hackerrank.com/work/settings/api

Overall Test Flow

Overall CodePair (Interviews API) Flow

The integration Process

Sign up for a Free Trial

Head to <https://www.hackerrank.com/work/signup> to sign up for a free 14 day trial of our product. This account will be required in order to explore our API (see below) and to test your integration.

Explore our API

We have a simple RESTful API that will form the basis for the integration. You should start learning about our API here:

<https://www.hackerrank.com/work/apidocs>

Note: The above documentation is written with our end customers in mind. You should explore the API in your test account as an end customer. If you have any questions about the API you should reach out to your HackerRank point of contact or raise a support request by writing to [support@hackerrank.com](<mailto:support@hackerrank.com>).

Register your Integration

After you familiarize yourself with the API and mapped out the flows you want to support, contact your HackerRank point of contact or email [support@hackerrank.com](<mailto:support@hackerrank.com>) to request a **partner key**. HackerRank also issues a company-wide API key to use with your integration.

Change Authentication Mechanism in your Integration Code

Make the following changes in your integration:

1. **Add the partner authorization header:** Include the following custom header in every request:

`X-HRW-Partner-Authorization: abcd`

Replace `abcd` with the provided partner key.

2. **Add the user email header:** Include the following custom header:

`HRW-User-Email: user@email.com`

Replace `user@email.com` with the email address of the user who initiates the request from your application. This email must match an existing user in the customer's HackerRank for Work account.

3. ****Use the Company-wide API Key**** in the place of the Personal Access Token you would have used while you explored the API in your account.
4. With every call you make you may also choose to ****include some additional metadata**** in your payload if there is metadata you need HackerRank to save. Some commonly seen fields include
5. ****user_email**** should identify the user initiating the request. This should match an existing user in the customer's HRW account.
6. ****candidateId**** may be the unique identifier for this candidate in your system. Some API calls are not candidate-specific, and in such cases, you can ignore this field.
7. ****applicationId**** can be used if a candidate is able to apply to more than one Req. This can be a different field and identify the specific application. Some API calls are not candidate-specific, and in such cases, you can ignore this field.

```
{  
  
  ...  
  
  "metadata": {  
  
    "candidateId": "16651587",  
  
    "applicationId": "25145412",  
  
    "user_email": "abcd@example.com"  
  
  }  
}
```

Using the Partner authorization token and per-company keys are important as we have a different set of policies and rate limits. It also helps us troubleshoot customer issues originating from you more easily leading to a better user experience.

****Integration Validation****

Once you have modified the integration to use the above partner-authorization, we will evaluate the integration for happy paths and also some of the known corner cases we have run into with integrations in the past.

Review of End User Documentation will be an important part of the validation exercise.

****General Availability****

Once the validation is completed we will add an entry in the ATS Integrations page that shows all the supported integrations. Using that interface common customers will be able to enable or disable your integration by themselves.

Your integration will be available as an option on our Integration Settings Page:
<https://www.hackerrank.com/work/settings/api>

Integration Best Practices

****Error Scenarios****

In our experience with ATSes, some common scenarios that lead to errors in inviting candidates are:

1. The API Key is not valid for your HackerRank for Work account. (Needs to be the per-company Key and the Partner-authorization should be working properly)
2. The recruiter's email address for the ATS account (sent via the metadata) is different than the email used within HackerRank for Work (e.g. using sriram.karra@hackerrank.com in the ATS account and sriram@hackerrank.com in your HRW accounts). It does not matter which one you fix as long as they are the same.
3. Candidate email address is missing or invalid
4. Candidate with this email has already been invited.
5. Recruiter does not have a "Recruitment Seat" on HackerRank, and as such does not have the privilege to invite candidates

6. Recruiter does not have permission to access a particular test

7. Recruiter's HackerRank Account is not activated.

We recommend that you test your integration for all of the above scenarios and ensure the application behavior is graceful.

Error Handling

Tests API

For test API we return errors in two different formats - you need to cover both formats of responses and show the right type of message to the end-user.

Case 1: The error is local to the candidate, for example re-inviting a candidate. This has the following format:

```
{
  "data": {
    "username": "?error@hackerrank.com",
    "password": "96d3efe9",
    "test_link": "?link",
    "status": false,
    "error": 1002,
    "error_message": "Candidate has already been invited to take the same test. If you want to reinvite, cancel the invite in your HackerRank for Work account first."
  },
  "message": "No candidates invited.",
}
```

The bolded fields indicate that an error has occurred. If there are uncaught errors in creating the candidate, they also display in this format.

Case 2: **If there is an error in the recruiter's configuration itself (usually as a result of bad config or bad format), it is returned in the following format:**

```
{
  "data": {},
  "status": false,
  "message": "No such test exists",
}
```

Actions triggering this error include invalid recruiter account, invalid emails, incorrect test id, etc.

Successful requests will be returned with 200 response codes.

Incorrect Access Token: In addition to these two error scenarios, if the user has configured the integration with an incorrect access code, we will return the error in the following format with response code 401:

```
{
  "model": {},
}
```



```
"message": "Invalid Access Token"
```

```
}
```

****CodePair API (Interviews API)****

****Incorrect Access Token:**** If the access token present in the request is invalid, we will return an empty response with a 403 status code.

****Invalid information:**** In case the request has one or more errors other than the access token error, we will return a list of all of the errors in the errors field with a request status of 422. For example:

```
{
```

```
  "errors": [
```

```
    "title is a required field",
```

```
    "interview time range is invalid",
```

```
    "....."
```

```
  ]
```

```
}
```

[integrations/productivity] Slack - HackerRank Integration Guide

title: "Slack - HackerRank Integration Guide"
title_slug: "slack-hackerrank-integration-guide"
source_url: "https://support.hackerrank.com/articles/1480104967-slack---hackerrank-integration-guide"
article_slug: "1480104967-slack---hackerrank-integration-guide"
last_updated_exact: "Dec 24, 2024, 6:42 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Productivity"

Slack - HackerRank Integration Guide

Last updated: Dec 24, 2024, 6:42 AM (Last updated 1 year ago)

Overview

HackerRank integrates with Slack for scheduling interviews. You can quickly generate HackerRank interview links and receive interview reports within Slack.

Tests Features

Below is a list of features that the HackerRank - Slack Integration offers:

Feature	Slack		
View the Full list of HackerRank Tests			
Invite candidates to a specific test			
Cancel an invite			
Reinvite			
Status update from invite to completion			

```
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8456%; height: 20px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8456%; height: 20px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8456%; height: 20px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8456%; height: 20px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8456%; height: 20px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8456%; height: 20px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8456%; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8456%; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8456%; height: 20px"><p>Templates</p></td>
<td data-cs="1" data-rs="1"><p>N/A</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8456%; height: 20px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1"><p>N/A</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8456%; height: 20px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8456%; height: 20px"><p>Update results after editing HackerRank</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
```

```
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8456%; height: 25px"><p>Result sharing and validity</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 39.8456%; height: 25px"><p>Add Time Accommodation</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

Interviews or Code Pair

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 31.4721%; height: 33px"><p><strong>Feature</strong></p></td>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 192.858%; height: 33px"><p><strong>Slack</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 31.4721%; height: 31px"><p>Create CodePair link</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 31.4721%; height: 29px"><p>Schedule CodePair Interview</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 31.4721%; height: 27px"><p>View Result</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 31.4721%; height: 30px"><p>View Scorecard</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 31.4721%; height: 29px"><p>Link to the detailed report</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

Reaching Out for the Integration Help

To know more about how to integrate Slack with HackerRank, you can reach out to the HackerRank point of contact or raise a support request by writing to [\[support@hackerrank.com\]](mailto:support@hackerrank.com)(mailto:support@hackerrank.com).

You can refer to the [\[Slack integration article\]](https://www.hackerrank.com/blog/slack-microsoft-teams-notifications/)(https://www.hackerrank.com/blog/slack-microsoft-teams-notifications/).

```
title: "Splash - HackerRank Integration Guide"
title_slug: "splash-hackerrank-integration-guide"
source_url: "https://support.hackerrank.com/articles/1979161599-splash---hackerrank-integration-guide"
article_slug: "1979161599-splash---hackerrank-integration-guide"
last_updated_exact: "Dec 24, 2024, 6:39 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Productivity"
---
```

Last updated: Dec 24, 2024, 6:39 AM (Last updated 1 year ago)

HackerRank integrates with Splash to facilitate a seamless screening experience for users. Users can send HackerRank Test invites and review test scores and reports within Splash. The test result report shows up inside the candidate's Splash profile.

Below is a list of features that the HackerRank - Splash Integration offers:

<table>	
<colgroup>	
<col style="width: 50%" />	
<col style="width: 50%" />	
</colgroup>	
<tbody>	
<tr>	
<td data-colspan="1" data-rowspan="1" style="background-color: #eafcef; width: 75.6366%; height: 22px"> Feature </td>	
<td data-colspan="1" data-rowspan="1" style="background-color: #eafcef; width: 120.95%; height: 22px"> Splash </td>	
</tr>	
<tr>	
<td data-colspan="1" data-rowspan="1" style="width: 75.6366%; height: 20px"> View the Full list of HackerRank Tests </td>	
<td data-colspan="1" data-rowspan="1" style="width: 120.95%; height: 20px"> Redirects to the HackerRank invite page </td>	
</tr>	
<tr>	
<td data-colspan="1" data-rowspan="1" style="width: 75.6366%; height: 20px"> Invite candidates to a specific test </td>	
<td data-colspan="1" data-rowspan="1">false">? </td>	
</tr>	
<tr>	
<td data-colspan="1" data-rowspan="1" style="width: 75.6366%; height: 20px"> Cancel an invite </td>	
<td data-colspan="1" data-rowspan="1">false">? </td>	
</tr>	
<tr>	
<td data-colspan="1" data-rowspan="1" style="width: 75.6366%; height: 25px"> Reinvite </td>	
<td data-colspan="1" data-rowspan="1">false">? </td>	
</tr>	
<tr>	
<td data-colspan="1" data-rowspan="1" style="width: 75.6366%; height: 20px"> Status update from invite to completion </td>	
<td data-colspan="1" data-rowspan="1"><span data-name="check_mark_button" data-type="emoji"	

```
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Templates</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><p>user default</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><p>user</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
```

```
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Update results after editing HackerRank</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 25px"><p>Result sharing and validity</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 25px"><p>Add Time Accommodation</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

Interviews or Code Pair

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="background-color: #eafcef; width: 80.4655%; height: 42px"><p><strong>Feature</strong></p></td>
<td data-cs="1" data-rs="1" data-rowspan="1" style="background-color: #eafcef; width: 123.094%; height: 42px"><p><strong>Splash</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="width: 80.4655%; height: 31px"><p>Create CodePair link</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="width: 80.4655%; height: 29px"><p>Schedule CodePair Interview</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="width: 80.4655%; height: 27px"><p>View Result</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="width: 80.4655%; height: 30px"><p>View Scorecard</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="width: 80.4655%; height: 29px"><p>Link to the detailed report</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```


Reaching Out for the Integration Help

To know more about how to integrate Splash with HackerRank, you can reach out to the HackerRank point of contact or raise a support request by writing to [\[support@hackerrank.com\]](mailto:support@hackerrank.com)(mailto:support@hackerrank.com).

You can refer to the [\[Splash support site\]](https://splashtat.com/support)(https://splashtat.com/support).

[integrations/productivity] Interview Vector - HackerRank Integration Guide

title: "Interview Vector - HackerRank Integration Guide"
title_slug: "interview-vector-hackerrank-integration-guide"
source_url: "https://support.hackerrank.com/articles/6541817100-interview-vector---hackerrank-integration-guide"
article_slug: "6541817100-interview-vector---hackerrank-integration-guide"
last_updated_exact: "Dec 24, 2024, 6:37 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Productivity"

Interview Vector - HackerRank Integration Guide

Last updated: Dec 24, 2024, 6:37 AM (Last updated 1 year ago)

Overview

HackerRank integrates with Interview Vector to facilitate a seamless screening experience for users.

You can include HackerRank tests as part of your assessment process through Interview Vector. Users can send HackerRank Test invites and review test scores and reports within Interview Vector. Test result report shows up inside the candidate's Interview Vector profile.

Tests Features

Below is a list of features that the HackerRank - Interview Vector Integration offers:

Feature	Interview Vector
View the Full list of HackerRank Tests	☐
Invite candidates to a specific test	☐
Cancel an invite	☐
Reinvite	☐

```
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Status update from invite to completion</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Templates</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><p>user default</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1" style="width: 120.95%; height: 20px"><p>owner</p></td>
</tr>
<tr>
```

```
<td data-cs="1" data-rs="1" style="width: 75.6366%; height: 20px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="width: 75.6366%; height: 20px"><p>Update results after editing HackerRank</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="width: 75.6366%; height: 25px"><p>Result sharing and validity</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="width: 75.6366%; height: 25px"><p>Add Time Accommodation</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

Interviews or Code Pair

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="background-color: #eafcef; width: 80.4655%; height: 42px"><p><strong>Feature</strong></p></td>
<td data-cs="1" data-rs="1" data-rowspan="1" style="background-color: #eafcef; width: 123.094%; height: 42px"><p><strong>Interview Vector</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="width: 80.4655%; height: 31px"><p>Create CodePair link</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="width: 80.4655%; height: 29px"><p>Schedule CodePair Interview</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="width: 80.4655%; height: 27px"><p>View Result</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="width: 80.4655%; height: 30px"><p>View Scorecard</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" style="width: 80.4655%; height: 29px"><p>Link to the detailed report</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
```

</td>
</tr>
</tbody>
</table>

Reaching Out for the Integration Help

To know more about how to integrate Interview Vector with HackerRank, you can reach out to the HackerRank point of contact or raise a support request by writing to support@hackerrank.com.

You can refer to the [Interview Vector website](https://interviewvector.com/).

[integrations/scheduling] HackerRank Interview and Google Calendar Integration

title: "HackerRank Interview and Google Calendar Integration"
title_slug: "hackerrank-interview-and-google-calendar-integration"
source_url: "https://support.hackerrank.com/articles/1262999130-hackerrank-interview-and-google-calendar-integration"
article_slug: "1262999130-hackerrank-interview-and-google-calendar-integration"
last_updated_exact: "Dec 24, 2024, 7:03 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Scheduling"

HackerRank Interview and Google Calendar Integration

Last updated: Dec 24, 2024, 7:03 AM (Last updated 1 year ago)

Overview

HackerRank integrates with Google Calendar to facilitate an easy and seamless remote interviewing experience.

As a part of this workflow, users can install the HackerRank calendar add-on and use it to schedule remote technical interviews directly from the Google Calendar app. This results in a hassle-free interview scheduling experience saving you a lot of time and effort.

How Does the HackerRank Interview Add on Work?

Prerequisite

You need to install the HackerRank Interviews add-on from the [G Suite Marketplace](https://gsuite.google.com/marketplace/app/hackerrank_interview/386396436142). Once the add-on is installed, follow the below steps to use this add-on to schedule remote technical interviews from your Google Calendar app.

![Gsuite_MarketPlace_HackerRank_Addon.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047149979-?Expires=253370764800&Signature=Nubz-jdX-1OdZwXwMMdvHam4B~xKyHoKLAdeI2qWsY0kl9AUSWu1mG26PUvzmVl--f5DobgzY2N~SsIsJhJNWTMwvvuqv-8rA-mwMcJorximB1gZSTHg2bqf-zYNRIOhHa0VnPVkyeF~XDP0STiOg9f6X315ElkKJugtMXaJbYI8Bjs7IBFbFBRjVMPwZCFNjPJvk~4g~vQcejrVj3hf1raVnAlkeYgNVzaw83e148zN3luBFH35vKm8XOzZOL7n~IQ6WGG9PipvRZ0LSbCkSrKq2uq1pECKXqeePltwyUaotUlovtqa~V0SwAhfguPH-ccB4~NShZyFCXA8E~I7XQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Steps

1). Open Google Calendar and enter participant information.

![Google_Calendar_HackerRank_Interviews_Addon.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047150519-?Expires=253370764800&Signature=Th9vaL3UZUgv5NhQPMcKbSOU0JJfdWsjvOTOCWti8pcOpRbl74Vv-kiMjQdJpPVm1IptgatT6-CGsdSihcmH4OohfDCQAoe0F1SYydZS4POsebOCi3~wu54mtpPrFDyXGVu0h24iipaiRpLy9KgBIO9D7An6V3dZxY5lbrHrYD8GtCG~XVa-nJqbh70CVvNaTEiPs-ksK6l3b6l0VotJ2LyTENjkPombaQS~hvb3fxHWX0d3~VRzQ-ZPKaJBVA-KKbW19ITmklkpz60ir-g2sTaStOlc5vLvO~LOuLkYZiKhg4ITG00sGukQTqWrQi~~tCKOppPNlwoXn4tDq9Qg__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Choose **HackerRank Interview** from the video conferencing options.

![HackerRank_Interview_Addon.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047150902-?Expires=253370764800&Signature=ey-aPIH0neb2GfdjiDg9Qz1vkpmGHleHi6BoB8KbPt8z~3khhbGJ6G-hEArhDB7CncnOePIgMB7lzMYhmowY4KcTqmqktIRUwWqrNAD4dNjJA4JyFquFsUh~UKO0JngybaDCmXmrB6VIX5KAYT1OgCPH8GZVtHHup-yXeC-NfA53U25StT5zc499dK2dwLqMc0ST9uQDYdM0kxcxLtQdXz0sxODAqRim1uAQpQXtoKYROm~Petq7x6QlwdKF7TdspYSgwf5ptcHtRD6bZksvFmKEhS~esPqHMC8ypW4vlzhD3pPlgoY4-hAKtvzA19ns6KA6Bi3dl8IOExGmbnG-Lw__&Key-Pair-Id=K3NV4LZ47N8M46)

3). Once you select HackerRank Interview, it will ask you to log in to your HackerRank for Work account. Once you complete the login process you will be able to use the HackerRank for Interviews addon in Google Calendar to conduct remote interviews. (This is a one-time setup. Once logged in, you do not need to repeat this step for scheduling future interviews.)

![HackerRank_Interview_AddOn_Login_Screen.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047151331-?Expires=253370764800&Signature=JcnLEMBRAA6h3XB4Zo8Im9gjpCwqvknky5xJqzQF0HVjedOPp0-ucYHbACCvCxh28qOOEOFeD9kBX7MhzABf3n3ByvTSMAOtOZP81j64L6EqsqbObG3~9RfVoKzN0z~jKemi5cJK4v6YFQXrcLK956Sv1Llqk8WSOwxIRELYAwRhc993-TJbfDI7mTc~Z-LmJuzTa~O43uZ-PGTCwvxNUV~D-kssEWMG-T4uTDeoXWTHAu3uDS-ZD7ZgTaDlplOc8NGEwXvmmmhjWYd2kWRVCcHYJxQBn3ANcXt8n41ZdRYpnpG~gh4UN85g2vIcPnCiSMopltQD0yGb5n89c2BpQ__&Key-Pair-Id=K3NV4LZ

47N8M46)

4\). Click ****Save****. Once it is saved you can see the event in your calendar.

![[Saving_The_Interview_In_Google_Calendar.png]]([https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047151624-?Expires=253370764800&Signature=rNCdAodDYNWRFyP9PNnL19wmyslwJhOj-qZ-lcrygRycA8Qv2mET0Y6UKS233QSM~C~9WXJLfbhPVfFndV1TNS3IKRZF6qk2I54TKdZX4z4dl~GQOrSMuJWI2-iLPQyPKSu8dHEIE5DgCJtthV-Dc11hUocMBpufZu7A648InBazHd1lzxQJh8yGGSYEXAJrIW2~vDVgOGI5cWvaC9gVPgREC0SVL~47D6PWLQyTI3m2bodX0LyVgbJb0hmOWH19mdS0qbGHMANGyznJLH9LrJtgwYZ9~rWpb4mKbjvmubFs8ROv5bU9s8Ve10HsLh6d0DW0~3mozLPg56Q6Ga5A__&Key-Pair-Id=K3NV4LZ47N8M46\)](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047151624-?Expires=253370764800&Signature=rNCdAodDYNWRFyP9PNnL19wmyslwJhOj-qZ-lcrygRycA8Qv2mET0Y6UKS233QSM~C~9WXJLfbhPVfFndV1TNS3IKRZF6qk2I54TKdZX4z4dl~GQOrSMuJWI2-iLPQyPKSu8dHEIE5DgCJtthV-Dc11hUocMBpufZu7A648InBazHd1lzxQJh8yGGSYEXAJrIW2~vDVgOGI5cWvaC9gVPgREC0SVL~47D6PWLQyTI3m2bodX0LyVgbJb0hmOWH19mdS0qbGHMANGyznJLH9LrJtgwYZ9~rWpb4mKbjvmubFs8ROv5bU9s8Ve10HsLh6d0DW0~3mozLPg56Q6Ga5A__&Key-Pair-Id=K3NV4LZ47N8M46)))

How Does the Calendar Add-ons Appear in HackerRank?

You will be able to view the details of this interview in your HackerRank account as well. Any interview link that is created from the Google Calendar add-on will show up on your HackerRank Interviews page, as shown in the below image.

![[HackerRank_Interviews_Page.PNG]]([https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047152105-?Expires=253370764800&Signature=tFx9qsBR1BnakhlLpbWSwP1fmDep4Xrg~ISSYbYjf-TnExAbJPrAH6S8Kb8z1nZVWBjBEJPp-s1bV3yzSrjUl516itk6Pz6v2hSy8GqJpsLgH~xSC92epgncu8Kb4t1QYhhDXN8venAthglWBDT2xF9FoUrVZnbivGdvMEtgJg~zPautKJm~YwH9yhZ1dmzeDcBFMHOa1gU8eC1IE1QFJ96H74bp8IMDMxnaOFj19p11-WdEIDVYIL6~aoXHaDg7OHvTNX34SzRwMhYqms14psjmh8vYffCX5iXrK8hG8ul6ldhgwaQuyKhHtElAIYNhV9KfojOAKr4rUGYKHU6PCw__&Key-Pair-Id=K3NV4LZ47N8M46\)](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047152105-?Expires=253370764800&Signature=tFx9qsBR1BnakhlLpbWSwP1fmDep4Xrg~ISSYbYjf-TnExAbJPrAH6S8Kb8z1nZVWBjBEJPp-s1bV3yzSrjUl516itk6Pz6v2hSy8GqJpsLgH~xSC92epgncu8Kb4t1QYhhDXN8venAthglWBDT2xF9FoUrVZnbivGdvMEtgJg~zPautKJm~YwH9yhZ1dmzeDcBFMHOa1gU8eC1IE1QFJ96H74bp8IMDMxnaOFj19p11-WdEIDVYIL6~aoXHaDg7OHvTNX34SzRwMhYqms14psjmh8vYffCX5iXrK8hG8ul6ldhgwaQuyKhHtElAIYNhV9KfojOAKr4rUGYKHU6PCw__&Key-Pair-Id=K3NV4LZ47N8M46)))

FAQs

I can not install the add-in for Google Calendar.

If you are part of an organization that manages your Google Workspace, your system administrator will have to install the add-on. They can do it for you or for the whole team. Please reach out to them to install it. Once they add it to your Calendar, you will be able to use the add-in.

Which license type do I need in HackerRank to use the add-on?

To schedule interviews using the calendar add-on, you need access to HackerRank Interview. You need to have a Recruiter or Interviewer role inside HackerRank to have access to our remote-first interviewing solution.

How can I use HackerRank Interview and another video conferencing app (Zoom, Google Meet, Microsoft Teams, etc.) for the same invite?

You can use any other conferencing platform in the same invite as HackerRank Interview. For Google Calendar, you can use another app's add-on first, copy the joining information that shows up in the description, then use the HackerRank Interview add-on.

When you use HackerRank Interview as the last add-on, joining information for the other add-on will be available in the meeting description.

I am unable to see Interviewer details within the Interview generated on HackerRank.

When you generate a HackerRank Interview link through any calendar add-ons, we just synchronize the details about who generated the interview and a timestamp for when it was generated.

You can add or remove attendees prior to the interview and still be able to use the same link.

Whenever an interviewer logs in, we will record their name and update the Interview with their details. This will also happen for multiple interviewers.

Anyone who joins the interview and logs in as a candidate will be used in the candidate details.

I am unable to see candidate details within the Interview generated on HackerRank.

When you generate a HackerRank Interview link through any calendar add-ons, we just synchronize the details about who generated the interview and a timestamp for when it was generated.

You can add or remove attendees prior to the interview and still be able to use the same link.

Whenever a candidate logs in, we will record their name and update the Interview with their details. Similar will happen for the interviewer's information.

I do not see the time and schedule information inside HackerRank.

We have made this integration lightweight and enabled all of the scheduling through your calendar app. The timing and scheduling information will directly be available in your calendar event.

This way you can reschedule your event as required and still use the same HackerRank Interview link!

How to pull questions from a candidate's HackerRank Test inside the Interview session?

When you log into the Interview session as an interviewer, you will see an ?Import? option on the left that includes questions from the HackerRank test taken by the candidate.

If you do not see the questions from candidates test even if they have taken a test:

- Check if the candidate has used the same email to log in to the Interview as they used for the test.
- If the candidate logged in to the session after the Interviewer, you can just refresh the page and you will be able to pull in the questions.

\

[integrations/scheduling] Configuring InterviewPlanner - HackerRank Integration

```
title: "Configuring InterviewPlanner - HackerRank Integration"
title_slug: "configuring-interviewplanner-hackerrank-integration"
source_url: "https://support.hackerrank.com/articles/1300810624-configuring-interviewplanner---hackerrank-integration"
article_slug: "1300810624-configuring-interviewplanner---hackerrank-integration"
last_updated_exact: "Dec 13, 2024, 5:22 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Scheduling"
```

Configuring InterviewPlanner - HackerRank Integration

Last updated: Dec 13, 2024, 5:22 PM (Last updated 1 year ago)

Overview

HackerRank's Interviews integrate with InterviewPlanner to facilitate a seamless and efficient Candidate screening process for recruiters. As part of their interview workflow, InterviewPlanner users can directly send HackerRank Interview invites to Candidates.\

This article provides you with detailed configuration steps on HackerRank and InterviewPlanner. \

Prerequisites

In HackerRank for Work In InterviewPlanner	
You must own an Enterprise plan with a Recruiter license. You must have an activated Recruiter-type user account with Company Admin permissions. This user account must belong to any team. Log in with this user account to: Generate the InterviewPlanner API key	
Log in using the InterviewPlanner account which has the same email address as the HackerRank for Work Company Admin user account. This is important for sending HackerRank Interview invites and generating interview links in InterviewPlanner. Example: If the email address in HackerRank for Work is <code>jackpeters@hackerrank.com</code>, (mailto:jackpeters@hackerrank.com,) the InterviewPlanner user account must also include the same email address. You must have relevant administrative permissions to the Integrations page.	

</tbody>
</table>

Configuring InterviewPlanner Integration with HackerRank

When configuring the InterviewPlanner integration with HackerRank, the administrator generates an API key that the admin must keep a record of.

Generating an API Key from HackerRank

1. Log in to HackerRank for Work with the Company Admin user account.
2. On the home page, click the drop-down next to the user icon in the top right corner.
3. Click **Settings**.

![[settings.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046899688-?Expires=253370764800&Signature=UNFvrvSNKTojz3SOzJXn5PMD6eNE5CQSMAGXwyVmx41ctELjTyIM53ivrOplxyJLtDUfVnWbKX915lsw7XF9DfayNC8pzftNltTHUMAYd6YoenYxEKf8GqE~CFtc2AZZqz-RLqcMzFiBJ1yakJTQOL5Fy7dwK3jXx8DaQgg19LZS6gXgSbhrJcbTYoZQDTHb4-ghVwl-YbbHtnBDJRuEVM~izDq5ULtgutW7ikn7jotyIFg-eKwGadY3jI7ri9uqOz08P3j9c54zqxWSGYNEQqnkGpceQmwID9YxL8uRdDXN3e6JbMGY9ezWj1k3LdZCuR~S8VmGLXp11rqEVdHaA__&Key-Pair-Id=K3NV4LZ47N8M46)

4. On the left pane, click **Integrations**. The **Integrations** page is displayed. Scroll down and click **Configure** on the **InterviewPlanner** option. You can also search the Integration from the Search bar.

![[integ_interview_planner.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046900550-?Expires=253370764800&Signature=a678CPX92laMOglVeTZtsv7C0RLbhiRi1QK2CNYgrOdjgBR2B2aBPiIG~CqXEA~3baLFJpgTubnYVpMEoTuzfenUvNSB8MiTdCuF1MZChFipHuy8siYC79wYmKbHZtzo~TO7Z6DqI9WPcZu9ADdzGqcBe9a5c2e7dKwe17GTwLT74sdShwB8C5C3NILCt5Rv8mQH6MvvyDVg-BNI-yi-SVacZseBrZjAhJnp6oiwd4RWjg7rRpP8MRixhlgdY~iOiJmN7vGW1tszE0a-s3-xOvAk-lygNVZ8K-kwhXBzT9g9ZeP2fC40Xpqboi~SiyMV~DLpTvfacsizZ-sWgy9TyQ__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click **Generate API Token** to generate the API token.

![[integ_interview_planner1.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046900909-?Expires=253370764800&Signature=Hk2WvjMaXikuFE4waxWX5g85flbbM398153Vj1BcbhiDp6HyrrAIRjt0tzSZvulthfaz5rZp1Vaumc1g~IU6eZnlukSIKGwawZczjpqRHixSe5sssY4djHAOtftplcgQwXwcH6RB66vvHpMADvSsDp-QWh7uEPg-1fkschHiCxYw60AS3VIE1IQjyERwm~HqozTJSLggl8lw~nHLy9K7CHxXbSwNrt2Tlyr4WivD3AAAd9CN7ZzKkUUPrLhvXmT6BCVJW8h7yqX9reBoMnJGzBckq1xb1hO0wdJ0UEaMHUeiDVy65ZjY~IQd-KYyLUhS6fCnM3naHoCXzLh8X4Yw__&Key-Pair-Id=K3NV4LZ47N8M46)

A unique API Key is displayed.

![[integ_interview_planner2.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046901316-?Expires=253370764800&Signature=A1tceNI77iDHvUZI~33z~8Gb1HYbs3tD4HyaPvNneHGtIIVm~bGfIKegL7GJYzR~2f52p3DW9k1alz-U8joH0GEbQyawKCw9UGI2cQINZb3tTLKC1mWZt~9BtwdvK6Wzclp96wUiAUzatnQgJU0~taMj8dXjRPFELQ~Jpf-OJ5T8gbcTYRIn754l3naPxLOXYwsxYTckKew2oWsZi73PgCuGSTf9j16fTlqkUmQ7DVGL2tlQf8jIscwRblzd91DZI3b95yNW7kOuAo9z7XG4byPkOMpR50-NYkAzWSowFAfCLJDDnROfq4RTI~Nwb2H8kwxYSferiX495MZjWCsdjg__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Copy this key. You will need to add this key to the Greenhouse account to establish the integration.

Note: Ensure to store the API key safely. Once the popup is closed, you cannot retrieve the key again.

Adding the API Key in InterviewPlanner

\

1. Log in to **InterviewPlanner**.
2. Under **Settings**, click **Account** > **Integrations** on the left navigation pane.

![[intrvwplanner_login.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046901736-?Expires=253370764800&Signature=BJS6PcwSVBQIfi31I~Fr~zhPpZGtbNai~B~iG1eXqZnAsNzOvnA1ZeD22RpaGu~gaOyKbRssbLSdbzOYeKWx3hKtR8PaXxxidcFoGfoV2C~ln9s24TDmL5w~7zJjm0tMKjWZwJpjg02dHIKwPBlo~fE660gWpbXKJosJ3Y~d1dHuljHMgpCSh5eFsAtnhE8d3Cj9PzErd8IsoQmtl~zzdmdJFTm02pEZHHzU2sVYySITAHeNoN2KHkqoYKNAZcEeVzvHWyoVndP~sbED9JuRyDxvLPsPGvKGAK6twxXZ~LmYjhlN~9DkqFbNOM5pWEkZ5s~HsCnu10hNpYqpb8A__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Scroll down to the Live Coding section and click Edit.
4. In the Live Coding Type drop-down, select HackerRank.

![[live_coding.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046902068-?Expires=253370764800&Signature=QBCIxMfmaxBW29vPhiSiZ3sLnELfQAThdLsBUPDVc0SXGirEgDZiHNtBmctvRg3WCz6BniA5cjin4a6Dx6BotYEid0yVti9VVPA474II8BirsJycBXs2WjQOgdiSZGCn-8PDfEaTpF19fAr5R8-hv87axBpIV~AeWZd2Glp47ZigNpg9U6he2b4gKRQey4vEZICxEqvJ8JU~6WP8hbOIYhGDQYXAr7TSO1k2oyagAK7Pk8x9XdTh2t5RISxoNIAIfTtXHFFYSI3xgN1MwYQnsdJJZQd86qgcaPOynLJ8dIP8k9GdxAiBo3wpPZUf1v3fhXkLAWlNhmVOJfs~lt31CwPA__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Enter the API Key that you generated from HackerRank.
6. Click ****Save.**** The API Key is added and the InterviewPlanner integration with HackerRank is completed.

\

[integrations/scheduling] HackerRank Interview and Outlook Calendar Integration

```
---
title: "HackerRank Interview and Outlook Calendar Integration"
title_slug: "hackerrank-interview-and-outlook-calendar-integration"
source_url: "https://support.hackerrank.com/articles/2480863637-hackerrank-interview-and-outlook-calendar-integration"
article_slug: "2480863637-hackerrank-interview-and-outlook-calendar-integration"
last_updated_exact: "Dec 24, 2024, 7:04 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Scheduling"
---
```

HackerRank Interview and Outlook Calendar Integration

Last updated: Dec 24, 2024, 7:04 AM (Last updated 1 year ago)


HackerRank integrates with the Microsoft Outlook calendar to facilitate a seamless remote interviewing experience.

As part of this workflow, users can install the HackerRank calendar add-on and schedule remote technical interviews directly from the Microsoft Outlook calendar app. This results in a hassle-free interview scheduling experience that saves a lot of time and effort.

How Does the HackerRank Interview Add-on Work?


Prerequisites

You need to install the add-on from the [Microsoft Appsource](https://appsource.microsoft.com/en-us/product/office/WA200002098). Once the add-on is installed, follow the steps below to use the HackerRank Interview add-on to schedule remote technical interviews.




Steps


1\.. Open the Outlook calendar app and enter participant information.



2\.. Choose ?**HackerRank Add-in**? from the video conferencing options on the platform.



3\.. Click on Allow to log in to HackerRank. (This is a one-time setup. Once logged in, you do not need to repeat this step to schedule future interviews.)



qKXIxUS8IQDTE5zpNPe25nkpHHLux9m7Q__&Key-Pair-Id=K3NV4LZ47N8M46" data-drag-handle="false" />

class="kb-image"

block"

4\). You will receive the HackerRank interview link in your calendar. Once the meeting is scheduled, all the participants will receive an invitation with the interview link.

![[HackerRank_Interviews_Outlook_Calender_Addon.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047154765-?Expires=253370764800&Signature=mobsZpeDilbg~hDy8VksICyUfIyhtgxSORnFTC3Xnlde4JodUTVh065KdArH KgAP9-JzCO8IUvmFz~VooYb6NN-RRG0BV468LSopZZMD0xLwWJWFHQb3G2mPa9i~sdpGUEuuL2hJMEv0BPSH1h3VBkOBL6x3 oXv755e5ssFVU6YW1z~xn9rLy8MmUz0OTWkQ~0kcMg2LJoVsRZE5uzja3iNxVaHlzG02zmKPTkUEvPpgBwEGLBRjCY0Jb2c1BvsV wZS~StgwHyi2BDzH93xUYtkRZz3bPI5Wa6Qev6FIs0XJVz50fSkxia8oCfNKTWYOyPdkCb2E5AftSF5MYnGWw__&Key-Pair-Id=K3NV4LZ47N8M46)

How Do the Calendar Add-ons Appear on HackerRank?

You will be able to view the details of this interview in your HackerRank account as well. Any interview link that is created from the Microsoft calendar add-on will show up on your HackerRank Interviews page, as shown in the image below.

![[HackerRank_Interviews_Page.PNG]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047155135-?Expires=253370764800&Signature=fSalvJkl1axNs0Tp7yyiay6Xj-xqX1EBdEhsKgedZHrnodnDbH9NIB5pxKZd8kp9ohlB836k8mJy8d90 GXMxedm9jKWtKyLnv555ZXuWS-vT33mcikLTE6evnA3elfG9yRVb~UwMyTFLI39vw0Bah5PSEltmv9pmeq3pnOOAsB2qgcPFcdD6 uADZuvH6CIDOVWcQ0j8pUvrTaV-gQmcd435HA8Q1zX0Od8nXKWcPxSBDMfodOC~7VMNCMVI4osLeI8E3c7jAhv4HtXBoHkZa1U E2S9Phct8LhYeyLCLqniLJl4A6HhlmxBDO20PTLJkWSs6jv0zwyZG52Lp2AT0bQ__&Key-Pair-Id=K3NV4LZ47N8M46)

FAQ

1. **I can not install the add-in for Microsoft Outlook.**

If you are part of an organization that manages your Microsoft suite, your system administrator must install the add-on. They can do it for you or the whole team. Please reach out to them to install it. Once they add it to your Outlook, you can use the add-in.

2. **Which license type do I need in HackerRank to use the add-on?

To schedule interviews using the calendar add-on, you need access to HackerRank Interview. You need a Recruiter, Developer, or Interviewer role inside HackerRank to access our remote-first interviewing solution.

3. **Why do I see a blank screen when I click on ?Create Interview??

If you are on *Windows 10 version less than 1903* or *Microsoft 365 version less than 16.0.11629,* your Outlook app on your desktop opens new pop-ups in Internet Explorer 11.

The first time you use the add-in, you will be asked to log into your HackerRank account so we can match the Interview requests to your account. Our website does not fully support Internet Explorer 11 as it is a legacy browser; hence, you might see a blank screen.

If you are using older versions of Windows, please update to the later versions or use Outlook on the Web.

4. **I am unable to see Interviewer details within the Interview generated on HackerRank.

When you generate a HackerRank Interview link through any calendar add-ons, we just synchronize the details about who generated the interview and a timestamp for when it was generated.

You can add or remove attendees before the interview and still be able to use the same link.

Whenever an interviewer logs in, we will record their name and update the Interview with their details. This will also happen for multiple interviewers. Anyone who joins the interview and logs in as a candidate will be used in the candidate details.

5. **I cannot see the candidate details in the interview generated on HackerRank.

When you generate a HackerRank Interview link through any calendar add-ons, we just synchronize the details about who generated the interview and a timestamp for when it was generated.

You can add or remove attendees before the interview and still be able to use the same link.

Whenever a candidate logs in, we will record their name and update the Interview with their details.

A similar will happen to the interviewer's information.

6. **I do not see the time and schedule information inside HackerRank.

We have made this integration lightweight and enabled all scheduling through your calendar app. The timing and scheduling information will be directly available in your calendar event.

This way, you can reschedule your event as required and still use the same HackerRank Interview link!

7. **How do you pull questions from a candidate's HackerRank Test inside the Interview session?

When you log into the Interview session as an interviewer, you will see an 'Import' option on the left that includes questions from the HackerRank test the candidate took.

If you do not see the questions from candidates' tests, even if they have taken a test:

1. Check if the candidate has used the same email to log in to the Interview as they used for the test.
2. If the candidate logs in to the session after the Interviewer, you can refresh the page, and you will be able to pull in the questions.

\

[integrations/scheduling] Calendar Add-ons for HackerRank Interviews

title: "Calendar Add-ons for HackerRank Interviews"
title_slug: "calendar-add-ons-for-hackerrank-interviews"
source_url: "https://support.hackerrank.com/articles/3450462093-calendar-add-ons-for-hackerrank-interviews"
article_slug: "3450462093-calendar-add-ons-for-hackerrank-interviews"
last_updated_exact: "Dec 13, 2024, 5:15 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Scheduling"

Calendar Add-ons for HackerRank Interviews

Last updated: Dec 13, 2024, 5:15 AM (Last updated 1 year ago)

Scheduling remote interviews can be time-consuming, as it often involves switching between multiple apps, coordinating with interviewers and candidates, and managing calendar invites.

To simplify this process, **HackerRank** has integrated its interview platform with two popular calendar apps:

- [Google Calendar](https://support.hackerrank.com/hc/en-us/articles/1500000407702-HackerRank-Interview-and-Google-Calendar-Integration)

- [Microsoft Outlook](https://support.hackerrank.com/hc/en-us/articles/1500000389021-HackerRank-Interview-and-Outlook-Calendar-Integration)

By installing the **HackerRank calendar add-on** in your preferred calendar app, you can seamlessly schedule **HackerRank Interviews** directly from your calendar.

[integrations/scheduling] Using HackerRank Interviews in InterviewPlanner

```
---
title: "Using HackerRank Interviews in InterviewPlanner"
title_slug: "using-hackerrank-interviews-in-interviewplanner"
source_url: "https://support.hackerrank.com/articles/3675175160-using-hackerrank-interviews-in-interviewplanner"
article_slug: "3675175160-using-hackerrank-interviews-in-interviewplanner"
last_updated_exact: "Apr 3, 2025, 11:42 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Scheduling"
---
```

Using HackerRank Interviews in InterviewPlanner

Last updated: Apr 3, 2025, 11:42 AM (Last updated 1 year ago)

HackerRank integrates with InterviewPlanner to enable recruiters for initiating and conducting online interviews with Candidates located remotely. The integration allows for a seamless Candidate assessment process in the InterviewPlanner hiring workflow. HackerRank Interview includes an in-built code editor that facilitates a collaborative coding experience for interviewers and their candidates.

This article describes how you can schedule interviews with Candidates in the InterviewPlanner interface using the HackerRank Interview options.

Using InterviewPlanner-HackerRank Integration to Schedule a Candidate Interview

After the admin sets up the integration for InterviewPlanner with HackerRank, recruiters and interviewers can schedule an interview from the InterviewPlanner that gets reflected on the HackerRank for Work platform. Interviewers and Candidates can take up the interview from this HackerRank platform.

This integration allows you to:


- [Schedule a HackerRank Interview in InterviewPlanner](https://support.hackerrank.com/articles/3675175160-using-hackerrank-interviews-in-interviewplanner#scheduling-a-hackerrank-interview-in-interviewplanner-8)
- [Preview the Scheduled Interview in InterviewPlanner](https://support.hackerrank.com/articles/3675175160-using-hackerrank-interviews-in-interviewplanner#previewing-the-scheduled-interview-in-interviewplanner-10)
- [Review the Scheduled Interview in HackerRank for Work](https://support.hackerrank.com/articles/3675175160-using-hackerrank-interviews-in-interviewplanner#reviewing-the-scheduled-interview-in-hackerrank-for-work-12)

Prerequisites:

- You must have HackerRank for Work and InterviewPlanner user accounts with the same email address.
- You must enable the integration between the two applications. See[? Configuring InterviewPlanner - HackerRank Integration](/articles/1300810624)
- You must log in to InterviewPlanner with the same user account used to generate the API key.

Scheduling a HackerRank Interview in InterviewPlanner

1. Click the **Candidates** tab on the left navigation pane to open the Candidate's profile.



2. Select the Candidate you want to schedule an interview with and click the ****Request Availability**** drop-down.

3. Click ****Schedule****. The wizard for scheduling an interview for the candidate is displayed.

![[interview_plan.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046887845-?Expires=253370764800&Signature=RC-eKFzgL~3nHeSg6EtnD--V1U0NsU7ycQhJUXPPvPgBPchdQH9Pe3PYktf-AKlcsYnkot23HUqmoBD5njhsE6LLkwFaDRGePr7xcQb9MmeJaCRP50aOii7OvWwQqy~BPh86hZ97gBEZbzxEihLVT0r1q0uEZ7dZDai2ZF7VO3hDPphKfqF95V3liTQshGB3ZsiJVgwpTl8kyEV0-RDJxdzyOJwBAoLTNke6RczmQFBryiaLqK6-Ceaw3vldQV-1AG4j0qkmBsVnnrDhGbnRlnMxNtAj9SLOV92GwoXn5YOLJ1M9ZcGXUQrCdZ7T7LlKas5kMjCmbPdhadq93ciAw__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Select the appropriate ****HackerRank Link**** check box against the interview option and select the other interview details.

5. Next click ****Interviewers****.

6. Select the appropriate options for the Interviewers and then click ****Availability****.

7. In the ****Availability**** step, you can select the conference rooms and time for the interview. Enter the candidate's availability.

![[availability_new.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046888270-?Expires=253370764800&Signature=CoocaiiVGZfxrqv-UtkRf0seWUqZEAOVUNhTO29v~2S76OIODaphPF6iYcKazThi6-rmlolPb8WdBLzShf4Z6qq7zyKQNf6w~fLn1flXU9Uo~F6372tmtv369cJEwX~n6OGC8PD0ErJmADTVrlj9wuDbWii5BC2IOvkms9RLXZ9ke7NEnpMB2BN~lvPDLmAzME3rDXx8JzbWB182TribzkHxPNyNit5sn~tWlongij8doIXUh4LXgWLbtOjesRXsiros7LR8TQyrwNsZec6ZnA~wBOtHDtz~y78czlKufAPPfHV-Ya~aYghZA3MPLau7pSxkJqcDWNQyKFeqDL0JkA__&Key-Pair-Id=K3NV4LZ47N8M46)

8. Next click ****Schedule****.

![[schedule1.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046888930-?Expires=253370764800&Signature=u3aFyA5n3zEuUYW5bmzwlZNcKzqg1wQ4levw6A9dprO~cKuQmyZSbKhIR0cRBTGACUx5nwCZ5y~Xn2lOts3pA1yXq~vXDWLbtdhj7IYjy~2MdhWqno1vQX01WDHlBqmMTudB~0wMse36zBbhitkjoDGxVevPGettUM4xGaNvCycWrs4myiF89aI9fl4azdlhnL6sKTUrHqm2asZr7KMPiVKeKQhGbSFgPCqKxUUNkDlu0l0w6y9Fr3MJ64DABwSUuZtTfgAoa4Ej~00O5otrBb3nG8tbOnTRQ6SyB98jpnVLvqbelqvZoeuZiWB3hdGau6SK7j2Kuuhlw~9jbhA__&Key-Pair-Id=K3NV4LZ47N8M46)

9. Select the schedule option you want for the interview with the candidate.

![[schedule2.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046889376-?Expires=253370764800&Signature=XuISOdvtl73pCKNs9R9gmV~fUtxlWJq82AXByKBBLFMOZLQ58~wcNa53RoW9lRb6h~M7AcsmYBDUBn~uJFnHoYHCtkFECMHZXueMKyC27fovt~3qdavOqPgGljpL~zs61JxHCRA91ZlhVqKH5u2OqP9MDYteBx32bUI1YFeKcLXuxRrYC~fv8xKFc1VVjb6t~7lMNP18KMBmkYxptATsfBmLE5JbXc96BBznRuQNXGYkKw4PoZjXS1qa0s2RdSz2dN3kO80vKcpVUyxMXtAlqZoP39xJhr3ssrceHyisNvz~iN6GpFIYsRsZ0OVwM2fzhTY3akKwwoz4BIFb30VkoA__&Key-Pair-Id=K3NV4LZ47N8M46)

10. Next click ****Events and Emails****.

![[emailevents1.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046889896-?Expires=253370764800&Signature=utF-HW14eZ6CI9sEO37f8Q~cDrLLwHUA~rAZIR27iAPIWIB4an62P~sWVeO~0qOem~xldD66xkgJO7RMj9sK~te3vllrb4mdgNeqoE8F~3~UpvNXu3CBsIOuPiKJ6vu5D1Keh1U2M27U01XxJG7vkt7VlslRspZhm6PBU8768HJAe62kjavIMpjdsqb6X~X89ezqo~nvLtkuKtm21~ntm4faqaVjuhh8O5LKRDbL3H06ltE0Eu~oDr2TenHKyeRecEILRvy1IbE126X7mAPOaHvikCBszKqATfKkq7cUXBBcYpn1MJ6so99OuV1L6Vnvhc2TJ9le~Dj0iNG1dSciA__&Key-Pair-Id=K3NV4LZ47N8M46)

11. Enter the specific calendar details for the interview and also set the confirmation Email invite content that you will be sending to the candidate.

![[emailevents2.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046890471-?Expires=253370764800&Signature=unyYufsXwwACxSdq5WZwXLx4Rt8wgNZknez7aorBOVVulb99ltgtwFd9FStiEtOYFazaQLKG2bsHbdbBTZ~jhZ2RX9wgB4ZKeK0CeEg2~YH~nn~6L~z2RYj2YZIElq5zG6yfoG0~5Zu6cW~Y1l~KWu48QnNlaE1S0pZpNFCrww0LOXLiaeau32RGyKWbmUDmPCMLvQCSwh~FZpY1AfN~aQkh9~MHA05LWI3WeUo3ohOGUmUZAuflGPGRysLWjwHrOwEvAO2mkUhhL1HIW9lmgHM~0V5hwWIY3wMCZxPOIJ8OsRob8TK~vuNF5KhuHhrgABqoiZXG3wZhYYqzEisA__&Key-Pair-Id=K3NV4LZ47N8M46)

Previewing the Scheduled Interview in InterviewPlanner

1. After you enter all the interview details, click ****Review****. You can view a preview of the details you have entered to schedule the HackerRank interview.

![review1.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046890998-?Expires=253370764800&Signature=rGZB3PTJ-wenF-zLQTCkE2oiuTrN969aDg75WnWhPtjzvhhHe6lMtVDp0b2qtdbQkzsFV53c9e1NEeRJTCuYDt99tQ5Ta8FmlyZT6pH1vr2W4XxDSdIlM2EEJuNudkHboQW9DSuMnrCNmGSHvmavT1Xq8NzYhrJ5Odj1PML7MJWZ85wNnvcHX3eqrgN8sjxxe2U~ZLrd6tF5IW5wQpbSOckmoCxlCasze9X1lpWXucT0kys2rkZEOFnirLs03rY4ubs9cr2gAWFCj-3sluBGThYH41KU7RhiHaccjvJb6exH5qPpNbvA-i4FZo0RuVcuNH0o94XpPCbi0QXVsubA__&Key-Pair-Id=K3NV4LZ47N8M46)

The preview also contains the HackerRank interview link.

![review2.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046891561-?Expires=253370764800&Signature=OLOx3QkmSLXs2PfcPI9WT5kCL4dAGeWXqFa9AXSnD~v3JI0zrEwOWm8~jmRsWHV~EN3mRntmNNxd6CnMnv4efkgTE6Ngk-LTWAZ4GiF26MquYJkzbcidiliKnTc-CwHpZvzte51xSWOiEiCFLlg-YHM3UKWTSqkoXqTxbSBcb2pZhltp9gRbQF-SV~Rx09MmGroBLiBDEdVBoeGNvos1UogSI7utlArURAdWbeAPhE-2eAEK-1zwJMtQ8dvE3niEfJ3VdpGpqh8wR7Bi6edlCiXvR~JytwhV-S-qulx1LqEZPjUF~w9hZk2HdNeypcAB0lWa1rT9S9LeSU5TbM30TdQ__&Key-Pair-Id=K3NV4LZ47N8M46)

2. After you review, click **Create Schedule** to schedule the interview with the selected candidate.

3. The interview is scheduled and you can view it on the **Candidates** tab.

![scheduled_interview.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046891870-?Expires=253370764800&Signature=fG4zAwfj~xv8WAcHdYruQ2wPZjQE~LJ3yUOtK32QUGNoGEp~zIP~1IrrqAhdmyx0ZDikzGNS-MIIK3c8HqBgWk8ZnA7a0BBVqCKEMlwf0F0mETrOD7OYGiw~oCZuYCYEyc10yWxgH2LkUSOJb3CF33RcuYOcINB0a9JX5u11blmAH~r11cAV6lFNL2lIFyoTYink8CC3sKI02Kz1m4corKi5qqXcMiv54kiQHZXhOPNOPIl8Xs8T5rnoXQoSeUF8TMg~UN~lo60M0RUBmJyahaKfkhuhfBEiUL8dRmASP3kzGHFglqzFGz0XPCxyvNhGJ4RECFeOzTDIT5ueuwNQ__&Key-Pair-Id=K3NV4LZ47N8M46)

4. You can also cancel the scheduled interview for the candidate based on your requirement. Click the Cancel schedule icon on the upper-right of the interview Scheduled screen.

![cancel_scheduleicon.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046892335-?Expires=253370764800&Signature=k0uuTzIBkXCmX3M-MO6Bvt0QMUTv~bo8v7~TnE93~bpVmMkY7CHq634zGlfvWFDIx7cnj5EO2jWTC7IE~btShN9PuSfrMWhFfGtp5ZVs48N9qb9TtydNfuPpTSSBGYnWUIdz5yEQnjLJGxxK3mSRX0vcDe3~2SAGdCFLssUKxzL8eSFyfv1~6hU1DMqURCecie6zstepxeRABZgzECI2rMlyTBv~81cxh1PSKyHWXJ~fDs0kzscP6~g34WBZX-67kk-YEdGT00sktmAPXRH2dvkogLW0Qhf9XI07TMdH-A9wXis4SsdRXdUAOkQ1glZLKETF4BCfTjnlK2kT4Nsmg__&Key-Pair-Id=K3NV4LZ47N8M46)

5. A prompt message appears to confirm the cancellation. You can either select to cancel or keep the schedule.

Reviewing the Scheduled Interview in HackerRank for Work

1. On the **Interviews** tab in HackeRank for Work platform, you can see the scheduled interview for the candidate.

![hackerrank_schedule.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046892747-?Expires=253370764800&Signature=GIINln6adTfW0rv9cs7qSA0DYCWyehKFJaTVKs9NrUgb2liR8TQu7ZyzgR7zB-UefQkJcoRYBfCFXIsYOfItqu4IL4P8KITuDtDSeSzFGzqsju7lvZYcASMZNfHxUBJDEuqAYeVWnPP4CkjNcgXitnvWY8OQ1ml1x7xJgcsiu7wc5SGV0HUIcVVzqxpSyqZKNWYV4tuPMQ-9GsePumkiEqrXj1HKtM0OuivPkuho5jWSEWsUA-5VvC8QUnimpnOtyxcypiUaSUJBBRAH4-yuz47XsdOQ~oHCKp8qHbYfXPRWwugr5yHD1g1NvOIX5HXSeHRMxcccSzeoUXbYXR8HntUZg__&Key-Pair-Id=K3NV4LZ47N8M46)

2. As an interviewer, access the interview link and log in to the session with your HackerRank for Work company admin user account. For more information on conducting coding interviews, refer to[? Introduction to HackerRank Interviews](/articles/9059560249)

![interviewscreen.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046893157-?Expires=253370764800&Signature=HyUzqB7PIVCRBGDO7HtCWeyRFIt1f2uHJrOLTK~RzT9mULF2wWE3mxQVLLtswwh79M2v~pKDMNcP4ImG937lXcdM-ucZMKkQFtBBJSmsH9ssV~68GKuAb03BeCPFI5xJzL~H5QzH1w4agkKMjPZxMaSEwPS9N6vR~1m-sj-THWR6Z2gruuFZBh24GEx8dx4~ob~S4jxZrf06HVDIB6sL6rxyQyAbt8PSQDnclhyRKO6pRyLsYk-HyzrM8AnrW~nm0E2O1P8ppgoSxpFdb71OjQdNBRla3AljxMsOaRC6bgPPlwd~gLmRjHXOLK11aCujcf8vXvrVj9Uhjqoldpmw__&Key-Pair-Id=K3NV4LZ47N8M46)

Joining the interview session as an interviewer

1. The Candidate can log in to the interview by entering the name.

****Note**:** It is recommended to use the latest version of Google Chrome or Firefox browsers for the best experience with HackerRank interviews.

Recommended Articles




- [Understanding the HackerRank Interview interface](https://support.hackerrank.com/hc/en-us/articles/360016528573--Understanding-the-CodePair-interface)
- [Logging in to a HackerRank Interview Session](https://support.hackerrank.com/hc/en-us/articles/115008018328-Logging-in-to-a-CodePair-interview-session)
- [Interview Preparation Checklist for Candidates](https://candidatesupport.hackerrank.com/hc/en-us/articles/4402914035091-Interview-Preparation-Checklist-for-Candidates)

```
title: "InterviewPlanner - HackerRank Integration"
title_slug: "interviewplanner-hackerrank-integration"
source_url: "https://support.hackerrank.com/articles/6566949282-interviewplanner---hackerrank-integration"
article_slug: "6566949282-interviewplanner---hackerrank-integration"
last_updated_exact: "Dec 24, 2024, 6:31 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Scheduling"
---
```

Last updated: Dec 24, 2024, 6:31 AM (Last updated 1 year ago)

- [? Configuring InterviewPlanner - HackerRank Integration](/articles/1300810624)
 \
- [? Using HackerRank Interviews in InterviewPlanner](/articles/3675175160)
 \

Below is a list of features that the InterviewPlanner Integration offers:

Feature	
InterviewPlanner	
Create Interview QuickPad	
Schedule HackerRank Interview	
View Result	

```
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 29.9627%; height: 30px"><p>View Interviewer Notes</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 29.9627%; height: 29px"><p>Link to the detailed report</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

[integrations/scheduling] Prelude - HackerRank Integration Guide

```
---
title: "Prelude - HackerRank Integration Guide"
title_slug: "prelude-hackerrank-integration-guide"
source_url: "https://support.hackerrank.com/articles/6684042810-prelude---hackerrank-integration-guide"
article_slug: "6684042810-prelude---hackerrank-integration-guide"
last_updated_exact: "Jan 23, 2025, 3:25 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Integrations"
  - "Scheduling"
---
```

Prelude - HackerRank Integration Guide

Last updated: Jan 23, 2025, 3:25 AM (Last updated 1 year ago)

Overview

HackerRank integrates with Prelude for scheduling interviews. You can schedule HackerRank interviews directly from Prelude as part of your interview process for single or loop interviews.

Tests Features

Below is a list of features that the HackerRank - Prelude Integration offers:

Feature	Prelude		
View the Full list of HackerRank Tests			
Invite candidates to a specific test			
Cancel an invite			
Reinvite			
Status update from invite to completion			

```
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 40.628%; height: 20px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 40.628%; height: 20px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 40.628%; height: 20px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 40.628%; height: 20px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 40.628%; height: 20px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 40.628%; height: 20px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 40.628%; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 40.628%; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 40.628%; height: 20px"><p>Templates</p></td>
<td data-cs="1" data-rs="1"><p>N/A</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 40.628%; height: 20px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1"><p>N/A</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 40.628%; height: 20px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 40.628%; height: 20px"><p>Update results after editing HackerRank</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
```

```
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 40.628%; height: 25px"><p>Result sharing and validity</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 40.628%; height: 25px"><p>Add Time Accommodation</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

Interviews or Code Pair

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="471" style="background-color: #eafcef; width: 471px; height: 42px"><p><strong>Feature</strong></p></td>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 174.659%; height: 42px"><p><strong>Prelude</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="471" style="width: 471px; height: 31px"><p>Create CodePair link</p></td>
<td data-cs="1" data-rs="1" style="width: 174.659%; height: 31px"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="471" style="width: 471px; height: 29px"><p>Schedule CodePair Interview</p></td>
<td data-cs="1" data-rs="1" style="width: 174.659%; height: 29px"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="471" style="width: 471px; height: 27px"><p>View Result</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="471" style="width: 471px; height: 30px"><p>View Scorecard</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="471" style="width: 471px; height: 29px"><p>Link to the detailed report</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```


Reaching Out for the Integration Help

To know more about how to integrate the Prelude with HackerRank, you can reach out to the HackerRank point of contact or raise a support request by writing to [\[support@hackerrank.com\]](mailto:support@hackerrank.com)(mailto:support@hackerrank.com).

You can also refer to the [\[Prelude website\]](https://www.prelude.co/integrations/hackerrank)(https://www.prelude.co/integrations/hackerrank).

[integrations/scheduling] Goodtime - HackerRank Integration Guide

title: "Goodtime - HackerRank Integration Guide"
title_slug: "goodtime-hackerrank-integration-guide"
source_url: "https://support.hackerrank.com/articles/7205562153-goodtime---hackerrank-integration-guide"
article_slug: "7205562153-goodtime---hackerrank-integration-guide"
last_updated_exact: "Jan 23, 2025, 3:26 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Scheduling"

Goodtime - HackerRank Integration Guide

Last updated: Jan 23, 2025, 3:26 AM (Last updated 1 year ago)

Overview

HackerRank integrates with Goodtime to add HackerRank interviews as a video interviewing option on your interview plan within Goodtime.

Tests Features

Below is a list of features that the HackerRank - Goodtime Integration offers:

Feature	Goodtime		
		View the Full list of HackerRank Tests	
Goodtime		Invite candidates to a specific test	
		Cancel an invite	
		Reinvite	
		Status update from invite to completion	

```
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 41.0563%; height: 20px"><p>View Total Candidate Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 41.0563%; height: 20px"><p>View Maximum Score</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 41.0563%; height: 20px"><p>Link to the detailed test report</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 41.0563%; height: 20px"><p>View Question-wise scores</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 41.0563%; height: 20px"><p>View Candidate Feedback</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 41.0563%; height: 20px"><p>View Reviewer Comments</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 41.0563%; height: 20px"><p>View Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 41.0563%; height: 20px"><p>Play Code</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 41.0563%; height: 20px"><p>Templates</p></td>
<td data-cs="1" data-rs="1"><p>N/A</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 41.0563%; height: 20px"><p>Invite sent from</p></td>
<td data-cs="1" data-rs="1"><p>N/A</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 41.0563%; height: 20px"><p>Public URL sync</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 41.0563%; height: 20px"><p>Update results after editing HackerRank</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
```

```
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 41.0563%; height: 25px"><p>Result sharing and validity</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 41.0563%; height: 25px"><p>Add Time Accommodation</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

Interviews or Code Pair

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 30.9232%; height: 42px"><p><strong>Feature</strong></p></td>
<td data-cs="1" data-rs="1" style="background-color: #eafcef; width: 172.635%; height: 42px"><p><strong>Goodtime</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 30.9232%; height: 31px"><p>Create CodePair link</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 30.9232%; height: 29px"><p>Schedule CodePair Interview</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 30.9232%; height: 27px"><p>View Result</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 30.9232%; height: 30px"><p>View Scorecard</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 30.9232%; height: 29px"><p>Link to the detailed report</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
</tr>
</tbody>
</table>
```

Reaching Out for the Integration Help

To know more about how to integrate the Goodtime ATS with HackerRank, you can reach out to the HackerRank point of contact or raise a support request by writing to support@hackerrank.com.

You can also refer to the [Goodtime website](https://goodtime.io/fan-love/amazing-integration-with-our-ats-and-hackerrank/).

[integrations/scheduling] InterviewPlanner-HackerRank Integration FAQs

title: "InterviewPlanner-HackerRank Integration FAQs"
title_slug: "interviewplanner-hackerrank-integration-faqs"
source_url: "https://support.hackerrank.com/articles/7401637722-interviewplanner-hackerrank-integration-faqs-"
article_slug: "7401637722-interviewplanner-hackerrank-integration-faqs-"
last_updated_exact: "Jan 23, 2025, 3:32 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Integrations"
- "Scheduling"

InterviewPlanner-HackerRank Integration FAQs

Last updated: Jan 23, 2025, 3:32 AM (Last updated 1 year ago)

HackerRank Interview integrates with InterviewPlanner to enable a seamless and efficient candidate screening process for recruiters.

This article provides useful troubleshooting tips for some common issues encountered while enabling and using the integration.

API Token and Access

I am unable to view the API keys in my HackerRank for Work account.

You must log in to HackerRank for Work with a **Recruiter-type** **Company Admin** user account to view the API access page and generate the InterviewPlanner API key.

Refer to the **Prerequisites** section in the [? Using HackerRank Interviews in InterviewPlanner](/articles/3675175160) topic.

Seems like the InterviewPlanner API key is not valid for my HackerRank for Work account. How can I reset the API key?

- Log in to HackerRank for Work using the company admin user account which has the same email address as the InterviewPlanner user account.
- Navigate to **Settings** -> **API access** -> **InterviewPlanner**.
- Click **Delete** to delete the existing key and click **Generate API key** to create a new key.
- Add this API key in InterviewPlanner to enable the integration.

Refer to the [? Configuring InterviewPlanner - HackerRank Integration](/articles/1300810624) topic for detailed integration steps.

Interviews

Why do I receive an error message while trying to generate an interview link in InterviewPlanner?

- Ensure that you have logged in to InterviewPlanner using the same email address as your HackerRank **for** Work user account. This is required for generating the HackerRank interview link and logging in to an interview session.
- The candidate's profile may not have a valid email address. Update the candidate's email address and try generating the interview link again.

Who is treated as the Inviting Recruiter if I invite a candidate through InterviewPlanner?

InterviewPlanner sends us metadata about the recruiter who initiated the action to invite a candidate. That information is used to determine the inviting recruiter.

Other Troubleshooting Tips

What are the other troubleshooting tips for any issues encountered with the integration?

- Verify whether the API key added to your InterviewPlanner account is valid for your HackerRank for Work account. If you are unsure, you can generate a new InterviewPlanner API key in the HackerRank account settings page and configure the new key in InterviewPlanner.

- Ensure that your HackerRank for Work user account is an activated **Recruiter** type account with **Company Admin** permissions. This user account must belong to any team. You cannot send invites using a Developer type user account.

- While sending invites from InterviewPlanner, ensure that the candidate profile has a valid email address.

Note: For more information about admin permissions and user activation, refer to the articles, [Company Admin Permissions](<https://support.hackerrank.com/articles/9603546665-types-of-user-roles#company-admin-2>), and[? Activating a Team Member]([articles/4529668655](https://support.hackerrank.com/articles/4529668655))

\

\

[integrations/single-sign-on-sso] Set up HackerRank Single Sign-On with Okta Prereq

title: "Set up HackerRank Single Sign-On with Okta Prerequisites Setting up HackerRank Single Sign-On with Okta"
title_slug: "set-up-hackerrank-single-sign-on-with-okta-prerequisites-setting-up-hackerrank-single-sign-on-with-okta"
source_url: "https://support.hackerrank.com/articles/2841246365-setting-up-hackerrank-single-sign-on-with-okta"
article_slug: "2841246365-setting-up-hackerrank-single-sign-on-with-okta"
last_updated_exact: "Apr 10, 2026, 2:26 PM"
last_updated_relative: "Last updated 2 weeks ago"
breadcrumbs:
- "Integrations"
- "Single Sign-On (SSO)"

Set up HackerRank Single Sign-On with Okta Prerequisites Setting up HackerRank Single Sign-On with Okta

Last updated: Apr 10, 2026, 2:26 PM (Last updated 2 weeks ago)

HackerRank for Work supports single sign-on (SSO) using Okta as the identity provider. Okta lets users sign in once and access HackerRank without entering credentials again.

This article explains how to configure and enable SSO between HackerRank and Okta.

For more information about SSO, see [? Getting Started with Single Sign-On](/articles/4264962721).

Note: HackerRank accepts only the user's email address for SSO. During setup, define the SAML assertion to send the email address. SSO fails if HackerRank receives any value other than an email address.

Prerequisites

Before you begin, ensure you meet the following requirements:

- Your organization has an active Enterprise plan with HackerRank.
- You have access to the Okta Admin Console.

Setting up HackerRank Single Sign-On with Okta

To set up HackerRank single sign-On with Okta:

Step 1: Copy the SSO unique ID from HackerRank

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to **Settings > Company > Single Sign On**.
3. Copy the **SSO unique ID** under the **Configure SSO** section.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1775805916841-image.png?Expires=253370764800&Signature=bocTieCNkDrP98kiGHjypFNBf8zZSylTbW~SJmNznYR7y09bWAKE4-JGetH2QJvPiZ6d3YIISnX1wfefXYZFVnC8nRmwerJwCsbSGPdC2MhglzUeS~6kuknb~V4o~i-iPLdkVAnrMUyAVdihZD5azY8jhBTtKcHPyU8k3yGTfWPuEsbZbuvpg6L7WINHsD5ZDGqZ6av-eFbZBnXwJQykZZ3t6tiEbl~4PgxeUG9RAGq05YxT99mrpecNULbM4AjI8OX~MVZoYOnc5WHQloVHpCXxmUoBCIzd0abJD4rXwVsVo8jqoqOBIEk7xgmsHe6v43erJThAkr3I3-vVng__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: You need this SSO unique ID in **Step 2: Add HackerRank for Work app in Okta**.

Step 2: Add HackerRank for Work app in Okta

1. Log in to your Okta account using your credentials.
2. Go to **Admin Console > Applications > Applications**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1775805941562-image.png?Expires=253370764800&Signature=B4kDfMYygeudZ8-DY61idvXyv~ejErAPzqcEISuLUwY2zGP58AAS~6Qnh7-aDziXFkWAvfWOPzdn1LI961s0LKRx n1UmAmEYpjkgAe1vCxYMdaNwk239siUpH0fu52ynkSD3N0o2ZVVUiqzBRCYEWt7UDipuENZzWcVoFRtHx1e2WvQe7DarRufnGU

w33Ba867STTvHn9fuR2mSqI9NZVU0AiQb3PNMp7SkCiwthkJ--v-rIKyIk8Xan8Br975vE38SzPHn28z4vjK8npZrgeB-T3zAa3-5AI-2
InKre6-zdZl1Hhff1rostFNKbR4RMopHE3VLncG7UEw6bexg__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Click ****Browse App Catalog****.

4. Search for ****HackerRank for Work**** and select it.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1775805984448-image.png?Expires=253370764800&Signature=OellCHwbu9EG-9EZ9RQ8shaHF~1iF3d4YwZmEI3fEn6019pp3DuRAfcTpFHMBhQuNwkp5JO7WgtBy3NJBgMsB5dZPq-E0DqH3ZGY1Ptswvo7NMA1~X3b7J77-tRjt-ttoWUyNUL8dorUvw8J2UZ9FxAj2nYGF7T1KJQ2x7odyPcG00EHY2oMHEUWwm1rqAZu-qv-MBzrHaub2UEXnRekxNh-jzW9k6bYH2Snz-LjNgG8UHN-mXDPOzTKDSR-ifuFR0kBV1VhGpi5gOWsCRhEWMYMKu84yDkKnRhrtNMLvalm8nU5ot9NNRLZ266ehHoo7ufE3JPQfUKDCorFm09C6g__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click ****Add Integration****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1775806002342-image.png?Expires=253370764800&Signature=t0uTz4FLFPT95bsv3Nb4ITJHzzTmSv-wX2LcEfX7WomlfP9~6V83KNOoBy1puRR6buce5GSAo5X-4hu04okiSkkWXAEgKlAk5wloj8y4hReURASgT2gWNmF6HK52cZfDu02k0V9IEukP2uoPTa6E2abRLdCBNyQ84i8FwJa6n2G1IRLMejY3rl1jtAyONa7jZMKxzMnlkKdxcn63FVjvwBhPPmkhhd2hjfiOOFSljTaHYzd-xE0k94022Pmc4V10MhLW-bcqdQCm1cdWrUyxxpzcJ2IV9PSaudbNBr9-tnh5OpwetyeVStzA18FLwiXfnCfMal~rvAKXPdbw__&Key-Pair-Id=K3NV4LZ47N8M46)

6. In the ****General Settings**** tab:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1775806018912-image.png?Expires=253370764800&Signature=aGkgaUTMQZP5KYNJPR4L-WP7TICMo13jqkHIZOmaTeBa9SKF4X5XuGcOvGu-31u-PIQTDDjwF0SSHtAG4FZn6e-2LKJi10ZGf1rVuNOHVXUjGIWts1Ywp1uUI1ssQdx9fQIC0r4UGNHg0jXweTNJ9fQzMxdjQdnNiZblwbEjMgONug-ZxLbVpQykn5c~TGFVLHuBWYC10uNL8GHU2TWuHbpmX2DDctuQj0KFrXe5JJn~l0fa3C6ntZ2kOCgsWyLNPJTIDvMxBufk22mi16jZvDFxUOEotoKEXgeel-b564RcpuOFJV09~pThqnko6w0EMKo9aTmmarWbbry9lvA9Q__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Enter an ****Application label****.

2. (Optional) Select ****Do not display application icon to users**** to hide the app.

3. Select ****Automatically log in when user lands on login page**** to enable auto-login.

4. Click ****Next****.

7. In the ****Sign-On**** tab:

1. Select ****SAML 2.0**** under the ****Sign on methods**** section.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1775806035087-image.png?Expires=253370764800&Signature=kJ~6wp8iRLFZzzhU8MxAnhlf53x5V4OQpfQyJKXuEvOxqZrb30h4snM3PvcmyhWVpWXQl5QqHDSbsy9cD61GJzpDS6-mPJNhh~buJKJI3wY7wByLZHJJl-RbY~GNHjViaJzwYjd2T0SkibrJ8ej6ubZkpoiPgJp-UH0WW21rRmVqEL1-GRlyKP5844y8GcDdrikfp7SYNGSXmOSbAR2qmsMjllJ4S7Wbth1JVpBkN9UcSf5oT1Al-PJl6t1xjgNFdRQ9KF9K061iPrxerUmUVexhWz4RBD5jk8J2U1P8GppAVXstoH9g-OsvO6y3Et39r0UV~1m30YoKsANCB0yPg__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Scroll to ****Advanced Sign-on** Settings****.

3. In the ****SSO unique ID**** field, paste the SSO unique ID you copied from HackerRank for Work in Step 1.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1775806060317-image.png?Expires=253370764800&Signature=G1wai~KL3JH~OYgQwRwL9e-oeydXx6jTcTKJOeyfa9prz~sA6ehf2cYgk9Gx3coFu4gfNrDrm83g73-1m6KD16oJxum-23Qf4puYtF2HlbpXaSLnvqOHO2YVN93RyVIMo0oGf7LH0gdfLCvN6nKsKeRqvVllogHQ4V-NEKLv9zBvmnhUvY57HfCyPYLHH47f6ypDG78F8ct5OqlsLb0Wa-swxxFoEqyDhgp-0GcaDCmjVY7zxhNqJ636n6U-eDZUgE60TOu5C3FOllaFd57Nx4e3tQSO4nrZFDtYS-zRWeLg~5ZjQL5Qc109a74v77KBv~-TS--vmE7QuwQ6FsV-Q__&Key-Pair-Id=K3NV4LZ47N8M46)

8. Click ****Done****. Okta generates a Metadata URL.

9. Copy the metadata URL from the ****Sign-On**** tab and open it in your browser to download the XML file.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1775806118869-image.png?Expires=253370764800&Signature=...

764800&Signature=GtOKnEywVloLog9u-sZeD9vmXYsW752UspZQMP2lclPyaIWVRdaLnMgFHUdeN5UqpahSpRsovn~vMmQjDZ9tBnbagnOFel-xBQWCmlq4NZZWaJBGTOANqrGS3tOd540WdOHlwzFf8U8DZWlgLkwfh05t4ZVmqTucqQoQTqeDass8gY7mqKdd1605UM1yfG-ts6W5ajBTJ2f6atYFu7w1G8~Yr2YS4ztfMYFPlcdPZjqgiiQkZKy12s309CDv1TQz0QRrTSaMM1qbfjbWckYdEGsnQRmNUHFFhrADcqTSan0Jjj99LnmwF3ETee4K89idHMW9pNgP8F32XNLOWwaw__&Key-Pair-Id=K3NV4LZ47N8M46)

****Note****: You need this XML file in ****Step 3: Upload metadata in HackerRank****.

Step 3: Upload metadata in HackerRank

1. Open your ****HackerRank for Work**** account.
2. Go to ****Settings \> Company \> Single Sign On****.
3. Click ****Upload Metadata**** under the ****Configure SSO**** section.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1775806151652-image.png?Expires=253370764800&Signature=ZybYaff~VZrrAn1U-72QzRGNQRhFwoLu0GusOBMO1gGmLkO6fwJ0oAyFTOKZQzXKM0P1s2urEuwySQIMvmrWA3XQEtIYK9vX4IXgKGfMM6dzdRj0u8fsR09O4pOArMPExb12ulFZ5mdYFNLTdjLf5eYDRx066T94Grxn4HNdQeigrzE4ot8GIO7HeAb7eXXDaL13kW6VFy4k6YnvUnMIKznpRaRxehegrKsCUuolw2Roa532KgcNvn5-EHflZpmNQ4EQ73cFtQjsAWY3m8z5L8CrCOW4Tt88KsMmj1zrezFpYOaxhEkNjTXWJUvVR1Z1fIJLyA-UM~OLa6yJEJn-w__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Upload the XML file that you downloaded from Okta in Step 2.

After the upload completes, HackerRank displays the autogenerated metadata URL.

Step 4: Enable SSO

1. Go to ****Settings \> Company \> Single Sign On****.
2. In the ****Enable SSO**** section, click ****Enable SSO****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1775806168561-image.png?Expires=253370764800&Signature=l~hkPksw89TOJhhEPJc6rccG3vgmrSazXl2XC-bFhvc4N6CQXyaG4CjrQppHOUEb0AxI1PZX~2kvOqm3CXsgzca1~7iCP8QWbJLMK9R~Mluhfw-rCjtT-4s4c75PnfZv2WEbdeXXP2wNic3aUEbJC1AcNf1wv9XrQT8foPnGrkxt-BIUMM4bBjzGKhN5MNNMcbJoCl0dh-n9TkY7VnWZ~a5oWxIG1w26uQm7~sGFwcebl1Ee6GnIH2MQkTFJANZ2w3xGKEEdmvEs6kJMTzPqulvoj7ldK1RnWf3Cxlbd4yKYaVjYruxXHNqsUr9TmHSaRB5XFVxtUcHY6yl1A9RWoA__&Key-Pair-Id=K3NV4LZ47N8M46)

After you enable SSO:

- Users can sign in to HackerRank through Okta.
- When users enter their email address, HackerRank redirects them to the Okta sign-in page.

****Note****: To disable SSO, click ****Disable SSO****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1775806203149-image.png?Expires=253370764800&Signature=faymt6TroPfwsq2gftDpSY9xklunogB0w8Eq-JJ5nj8S6c1IAQofr~1ajPvO3w5~MchM~-wQTA1nRpuMBHkA3~14yXuV5Dk2FrzhpYZdn7UL~FKMiVBpG~LeTSXiGVR7JMEGogwbq0ks4lIPxJP4O3WnN1OLWEhxl~HB8g2T64n~RNRI5GqfCZ9BdVVKXK61CVjhS-EXdWgXOfom3FsBWuONUBD~JpLfmMAYfYIKnZG14LFywqkWCQsxKlddxXVVNR~xdZ8GR9hndC4X9IDjQkAyZuAjt7Yl8dCyfx3B9bDAajgKnoiTitLO1p~RwdohXAIYqPfyA9sTAe-WPhl3Q__&Key-Pair-Id=K3NV4LZ47N8M46)

\

[integrations/single-sign-on-sso] Setting up HackerRank Single Sign-On with Azure AD

title: "Setting up HackerRank Single Sign-On with Azure AD"
title_slug: "setting-up-hackerrank-single-sign-on-with-azure-ad"
source_url: "https://support.hackerrank.com/articles/3007497492-setting-up-hackerrank-single-sign-on-with-azure-ad"
article_slug: "3007497492-setting-up-hackerrank-single-sign-on-with-azure-ad"
last_updated_exact: "Mar 25, 2026, 2:34 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
- "Integrations"
- "Single Sign-On (SSO)"

Setting up HackerRank Single Sign-On with Azure AD

Last updated: Mar 25, 2026, 2:34 PM (Last updated 1 month ago)

Overview

SSO (Single Sign-on) on HackerRank for Work can be configured using efficient and productive Identity providers such as Azure AD.

You can log in to HackerRank through Azure AD. Create, update, and deactivate user accounts through SCIM 2.0.

Prerequisites

- Your organization has an Enterprise plan with HackerRank.
- Obtain your SSO Unique ID by referring to the [Getting Started with Single Sign-On](https://support.hackerrank.com/hc/en-us/articles/360001546888-Getting-Started-with-Single-Sign-On)
- Replace the ID in the URLs below where you find: "YOURSSOUNIQUEID"
- Keep these URLs available for the setup.

	Entity	ID:
[https://www.hackerrank.com/x/api/v1/sso/saml/YOURSSOUNIQUEID/metadata]	[https://www.hackerrank.com/x/api/v1/sso/saml/YOURSSOUNIQUEID/metadata]	

	ACS/Reply	URL:
[https://www.hackerrank.com/x/api/v1/sso/saml/YOURSSOUNIQUEID/acs]	[https://www.hackerrank.com/x/api/v1/sso/saml/YOURSSOUNIQUEID/acs]	

	Logout	URL:
[https://www.hackerrank.com/x/api/v1/sso/saml/YOURSSOUNIQUEID/logout]	[https://www.hackerrank.com/x/api/v1/sso/saml/YOURSSOUNIQUEID/logout]	

Note:

- The Sign-on URL must remain blank during configuration.
Entering a value in this field may cause authentication errors
- HackerRank accepts only the user's email address. HackerRank SSO fails if it receives anything other than an email address.

Configuring the SSO on Azure

1. Navigate to the customer's Azure Portal: https://portal.azure.com
2. Goto **Enterprise Applications -> New Application.**

![Azure_AD_SSO_Configuration_image_1.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046353425-?Expires=253370764800&Signature=kdC8bQnquEv7C4YUa4lc213eENB-GvmC6uJD4WINr42oUAaVQII8QyiLJ5ZN3heDChZny3B-U-KB1DrRGIlbz-vN24l~dvVwOc0xuhUE2BCLehpXczdpLcsVvkq8mAczRIpWDTThnlEilgvgJF7mWXE~veQK~dyxjMUyGN7BjngNVHVETCwbEyOcSkiS9qFskGmPSFrfPNbEe1ehXXaTYoueVk4wVCBagolsyFc63UOiWsGcGNO4OJVZi27jYKMqOVbQ4YmOdb12rpHQC0h0wvsH17fV16O03EeJXYV4v4PEFToTpfc1hmsHfq4ZW3Z34zhzAZ8c2Swm5gcHHWADw__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Click ****Create your own application****. Add a name to the app.

![[Azure_AD_SSO_Configuration_image_2.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046353823-?Expires=253370764800&Signature=kR5alyFTSyqqAyh26dpSN2pnLI35nJiT~uObc-5mVv8nAfYRiCpbcJ8WqIN7jnzSC3er0bs5Fae~rJXJSPqvVe3O~Z~STjziv28MCdo2bfxA8nt7Yno2EMe7VEVUjccSS5ihhi9MOur~fbigcqC4TcKmOsBGHycd7~Dug7gQcRj0mCwffms1pqFd6UMFAIG1Al2IUCvL6YwKTLC2DXp90yloUCuUCQADk0TWPbekl0ziYmDSf7blkOUwjH5Kw7Clrbil3XKrgwh~-ceV6lcg4V8M1JvMVuM-407C1hbl4k~mB8Sszu54vUBTlPkBt9YkE7N8cQnUfwcGjKnPb-g__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Select ****Integrate any other application you don't find in the gallery (Non-gallery)****.

![[Azure_AD_SSO_Configuration_image_3.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046354307-?Expires=253370764800&Signature=IAk17haRoOFLIPnqsfOTwajLflen7HOx36LYM4fUH3vS1v40zIPVv2YFRgUzQ~9hkyQT35jeZW2-4s-Zh1NDWTVSXApkmy-XQDcJAPAZ3DjKimPN6lOdZSUCjQEW5MnQKhADLiBju2HlaoF72rDkX7SzZjGox3ex8k-TGBSPFZdE-kMv4md4-QRmJeUomJNu6Pcws~6vID6Jxk53BICORGUP-kVBLa4XFCifwJPRvtycYxK7gMtUaitDLzKIYwUcL YvuCOHMHsJQ2s81GiZvs6biKOrJ0fhkpSTu8DdKswh33J3a0Aknf~40FirezP2Wv8rRtizw2VTS5fkEA__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click ****Set up single sign-on**** (Located on the left pane) -> SAML.

![[Azure_AD_SSO_Configuration_image_4.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046354805-?Expires=253370764800&Signature=cqclH-4i6jd5bGFhw43UMRLQb-Qsd13ZzAeJhUf380FeNcV9cp6li~hbiVI5JWMyn9VksSldpJKKY-t~eISTD75ZjvhMohv-wVTkafh6TzWB-mEjbxymG7FH9idFQ~iR4SnSpyDW3tjUfWAFbNYSSx7CoLYLnYJ3jA-3a4K0BpRDQcTabG2PZcB16YiPRmkBtcmZy6lwrmsmw6vn34odVmuo-fW--wwNuOXml33XC6qigpW2XjbqgWomizdPy3dJGOQO8gvgbKnYOtlZxRgk2IRI5WUN7rd~cSo2TnkUYd0ndWNx1S5LY9FT4mZ642DTm7bVAt66-g6CKbeih9u6XCA__&Key-Pair-Id=K3NV4LZ47N8M46)![[Azure_AD_SSO_Configuration_image_5.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046355163-?Expires=253370764800&Signature=IAE0-Conh66aw4ixp7HARiOMk6KRbivPydxnQPmyG08XsTpL67yvvRYdqopx91OWdbH025qreBht0Q0i60fyif8tDqu9l0zF2jkSo76-6fAVxz-vb0lV1tuknwg5pZQXmfdKXU7BmoAqtigrlDtJYIKL42HBGA4N7gBOWZYEIU4Xk4Dklf-suYmUzRiyn9modFOeeXOSUHYsGdtiGQHETUfu7ZcCsdD2PjzT9NPYhSVQolu28yOg7h5erFO-LpqQQdhd0FAU1lOsifb7nTtlg~IEGKAoeB3oti50nl7FMGE4WTqaaFNhFbJzuVwNPhHv3fO43skFwV7fPgDyH2G3Q__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Using the URLs from ****step 1**** (Seen above), you can either create and upload a metadata file and then upload or manually enter the URLs from ****step 1**** of the instructions as seen in ****step 7****.

![[Azure_AD_SSO_Configuration_image_6.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046355508-?Expires=253370764800&Signature=kMamb3OMIC4H5zOxXL5mro6R9zIN5KgIKX~oiONDeXVCpUxldIYvn-SodOEUYpfXfd5vEd2vaebRYk0tjGzAY~yZSmfiwUawY5vJPShWaYBIOzS46EoVlpZFhEgxHZQr4kNEIZ5hy-KyCnAyzxCeQUFnD06mrNM0ZMcRA8M00sDjIAyM9EhkSmPlzLr5haryiHEhK5KEhuQBE7qHaMYiMBtycnvFRw9RU8DcIDUpRszYeAWCMNqE-ZOW-AV-pk77jNSF6cZNINKBTRYk~32lSoDuvr4~5Ewe2VKrE9WED-TfndLxdB1RD9tXH5-q3xZCQkT6ZvbKBWJYQCiuH83kLQ__&Key-Pair-Id=K3NV4LZ47N8M46)

7. If metadata has been uploaded, ensure the Identity ID, Reply URL, and Logout URL are correct.

8. If you are entering the URLs manually, click ****Edit**** on ****Basic SAML Configuration**** and enter the URLs from ****step 1**** manually.\

![[Azure_AD_SSO_Configuration_image_7.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046355922-?Expires=253370764800&Signature=aRIHkbi8lml0x3Oiu17~mVrDQaZpHn2xlQ26zF-EZMSHDOWj9-nQkykWnu~Nm0dgJFT6osY4oMsoCQ4Tyt53bl4zvlJvUc4h40bJg15PTnag8H1yEteL1AP8RntO1oSOXw1VOwX7zrgN2ASmlrFngiFOmdCs5Ah-6P4EtTmuTXaw709XuHbvkCp~HeUFTsk3YsbmWUuo8wIFvLtoKCWlodufaG6sw39qRFk0N3vNprz8w8UVfvpuwFsARgkjXI7jTq5RRreutpMLpTk1STLZYwloi17ZZs53aYieivN0-HROHaaUxR4TBI3pwHS9vPrt16znYy-1Lz4tuWOII7tsEw__&Key-Pair-Id=K3NV4LZ47N8M46)

9. Click to save.

10. Verify the attributes as the sample below. \nDownload the ****Federation Metadata XML****.

![[Azure_AD_SSO_Configuration_image_8.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046356322-?Expires=253370764800&Signature=sUmILX7fWUluja6buMKul~aZxFhaH1Qzfw0-UR4Ha2pCh9eaeSMHDOLnTbx4GgWfsn7LU0h4Pjtd7vVqpOVyrrnN-4dYGAoEJtyh~sVq876OxRQIsn6p5UC1-93bmJFjGyfulKb1MJAsD8k005iTwonp9HpiskbE4yQ0YqKZZaWnNjPaYbv0a0l0BiULMz1aDU5pOyM3LkzDHOAux~MB3iUpa3rzNPEuRsUpI3Q1ZFqb2Cp3dmOY6i3hR16F8aTBM4Y4TtSN0fnM85HWPLWI04wvEKwSwCFy6FpfjwgdwTPORdFVR~7cPlmb17HaUmqlugOVtnpgF5EQH2b4z72gT5A__&Key-Pair-Id=K3NV4LZ47N8M46)

11. Upload the metadata file to HackerRank.

Adding Users to the Group

- This step varies from organization to organization, depending on their security policy.
- You can click on **Users** and **Groups** and add users or groups to provide access to this app.

Testing the SSO Integration

The SSO integration can be tested in two ways:\

- Copying the HackerRank SSO Link from **Step 2**, and trying it in a private or incognito window.
- Clicking **Enable SSO** and test the single sign-on from the Azure Portal.

Note: For the second way of testing on the Azure Portal, ensure that you do not close the SSO page while testing. In case the setup is not successful, you can disable SSO on the same page.

![[Azure_AD_SSO_Configuration_image_9.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046356674-?Expires=253370764800&Signature=XUzdcmsT5Qm9bS-uVr8cwKV5RgE1AJS6ABKI3HGdkt4Uq8jYd2KGzbTkOZeShN0PsBdJ~znQ8tlp8U04O~nzSekm1IEwiDEvLtL1q-Qk-5-u3PtHZQP~bvhrkEc1lrpg2A5xNY3tzfz4GWJMDSrJ53xMKdY3TZgo~OWsmr~-QWBEsweoXZIA4PcPGukTPeD17~zWwP8xcuZ9ejYEVmnAdelKtx~6SPyjpTVWvVw-hJaNogjWAp~Ytme1FuE-Xi4qqz4Zg1IHG~etUhv0cgDsGjSUhd8OIMQ30SI57Yc5hwmZPku74-mvVVCgsLgovOGpqneKMgxtl5mS78ATrESM4g__&Key-Pair-Id=K3NV4LZ47N8M46))

References

- [Configuring SAML Single Single Sign-On (SSO) for Azure AD Users](https://www.manageengine.com/products/passwordmanagerpro/help/azure_ad_saml_based_sso_configuration.html#addenterpriseapp)
- [Tutorial: Azure Active Directory single sign-on (SSO) integration with OpenAthens - Microsoft Entra](<https://docs.microsoft.com/en-us/azure/active-directory/saas-apps/openathens-tutorial#configure-azure-ad-sso>)
- [Quickstart: Add an enterprise application - Microsoft Entra](<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/add-application-portal>)

[integrations/single-sign-on-sso] Setting Up SCIM Provisioning with Okta

```
---
title: "Setting Up SCIM Provisioning with Okta"
title_slug: "setting-up-scim-provisioning-with-okta"
source_url: "https://support.hackerrank.com/articles/3939437783-setting-up-scim-provisioning-with-okta"
article_slug: "3939437783-setting-up-scim-provisioning-with-okta"
last_updated_exact: "Mar 25, 2026, 2:39 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
  - "Integrations"
  - "Single Sign-On (SSO)"
---
```

Setting Up SCIM Provisioning with Okta

Last updated: Mar 25, 2026, 2:39 PM (Last updated 1 month ago)

Overview

HackerRank enables you to set up provisioning through your SSO by configuring the SCIM protocol.

As an identity provider, Okta enables you to provide SSO access to the cloud, on-premise, and mobile applications. Once you sign into Okta, you can launch your web applications without re-entering your credentials.

This article guides you on how to configure SCIM provisioning with Okta.

Features

The following provisioning features are supported:

- ****Push new Users****

- New users created through Okta and assigned to HackerRank for Work are created within the application.

<!-- -->

- ****Push Profile Updates****

- Updates made to a user's profile within Okta will update the user's profile in HackerRank for Work.

<!-- -->

- ****Import New Users****

- Users created within HackerRank for Work can be downloaded and turned into a User object in Okta.

<!-- -->

- ****Import Profile Updates****

- Updates on a provisioned user's profile within HackRank for Work can be downloaded and synced in Okta.

<!-- -->

- ****Push Groups****

- Groups are provisioned as Teams and members within those groups are mapped into the team on HackerRank for Work.
- Only ****Add**** Users to Group is supported.

<!-- -->

- ****Silent Provisioning****

- Users are silently provisioned through Okta, which indicates that new users will not receive Welcome or Activation emails.

****Note:**** HackerRank accepts only the user's email address. In the setup, the user defines the SAML assertion with the necessary data. HackerRank SSO fails if it receives anything other than an email address.

Prerequisites

- Your organization has an Enterprise plan with HackerRank.

- [Configure SSO using SAML](https://saml-doc.okta.com/SAML_Docs/How-to-Configure-SAML-2.0-for-HackerRank.html) before setting up the provisioning with HackerRank for Work

Configuring SCIM Provisioning with Okta

The process of configuring SCIM Provisioning with Okta includes the following:

1. [Generating an API Key from HackerRank](https://support.hackerrank.com/articles/3939437783-setting-up-scim-provisioning-with-okta#generating-an-api-key-from-hackerrank-18)
2. [Configuring Provisioning for HackerRank](https://support.hackerrank.com/articles/3939437783-setting-up-scim-provisioning-with-okta#configuring-provisioning-for-hackerrank-20)
3. [Importing Users](https://support.hackerrank.com/articles/3939437783-setting-up-scim-provisioning-with-okta#importing-users-23)
4. [Provisioning Steps](https://support.hackerrank.com/articles/3939437783-setting-up-scim-provisioning-with-okta#provisioning-steps-27)


Generating an API Key from HackerRank

1. Log in to HackerRank for Work with the Company Admin user account.
2. On the home page, click the drop-down next to the user icon on the top right corner of the page.
3. Click ****Settings**** and click ****Single Sign On**** on the left panel.
4. Click ****Generate Key**** under SCIM Protocol.

5. Copy the API Key that is generated.

Configuring Provisioning for HackerRank

1. Click the ****Provisioning**** tab in the HackerRank for Work application in Okta.

The screenshot shows the 'Provisioning' tab in the Okta interface. It displays a list of provisioning configurations. The first configuration is for 'HackerRank for Work'. It shows the name, the provider type (SCIM), and the status (Active). There is a link to view the configuration details. The interface is clean and modern, with a white background and blue accents.

2. Click ****Configure API Integration****.

![[image19.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046460987-?Expires=253370764800&Signature=YWBQqLNgzZjNYElp~tWF9Kf3zNtzlC~Yt5dcqfChql1EwZFHHUzPzRfU9OXs4fJ5h5S7gJ~kpkb03YutoN5zGsaoGBdoDCGwdTu0Bd54KDzRLtiPJAt6Sf-9zf926qXa1r00forirHUfP893tl6dyLWcd89a~NmSGVHpdX2rRo9MDnSeAQowciB-3xvkWb6UL3tr6l0r1N8qy3-jf06OvITMvAUeSJdTbBbKhDTP1DzudZQbylzcKHLFj9nHyX9kmdHFppMGebb5gti3qz6fNbsa48zV46Yym3EmAmJjdZqwQqZ-Kj~qw~CnHtlrOsWfelf2GCwHLrUG2kvclA7n3Q__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

1. Select the ****Enable API Integration**** check box.

![[image1.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046461375-?Expires=253370764800&Signature=HoT5gymVwftzhk08ncMdBKBVC2~oyYbeZx6z9yskdOGru0eEn~CDbxvnNV6e1yxXnvJS5sO3b3kyU8qs~nqyKRUSy54sFuNZK3nu-T5UqfHOz1H8Q1iPieZNN4MUh2H2eKto~TJoD4e2iyvq~XK5ivZSjUz6XJ-33gmZw-PZ6yNbtpGg6ntu7LZAWQadXqxpSYrKpxWRAWEqlbkqJb~qYd6jyVGUrfBWwysdWBN3ff0n30ZQA-O4iNWUdyqxcP89D9bQonJzhzZCBDy2YT-da3FVcCGCr8ewLKciSvPu6atXsXVRA2vW08ZWQMbd9hN4sVWzyGQm8hVHCIDlid7lQ__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Enter the API Token generated from HackerRank for Work in ****API Token****.

![[image8.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046461741-?Expires=253370764800&Signature=aWYfgNxH7umlnW~wcfxygFx3qKf2zuoeqdhbbISZEMn1zFhC8AYtkk1HmZ3QO5s6GT3UbC2F9BrZYGpjaJDbWnfBZ5EfwbU8VxfulipBibn82aaTemXDQELokMdRnMzPqtPYnlpDF9~xCrMVJ8CZXS6xsfJ34kZjzELqpKzjO4WRxyAuoaS4T5z5-5X7iIM519B7fzOA1aDxERXWktCblOdWvIO~eG10rjieDgku~xvHU1n8oXhY4RmcC1nDCNKs3~w1D5qvTVngKLN-s3Sb2w8CPvj48X~5DqL6xcIVJ9Pb8ohBERRjuT~QxnMTytbZbKcswbHBsB033yTnRxeYQ__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Click ****Test API Credentials**** to verify that the token is valid, then click ****Save****.
4. In the ****To App**** option under the ****Provisioning**** tab, select the ****Create Users**** and ****Update User Attributes**** check boxes.

![[image7.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046462206-?Expires=253370764800&Signature=PmMFSyLjXVMXGyhw45tC8IldbHVW3mqNweut~0wW7lwPmYxE5pQD45O-YOXuePQOIWaoDtEXic7XTccZ9X~qYNvmtd9JctOlkUbaV5Z545gfX6dlnt0bnEBnyJ1AF6F5ZS185Yz2nU~auGc~f5ohg-51gDveSsZWCUBIUylLLw7styJsLSrD1IRFGb088ylM-3xVKOsOZxhJsODw3YjFrqNtjCShlLDe7AJgFNvgXH2Mnd4MXRnxVXfKh7e2n1LUD2jVJ71l63JmSUWWV~Ool~NlvYrm3g2rwjrqrMU0mdO3Gf5x0isa59BY4NRW0Kft~OGlvPQP9P78ATNKGxYYYQ__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click ****Save****. You can now begin provisioning users to HackerRank for Work.

Importing Users

The Import Users option helps to prevent overwriting existing permissions for users that are already created in HackerRank. This option pulls users back into Okta to keep your directory in sync.

To import users:

1. Click the ****Import**** tab in the HackerRank for Work application in Okta.

2. Click ****Import Now**** to pull the list of users from HackerRank for Work.

![[image27.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046463244-?Expires=253370764800&Signature=mJzGvS1sFr8nTvlut9ni2G9mZeKT4LUz8KqtvaYU1bYUiNSQS6Pekm0c8Cw1ivajBgqWNmmOOKDGZaYUfB3X0Kf-GS2WYpOvS2PFbQAeeafWZF~o7iHhmpamNYZ7vtNKj1jl~ggucQUvXUDmYy8x2w2~XqPkjrmPS2TDVLNpTTzPhvKoErnCS-LHu0YFA6~O2DaG3frFr4dltVEal9xCvDwcjku6DDk-Kmj~CtBoEPtM9SfMOaryIMsL7-QG-GBxqBP8syTsFLMkOBpbVvN3UCh44ZCkQ7CPqeeKnSDgxGj7lhZ7tEEuYp3ZL2cStnQjhYtFP8M~Sbv5eFaNdR4A__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Select the users to be imported and ****Confirm Assignments****.

![[image23.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046463587-?Expires=253370764800&Signature=CGhNZRmFPrbA84hFnkUO8pxJPoIEDdhtnEsqW8XNO7IKEcyJ2YVgDs7FUzhgvnNYoggfhtnrk1wVnzwYYqAW9pCtlbKT1LsTIOfJDDdT6-kdB5JB69G~mdYSag3exwcuhdNEsqKOLWAIxGy2Io4sPt-lz1F9L13wwwYzwnd2YUVnjUdDGycdPv-0KiOoF5CcRsLvxqYzqEMEojcWWPJkAU5dAPsKRCj0uRYiorGoSu5p533lgduU4cWKzr6RdCiaTcan2NOSoSH5ToVkQfM~ZBcy-AGxD5Y~UJxd1fg5zoEw~cYJqXFL7KYAFK8qa6qFCCnvaADIsiOe4PwH-X4WcMQ__&Key-Pair-Id=K3NV4LZ47N8M46)

4. If users in HackerRank for Work exist in Okta but are not assigned to the HackerRank for Work application, an ****EXACT**** label is associated with the user. A new user is not created, but the user will be assigned to the application.

5. The Confirm Imported User Assignments dialog box appears.

![[image26.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046464005-?Expires=253370764800&Signature=qn9-2hnf7ne3GDjT7P5alwq2zjrtGIRKTCjjNMfMqxp227cOirprLgphkdj7Z6QVN0xhb~IO0tjqFqD-7i9QxCWcW37aQljvLBWb1QuQf4coJ7TSga8x3l7rDW4p47f~eTitDuz3ajR4Youyh-VkuWbrgUmAbEEbV967ivbzuCvhufKfHqAbLjzSftLejjxsHfGz2nYGQleKJB~BbACzpZDeXJK2nubI6RS0YrkdLOXvVungLzc-9cU~RVL4rBQI7LtTXCbXVdf0cWCcgDMfss9ijlCc7e9zgnUcVp8PMofjXhnXuYgUjiFdZFLlilgpO0QzKfV1CCy4fP0MHytQ__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Click ****Confirm****.

7. Now, the user appears in your directory.


![[image15.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046464402-?Expires=253370764800&Signature=tNqOiF07Ouj0avAjEq6bXLo7esy1MjNEOovsH9syjsycgko0q0jHXimmmYFCxyndPtHQLhAkZk2UMiQf-8TCv2pCfnLX1DsQMFTScdsBY0wCwLultVyCWT9W~ko7voHEMd2t4tVnZmktVAGy8CMI-X~QWB1WpgSXwmGvx2j0z4chZaNAH3yjJJMJl-iqR-xmMoPdZCridqjzyR7l6l03KuoNGh0Hzjl6vvZVmVURoXHw4E~uzKskaoNBvuh8kbWxmzxNL24KARQUjrgHRFhs5yfc--sTHsaPhnF~RogR SFbnowkR6hDKGPOgVHRAHm4NfvgnVWtCxqoSyBe-3MsQ__&Key-Pair-Id=K3NV4LZ47N8M46)

8. You can navigate to the ****Assignment**** tab to verify the newly imported users.


Provisioning Steps

Perform these steps to create users in HackerRank for Work:

1. Click the ****Assignments**** tab in the HackerRank for Work application in Okta.

The screenshot shows the 'Assignments' tab in the HackerRank for Work application within the Okta interface. The URL in the address bar is https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046464745-?Expires=253370764800&Signature=ASSV-PoAOT2B~e0iUkQPimAAh1Sp2yAampPJhaoU2Dbj04CTePzcsp1bK-sTXFKKe3kMUuFj~CW~Fz4mYxF6euOBACoKZRIj-5tidSkLLWvl-z5pBzIXvLOmF9jvY-8CTxEaDpSBY7cDiO5kBzqKASKLqeQg4Q~Zfe32qLj5GsPMLlvWhPOdIZ7rpLsNq1h9YZEptd0~bsq0lW3WzmglpKd6UxFJ6EL96l85X1w0ViOrwzZeupi6mMtzHAWzzin-7BRsWu8M8N3x9bEFyItMBSka2isDhZAolyhWq0l02WZUzF DU-qfRHaXBUYz2i0n7u-u0NpWEuYgfwgobvDTQ__&Key-Pair-Id=K3NV4LZ47N8M46. The page content is mostly obscured by a large, semi-transparent watermark.

2. Click ****Assign****.

The screenshot shows a close-up of the 'Assign' button in the HackerRank for Work application. The URL in the address bar is https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046465120-?Expires=253370764800&Signature=hYx5cTFA6LYN3S2ZGWg4PhUGMgrRrnpv2bwij5NttPxue1OgcYv163BAozvnmTB1J~KKiHEM5HO2-Vo4ImpQsCwpUkEB~k89AouQwEzJXFTqIqWC3lBeRKRX3flU0M3CFfxb7tkbjbE1W9f42QNXt6oVlXDIRLUIXicbszMFIQc3DoytSsGjiTNQHpatSxvoBZd0Ncj0~ON4DBMcB-eApcZ5sURIWmnVwnYl-oHjvYbFRMSBm97cAy2TmWOeyZwnLI~QrhjgJHdSDm406yufOQpp3GXgN481Cnqpqlhtrf4VUwKyEKCRH5~48Y2q-Jd3s4fdKNxON~E4wyXSnLjzxA__&Key-Pair-Id=K3NV4LZ47N8M46. The page content is mostly obscured by a large, semi-transparent watermark.

There are two options in this list:

- ****Assign to People****

- ****Assign to Groups****

****Assign to People****

Provision a single user.

1. Click ****Assign**** for the user that you want to provision.

The screenshot shows a close-up of the 'Assign' button in the HackerRank for Work application. The URL in the address bar is https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046465120-?Expires=253370764800&Signature=hYx5cTFA6LYN3S2ZGWg4PhUGMgrRrnpv2bwij5NttPxue1OgcYv163BAozvnmTB1J~KKiHEM5HO2-Vo4ImpQsCwpUkEB~k89AouQwEzJXFTqIqWC3lBeRKRX3flU0M3CFfxb7tkbjbE1W9f42QNXt6oVlXDIRLUIXicbszMFIQc3DoytSsGjiTNQHpatSxvoBZd0Ncj0~ON4DBMcB-eApcZ5sURIWmnVwnYl-oHjvYbFRMSBm97cAy2TmWOeyZwnLI~QrhjgJHdSDm406yufOQpp3GXgN481Cnqpqlhtrf4VUwKyEKCRH5~48Y2q-Jd3s4fdKNxON~E4wyXSnLjzxA__&Key-Pair-Id=K3NV4LZ47N8M46. The page content is mostly obscured by a large, semi-transparent watermark.

src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046465424-?Expires=253370764800&Signature=V1axw7FE3syuclB9xlXckb6u1tZCzmGmlwDdD3jzAmt2eRH3emFPwKI60laTsZf~X2GeNrKF3Omzx0f9zI7Dem-KjpG5E1dk0fMaauciSX78OAW-eWlggkAc47AyKU0mkbeFNk1QueSXHHWlpRhln7yJx7NiJ-A1skJ6p5tGBsXGsT1nUeA150Hfb1QEKdODg4BpL2LsXlB041S0SD5cBYKj5if3OxkZO0df0xa0zs8dQxBF5RFY3TrALk~aIJUcol8bubT6AJomRe8uU425H~-0VstQQXvc6XAB5s3BmhOW1JZS1TNDdBdW86pUj9dZB3pc5abA~N36vLTglALQwww__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

1. Enter the required attribute fields for these roles:

- ****Role****

1. Recruiter

1. Create tests, questions, and interviews.
2. Access candidates.
3. Send invites

2. Developer

1. Create tests, questions, and interviews.
2. Access candidates.

3. Interviewer

1. Create and give interviews

- ****Company Admin****: Grant the ability to override and grant more permissions for users in the whole company.

- ****Team Admin****: Grant the ability to override permissions for users within the same team.

![[image22.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046465773-?Expires=253370764800&Signature=pUZrz4HA6ldMZJFwjK6mLtrQVgg8POAn92KNtiixVLgaG7dOyTEUzU9TDK-n7X3eD~uTG4IEjHPIq6~Xa859Fxr1vUamnluumf-mOheO9qvzzecPRRJTLH~MFqAx7Bpsxa0aAQotYF-VCOL~Ho4l31H3uL00gDCm~SQ3WWzJmYOxtGdgDKs8NPnIZP1gaAevzyoqD2fWhp2uNgB5lls4oeZ4MgA0NN1skxo6k0NmhlvW-jbK628J3mHQW4WWxl5TjHSabllBjrKb~us80Hu28hl93N9YNmgrWOTbnOU3f253GpyLTZdJa8ESFhpewKZ5ig7gYEd0S6sDrsNTd43g__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Click ****Save and Go Back**** to view your newly assigned user.

![[image23.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046466110-?Expires=253370764800&Signature=BuZhr6mrmQq6RXJGAsDmoxf~GXNcyfQpEdo8R5VrK3BEDJnsBGQZYVJN0GeSHzD2ZU5o1M7Kptw5niY~YPajSk2thl33Bp3LRAfBwF~kDlwsqeuasvzl069ZWRNUevWyCFR8dWg5o9ppmEMmli-aL-F0QgNk~kOPoBGX0jm6pZa8ZdQ-j9dl0-JbVd6Aazemefb4l4LCVwPrWhpl0WWQ~F~vgXcN3CWiHaucbHiNLMFJ8LMfz3KjBrGR7~uYzDeAzoKR0ksoeXPMpqt-KCQ7Nm73q41CRwN3q2L0qFhb6-XACloZ7RaUMsVQ5xh5MJLaHpNK7QYteS4dSCSgeoBtQ__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

****Assign to Groups****

Provision a group of users.

1. Click ****Assign**** for the group that you want to provision.

![[image25.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046466400-?Expires=253370764800&Signature=fsJCxTb~-6p7RR0-6URiTHZkYLdVplgyfAM6bvD53HQEpS7f5oCf~bAGN7hsfCSobG1zIKZECrTb4oeRs5JFECHZmKxqiCpMazehSK72IreDjLRBLhEhlcKjpP0b0e3VgOvtigL4uXvRDF1DGV1yV3hGijYG7rxVqB0j3DTIZEvjIHVcKhTNUFN8L3fXOW5MQ8nxObyaZ1dmvMZRVUyxpgpNFt3URkS0Uo5FCimdKmLjCiAPof-HhD8BSbA4IIV7LX9gLbA4N~idqZtoqmRAtnOfUac~H4jaCTtlaXv03FftX5iMdVj0azVM0pSdmF2kQN61AlgbT7vfcV96FnX6-g__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Enter the required attribute fields for these roles: (all users within the group will be provisioned with the same value for the attributes).

- ****Role****

1. Recruiter

- 1. Create tests, questions, and interviews.
- 2. Access candidates.
- 3. Send invites.

2. Developer

- 1. Create tests, questions, and interviews.
- 2. Access candidates.


3. Interviewer

- 1. Create and give interviews


- **Company Admin**: Grant the ability to override and grant more permissions for users in the whole company.
- **Team Admin**: Grant the ability to override permissions for users within the same team.

!image18.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046466749-?Expires=253370764800&Signature=KD1Ou8WCnV9G6BxC6EN81yKiB9YUWSu305SsC97wBDNaA49v9oUeJk7u65oH~P048lwnsQKKUfXJth8~lqL0MsKCj7wdRIDHDWNcQyjCPZAFWpVjgdAsFO2EaMfLItNqv0iszVGDTl~kgC1Gqfb~mMxxh~LwXPWS4Qng~MMKKJRJfbPCzQbwCPtIRDkrlTyPJrs5v~4QX1EeoAbbTavmGh9P2tGNnw~QJWL9k3~pUKDyXHLFLrvmlpqze82PIOt5yk01N60etOKNM~1E0kc6WIdERZJoA~x7eb4d8HvoksSnCl76uLpxdb2uNiJVChzPmOKfjJH5O3b8SOrLilk8YQ__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Click **Save and Go Back**. Your group has been assigned to the application.

The screenshot shows a web interface with a header and a main content area. The header contains a navigation menu with items like 'Home', 'Users', 'Groups', 'Applications', and 'Settings'. The main content area displays a table with columns for 'Name', 'Email', 'Role', and 'Status'. There are several rows of data, and a 'Save and Go Back' button is visible at the bottom right of the table.

4. You can also view the list of users assigned in the **People** tab.

The screenshot shows a web interface with a header and a main content area. The header contains a navigation menu with items like 'Home', 'Users', 'Groups', 'Applications', and 'Settings'. The main content area displays a table with columns for 'Name', 'Email', 'Role', and 'Status'. There are several rows of data, and a 'Save and Go Back' button is visible at the bottom right of the table.

Migrating to New Instance of HackerRank

The HackerRank SCIM application is updated to provide a better experience to Okta users. The summary of changes is:

- A new attribute (Interviewer Role) is added

If you are a current user, you need to add a new instance of HackerRank in your Okta org.

If you already have an existing instance of HackerRank, follow these steps to migrate to a newly updated instance of HackerRank:

- 1. Log in to your Okta org as an Admin.
- 2. Open the Admin UI.
- 3. Click **Add Applications**.

!image17.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046468246-?Expires=253370764800&Signature=uMCbEgK1XYSchqmdjCqxxvNtZ29TrV~~Ato4ZYNAh0eu0qq603mRfZlEXHKHLnKEql41F3ReEG3xWhFteFVkw5fcShFn

bsTs0RzodmmhsXREfhJNPgA9o~X5U6BgrJ96tnOgf9NoWrtVhCkp~VRympOjviYV~NyKF6nS6f8ly-l1ODV-uAToewObmzn8mYkXQ8w7s3-3JhPhLOZJHWci-PKJYBgryFb9NCJ4EJkb9UDrbOk0IEYuvGgXN5Hki6t1lxMPEFvQfW~~4W1ITB3YywO-qCLDekCLWbe416WJzN2diUqFjeHaM9jC-FapQ5fAq-EHxpt5t5uJ8Gjsd~aaSQ__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Add a new instance of HackerRank.

![[image30.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046468602-?Expires=253370764800&Signature=MCeKKRq-rSYhAuyxX0fvLCIYF7TSd9OYfKBzMipKwo71b19b61SYjt7LuSwRVL29LpY815SjVqwgKRFhPIMLOZXa1Z5TQNN2ZUKFSVF8mCRXIKjkBPhV0HFn-Ah6nO6qKrdzk-fiUv6lgshZUili3Hmj7HFJmArBh~10ZOvfeZZRLvep~ofsY5kyLgyx7cvWtPr8WjecTyjSOpWzsvmJqQhKKbYFr6boRtt4MtJFwkUgdbQwsG~416aV3o5Js4NsEpIXNPV4kR9~J~fLOzHSJzWjvyPRh8xdEDNiNJ8FMWbSn1fcBtBdIKehKBLermvggsLgbaox1yx8hHie4I1Tw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Configure the application including Provisioning.

6. After SCIM Provisioning has been enabled, go to the ****Import**** tab of your new HackerRank app instance.

![[image22.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046468915-?Expires=253370764800&Signature=lZpHxolisrPq6cOD6uJrl15FEv-lzX-XGNkpstyoZRGiRxAAP1l~Rk0zdaeiBlfMwR2tteld5xKLzHydTxsSc2nU2aormSYZXua diQCsmGdZelAGMcFOGgy9n2txqp4~8-40Dr6S2ddethNPcwCvGT5b~EbQ6WMBfjRe1JUcOcPUDPMqo5SIMYluOuWf3IUzdvEbxShAACurGq~ixw9Jet2Au8evRF~3nJQsq4MeumQjTpuS-UXzP-kXu3sPbwX07VjUtDdSZuM-O~YKDK9eMQEg1-gk6ZIH6byTUqJTO0Fq vRAcp4UQdP6DG~c8Juv5od9JMUPacd3jzddqD2zYDOA__&Key-Pair-Id=K3NV4LZ47N8M46)

7. Click ****Import Now****.

8. After the users from HackerRank are downloaded, select the users you want created or linked in Okta.

![[image24.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735004983939-360055064434-01dd769c-bea3-4dfc-a274-679503f8ca62?Expires=253370764800&Signature=NBnuz2MhekMS7b7O30XpOhQD25Xt~EMqT6P3~6g77M6Be8nzbZzj9Bs0i45QDyOueFnJfIX~Dnt9WUvW29mryP-BZcdkHJtYrL97E7nbKX11FnV-lttxuQ5GeYPb4OoUISU-9prLYYqsUL98aBbFOdfwa3iBsm05yravTcjCtcpwlm9pZ9GXfZ4o-K2z86kowaEA4fJiD8~q0qutY0~N4hb65g1on8G2J~i29-9weHYaf-KnjyYd-sDctPpuVyyslp29DTgrFsBa78U-jvAJ71fBZ6sH-d-Fa4Kx3Gdtkf-mRgip2eWpQofWgk6f-OruX2ruLPh8iq2ntWYn6k3Vw__&Key-Pair-Id=K3NV4LZ47N8M46)

9. Click ****Confirm Assignments.**** A pop-up appears to confirm with proceeding for the assignment confirmation.

![[image32.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735004994600-360055943873-f67a248b-add8-48f4-8ae0-9a36ec01445a?Expires=253370764800&Signature=SC4xZClf8eMGZpXzAsyxXEOcfeQRb7nyOU5YtA6~cP20IZbnqHIN36ZVCR1FovGudWojOGLwqhNcyZEbE8TdPXf53S~kbtYC0x4h1ikus7bKbPIRD-eWHbxG8Kh0enFNiLzV~eWhuqXAdN65LbAT-UEAM5c61WapPAXh7DcvuUpld87hY9jUSaTule6achLuM4A-OihCDOg412Bc85up4eQFKfk~q6R4pgUnIMLPnfw2-5qaxFZNw6PC8IAQbpVH4zCd6eff~w3qvbNekXnaOsDhQL2fKaHXyflbesZHB9IRFeFx0S1N1gORhilYdVX41ih~uGU333lfxlZM2xPWLg__&Key-Pair-Id=K3NV4LZ47N8M46)

10. Click ****Confirm****.

11. Navigate to the Admin Dashboard.

12. Open your previous HackerRank app instance.

13. Go to the ****Provisioning**** tab.

14. On the ****SETTINGS**** section, click the ****API**** option.

15. Click the ****Edit**** option and clear the ****Enable API Integration**** checkbox.

![[image29.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046470055-?Expires=253370764800&Signature=aLLJrP0od8s-dwKDK6aOw5tQDA72UoF7x7XTYZ2D1m0OD4gp-jszm~9uTA6EXXMvNYMdlqHB8zys05~0~WS1NTdoFQoFOa5ysRRHrOc-BpT-tqBTg3yktTFHBYB-vDNDVaLMKJXKt3ldC1niXk5T1PJ~ZUrGWWiHr2KYUyWHczOFunhq-2kP2IQ8T5g81IC5BG0eQwSKka~7eep9vkZFXUj3~Z8MTgOfXf4Iolq~VJb7EwiUPnPZk3sb~CwJgWr2dyDeWppSWmDc4vtrkKHxHIBuoChYHQSBP02wxW8MhqiD7AdZHDdSYBcZNfprTbIBuuyIGXsuTkVO0roFsobQ__&Key-Pair-Id=K3NV4LZ47N8M46)

16. Click ****Save****.

17. You can now deactivate or delete your previous HackerRank app instance and use the new HackerRank app you added.

****Note:****

- If you were using SAML as the sign-on mode for your previous HackerRank app instance, you will need to set up SAML on your new HackerRank app instance in Okta (recommended) or maintain the previous HackerRank app instance to ensure that the SAML functionality continues to work.

- If you were using your previous HackerRank app as a profile master for certain Okta attributes, you must set your new HackerRank app as the profile master for the same attributes.


Push Groups

To have access to tests and candidate reports, it is a best practice for users to be part of at least one team.


Follow these steps to assign your users to a team within HackerRank for Work.

****Warning**:** Users must be provisioned to the application using Assignments for Push Groups to work. Group names must be unique and have not been created on HackerRank.

1. Click the ****Push Groups**** tab in the HackerRank for Work application on Okta.

The screenshot shows the 'Push Groups' tab in the HackerRank for Work application on Okta. The interface displays a list of groups with columns for Name, Status, and Actions. A group named 'HackerRank for Work' is visible with a status of 'Active'. The 'Actions' column contains a 'Push' button. The background is a light gray with a white header bar.

2. Click ****Push Groups****.

The screenshot shows the 'Push Groups' tab in the HackerRank for Work application on Okta. The interface displays a list of groups with columns for Name, Status, and Actions. A group named 'HackerRank for Work' is visible with a status of 'Active'. The 'Actions' column contains a 'Push' button. The background is a light gray with a white header bar.


3. Select Find groups ****By name****.

The screenshot shows the 'Push Groups' tab in the HackerRank for Work application on Okta. The interface displays a list of groups with columns for Name, Status, and Actions. A group named 'HackerRank for Work' is visible with a status of 'Active'. The 'Actions' column contains a 'Push' button. The background is a light gray with a white header bar.

4. Using the search box, find your group

5. Click ****Save****.

6. On successful group push, ****Active**** status appears for the group.

The screenshot shows the 'Push Groups' tab in the HackerRank for Work application on Okta. The interface displays a list of groups with columns for Name, Status, and Actions. A group named 'HackerRank for Work' is visible with a status of 'Active'. The 'Actions' column contains a 'Push' button. The background is a light gray with a white header bar.

Common Group - Team Configurations

- All users are in one group.

- If you want HackerRank users to be in one team and have equal access to all tests and candidates, push a single group that all users belong to. For example, ***Everyone*** or ***HackerRank Users***.

- The group will be pushed and only those users assigned through the **Assignments** tab will be added to the team **Everyone**.
- HackerRank users are in teams according to organization recruiting.
- If you want to create Teams in HackerRank that correspond to organizations, divisions, or geo-locations, find the corresponding groups in Okta and push them as Teams in HackerRank.

User Attributes

There are various attributes that you need to configure when assigning or updating users.

- **Username/Email**: The primary email is used as the username in HackerRank and cannot be updated from Okta. Choosing to update either username or primary email in Okta will not be reflected in the HackerRank for Work application.
- **Given Name**: First name of the user.
- **Family Name**: Last name of the user.
- **Role**
 - Recruiter
 - Create tests, questions, and interviews.
 - Access candidates.
 - Send invites.
 - Developer
 - Create tests, questions, and interviews.
 - Access candidates.
 - Interviewer
 - Create and give interviews.
- **Company Admin**: Ability to override and grant more permissions for users in the whole company. The value must be either **true** or **false**.
- **Team Admin**: Ability to override permissions for users within the same team. The value must be either **true** or **false**.

De-Provisioning a User

You can deprovision a User by clicking on the `X` icon on the right of the User in each row and then confirming it.

 (https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046471850-?Expires=253370764800&Signature=TtnzgGJz~nTk14nwjLZ~rNJXT5V9~fbZ5Kj2YlbLZALWAdXKKUm-ZjYU-qRh4vWcHnZTevVaCgFflhN1JchuwLov-BN1q2ah6cbzX2BOjXXJ~fHhXOPm0bAIN0IBA8IXZQk7jz~iGXvIr-VNI7fkGcmWe2ciLkez6oZJBoeKgfgq6pzMRkFDmmtm~V-X0rmbkZ19pgHcLnjHVVYtJn2Y6stAtjDxf4vtuxnjTuat30koi6qX5NChkqSDArQVe3Em2xmqb8CKixyXB9YTBi63LERz84djghXejiqIFPcxBfbV9jv4pcSKIZVOVMVN35KeDoqR2FmxU8tDzFE~jxI5~4g__&Key-Pair-Id=K3NV4LZ47N8M46)

The resources, such as Tests, Interviews, Questions, and so on, are transferred to the Owner of the Company, and the User will be locked.

Troubleshooting and Tips

- We suggest keeping Okta as the source of truth.
- This integration is optimized for creating users and teams. The following Okta features are not supported.
 - Teams in HackerRank cannot be synced back to Okta as a Push Group option.
 - Push Now functionality.
 - Delete Group in the target app.

- Remove members from the group.

\

[integrations/single-sign-on-sso] Getting Started with Single Sign-On Prerequisites

title: "Getting Started with Single Sign-On Prerequisites Steps to enable SSO SSO endpoints Updating certificates"
title_slug: "getting-started-with-single-sign-on-prerequisites-steps-to-enable-sso-sso-endpoints-updating-certificates"
source_url: "https://support.hackerrank.com/articles/4264962721-getting-started-with-single-sign-on"
article_slug: "4264962721-getting-started-with-single-sign-on"
last_updated_exact: "Mar 25, 2026, 2:31 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
- "Integrations"
- "Single Sign-On (SSO)"

Getting Started with Single Sign-On Prerequisites Steps to enable SSO SSO endpoints Updating certificates

Last updated: Mar 25, 2026, 2:31 PM (Last updated 1 month ago)

Single Sign-On (SSO) is an authentication process that allows users to access multiple applications with a single set of login credentials. HackerRank for Work supports SSO to provide a seamless login experience and is particularly suited for larger teams. This integration simplifies access management by reducing the need to handle multiple credentials.

Prerequisites

- You must have **Company Admin** access.
- Your organization has an Enterprise plan with HackerRank.

Steps to enable SSO

1. **Access SSO Settings**: Navigate to the top right-hand side of the landing page, click on the down arrow under profile, and select **Settings**, followed by **Single Sign-On**.

![[2024-09-04_12-43-58.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046391640-?Expires=253370764800&Signature=rbFiFATLIU74-6m8OPrtNSO7gUEImCXaKZ194H6vtREI05K3p4mImbf93BvUFQSBmSCYtl-CVpPpW-KeB9z00WPXcTHub12zHI~knDYJDSYzc3Ppx96sPQut6YQBCWw3V7TwJWYpApVQ-0CgjwIRxMLTCgTjCFrfw0BUzL-JzThXFZFtPo7II0LQxMptKNCFj11Umb7P0htr0ODGsAvzkM9oufYJtNzvDHZoE72V9mxwl8FGLtlgElqp86KOREjenzkwDRsb6pAt7jicfV6u6vla1kgYfUgOYWmIThewYruGyVhLReK6PladQNY5cMxvhXeB4A1Y032h-AbGZ0p3xg__&Key-Pair-Id=K3NV4LZ47N8M46)

2\ **Configure SSO**:

- Copy the **SSO Unique ID** and add it to your Identity Provider (IDP) app (e.g., Okta, OneLogin).
- 1. Use the IDP app to generate a metadata XML file.
- 2. Click **Upload Metadata** in HRW and upload the XML file. Once uploaded, a metadata URL will be displayed.

3\ **Enable SSO**:

- Test the SSO setup by copying the generated URL and opening it in an incognito browser window. You should be redirected to your IDP sign-in page. Sign in and verify that you are returned to HackerRank.
- Once verified, click **Enable SSO** to enforce SSO for all users in your organization. Going forward, all users will be required to sign in via your IDP's login page.

4\ **Disable SSO (Optional)**:

- If needed, you can disable SSO at any time by clicking the **Disable SSO** button, which is highlighted in red.

![[2024-09-04_12-34-00.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735004457388-33046957727379-00ff24ff-6911-4f36-9d2f-9ab12ce2ac9b?Expires=253370764800&Signature=hR1P0NKbVj9VG2IZfFgw0a2njq6nCB46P8VTi73QYar6~f1--kzNLPzX89MV6dP3E4~VH-tdbchUBGXebevu5Zi57SMjcR7--KJ1DczpThl35zVI5s-Q1OaEsOMo~u~IoV8RiIX5rr5~FvImSV4HIG9D2Ql2saowp9wFnz1DbwfkEn5nZsXt7REr-OpFRS6mp1Ad~Cu7rhmxZx2pcdmxjRnCLW3jmJEqaOJz-qKWU-TIS1wIGcTrPaxvx3qiLqEnzeHguRU04vDR7SYW3WdN6RQ~~mn~A9zhKO86qWXHzxX534YjyNRFqxY8DXGJzaGcAULWubWH31IF5-o6ajg__&Key-Pair-Id=K3NV4LZ47N8M46)

SSO endpoints

- Entity ID (Metadata URL):\n`https://www.hackerrank.com/x/api/v1/sso/saml/[company\_unique\_id]/metadata`
- ACS/Reply URL:\n`https://www.hackerrank.com/x/api/v1/sso/saml/[company\_unique\_id]/acs`
- Sign-on URL:\n`https://hackerrank.com/work/home`
- Logout URL:\n`https://www.hackerrank.com/x/api/v1/sso/saml/[company\_unique\_id]/logout`

For example, if your company's unique ID is `fj0iolfc03n`:

- Metadata URL: `https://www.hackerrank.com/x/api/v1/sso/saml/fj0iolfc03n/metadata`
- ACS URL: `https://www.hackerrank.com/x/api/v1/sso/saml/fj0iolfc03n/acs`

Updating certificates

Your IdP metadata includes a security certificate. When a certificate expires, upload a new metadata file to the [HackerRank SSO Page](https://www.hackerrank.com/work/settings/sso).

To avoid disruptions, upload a metadata file that includes both the current and the new certificates before the existing one expires. In this case:

- The old certificate remains valid until it expires.
- The new certificate takes effect automatically after you update it in the IdP, and the old certificate expires.

This process ensures that users remain logged in and prevents unexpected login failures.

Note:

- HackerRank can only accept a user's email address. The SSO setup requires the user to define the SAML assertion with the correct data. SSO will fail if anything other than the email address is provided.
- New users will not receive the usual welcome email to set a password once SSO is enabled.
- HRW accounts for new users will be automatically activated, and they will be redirected to the SSO login page after entering their email addresses.
- You cannot reset your HackerRank password when SSO is enabled. Instead, manage your password through your identity provider app (IDP).

\

[integrations/single-sign-on-ss0] SAML 2.0 Single Sign-on (SSO)

title: "SAML 2.0 Single Sign-on (SSO)"
title_slug: "saml-20-single-sign-on-ss0"
source_url: "https://support.hackerrank.com/articles/4516079405-saml-2.0-single-sign-on-%28ss0%29-"
article_slug: "4516079405-saml-2.0-single-sign-on-%28ss0%29-"
last_updated_exact: "Mar 25, 2026, 2:32 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
- "Integrations"
- "Single Sign-On (SSO)"

SAML 2.0 Single Sign-on (SSO)

Last updated: Mar 25, 2026, 2:32 PM (Last updated 1 month ago)

Using Single Sign-On (SSO) with HackerRank allows companies of any size to leverage their existing corporate directories and authentication systems to authorize employee access to HackerRank for Work. The SSO enables users to log in with a single ID and password to access a connected system. SSO reduces password fatigue for users by reducing the number of username and password combinations that they need to remember.

HackerRank's support for SSO is built on top of an industry-standard Security Assertion Markup Language (SAML) 2.0 protocol.

Prerequisites to Configure SSO on HackerRank Account

- Your organization has an Enterprise plan with HackerRank.
- You must have a SAML 2.0-compatible Identity Provider service
- You must have an SSO metadata XML file or URL

Contact customer support to configure SSO. You need to provide the SSO metadata file or URL.

****Caution**:** Once customer support initiates the process to generate the SSO key, users from your organization will not be able to log in with their credentials.

Therefore, you must plan a downtime of 2 hours before you inform HackerRank to initiate the process of generating an SSO key. Customer support will generate an SSO key which you can use to configure SSO for your organization. After SSO is enabled, all users of your organization can only use SSO to sign in because their user credentials are disabled.

Reaching Out for the Integration Help

To know more about how to use the SAML protocol for SSO, you can reach out to the HackerRank point of contact or raise a support request by writing to support@hackerrank.com.

[integrations/single-sign-on-sso] Setting Up HackerRank SSO with OneLogin

```
---
title: "Setting Up HackerRank SSO with OneLogin"
title_slug: "setting-up-hackerrank-sso-with-onelogin"
source_url: "https://support.hackerrank.com/articles/6114369280-setting-up-hackerrank-sso-with-onelogin"
article_slug: "6114369280-setting-up-hackerrank-sso-with-onelogin"
last_updated_exact: "Mar 25, 2026, 2:36 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
  - "Integrations"
  - "Single Sign-On (SSO)"
---
```

Setting Up HackerRank SSO with OneLogin

Last updated: Mar 25, 2026, 2:36 PM (Last updated 1 month ago)

Overview

Single Sign-On (SSO) on HackerRank for Work can be configured using efficient and productive Identity providers such as OneLogin.

The OneLogin SSO portal ensures that only authorized users get access to sensitive data. Users have to enter only one set of credentials to access apps in the cloud and behind the firewall ? through desktops, smartphones, and tablets. With SAML, OneLogin SSO proves helpful in securely logging users into HackerRank for Work either through the OneLogin portal or over your corporate intranet.

This article is a quick guide about configuring SSO on HackerRank with OneLogin. To know about SSO and its benefits, refer to the article[? Getting Started with Single Sign-On](/articles/4264962721).

Note: HackerRank accepts only the user's email address. In the setup, the user defines the SAML assertion with the necessary data. HackerRank SSO fails if it receives anything other than an email address.

Prerequisites

- Your organization has an Enterprise plan with HackerRank.
- You have admin access to your HackerRank and OneLogin accounts.

Adding HackerRank to OneLogin

1. Log in to OneLogin with your credentials and proceed to the administrator dashboard. On the account set-up dashboard, click **Add Apps**.

```
<figure data-type="figure">

![Step1.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046507452-?Expires=253370764800&S
ignature=p9V8xGF4XvcNCBPeRVbIvEiFmtAbc3FQqEvqxH-12YIXZv6pg3GueX9EYUqUjVGmwPzmOfnJudh7W87kb~zwnCUKMEH
-g74JaCTuCG~RLjkqlkQer4u17qVdlhg8i19NAfkvODUxN7NRPEJgbW5TSNRoqA~6yyaeW9CB4RXY3FW1z3O7989pW81HsIEFMcR
QC-dX71RzfUam5jZ02FGRM3SWlthRaHGUpMWWASw~20N-EkjWM7TE1mRPzvLhjFE4hYn4IAEQEWiVyltPT4UAtz93vPymcM2B9
Y27HB0SF2gnY8HFYiNjOK8WYk5udr7C8ljetvd6mPSWDm-FCLFHrA__&Key-Pair-Id=K3NV4LZ47N8M46)
<figcaption>A new pane is displayed.</figcaption>
</figure>
```

2. In the search bar, search for **HackerRank for Work** and click **Add**. HackerRank for Work is OneLogin verified and is now added to your list of applications.

```
![Step2.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046507740-?Expires=253370764800&S
ignature=eHdXlvDD4oxm6Y0cDhk1H1MmATgsYXZ1ox9FwrjO~B41AR~-JlntXYP24TGOuVE1J7OMLbmOmNkOOqjYlgRtPf-wAqT0
WWJMSElgiFIJKOHUHcLTB8KJ8md9flGECG1VIMMW79nuXeBIDeaCkOr84b5bZ9wfz~TMhY8x4R6Q~wdpTAjgdyNBYYVXE7xlumD
9GcWeVXvuRPMVAK54026HV-WCiRqHN7zx0ALMwNiDedfcy1~4k66gHRSHM1h1YNybzNEe1m4Y6fLykEOB5XaMYm0loutDnjXR8
LW6jGLKOGfbAebNfFYsM47TPHisDDSQnvYD4yx91OaCiJ843etpUw__&Key-Pair-Id=K3NV4LZ47N8M46)
```

- 3. Make sure to choose the application with SAML 2.0.
- 4. Configure the HackerRank application with an appropriate display name, icons, and portal visibility.

5. Click ****Save**** to confirm that HackerRank has been added as an application.

![[Step3.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046508128-?Expires=253370764800&Signature=eyepFcvjsU5kQlXnL1eJYfPPm25xGKFzt1i2hBDi6xR~LuvuvPdXh0eUPrFEXew-0llgLQ~vkKxWY1Z2gbzcFjpOyuOtPwhzSq93lykTGZFBeyRbaxU07iilNh32NI1N2xj7dgn~fFDQZadAqXx1Idih7ISa1N7Fp01tPN2FvTFpwXQBBklvtvwKIKfltNkfCEZn4ECm9eFP00wbvgdaaNIbNWUeJvZWDaHALcs-btYnhXm983ED58p2myZpIN7h~ZelZI~WJcwf0hyGfR3gpzqBCF8pcHR64IK0P8Diq0ra3b9p87zJJDAsKKE6D11Hd90UgG1AyI~HBNx2w5xOdw__&Key-Pair-Id=K3NV4LZ47N8M46)

Configuring SSO on HackerRank

In this step, you must enter a unique HackerRank SSO Key.

1. Access the Settings page of your HackerRank for Work account.
2. Under the ****Settings**** option, click ****Single Sign-On**** to copy the SSO Unique ID. It is available in the ****Configure SSO**** section.

![[sso.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046508811-?Expires=253370764800&Signature=fwDPEOnt1-DxZ1ISPM--N4M7N714MC3srv71abr9uHmkVYtrBJZuOs6RI2tljB9FKIBUN7r0KRzXQRu8t93HN52ekSNuM~Cim~xnoIEV2F5X2IVpFc0K5QomYlWc0DcdMUtdS2estF-3AXvw6mlo5A1qRkw3QKN~IUuyssWZuqjV~7VQYfKI3LbZWMwNMxLYi9puRZLYAJrdSSRkq7YIrHeoCB6v~cEcUYGUBPvy21DI~s2Kn5emdRQBgequGI~yCi0n2HxEzF77wIIMJb2te~IdRS9bkh~Jub~2cFbNI~iHAJqKZ2aCqOuJ~QxEh~FoLT5yx-xc72ywQrju8Kr6g__&Key-Pair-Id=K3NV4LZ47N8M46)

Adding the SSO ID on OneLogin and Enabling SSO

1. Copy the SSO Unique ID to the ****Application Details**** tab on the OneLogin ****Configuration**** page.

![[Step4.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046509317-?Expires=253370764800&Signature=O6nyXC0WbNvAmTa9~C-edBctZ0n2BEVEF0ld-ykiW57xl1IOUjLyWqFBhI0TPPFrqFp~SMCtqzG5wbjCOO2HDNbEFYvnY6hG1mLp~tNWhNZe10JGxHvj4GzZm221OutRVes7Uz97Xqx8CgexCU33~bfUIW0qXdZqmJRy~jAOg~P1esII~q7GJEOI6XeSGWctsc8pYThdl1aBd1bwUiNcOV~Z~~LMNkrwvMB787Lwzgr7hVQCOVpP3iCiyPBSbaUg6H~rK3JwYDMt7gmelcwv~H5d0RzxWeBT7p9m4Fi6cD~ng85Brv0VI~SYqqzVSCv49j2ufzqUpt4ChkX8r4KNCw__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Click ****Save****.

3. Click on the ****More Action**** drop-down and select ****SAML Metadata.**** This permits you to acquire the XML Metadata file that needs to be uploaded onto HackerRank's SSO Settings Portal.

![[Step5.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046509629-?Expires=253370764800&Signature=uKo1MznzEhJ9-s7OfYAaAdDOzo0iAAV2LOGz11oVbo62irQpdIOVscuL~cuin2eRyfwR2UgNtq93PxhDBMCK9JdqwjbmVp8NII24Ci796nzxknwYTm-aidP3QWspUlfXDbkNMxYXqh3p~MJN6rjoXyijNrdLUMyAy8vi8ZlXpzwHjdDZCtLkKRQhxGSr~~9h5siaRbeDqiFg8awsXefnO~DTaG~JmLK1r~hE3dTsNE7kRxGuVzDIOLeUu5XGTBQsQrIjWADU1UPZiJsOY0A9y8Dsp3F0LdN5G1Xu6zCS3Qewdwf q3gVvv7dQhFHIA7X~ErIORIMBkx0d69NPAOzyw__&Key-Pair-Id=K3NV4LZ47N8M46)![[Upload_Metadata.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046509923-?Expires=253370764800&Signature=ek7LAQFelcP3N2mmTLtTy01n5DEZIFTEyE~fyIDFOohm9xYTnDdhELPFMKor9VzTuhTLR7tl~6PYN9nun8SQR~A4gW4mVsrNIQ9NCXdm1EiWRNHqPYrOkFXhHjD~p6MIC0WqpbYdoFJQyyAZDKEL5JoHz9mqccACaVcDCd8ft6CuXQSQ00DU7eQa31dmRR7ybySBe48EJDeeRUHCb95xgq5dbuGMrr~wUy3ooQTZw~TqjZvh2xcCO7PWAsLTRrVee81~NBEW8T~mF4i0J4hdX74hmJzQ5Cefaq~k9QyBRU8Dg32YSusxHgM7U8rHUBjwx1yBxd2S6s1K5w1~~ugyg__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Once the XML metadata file is uploaded, the Single Sign-On metadata URL is automatically generated.
5. Copy the URL generated by uploading the metadata XML file to an incognito browser window for testing. You should be able to see the OneLogin sign-in page.
6. Sign in and confirm that you are taken back to HackerRank.

![[Metadata_URL.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046510228-?Expires=253370764800&Signature=S0o6oMGcU5FV7ijOtWgtAzYQysealPi35IEEaGdcrdHflI3RiFPJQosz~POxtsoNkpq452ESqdPDT4aMBKBNjU1Lk4SP~aBIKEEp3GiXX5LtLbpaGXi~Yig1jS3vxcMnbPGmbUcAuHl63Ms4vae3Dh~tAYFRUvLBB8s8zHkntnP85TMjelqF~ubb4CwQkFHHGpgT5xlsFDCB45KWUhrUheRueckElj4DjLuQwNDcgGUGwZjxn~lphPjY3HPEtjI2bwt~zLKiaumS~TqMU9AbhC~R5pasnYW6ougXdxwWN0nV1quRNd88IVuAKx0BFBtmyYox3F0fpnUu~5-jP5ANw__&Key-Pair-Id=K3NV4LZ47N8M46)

7. Once SSO is enabled, all users within your organization will be redirected to the OneLogin sign-in page, when logging into their

HackerRank for Work account.

8. You can disable the SSO setup for your company by clicking ****Disable SSO****.

****Note****: After enabling SSO, the user need not enter the account password while logging in. Entering the correct username or email will automatically redirect to an SSO login.

\

[integrations/single-sign-on-sso] Just-in-Time (JIT) Provisioning for HackerRank SSO

title: "Just-in-Time (JIT) Provisioning for HackerRank SSO"
title_slug: "just-in-time-jit-provisioning-for-hackerrank-sso"
source_url: "https://support.hackerrank.com/articles/8000473667--setting-up-hackerrank-sso-with-just-in-time-"
article_slug: "8000473667--setting-up-hackerrank-sso-with-just-in-time-"
last_updated_exact: "Mar 25, 2026, 2:37 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
- "Integrations"
- "Single Sign-On (SSO)"

Just-in-Time (JIT) Provisioning for HackerRank SSO

Last updated: Mar 25, 2026, 2:37 PM (Last updated 1 month ago)

Just-in-Time (JIT) provisioning allows organizations that use Single Sign-On (SSO) to automatically create and manage user accounts in HackerRank. This feature removes the need to manually preconfigure accounts. When JIT provisioning is enabled, users who sign in with SSO for the first time will automatically have a HackerRank account created and ensures secure access management and a smooth onboarding experience. JIT provisioning does not trigger for non-SSO logins.

Key benefits

JIT provisioning for HackerRank SSO provides the following benefits:

- **Automated account creation:** Users are granted immediate access to HackerRank upon authenticating via SSO, eliminating the need for IT administrators to manually create user accounts.
- **Improved security and compliance:** User access is managed by the organization's Identity Provider (IdP), ensuring compliance with access control policies.
- **Seamless user experience:** Employees can use their existing corporate credentials to log in without requiring additional usernames and passwords.

How JIT provisioning works

The following steps describe how JIT provisioning functions in HackerRank:

1. **User initiates login:** The user navigates to HackerRank and selects the SSO login option.

Note: JIT provisioning runs only during SSO login. If users log in without SSO, HackerRank does not create user accounts automatically.
2. **Identity verification:** The login request is redirected to the organization's Identity Provider (IdP), where the user enters their corporate credentials.
3. **SSO authentication:** After successful verification, the IdP sends a SAML assertion with user attributes to HackerRank.
4. **Automatic account creation:** If JIT provisioning is enabled and the user does not already have an account, HackerRank creates one automatically using the attributes provided by the IdP.
5. **Access granted:** The user is logged in to HackerRank and can begin using the platform immediately.

Prerequisites

- Your organization has an Enterprise plan with HackerRank.
- You must have an active HackerRank for Work account with Company admin access.
- You must [configure SSO using SAML](https://saml-doc.okta.com/SAML_Docs/How-to-Configure-SAML-2.0-for-HackerRank.html) before you use JIT provisioning.

Enabling JIT provisioning in HackerRank

To enable JIT provisioning:

1. Log in to HackerRank using a Company Admin account.
2. Go to the **Settings** > **Single Sign On**.
3. In the **Just-in-Time provisioning** section, enter the email domain(s) that should be routed through SSO. For example, hackerrank.com.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1749119636434-image.png?Expires=253370764800&Signature=VgIERAE~IkI4n1KxOxO~nbqRC6MZ-m0cOXZRi46k1ESb-RzXAaJbMzGoQ-h-CLQn9PgLt5ofAqXXk3fnBDp1FjxeuPQO6~F-d23fYCQHtKQVivBBG7L6ETLNjXF6rnn5gxPJ-WGhmpHnIwU0I7B9PrXnjXbVJxyFTaUldBEe5~VC81haR-rRQ7bKq0uAFGl~yQaoOCda~53~gNW-iRft~7zI6lICuN8HXFbRX5OodAjGeGaCNhW-G31J5CgzUmp4~suDfzoqTSc9FBwGeCDDj6YDFnih7YdlxNkzSZLDZ16hMXBGgnCY8qIPKRVb7U0cqfoaY-alfmanwUVfKT8YA__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Select a default **role** and **team** (optional) for new users.
5. Click **Save & Enable**

Note: Ensure that your IdP sends the following attributes in the SAML assertion:

- `email`
- `first\_name`
- `last\_name`

User attributes for JIT provisioning

For JIT provisioning to work correctly, the IdP must include the following user attributes in the SAML response:

- **Email:** The user's work email address. This must be unique for each user.
- **First name:** The user's first name
- **Last name:** The user's last name
- **Groups** *(optional)*: Details such as user roles or departments. Used for organizing or assigning roles.

Configuring JIT provisioning with common IdPs

The following sections describe how to configure JIT provisioning for commonly used IdPs.

AWS IAM Identity Center (AWS SSO)

To configure:

1. Log in to the [AWS IAM Identity Center](https://aws.amazon.com/iam/identity-center/).
2. Create or configure a SAML 2.0 application for HackerRank, and set up the service provider (SP) details.
3. Map user attributes as follows:
 - `email` ? Email
 - `givenName` ? First Name
 - `surname` ? Last Name
4. Enable JIT provisioning in HackerRank and verify that AWS IAM Identity Center is sending the correct attributes.

Microsoft Entra ID (Azure AD)

To configure:

1. Log in to the [Azure Portal](https://portal.azure.com).
2. Go to the **Azure Active Directory**.

3. Create a new **Enterprise Application** and select **Non-Gallery Application**.
4. Configure SSO using the SAML protocol.
5. Map user attributes as follows:
 - `user.mail` ? Email
 - `user.givenname` ? First Name
 - `user.surname` ? Last Name
 - `user.groups` (optional) ? Groups
6. Enable JIT provisioning in HackerRank and verify that Azure AD is sending the correct attributes.

Google Cloud Identity/Google Workspace

To configure:

1. Log in to the [Google Admin](https://admin.google.com/) console.
2. Go to **Apps \> SAML Apps** and add HackerRank as a new SAML application.
3. Configure SSO URLs and the service provider entity ID.
4. Map user attributes as follows:
 - Basic Information \> Primary Email ? Email
 - Basic Information \> First Name ? First Name
 - Basic Information \> Last Name ? Last Name
5. Enable JIT provisioning in HackerRank and verify successful sign-in using the mapped attributes.

Troubleshoot JIT provisioning issues

If users experience problems with JIT provisioning, try the following troubleshooting steps:

- **User Not Created?**
Ensure that the IdP is correctly configured to send the required attributes.
- **Incorrect Role Assignments?**
Confirm that the IdP is sending the correct group or role information.
- **Login Failure?**
Review the SAML assertion logs in your IdP to verify that the authentication was successful.

If you need further assistance, contact us at support@hackerrank.com.

\

[integrations/single-sign-on-sso] Log In to HackerRank with Google Workspace Account

```
---
title: "Log In to HackerRank with Google Workspace Account"
title_slug: "log-in-to-hackerrank-with-google-workspace-account"
source_url: "https://support.hackerrank.com/articles/9826965692-log-in-to-hackerrank-with-google-workspace-account"
article_slug: "9826965692-log-in-to-hackerrank-with-google-workspace-account"
last_updated_exact: "Mar 25, 2026, 2:33 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
  - "Integrations"
  - "Single Sign-On (SSO)"
---
```

Log In to HackerRank with Google Workspace Account

Last updated: Mar 25, 2026, 2:33 PM (Last updated 1 month ago)

HackerRank integrates with Google for Work to facilitate an easy and seamless remote interviewing experience.

As a part of this workflow, HackerRank users who have a Google for Work account can seamlessly log in to HackerRank without having to go through multiple steps of authenticating themselves into their HackerRank account. For example, remembering passwords, going through password managers, and so on. This results in a hassle-free interview scheduling experience saving you a lot of time and effort.

****Note**:** If your company uses SSO, you can configure Google Workspace as your SSO provider through SAML. For more information on SAML, see [? SAML 2.0 Single Sign-on (SSO)](/articles/4516079405) .

Prerequisites

- Your organization has an Enterprise plan with HackerRank.
- You must have a predefined Google for Work account before you log in to the HackerRank account.
- You must have a work account for Google that you use for the HackerRank login.

Signing In to HackerRank Account with Google for Work Login

1. Navigate to the HackerRank for Work Login page. The Google for work login is displayed along with the HackerRank login.
2. Click ****Continue with Google**** to log in to your HackerRank account.

![[google_login.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046348350-?Expires=253370764800&Signature=vJZggOfzKRLkb0LwZSn~5OckQPEyPj0b5JICpQE3YrAzcf97rtY0yZrvpON2IE9qrYSJaNketjNs-hhW5Ke3cl4usbOpNuElk0zCtaMQ60QiYh~wZvuDU42NS4GdlQrK~sZXeHp~EaKlyKo4zJoChAb5voX1HI1QBcaygzjf0CtyZ632uSsx1WxuAKCMVEv0SkMrFidBoeTZjOGTEgfnljf9zBxrHCcneRE24n0crvYStkN9yFTFYtr2nYvP7cngs6yJNMwL0llmDmnLrCwFFDlij8JKoQE~mMrRFbw73vEIDhC9h8~NJ1DJaf8MhDZuySgpJ99M1LAer3sTafeA__&Key-Pair-Id=K3NV4LZ47N8M46)

The Choose an account page is displayed that shows all your Google for Work accounts.

![[choose_googlaccount.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046348709-?Expires=253370764800&Signature=ng64sS1rn0wuZ8t69KDA7J1dD34utbg9gV91u882zgUDZMg5pnt4pz0pUVjWZqLx6lmNxlFEicUWe1J7TETJUfMwYLKgw8RtM7PH6Ry91pR8~zIyyERRBrE15R26QLVq19cyCbaZjPuvuG2K~3QqsQ5nMIZv5viNUaSQIFVdEf~jIoSZDqmltFNH4SiAfUF8vLtkxX7eNpcfe9KOYvwwEeNMF0D2J1zwzGtQn6ST1hNzyL5QcTIBFVnUnrfbcg~WqzscGlddn2TcRD~s8nRoLhN5rAP78aVPhtxPXBltqoHTGdmz77sjHzNFsOY2S2d2bJIG48nepyzjO8azCR~Y0Q__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Select an account that you have already used to log in to HackerRank. It must be your work account.\

If you use an account that is not a work account, then an error is displayed:

![[account_lockedgoogl.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735004341269-account_lockedgoogl.png-75131d17-612c-492f-80b5-e245ea4e3229?Expires=253370764800&Signature=RxW0wZoH3bOEDw9Zr2VusEKz50ni8~qZ5GPCGdqJwlxTL08KkxA0F6~NGfVQFn8Gdf25UQ~W1Jw37gdOJcuYX9j~zV76HhSmlzz8dS0~JNwh0dd2JjqnFWzDYiyrsEtMnmr0pv2xfvZ4PbaD3P4XvGASYVPPpRzbW6wVEiGaR6Kap~CeJx-9Tj8UrJ5d8TjNpMvAMzyo8OT2VQb-4~~vld5DtjFLG4ChzHaPZk~

BNbXONgNeQu6sRX2jdFOW9dprDcMwSukoPBXPZso8v9DIbY0TE2FpfIRIqz3TVjWutd0QjR2bnQMwXGtruwcXXPVx14Pts5ZdUqy4
EShAzCvpg__&Key-Pair-Id=K3NV4LZ47N8M46)

Also, if the account is not valid, an error message is displayed.

![google_error.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735004346539-google_error.png-36a99507-3e2e-44b6-b450-ba0ca389d8bb?Expires=253370764800&Signature=ANzW66PI82oGaeT0gSqbfO49R9evO5PFRQ9h2OLOfndF261aJ06xDbVpA6rwt61qTZfOUS5~Hczf1-iLWT9c2V209hZ6PW2jDvyCobn38hLR-BbBoxySH4Q8nkbRnR~LAfseoUA79MJU9IjF-XRp26kcRL-WRyXnZxz5sagIPU9UpWS-Dp6xZilO7-Lpla71pKEIxCnb5RgHea6ti1KRZFLgXp~L4CbwlcVEO-otXTZCrfl~m7bWjpfCHDQpCFj0DSNRxQdKxi~FNgsOyZCp-TYHIDq96H-xg7-FiM1p48IYsKAAtkIGyYnH8o0qicjr7uYiWHu4Kd9~mjamu0IVWw__&Key-Pair-Id=K3NV4LZ47N8M46)

FAQs

My company uses an SSO for login to HackerRank. Can I use my Google Workspace account instead?

If your company enforces login through SSO, you cannot log in directly with the Continue with Google option. However, your admin can configure Google Workspace as your SSO provider through SAML.

[interviews/additional-resources] Recommended Questions and Interviewer's Guidelines

```
---
title: "Recommended Questions and Interviewer's Guidelines"
title_slug: "recommended-questions-and-interviewers-guidelines"
source_url: "https://support.hackerrank.com/articles/1982891156-recommended-questions-and-interviewer%E2%80%99s-guidelines"
article_slug: "1982891156-recommended-questions-and-interviewer%E2%80%99s-guidelines"
last_updated_exact: "Feb 14, 2025, 7:33 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Interviews"
  - "Additional Resources"
---
```

Recommended Questions and Interviewer's Guidelines

Last updated: Feb 14, 2025, 7:33 AM (Last updated 1 year ago)

Overview

Identifying the right set of questions quickly during a live interview session can be tricky. To make interviews more streamlined and efficient, HackerRank has added the **Recommended Questions** section within **Import Questions** in the interviews.

Recommended Questions are a set of interview questions curated specifically for interviews that take less than 30 mins to solve and have a quick read time (Approximately 5 mins).

Each of the recommended questions also comes with a set of interviewer's guidelines that provide hints, solution code, complexity analysis, potential follow-up questions, and so on. This article will walk you through the steps in viewing and importing the recommended questions in an interview.

Note: Interviewer's Guidelines are visible only to the interviewer and not to candidates.


View and Import Recommended Questions

To view Recommended Questions for your interview, follow the below steps.

- Launch the interview as an interviewer.
- Click on the Import Question panel on the left.



- You can see the **Recommended Interview Questions** just below the Import Questions section.
- Click on the **Recommended Questions** button to view the set of questions from the HackerRank library recommended for your interview.



- On clicking the Recommended Questions button, the library questions with the tag **Interviewer Guidelines** get filtered. Select any question from the list that you would like to use.



- Once you click on the **Use** button, the question will get populated in the Task Description section of your interview.

Interviewer Guidelines

Clicking on the question description icon will take you to the question pane on the left side. The question pane is divided into two tabs, Description and Guidelines. Click on the **Guidelines** tab to access the interviewer guidelines. These guidelines are a set of hints, complexity analysis, and follow-up questions concerning the selected problem. These guidelines give interviewers more context around the question and help them evaluate candidates effectively. The guidelines are divided into sections. For ex: **Solution, Complexity Analysis** in the below question. You can click on these sections to expand.

![Guidelines.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047096057-?Expires=253370764800&Signature=RRekuqyLm44Jh0sMcAtQxwypAMe6n3TaCJYCulQRj0eXx1cdPG9WRXaDeA8FTgCicwbBOO51raXMQDwHdzwwRP rOInt51YbF-1ULYEf6TJEf~2-lyrkbUkNs0P10tNFIZEvS~adaMLO0PIJtIFvijHE945fEtS4W2fsZN-si5SAFPc83T845RCAhmHIh82VG~NII iABNQjlv3T0be7EOCnqOluZxQWKxlvluIClyrlSgjpFRAjUCfT0vZVmJT1u9UkAnp9WdB0NVB3ScvnQFw0NjA0Hu-oMHCXIZht1BE9vb si5zLxvRlxfRnQGpYPceuDGiS~kG-qQJU~7ofe3Q__&Key-Pair-Id=K3NV4LZ47N8M46)

Adding Interviewer Guidelines for Custom Questions

If you need to add Guidelines to your custom questions, they can be added from the question creation workflow as shown below.

Add the tag *****Interviewer Guidelines***** at the time of question creation.

![add_tag.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047096478-?Expires=253370764800&Signature=syKPBTt8RSo95UMtNaecIkqxsEmDY6dz6mlq4Aptk7i8nsrs0fTKyLtCUUJGqSoWFrwl1v63i~v~2L7x8Qp4HHyjsqaQpNg 1iu1eYBjsmlyGy53sMw7LGIJaVTD2mfB61mu61IRPHshoFqJRn7Oho8WbPkEfmhVZ~Awqwgtpi3C5XPOheUrBGDqDUICn4XR3Hmt Ocwhwwk-vlSeMQI2mPG9JN5LxGveCV-o7IIPupIQwsINbykBGHLe3B81B9U03XVQUALSYB0RjqFHJxMOGoLy1qQKW03RcWMIrV dBQw2JbB0DHbOGkegMdw6CRMuyY7M9biEkDZ95-V~2-kAw__&Key-Pair-Id=K3NV4LZ47N8M46)

In the Interviewer Guideline section on the Problem Statement tab, you can add quick guidelines, follow-up questions, etc that might help you during the live interview.

![guidelines.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047096909-?Expires=253370764800&Signature=UtFsd4O4MKrLKD5ZbYNF5SMJAZwzRX8xTzIF14OHFr4s3tDIL-EqJTbkSNqNwW2jmFuFd05Xd002CBuRtkaAGImtw8 Kp16S62nmpMJBudt9UREDHtR7vIKd5OGSNtIVk0tBM~Ow0HVqLhhf7vTvSnmWm2sOs4iT-aC-KgREE~2Bc0LROtZEPVHhh4SPG2 P9Rv4mnTtdz7GHbll3M-uF3YJGdyOdnV0rXz8c-oEI-E1ZbwwyC8O51~vfYHlqjaP8L15PY1KZ4YCoN5tOgan5M23~fCg1oXM6FpZ3E 1gQfb8QLJ8l0GQR~tm1gZuMtAE-MRqzm5n3pDWH070V27ddxg__&Key-Pair-Id=K3NV4LZ47N8M46)

[interviews/additional-resources] HackerRank Interview Best Practices

```
---
title: "HackerRank Interview Best Practices"
title_slug: "hackerrank-interview-best-practices"
source_url: "https://support.hackerrank.com/articles/5533854049-hackerrank-interview-best-practices"
article_slug: "5533854049-hackerrank-interview-best-practices"
last_updated_exact: "Jul 7, 2025, 2:02 PM"
last_updated_relative: "Last updated 10 months ago"
breadcrumbs:
  - "Interviews"
  - "Additional Resources"
---
```

HackerRank Interview Best Practices

Last updated: Jul 7, 2025, 2:02 PM (Last updated 10 months ago)

This guide has been developed to assist you and your organization with best practices for HackerRank Interviews.

Why and when to use HackerRank Interviews

HackerRank Interviews can be used to hire for roles at all levels but are especially beneficial for more Senior-level roles.

Considerations before an interview

1. **Ensure candidates have the resources they need to feel comfortable.**

- Provide detailed instructions and resources for candidates.
- The [Candidate Support Page](https://candidatesupport.hackerrank.com/hc/en-us) has resources to help candidates prepare for, participate in, or follow up on an interview and find answers to frequently asked questions.
- Ensure candidates are recommended to try out a [Sample Interview](https://click.pstmrk.it/2sm/www.hackerrank.com%2Fpaper%2Finterview%2Fcandidate/ih_I-DgN/EDcl/CCPqkY_bx/aHJ3LWludGVydmllldy1zY2hlZHVzZWQ) to help prepare for their upcoming interview.

Note: We recommend accessing the interview link using an incognito window or a browser not logged in to a HackerRank account.

- Whiteboard sessions and conversations during interviews are recommended to put candidates at ease.
- #### 2. **Make sure your organization has enabled the Virtual Lobby.**
- Usually, this is turned on by default; this is a virtual waiting room for candidates to wait before entering the interview. (Enabled by Company Admin)
- This is very helpful for panel-style interviews. With multiple interviews using a single link, it becomes essential to ensure that the participants inside the interview are not disturbed by the sudden appearance of others.

- [Using Virtual Lobby in HackerRank Interviews](https://support.hackerrank.com/hc/en-us/articles/1500000498441-Using-Virtual-Lobby-in-HackerRank-Interviews)

3. **Interview Standardization** - use pre-defined templates.

- A consistent interview process reduces bias while also providing a way to benchmark and compare candidates to get the right fit. To enable a consistent and structured interview process, interviewers need to ask similar questions to every candidate applying for a role and assess them on the same set of skills.

- [Standardizing Interviews Using Templates](https://support.hackerrank.com/hc/en-us/articles/1500008525861-Standardizing-Interviews-Using-Templates)

- Interview Templates help you achieve a consistent interview process! For a particular role, create a template of questions you want to ask and the skills you want to assess the candidate on. You can then use this template to interview every candidate applying for that role.

- [Using Interview Templates](https://support.hackerrank.com/hc/en-us/articles/11065592866451-Using-Templates-in-Interviews)

- Add Custom Skills to the Interview Scorecard along with the ability to provide a rubric for rating a candidate on a custom skill.

4. **Show Candidate Timeline to the Interviewer (s)**

- Import answered questions from a candidate's HackerRank assessment for your organization into the interview. To enable access to the candidate timeline, refer to [? Creating an Interview](/articles/8404005945)

5. **Be familiar with the layout of a HackerRank interview**

- [I/O Console Inside Interviews](https://support.hackerrank.com/hc/en-us/articles/13640312505363-I-o-Console-Inside-the-Interviews)

6. **Make sure that [Interviewer Guidelines](https://support.hackerrank.com/hc/en-us/articles/360049354333-Recommended-Questions-and-Interviewer-s-Guidelines) are provided for custom questions.**

- Provide a solution to enable interviewers the ability to compare a candidate's code to the solution.

7. **Access interviews early** and set up questions before the scheduled time of the interview.

What steps can I take during an interview?

1. **Use interactive video and chat.**

- You can work with candidates or view their contributions in real time, create a connection beyond the code, and interact more with them through video and chat.

- For awareness, [the audio and video capabilities of HackerRank Interviews are powered by Zoom](https://support.hackerrank.com/hc/en-us/articles/9768223492883-Audio-and-Video-Calls-in-Interviews-Powered-by-Zoom).

2. **Take advantage of Interview Settings** such as Enable Auto Complete, Automatic Brace Completion, Change Screen name, and more.

3. [Observation Mode in Interviews](https://support.hackerrank.com/hc/en-us/articles/697077755795-Observation-Mode-in-Interviews)

- Observation Mode in HackerRank Interviews lets interviewers keep an eye on what happens on the candidate's screen.

4. **Provide feedback** during or after the interview with the [Interview Scorecard](https://support.hackerrank.com/hc/en-us/articles/360048405234-Interview-Scorecards).

What are the Recommended Steps While Ending an Interview and After an Interview?

1. **Ending the Interview will generate the Interview Report.**

1. Be aware [ending an interview is different from leaving the interview](https://support.hackerrank.com/hc/en-us/articles/115007300487-Ending-an-Interview#leave-or-end-an-interview).

2. Need more information on [Viewing an Interview Report](https://support.hackerrank.com/hc/en-us/articles/115007328727-Viewing-Interview-Reports)?

2. If your organization utilizes an applicant tracking system or other HCM integration, copy the scorecard notes and upload them into your ATS.

Want to learn more about HackerRank Interviews?

- Check out the [HackerRank Interview Learning Path](https://hackerrank.northpass.com/p/45310c43d92a71eb704fa7990cbb1168c54b0205) on the [HackerRank Academy](https://hackerrank.northpass.com/auth/auth_url_email/login).

What's New - [The latest product news and updates from HackerRank](https://portal.productboard.com/n3atuxcngbrfdkucdhtkmrwm/tabs/6-released).

[interviews/additional-resources] Attach a File to a Problem Statement

```
---
title: "Attach a File to a Problem Statement"
title_slug: "attach-a-file-to-a-problem-statement"
source_url: "https://support.hackerrank.com/articles/7571200514-attach-a-file-to-a-problem-statement"
article_slug: "7571200514-attach-a-file-to-a-problem-statement"
last_updated_exact: "May 14, 2025, 8:26 PM"
last_updated_relative: "Last updated 11 months ago"
breadcrumbs:
  - "Interviews"
  - "Additional Resources"
---
```

Attach a File to a Problem Statement

Last updated: May 14, 2025, 8:26 PM (Last updated 11 months ago)

You can support your problem statement by attaching a relevant file while creating a question. This file can be included by uploading it as an attachment or linking it directly within the **Problem Description**. During the test, candidates can view and download the file from the question description section.

Steps to Add Files to a Problem Description

- In the **Problem Description** area, click on the **Link** option.

```

```

- The **Add Link** dialog box will appear. In the **Text Display** field, enter the text you want to display as a clickable link for file access.

- Select the **Upload a document** option, then choose the file you want to upload. The **URL** field will automatically be populated with the file's link.

```

```

- Click **OK**. The specified text will appear as a link for candidates to access the file.

```

```

Note: Supported file extensions are .jpg, .jpeg, .png, .gif, .svg, .webp, .heic, .heif, .bmp, .pdf, .doc, .docx, .xls, .xlsx, .ppt, .pptx, .odt, .ods, .odp, .txt, .csv, .md, .rtf, .tsv, .json, .XML, .zip.

Candidates' Access to Files

When candidates view the question during the test, the link to the file will be visible in the **Problem Description** section, enabling them to access the attached file as needed.

```


### Attaching Files to Interviewer Guidelines

You can also include file links in the **Interviewer Guidelines** section of a question by following the same process.

This approach ensures candidates and interviewers access supporting materials, enhancing their understanding of the problem.



**Note:** To change the link or upload a new file, select the existing linked text, click the **Link** icon, and upload the new file.

\



# [interviews/additional-resources/faqs] Frequently Asked Questions

---  
title: "Frequently Asked Questions"  
title\_slug: "frequently-asked-questions"  
source\_url: "https://support.hackerrank.com/articles/9583186367-FAQs"  
article\_slug: "9583186367-FAQs"  
last\_updated\_exact: "Jan 2, 2026, 2:52 PM"  
last\_updated\_relative: "Last updated 4 months ago"  
breadcrumbs:  
- "Interviews"  
- "Additional Resources"  
- "FAQs"  
---

## # Frequently Asked Questions

\_Last updated: Jan 2, 2026, 2:52 PM (Last updated 4 months ago)\_

**\*\*Why does the font appear black in Interview dark mode, and how can I change it?\***

On macOS, the font may appear black in Interview dark mode due to font rendering or browser compatibility issues. Try one of the following solutions.

**\*\*Solution 1: Reinstall the Source Code Pro Font\*\***

1. Open the **\*\*Font Book\*\*** application on your Mac.
2. In the search bar, type **\*\*Source Code Pro\*\***.
  1. If the font appears, continue with the steps below.
  2. If the font does not appear, skip to step 5 to install it for the first time.
3. Right-click the **\*\*Source Code Pro\*\*** font family and select **\*\*Disable ?Source Code Pro? Family\*\***.
4. In the confirmation dialog, click **\*\*Disable\*\***.

![[2026-01-02\_14-30-35.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1767344665666-2026-01-02\_14-30-35.png?Expires=253370764800&Signature=TCmUREtOlPvqNp6Zdc7Qv7p6yrRwwthodVOVWzKmwAVa~SKZHRljHQ7CX0YCTihxtAX4VlgajwablevVWmICTxBciFJJqG2L49WMC6u7eofLu9Hi55eYeqsVmu0AD3CFzS6QczZTAWsbE3AYcgr5HQ8Sss0EEoWzw6~LeEaYCVHrrJ7guddHy4Hnd3Vgo3zjOi0tK-brwn5mZQNpJj2D-zxG0WBbU0zUs3plppL8xvaai5uHNrMdElzjbPS4p1GKY59PIBwusK6n9u7Jhu1yvFavh3SQCSkclPk9ZcV3nMG9mSUWg9qS8sK4ETy3PTsMXVUtJxYJ839TdBcVLQXg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

5. Download the **\*\*Source Code Pro\*\*** font family from the [Google Fonts](https://fonts.google.com/specimen/Source+Code+Pro?query=source+code+pro) website.

6. Install the downloaded fonts using **\*\*Font Book\*\***.

![[2026-01-02\_14-42-56.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1767345529275-2026-01-02\_14-42-56.png?Expires=253370764800&Signature=PxTgZQJEADCvdf5KdGpgVyK2OwLZhW9cp2OIRz6RubF7WemshUMeB7j1x7pZYQX6GuXHQDbGTEREBbZcMFsWlArtJgV6L~S2C-1WMV0rvChseifeaWLCn9JtdtltIT3k8Td6toEzGPM-eIRWhcu5~~x3l5QTlh-pJfcR-hLTDbFeMMEmbj944mDQXbhUTpb4YVMS3tdx~~YGHysBj9TK98ljRorPzp5wj3BO6dEgwDEWMS5ti~3j00LBzMpkF47YEEB86pHbZyN-4kGHNmpVe609Rdkd3rhpIEbtjvroLopmLe3yoHiO4Sq8qc-rLH7ANvzcl5ysK82bFPJxh2EuA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)![[2026-01-02\_14-46-06.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1767345550078-2026-01-02\_14-46-06.png?Expires=253370764800&Signature=RXmVfdK2p~IE2xobaMlkiPFw~4eAgKKqY1iCa1t9km5soKeBPelim5qKmqVKNL2S5k9WOyUafFTxnUiM4iAg8lMxHwTgPikhLgesfVR9qTRxZcyvz1aZ9AkalmSKmAsW3wiOGm7~7kixEaOmMhwrNUEjH4Sk0jCSqpip4n~4scjXL2Jv~l~kySpK~zo9JdSDaMofxMnpqBWWJr8EFqg1tv0HKGyH5x10eaeQ~2KpzbrljfRkbrfWzKc-EmONshzdvmRaKvb8Hb~29SW5CXSPPLaIL7qDCqB6GI0Jyic4BniAELLc2xcUDekEH5ZRpg1aFcfRZOWJGGEsqGi~910IA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

7. Refresh the interview page in your browser.

After installation, the font renders correctly in dark mode.

## **\*\*Solution 2: Use the Safari Browser\*\***

This issue may occur when using third-party browsers on macOS. To resolve it, open the interview in Safari.

## **\*\*How do I add my own questions to HackerRank for Work?\*\***

To add questions, you must have a HackerRank for Work account. After you log in, you can create and add questions to your company library. For detailed steps, see [Creating Custom Questions](https://support.hackerrank.com/collections/6791011056-creating-custom-questions).

## **\*\*What should I do if I encounter an issue during my interview?\*\***

Use a [supported browser](https://candidatesupport.hackerrank.com/articles/8455316478-browser-recommendations-for-hackerrank-interviews) and run the [System Compatibility Check](https://www.hackerrank.com/compatibility) to identify browser, network, or device issues.

If the issue persists, contact [support@hackerrank.com](mailto:support@hackerrank.com) and include your interview link.

\

# [interviews/getting-started] The Next-Generation of Hiring: Interview Features

```

title: "The Next-Generation of Hiring: Interview Features"
title_slug: "the-next-generation-of-hiring-interview-features"
source_url: "https://support.hackerrank.com/articles/5377881818-the-next-generation-of-hiring%3A-interview-features"
article_slug: "5377881818-the-next-generation-of-hiring%3A-interview-features"
last_updated_exact: "Feb 21, 2025, 12:02 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Interviews"
 - "Getting Started"

```

## # The Next-Generation of Hiring: Interview Features

\_Last updated: Feb 21, 2025, 12:02 PM (Last updated 1 year ago)\_

At HackerRank, we are spearheading the AI revolution in developer productivity, fundamentally transforming the software development landscape.

AI copilots are democratizing programming by leveling the playing field and exponentially boosting developer efficiency. By partnering with intelligent assistants, developers transition from merely writing code to collaborating with AI, enabling faster and more streamlined software creation. Cutting-edge tools like Cognition AI's Devon and Ellipsis's AI-powered code review agents are setting unprecedented standards, allowing developers to focus on complex problem-solving and innovation.


HackerRank is leading the way in an AI-first hiring process, seamlessly integrating human expertise with AI to ensure the next generation of developers is equipped to define the future of coding.

### ## Code Repositories in Interviews

- Assess candidates' coding fundamentals with real-world challenges
- Create tasks that resemble feature building from a PRD
- Fix bugs from a support ticket
- Perform code review
- Design scalable systems
- Work collaboratively with an AI assistant
- Explore team fit by simulating working together on daily tasks
- Leverage the same problem context across all hiring rounds by using the same code repository.

### ## Interview Set-up

- [Log in to your HackerRank account.](https://www.hackerrank.com/work/login)
- Create an interview using the create interview CTA in the Interviews tab



- A code repository is the foundation of your interviews. For example, use the E-Commerce MERN repository for SDE 2 Front-End hiring.
- Selecting a repository can be done in two ways:
  - From Quickpad: Select the relevant code repository.



- Or from the left nav: Select the relevant code repository



- Add tasks from the repository for the interview.



- Review the **README** file for an overview of the E-Commerce repository.



- The repository includes bug fixes, system design, and feature development tasks.

- Choose tasks for each interview from the E-Commerce MERN stack. Example of a sample sequence:

- Interview 1: Coding ? Feature building + Bug fix

- Interview 2: System Design

- Hiring Manager Round

- Value Fit Round

- An AI assistant is automatically enabled for the candidate to complete their tasks.



## AI assistant

- The AI assistant assists candidates in solving the tasks.

- Interviewers can monitor AI-candidate interactions in real time, with conversations captured in interview reports.

- To disable the AI assistant, contact HackerRank at support@hackerrank.com.



## ## Interviewer Workflow

### ### Candidate Preparation

- Allocate ~5 minutes for candidates to familiarize themselves with the UI and code repository.
- Inform candidates about the location and expected interaction with their AI assistant.

### ### Post Interview: Reports

- Access comprehensive reports for each interview in the **Candidate Packet** and in the **Interviews** tab.
- Monitor the candidate's interaction with AI in real time, with transcripts available in the reports.



- Utilize the same code repository across all interviews to build a progressive interview assessment, marking previously attempted tasks and selecting remaining ones for subsequent rounds.



\

# [interviews/getting-started] AI-Assisted Interviews Key benefits Enable AI Assistant f

---

title: "AI-Assisted Interviews Key benefits Enable AI Assistant for interviews Disable AI Assistant for a specific question Candidate experience Interviewer experience Post-interview report Frequently Asked Questions (FAQ)"

title\_slug: "ai-assisted-interviews-key-benefits-enable-ai-assistant-for-interviews-disable-ai-assistant-for-a-specific-question-candidate-experienc

e-interviewer-experience-post-interview-report-frequently-asked-questions-faq"

source\_url: "https://support.hackerrank.com/articles/5821380141-ai-assisted-interviews"

article\_slug: "5821380141-ai-assisted-interviews"

last\_updated\_exact: "Apr 22, 2026, 11:06 AM"

last\_updated\_relative: "Last updated 4 days ago"

breadcrumbs:

- "Interviews"
- "Getting Started"

---

# AI-Assisted Interviews Key benefits Enable AI Assistant for interviews Disable AI Assistant for a specific question Candidate experience Interviewer experience Post-interview report Frequently Asked Questions (FAQ)

\_Last updated: Apr 22, 2026, 11:06 AM (Last updated 4 days ago)\_

This feature is part of the AI Add-on. For more information, see [? HackerRank AI Add-on](/articles/5847651809).

AI-Assisted Interviews allow interviewers to observe how candidates interact with an AI assistant in real time. This provides deeper insights into the candidate?s coding behavior, technical thinking, and ability to work with AI tools.

The interview takes place in a modern integrated development environment (IDE) that includes AI features such as inline code completions, file-aware chat, and agent mode. These features closely resemble real-world developer tools such as GitHub Copilot and Cursor.

Interviewers can evaluate not just problem-solving skills, but also how effectively candidates leverage AI to build solutions.

**Note:** The AI Assistant currently supports the following question types:

- Coding
- Projects
  - Frontend
  - Backend
  - Full-Stack
  - Mobile
  - Generative AI
- Code Repository

## # Key benefits

AI-Assisted Interviews offer signal-rich insights by enabling the following:

- **Real-world simulation**: Mirrors a modern IDE where AI support is part of the development workflow.
- **Enhanced interviewer visibility**: Displays how and when a candidate interacts with the AI assistant during the interview.
- **Post-interview transparency**: Provides a complete chat transcript for interviewers to review and use when making informed hiring decisions.

## # Enable AI Assistant for interviews

You can enable the AI Assistant for candidates at the company level and control how it applies to interviews.

## ## Enable AI Assistant in Company Settings

To enable AI Assistant:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to **Settings**.
3. Select **Interview Settings** from the left panel under the **Company** section.
4. Scroll to the **AI Assistant for Candidate** section.
5. Select the **Turn on AI assistant for candidates** checkbox

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fe4f5d3a4-9239-4326-8ea9-5c9a7909d1a6-1775476433645-image.png-34574910-2fd0-453f-86d3-209cc6a6a83d?Expires=253370764800&Signature=Z1Mq8zSyTmkoO-LQQM-Iu6PWOW9S89kRWdkJv6i3n8TrUCOBmVXUIAsO3fBmJDDa1P4eb8uMkRWwS85hb7TbYYAF--G63lwHjBK9vy4n635BXoDs-wmAV2KOa1M45b4Zlt7DXQ-T45Z6a7HwcGhuqlV72QCdU3o9WyJN2HIRBF1SaL8g0qPjc7fOG-Bn1gJAEpfVvEt70ZUFVxPpO1BekYqfU-i1nJx-XQ1y9VPGHhFedqmNPg1XT3bZ24qBb1OdZslw5Ow7EXdUb1JY1EPLBotPAMAEWikv-H4b4SwK0ZGWmtZnxpnXVkmVNHKWFSH6KEd5kC6bhu-WsTbWgEUQng\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

6. Choose how you want to enable the AI Assistant:
  - Select **Always on for new interviews** to enable it by default for all new interviews.
  - Select **Choose per interview** to enable it individually for each interview.

7. Click **Save**.

#### ## Enable AI Assistant for a specific interview

**Note:** You can manually enable the AI Assistant for individual interviews only when **Choose per interview** is selected under **AI Assistant for Candidates** in company settings.

To enable the AI Assistant for a specific interview:

1. Go to **Interviews** > **Interview List**.
2. Select the interview you want to update.
3. In the **Interview Details** panel, turn on **Enable AI Assistant** under **AI Assistant for Candidate**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F10e6678d-a652-45ed-a063-65cf2ff11848-1775477373027-image.png-0c53ef42-0d5a-42d3-af3f-5c23c9cc9f23?Expires=253370764800&Signature=Kd7FP5RQ-LNxwFwopDGzKv46EC6~ZM6BVWnnwSZtIWfVlyg1Nd4pQTW9nlquUM4voAZsKxFTdXH-I10EzaynXeo5-yO1nAFj-ugjPwpYSNSSIU610ii6AZqGN9q1PdLaxe7aMzmhnbjOi6-BGrpNUv-q1MG26Awl4Dq3aog0vm-Vp8NjooxVxD0B8b~36~kRtztJCvMYXsCMRv937Hhp19yAw-yGt76oCyZDSowwVX2Yo-QeYILNTizWFip2aOUAkX2cFyjrJNMK5Yixdu7QEa6RVk-asAemsa34dHUEvGtNiekYXE4CF-6mE8TIAKimXNwUHqL6ASpKJy4xVskw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click **Save Without Inviting** or **Invite Participants**.

For more information, see [? Create an Interview](/articles/8404005945).

#### # Disable AI Assistant for a specific question

You can disable the AI Assistant for specific questions if you do not want candidates to use it.

To disable the AI Assistant for a specific question:

1. Import the supported question type during the interview.
2. Locate the **AI Assistant** toggle.
3. Turn off the toggle to prevent the candidate from using it.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1f825e46-1420-46ea-a6ba-889f14ec5276-17

53699070957-image.png-983d962a-88a0-444f-b725-fdb20b60a6a8?Expires=253370764800&Signature=dp~O0HAlIHRN5-IP9mDHL  
Ef-ibcuUD-flYoWsxWL5l0zFygOt8FI-SZtn7JxzSBc-2ek6~78rldWB1Ymx9b1QN7SJ299rReMsGhJE3ohfjDqE43U3sTx8LDfnOB~JyioO  
ydrn2RbycnshhJwGr8O10LUZnhWa63w~od02BCcUaayQTO-lfxKm8FH3YWGHub2Oxid5LJBPNYjbV-Gx45Rt0p0F6aAMHAEtxp~L  
w3lc3~yd~wJXcskr8bdgAoBNcAe6tZ4yNaZDvclcf0tJsJCUGTLI1Owv2T5ZTVQaNxa3klcjWPBsCifY01-lMcqXOriOuSA8zjSXRQZ3Qg  
CH4ISAQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

# Candidate experience

When you enable the AI Assistant for a supported question, candidates can interact with it in the following ways:



- **Chat interface**: Candidates can ask questions about the problem, code, or specific files. Candidates must tag the `problem statement` to provide context. The AI Assistant uses the tagged content to generate accurate responses.

This helps you assess how well a candidate understands the task and how effectively they use the AI Assistant to plan their implementation. It also enables the AI Assistant to apply the same context throughout the interview.

- **Inline code completions**: As candidates type, the AI Assistant offers code suggestions directly in the editor. Candidates can choose to accept or ignore these suggestions.

- **Agent mode**: Candidates switch to a mode designed for longer, multi-turn conversations. In this mode, candidates can ask the AI Assistant to write code, edit files, and perform actions directly from prompts. This mode is useful for complex tasks and step-by-step guidance.  
The system displays a **Pending tool call** dialog while it prepares the requested action. Candidates can choose to **Allow** or **Cancel** the action.

- When candidates select **Allow**, the AI Assistant proceeds and generates code suggestions. Candidates can then **Accept** or **Reject** the suggestions.

- When candidates select **Cancel**, the system stops the action, and no changes occur.

<!-- -->  
  
- **Model switching**: Candidates toggle between available models based on their preference or the task requirements. Currently, the AI Assistant supports **Claude-sonnet-4.6**, **Gemini-3 Flash**, **Gemini-3 Pro**, and **GPT-5.4**. Candidates can also select **Auto Mode**, which automatically chooses the best model based on response speed.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1773158229248-image.png?Expires=253370764800&Signature=EWbIXYJgznQDB7bsm-plegqYKpsbyF2NUhLOFG2gJTYgJtaGtdzm1eOzc7HodVzehIKHRnRykQ6mmkjvSrbg-cY7AO0oal6~VobCx6wpVI7a7Vxl55~4Fp5uUGiPc9QoiWYvXhJPOOBknsX3mR8qEuO036-ObgCCThNJ0JMAbGnuw61xMyirO-T6JMUz4iji9iFjBA5nezs9OYUXrXibgSpIjL5-kXJyS3SQqxKfRZ~qN2hZ9gle8r6~RN02~zA7kvEMoWc4ujWL0ewhV53-c3oGrRdJKz5xGvDhXQgXtuyghHadQEDYZVyw1kWbv7ZvFn6~b4lr0eTrt8P0XXyQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

The AI Assistant operates in the following modes:

- **Unguarded**: Allows candidates to interact freely with the AI, similar to real-world AI coding tools.
- **Guarded**: Provides help with syntax, platform navigation, and conceptual guidance but does not generate complete solutions.

Contact your account manager to change the default setting or to learn more about the available modes.

The table below shows the availability of AI Assistant features to candidates in each mode for Project and Code Repository questions.

| Feature                 | Guarded Mode  | Unguarded Mode |  |
|-------------------------|---------------|----------------|--|
| Chat Interface          | Available     | Available      |  |
| Inline Code Completions | Not Available | Available      |  |
| Agent Mode              | Not Available | Available      |  |



| Model Switching | Not Available | Available |

For Coding questions, both guarded and unguarded modes support only the chat interface.

## # Interviewer experience

During an interview, the interviewer can monitor the candidate's interaction with the AI Assistant in real time.

- The chat panel remains fully visible to the interviewer, displaying both the candidate's prompts and the assistant's responses as they occur.
- Inline code completions accepted by the candidate appear directly in the shared code editor.
- The interviewer retains full control of the session and can ask questions, add comments, or navigate files as usual.
- In **Observation mode**, the interviewer can view all AI Assistant interactions in real time. Live assistant edits and shared diff views remain synchronized between the interviewer and the candidate.

![[INTERG.GIF](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769426035407-INTERG.GIF?Expires=253370764800&Signature=uw3BjvCw8ubKu2pDXDLJgLTNU~5AC1MBKR4hk4rkOdKA9RC26qmgd8fo92a0ODJDPaGvR2YQwr8~rq1hGCMbp8wv-b0VVuixpP6J8TeWAXDQaJGugCudoF-Al6R6L1SsZluN7re-kP4Lzuj52htRD~~04qf5b1EADBskVn~E7X0jpak13DJhZyiCf24O65huVsg54tHRmnPcEE-ZR9lirUAVXR77f3enmX7ukcEQ4ThdezjbcyJmpdr2sBt9PyCfjmAAmSSjnv1Qvo3DgnL5021UmXbe3SA4wGt~2jJehagPXnQxjoiZQJW3eC1TzXD0mz4lUSp4ckD6UkrO-4FQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)]

This visibility helps interviewers understand what changes occur, why they occur, and how the candidate responds. It also enables interviewers to assess the type of assistance the candidate seeks, such as syntax help, conceptual guidance, or full implementation suggestions.

The interviewer can disable the AI Assistant for specific questions, if needed. They can ask the candidate to explain their AI interactions to better understand their problem-solving approach.

## # Post-interview report

After the interview, the candidate report includes a detailed **Chat Transcript**, which provides a complete record of the conversation between the candidate and the AI Assistant.

![[AI assistant report  
GIF.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753699776745-AlassistantreportGIF.gif?Expires=253370764800&Signature=ZDI1Vw2F5RbcrDxYxsPI074OcRjmPMb7A8~CfLszqylyAP-YGIKds4B9Xievpqk0x59xd1jUIQfcfRy~tS9XKYMukmIJ9jMRyPxNOgMgF850VrN8soWPvauw2pNMhHfj58pi999Yw0mhB5ZOulaNpww6jsb-ChKW5301a72ql6BPnKK5Dj2wnibmCUYmiqxuFKrtbkjrCpAPxI9arZ3r7wZVvbi9Mp9KwIUs5pgBUZ58xyCcb4r9wldU79doeQkTvbYAwGSz6Qr6mdP5QDkYfzETDUUoGrS~Jil3QIst3CQFGXI3xkAKA4aW-kg4d64DpDXLGwTrdtwQj46jr3VtKg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)]

These insights offer transparency into the candidate's support-seeking behavior, coding independence, and AI fluency?key factors in evaluating developer readiness.

## # Frequently Asked Questions (FAQ)

**Which question types support the AI Assistant in interviews?**

The AI Assistant currently supports the following question types in interviews:

- Coding
- Code Repositories
- Projects
  - Frontend
  - Backend
  - Full-Stack
  - Mobile

- Generative AI

**\*\*What does unguarded mode mean?\*\***

In interviews, the AI Assistant operates in **\*\*unguarded mode\*\***, which means:

- It can provide complete answers or code snippets when prompted.
- Candidates have full flexibility to explore ideas, ask for clarification, and request implementation help similar to how real-world AI programming tools work.

This unguarded setup is intentional and reflects the live, collaborative nature of interviews. The goal is to understand how candidates interact with AI tools in real time.

**\*\*How does the AI Assistant in interviews differ from the AI Assistant in tests?\*\***

In **\*\*HackerRank Tests\*\***, the AI Assistant operates in **\*\*guarded mode\*\***. It provides limited support, such as syntax assistance, platform guidance, and conceptual help. It does not reveal full solutions.

In **\*\*Interviews\*\***, the AI Assistant operates in **\*\*unguarded mode\*\***. Because interviews are human-evaluated, the AI Assistant supports richer and more realistic interactions to reflect real-world development environments.

**\*\*Can I disable the AI Assistant for specific interviews?\*\***

Yes. After you enable the AI Assistant at the company level, individual interviewers can choose whether to activate it for each question during a session. To do this, toggle the AI Assistant switch on or off at the question level within the interview.

**\*\*Can I review how the candidate used the AI Assistant?\*\***

Yes. The interview report includes a complete chat transcript between the candidate and the assistant.

**\*\*Note:\*\*** If you have any questions or need assistance, contact [support@hackerrank.com](mailto:support@hackerrank.com).

\

# [interviews/getting-started] Self-Signup for Interviewers

```

title: "Self-Signup for Interviewers"
title_slug: "self-signup-for-interviewers"
source_url: "https://support.hackerrank.com/articles/6028726783-self-signup-for-interviewers"
article_slug: "6028726783-self-signup-for-interviewers"
last_updated_exact: "Dec 13, 2024, 4:59 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Interviews"
 - "Getting Started"

```

## # Self-Signup for Interviewers

\_Last updated: Dec 13, 2024, 4:59 AM (Last updated 1 year ago)\_

### ## Overview

Administrators can allow Interviewers to directly sign up with a company ID before an Interview, without having to log in (if the interviewer's account is not created already). HackerRank allows you to do this with the Self-Sign Up for Interviewers feature present in the **Settings** > Interview Settings page of HackerRank.

To enable the Self-Sign Up for Interviewers feature:

1. Click **Settings** on the profile icon at the top of the page.

```
![settings.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046165529-?Expires=253370764800&Signature=dpDF9r3xi7SaYbGzTZxO0UvsKy303Y0ujWLYwxqkIZw0UaG342~GteHVzxb5oWVIBpZC1G5YhFpB4heUogXyqattWAlIg0suszB8Hsag212t9UVBr1LWgXXxz7YVdtDjNwNkxEBHfnMnVCEPDyRZJzw2kNpWFXCQc8ZOZG3ICNPZQv-kGFYjfl8WT3xUnHuKQs5MvCkdGSToud6SEyT~p0nSdabpAO2b0jOYYaFRuNRUKSnLkSmEQKqdKXkf4ujGPNkCQOsLvb3spVaoB-u96mqwuQqwg~EL8BsYJy0r3BN1OkfYE3Dq~zrz8laTGq6SQymESqHNVE-4~sO83dCXcA__&Key-Pair-Id=K3NV4LZ47N8M46)
```

2. Click **Interview Settings**.

```
![intrvw_settngs_selfsign.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046165876-?Expires=253370764800&Signature=KHj11IWJDGIBDnOphPHMHRt~nGpHIWMzJjpBdU8NR8cDMUfov9j303T85npNth6skLF-aAWgupeB8T1Jg59qzgoxc3P3PHatT23JI4OLAAnc5sQvKzVkBK-O~upeDCXsN56PnL89ZmH-KDGXbSBesQzK1dTUMI~1F4YgmGVx5ILQ0F75ZZ~bBT6S2qHa~VDcWWNw2RIheOHwxctXxSID4IQStxmKFi5cW01VXkvqlzWHCQP3zUkJ-Xm6gAhtae~MobMEBUil5PFBLpJyRCsrjJcd9X0Xa-lePXczSLTGTsTcuY02wSiSGzTeCZPVnfUaVVFtosCgMUQbydvJ1M7YGig__&Key-Pair-Id=K3NV4LZ47N8M46)
```

3. The **Self-Sign Up for Interviewers** feature is enabled by default. Therefore, Interviewers will be prompted to sign up before starting an Interview.
4. Clear the option to disable the feature. This allows the Interviewer to log in to an Interview without having to sign up.

### ## Interviewer Experience

- When the Self-Sign Up for Interviewers feature is enabled, the Interviewer can see the following experience when the Interview gets started.

```
![intrvw_login_enabled.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046166191-?Expires=253370764800&Signature=Ojs5zXgWJ7Tcy3HQVzH8WvycqIP9QGgtzJmXBr0TkFx~Hk6S-hYG2AMQPT67HS479uXR4WG-xH6pJvw cCIZUmgcJJ20aQEqlmDBah9taxGznkexlmufsKivLYA~xtq9yoUih~mvsyNduvHGvQKaKB9f5jz4TDaBsOJlwUu2aaOu9GzfzG3WQHxROmcofNgvYgxGaA9sg5pjVF3QU2Mt8~3eYJN7m8KhAYQ~dgK9RT-B9uNYTJ3gYwKs~ByXNavla7VtrqgwxHLp37Vgp3KI31ZHu v4QFvcp59gRkvYfYUoid~AViQkixvhzqM2EuBBzBewOSdIITdP0h0X2nQvA__&Key-Pair-Id=K3NV4LZ47N8M46)
```

- Clicking **Sign up** takes the Interviewer to the Create Account page.

```
![create_account.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046166567-?Expires=253370764800&Signature=knuilt8JQvn8ILGHg0k4xgKCrxF0XQD2YH3XrbxywEglRjPXtlPZlIPrwc50OSQ-rPiR61quaMgomrKAM8Sghz9gGql mdpR5qg9PeNlgvpctX4Vuz2XMrGNLbd6YnLeYVDRPD6pZb6293mMJxcYMMlH8PbxHetzGcdQeW8ryT3ZQRqYTUB77kBkmMOyxY
```

FgySOXXdl~Sv6DdWlQMD66ANGL0v75zHylgwU6lAHJtVA4Rk~CGCICsalcXGqhQjG~Vwyy6bz9KYG1dLjSecD8i90KcYWsc5XI4a7  
DN9XUjZ9fXjPwWy4R8KOxJQG2ai0aNZjnvuBEjJ7o7jmCyP3V9A\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- When the Self-Sign Up for Interviewers feature is disabled, the Interviewer can see the following experience when the Interview gets started.

![intrvw\_login\_disabled.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046166999-?Expires=253370764800&Signature=TgwnLt9B8LFP76Y7BTb113E7IRCw3FM0fh~lw-8f8gdzJnkGCTR6iZzdtIT2l4XzNzJSkiqU7p5vKR6uqsWdBJofLw9RSnd6WcYGNBNt6QlaRHoskFiaBoAIP17hGQ6-xTN0tgat227EBGSGptEMbDjBN8GxpNu0ITxDyxYpIkERkW-diVbIL8q7krK41G8XVVbFFjU9nWnJkF6lDT2s7bMwkhHQGEjc9A4UWPHBlmtiUJszz-2fHuGxxA0W4nbxHeUeo2hMgdBoDignA-78wZ-FYJljbh8eqjwrH oBPz8mUlyiHCvTwlKzekkpd4wuklwgOJWP-AEETX1-xHwFHfg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

# [interviews/getting-started] Audio and Video Calls in Interviews Powered by Zoom Pr

---  
title: "Audio and Video Calls in Interviews Powered by Zoom Prerequisites Key benefits Screen sharing during interviews Customize the video layout Verify system compatibility"  
title\_slug: "audio-and-video-calls-in-interviews-powered-by-zoom-prerequisites-key-benefits-screen-sharing-during-interviews-customize-the-video-layout-verify-system-compatibility"  
source\_url: "https://support.hackerrank.com/articles/6271433412-audio-and-video-calls-in-interviews-powered-by-zoom"  
article\_slug: "6271433412-audio-and-video-calls-in-interviews-powered-by-zoom"  
last\_updated\_exact: "Oct 14, 2025, 8:24 PM"  
last\_updated\_relative: "Last updated 6 months ago"  
breadcrumbs:  
- "Interviews"  
- "Getting Started"  
---

# Audio and Video Calls in Interviews Powered by Zoom Prerequisites Key benefits Screen sharing during interviews Customize the video layout Verify system compatibility

\_Last updated: Oct 14, 2025, 8:24 PM (Last updated 6 months ago)\_

HackerRank Interviews include built-in audio and video calling features that allow interviewers and candidates to communicate seamlessly. By integrating with Zoom, HackerRank ensures a smooth and uninterrupted interview experience.

## # Prerequisites

Ensure the following domains are not blocked in your organization?s network to enable Zoom-powered calls:

- `\*.zoom.us`
- `\*.\*.zoom.us`
- `zoom.us`

For more information, see [? Safelist/Allowlist URLs and IP Addresses for HackerRank](/articles/6769658535).

**Note:** This feature is supported on the latest versions of Google Chrome, Microsoft Edge, and Mozilla Firefox. For the best performance, use the most up-to-date version of these browsers.

## # Key benefits

Zoom integration in HackerRank Interviews offers the following benefits:

- No Zoom account or software installation is required.
- Calls connect automatically through Zoom when an interview starts.
- High-quality audio and video are maintained, even on slow internet connections.
- Video can be turned off to preserve audio quality in low-bandwidth scenarios.
- Calls automatically reconnect if the network drops and is restored within two minutes.

## # Screen sharing during interviews

Interviewers and candidates can share their screens during interviews to improve collaboration and communication. Screen sharing allows real-time interaction and visibility when reviewing designs, code, documents, and other relevant materials. This feature works without additional plugins or software installations.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760189433814-image.png?Expires=253370764800&Signature=WZu-5WEXLbWYwAy7qte7y5bVYGwJhGwRLs86hXfj1ovmQMIHV05lgXld6t64-s487dOVppsHHkIcX7Eyv4OwPaFHGGyC8QICPcap8ghiqaDA8u~WcAqrQaCBNa~XCzN3H2fVCRdwBmnkv-SgGhYY0UwZUughbfhE9Z9XZg1twwnoRPAWpgjmMiKO2MdWZ97IlekHY~CAHFO~iijg5RQ~lw0GTRMWdRncgfuxwg1bck3qKF~X2CEVaQYmdTCynRgp0rjldmqTSqZ5859eNlrOh7FzHqvzqTIApmz5nhn1hKrqDYuiBoPdFFpitmAztXfZ4ruHfwb97~CPk0pcSkkUNA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

**Tip:** Ask the candidate to share their entire screen rather than a single application window for better evaluation.

**\*\*Note:\*\*** Screen sharing is available only after you start a video call.

## # Customize the video layout

You can customize the video layout in HackerRank Interviews based on your preference. The following configurations are supported:

![[Flexible Video Layout.gif]]([https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760190122401-FlexibleVideoLayout.gif?Expires=253370764800&Signature=CU8Si5G2LgizXH4~6LhFuRRXDxLIRRuBLD1mNPicvrWmBA9e-3PPkYfsqqj7HuomGuEia7RA88lEXEnmY6jX51TzHY~xtNYyskMDjLVOPZR4luQnkrM7kbCyyd0PXnP6bvYE48j6VhojduumLb~vATn-N7~5kivcO5yk1vljqoZo8DoQ41XVII6YH-eDurH7T9TTSHGnKJVRT6BqfToIDZldLSjLgN~Y6iLSk2GzrTnd7925Rchss5wCDedws03jonBdla2Use8zf12biFPSE5VTR59-5r4st9XPRyluswcyIPWCIqbmoTvi9w3KdyICfAYKEvyqq8Xcl1hul7LKA\\_\\_&Key-Pair-Id=K3NV4LZ47N8M46](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760190122401-FlexibleVideoLayout.gif?Expires=253370764800&Signature=CU8Si5G2LgizXH4~6LhFuRRXDxLIRRuBLD1mNPicvrWmBA9e-3PPkYfsqqj7HuomGuEia7RA88lEXEnmY6jX51TzHY~xtNYyskMDjLVOPZR4luQnkrM7kbCyyd0PXnP6bvYE48j6VhojduumLb~vATn-N7~5kivcO5yk1vljqoZo8DoQ41XVII6YH-eDurH7T9TTSHGnKJVRT6BqfToIDZldLSjLgN~Y6iLSk2GzrTnd7925Rchss5wCDedws03jonBdla2Use8zf12biFPSE5VTR59-5r4st9XPRyluswcyIPWCIqbmoTvi9w3KdyICfAYKEvyqq8Xcl1hul7LKA__&Key-Pair-Id=K3NV4LZ47N8M46))

- **\*\*Gallery View:\*\*** Displays participant videos in a grid.
- **\*\*Speaker View:\*\*** Highlights the active speaker in a large window.
- **\*\*Side-by-Side Mode (when screen sharing):\*\*** Shows the shared screen next to Speaker, Gallery, or Multi-speaker view.
- **\*\*Floating Thumbnail (Mini Window):\*\*** Keeps a small, always-on-top video window when you minimize Zoom.
- **\*\*Pop-out View:\*\*** Opens the video call in a separate browser tab, useful when using multiple monitors.

## # Verify system compatibility

To verify system compatibility:

![[compantibilty.png]]([https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760190037586-compantibilty.png?Expires=253370764800&Signature=uualuLleQUtenShCcyRghBxwfteo7ze~ljEzgEoyW1wUYroPHqSqK7KC3pr99Mwdj94hVLNjg88kbDr-t17TnDyiBkL8oZYtl~Z2lxwRIQ-ze6Leq~cEPy9Sy59LWuVwt1mYraMdX3URL35f9aUhmas6rGJkQgJ0rZfhdxmJp-fv3B~NGul7-ZoCWbDae5eSj3foEgkrqusoa6WmWGssPmirkCC-zvCQ~BEUuHurWjpfQLmSx-POJ1a9I-jEZrUQy~0-ETrsCvEkynJMfNNOLZsCslP9DNTvYcphrFG14D2T7QcQjIB9~Ow5c7FUZZO7w7wpU7jJIQexl6OcWrxRVA\\_\\_&Key-Pair-Id=K3NV4LZ47N8M46](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760190037586-compantibilty.png?Expires=253370764800&Signature=uualuLleQUtenShCcyRghBxwfteo7ze~ljEzgEoyW1wUYroPHqSqK7KC3pr99Mwdj94hVLNjg88kbDr-t17TnDyiBkL8oZYtl~Z2lxwRIQ-ze6Leq~cEPy9Sy59LWuVwt1mYraMdX3URL35f9aUhmas6rGJkQgJ0rZfhdxmJp-fv3B~NGul7-ZoCWbDae5eSj3foEgkrqusoa6WmWGssPmirkCC-zvCQ~BEUuHurWjpfQLmSx-POJ1a9I-jEZrUQy~0-ETrsCvEkynJMfNNOLZsCslP9DNTvYcphrFG14D2T7QcQjIB9~Ow5c7FUZZO7w7wpU7jJIQexl6OcWrxRVA__&Key-Pair-Id=K3NV4LZ47N8M46))

1. Open the [HackerRank Compatibility](<https://www.hackerrank.com/compatibility>) link.
2. Review the results to confirm that all parameters are configured correctly.

If you encounter issues accessing the listed domains or encounter compatibility problems, contact [support@hackerrank.com](mailto:support@hackerrank.com) and include a screenshot of the error message.

\

# [interviews/getting-started] Network Monitoring in HackerRank Interviews

```

title: "Network Monitoring in HackerRank Interviews"
title_slug: "network-monitoring-in-hackerrank-interviews"
source_url: "https://support.hackerrank.com/articles/6375174017-network-monitoring-in-hackerrank-interviews"
article_slug: "6375174017-network-monitoring-in-hackerrank-interviews"
last_updated_exact: "Dec 13, 2024, 5:07 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Interviews"
 - "Getting Started"

```

## # Network Monitoring in HackerRank Interviews

\_Last updated: Dec 13, 2024, 5:07 AM (Last updated 1 year ago)\_

### ## Overview

A seamless internet connection is essential to have a smooth interview experience with HackerRank. We advise both the candidates and interviewers to check their internet connection before the start of the interview. While inside the interview, as well, you will be able to see your network strength and we will also notify you in case of a weak connection.

You will be able to see your network strength, both in the lobby as well as inside the interview.

### ## Virtual Lobby

This is how you can monitor the network strength of available participants in the interview from the lobby.

```
![Network_Management_in_Virtual_Lobby.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046639275-?Expires=253370764800&Signature=cfMeqyqOps4d4vbdBrqUW2UcjAYdHXjj2F46MLGEbZ76t4iYL2MzfC-ETEJ91Ko2BJ9dt5XIE2BPA8MfZzyvOjpDJWGEUXEcP7xHuVe4EQUIP54Gv7EiFT5lejr00snM53Halba4d4P4k32N7C7B9OKJJ4qeFJ~13EpPp3PTALKZ1~fDOafZSwhdXAIRU71oB1mr0hU~r-q-qGVI8JuM~8CVUG9a1kNdvKcbuKFxHKz~B~OgsViuimQjxHktg1XhjkEBftYn4HNGSgUbDV EKpRp0KmAjDaeJ-Jdv05C~yyjiV8nm1-NIEhFUPZidrVWcJGvJrRvNPlqZV~q056Waw__&Key-Pair-Id=K3NV4LZ47N8M46)
```

### ## Inside the Interview

The network signal of the interviewers and interviewee can be viewed inside the interview as well, as shown in the below image.

```
![Network_Monitoring_In_Interview_Room..png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046639594-?Expires=253370764800&Signature=tyTdPam3y-IgXC6FsQdG3qMUT3kt34cn643cSpj1eVdc~RufUyl6sZ1bEJmcZ51MXxblf-VggfQ54xVGn3QtpkCK2e0s3VF8Gi2mrjZDTTrByBHfwwUFPriqenML1t50j~az~V-gsc7TGGY05HCdWgJacsi8VIGmLEYLg9i9BVy9nwlvkje7Q5VwklZf-LQH6vUqXe3XGH3AR7ust7qEA1jyskR28ZUKf1gaGP~zb-jvd6hhdfQeQgMeU5RtvS-l8unYZrMXQ-htYMKQC8Y0nWp11vc1OS7iraEKRHkfva6ZW1AH8rTtStkKXM-LREbRgSXXmZuXuIrJ6oHhfnBxA__&Key-Pair-Id=K3NV4LZ47N8M46)
```

### ## Unstable Network

When the internet connection is unstable for any of the participants in the interview, they get a notification of the same on their screen, as shown below.

```
![Slow_Network_Notification.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046639951-?Expires=253370764800&Signature=nngXzrBxthJFUo2ftaxSUfj-LRbJ3OGCGs4R8FMx7DfFOVYVqB9dr-zoqCQ83qhelkdkgxo-dZiyy6BhdAXdFdLh33wjxZVb0y2V69SnrDRBvVX~P1qvulFrEHOpnPrDk0Li7YGOB0XApEBEGlpovc~V6zU6Tn8R5gx0mVFX5l1xpe3FnJ7zj3UXDEsaIQ8pdRosXbq-zPwY0kxjm-YgQN76zH1qBwegbgSONgliYm-VvgX1-E3OBtG75fCbW-wYIXt0tI8ap8iVI4Ep42QZmXrLEF8OOTSuiuv9f-OnXwPRAFMOW94XjKD5Pavw3ngFBkDwi57qQZ3A3zl-ZhmeA__&Key-Pair-Id=K3NV4LZ47N8M46)
```

### ## Loss of Signal

If any of the participants in the interview loses their internet while the interview is still on they get a message, as below, on their screen.

```
![NoNetwork_Notification.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046640326-?Expires=253370764800&Signature=oiZVymdDpOTIXvElCznArySfp3U1N5cOSPafeVjO342zi947p0GCD1nFkxPwUe3taolQe871Hw5eo8GJ5Gm6c7~7btLNWX0axfao~J7A~dZcQAcYX61L7vlztcuGrbwwWd6rO4rsoUAKGk35cfHjXUrFgP2fPuozNIXltkeX~4W52arWBxmvrX8YfveW3z3FxEYETVcmAMLqm4cZeYr4EoRTS7fJPnHnKgfOCFhAVwORPiwXPEht95Fef6kljB0CSprFdJEN0hQoabrFszPSdglSH8wPEv-FiWxa7gvoAZJUUnvAyYAoD74yOb4sNfNonzH~Ggb21i0g6GFrkyKh1w__&Key-Pair-Id=K3NV4LZ47N8M46)
```

**\*\*Note\*\*:** These notifications are only visible to the person who is facing the problem with their internet connection, while the others in the interview can monitor each other's network strength via signal bars on the top right corner.



# [interviews/getting-started] Introduction to HackerRank Interviews

```

title: "Introduction to HackerRank Interviews"
title_slug: "introduction-to-hackerrank-interviews"
source_url: "https://support.hackerrank.com/articles/9059560249-introduction-to-hackerrank-interviews"
article_slug: "9059560249-introduction-to-hackerrank-interviews"
last_updated_exact: "Apr 22, 2026, 1:41 PM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
 - "Interviews"
 - "Getting Started"

```

## # Introduction to HackerRank Interviews

\_Last updated: Apr 22, 2026, 1:41 PM (Last updated 4 days ago)\_

HackerRank Interviews is an online platform for conducting live coding interviews. Interviewers can use the platform to invite candidates to a live session, where both the candidate and the interviewer communicate, write code, and collaborate in real time.

Use the following sample links to explore the HackerRank Interviews platform:

- [Interviewer experience](https://hr.gs/newint)
- Candidate experience
  - [Front-end engineer interview](https://hr.gs/sampleint-fe)
  - [Back-end engineer interview](https://hr.gs/sampleint-be)
  - [Datascience engineer interview](https://hr.gs/sampleint-ds)
  - [Code repository interview](https://hr.gs/sampleint-v2)

Share the candidate experience link with candidates to help them become familiar with the platform before their interview.

**Note:** Open the interview link in an incognito window or a browser where you are not logged in to a HackerRank account.

This article outlines the key features of the HackerRank Interview platform, which is designed to streamline the interview process and help you efficiently identify top candidates.

## ## Key capabilities

The HackerRank Interview platform offers the following core capabilities:

### ### Create and customize an interview

You can create an interview between a candidate and interviewers using one of the following methods:

- **Schedule an interview:** Set a specific date and time for the interview. HackerRank sends email notifications to the candidate and the interviewer. The email includes the scheduled date and time and a link to join the interview. Interviewers may also receive additional information, such as the candidate's phone number, resume, and any notes you provide.
- **Start an interview immediately:** You can start an interview immediately. HackerRank does not send notifications. You must manually share the link with candidates and communicate the time and details to all participants.

**Note:** For more information, see [? Create an Interview](/articles/8404005945).


### ### Interview templates

You can use interview templates to create consistent and structured experiences for candidates applying to the same role. Templates help interviewers ask the same set of questions and evaluate the same skills across all candidates. This standardization reduces bias and supports fair comparisons..

For more information, see [Standardizing Interviews Using Templates](https://support.hackerrank.com/articles/2837093779-standardizing-interviews-using-templates).

### ### Import questions

HackerRank Interviews supports various question types such as Coding, Front-End, Back-End, Full-Stack, Database, and more. You can add questions to the interview from the **Explore** tab in the left pane.

A screenshot showing a question being added to an interview. The URL in the address bar is: https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753787277545-image.png?Expires=253370764800&Signature=A7Lapkm1pdW2sA0vRqgDPgfkxLsOm71cLKYbzHDY3HzVYQRHF45MnBGy6XPWkPO8U8VwurqSOq0MdvzY8TL6vpyKM0ZVKrkGzT-gvs01poevo7xvAjVRTTBHNV6HYvByWMrmv-k5g7jfhVr0d4PyyuqFnCn4T8xjvzQpxna9R4yBrZ3RurIsfBJRn~9mv4kBXK~E9XzSDTcOf~Pa1TdSb3FBZGB841mrabzXWNteUb0ZBq0TtGgJDuCnIHh5b~cPJTLHZPrLoU-ipXkpf~llw-dalMfzgipC3yOwl5Ki0pgf7rJDoWK1ntIDVGyt~cxBNsYIWgSYUUps4l20cg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

Alternatively, you can use the **Questions** tab to import questions directly from the Question Library.

A screenshot showing a question being added to an interview. The URL in the address bar is: https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753787331421-image.png?Expires=253370764800&Signature=nJev80MsGIfuHUFQ9jCjXr2jKtnzbzD-9jFJ6BoFI5oo7UqfX4BCR31FrarINGNg2~qP6fYrtMkXDgSgN-ftvT0x6PFvAogMIHStzgCjKN94TBN4kslZIRG9S-XwqH4gqJyA0aRvJ-EyJLorXO7G4ucd7zZPLzfcN9E9ZeJqWSpbAHP4r1Swp2GB4HAz0DDOWnEycTDhDm7Sihp4tZEYfnBQOyXOXnGkK5HicMte4VBUJ4K5TdwJtwyvTG2UijFK-QmyqKPhd4vyHubzPxmDYB-nEYCrVn6mAH7s82CdOUihkaHsoa-yYQlXPuOKt4RHrRP~ot6he2ge7Ldj9IA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [\[Adding Questions to Interviews\]](https://support.hackerrank.com/articles/6761309830-adding-questions-to-interviews)(https://support.hackerrank.com/articles/6761309830-adding-questions-to-interviews).

### ### Import project questions

By importing project-based questions during the interview, you can assess candidates across various technical skills, such as Front-End, Back-End, Full-Stack, DevOps, Data Science, and more. The Platform automatically captures all interactions and code in a detailed report for post-interview review and collaboration.

For more information, see [\[Importing Project Questions in HackerRank Interview.\]](https://support.hackerrank.com/articles/1769104522-importing-projects-in-hackerrank-interview-)(https://support.hackerrank.com/articles/1769104522-importing-projects-in-hackerrank-interview-)

### ### Real-time coding environment

Candidates have access to a workspace tailored for coding during the interview. Key features include:


- **Code Editor:** Supports more than 58 programming languages. Candidates can switch languages using the language dropdown.
- **Run Tests/Run Code:** Candidates can run all predefined test cases with Run Tests or execute the current input using Run Code.
- **Input Panel:** Enter custom input values and run the code. To use pre-configured test cases, select Run Tests.
- **Output Panel:** Displays the results of code execution, including standard output and error messages.
- **Test Cases:** Displays which test cases have passed or failed based on code submission.
- **Console:** Supports real-time execution in supported REPL languages such as Python, JavaScript, and Ruby. For more information, see [\[REPL Support in HackerRank.\]](https://support.hackerrank.com/articles/6400859375-repl-support-in-interviews)(https://support.hackerrank.com/articles/6400859375-repl-support-in-interviews)

### ### Live communication

HackerRank Interview supports real-time communication between the candidate and interviewer through text, audio, and video chat.

### ### Rename tabs

You can rename individual tabs within the Interview platform to organize sessions more effectively. By default, tabs use generic names such as Coding 1. You can replace these with custom names that reflect the task, such as Problem-Solving or System Design. Custom tab names make it easier to navigate interview stages and maintain a clear session structure.

A screenshot showing a tab being renamed. The URL in the address bar is: https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753788797191-tabrename.gif?Expires=253370764800&Signature=PTRxWI798MIHr4ntfmYIEbzbgruHO3s4oZUk526w3Waiv8BM46slaYJ8SwSndZh7gU8~9OkVdeuMjvctOAQhgTgHALnLWOj9v3767dGLCdOap6l0ahAoDAYxL7mOU0NiW12-DbgZnMbFZW-qVebrCUQLGRpaO7CdKrl4l~j-m3yYSyZOQ0xeL2bS~O6la87RwXA-ZSWI5DhWEjiBsba2LbZtRoxVc7IG2kxScv7jBvctNyk1xYVzQOUIqPABuLL6cvGx8sibXEZWC6PoEi7z0U8DQDSf1pRxpWBo9ywsXqtqw0zdfbkGcmv992Dboq2hMdy~Ytz65E2IsV0P1rA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

### ### Virtual Lobby

The Virtual Lobby allows you to manage multiple interviews using a single interview link. Based on the configured settings, candidates will wait in the lobby until the interviewer admits them.

**\*\*Note:\*\*** Depending on the settings, candidates either enter the interview directly or wait in the Virtual Lobby.

For more information, see [Using Virtual Lobby](https://support.hackerrank.com/articles/1151935613-using-virtual-lobby-in-hackerrank-interviews).



### ### Customize interview settings

For more information, see [? Configure Interview Settings](/articles/6563947154)

\



### ### Monitor candidate presence

During an interview session, you can:

- Confirm candidate presence using the colored indicators at the top of the screen.\

\



- Monitor candidate activity using Observer Mode by clicking on their name.



- Assess connectivity using the Internet Quality Indicator for both you and the candidate.

- Identify when a participant leaves the session through the Out of Interview message displayed below their name.

### ### Interview Integrity Signals

Interview Integrity Signals notify interviewers only when the system detects meaningful clusters of suspicious candidate activity. For more information, see [Interview Integrity Signals.](https://support.hackerrank.com/articles/5161582600-interview-integrity-signals)

### ### Interviewer Scorecard

The Interviewer Scorecard is a private scorecard that allows the interviewer to rate candidates on the specific skills related to the role. The platform auto-saves all ratings and feedback. For more information, see [Interview Scorecards](https://support.hackerrank.com/articles/9842091173-interview-scorecards).

If you use a scorecard template, you can also add custom skills. For more information, see [Adding Skills to an Interview Scorecard](https://support.hackerrank.com/hc/en-us/articles/1500008525861-Standardizing-Interviews-Using-Templates#adding-skills-to-a-template).

### ### Reports

When an interview ends, HackerRank automatically generates a detailed report to support evaluation and hiring decisions. You can download the report as a PDF, share it with your team, and update the hiring status.

For more information, see [Viewing Interview Reports](<https://support.hackerrank.com/articles/6788713830-viewing-interview-reports>).

\

# [interviews/getting-started] Question Types in HackerRank Interviews

---  
title: "Question Types in HackerRank Interviews"  
title\_slug: "question-types-in-hackerrank-interviews"  
source\_url: "https://support.hackerrank.com/articles/9999244916-question-types-in-hackerrank-interviews"  
article\_slug: "9999244916-question-types-in-hackerrank-interviews"  
last\_updated\_exact: "Apr 10, 2025, 1:54 PM"  
last\_updated\_relative: "Last updated 1 year ago"  
breadcrumbs:  
- "Interviews"  
- "Getting Started"  
---

## # Question Types in HackerRank Interviews

\_Last updated: Apr 10, 2025, 1:54 PM (Last updated 1 year ago)\_

### ## Overview

HackerRank Interviews are designed to help you conduct specific coding and technical skills assessments of candidates. These assessments primarily include coding questions of varying complexity in different programming languages and diverse frameworks. However, interviewers can also have subjective and diagram questions to assess a candidate's knowledge in particular subjects depending on the job requirements.

This article provides an overview of the different question types supported by HackerRank Interviews.

### ## Supported Question Types

| Question Type                   | Description                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Coding                          | Questions for which you write programs or define logic in functions to produce the expected output.<br>Coding questions may have varying complexity levels and can be designed to allow coding in particular programming languages. An in-built code editor and compiler adapt itself to a chosen language, and test cases validate your code to produce the expected output. |
| Subjective                      | Subjective questions allow you to ask candidates open-ended questions. You can provide a prompt, and the candidate responds to it in the text.                                                                                                                                                                                                                                |
| Front-end developer             | Questions on front-end web application development using frameworks such as <strong>Angular</strong> , <strong>React.JS</strong> , <strong>Node.JS</strong> or other custom frameworks. You are provided with a front-end project and access to an IDE where you can run and test your code offline or online.                                                                |
| HTML/CSS/JavaScript programming | Questions to assess web page designing skills using <strong>HTML</strong> , <strong>CSS</strong> and <strong>JavaScript</strong> code. You are expected to design and structure web pages, and with the click of a button, you can view how your code is rendered in a web browser.                                                                                           |
| Back-end developer              |                                                                                                                                                                                                                                                                                                                                                                               |

|                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Questions on back-end web application development using frameworks such as <strong>Node.js</strong>, <strong>Django</strong>, <strong>Ruby on Rails</strong>, <strong>Java Spring Boot</strong>, or other custom frameworks. You are provided a back-end project and access to an IDE to run and test your code offline or online.</p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Database Engineer                                                                                                                                                                                                                                                                                                                         | <p>Database programming Questions based on <strong>MySQL</strong>, <strong>Oracle</strong>, <strong>Microsoft SQL</strong>, or <strong>DB2</strong>. You are expected to write database queries pertaining to data storage, retrieval, and management. Typically, the test setter defines the data schema along with the problem statement.</p>                                                                                                                                                                                                           |
|                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Diagram                                                                                                                                                                                                                                                                                                                                   | <p>Questions that you answer with class diagrams, structure diagrams, flowcharts, or architectural diagrams. The test interface provides the integrated draw.io tool to help you create these diagrams.</p>                                                                                                                                                                                                                                                                                                                                               |
|                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Data Science                                                                                                                                                                                                                                                                                                                              | <p>Questions are used to assess skills like data wrangling, visualization, machine learning, etc., through Jupyter Notebooks.</p> <p>(Optional) You can use additional files to upload external files like data sets or scripts. You can add solution notebooks or evaluation files. These files are not available to the candidate during a test and will be used after the test to score a candidate's submission.</p>                                                                                                                                  |
|                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Full-stack developer                                                                                                                                                                                                                                                                                                                      | <p>Questions on full-stack web application development using frameworks such as <strong>Angular</strong>, <strong>React.JS</strong>, <strong>Node.JS</strong>, <strong>Django</strong>, <strong>Ruby on Rails</strong>, <strong>Java Spring Boot</strong>, <strong>.Net Core</strong>, or other custom frameworks. You are provided with a back-end project and access to an IDE to run and test your code offline or online.</p> <p><em>This question type supports both front-end and back-end developer frameworks in a single question type.</em></p> |
|                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| DevOps                                                                                                                                                                                                                                                                                                                                    | <p>Questions to assess the Linux skills of a candidate. You are provided with an integrated shell terminal on a Linux server to work on bare machines or predefined tasks.</p>                                                                                                                                                                                                                                                                                                                                                                            |
|                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Mobile Development                                                                                                                                                                                                                                                                                                                        | <p>Questions to assess the mobile development skills of a candidate. A built-in emulator is provided inside the IDE for the interviewers and candidates to build and see their code in real-time.</p>                                                                                                                                                                                                                                                                                                                                                     |
|                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Whiteboard                                                                                                                                                                                                                                                                                                                                | <p>Questions where you can use the whiteboard to add basic shapes and text.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Code Review                                                                                                                                                                                                                                                                                                                               | <p>Interviewers can now use Code Review questions in Interviews to assess candidates on their coding skills. In Code Review questions, Interviewers can share code written by someone else and ask the candidates to provide suggestions and comments to improve the code.</p>                                                                                                                                                                                                                                                                            |

**Note:** The following question types are not supported in Interviews yet:

- Multiple Choice
- Sentence Completion
- File Upload
- Cloud

- Prompt Engineering

\

# [interviews/integrations] Zoom - HackerRank Interview Integration

```

title: "Zoom - HackerRank Interview Integration"
title_slug: "zoom-hackerrank-interview-integration"
source_url: "https://support.hackerrank.com/articles/5805684780-zoom---hackerrank-interview-integration"
article_slug: "5805684780-zoom---hackerrank-interview-integration"
last_updated_exact: "Dec 13, 2024, 5:02 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Interviews"
 - "Integrations"

```

## # Zoom - HackerRank Interview Integration

\_Last updated: Dec 13, 2024, 5:02 AM (Last updated 1 year ago)\_

### ## Overview

You can access HackerRank Interview?s online code editor that mirrors the environment you are used to working in, while also being packed with powerful hiring features inside the Zoom application.

### ## How it Works

This article will walk you through the workflow of Interviews inside Zoom.

- First Install the HackerRank app from the [Zoom marketplace](https://marketplace.zoom.us/apps?category=zoom-apps&utm\_source=meeting-client).

- Now start a new meeting inside the Zoom application.

- At the bottom of the space, click on the Apps button.

![image1.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046367710-?Expires=253370764800&Signature=vPcylc1FGqZ3QLRcvP3BWrPfkUa6L5CX0p58r~OluXhZBxFlyd9gX9YF6J8rfBhcibcVqQX4aYdZ64oblGTOPMKiMatTCPW1nq4Nela4YVigwCTVeGmNFIImj-q0LmMx6N7VA4jmo-4bZHeB~pxAktNDSEr16v1YxaZkzpB-kwWfaWRY437lZrL-V8uvt9N39V7o9JR4khinLEYZi1nOxmfiPcrzqWgV-oNUNlWZOV3iahgn1fjQSBnavGqhuePv69AgpxPqrEmEaonNIFgD1m5tRQxuOW9ZbYG9HCLn2yO1CMhhJ154EWSrSzxZb7G1mB4z86dF-aGE128xErWFEQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- As you have already installed the HackerRank application, you can find it inside the Apps window under the **My Apps** section. Click on the app title to launch HackerRank Interviews.

![image4.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046368069-?Expires=253370764800&Signature=QzRifNp39Q5pZ8gWvDt5ZCtXZJA0WLzq3D7K8dNTqKj6YmhO7Cn37vQQ0D-38SVXhzCdNEtoJ6NHffWH-3czY~-5bPPksVWk6xhv~R1sktcbB2UnFt8H~rgiBXSkoYgSeENTr38D93S~ufCXR4hQyKSyK5RNvHUf18A2x-qN-l3HH5RwRNvFEUDASHEDgLF1lBtwQx~LyhEsItc-fjBlrymCooVZc9eEYjrKlqoV2sQTpld9BntRT-mam3M1OigUf2R2F634E4R3Wf3ifWahab4VAjsvRBI8Z4rz5TSqZOqfhUDyFOff5yOscXF1nXdB2o3h6pgb98aCFHRA3A\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

**Note:** If you are yet to download the app you can do so from the **Discover** section inside the Apps window.

- HackerRank Interviews will be launched inside Zoom as a separate application.

![image6.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046368428-?Expires=253370764800&Signature=mxo4pl6amjzXgSyYDs4TUULs7GEMT7EskKNKMSk~KfY3gXKUT6XWI3dWqnYVamRauMH9LJOSHbLXXKkDNutHk7oevoyK6XMZDfTerlS~tArH7xDm1LUkbDmlrz~Pv2hOVxW4u3Zh4H8EdAlgEiRrvv2glv3L4QGkWuEEvQ7FL8Jv1-x5NLn1xQg8X2Ofq7qdXUCQ2qHs~CJWaYbbGabdrDdX2GPZDMUL9ZEFVHTbLdj-LDGJEtB~4naty6x3aRU7PQg5aFPVdltsunrEWS~3VA-juWOHJ5AYTAbyoOgUGgmSjRgGIYfVqOvmCr4lVCuThR3f37AcfpQ9lLhmjBw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- Click on the Invite button and select a participant from the list to start the interview with them.

![image2.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046368682-?Expires=253370764800&Signature=tJsOvfwMZw96VGUuQf8Pq4xAns46aPLL1NCpaw53KIKnASLKvcv5~IO35RM4o9dQy5lpUuieXPPc8tWYC0v3nxxM356MDZgsQi963VFUdG3IF7-OqgElbRRxhKrJz-volJ1iiv50S-KP~w9-kNywnMZ0aGo0GZZSjL68AGhUrHFzy2dMlyNvXGhz2h1VQ6lIA4Kuqt a0qXsugzq1dmbA6j6gwkMeb3e7MQQWqX21naQCRRKLiYwVQk5dQEW9-7zJ8xgX7Wep5RyO6aA~13Dc1DOMm4e6J7AjL3TOpUgOMsxwA~ZMNYzHMsZ8Wj9lpLxL74JDWXZkgSDoEw2TNI6H8Q\_\_&Key-Pair-Id=K3NV4LZ47N8M46)



- You can then select the interview of your choice and work on it collaboratively.
- You can also use the **\*\*Share Screen\*\*** feature from the Interviews window, as shown below.

![[image5.jpg]]([https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046368920-?Expires=253370764800&Signature=Nt7NAiIESQJRm9fKrvSY6w8QkKrrfZuGl~et-srAu3ABs7Lyn9v~HwLv~CTPoHqQvG57Ak7pMMrAYjyzn~0UB552EwYyJpenvu~RrrccZywXP1RMPZ95ZW0glv6fcMo2m0lmlm~W62gDc~6em-qgUL79k0FFfYb967CfFVwW~00w6dwlORSfa3xN~52Mu46al~GtSb1egZ~DQIKhldtRH~1ct~Fpr6uDB3xHuGhLo9Az4uyz28y-yw~Qr2sgtS1WuPP3oUgpNG7HdlvUdq~ljYmsbWhDHVCyU5pJObR3U~I8pCO77v3kbmSpJEM5nillW0T0XUnNMDu3v4~EpLw\\_\\_&Key-Pair-Id=K3NV4LZ47N8M46](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046368920-?Expires=253370764800&Signature=Nt7NAiIESQJRm9fKrvSY6w8QkKrrfZuGl~et-srAu3ABs7Lyn9v~HwLv~CTPoHqQvG57Ak7pMMrAYjyzn~0UB552EwYyJpenvu~RrrccZywXP1RMPZ95ZW0glv6fcMo2m0lmlm~W62gDc~6em-qgUL79k0FFfYb967CfFVwW~00w6dwlORSfa3xN~52Mu46al~GtSb1egZ~DQIKhldtRH~1ct~Fpr6uDB3xHuGhLo9Az4uyz28y-yw~Qr2sgtS1WuPP3oUgpNG7HdlvUdq~ljYmsbWhDHVCyU5pJObR3U~I8pCO77v3kbmSpJEM5nillW0T0XUnNMDu3v4~EpLw__&Key-Pair-Id=K3NV4LZ47N8M46))

- To blur your background during the interview, select the **\*\*Apply Background Blur\*\*** option available in the audio video calls option, as shown. Note that you can use the blur background option for Zoom only on the Chrome and Edge browsers.

![[zoom\_blur.png]]([https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046369311-?Expires=253370764800&Signature=k9oXBoQrDunjUskWhh3Hua5mYluQ9xDrfco4Ag3u1MhXh4UXHIYJVSpFKvt~--krq6eCKUjSyxkbHPqZos4q9W4SzBgwTPkAD5CWoiNZMAGFB4RKsNC3oi1bxnm5WyWh~u7Nqa0Z1mRTsxz7LwFKKJ~J6bY1EYdPKVMMCE7TysADd0QqD4TCpWvzNaCWYbRhZtNUTKq6cxNdZPpswfbor-m2n2tVD5NE06RxHQmcdafJpYJhtuP7yQyTa5e1btZpS~nu7GhGQ7fKF93li5e0DwVOLTXE0XZwC~MjhEbWIBCQ8UyWEcy0NR8YTpbjFQqs5tYVSEGOJAYW9RpaU9Q\\_\\_&Key-Pair-Id=K3NV4LZ47N8M46](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046369311-?Expires=253370764800&Signature=k9oXBoQrDunjUskWhh3Hua5mYluQ9xDrfco4Ag3u1MhXh4UXHIYJVSpFKvt~--krq6eCKUjSyxkbHPqZos4q9W4SzBgwTPkAD5CWoiNZMAGFB4RKsNC3oi1bxnm5WyWh~u7Nqa0Z1mRTsxz7LwFKKJ~J6bY1EYdPKVMMCE7TysADd0QqD4TCpWvzNaCWYbRhZtNUTKq6cxNdZPpswfbor-m2n2tVD5NE06RxHQmcdafJpYJhtuP7yQyTa5e1btZpS~nu7GhGQ7fKF93li5e0DwVOLTXE0XZwC~MjhEbWIBCQ8UyWEcy0NR8YTpbjFQqs5tYVSEGOJAYW9RpaU9Q__&Key-Pair-Id=K3NV4LZ47N8M46))

- Once done, you can close the Interviews window by clicking on the three dots icon at the top right corner and selecting **\*\*Close\*\***.

![[image3.jpg]]([https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046369717-?Expires=253370764800&Signature=RWgixs~P6MOSGGCeATq9pWSdoFF9j0nN3YXTChoyTUGfGX~OKWM4Lq1ePFFKtlvVJNAe~Oe8gSU4gYPmiGgXIAaS46~ulrrPkdrWoTjua7QvZ5400eDmwFaeWPrRs2i5sIBkjb0Ve~xPStgJBBFB1siWjh~1pgeGulu8zSJXS~GV37aafP7p~ghRNHcZ0PV3uttUSTqGkGrfEBEeZOZsCS~VbtYAVUBwurG2KIGCGSNAVdcwyB~l4u15SftMO30~nVGnmD393vnmmHX4YWZzcB2SYaCbD3v92DFq1P4WAOSNA21FeqavoTH8CpknF~3tjGol75XeNi0ozbNrfzfqNg\\_\\_&Key-Pair-Id=K3NV4LZ47N8M46](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046369717-?Expires=253370764800&Signature=RWgixs~P6MOSGGCeATq9pWSdoFF9j0nN3YXTChoyTUGfGX~OKWM4Lq1ePFFKtlvVJNAe~Oe8gSU4gYPmiGgXIAaS46~ulrrPkdrWoTjua7QvZ5400eDmwFaeWPrRs2i5sIBkjb0Ve~xPStgJBBFB1siWjh~1pgeGulu8zSJXS~GV37aafP7p~ghRNHcZ0PV3uttUSTqGkGrfEBEeZOZsCS~VbtYAVUBwurG2KIGCGSNAVdcwyB~l4u15SftMO30~nVGnmD393vnmmHX4YWZzcB2SYaCbD3v92DFq1P4WAOSNA21FeqavoTH8CpknF~3tjGol75XeNi0ozbNrfzfqNg__&Key-Pair-Id=K3NV4LZ47N8M46))

**\*\*Note:\*\*** You can only use the free version of HackerRank Interviews, as it is not possible to log in with your HackerRank account inside the Zoom application as of now. Also, currently, we only support 1:1 interviews, and no more than two participants can use the interview application at a time.

### ### Mask Information on Zoom Recordings

HackerRank ensures data confidentiality by encrypting and securely masking PII (Personally Identifiable Information) transmitted to Zoom. You can opt to have Interviewer and Candidate names masked in the Zoom video recordings. The candidate's name is displayed as ?Candidate? and Interviewer name is displayed as ?Interviewer.?

**\*\*Note:\*\*** Interview recording is an opt-in feature. You can reach out to your account manager or HackerRank support (support@hackerrank.com) to enable it.

For more information on how to use HackerRank Interviews or to sign up for a HackerRank account, [visit here](<https://www.hackerrank.com/products/developer-skills-platform/interview/>)

### ### Key Features

1. Access to the library: Select any available question from the HackerRank library. Questions are written based on role, skill, and difficulty.
2. Code Editor and Programming Languages: The interview interface has a built-in code editor which supports more than 40 programming languages. These are available in the drop-down menu in the top right corner of the page. You can change the language for each question. However, if you have disabled certain languages during question creation, then you can choose only enabled languages.
3. Code collaboration: All participants in the interview can edit code, provide input, and test code by running it live on our platform. The interviewer can monitor the changes made by the candidate in real-time.
4. Run Tests: This will run all test cases, and the output of the same will be shown in the 'Output' tab.
5. Run Code: This will run the code for the current input in the input tab, and the output of the same will be shown in the 'Output' tab.
6. Built-in Whiteboard: The virtual whiteboard tool lets candidates and interviewers sketch diagrams using easy tools from the toolbar.
7. Notes: Take notes that are not visible to the candidate. These notes can be shared with the other team members during the evaluation and decision-making process.

[Click here](<https://support.hackerrank.com/hc/en-us/articles/115007439768-Key-Interview-Features>) to learn more about how to set

up your interview and use all the key features.

# [interviews/integrations] Webex - HackerRank Interview Integration

---  
title: "Webex - HackerRank Interview Integration"  
title\_slug: "webex-hackerrank-interview-integration"  
source\_url: "https://support.hackerrank.com/articles/7623780280-webex---hackerrank-interview-integration"  
article\_slug: "7623780280-webex---hackerrank-interview-integration"  
last\_updated\_exact: "Mar 3, 2025, 2:43 PM"  
last\_updated\_relative: "Last updated 1 year ago"  
breadcrumbs:  
- "Interviews"  
- "Integrations"  
---

## # Webex - HackerRank Interview Integration

\_Last updated: Mar 3, 2025, 2:43 PM (Last updated 1 year ago)\_

### ## Overview

Access an online code editor that mirrors the environment you are used to working in, while also being packed with powerful hiring features. HackerRank offers the only simple, intuitive technical hiring product backed by over a decade of innovation.

### ## How it works

When you add HackerRank Interviews to your meeting, the features are the same as you find in the free browser version. For more information on how to use HackerRank Interviews or to sign up for a HackerRank account, see our [Interview Page.](https://www.hackerrank.com/products/developer-skills-platform/interview/)

### ### Start an interview

- Start a meeting on Webex.
- At the bottom of the space, click on the **+Apps** tab
  - In moderated spaces, only moderators have the +Apps tab. If you cannot add an app, try asking a space moderator for help.

![Apps.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047087393-?Expires=253370764800&Signature=Ue2gNeP2n4VvtcoVgIL2GW~hQf9oQge-IP3lvjSrUeLxR1vI8kKL3GG3MwRULq3CIA-toD8wzo41Tz1hiUqvsF11tAspeMTnkVZKT4NP7dU6Lwt8QpyYVKf2Bx0miPtaG7GBAo3gcuHgSgWomVBr6EwNxnzyfNVuzRIKyhWJKDLQIqN8hfFSHCRd-co0dgjxlHdAIAkC2iDz2D8oNVJ~5ma2QTTYIEiBP91ski~WU2ueQfdiAbUNvOHZ4K3tlyGpqrQxya7soGi3WFBqHWH0nHZkvnneT5IJxKrZn20W5F-P3RujMrVvFHMqH~gDa0rlj377v~DzNUQMLAljDXSuQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- In the **Add an App** window, click **HackerRank Interview** to install the app.

![HackerRank\_Interviews\_.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047087967-?Expires=253370764800&Signature=TrkhQ8UeMKiGRNm0d2kNTjZtDpaCheXN7Z1tI5I7oU3~ZNJww5BDCHBIW2Ewd6r49JszmB9bKatVW~7Z0DHikAw0txLM5zfUUFYzpyqHPI6zSYglsHGbGsD3a~9V2Un1QYeKA0aGwOX6EUTjAlcft8rtTUBQCd7K50YICUVdA4ufmHZW2WI8fLcrNnhIglQiYHYVWpjGXsVdhvYybHeKzm2udUIMtkhkW3De4fcDF~xc4ks7mqrsagepFtT1ED9c3VTclbKIMxpfQ3WTGN4FsBclj-83-0igOChxsOmSFRA0~MjnfY1AyC~nCM876R7qclbExCd4JTVTmKVIW2w\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- You did it! Your interview will magically appear on the apps screen.

![image3.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047088427-?Expires=253370764800&Signature=Q1MoRYVLkJlvOjfpmiUzDryWmM3bww63XnVv5g1yA4x3WsWLzuPaE2WOnVJxcqvoY4w6Ny~NLH83SbK9CKyTcVqjQtYlbDmSuDKcZyv9twdg5p~17x~vfx9I7L80YSxly2BD~jLB9i5vVKxQ4JLb3HHbTXy6xyBg9-g1Dj5MqES3~s4~tEWMEBICFbofiq99iBqdeYhBVzTQe3Zxo7AXmiX~GRXoeHfzqHYoP6BTkNlov-xngZZJue9PjPCct0~1FHznzRET0t3Y9wRkge6UpjBfPuJjX5VmgtSt2dXTyW1tF4pPUoO9~WghtMLRndLrKyjw79kiBuuVMXB6LKKnw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- You can click on the Open Together option to share the interview screen with the candidate. Please note that you can share it with only one participant.

![Open\_Together.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047088854-?Expires=253370764800&Signature=Blarlxy99rpla6IXZGRSliAYNPLxWp1EQeuzZ~zw2gW87cqCWHK2KKgEkdMKvz7v~Cs6N0fFuN1~zz4FSXFrvdQH8HG1hhNPcEA5okDAKF3Fn56HIAyAK~7MoDKntW~gw890UoyhfULeXBa4ufUwDSGf~0Fq8MauhFvqB9WhS8rBydu53-g7h52Bnd~WefqUJTkkRFFa2g7o3kuGhAg7SgqfDF8hPc~V0glU2R2C2cGy5CQANePzX0aao78VHjwVZMDIEi3sVlaq~IFM-ATDGezek2Hf-b9hB3scEDBC6pSSZFkazHqhUYr49YyLt9NywT0HBNSR5wfkVtNjZs~A\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

\

\

- You can then select the interview of your choice and work on it collaboratively.

![[image1.png]]([https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047089469-?Expires=253370764800&Signature=Yyx6AYRZPFNRN4l2Nvc-TednSjTT7fGZFL5ENyrWN99F5aLTeO5K9HxxF13J2PG5BZLUle3M77cVqJr90Nhq22nheJSmJLybpBp~qE12pDQIKo~jIFl-1A5-ddTFNAuv5VJmPSsuJAuXtqUdRzuTSouj7w-92ik2wNusJ5Acvdyo8OI4-hOYve~96iXL6EMG08aZRWia9Q7EWZZVxyESB-GyzPEiHcQsdAwVndXTbD3EAuS-WeqqDG-RdrN9pWlglmi9zGidKnhq2hgF377XrUqB-l96fhlc1VmO0-L73MOPnjg3D1eRnSl8BkjhYHIF~NBxBQF~cwsjRV1OOB~IBqA\\_\\_&Key-Pair-Id=K3NV4LZ47N8M46](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047089469-?Expires=253370764800&Signature=Yyx6AYRZPFNRN4l2Nvc-TednSjTT7fGZFL5ENyrWN99F5aLTeO5K9HxxF13J2PG5BZLUle3M77cVqJr90Nhq22nheJSmJLybpBp~qE12pDQIKo~jIFl-1A5-ddTFNAuv5VJmPSsuJAuXtqUdRzuTSouj7w-92ik2wNusJ5Acvdyo8OI4-hOYve~96iXL6EMG08aZRWia9Q7EWZZVxyESB-GyzPEiHcQsdAwVndXTbD3EAuS-WeqqDG-RdrN9pWlglmi9zGidKnhq2hgF377XrUqB-l96fhlc1VmO0-L73MOPnjg3D1eRnSl8BkjhYHIF~NBxBQF~cwsjRV1OOB~IBqA__&Key-Pair-Id=K3NV4LZ47N8M46)))

### ## Key Features

1. **\*\*Access to the library:\*\*** Select any available question from the HackerRank library. Questions are written based on role, skill, and difficulty.\
2. **\*\*Code Editor and Programming Languages:\*\*** The interview interface has a built-in code editor which supports more than 40 programming languages. These are available in the drop-down menu in the top right corner of the page. You can change the language for each question. However, if you have disabled certain languages during question creation, then you can choose only enabled languages.\
3. **\*\*Code collaboration:\*\*** All participants in the interview can edit code, provide input, and test code by running it live on our platform. The interviewer can monitor the changes made by the candidate in real-time.\
4. **\*\*Run Tests:\*\*** This will run all test cases, and the output of the same will be shown in the 'Output' tab.\
5. **\*\*Run Code:\*\*** This will run the code for the current input in the input tab, and the output of the same will be shown in the 'Output' tab.\
6. **\*\*Built-in Whiteboard:\*\*** The virtual whiteboard tool lets candidates and interviewers sketch diagrams using easy tools from the toolbar.\
7. **\*\*Notes:\*\*** Take notes that are not visible to the candidate. These notes can be shared with the other team members during the evaluation and decision-making process.

[Click here](<https://support.hackerrank.com/articles/9059560249-introduction-to-hackerrank-interviews>) to learn more about how to set up your interview and use all the key features.

# [interviews/interview-integrity] Interview Integrity Signals Enabling Interview Integrity

---  
title: "Interview Integrity Signals Enabling Interview Integrity Signals How it works Types of suspicious signals"  
title\_slug: "interview-integrity-signals-enabling-interview-integrity-signals-how-it-works-types-of-suspicious-signals"  
source\_url: "https://support.hackerrank.com/articles/5161582600-interview-integrity-signals"  
article\_slug: "5161582600-interview-integrity-signals"  
last\_updated\_exact: "Apr 22, 2026, 11:39 AM"  
last\_updated\_relative: "Last updated 4 days ago"  
breadcrumbs:  
- "Interviews"  
- "Interview Integrity"  
---

# Interview Integrity Signals Enabling Interview Integrity Signals How it works Types of suspicious signals

\_Last updated: Apr 22, 2026, 11:39 AM (Last updated 4 days ago)\_

Interview Integrity Signals notify interviewers only when the system detects meaningful clusters of suspicious candidate activity, such as multiple copy-paste actions, frequent window resizing, and switching tabs. This grouped notification approach minimizes distractions and ensures that interviewers receive only critical alerts, helping them stay focused during the interview. To learn about the types of supported signals, see [Types of Suspicious Signals](https://support.hackerrank.com/articles/5161582600-interview-integrity-signals#types-of-suspicious-signals-11).

The Interview Integrity Signals supports the following question types:

- Coding
- Projects
  - Front-end
  - Back-end
  - Full-stack
  - Mobile
- Code Repository
- Whiteboard

# Enabling Interview Integrity Signals

To enable Interview Integrity Signals:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to **Settings**.
3. Select **Interview Settings** from the left panel under the **Company** section.
4. Scroll to the **Interview Integrity Signals** section.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753773647459-image.png?Expires=253370764800&Signature=iUsPRD~yn2EvDhO5t-LBFPnGszVuhfuw89MC7-AivxSlznWqLP3OfsHKi0ZhUFg-jtH2Ki14guHZvBzVAtM2VBzNIYKLHDvhpZFAL9amnqeQWN7n7fAw09rLMF4wYUkhj27iQZ1yaKP2u759YyLbtKJnBavRA9RFs6Nq2lzDNTwu049N7IzEdbvYbOOpPgOxeydi65UFUx~rLf4OZx2PeGdhB4-PRIM4i4d~wbvC0oGy5ystCagtJHS6U1pRVjKN1p~qijWB8F9FLOVKc5436LAAKhu13Qg9iOcS1LIqrUY~KbwjzzPPUVHUmZg4O6wms0Qy8kWs~eJ6rbuKpQ9d6Q\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

5. In the **Interview Integrity Signals** section:

- Select **Enable interview integrity signals for interviewers** to turn on real-time alerts during interviews.
- Select **Enable Screen to interview identity match** to compare the candidate's identity from the screening stage with the interview session.

**Note:** The Screen to Interview Identity Match feature is part of the AI Add-on. Contact your account manager to learn more.

6. Click **Save**.

#### # How it works

During an interview, the system detects suspicious behavior such as multiple copy-paste actions or frequent window resizing, and groups these events into a comprehensive alert. This avoids distracting the interviewer with multiple notifications.


For example, the system displays an alert: **Multiple Suspicious Activities**.

When the interviewer clicks the alert, they see a list of specific behaviors, such as:

- Multiple copy-paste actions
- Frequent window resizing
- Repeated tab switching


Interviewers can ask the candidate to share their screen for further review. If the candidate uses unauthorized tools or browser tabs, the interviewer can address the issue directly, ensuring a secure and transparent interview environment.

**Note:** You can also keep the **Suspicious Signals** panel open to view integrity signals in real time as candidate activity occurs.


The image shows a screenshot of the 'Real-Time Interview Integrity Signals' panel within a timeline interface. The panel displays a list of suspicious activities, including 'Multiple copy-paste actions', 'Frequent window resizing', and 'Repeated tab switching'. The timeline shows a sequence of events, with the suspicious activities highlighted in red. The panel also includes a search bar and a filter dropdown.

#### # Types of suspicious signals

The system groups the following types of suspicious signals into alerts:

The image shows a screenshot of the 'Out-of-Interview Activity Details' panel. The panel displays a list of activities, including 'Candidate switches away from the coding environment to another browser tab'. The panel also includes a search bar and a filter dropdown.

**Out of Interview:** Candidate switches away from the coding environment to another browser tab. This behavior may indicate the use of external resources or tools during the interview. You can expand Out-of-interview events in the timeline to view each occurrence, including timestamp and duration.

The image shows a screenshot of the 'Out-of-Interview Activity Details' panel. The panel displays a list of activities, including 'Candidate switches away from the coding environment to another browser tab'. The panel also includes a search bar and a filter dropdown.

**Note:** Actions such as opening the browser console or interacting with permission pop-ups may also trigger this signal, as they operate outside the coding environment.

**Copy Paste:** The candidate copies and pastes content from an external source into the code editor. This helps identify potential cases where candidates use pre-written answers or external assistance.

**Note:** Copying and pasting code does not always indicate misconduct. Candidates may copy content from forums, AI tools, or personal editors, which may be acceptable in certain contexts.

**Window Resize:** Candidate resizes the browser window during the interview. This action may suggest attempts to access or conceal other applications or content.

**Multi-Monitor Setup:** Candidate uses an extended or dual monitor setup.

Note: This feature is supported only on the Chrome browser. The platform notifies the interviewer if the candidate denies the required browser permissions.

\

\

\

\

\

\

# [interviews/interview-integrity] Screen-to-Interview Identity Match

```

title: "Screen-to-Interview Identity Match"
title_slug: "screen-to-interview-identity-match"
source_url: "https://support.hackerrank.com/articles/8605077096-screen-to-interview-identity-match"
article_slug: "8605077096-screen-to-interview-identity-match"
last_updated_exact: "Dec 1, 2025, 12:05 PM"
last_updated_relative: "Last updated 5 months ago"
breadcrumbs:
 - "Interviews"
 - "Interview Integrity"

```

## # Screen-to-Interview Identity Match

\_Last updated: Dec 1, 2025, 12:05 PM (Last updated 5 months ago)\_

This feature is part of the AI Add-on. For more information, see [? HackerRank AI Add-on](/articles/5847651809).

The Screen-to-Interview Identity Match verifies that the candidate who completed the screening test is the same individual attending the interview. It uses facial recognition technology to automatically compare images from the test and interview to detect potential identity mismatches.

This feature helps maintain hiring integrity, reduces manual verification, and eliminates the need for sensitive candidate interactions.

### ## Key benefits

The Screen-to-Interview Identity Match offers the following benefits:

- Automatically verify candidate identity during interviews.
- Receive real-time alerts for potential identity mismatches and seamlessly review and update verification status.

### ## Prerequisites

To use this feature, ensure that the following conditions are met:

- The candidate has completed a screen test with image proctoring enabled within the last 6 months.
- The candidate uses the same email address for the interview as in the screening test.
- The candidate joins the interview using HackerRank's built-in video calling feature.

### ## Enable Screen to Interview Identity Match

To enable Screen to Interview Identity Match:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to **Settings**.
3. Select **Interview Settings** from the left panel under the **Company** section.
4. Scroll to the **Interview Integrity Signals** section.
5. Select the **Enable Screen to interview identity match** checkbox.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753773953297-image.png?Expires=253370764800&Signature=WyoIArKU9Lfdw5So40F3aqFZ7N0PGU2wpYJsAg0NwuJ5G5vEqvu7W8gziD8zqbGGIzMjTwjcpt4ieNYjlcnej~m1fv3rpiqcFBo6TQqt7IMEKETfJX7XCMQjxRMHJSFrpx8PYE-BglO6MZem26ECTqxmM4xrEeOGmcHEPS-pOsuVf1b2RdxpfK71MMIIo2fUr8o7CJVRdqCLTpSHPiM-ozDPWOsOUgdffRpSZlhVDpDfy-itY6Oli7xV--jUABfJ~mgh1x7teq3DFyOoGx67OXKK2dhMcPnAtwBWb5JA0sexZ8VzQFnxjvrCXINeSA02-HnlhsSzsHfnGotfWaXw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

6. Click **Save**.



## ## How it works

The following sections describe how the Screen-to-Interview Identity Match operates during an interview.

### ### Real-time alerts

When the candidate turns on their video during the interview, the system automatically initiates an identity verification check. If a potential mismatch is detected, an immediate alert is displayed to the interviewer.



On clicking the Review button, the interviewer can view images from the screening test and the live interview side by side.



The interviewer can then respond to the alert by selecting one of the following options:

- **\*\*Yes, Same person\*\***: Confirms that the candidate is the same individual.
- **\*\*No, Different person\*\***: Flags a mismatch. This status is displayed in the **\*\*Suspicious Signals\*\*** panel and the interview report.

**\*\*Note:\*\*** It is recommended to establish an internal process to address flagged identity mismatches. This process may include notifying your HR or recruitment operations team and documenting the outcome as part of the interview feedback workflow

### ### Reviewing and updating verification status

After the interviewer confirms or flags the candidate's identity, the verification status appears in the Suspicious Signals timeline panel. The status may display one of the following messages:

- Candidate identity verified
- Candidate is flagged for identity mismatch



Interviewers can click **\*\*Review\*\*** at any time during the interview or from the **\*\*Interview Report\*\*** page to revisit the identity verification decision and update the status.

### ### Interview report page

If a candidate is flagged for an identity mismatch, the interview report includes the following:

- **\*\*Notification:\*\*** Candidate flagged for identity mismatch.
- **\*\*Action:\*\*** Click **\*\*Review\*\*** to view the verification images and update the status, if necessary.



## ## Limitations

The Screen-to-Interview Identity Match has the following limitations:

- Identity verification must occur during the live interview session. It cannot be performed after the interview ends.
- The feature is unavailable if the candidate's camera is disabled.

\

\

# [interviews/interview-settings] Using Virtual Lobby in HackerRank Interviews

```

title: "Using Virtual Lobby in HackerRank Interviews"
title_slug: "using-virtual-lobby-in-hackerrank-interviews"
source_url: "https://support.hackerrank.com/articles/1151935613-using-virtual-lobby-in-hackerrank-interviews"
article_slug: "1151935613-using-virtual-lobby-in-hackerrank-interviews"
last_updated_exact: "Dec 24, 2024, 7:31 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Interviews"
 - "Interview Settings"

```

## # Using Virtual Lobby in HackerRank Interviews

\_Last updated: Dec 24, 2024, 7:31 AM (Last updated 1 year ago)\_

### ## Overview

Did you know that you can use a single interview link for doing multiple interviews with the candidate? Many users are already using it and it has saved a lot of time.

\*Here is how :\*

Scheduling HackerRank interviews with candidates and multiple interviewers using a single interview link has helped recruiters save a big chunk of their time. The single interview link has also resulted in a better candidate experience as they can remain in the same link throughout the onsite interview process instead of juggling multiple links for each interview.\

With multiple interviews happening using a single link, it becomes essential to ensure that the participants inside the interview are not disturbed by the sudden appearance of others. With this in mind, we have introduced the concept of the **virtual lobby** for HackerRank interviews.

### ### Enabling Virtual Lobby

The virtual lobby will not be enabled for your account by default. If you want to enable virtual lobby for your interviews, go to the interview settings page and tick the check box Enable Virtual Lobby.

![Enable\_Virtual\_Lobby\_Q1\_2023.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046570760-?Expires=253370764800&Signature=pEmYP3OuUmswEalz9Q1Sq5x-jgmWsWHa6nDQ5TBOPj55nF3gjYKQ9OAHsDKzFu9NXMJvICTWPIKMcvTzU-3wvjNf6FsXTXGGSCoZhlyteYwzPf7WE8UTIWzoBEval-TjYMYa0xMtmctDxDmcYnicxrjQjvlvHVutR8o7WiPs7NblUelS-fZsxWtYWWM-pOR~xiym2DjDqjOFuR62rtdgf7eWxgJ8VGWZ~Flqo~hwSfHlv0z2pJt-wChmhBVEuW6iSTqwde0qs-CXrl1eyqGqYrskBoLkKVXDmbX2ogtRvirRCzxQj0HgYnldgTfdNdBGgg~jxgelmVROQEDInfVCA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

\*Enabling Virtual Lobby\*

### ## Candidate Lobby

The candidate's lobby is a virtual waiting room for candidates to wait before entering the interview. Inside the lobby, candidates will get the real-time status of all participants in the interview. This is how the lobby looks to a candidate.

![Candidate\_Lobby.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046571185-?Expires=253370764800&Signature=d5GEmg2tH9BHkCD3MGV~lt9rass4av9XgBe4C3ZAMPnS1CoN4eDYOWWYwfPcGOB~jYc4HcDTTb5ZfKBPDOajRcB5L~5pJwHY6~VB~yDoWydQ2AfuegPSEUEzhANSpjW3c-RVbYk5xl6Y7JQI9T-TN9qToiVIlgO0~n1sxdunX1xd8fITPyQzRhq947mfWbZZ8Egk5uWBqgPOYqeAxjiCWwRucaSQT3G2~FulJBb3hbiffevdA3eY523kofcSOFv0Lxcm5GkA40M6z2sUdQVOqdvYyOe3RMxKvKygmOHsU5o1srjnlKuvC7zctIPvpk3II7V2dDM0ZGDMkn89N6Hw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

\*HackerRank's Lobby\*

As an interviewer, you will get notified when a candidate enters the lobby. Click on the **Admit** button to allow candidates inside the interview.

![Admit\_candidate.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046571555-?Expires=253370764800&Signature=m~fqJZKbHrJdAvznYInZ9NcnGH-M0pt~Abw2qOMFPgAC~mDCby4mPICBX2ije2oJ7SsKeZBzHDUzsftC-3rJ1IH Rf78P~AQH0Zdba7QzF8GnxlNtDXoVfK~hMdmiafYHrhZHSKHgS-TFUErwrV3TYAMSUEXXFmfKhwwL1pOo5sgPDCXU9T8cjMELJ aGPQh-8aq27LjTehnX30m11I8Op9qBUPjp-RILVYIbLTImatO75blGggho-9d52iBDcbA5x0R~Eam9~2eG~ID9~Hop1qB~XmzUPzW8c

2hwcoLmwXlmZVgXyoKgurPNu-Ew-Yl4oymbCKLm8yrYTXh5rwJQg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

#### \*Admitting a Candidate\*

You can also move the candidate to the lobby whenever you want without ending the interview. You can do this by clicking on the down arrow beside the candidate's name and then clicking on the **\*\*Move\*\*** button.

![[Move\_candidate\_to\_lobby.png]]([https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046571806-?Expires=253370764800&Signature=GJVn4wKR2So94yXy5GedNXqVA6qufi82UYxd7hcJr6PN2-GTVq~d7Ba6lvyVKA3cPta86-9neY921DNDGK6n2QpnXtOSYugbu4Fo73elgEFgXsnuOe1FMnXqaPzsTVppSgncwcrN~TJ3-aWqa94J0CHHLw9~s9Fs~2~CMXxC3qEDIWwUPI0NAUNkrNXdzNejvTqGGNws27aDw6POZ6LTtqnul8TAX8WA6WYCrHIMv2omVdwFTFUciKmptOlyxKZqYu1bLNF~F5KHyrpl4zCw8H-GEXa9Bem28FZ~9QBUB4sAZFWFt5y5fDaC1XowB0gLpyvCT2dt6esJWASgcyZQQ\\_\\_&Key-Pair-Id=K3NV4LZ47N8M46](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046571806-?Expires=253370764800&Signature=GJVn4wKR2So94yXy5GedNXqVA6qufi82UYxd7hcJr6PN2-GTVq~d7Ba6lvyVKA3cPta86-9neY921DNDGK6n2QpnXtOSYugbu4Fo73elgEFgXsnuOe1FMnXqaPzsTVppSgncwcrN~TJ3-aWqa94J0CHHLw9~s9Fs~2~CMXxC3qEDIWwUPI0NAUNkrNXdzNejvTqGGNws27aDw6POZ6LTtqnul8TAX8WA6WYCrHIMv2omVdwFTFUciKmptOlyxKZqYu1bLNF~F5KHyrpl4zCw8H-GEXa9Bem28FZ~9QBUB4sAZFWFt5y5fDaC1XowB0gLpyvCT2dt6esJWASgcyZQQ__&Key-Pair-Id=K3NV4LZ47N8M46))

#### \*Moving a candidate to the Lobby\*

Also, candidates are automatically pushed back to the lobby when all the interviewers leave the interview.

![[Candidate\_moved\_to\_lobby.png]]([https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046572107-?Expires=253370764800&Signature=i6nqUbl4EI282iYSCCLKoA0ct7zG-IPEpWcrKk44OHCAqehy976u00u-wFrrfCe0TRsCAIp7QRZg2sekXOMmcCP4b3ol00S4dxMuF8WfDZ9~JfqrVB5F-ruNj4oLnBt-FaENar8zKRF81vxssyIGQtFDQ340K7RxfOveXBzt0lw7rgl4CkWOOn5i9xrHNPTbd5yHdhMz7VM5WmUGMIQbFwPEYSKN6uHoYBnH7J0cUZ8ozEWjFAyg5cK5lSlenRLIN5N4E7h6H0s0BLqNftukeOw-Dn-q5Nfyfudnz7zxwR~u4iGjLY7YccINAwgilPTC5EDXwnQr3U5jD9AxqqcH2A\\_\\_&Key-Pair-Id=K3NV4LZ47N8M46](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046572107-?Expires=253370764800&Signature=i6nqUbl4EI282iYSCCLKoA0ct7zG-IPEpWcrKk44OHCAqehy976u00u-wFrrfCe0TRsCAIp7QRZg2sekXOMmcCP4b3ol00S4dxMuF8WfDZ9~JfqrVB5F-ruNj4oLnBt-FaENar8zKRF81vxssyIGQtFDQ340K7RxfOveXBzt0lw7rgl4CkWOOn5i9xrHNPTbd5yHdhMz7VM5WmUGMIQbFwPEYSKN6uHoYBnH7J0cUZ8ozEWjFAyg5cK5lSlenRLIN5N4E7h6H0s0BLqNftukeOw-Dn-q5Nfyfudnz7zxwR~u4iGjLY7YccINAwgilPTC5EDXwnQr3U5jD9AxqqcH2A__&Key-Pair-Id=K3NV4LZ47N8M46))

#### \*Moving to lobby\*

**\*\*Tip:** **\*\*With the candidate lobby, you can set up your interview questions ahead of the interview time and not worry about the questions being leaked to the candidate before the interview.**

#### ## Interviewer Lobby

With multiple interviewers accessing the same link for an interview, there are chances of interviewers or recruiters abruptly entering the interview while it is already in progress. Such situations can be awkward and create discomfort for the participants of the current interview.

We have introduced the Interviewer Lobby to prevent such scenarios and provide a great interview experience.

The interviewer lobby is a virtual waiting room where interviewers can wait when another interview is in progress or join the same interview. When in the interviewer lobby, interviewers and recruiters can also get an idea of the real-time status of all participants in the interview.

![[mceclip0.png]]([https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046572453-?Expires=253370764800&Signature=STDp9cERZ2U7~6J36w8GAbt~MeQZh~g9XfMGLRSESTeCh0JgP9RktMbV~kAlpLf5~td8mqu1rPCTeZ~bzQiZNGsrOeCFWRWkYUzSrLbsRCen~9GV-Efh9GiVDtJ7~IAwd48IWWjnLM~SbikiMv~bhHu0ut9caCceD0YCCV5htRQntPsFbT-F5H0n70FqAQwpYtSkMubhiivalKI-4bU54Mt-L1Z~IG1Ws8OJBRjgTV0yTSXTiBi2j0EzKG2CH5uXzn8yyo7Q6CBiMsQgFILJ~pEBYt1xST~2Yy2DyQAR9U5liWSOLg1eEYB4N4-U4nt8LP223DdALRQ5A4DlmtPUPA\\_\\_&Key-Pair-Id=K3NV4LZ47N8M46](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046572453-?Expires=253370764800&Signature=STDp9cERZ2U7~6J36w8GAbt~MeQZh~g9XfMGLRSESTeCh0JgP9RktMbV~kAlpLf5~td8mqu1rPCTeZ~bzQiZNGsrOeCFWRWkYUzSrLbsRCen~9GV-Efh9GiVDtJ7~IAwd48IWWjnLM~SbikiMv~bhHu0ut9caCceD0YCCV5htRQntPsFbT-F5H0n70FqAQwpYtSkMubhiivalKI-4bU54Mt-L1Z~IG1Ws8OJBRjgTV0yTSXTiBi2j0EzKG2CH5uXzn8yyo7Q6CBiMsQgFILJ~pEBYt1xST~2Yy2DyQAR9U5liWSOLg1eEYB4N4-U4nt8LP223DdALRQ5A4DlmtPUPA__&Key-Pair-Id=K3NV4LZ47N8M46))

#### \*Interviewer lobby\*

#### ## Leave / End Interview

When multiple interviewers access an interview using the same link, there are high chances of one interviewer abruptly ending the interview when the interview is still going on with the candidate and other interviewers. To avoid such unwanted situations, Interviewers can use the Leave Interview option and leave the interview without disturbing others. Otherwise, they can also use the "End Interview for all" feature that will end the session for all the participants present inside the interview. The interview session will remain running and will not end unless an interviewer performs this action.

Both the options are available under the "Leave" dropdown in the top right corner inside the Interview as shown in the image below.

![[End\_or\_Leave\_Interview.png]]([https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046572962-?Expires=253370764800&Signature=j~mEDJcWLFvost5c2OcatBOSCBLiFlN58RfvaQTHju6xUTiYeEPqVjlmzNFE~flTKe7Bcv3Q~YHA3TXB~hpl4gZTu~7dOI2DFCGnesW~8dyVdy7O9SYlhhIAvHbySRL~ohdOd~02ClqScnlbJDe8glT0~brRoylIEEcRaGmeXatWRTIA17ZS8Y7TBLw0UuUzWymYtKBcPr9uEUgWSRBHJL347z~a5hW2wPSJwN9Z7H5MZLLNJXCJAV3WYmQ4bguch8YrlfEzbyAyu9IA46rQ0Xp7oPQ8rlysf7VEjnAa2x3LONgZ8EnWzfJAXDebOobZtOMUmRyunBiPQI-20mJsw\\_\\_&Key-Pair-Id=K3NV4LZ47N8M46](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046572962-?Expires=253370764800&Signature=j~mEDJcWLFvost5c2OcatBOSCBLiFlN58RfvaQTHju6xUTiYeEPqVjlmzNFE~flTKe7Bcv3Q~YHA3TXB~hpl4gZTu~7dOI2DFCGnesW~8dyVdy7O9SYlhhIAvHbySRL~ohdOd~02ClqScnlbJDe8glT0~brRoylIEEcRaGmeXatWRTIA17ZS8Y7TBLw0UuUzWymYtKBcPr9uEUgWSRBHJL347z~a5hW2wPSJwN9Z7H5MZLLNJXCJAV3WYmQ4bguch8YrlfEzbyAyu9IA46rQ0Xp7oPQ8rlysf7VEjnAa2x3LONgZ8EnWzfJAXDebOobZtOMUmRyunBiPQI-20mJsw__&Key-Pair-Id=K3NV4LZ47N8M46))

#### \*Leave / End Interview\*

\

# [interviews/interview-settings] Hide Locked Tabs in Interviews Key benefits Enable automatic tab lock and hide Interviewer experience Candidate experience

---  
title: "Hide Locked Tabs in Interviews Key benefits Enable automatic tab lock and hide Interviewer experience Candidate experience"  
title\_slug: "hide-locked-tabs-in-interviews-key-benefits-enable-automatic-tab-lock-and-hide-interviewer-experience-candidate-experience"  
source\_url: "https://support.hackerrank.com/articles/2284202564-hiding-locked-tabs-in-interviews"  
article\_slug: "2284202564-hiding-locked-tabs-in-interviews"  
last\_updated\_exact: "Sep 29, 2025, 1:14 AM"  
last\_updated\_relative: "Last updated 7 months ago"  
breadcrumbs:  
- "Interviews"  
- "Interview Settings"  
---

# Hide Locked Tabs in Interviews Key benefits Enable automatic tab lock and hide Interviewer experience Candidate experience

\_Last updated: Sep 29, 2025, 1:14 AM (Last updated 7 months ago)\_

You can use the **Automatic Tab Locking and Hiding** feature to help candidates stay focused during an interview. This feature ensures that only the active tab is visible to the candidate, allowing you to control the interview flow.

## # Key benefits

The **Automatic Tab Locking and Hiding** feature offers the following benefits:

- **Controlled access for interviewers**: Interviewers can restrict poorly performing candidates from accessing additional tabs. These tabs remain hidden from the candidate.
- **Improved candidate focus**: Candidates stay attentive without distractions from other tabs, including those the interviewer plans to use later in the interview.

**Note:** The **Automatic Tab Locking and Hiding** feature is disabled by default.

## # Enable automatic tab lock and hide

To enable automatic tab lock and hide:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Select your **Profile** icon in the upper-right corner.
3. Select **Settings** from the drop-down menu.
4. In the left panel, select **Interview Settings** under the **Company** section.
5. Select the **Enable Automatic lock** checkbox.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758765764584-image.png?Expires=253370764800&Signature=I3l4lDjtZZYDsc43mW5mw~nhBSlyLMWvQAaXBFNQtcUXeM5oPBWxHM06ihdgLs4CVob4~gbeWaqSjRo-tFBxp7fqJxj3dHcSMLUI3gF-2Z3ldeb3Htt-G2N9bo7OEA760iye3byaOL~0PQ0k3XTQF2l5r5M6yrLKK5uesVfUtRkBCuVoQFTX3gIM5qGYGyMFKr3dM2zut0A7ktzPhHXzFvofoYDeJsFG5xxvb1U1t1VE8n2qEZvBKnlv6YwQtQDNbApsJXskNVTcPfSBXZDe405On~zcXMzfgH~IKuWWAtPitWyckoC4LSsSWXiukTFLfZA1nn-Xb9BZRaa3luwEw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

6. Click **Save**.

When enabled, this setting applies to all interviews in the account.

## # Interviewer experience

After you enable the **Automatic Tab Locking and Hiding** feature and open an interview, the system locks all tabs added before or during the interview by default. The system hides these locked tabs from the candidate.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758765084277-image.png?Expires=253370764800&Signature=TiW0SEHoNS60GvRvwMkVSIXMhi~dDCp2OFNQA2oQYtRODIJtAfnkRnWODb6tEWUnH9glwUxMHIVNw~y1LOvoyoCHyKQCSmXB62UzMkdcdWIOmXgNrqlkCY4-6JxP9Vhr74u3PILS7lWn1dXDe~8anEEQKWpGjzESYi-W2~OvHMPuYIBILdCv

Gh7IaieaATvSg99ygbV8o2uDpQd4iRcLrJxuBxHl9mR5yK36MrUkFMVwAMtzYJH7aMFB7v7NL7Hxl~m2mpyHQajOK8D8MvxPTZpT  
PtRFye5JUn245gyIpdQFYrYsJgRC0G6SeJ6jaX4mXty4huUT-RLUi4ID0FkWrw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

To make a tab visible to the candidate, click **\*\*Unlock\*\***.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758765159522-image.png?Expires=253370764800&Signature=KFsJGvPI5pn76EW9xUld20t8ChmmzspVggtv~oyXDfM2VLnmfga9wXrwGlf8q03kbaZSIQWKRhX3I7fv-PODjWifLajKgeV6G1jUVLrnOkifiz2wf6CK7Ihlwnt7734MPRtcs09EQ7pwMK4diZTorb07S6aLj~lu~Dsy8XG9A2TZSg9Pt7NFR8PVywkLq-eAtk0DwexgYanBLcm1Fy3inFFW5xdaJCE6uTyxFzMLKQZ-UmmwPpC2x6Y7u0c2VRGmDdkmaCv1SBrVEXwo~S7inOZyDcRICtBPkABrzp-cshrb2I0ij4Ge2McHb8bTwsE8caZTxkNPiz4o-LpmLeIT2g\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

# Candidate experience

When a candidate joins the interview, they see a blank screen until the interviewer unlocks a tab.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758777535731-image.png?Expires=253370764800&Signature=vdSUHOLA-FqibEZH8vnEDMBpeSobZdKe03O8KlInSb05a-RCgL0T1hi2MzDtf3nehEb~AJJZkODNR9Yiqz1T0MSbtlbsnCvVL5tsxzui5eCj5rKjSb~NfYNNVI-OW9xous-OM5RbmsQz4zf0S6scRGeKaf4g~-0QTdnOdLXHcF28XaBnF6dNnYx0iHV4I80xNtq6H-HnktLmkL~edrRcB7V7n8I6NOK9B~dpXF1CcIl6VLQpCOl2t4MPE0eVJRH~i5KMqVxB3VwcKpKoVwxX~rHL0X8XGhsmAZufX2L-TgAYs9VdNL8cW3B1OI2EiF~SxsMsrEu7pjpNraZtlaNigw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

Once a question tab is unlocked, the candidate can view and interact with it.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758777548626-image.png?Expires=253370764800&Signature=Ys8k9WNSK3GmnCnvgTVkdQ5nmv3r9JDamKrltmzKqsqVwb8zrlXPFM9LHBbGGYSrPrANpKyCiWLDt~ENWccgj3bbTP5UmrieSwnp1v9~MhU5QQZnNaSB7fKVVWxuVUBcHL4uXcdu~oZJRG9m8-IRHROceoQKSyOJjsaAoxDpg3iiGEINYvHyEj49eGaB4Z~GJaVmOOFnRD6Na3B5-7c~bJBhgnzVqvo1K6DEFd-rt2wsJZvVNHRb-NmsSibzA8ww1qdM-vaUIZH3AhpOrDsd5Y0cpBn5eLEypUQHfcDITDzfPY7IiJ2DGEep95BgBctZ0nvPI95vAPdQ99GLADVT13A\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

\

# [interviews/interview-settings] Configure Interview Settings Prerequisite Configuring

```

title: "Configure Interview Settings Prerequisite Configuring interview settings"
title_slug: "configure-interview-settings-prerequisite-configuring-interview-settings"
source_url: "https://support.hackerrank.com/articles/6563947154-configure-interview-settings"
article_slug: "6563947154-configure-interview-settings"
last_updated_exact: "Sep 29, 2025, 1:04 PM"
last_updated_relative: "Last updated 7 months ago"
breadcrumbs:
 - "Interviews"
 - "Interview Settings"

```

## # Configure Interview Settings Prerequisite Configuring interview settings

\_Last updated: Sep 29, 2025, 1:04 PM (Last updated 7 months ago)\_

You can customize the HackerRank Interview environment to suit your workflow during a live interview.

### # Prerequisite

You must be in an active interview session.

### # Configuring interview settings

To configure Interview settings:

1. Click the **Settings** icon in the upper-right corner.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759122267660-image.png?Expires=253370764800&Signature=Wix2DHUjVsWrxJfThQueHdVeEBnKUWVEwG-Hef5oAicWouL9CQvNCKzKzRd6F2eq1Kfj35ZxRKvTOL~2v9pxqimltEjsPj9saz5qEvRhaqbcPHGZTOSiDrPkwDIPGG5jjv61JaFhScM1XtPb0nhDVlop3LnKhuQr1sVYUCGb0P6ND5li1Dph0-xkcJK1NzFbiJup-JO6WxHAIT7mpHoltToQ62EVqiFjwZAZ6dXyoJGTr-1OITgPw1LOiYam59vY5tD3dH6c2kMEaspECH~uR6rd33fQThawBBJhvWsfZyhh1ydS4gHNAfTw~v4mZ7NS7qhJBg0LQD4nksxhE76w\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

2. Customize your interview setup using the following options:

![settings.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759128635982-settings.gif?Expires=253370764800&Signature=ALa3AO~jK-RW~EqO0Y0qjT6cT7uVxOgjNxBbBG0UvDoet9MP~xK46PPT9O6Stcb3dRtEg5xjyV1UqsTbSIIfxWC3ukd0-3gWba6WitW06jEc8pdGG-9fLU5pDZmycAWcBlZ4H9A6pE9hssr-2EGYxSKYtyxASZusU275L176NqkPbd-Jjj3tqK8rH3gWJY8C5a2gvD-rpcdhwhHX8NDqDBqRm0YGrBL0iAsJ5OLIHUlyvNdqQT7s5n34pX-ium44PEiJ5MO6ZLjoe229OcTetnMlm2AcfKxBZCaGRUTw~PxRDbGTHOLjLAaBeOzHSFqHSdnRC5ohw79N429~Nyq5Aw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- **General:** Update your name or switch accounts if needed.
- **Theme:** Choose **Light** or **Dark** mode.
- **Editor:** Adjust the following **Editor Preferences** to personalize your coding experience:
  - **Edit mode:** Choose **Vim**, **Default**, or **Emacs**.
  - **Tab size:** Select **Short**, **Normal**, or **Long**.
  - **Font size:** Choose **Small**, **Medium**, or **Large**.
  - **Autocomplete:** Toggle to enable or disable **Autocomplete**.
  - **Automatic Brace Completion:** Toggle to enable or disable **Automatic Brace Completion**.
- **Audio and Video:** Configure your input and output devices:
  - **Webcam:** Select your preferred webcam.
  - **Microphone:** Select your preferred microphone.

- **Speaker**: Select your preferred speaker.

**Note:** If you experience issues with your webcam, microphone, or speaker:

1\ Select **Help and Troubleshoot** from the interview Settings menu.

2\ Check the status of your devices. A green check mark next to each device indicates it works correctly. If a device does not show a green check mark, follow the troubleshooting tips provided.

\

\

\

\



# [interviews/manage-interviews] End an Interview Ending an Interview

```

title: "End an Interview Ending an Interview"
title_slug: "end-an-interview-ending-an-interview"
source_url: "https://support.hackerrank.com/articles/1242592015-ending-an-interview"
article_slug: "1242592015-ending-an-interview"
last_updated_exact: "Sep 29, 2025, 12:29 AM"
last_updated_relative: "Last updated 7 months ago"
breadcrumbs:
 - "Interviews"
 - "Manage Interviews"

```

## # End an Interview Ending an Interview


\_Last updated: Sep 29, 2025, 12:29 AM (Last updated 7 months ago)\_

You can end a HackerRank interview at any time. You can choose to end the interview only for yourself or for all participants. If you end it only for yourself, the interview continues as long as other interviewers are present.

## # Ending an Interview


To end an interview:

1. Click **Exit** in the top-right corner of the interview page.
2. Select one of the following options:



- **Leave Interview**: Ends the session for you only.
  - If other interviewers are present, the interview continues.
  - If no other interviewers are present, the candidate moves to the lobby, and the interview ends automatically after an hour of inactivity.
- **End Interview for all**: Ends the interview immediately for all participants.

After ending an interview, you can:



- Provide feedback by selecting a rating and adding comments.
- Click **Rejoin Interview** to return to the session.
- Click **Continue to report** to view the interview report.

\

\

# [interviews/manage-interviews] Observation Mode in Interviews

```

title: "Observation Mode in Interviews"
title_slug: "observation-mode-in-interviews"
source_url: "https://support.hackerrank.com/articles/1263202297-observation-mode-in-interviews"
article_slug: "1263202297-observation-mode-in-interviews"
last_updated_exact: "Apr 23, 2025, 11:42 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Interviews"
 - "Manage Interviews"

```

## # Observation Mode in Interviews

\_Last updated: Apr 23, 2025, 11:42 AM (Last updated 1 year ago)\_

Observation Mode in HackerRank Interviews allows interviewers to monitor a candidate's screen activity in real time. This feature operates similarly to screen sharing, enabling you to observe the candidate's progress throughout the interview without interruption.

### ## Starting Observation Mode

To start Observation Mode:

1. Select the drop-down next to the candidate's name on the interview screen.
2. Click **Observe Candidate**.

A colored outline appears around your screen to indicate that Observation Mode is active.

### ## Key features

While in Observation Mode:

- Candidate actions are mirrored on your screen in real time.
- You can access the **Scorecard** and **Chat** without leaving Observation Mode.

### ### Front-end, Back-end, Full-stack, and Mobile Questions

You can observe the following candidate actions:

```

```

- **File management:** Create, delete, open, close, and switch between files.
- **Terminal activity:** Create, delete, switch terminals, and execute commands.
- **Panel adjustments:** Resize, expand, or minimize the file browser, terminal, and preview panel.
- **Other interactions:** Scroll through files and switch between side menu icons.
- **Preview panel:** View automatic updates when the preview is refreshed.

**Note:** The integrated VS Code IDE supports a wide range of interactions. Currently, only the core actions described above are mirrored.

### ### Coding Questions

You can monitor real-time screen activity, including:

![ObservationMode-.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Ffef42a8e-fe83-4e30-9827-2a0f411fa08a-1734046357579--e8a43914-1a63-4788-8255-3b84e1b63346?Expires=253370764800&Signature=Z3H4dFg5fu-VvdOdb~NZA-CteVhUZZqZkN3~ZBN44vUUFZQLIE5F7VdOeS0WcWAHchB7LkGsb6wTap9WaQncBTIUA8iT00KHfCUyo-fDCyK6qzXSJPKXkfFps2W8Uf-2eLU07AUq1OZibIHMaK5MkKW8VJ~tPFUMFMMo5Pp68GyXMsNsGFYcftPINJmbx0xARc~k9c4fQQmVSb~IR4T7Ww4zCZPXXj61ExPcmEmKYEmZBOX6l8qHWZ~tCiPVjyhYzIV-ShLho7BRUzxWTIbUGRD1MEPytl7EwW2-oljSbs8LlnS0xIHxRqVbsOZmndUooK1AZXgMJ5HXbeHZS9rAw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- Switching between tabs such as **Input/Output**

- Clicking **Run Code**

**Important notes:**

- **Anonymity:** Candidates are not notified when Observation Mode is active.

- **Independent operations:** In multi-interviewer sessions, each interviewer can enable Observation Mode independently without affecting others. .

- **Limitations:**

- Observation Mode is supported only for Coding, Front-end, Back-end, Full-stack, and Mobile questions.

- If the candidate switches to an unsupported question type, Observation Mode ends automatically.

- If the candidate becomes idle or disconnects, Observation Mode ends automatically.

### ## Ending Observation Mode

To exit Observation Mode during an interview, do one of the following:

- Select the drop-down menu next to the candidate's name, and then select **Exit Observation Mode**.

- Click anywhere in the code editor.\

\

\

# [interviews/manage-interviews] Importing Projects in HackerRank Interview

```

title: "Importing Projects in HackerRank Interview"
title_slug: "importing-projects-in-hackerrank-interview"
source_url: "https://support.hackerrank.com/articles/1769104522-importing-projects-in-hackerrank-interview-"
article_slug: "1769104522-importing-projects-in-hackerrank-interview-"
last_updated_exact: "Dec 13, 2024, 5:11 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Interviews"
 - "Manage Interviews"

```

## # Importing Projects in HackerRank Interview

\_Last updated: Dec 13, 2024, 5:11 AM (Last updated 1 year ago)\_

### ## Overview

You can now import Project questions (Front-End, Back-End, Full-Stack) inside a HackerRank interview. With this feature, interviewers can assess candidates on skills such as React, Angular, Node, and so on, during live interviews. This article will walk you through the steps to import projects in HackerRank Interview.

**Note:** This experience is valid only for Front-end, Back-end, and Full Stack questions. Refer to the [Importing Data Science Projects in the HackerRank Interview](https://support.hackerrank.com/hc/en-us/articles/360056646493-Importing-Data-Science-Projects-in-HackerRank-Interview) article for Data Science project questions.

### ## Steps to Import from Library

#### #### Prerequisites

- You must have scheduled a HackerRank interview, either by Quick pad or Scheduled Interview.

#### #### Related Articles:

- [Scheduling an Interview](https://support.hackerrank.com/hc/en-us/articles/115005852347-Scheduling-an-Interview)
- [Methods to set up an Interview](https://support.hackerrank.com/hc/en-us/articles/115005942648-Methods-to-Set-up-Interviews)

### ### Importing From the Question Library

- On the Onboarding page, click on the Question Library option. This will take you to the **Question Library** (or) click on the **Questions** option from the left panel.

!Question\_library.jpg(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046877519-?Expires=253370764800&Signature=CSiY3-TIPZlPvmtJhbZf92za3SVI2mXf2wRMHCLLh0Vp534fvX~9ZAzF336~YMPCaAPkf3~ZoewCAT18Pkd-G8s0YaGjx8rG54wXTkPBD2ZnpSbVpixueGmWNWG6uPX0eZNG442yD1jCCu9Q7snBGaEVIILHqHoUwxsynfwh3PbtoQ7RpqZZ8XIoSoo0L462fxEuRaK~jyp32k6AUvbjUqsNz9G2TfAcRA5Nt5RQaiDtGhP5KXyAsSEi0PNu6iKj39nxVUwAZDgtuhRf~hngwMP-9EFZkT93nMajfk-ag8OYtKj6Ea4K~VFir~8t2lmdkaKvWzfeiuOrNUcVOwIw0w\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- Inside the library, select the desired question type from the Type drop-down menu, and click on **Use** to use that question.

!image1.png(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046877971-?Expires=253370764800&Signature=PF5HX0TrY0~SQsYqZqOfv1nFn133w4jsjF3YZLySM-JuebL19DumRwUVq~EZpbD206nav3GTy8WLI0IG9hpjjelELiKsvtp1OwwzQdnjTuZjLTzxtvTP0iS7FWGjX~ZwCrOSNFuYyh0s--SKnk77VXITEo7-Z~OFMu2xS-kFNK4IbHq~YdGW7rTRwAEI7VCNQGa26VKwHYcdudY7AyVXbYelRvQY6uVrgjSwFpyPoaHpCl1tbeKb4EMx5NcmIlg92hjKIVhbBtbSV4tYf7f6n9J4Q3h9fS5IPvi4--qQQK0oJRjFtUEEpK5ZEoohGrYyTNb9TNtbpdp3p1RIUVyAK8w\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- Here the IDE will be launched where you can collaborate with the candidate.
- Once the question is selected, it gets populated in the left-hand panel, and you will see the IDE on the right.

!image7.png(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046878612-?Expires=253370764800&Signature=vdDijU6qCtaoXdjI75i7zdva-am8Tdu-8dUxmEzk~1XRtNwSKnfBjSOVf-HTAiGJRntI~Lt9~YIkL5tdhMMKKVgsDDNeh9iIkMgKbiOda2gq1bJJODTdlUrakTBnLz8HUhw6oJ75gAv3j0VcsOgwCdSRNfsPFT0fPet9rxZm4MMCsQ1PviWZ6t9sv04QjHmEqMz5ngPU

YILWiyolZKAQObJhNwc77H8XbDdIYTVyA6bjp2cxYbYRIFo-N-8lWs0Soks4~iUHEU4X05MZ89yKsqVF9OGf2rocyU6ePKJulrTyIj2S0  
NtpPVZNStDtvREKys-N8sIIYZUyPr4kmkEw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

### ### Import from Tests to Interview

You can also import the candidate solution from a previous Code screen test of the candidate. Follow the below steps to do the same.

- To import a question from the Candidates test, click on the plus (+) icon on the top.
- On the landing page, hover your mouse on the left pane.
- Here you can see the **\*\*Candidate's Test,\*\*** and you can find the questions used in the candidate's test. Click on **\*\*Use\*\*** to launch the question.

![[image7.png]]([https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046879097-?Expires=253370764800&Signature=hflVJY2cKY5S9KRhwp035cV2074n4YsxDK2bwu67z~GdMP2IsNUaEwluYrCYeBJH~3GgpRdcfCYTujkngyqiDyblzcv4LLmpg20tUXcOk6zPzB537gTAWTEwF3ycQyipmzBtJs~LI4A4bzyJohu2IFMRvvV0r6rZfzdK4n201pMr09~G9uH2kHesHr20YraYn6XCESAoUS145g~1Jnmmutwu6AtOFx6p10rdu4yPRZ-8VrkJnYK53-8oomlhhHBOQdzZ5MQNUMzeJWTCMI59JKuakBfHW58L1rZCtIlgvb0xbX6J9HSYyvyv-RCRd-i7ZEpcMxCB-qCqXOp8DOhd4yQ\\_\\_&Key-Pair-Id=K3NV4LZ47N8M46\)](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046879097-?Expires=253370764800&Signature=hflVJY2cKY5S9KRhwp035cV2074n4YsxDK2bwu67z~GdMP2IsNUaEwluYrCYeBJH~3GgpRdcfCYTujkngyqiDyblzcv4LLmpg20tUXcOk6zPzB537gTAWTEwF3ycQyipmzBtJs~LI4A4bzyJohu2IFMRvvV0r6rZfzdK4n201pMr09~G9uH2kHesHr20YraYn6XCESAoUS145g~1Jnmmutwu6AtOFx6p10rdu4yPRZ-8VrkJnYK53-8oomlhhHBOQdzZ5MQNUMzeJWTCMI59JKuakBfHW58L1rZCtIlgvb0xbX6J9HSYyvyv-RCRd-i7ZEpcMxCB-qCqXOp8DOhd4yQ__&Key-Pair-Id=K3NV4LZ47N8M46)))

- You can now ask the candidate to present the solution approach they took. You can also further build on the solution by working collaboratively.

### ## Candidate Experience During the Interview

Once the candidate navigates to the Projects question imported by the interviewer, they will see the IDE based on VS Code. They can now explore the files, run the project, open the preview (applicable for front-end tasks), and solve it.

### ### Pair Programming with Candidates

- All participants will see a tab called "Participant" in the left-hand panel of the IDE menu. All the participants and the file they are on will be visible here.

- On clicking the filename, it will take one to the cursor position that the participant is in.

![[image6.png]]([https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046879457-?Expires=253370764800&Signature=Y3nC0kqWwbFj2~-SF~FxncWyAE0N8XODRT06hjvef2jxchyP3gPpsZlCgS1fr4rr8NakirT99VC7-vqyASwqGbmNZIYEyArF3Lix5GXowbFrHe7N6zkS-mdZ3s-1SY6wVC8s5k-z1BpFKED-Kp2dm6SipoOi00OeC3bYRjgHqnEJ0riPC~yVDeJ9PSkS2V4U3plUt~8PxevuYsaw3RyYj7L5kA42CGCD1HcZC4957mDPe1r3ofnooXC4R~P35XuFEIvUvbEOEJzpC0ADUEF4hmuVd41tvjufUQYxmZlCw8W4B5igwqJd4SWD5CBjBMwSG9awnlqnmYX3mn56B33Cw\\_\\_&Key-Pair-Id=K3NV4LZ47N8M46\)](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046879457-?Expires=253370764800&Signature=Y3nC0kqWwbFj2~-SF~FxncWyAE0N8XODRT06hjvef2jxchyP3gPpsZlCgS1fr4rr8NakirT99VC7-vqyASwqGbmNZIYEyArF3Lix5GXowbFrHe7N6zkS-mdZ3s-1SY6wVC8s5k-z1BpFKED-Kp2dm6SipoOi00OeC3bYRjgHqnEJ0riPC~yVDeJ9PSkS2V4U3plUt~8PxevuYsaw3RyYj7L5kA42CGCD1HcZC4957mDPe1r3ofnooXC4R~P35XuFEIvUvbEOEJzpC0ADUEF4hmuVd41tvjufUQYxmZlCw8W4B5igwqJd4SWD5CBjBMwSG9awnlqnmYX3mn56B33Cw__&Key-Pair-Id=K3NV4LZ47N8M46)))

- The same can be achieved by clicking on the participant's name on the top right corner of the screen where the participants' names are displayed.

![[image5.png]]([https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046880127-?Expires=253370764800&Signature=DiG4ONyHVBsnrgfFOAyCdMx9Nk6DmKcWkC68OIXRADYE59Y8gXH1IxSkinp0~UvTyefm5cK3jAhrN1fZcPfQOmzB1r7r6xsK5SZsCN8E-Wtr1jOXkaj23sVTvdOAYxA2P7t7FAPfJl8I~-EwgN-MbRZ9uHLSJeaKJRId2osTlrZG-IeFbjh8B8DEZ2NFjD7TkJQhqaRfIrlQmepaxs4AGsa2RGufCLm~OFHNSZYEK0HYudBrhMI9C3es5jBtJhLI4cg0XhGi--JhTphRubcjppo0jYdqdt6W~oQQAZpLcS-M~-CJmuskUJuLcLImxXtPeEFM7P8npPR2EwW18I7gng\\_\\_&Key-Pair-Id=K3NV4LZ47N8M46\)](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046880127-?Expires=253370764800&Signature=DiG4ONyHVBsnrgfFOAyCdMx9Nk6DmKcWkC68OIXRADYE59Y8gXH1IxSkinp0~UvTyefm5cK3jAhrN1fZcPfQOmzB1r7r6xsK5SZsCN8E-Wtr1jOXkaj23sVTvdOAYxA2P7t7FAPfJl8I~-EwgN-MbRZ9uHLSJeaKJRId2osTlrZG-IeFbjh8B8DEZ2NFjD7TkJQhqaRfIrlQmepaxs4AGsa2RGufCLm~OFHNSZYEK0HYudBrhMI9C3es5jBtJhLI4cg0XhGi--JhTphRubcjppo0jYdqdt6W~oQQAZpLcS-M~-CJmuskUJuLcLImxXtPeEFM7P8npPR2EwW18I7gng__&Key-Pair-Id=K3NV4LZ47N8M46)))

- Additionally, the participant position would be visible on the open file name inside the IDE.

- Any file that a candidate opens will automatically be opened in the background for all interviewers, enabling them to observe which file the candidate is working on.

![[image4.png]]([https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046880616-?Expires=253370764800&Signature=NKOBVLBiWtla5s4Vt2gm~h9JWVZNvNUUbjnlegy537~XTmJwduruwaeR6fbVylFA71twysrzTCi2edUZbXFdBjYGnvYKGMd6pwcwHcY~1O2UCZAJwUAlf88ZnzzJ4369vN0nKPtKviwPoEgglWi2eDMR8aNBAdYHuXr4PammKsGTxIZwDsmWxZCgzGES9jARQh0OpxrH1E6YRJjvmZyyyP7-vcMJBuFwcX~mgwqxy24Py3O~IR0jf47auHqhyfyBJJIX~JzAil~s-GDDtWaa5Kmi7XmP7B3~g34R43K4NqKj~3u3Dsfe~FnZK-jKOcXipXKomanTkxTyPCYjiU~Q\\_\\_&Key-Pair-Id=K3NV4LZ47N8M46\)](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046880616-?Expires=253370764800&Signature=NKOBVLBiWtla5s4Vt2gm~h9JWVZNvNUUbjnlegy537~XTmJwduruwaeR6fbVylFA71twysrzTCi2edUZbXFdBjYGnvYKGMd6pwcwHcY~1O2UCZAJwUAlf88ZnzzJ4369vN0nKPtKviwPoEgglWi2eDMR8aNBAdYHuXr4PammKsGTxIZwDsmWxZCgzGES9jARQh0OpxrH1E6YRJjvmZyyyP7-vcMJBuFwcX~mgwqxy24Py3O~IR0jf47auHqhyfyBJJIX~JzAil~s-GDDtWaa5Kmi7XmP7B3~g34R43K4NqKj~3u3Dsfe~FnZK-jKOcXipXKomanTkxTyPCYjiU~Q__&Key-Pair-Id=K3NV4LZ47N8M46)))

- But files that an interviewer opens would not be automatically open for other participants, including the candidate in the Interview. This is done so that interviewers have autonomy in exploring the files and modifying them if needed. And while they are at it, the candidate is not distracted by new files opened automatically.

- You can expand the Scorecard panel to record your evaluation of the candidate based on their solution.

![[image8.png]](<https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046881088-?Expires=253370764800&>)

Signature=NHGsvVwOv-sV3ZosKPy262~SKysz0~1zE9AmvKc0uF5xKppjcurEbLLf-NGWNRILBEbEeBTCIzUByEqueuacA6IKxL-GylRW2HJY53cAricaCkAhGxDQ7DEdhFNjB5vwGw4WbDbfy~37JbeuXSs61-E3iz52WJ7YjNx19jQqYX4jaKZKloKIDTu1Wq5AIXX9aK5wgfzfmIcIn~ndkVG715mbq-VvKx8APNJnE1ZUSKe1aaFUhljiVH202Ou1CS6GbKf0p9cL~CmA-vZchUNI8oeZYV8v~5dfGiAiYlhgXCaa4UR8RFfC~RxVG9dj3aROczB08g7phd0tNJVEW~p82A\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

Here is a quick video to get you started importing a pair programming project in HackerRank.

<div class="iframe">

<style>  
:root {  
 --color: 236, 100%;  
 --l: 47%;  
 --color-primary: hsl(var(--color), var(--l));  
 --color-primary-darker: hsl(var(--color), calc(var(--l) - 5%));  
 --color-primary-darkest: hsl(var(--color), calc(var(--l) - 30%));  
}  
</style>

<div id="app">

</div>

</div>

## Viewing a candidate's solution in an Interview report

- As an interviewer, go to "My Interviews" inside the Interview tab of your profile.
- Access the record of the candidate whose report you want to view.
- Click on the View Submission button to view the candidate's solution.

![[image1.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046881460-?Expires=253370764800&Signature=asHvLXD~G9dsqMvA-J3WreqfbIWY0gC~M1SFN8vM5acYHU1PM3AyjAYH7mTQeP1ogONhRmfFeBxTQ~KA0eoMp-IXEHVgzgR6hdR0hlfsE-arjAQrcJ-UQlITYslOCOppynJqzNkp2-AVRrugxGXmdNt7TB8PkJeh-bvsRXLKAZs2EUZ5v~1r4VjvpzH7wEP6pSuZ~fQhhs89Fexto8THaWyJ0kADcD8DFmkClGv3iKxeRAVDIF6ip067yJS218zqbMpPNys0zcia9WKtyAwdN71~CulcyVdN6QRYVfLcnrc9GpyGPTTr3WvmFLy5h2Myy0QmxrpBps9ZQpLJX9tAWWNQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

# [interviews/manage-interviews] Import Questions from Screen Test Import questions

---  
title: "Import Questions from Screen Test Import questions at the start of the Interview Import questions during the Interview"  
title\_slug: "import-questions-from-screen-test-import-questions-at-the-start-of-the-interview-import-questions-during-the-interview"  
source\_url: "https://support.hackerrank.com/articles/2218911700-screening-inside-interviews"  
article\_slug: "2218911700-screening-inside-interviews"  
last\_updated\_exact: "Sep 29, 2025, 1:02 AM"  
last\_updated\_relative: "Last updated 7 months ago"  
breadcrumbs:  
- "Interviews"  
- "Manage Interviews"  
---

# Import Questions from Screen Test Import questions at the start of the Interview Import questions during the Interview

\_Last updated: Sep 29, 2025, 1:02 AM (Last updated 7 months ago)\_

HackerRank Tests is a coding assessment framework that automates the screening of developers. With the **Tests** integration, interviewers can import a candidate's screening test, including questions and submitted code, directly into an interview session.

**Note:** To use this feature, you must enable **Show candidate timeline to the interviewer** when you create the interview.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758787975760-image.png?Expires=253370764800&Signature=uRoI7fQaXWXhU0F0SeoffLlw4LSzM~stlIEOnvmPQ~YbaEx1-0Eo0918yYTiZXZKNBKzXQoWNCJ559gjrxLwK56Te~T1PVYmrrpZ1c3JpCTr3oplllDqEVNf5FUFaVDdPHK8SSEeo12QSfneF1IG9ANXojHd49BvLjcEJ-I5qXpTQu-yFkYwZRdKzqWTXvTWUX4CzNuu5OXfWN2Uss3RAKjEAKso3ZbNTiMueHAIsldWUynjS9wn3HGJD-9JFGAjlGJDl6b7krjgqn5Z4jswp0P~ITpGIhV9Oq9ZpKoYV9VhPQtgUrRVCO1CMQo4D4~QCwcvMh9YAx9JvKH1H8rcIg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

For more information, see [? Create an Interview](/articles/8404005945).

# Import questions at the start of the Interview

If a candidate has completed a test before the interview, a dialog box appears at the start of the interview session. The dialog box prompts the interviewer to import the test and displays the candidate's overall score. Interviewers can also view the full test report within the interview interface.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758787789932-image.png?Expires=253370764800&Signature=ER-NvLptxfpLUIDJOnB-DwyR9OUWMR3HXYjeO0aMZ~s~CzWWzxYZU-zcLDrX4-VHugsGltdGqSo3~CBNZTdOCYiJ~B0MLb88YB0uG6PXNEpW02RKqSJjMTgd27F0XO3awctQk0l2YHSwdOICxN~dxw-oA3E3CcXhxtXTRxro7x0MXAGVOuYiZKemmM0rwnE2arJayMhjYrlmKEz8ztrFn3gEwHK6PKNcJQyo0f32rwMSrPeN5-DuKup45Vq5qAku3o9u9zuguNs9Jq9FKukffC7xXO0Mj3ZM~AfJNZww0DpqzoBCnfKbufsklydSMYXE5lJq-2rw4edp9MkVNHhw7yg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

Once the test questions are imported into the interview, the candidate's score for each question is displayed. Click on **Detailed Report** to view the candidate's test report inside the interview.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758787898946-image.png?Expires=253370764800&Signature=AdOp91pJ25gCFcYm6YSSAomSP88JmWe0e8~6s92gyAokfQr7Z~Z1FGOoqXTcP0ePmmAaB9tFwJoe6xOQ3jzXH2iqqj6D2DKRL5Ele9nzE1gkOID7W~iqCh-GRYOegckfTJvb-YXkTxwQiTk-BYCvYURY0LR3RgFQ2CMjPFKjqRyxXIE6zARoKcMe9LXaA6Ar8~UwQ5Zia3sKFuwMm0LT7zmcj56DkOGOBPPS3V9KFozagHIG~hsh931vE2eYJgWteHHXNHRayuTWzIVFnq5-xnqWAW-B6PRsOrKxO05O95R5ef-an4dpHBrXophDr~KThthZDA-NTDt2OBherJNj6A\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

This enables the interviewer to focus on questions the candidate did not perform well on and tailor the interview accordingly.

# Import questions during the Interview

You can import questions from the candidate's test after the interview has started. To import a question:

1. Click the **+** icon in the top navigation bar.
2. In the left pane, select **Candidate's Test**.
3. Choose the questions you want to add from the candidate's test.
4. Click **Use**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758787714161-image.png?Expires=253370764800&Signature=ONrAfBx0Dmd3~sF3cHtJeJrzmVbXqRue4tQjXA6Ozgb5uAgztFm9JfpPQVDpHpuk5JL1IVQrNuzyw1JnO2pkYWKdFgEn4S24ug1oBWwaRFItUFAGEdQmmNRluHP-DG0ramm2mKqH7D-5B1eqqC9N5O8grjy9MjXoTX4ntFmcT1LFGEGWJuV-BbFGmTkGzlb~y~6CyO03LmRpF1DR1Sjes1UZX0qEWnVCgm7edvY6gK51R3xShx0sQle6uvdcyheba0OFTaPx-iOgk~rhVzsQoffnw7gWaO1V9u0N8Jkclh02knG584m3XFhTKHYkmdZMNw6iXHdSY0FNB8wiHU7A\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

The selected questions open in separate tabs, allowing you to evaluate them in real time with the candidate. Click **\*\*View Full Test Report\*\*** to open the candidate's test report within the interview.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758787779681-image.png?Expires=253370764800&Signature=qRIQub6YP6vDxRx60mx8lf1jdNlpoA5yfg~vNhSILJbCXPgZPQ06BicvMbfQPsFd0j9xt-hZM5Lw6Am3MTIKG0N-F5EM7UOG6t4AUjgUZiA6ofAbqEYZHWPU9cJc9zp7Y3BE-Ao0FrFIC-1QaJjrqrUimKys-9pi5uGDyTiFDbw4pOHXcFXtuXdYVaeNL R8w8mm3Kfg0RWZLILkB33HPmDg1lBd0DnTi4OLsMd6ykcMGYL YwstuOQy0pdoe7jUglnWwxEOBf8e7cjc3dFf4Zcvf6jyePfXx7stRFJ7rfTvr5NXYkESkgkwDe9ymk4qpVok65rb4er9gxCX7muXA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

\



# [interviews/manage-interviews] Reschedule an Interview Prerequisites Rescheduling

```

title: "Reschedule an Interview Prerequisites Rescheduling an Interview"
title_slug: "reschedule-an-interview-prerequisites-rescheduling-an-interview"
source_url: "https://support.hackerrank.com/articles/2342466364-rescheduling-an-interview"
article_slug: "2342466364-rescheduling-an-interview"
last_updated_exact: "Sep 29, 2025, 12:28 AM"
last_updated_relative: "Last updated 7 months ago"
breadcrumbs:
 - "Interviews"
 - "Manage Interviews"

```

## # Reschedule an Interview Prerequisites Rescheduling an Interview

\_Last updated: Sep 29, 2025, 12:28 AM (Last updated 7 months ago)\_

You can reschedule an interview to a different time. When you reschedule, HackerRank automatically sends email notifications to the candidate and interviewers with the updated time.


## # Prerequisites

You must have created and scheduled an interview that has not yet been conducted.


## # Rescheduling an Interview

To reschedule an interview:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Interviews** > **Interview List**. The page displays a list of all interviews you have created.
3. Click the interview you want to reschedule. The **Interview Details** panel appears.
4. Click **Invite Participants**.



5. Update the following fields:



- **Date:** Choose the new interview date.
  - **Time:** Choose the new interview time.
  - **Interview Duration** (Optional): Set the duration of the interview.
  - **Time zone** (Optional): Choose the time zone for the interview.
  - **Email Notes** (Optional): Enter additional details about the schedule change, if necessary. This field is visible only to the interviewer.
6. Click **Save and Send Email**.

All participants receive an email notification with the updated schedule.

# [interviews/manage-interviews] Manage Interviews Templates Creating an interview t

```

title: "Manage Interviews Templates Creating an interview template Sharing an interview template Removing user access from an
interview template Renaming an interview template Deleting an interview template Frequently Asked Questions (FAQ)"
title_slug:
"manage-interviews-templates-creating-an-interview-template-sharing-an-interview-template-removing-user-access-from-an-interview
-template-renaming-an-interview-template-deleting-an-interview-template-frequently-asked-questions-faq"
source_url: "https://support.hackerrank.com/articles/2837093779-standardizing-interviews-using-templates"
article_slug: "2837093779-standardizing-interviews-using-templates"
last_updated_exact: "Dec 15, 2025, 12:45 PM"
last_updated_relative: "Last updated 4 months ago"
breadcrumbs:
- "Interviews"
- "Manage Interviews"

```

# Manage Interviews Templates Creating an interview template Sharing an interview template Removing user access from an interview template Renaming an interview template Deleting an interview template Frequently Asked Questions (FAQ)

\_Last updated: Dec 15, 2025, 12:45 PM (Last updated 4 months ago)\_

Interview templates help hiring managers and interviewers maintain consistency across interviews. A template ensures that every candidate for a specific role receives the same set of questions and is evaluated using the same criteria.


## # Creating an interview template

To create an interview template:


1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to **Interviews** \> **Templates**.



3. Click **Create Template** in the upper-right corner.



4. Choose a role and enter a template name.



5. Click **Create**.

After you create the template, the **Questions** tab opens automatically.

## ## Adding questions to an interview template

To add questions to the template:

1. In the **Questions** tab, click **Add question** to open the question library.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765777428610-image.png?Expires=253370764800&Signature=fsq4Dm5N7tRV4n4Th5j-R09fDmg8CpZgFtJA~y7uw6CMEnweeOtNwD5iGYLF0f8OZ-ya4mcBMUXaMXISElliCE3ErKi87nOGKkMD8gEdxhHQaR3H9ZqCF9uWj9CmP~g49ynFTpllrVe5-ue3cmch2~Px552fVG8zV6tN~sBpbGjCohgU2uROP3rxPdX4zPW0I5TYj~0~6uaqwImB4HrSAyC-CR9TKeuqqTQ39chAomsZEgKQGx8cMqZDxyd4Qo93iHyHSNSrhU7ULpoLo7JQCrRx7ZnB2MwiaCrqBG2BWSASwKdah2vqNttyK5wyMqidjHF-SW3pDsumux~gEx85rw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

2. Use the search bar or filters to quickly find the questions. For more information, see [Searching, sorting, and filtering questions](https://support.hackerrank.com/articles/5664166353-hackerrank-library-navigation#searching-sorting-and-filtering-question-s-23).

3. Click **+ Add** next to a question to add it to the template. The **Template Preview** panel displays all selected questions.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765777452060-image.png?Expires=253370764800&Signature=JARcgahHHSmicA1Y4qovGS2FhCEt7LF7x0bBGvuLmEntdCIALkjCXcs3KRQx7GeQWTKdMS0JoG4wUeIDbC08r5S4XDHRS7Y8MmHPhZBiREW~pGt6a1xwKWnJkxAXzeEI7obfXSgk4d0mZJsfqG9w~scBFULOluqs8P~dgWHhX-dsMHFQUiAqHN~rioQgPdDYqZ-dl89ZKDAT44Fr5IKO0NZoh~Rvu6p7ztNx6fSiWbPRBU~0Zvte-Tf6TEYWcvVMTK8rN7Li9CpR79idbdEG9y~hflYTIwK2afNjvcVsSyKP1VSAxgnrTQ7IU6yE9tVnZ89UPwG0kymUIJKWwDgG\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

**Note:** To remove a question from the **Template Preview** panel, click the **Delete** icon.

![[DeleteQuestionsTemplates.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765777480645-DeleteQuestionsTemplates.gif?Expires=253370764800&Signature=fJxEG~ISVfsmt8GSod6n~h9KZwRMgDAIKM9kixA-4nvTd5ARPQ47Yprb-CGW4cMayWivYCKLWVTmJQrQKxtlcJeqFV6WEyhbNycON8Mirir~DXbLd9s~AFkwRmxiJ4DIYvPKdvVKiq-VudHKnsMC1BPxOoQ~XYdtHujtZyba4IblL18BgKN49divTzzidFbVFUQsrewoAgMPEvyh7SPL1uhisqX-iKHuRJAaH4zupryt0uSJe0UiX73RgkQNWJZAtHlp4uQN94LkV-0LwNtP7PvFWZwR-rm2uQhoaQQwtRsHoPXkbh6QJKVA9aLEwlaDnem9d8mAvUbnoabCHQoCw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

1. Select the **Back** icon to return to the **Questions** tab. The tab displays the full list of questions you have added to the template.

**Note:** To remove a question in the **Questions** tab, click the **Delete** icon in the **Action** column.

**## Setting a Scorecard for an interview template**

You can assign a scorecard to the template by selecting an existing scorecard or creating a new one.

**### Selecting an existing scorecard**

To select an existing scorecard:

1. Open the **Scorecard** tab. A default scorecard appears.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F17657777934612-image.png?Expires=253370764800&Signature=KecceX-2GlehnBNvm8conO1RAUvguWCafWvINSPBnQNNf~ar3lQ77jDsTnGx2tBXmPLcrdlOrVUKOoHjVPorYnlZdgn2uEGBKEw81R4S1~DwF3k4v41FCbGu2DIWJc2EsfLrBVBVYvd3v2AjwNSU-rcswPMZWcYtu8glO-3qXGtjsuJBED3zFiZrSVwO l2tuxtWxxUW~tYDZKmhRvsRUwtrZXkmKO8rQrj~sla7AeW-7~HoObfoaPi8fWJM1J~bx1FwnQaEV7KYKrknTKIGC4He2ZpmYgJzIo baMeleCLdLrOshktbxGvWhi5XHfNrPj6LLIPqVE1uD8psfjdBA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

2. Select a scorecard from the drop-down list.

You can modify any scorecard created by your company, and your changes apply everywhere that scorecard is used.

- Select **Edit Scorecard** to modify it.

- Select **Preview** to view how the scorecard appears during an interview.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765777702316-image.png?Expires=253370764800&Signature=hReIN1zJApHmlP4b-hn6Di21VPTBtrLfUumqP9bYqnh27hxtrrJx7K8050DC2qJMXZyz-ZoUiiD3VMneB2uq~kCpekk681iC08nZOIEIB228D8hn4OB6tYLPwzDAKqtYFiFgTdjgFMZ-WzQ9c8Q9ZryFwFX1A3NUHe8536HdeThAwC3AGJvKCKIgAnEhavGzBdDI63VuXmKEQ8jgJsqYR35K9ISdzP0QilkgURNn19Od~PFN-NqZLcTduha6Bv2T510pGivUa51jPoMr2PRMfDykn1pjpYLPFLFfwl

Rot4jh0D8WUF0WXRDMk4VpMC0pJZvHqkvYyUbEdX5BYZAg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

**Note:** You cannot edit the default HackerRank scorecard.

### Creating a custom scorecard for the template

To create a new scorecard for the template:

1. Open the **Scorecard** tab.
2. Click **Create a New Scorecard** from the drop-down list. For detailed steps, see [Creating a custom scorecard](https://support.hackerrank.com/articles/9842091173-interview-scorecards#creating-a-custom-scorecard-10).

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765780852342-image.png?Expires=253370764800&Signature=u-wITYoBC3S9MH4ozWYv5uISm2S7jpg2xiyD5TbafgJC5tGYdey~8hphj7ecNn9V-2Mg1Yg7wYRUG3nfcUr0FTkjgtEkMnLfB7sWFIEI99ug5SUyg~YJeCK-ZF4w0~evYBEhxYbo6Vr66cmo0cpBs8wqJxzdq6w67a173C6VjlSUfVq9jjLbp1Nsn2vumrWn5O7NZ~g4HNUGS2CW7~ol6y4CUe9FQDtWugbEJBL2ntDHuIXGcSdjFBjCNJ3ilW4dEAnnqbD~KZgF7a1ZY0cdIUcJiVM2sHp8jz4kj7M4hCD2uMIS7Z6sXGrbg7~e3oMKA2huUWoHyQDpNig1YaVIA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

### Sharing an interview template

You can share a template with all users, specific teams, or individual users.

To share a template:

1. Go to **Interviews** > **Templates**.
2. Click the more options menu (**?**) next to the template and select **Share**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765782207258-image.png?Expires=253370764800&Signature=gt8ygxMs-StYexp3vcFkf5wV4bh~7AXqfP979JO5y0YWg4bYaS~OMhB~zn-dc1nh6XOf~AwQkRq13rKMI0SX~KLCUGPvRf-RJra3o7GxRrFSSIGrPX5-MyGZq9eTr~q1SsYxanvnttKKII5JkDQGQYgFe6DM3tq-ZTxpPwnCUZZPv4YtqmmmtPoKTD6nP~RxaiajDr9cAzgUQ3W4gCNCTOgmoHaQ~f44lgaJy9Anv5h4hXfjcfSpWVVBdlLT7-FPgLCiZvA2Ys7z03ewCa7Jc33WS9mgynLUWdTuPs-dPSG1tEonWp0GTE7XMAerzNdNh4QcErVnJg3X8xfwin~X0IA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

3. In the **Share Interview Template** dialog box, enter a user or team name in the **Search users and teams** field.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765781024076-image.png?Expires=253370764800&Signature=ewp-n6XiBz4-057xMzPj6V-j8vPKNXx6U5IWb68CRf5iE1OgrVv7AC45UzWC87NXXK178uZOYWFMTM6bF6p9JpHM~ApFumZj3z4kZbtCSJA69yAM-0gHzcEdS6O-SJkh~3-YymN5mOhf3HmdnbBbicA0QnRMOMDiyAB4bD7zQeBh0wVCYU2ZNA5Pox1N1ck5OXuO4qCTahjvrmGNsRrxmBtr~T8BM6Daoamvly6wEdwO2GGQ7hbSCtBJvaRxil0472l9qsQ-elkCuQ2YnhoaV8V04GcsuDPmcEARuU-yHpGxPwisLRSTZlspJ7rJ-RWa7fDB0rsxWsugGylhOf9wbHOW\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

4. Choose a sharing role from the drop-down list:

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765781037360-image.png?Expires=253370764800&Signature=s7RB4Gg0QDvGnv10QowxrpJzO4-jxZ~naGcKDYWigWhss9Mue~PqotJ33-y4zIUpt-GzHZG97wYXC76m8SDD~VmPUL77Po1EdsSZr1g1HloAKeTiiYJ8uo1cL71xNIMBLUxsWJuLnMCQ9ywBGHimDPk2LgwrI45k419TwhanBZtADYDTLXa0iQkpOp oDiU2M6wDcWz-gfN4nXSAFGWjzrpJjigPu4hAvxrHCMppTzxlwl-EBXzxJZl9lf4bQ98B-8QxBJvPnMUVB3J1mDXudPhyCjBBBg9VnrUmSiXoM9DFg5NmhReg172v-dpHDEQEluwOfhBebr2zbEZxTIWnxA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- **Viewer**: Can view and use interview templates.

- **Editor**: Can view, use, and edit interview templates.

<!-- -->

1. Click **Save**.

**Note:**

- You can also open the template and click **Share** in the upper-right corner.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765781060063-image.png?Expires=253370764800&Signature=MUDaCL49fl6RPwrvrmRIC5gwpAJWMAcGjKdiLOdc4QNb~1D7nxLFckuVbj8Tnq9kH3ukiCgBBjtaFfQBzyuV1fyV1-WpD706SQLO9n0~Hggfhf8EwEV-IFtSq~jYcFkN86CzXAk7zE7jfQn4WB6RFx~JcnnJPlew5~8bSGGV1CadEEepZs5n1FcFiLCRtS-VbPNS~MsVROqeWr0e8XqOyHVixsdoCYC996h-eyZk~lyKGrotZflfvxKWrtuOGEM5uCASLFxfkT7XcQ3uZ71aWtYXWTpa4cxW-HnPUMYlaqB0xI9K6nhJqwlyT1l0eex6N1bkmMWfpZwbjkzyKslw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- Template owners and company admins can change the owner or delete the template.

#### # Removing user access from an interview template

You can remove access for any user or team from an interview template.

To remove access:

1. Go to **Interviews > Templates**.
2. Click the **More options (?)** menu next to the template and select **Share**.
3. In the **Share Interview Template** dialog box, select the user or team you want to remove.
4. Select **Remove User** from the drop-down menu.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765781160662-image.png?Expires=253370764800&Signature=Dk-OcQWDytdgzRN58xPc8OliMza3q4-WN~AnLtedF3A83OcR2pZ0atwOn~qKr4WHD3O6KvYHZh1ReSBrVLIZI~AKI2ICLNNWb5ANR6zWATa-wpbV8p5EPMPi8dMZbJ06tjZrMdaVd6jn7E~nFXzYliUz~TPeixGzMgqS7wiQSLP7QXYr0V1x2cyP3agnhe2fEB5KCEj7x-GgDp-xFUGv6zHYXDxVSevGeLE1sa662WuxqQcTbCE12b4QpMOweAeWRKI~E4MTdRxHxan8fjMdbSzTbYgL1GYPs~dsUAV54nUULa5Vw7pWrR-M5zaCNBoml~JhteUSJDw1Z2MSXDL4Q\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click **Confirm** in the confirmation dialog box.

#### # Renaming an interview template

To rename a template:

1. Go to **Interviews > Templates**.
2. Select the template you want to rename.
3. Select the edit icon next to the template name.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765782664562-image.png?Expires=253370764800&Signature=sV7G5Csbj~hjZss3SWE-PwlJcKgZLOEjJB3oz9JHa~XtnqFFpqMXsUXy-USMhvx77ZFUq2uq3cL8j~TBhaZYmORotdxKvPkUZWd2zcoqxudQp9qHUS6rjNZVLtGQ9DdljaNVcKBvuADkiFEVfYRjl4-BKZxYfcx1D3a5NP5rrUpS30pqDKiYHBnYl6Qeq2gloynaE6leqlaEI9dEJV7SDwsOFenaUBbyqlxuuN6fZwWFP2QdZr2v9NOVn0PfmuyS~9h-8KW84mOx6wuEcoi2X~z2ZK-9z67~D-5mVq1V2eEcT8aE5pJGTxlGlnHqiVFPm45zOs1ioxKLbl3CPE0RA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

4. Enter the new name and press **Enter**. A success message appears.

#### # Deleting an interview template

To delete a template:

1. Go to **Interviews > Templates**.
2. Click the more options menu (**?**) next to the template and select **Delete**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765782158883-image.png?Expires=253370764800&Signature=mmkt8qquPflFMy9X-8Ut~ecQ9kjSpmsjKkx53ZiJ7tELrZ6WvmLI5oSHRf98p11hBqNEubKfkgSjVzC99ewwTnP82C~9fvBBRBLP-tcZT67u2vs6E5yi~J4J3vef5aU4qUVJeSCdVes6Bk7amsFqwOkdNqkyCaZTr1aN2JvvYNRNzHRX~mR9x0QJeRUug1I4Y uN4C2klk3L0mdSLqn3kihHu2Ccnv4jZq7adeqjDGzeWoTxAal5GrH~UL6j0fmfkehWAbLZNYw-mrsS6fH8i8X3YnSif2iUW9IRijWJHZwpDU2270KNzJjBbwT~s0sgM9V~RwpCi~pyJMP1fu6YZew\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

3. Click **Delete** in the confirmation dialog.

## # Frequently Asked Questions (FAQ)

### **\*\*Who can share an interview template?\*\***

The owner, company admins, and any users or teams with editor access can share an interview template.

### **\*\*What happens when I transfer ownership?\*\***

When you transfer ownership to another user, the original owner becomes an editor and the new owner gains full control of the interview template.

\

# [interviews/manage-interviews] Data Science Projects in HackerRank Interviews

```

title: "Data Science Projects in HackerRank Interviews"
title_slug: "data-science-projects-in-hackerrank-interviews"
source_url: "https://support.hackerrank.com/articles/3087722674-data-science-projects-in-hackerrank-interviews"
article_slug: "3087722674-data-science-projects-in-hackerrank-interviews"
last_updated_exact: "Jun 5, 2025, 1:13 PM"
last_updated_relative: "Last updated 11 months ago"
breadcrumbs:
 - "Interviews"
 - "Manage Interviews"

```

## # Data Science Projects in HackerRank Interviews

\_Last updated: Jun 5, 2025, 1:13 PM (Last updated 11 months ago)\_

You can now import Data Science questions into the HackerRank interviews. With this feature, interviewers can assess candidates on skills during live interviews, view their code inside the Interview report, and rerun the same inside the IDE. This article will walk you through the steps to import Data Science project questions in HackerRank Interview.

**Note:** For importing Front-end, Back-end, and Full-Stack in the HackerRank interview, click [here](https://support.hackerrank.com/hc/en-us/articles/4402962470419-Importing-Projects-in-HackerRank-Interview-New-experience)(https://support.hackerrank.com/hc/en-us/articles/4402962470419-Importing-Projects-in-HackerRank-Interview-New-experience ).

## ## Starting a Data Science Interview

### \*\*Prerequisites\*\*

- You must have scheduled a HackerRank interview, either by Quick pad or Scheduled Interview. Refer to the article, [\[Methods to setup an Interview\]\(https://support.hackerrank.com/hc/en-us/articles/115005942648-Methods-to-Set-up-Interviews\)](https://support.hackerrank.com/hc/en-us/articles/115005942648-Methods-to-Set-up-Interviews), to know more. You can also see [here](https://support.hackerrank.com/hc/en-us/articles/115005852347)(https://support.hackerrank.com/hc/en-us/articles/115005852347) to understand how to schedule an Interview. \

To start a Data Science interview session, click on the **Data Science** tile.

```
![Data_Science_Tile_.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046867706-?Expires=253370764800&Signature=a7yTAyS8np~N6V~bik3PlsVHtxy~P1QJ9monidoguBGAIXWno6NiCyDTIBRswBTaNmuw0oO9c~-XLPijSVPHHjEdOpHzgOBcGOXPA5zG~x3sjbpUVAO2gT6EOhfEjgl1E902cUUJGRwle7PZM8KSMPktQQNS48VERXD-QL1yGv1GH51OJepAr~FkdIdaraJosJeoQXjS-la~W6bmQbYd~UtPf-mj4dtZ~pe5rWfMSnohTCTtMETUDxQPJTD0vu7NvrHLvCUwC9uTo5fA~zfwNoPblitldZiQEzFnTEBzDE9ILTpdrywrq-5p8bfbYQ-pLH2LBklbmWLtu0ZzsXMHYLA__&Key-Pair-Id=K3NV4LZ47N8M46)
\
```

As of now, you can conduct the Data Science interviews using two methods:

1. **Start from scratch**: This starts a new **Python** interview with a boilerplate code.
2. **Importing Data Science Projects from** the library

```
![Screenshot_2022-11-30_at_12.14.18_PM__1_.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046867706-?Expires=253370764800&Signature=gcCG5zsB8BVNWpN~sGeUlyys0OcRSkwsIEq5mmS22tvBMrELOZlmylnEGD3SH1xb5iTdihljoQZqBik7QXePumdInxsLa~5AgxROktY9fUU78PiGkgw00u0HK8XJITkfgekgr3vKJlyO7P1jB99e2W5drbWSSD9NhfB0dtN15lzRtlKNKuytyZ8wgbYKNmLz4fsDlupRGNppZal~2FKNrGy94j3s6jiQ2K626yR74ux1Opk0XVfCK39ojOJAlo-BAGbpus7s7wbpobfo6mCBz0shgBjcNFje3nb1RlhX80RjCBk4asQtqO8uefsc7Bhoci-85nkb1jqAKiqFsBMrEg__&Key-Pair-Id=K3NV4LZ47N8M46)
```

### ### Start from scratch

- Select **Start from Scratch on** the next page.

```
![Screenshot_2022-11-30_at_12.14.30_PM.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046867706-?Expires=253370764800&Signature=DcdYRS5Dt3GAuSrZ~38UO8oXDpNYGbS-bZZG98709qA9LLJ0d3~O8v63JI0PM9xYvcpKhHr0ULEMFN-6S41WQeTanGw5SYGS3rXXIMZA~t6SBp9xcGVStUhGpsid4xr9d0f3sciXLkHmHJB3I4x4BdEBHUbF1iNtVBCszZ6g8ERJUKtjA5b0P6VS5SZG6JLjlytL5GWEmf3EG0mHetuKrPOxqwcBG0U-LYC5Y0B5NghiKFQwSMbwBKzBPdSniZhh1VtFsH0tHF~Q9p4K1UEQpxOKiALxk0sbjppqldRen8HM8YhJwQn~aV-s~4n8Ilicc4aqZiIMvJzEtSZRHCqNVUA__&Key-Pair-Id=K3NV4LZ47N8M46)
```

- This will launch the IDE with a basic code. You can further build on it based on your requirement.

![[Screenshot\_2022-11-30\_at\_5.33.44\_PM.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046869471-?Expires=253370764800&Signature=P23QkPITGWNBIIE3iSxcsobVe6DoKGLTqP9~rIYS0sPMUmOtXKTBE-PB4Ysbk6jSfLQmVnROhpZ2WVjGvrR-6bqo1MEgtLBMk0uOleHf7zfjh16MRa~pxv7GpbVPeCL1npJbF7BC5EMd1rIEPVTZ4EWyCOdA1KMaZL~CylV2m3im6sefflAlcG5IGzv7rjw9PnxKdaRnocJDlhggbsnWNFME0mhdHMgzO923DFy3bXUYM2Zbwh4sCXduBzKyOYK3Go2QApX51FUr75aMCZ2zGV6S-r~DAoWh0l2DV0BrkxKKO8l-aS07DQKqsX2QaYXXG2qeTKXb9xRs5Z4KVkoypw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

### Import Questions from Library

- Click on the **Import Questions from Library** option.

![[Screenshot\_2022-11-30\_at\_12.14.42\_PM.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046870001-?Expires=253370764800&Signature=H7yhgtFFcWos0cyKMunYSR0NAL7SFvLcW6SLvcntZgcskFI-Xpn3ZYgmmUrHDLYbx09XPBUYuWsKgJXxJO7mx~r3ZFKGCCl1UNZbZrs7RHQwuq79FdXcluU2USmAAKSnch618~3gb4~S1KYw3TQ-Gy6J3EGUBZYR4wsJbC~ubYIFnkEINIZW2u-ckZHjv8xay~YRxLaLWr~zDdOe6bp3yR6hQKgFyB-nwFrJqJHssKgJ3mZc7mO7Ft2LyntHG2G~ZFYh2cZM6ndZaRdSA75kivVOScBV5Fo3lzYpns-CYdpnomy1Bh0NtY455tMXjPLaPJdX781XB~yS45PaGasUw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- This will open a list of data science questions. Select the desired question from the list and click on the **Use** button beside it to launch it into the interview screen.

![[image2.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046870369-?Expires=253370764800&Signature=VhUmWjwnrC8LgR-9k65Tnfi3KB1XAiGmbjUBbFiHAUIbhCw6OoHK-QgFjOzWh-9Jn5HFaHsHOFPFMGkY-yy1V4VZIA43Q5xiuszpPXK02nDUfI0EXB2OG1qePMBsLjs9liURk2i~u7qYAqdW~AVLnYyEJyr42QH2ImymFvrSsGq7tEw590Cz5yxgvhWmCOhw08NKiB8hZ-gcposib9~gXkvDpZi-tfQlo1DGIfnOZvK8Kejd5KT6Akv9AxAAGptCHSG4BYx1mxXwLMA8i9gmF7miurFaWw0Nfdj6p0ICC Bv1DHFknUMeJx2C-wTRqdQpO9~KSUfvBizkdl-678VA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- Once the question is selected, it gets imported into the left-hand panel of the screen. You will see the IDE once it loads in the middle section of the screen.

![[image9.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046870946-?Expires=253370764800&Signature=cRupDc6Ubt6UVfBgC-aMGONyjiJQt7Jc8IHfivRIJcGQNIKZrWoyb8fqYGV4mWC7YrMfd5kk2WUXvwUDbB~Gq3xRFRTNSnzJG-b~EUEljVQJm6QPF17MQHR5ZYP76YLMMA9Yd70EoXRDYqNvziVRNIJvh1hQi-s8iVx7NgMb7GJBctE-4M7KClw9r~SnLnqNltxwr~3wOg~83Ei25~H3KJnZQQ4gx1X~ogjQ0bZs8mQuFt5i4-15KxbrlEQ1iimlIDc-TpDZHgQD56PP7ISZiNLr3BWJEq-bBEACpoNasrETAKdoR8dhhcOJqiY27UAI48CUy2hR5IJZ66RGnk4rAw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- Once the question is ready, you can [Invite](https://support.hackerrank.com/hc/en-us/articles/115007454547-Sharing-an-Interview) the candidate to join the Interview. Or admit the candidate who has already logged in to the interview. In any case, you will be prompted to admit the candidate to the interview once they log in. Click on **Admit** to allow the candidate to join the interview.

![[image3.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046871573-?Expires=253370764800&Signature=d5j8IecAOiGIWDQUprkb1L34GwKpwsKc1lwhJr6LtPVi6Uq0HxVnCQvWovwU5R3yRNj86TKsb00lPolf~yWpAMlfY9Wy-WopNdKlbZ3qLkAAR79YR4d8zTdGFt8n1tEaBOV~ka2dTaz94Sc5ZLkC-HMCKi96KWvpMsM47UiB6LOFjrmSJWf0AHxrr3wUAZ14xhxvtMaPgIkTf97M-x0yHijgV9kQv2T-YEX9-0cZoyjMw-0ECuHXM7noQlCER7sDzg23uo3Vm-fCZXXy4-5W2ha~byNcMd0VXRVMta~cP3pNyAtJo4jy6vvzlx5vQuJkfUpzBqWZfh5lre79Sc8wqa\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

### Import from Tests to Interview

- You can also import Data Science questions from a previous CodeScreen test.

- To import a question from the Candidates test, click on the plus (+) icon on the top.

- On the landing page, hover your mouse on the left pane.

- Here you can see the **Candidate's Test** option. Here you can find the questions used in the candidate's test. Click on **Use** to launch that question.



![[image6.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046871974-?Expires=253370764800&Signature=JQWdfu14nbXIT8eitfgw6TTXf-~icqak-5UMbdwAJwtLqVI3HOMmR0o85qkZuQdsIDstG5lms0pi7SkxHqWai~h7ndNV6~L~b6~vD8LXdkJH819VtVjqDdXxXbH4RK3S0AZgp-pMUvAxsryjMO67OBIJBkUUArAl9rN8HBO4TQCBLZqi8VvQqZbgB9BP1zP9lXnAK EQAyWP~7fFFx0gq1cpCfBJszmjraXnMqi6yMEsBYYMb~jnKzWv-kRvAQvmwzHg8dC6-4ZFKi6dMgDOVxISbZi2K9R~bDDk7kL~XSq CsVy66n2g7u51wDOramRg0UPZzaX9jneaxQpj-vGvlg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- Once the IDE loads, you will be able to collaborate with the candidate in real time. You can identify the candidate's work by following the indicator.

![[image5.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046872837-?Expires=253370764800&Signature=c75h7uZORczL8Wr3VMoLa3~HGvI9Jeb7jFRiGyVUywtWRnFc9cV0oEcOGqMCIrob1UbDyuXctYEq0YkMF9MPiOUxMc5a d57CVZAv7gsvqTy4Vzu7WY6Z3n7aTKQPLCmpDM~zc~v0Zrw26l~P0-Uk0~yZzHIEJaXVSbViu3nI6DrNCG9mmmEiYBvzyy66yNTEo iuyJxH~CNTsZEFBVwtFpVF7n7HVNMM8h-gdia9qPDMt0I51psr~vopO6Ud7DdD-fWwKSofCHJyWYTj4uBg-IgONdrGYVuJt68c3PDgp -8cZVqbJ0-iv0UAb4l1MNVABP7lgCSKGvDaWh2RudLGjgw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- You can also expand the Scorecard panel to evaluate the candidate based on their solution.

![[image2.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046873329-?Expires=253370764800&Signature=F3n37IcFnprDeqNfjK6oUPa2JDBFr2QQneaUIBDFJ6fM-kznATUUEHEzthyEh0KXB~pEv-y-m~ub1fCgVaExchXf2cRGVVbB 5DIDwWCIXRHVUBpRC07YEXRifhAN3Rmvec6p0BC~42tshTfDV4jonCfM6o7jpFi2x1zUOVd7-wOuY-weMCK7B9dGqljDpsyUgabHO Yf-lxaI9To-zywCjDWZOYOlwQ-WEO12XPHV8h9b5CqYCFqFu25~8HpwTYnmfXf2ClbN3mevWbLpFcOxkGFC~drlkyMgTvcxIVYSbR utiBfrzCwSfWfagHElkdvV6k2zssEhUi98BOyeNqnkhbwg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

#### ## Candidate experience during the interview

- Once the interviewer imports a Data Science question during an interview, the candidate can see the question and start solving it when the Jupyter Notebook IDE is loaded successfully.

![[image5.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046872837-?Expires=253370764800&Signature=c75h7uZORczL8Wr3VMoLa3~HGvI9Jeb7jFRiGyVUywtWRnFc9cV0oEcOGqMCIrob1UbDyuXctYEq0YkMF9MPiOUxMc5a d57CVZAv7gsvqTy4Vzu7WY6Z3n7aTKQPLCmpDM~zc~v0Zrw26l~P0-Uk0~yZzHIEJaXVSbViu3nI6DrNCG9mmmEiYBvzyy66yNTEo iuyJxH~CNTsZEFBVwtFpVF7n7HVNMM8h-gdia9qPDMt0I51psr~vopO6Ud7DdD-fWwKSofCHJyWYTj4uBg-IgONdrGYVuJt68c3PDgp -8cZVqbJ0-iv0UAb4l1MNVABP7lgCSKGvDaWh2RudLGjgw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- The candidate can also see any input from the interviewer in the collaborative experience.

#### ## Reviewing Submissions in the Interview Report

The HackerRank platform offers multiple ways to review and verify a candidate's final work when evaluating their submission.

![[Screenshot at 8.49.48?AM.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1749109206225-Screenshot2025-06-04 at8.49.48AM.png?Expires=253370764800&Signature=Zmn9DCscEz3svXudQc1SR25-l6CEdKlnMnbM~QMhX-zt3JsE31JfEy7G8oM wx9rXXKQ4RIaKrRWeU-94KuT8vkMqpANB9xOcA1FlboQTN56X6zL7YO4iJ8MywfcZUvrdZGiszxyiD~a9jl-H2mlyEky3oMBpvSeKMU KQgdrakr8V9hL6KPNlv4wTFC~wX4IXzY7jISEDJBp9sYNsKBugTss7BZVOq0Ac1hEMKf7Lux6aaosSBKqZT2eytp9JtHLNXGzYvhRhiP FDDqTt6cuaFqlnquiDOyX6Y1Hx3R8Nysvzi0qV6wpKBA9cQT0DZGxcy6Z4IR~Ga2~9qy1FJwrS7Hg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- **\*\*View code changes using the Git view:\*\*** By default, the candidate's code appears in a repository-style view. Go to the **\*\*Compare\*\*** tab to view changes made during the interview or test. This displays a side-by-side comparison of the original and final versions of the code.

- **\*\*Reopen the interview in Jupyter IDE mode:\*\*** To view the submission in JupyterLab IDE, reopen the interview and navigate to the relevant question. This allows you to view the final notebook in the same interactive format used by the candidate.

- **\*\*Download the candidate's submission:\*\*** To review the submission offline or in your local environment, click **\*\*Download ZIP\*\***. This downloads a copy of the candidate's final code, including any associated files or notebooks.

These options provide full visibility into the candidate's coding process and final output, even when the changes are too large to display in the default view.

\

# [interviews/manage-interviews] Code Review Questions in Interviews

```

title: "Code Review Questions in Interviews"
title_slug: "code-review-questions-in-interviews"
source_url: "https://support.hackerrank.com/articles/4634293009-code-review-questions-in-interviews"
article_slug: "4634293009-code-review-questions-in-interviews"
last_updated_exact: "Dec 13, 2024, 5:00 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Interviews"
 - "Manage Interviews"

```

## # Code Review Questions in Interviews

\_Last updated: Dec 13, 2024, 5:00 AM (Last updated 1 year ago)\_

### ## Overview

Interviewers can now use Code Review questions in Interviews to assess candidates on their coding skills. In Code Review questions, Interviewers can share code written by someone else and ask the candidates to provide suggestions and comments to improve the code.

In the Code Review questions:

- Candidates and Interviewers will both be able to add comments to specific lines of the code
- Comments can be written with Markdown support for rich text (bold, italics, code snippet, and so on.)
- "Grading Rubrics" can be added to help the Interviewers to view information regarding the code. They can refer to this information to assess the candidate

For information about how to create a Code Review question, see [Creating a Code Review Question.](<https://support.hackerrank.com/hc/en-us/articles/360053848873-Creating-a-Code-Review-Question>)

### ## Code Review Question User Interface

The user interface of a Code Review question is intuitive, allowing you to add comments to the code, add Grading Rubrics, compare the code, and so on.

This gif file helps you to understand a Code Review question.

![code\_review\_snagit.gif]([https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046201019-?Expires=253370764800&Signature=A9z5r56ligyqrbhSb3VKTWcCHh6HM9SWAbMDQS6VK3E9efQY6jwFITCzOljoD6bWxBqoores~EKhNGynA85DwiOE8fWhbfC5d0R0XhPOTFF9-4OkCBZUPFr7DxbEbXBePjSLEKisf3lArGyzxhY6L5-FN01nGwRUd9PMsTLN7coN5eNf668HRhUnoWwe5Ku1BEFg99p26d-70uDTpsxs1bG-jyWoemWPHAm9-2JO9hPolzaIYVQ6juMSFbV4i34PlepsP0WRuhA27Z-6FMixYydzbhk3w~-mw3CebQwCNHCj5NkUg2Qik00mqLRBkm3rYXYihZDYFU1hQYauTP5qA\\_\\_&Key-Pair-Id=K3NV4LZ47N8M46](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046201019-?Expires=253370764800&Signature=A9z5r56ligyqrbhSb3VKTWcCHh6HM9SWAbMDQS6VK3E9efQY6jwFITCzOljoD6bWxBqoores~EKhNGynA85DwiOE8fWhbfC5d0R0XhPOTFF9-4OkCBZUPFr7DxbEbXBePjSLEKisf3lArGyzxhY6L5-FN01nGwRUd9PMsTLN7coN5eNf668HRhUnoWwe5Ku1BEFg99p26d-70uDTpsxs1bG-jyWoemWPHAm9-2JO9hPolzaIYVQ6juMSFbV4i34PlepsP0WRuhA27Z-6FMixYydzbhk3w~-mw3CebQwCNHCj5NkUg2Qik00mqLRBkm3rYXYihZDYFU1hQYauTP5qA__&Key-Pair-Id=K3NV4LZ47N8M46))

### ## Using Code Review Questions in Interviews

You can use the existing Code Review questions in the HackerRank Library or the My Company library. You can also import these questions while conducting the Interview.

#### ### Importing a Code Review Question in Interviews

1. Once you have created an Interview, you can use a Code Review question from the **Question Library** on the landing page.

![Question]([https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046201888-?Expires=253370764800&Signature=Btc1csXTppGXX1sAorx9RBPaxYIILKpGpV2Q7Oer9mTkWIZWIZM99eOWqDO-N-9tl44yyUQ67kYgPFoyh91YiRZTcaZrGONuhTaSg3Lehn-H20pLtASvcxHX-7BQrXnCUZFzdopKyqtcEDH1HswYh18AA2YSVPXQR6b-F0jWzlQuMFvpdgl7Rp8f95H346cSdk3xCsOmIHYT7GYKLhcinXWq9qBqcoCrHxqLEkVgYX45xJPzOszPQzqXB4d-6d8f02uqTZZtDGGqdEbaQvBr2ZeySukSw9AzW8mx-C5-N-0xH-UsE-QieePmR2KgW6JCZKReOsUNqcTGqh9QDnvhWA\\_\\_&Key-Pair-Id=K3NV4LZ47N8M46](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046201888-?Expires=253370764800&Signature=Btc1csXTppGXX1sAorx9RBPaxYIILKpGpV2Q7Oer9mTkWIZWIZM99eOWqDO-N-9tl44yyUQ67kYgPFoyh91YiRZTcaZrGONuhTaSg3Lehn-H20pLtASvcxHX-7BQrXnCUZFzdopKyqtcEDH1HswYh18AA2YSVPXQR6b-F0jWzlQuMFvpdgl7Rp8f95H346cSdk3xCsOmIHYT7GYKLhcinXWq9qBqcoCrHxqLEkVgYX45xJPzOszPQzqXB4d-6d8f02uqTZZtDGGqdEbaQvBr2ZeySukSw9AzW8mx-C5-N-0xH-UsE-QieePmR2KgW6JCZKReOsUNqcTGqh9QDnvhWA__&Key-Pair-Id=K3NV4LZ47N8M46))

2. Select **the Code Review** option from the **Type** drop-down.

![[code\_review\_dropdown.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046202648-?Expires=253370764800&Signature=WphUxrWnD1InTeWWpDusJWXDaiFwPnTKdjfFnX1hW8znkSXNlu0HdqsqOFMRAW94YcT6Z7XsSdjfalKbn~x2SNuzxKJISB-5u4vylM7l45AiPpLS4tyfLEi~pimjwDf8syNijbwgX3s1dcZwXYE0Ow7q-sz3PXasshSxbP4yQ2W2ORaXrpbIKrhriUY4PL7aVaVov7oOiV-BD~YBVwyHz8kwdfHXCLru-0MWwQicAKS1myOWbpgNhgBICREQFIGt~FeQOrOFUEcleOxwhEmWTFZTvzx98SqBDHAm0v0RFcYtJzKgxJw8CpZsuOV7q2zSsN4~L8Ph1ax1WknxJr-Pg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

3. Select an appropriate question by clicking **\*\*Use\*\***.
4. The Code Review question is imported into the Interview.

### ### Interviewer Experience

1. Once you use the Code Review question, you will be able to see the code.

![[interviewer\_exp.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046203115-?Expires=253370764800&Signature=Xdl21fin6n1gGboe~mDm1ovY4zb7gM58hIrINQaByJ3U-SB5gMazuUF7~Eob7OzDXRRywnhk-GBCr8KXR4VJgyhmND5dq1HnfEkINIQA--MVFNsx9XeSIFlytH5oOvvsO0aZyZSowVGHDlcmq4OX3TfdYsoDwvP532KDmEdRt7PQdm4A66cugcmCmIW-nktbL3F0ct1wsLIQ1PSy32WoisvoPT3q~X7WhS-DX5ZKpb3hTjnN9E3TVJPGw98PnmscVhi4EFJjYPqsGFEVydqiczabkJ5OxbCeNfd4zWVmd-v1iNaTMe696qauez3LnImzDP1Fcm4KI6emddBtz21Q\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

2. The question is launched in the default Split view. You can change the view from **\*\*Split\*\*** to **\*\*Unified\*\*** View from the drop-down.

![[split\_view.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046203520-?Expires=253370764800&Signature=cseOmCOWfSLdaO0ZU5V9KFzjgKgWKqXN82Wd4rAwS9vozIJJQIO2G4csGZXqQijq-HC-wQzDONoFOXovpaSF3Fz70sa7oBGJtZtDxPedmNOPN7toSYQwLHwmgxbLqK-2FrplnNOYMHQJxfl9Mi~O3SnoSSBCbL5y~LfNdqVaTpHTOyww~qnUvTzcQRjoSAW0AyAGtAD3fKXH8Fw6Ol6rPBrCuQZpvCZM2KMSooLWNpP5vk5mOQlyEyBRazaQyrjUmSGTrlzOp3bT~CFzXBzPhRSfl0rCqG4JUHaHEceHJYzNKDvBmH7dIWRJo1lgvTJmcdxRGKwElaoY9~AUH1w\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

3. The Unified view facilitates users to view the code in the same view. In Split view, you will be able to see the comparison (diff) of the files.

![[unified\_view.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046203917-?Expires=253370764800&Signature=MUe-B00gZQpPXm6CzyiFtVsHoQgIJf-iJdD5ygV0JPdGAD6d4W9W~Y9NvtYKjLfjzKkNUOSkPBZoxof1snJl1qZEAKXg5FUsW-czkUy4smW5P0Jfgg00YZGe-G2OLvuuZqBpE-5kpXmMyQloQ7w2ylz6ufZvxt5YjRjRgWxybu-T84VjpNYDsrACyX4GXAnzUq0QU2iLzlcBqZ5MTKBfxh314ftfgqUbmgiKIF3IBNJJbHQCHIIYznM1bkioXGI4s~LD1hOx6qBtVXcqH4klB6HypVdLjkxzYGY9IdmDxvlRd6KZPFcW2cZopT85OLUBy8J9Z~rV8p0ucYR-4kqujQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

### ### Adding Comments

An interviewer can add instructional, informative, or general comments to the code. These comments are used to prompt the candidates for improvement in code or anything to assess the candidate on.

To add comments:

1. Hover over any line and click on the **\*\*+ \*\***icon.

![[add\_comment.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046204369-?Expires=253370764800&Signature=gl2QMMyANeXpuVLERF4jntS1objGEmQVtrOw5wrx8BjpUWR4XUVihZtdtDe--QEZ3~2Clksue9yFRBeZR6lkaTwtqeY3F29yl~accDN3JE4nBwlg~jEyZC3GGFEg26HjPIC4Yxl~oKE8h-cfXcusgAzHFNDp2lAnu-FKVpij8tJVmb2lISKRXjf1JjINsmo8-HK881l0BCxyTWTgL-zznQDD3wpy~mNwzq2hYMrQYfTxcra29ANNhC3fHxI9bAD0iQZx-Ot6zktyf94TZ7vX7Xh7exY0FsFCwJu103pDW5qHXOeO54mnMLahxWLssSZqaQCck6paQRaSXPG~8Kxvvw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

2. A comment section is available, allowing you to input your comments. Utilize the menu options to format and align your comments as needed. You can also see a preview of the comment by clicking **\*\*Preview\*\***.

3. After you add the comment, click **\*\*Add\*\***.

![[add\_comment\_save.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046204693-?Expires=253370764800&Signature=RDOOo1tNjR5O4PPOY4eDTGYJ95PcigxPOGy7IRHNTUTq6GVMCbnElIYg-VGOTkxjq7BqsKMI7BUaIQPm0ZYmoEqVO~aqXQkLD0ulEUSeT8~yi~37F6S3vQZqbr6OlZopy-a5py17E13clGk0jKl3sNPt4Ox1OdEmlvSCVQNwUpUeBj4gyj0TpouFxmU201nrPu0o2nesKQ32MhzxkMyKx9UkLchMDf6HZ-ETHGlbV7CSqdbJseH4NlbLXZaRyh9n~8S2HM5~pL8krOVqOvPt2Go4J0HPqr6wfObc1s99qpBOs4CGz39hDLchDPWx9Xlw869V8BhrBVEfyqEjuoClw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

4. The comment gets added.

![comment\_added.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046204973-?Expires=253370764800&Signature=U7~jc4EKcsKC4l18vMP91pg900D8RkitfGhXFpIViT8hivG246CYHgLLbMyf6W-NbOa58ekrIkeGI04g~75Y-ZcAVP U~m-55AmS1pPUg9QMM~9eNMrdAHLA-RnUEFPFevdFOD9hfNQzg4Qq0bLoYWW5wHjrZIBaytmDKHCrJjNK35ddnnxfUmlIF8pIDY5iEZVEqw5owxF2A~phioDYxoOKU4tdZIVG8m2amAjTIYrYFpNjnyfVUP4g-Wm9uswSGn0DzaE1yzwcOi4JpDqd64fh1sjZZZeqPEA7jYa2H6KpBWesQhKRSVStlAtdfMFJPoEuFn2xlkctJU2YXwlQTwfA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

5. If you want to start another thread for the same line of code, click **Start another thread**. Another thread gets started.

6. Similarly you can add comments for the other lines of code.

7. Grading Rubrics are added to provide context to an Interviewer. These rubrics are added during the creation of the [Code Review Question.](https://support.hackerrank.com/hc/en-us/articles/360053848873-Creating-a-Code-Review-Question) Grading rubrics are visible only to the Interviewers and not to the Candidates.

![grading\_rubric.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046205254-?Expires=253370764800&Signature=U04hOpFO4p6N5s4Srfdwk86EOHoQ0k9N66VBmu6cmDQa8guOXKkU0QDD5VLeUdjC0Wqt5Oaluo3evXJnL1U5SrCDyKMoeDtp6thHuK9tsiln67hUysvbc22Zr2A0RtyVv2TebXcMD6kpx-RirfkToYh6gCEtK3cl-lxP6rSMcrNF-nAKacZj3GggYs~AS9R7iwylopepbsJsEVGqWxOtBcPiGQpQwp1ePXYAJBLg3wgXU4pa8bCA1QO0k4FDh2DFR1rEOSAOFyfN2KH30VVMmJxVmsgkVCZkH51H7qeeHIU6wLFX1t4LdEkMSygpqov1TCrMQKcZiTYMFFBgA3zc0w\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

#### **Hiding Comments**

1. You can hide your comments by enabling the **Hide Comments** toggle. This will minimize all the comment threads made in the session.

![hide\_comments.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046205691-?Expires=253370764800&Signature=A9jiMNEsV35aEYAmVWgafV8RaQ0Ev4uspA0Z57lbtLnt326~-RjSvZmU8GQ1jKK-i-jp2ejhqqBelt1nGqF700AD~XBeF2uSoo0E0CfjSWYQk-vLnz21NbBN8vX6RpADde66OLzwy~Ztdw8ZMJTs5Ds3V121jVwl~9ulH1ah4IP-8w9dBVDCQ2v1SXkotx27zAYNol~bDO0NEeOiupt08~-ggBINJFivVfzL-E30Rjrn3qPNnHG3l8nvH0d3wUsz-TvHGVQuidNR3sbZ3QzG7d34qQSRBdS6buToMT HO9porIW75lRyBVV7af9Gb-9KBry~jGQGDUfzbmrpVRMWZA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

2. The code line shows a small arrow, when the comments are hidden. Clicking this will open the thread of comments made over that line.

![expand\_the\_comment.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046205942-?Expires=253370764800&Signature=up~IAHUEwxQcpcmccl6-ZZmc3jZcuSdvj-M8pErnCUAVsq6f4xuRt6gRfFtMo~e4XxrmzTqE9KzguRhun6lJRhCVFVf9VB8a5pDIZ~kuR3IHChZEov75AR3pNrlkrnbpn9p3uW8nSb9bo8vrD4~5ulhJPjjP8mgppLZblKp90wTOvkyLS4DQGMRDlHuqSgc2VM7DVp1OO7jyqZvolnbud6j5cU-0OLp9PU8z-Sg3UZ0va7EKQsIHdCu35H1jdeu0m6pS58vEUZ916JTTvMHfpvxekC~Age64TV7R4YnOWbwBQLlxkrlGf3DtT~VJTN3awCcR0m7J2xCOTAEs4Q\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

## Candidate Experience

When a candidate is given a Code Review question, the view is similar to the Interviewer experience, except that the Grading Rubric is not visible. Candidates can add comments, start threads and change the view from Split to Unified as well.

![candidate\_view.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046206311-?Expires=253370764800&Signature=WZhZwObXPzj8Rmm~R5TySVsOiZVsFHRmllB3Wpt3szDxcJQqdnK9ucv-Jc47a7z5hvDzyOzo62Yl4cay8xgzoQz5kJ~pWd0zSl-oDZCPhAW6smHKJwsgPvDnG-wJpyoGn0rZcNooGDTOM239WC5i5kbMMAqmJJqFBZUGmSWd4VA4VKh9b2EWWuzmwBeKHthzgkIB2WE1YTIV1AlpGKGyUHdQPaJ29LImQnE2BMQHILYr~9X8rfqX7-uZ3j5edLEDQ8eMdji2CkPoGW6MZSQ8QOQv7c-KLb-SgyTyT2eslrkXl50zUdDlZ3ziq1F3vKtZSZK8ZZI3Q~esrwq7IRKA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

## Viewing Candidates Reports

After the interview ends, Interviewers will be taken to the interview report page.

1. Click **Continue** to report.

2. On the report page, you can review all the content from the interview, along with comments and the grading rubric.

![candidate\_codereviewreport.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046206702-?Expi

res=253370764800&Signature=DCmo11C6QrWKuV0g89iUK3yGtogDphT7ktSAcjrP01uYZcU7gPiVNUmTKk7SxaL8G55AyLBXw6m  
Gfbc-03RgVT0DqWcxYnM8Q9f8VvrvcnL6XzkK72gGPMVIGRMt-YZf~3DbLiA9r8ecnOy9l7xqFZV6PUFj1hspYrbGDAHGzni8~~qAieM  
QMw9AQD8fUGCuaRz27yyW~ziTwOAlIfWkfar6GAC8O5yh3-DYXzQvM1l5cEgfAyMyOyOJedejvvZVq92p~Gj7EkpsG2nySmosRY8Y  
XJQ~FmRvwZUERRJYmcTwtukxFIZOIFAX2Yj3nZ-DMrXpX768aY88GdC3acjatg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

###

# [interviews/manage-interviews] Deleting Interview Questions

```

title: "Deleting Interview Questions"
title_slug: "deleting-interview-questions"
source_url: "https://support.hackerrank.com/articles/5520105382-deleting-interview-questions"
article_slug: "5520105382-deleting-interview-questions"
last_updated_exact: "Dec 13, 2024, 5:10 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Interviews"
 - "Manage Interviews"

```

## # Deleting Interview Questions

\_Last updated: Dec 13, 2024, 5:10 AM (Last updated 1 year ago)\_

### ## Overview

During your HackerRank interview, you can delete the Interview questions by closing the relevant question tabs which are no longer required. This article will walk you through the steps in deleting an interview question.

### ## Steps to Delete Interview Questions

#### \*\*Prerequisites\*\*

- You must be logged in to the Interview.
- You must have created the questions in the library.
- You must have added a question to the interview that you want to delete.

#### \*\*Steps\*\*

1. Click on the **Vertical Ellipsis** icon for the question you want to delete on the **Interview** home page.
2. Click on the **Close** option.

![ellipsis.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046829231-?Expires=253370764800&Signature=RVRq2V5NLs8BtC8nCnDUhICNhOZahR2vgTY8GKvQc9-gwUYdyjHIX~jAgl1dVSTYsFdonZpmQdggYeNIFrS8HHXWp1S~sYKWii9SXQjZ5ImM0Hh56j~Z103uLHZ~y1wqGXa~AgBEMSGysYG7MkM-eLCIglGeOzZJwMtVFZwuGLiUU8tMsDqRww4rFjG9ZS2tNjhnlQLaWdsKwtubf9pAsbPOEI4mKL09ERpqQ~8rix9uHDbVIglhyl7JI86PsbvsHCcbQthwa7Vhbwn~sRmosK2OeVmnoDwsOkCN9j0uJaLo4~ozzNUCANySu1GBUa-LL7qsOPzbFwGmgrxfvBkeA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

\*Removing a question that is no longer required\*

1. You will be prompted to confirm your decision. Click on the **Yes** button, to confirm the deletion of the question that is no longer required.

![delete\_confirmation.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046829550-?Expires=253370764800&Signature=iZ8mNiyEu0oIFkn0hxnnMqfkfywCqUuuBIA57571WwJtOOAAzegWnuYUs4ISzJMtketzDOKtSP~X-CuiqYQGgbOjrXJStwbPtqOyaBMeC4KFyrm7-HfCERdQjNCCwmfu-iL2SivPz8O7GqmbFCyLCQQNkpJbsQ~N0KvdcpszH1jJIC8VQcsK9pHrWo48BoZQNJhHsSVv4jYzVCK8vyahI2zraBAAZPXqyURRHSn95fHrQtZukeFRS53vRzJU9O25SYJVubHQ5B1wEbN786S4iZaiRna1UNGN67e83iwRpCWjvX06XCCjp9WJ0cK8xxN-OakyX8eIOPiN2YUumuuWmC6w\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

\*Confirmation message\*

# [interviews/manage-interviews] Audio or Video Device Selection During Interview

```

title: "Audio or Video Device Selection During Interview"
title_slug: "audio-or-video-device-selection-during-interview"
source_url: "https://support.hackerrank.com/articles/5936478208-audio-or-video-device-selection-during-interview"
article_slug: "5936478208-audio-or-video-device-selection-during-interview"
last_updated_exact: "Dec 15, 2024, 10:54 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Interviews"
 - "Manage Interviews"

```

## # Audio or Video Device Selection During Interview

\_Last updated: Dec 15, 2024, 10:54 AM (Last updated 1 year ago)\_

### ## Selecting Audio or Video Device During an Interview

#### #### Prerequisites

- The interviewer and the candidate must ensure that browser or system permissions are granted to use the microphone and/or webcam during the interview.

#### #### Steps

- When you start a call during the interview, a pop-up window will appear, prompting you to select devices for your webcam, microphone, and speakers.

- A drop-down menu will list the available devices on your computer. From the available devices, select the preferred webcam, microphone, or speakers.

```

```

- Click the expand icon in the call window to enlarge the video view for better visibility.

```
![2024-11-27_12-27-58.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734240242110-?Expires=253370764800&Signature=JDuqO0cBKYsoY82k-EWU0SSyignamCtjMtWexh-yFWHgAYWG~cqjC2GMUncLf72f87VRQI4O0P0bUwuO3xvc65pd~B8bd6HwLcQqAOEPJ4TVIJ~ALWZM8whuwD8qvqLMh320tp~v5qgpLH0pONJEK3aBCs~GfhUG5JSTJfO4Ny3nVQgkEc fyuQ7V77SPRnsVSR9tromha7-PT6McpobJnoqGWOCpf94eHssk4CCId2SkAgQL~Ygr40F1JBptNhcWook7h7QXj9n7u7FVba9-RX6lYaKQm0FjdIOONpC~RcV5HEEQyrrzCldrjuidgxLNjg6SnKI6F38vWKCeWgJg__&Key-Pair-Id=K3NV4LZ47N8M46)
```

- If you encounter any issues with your selected device during the interview, you can quickly switch to a different device using the Audio/Video option in the interview settings.

```
<!-- -->
```

- The compressed version of the call window is a floating window, which you can move around during the interview to ensure it doesn't obstruct your view while the candidate is coding.

\

# [interviews/manage-interviews] Delete an Interview Prerequisites Deleting an Interview

```

title: "Delete an Interview Prerequisites Deleting an Interview"
title_slug: "delete-an-interview-prerequisites-deleting-an-interview"
source_url: "https://support.hackerrank.com/articles/6488043690-canceling-an-interview"
article_slug: "6488043690-canceling-an-interview"
last_updated_exact: "Sep 29, 2025, 12:28 AM"
last_updated_relative: "Last updated 7 months ago"
breadcrumbs:
 - "Interviews"
 - "Manage Interviews"

```

## # Delete an Interview Prerequisites Deleting an Interview

\_Last updated: Sep 29, 2025, 12:28 AM (Last updated 7 months ago)\_

You can delete a scheduled HackerRank Interview at any time. When you delete an interview, HackerRank automatically sends email notifications to the candidate and all interviewers.


## # Prerequisites

You must have already created and scheduled an interview.


## # Deleting an Interview

To delete a scheduled interview:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Interviews** > **Interview List**. The page displays a list of all interviews you have created.
3. Click the more options menu (**?**) next to the interview you want to delete.
4. Click **Delete Interview**.



A confirmation message appears.



5. Click **Delete** to confirm.

\



# [interviews/manage-interviews] REPL [ Read ? Eval ? Print ? Loop]

```

title: "REPL [Read ? Eval ? Print ? Loop]"
title_slug: "repl-read-eval-print-loop"
source_url:
"https://support.hackerrank.com/articles/6745090586-repl-%5B-read%E2%80%8A%E2%80%94%E2%80%8Aeval%E2%80%8A%E2%80%94%E2%80%8Aprint%E2%80%8A%E2%80%94%E2%80%8Aloop%5D-"
article_slug:
"6745090586-repl-%5B-read%E2%80%8A%E2%80%94%E2%80%8Aeval%E2%80%8A%E2%80%94%E2%80%8Aprint%E2%80%8A%E2%80%94%E2%80%8Aloop%5D-"
last_updated_exact: "Dec 13, 2024, 5:14 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Interviews"
- "Manage Interviews"

```

# REPL [ Read ? Eval ? Print ? Loop]

\_Last updated: Dec 13, 2024, 5:14 AM (Last updated 1 year ago)\_

REPL is an `interactive` environment that helps debug and evaluate blocks of code by executing them in realtime.

To understand what REPL is, let's see how a programmer codes without REPL or any other debugging tools.

!normal.png(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047082302-?Expires=253370764800&Signature=LKfEzpJwXggMafh5wOwziKZkRXiesWsh7y6ow7iEPfxYHJQGfGeQjmNFjYWKv6xtCoXpEhLO3P0dMNJhFGK1UAJO3wYLHqF1CAPDOFtetqRTDDdHL6WeScMiVO5MacWEU40DS63CM~Xm0hbRdTkf7P6bVw6iwmjsMu9iAa9cZe4TrolhvlKwnBwm9aTyAg n2v6o3qnld3gxT3jg90pn19FdTOXlw--DVgkPTbzOcz-uJVzMGIS9Mj~l13d0hSXF19V9D01Cjn9lfgdAV5V7xNE1UjjkMrRqsJcplc6lwBEkwQUen~4qUkErAWmkmkdvS37oDWap7kau8w4jQPVoKw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

Here, the programmer keeps modifying the code and repeats the entire process until they arrive at the final working code.

Now with REPL, this is how it looks.

!with\_repl.png(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047082609-?Expires=253370764800&Signature=l7x3qPD7ZYTaoYGURPUXJmbdhy0AJn~jOR4tsGt3THoAxkG3jbHsaSe3-2g-XVKeThVHoAslezWZ5~8Sk76uq2BAGDStDQ5q-Y5novF~obMX18O~duY3X2cnvyZ-PD3MterEUYeHYBHnRbuD7OPv73kC~kYMGBCSSRC5rvCuFy0jQu6a5Y423iGSteGVw4k3T9QvdiReph4W5gVaYtBYGP254Vzk9b6sm8XiGQwudye5L6jbG9TNSm-N8ZtCo5rAlUkytjhC9mfRDOJJLQUHwaZUEYpf9xk1-ErQ5DBSskSJi6yznauk7AOrceigCWSvzaQkt1P1rAEALX3Fm0Skw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

Here, the programmer keeps trying out blocks of code to verify its correctness and goes ahead and writes the working code every time.

Using REPL, programmers save a lot of time by running and debugging blocks of code which is much better than running an entire program and verifying its correctness. During the coding process, the `read?eval?print` loop involves the programmer more frequently than the classic `edit-compile-run-debug` cycle.

To know how REPL works, take a look at how a Python programmer uses REPL to write a program to add 2 numbers.

!ezgif.com-optimize.gif(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047083016-?Expires=253370764800&Signature=lakkzhscSFnqRCRz2QC4ol4K4Z8q8nb~WbBqpuLlVlbtm3TsFSZc-ZZRpcoktXjuB7ucj2QZPH9IWnmk8Jqxi57ANTLhHK6ih6a4uo6Z2qns6bzexAUT3IB0AM~P-KvDL8BAAZydY9xRHj9RqsJLgYBV~yY6PCbG7vVSx2Je9GO92opx~1TCPgB0DU207PmY9BGpsXLf1Ja3T6Nx6mwUgRkXIDF8srjvX4KmboULb-3IP4TqSnkjhD8eHltAc8fZQZQstR09mGcCm0iy-VuwiNbqts5n6Kx9kBchgRZAlaQSUHY38iWDExwIPVdUtrZB~BFI6mN8W5T0o6jcfYaUNw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

As you can see, the programmer tries running the `add2Numbers(a,b)` function with multiple cases to ensure correctness.

Read Eval Print Loop, as its name suggests supports the following:

- `Read`???Read user input in realtime
- `Eval`???Evaluate blocks of code
- `Print`???Prints result to the user

- **Loop**???Repeat code using loops

Since REPL loads the functions and variables into memory, it also supports autocompleting the function using `<Tab>` key.

REPL is officially supported for interpreted programming languages like **Python**, **Javascript**, and **Ruby**.  
[Java9](https://www.baeldung.com/java-9-repl) and [Swift5](https://swift.org/lldb/) have also launched official REPL support in the last few years. For other programming languages, there are third-party REPLs which can be used.

\  
\

[interviews/manage-interviews] Add Questions to Interview Prerequisite Adding ques

---  
title: "Add Questions to Interview Prerequisite Adding questions to an interview"  
title\_slug: "add-questions-to-interview-prerequisite-adding-questions-to-an-interview"  
source\_url: "https://support.hackerrank.com/articles/6761309830-adding-questions-to-interviews"  
article\_slug: "6761309830-adding-questions-to-interviews"  
last\_updated\_exact: "Apr 22, 2026, 11:38 AM"  
last\_updated\_relative: "Last updated 4 days ago"  
breadcrumbs:  
- "Interviews"  
- "Manage Interviews"  
---

# Add Questions to Interview Prerequisite Adding questions to an interview

\_Last updated: Apr 22, 2026, 11:38 AM (Last updated 4 days ago)\_

You can add existing questions from the HackerRank Library, your company library, or by creating custom questions during an interview session.

# Prerequisite

You must have joined an interview session.

# Adding questions to an interview

You can add questions to an interview using any of the following methods:

- [Question Tiles](https://support.hackerrank.com/articles/6761309830-adding-questions-to-interviews#using-question-tiles-6)
- [Question Library](https://support.hackerrank.com/articles/6761309830-adding-questions-to-interviews#using-question-library-11)
- [Templates](https://support.hackerrank.com/articles/6761309830-adding-questions-to-interviews#using-templates-14)
- [Code Repositories](https://support.hackerrank.com/articles/6761309830-adding-questions-to-interviews#using-code-repositories)
- [Screen Tests](https://support.hackerrank.com/articles/6761309830-adding-questions-to-interviews#import-questions-from-screen-test-27)

## Using Question Tiles

When you start an interview, the **Start Your Interview** page displays tiles for different question types.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776586375044-image.png?Expires=253370764800&Signature=QYF3H6vC5T5kxddouT2Sd7wV38GozL1we4tlGD2opVoCWitKRj1s-e0s-m~tzXlvXs6lpTx~viPXSqJw~KX-69KEq1cH985dKdAjBvRxu2qBQMbM2fWS1Kv3fZGNKYrtKreeJFvjQqvYgPd6le8hVa95u0jE9AFomwO2kB~nvz-K9dIDW2vcJbnD88nRhEgbwLsvHnzzzqeSDEROs-8nshov8hGYpp-dp05dH7igrzyIU7NHNTa0qi5JaM9lvdy68lzxMpG0-HJbqWP1H3RO~04~1UU-k1Jp7AldytxhhQYi604v6FkbWv2E9Uu7ex9O9dmtWYgZvv2DMWJ7G6X0lQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

To add a question:

1. Select a question type tile from the **Start Your Interview** page.
2. Follow the instructions for the selected question type.
  - **Coding or Whiteboard Question:** Create a custom question or import a question from the library.
  - Create a custom question:

Interviews.gif[Save Custom Questions in  
interviews.gif?Expires=253370764800&Signature=nm6~10esVZc1Culsm6wbuKTIxSE-4aanYktkWNXG-8zVY4ALoS9WzUbAsHeU3fHWWd057hgaTnc8FgOIFiaz-7~h-dRxpkiABpWesHxkV1eE99omEbwgXwjY3p6YPCUJ1pBqZKMLAp1A15w6sh1~wbeRjhwXKmYzdFqTngZOaQt3nJ8221RiDKeI9KQ41kkyT-8MVZodLy2sUcSrAGBx2Adl2kxcqbqHudePRnLdrxTTWKCfnF4zbK-C~bVWGUL86ZxSozLFLcHg1thMy8XrbdF7Ct3Q83mrrEkeiCQgaHWvQVKFyjB3OsATYn6iVw~XpT8~ioqz65KGWyo0ESYoxNA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. In the **Create your question** panel, enter the question name and description.
2. Format the content using the available formatting options such as bold, italics, bullet or numbered lists, and code snippets.
3. Click **Save**. The system automatically generates the question title.
4. (Optional) Click the pencil icon next to the question title to change the title.

- Select **Library** to browse and import questions from the Library. To access your custom-created questions, select **My Questions** from the **Show** dropdown. For more information, see [Using Question Library](https://support.hackerrank.com/articles/6761309830-adding-questions-to-interviews#using-question-library-11).

- **Code Repository Question:** Assess candidates using real-world tasks.

1. Select the **Code Repositories** tile.
2. Select a repository to view its details and tasks.
3. Select one or more tasks from the repository.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776587675229-image.png?Expires=253370764800&Signature=N4yEam3XkWPATZ1tQTn5e4fulSdojkXhK6nDZDWT8uSQsSSXl1AZclZoDRbbzMkrJhLAEo8~Obh7xCJIEhZUyCZ7l4ati9IklAaV4h~XOsUxelERx9QfVbgHCKN2T11eh7CxZbghvIMWsYG2EwSPCDQuJd5s8fSq7sJdQ4s7~3f3IMf0VZOGTgLTx1hCiA1CNiuV~JAHujQf0qVA1wqF8~5gnPlj6ITbfuEkesglVre7LaHbW4DWNyuUuMcGLMteZFPTNK9BibQZfLL6hZWzjHur22JRRYQIsy4gbmzfj7JY3tuBiYsqT4R5qskfJBIHKerOhOnYZLGszsEBdsdA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click **Use**.

- **Project Question:** Choose one of the following options:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F97f720fb-35f0-47c9-887e-b06953560cfd-1760283774565-image.png-044ffc1b-8c81-4084-803c-86e81b7840e9?Expires=253370764800&Signature=kMioczZl1aCB~vF3mub1WvWCydh1CuwrCQ5dvPW1uMBAJp5ITtQR3NQEqlnLhTRY4DVXpBIULeePM0rQU~PBPxwn5fTR30oivBlqPVIHB1NT~nR7~5xcHnllneYqj3ELEnSs7QxjCmiFQBcQ21xSenyJIGarOXffOaLjE5c3gOZibL-wzNw-l7FutaBQu8uligjgWZSAwZcDIbmmaNabmNr4qR5AfBP3fUPntNBTZMA7agC1pbMM0Mj9cbzlyfLFAj6rZmAMoW-C0Q3WwX835cLeDFo3zWI~kcmHaMFj2wMqNXNP-N7F6AGhMT1n-nEFAMIXgTAUrH8c2FzoASdC6A\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- **Start from Scratch:** Start the interview with a basic project template. You can customize it as needed.

- **Import from Library:** Open the HackerRank Library filtered by the selected question type. For more information, see Using Question Library.

- **Import Your Own Project:** Use your existing application as the project base.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F2dd63a4e-e6eb-48f8-a721-d4fb3198a23f-1760282216923-image.png-55c52a04-ca82-455f-a974-56195d102850?Expires=253370764800&Signature=GFdHSi7ZZK3HOjy51O7J5tkDCZav8xbVOGJ3OQluAYtlabOzVvDbKP~XqtE918ZJEDniAukOLs3lu~oa3Fhnp6o-qYVf9JhnR-x6MNGUjVVywsxV5sglrEMR9Dpx~RNPETuoiR3n9RanaE9iR3yt1g5rcte3db4WK6Lkex9IdVxCKRj5a3LqB0hDgz5OU-4Av85j7ahsGI3i7Nf4DOh3wmr6XWt5N1PIH0cKppdHpeVdJVdXWwixiwEertWJKpbHa3ic5zrEaibjaIYISow30IP5RErHgahJYcEQIUs96GZHGfQ12EPryGRN8ZWZH7ety4npFkREHpJsuWxs7Q\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Enter a public Git URL or upload a Zip file as a source.
2. Enter the name of the Project.
3. Click **Validate and Continue**.

### ## Using Question Library

To import questions from the Question Library:

1. Open the Question Library using one of the following ways:

- Select **Question Library** in the **Explore** section.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760280959574-image.png?Expires=253370764800&Signature=EABlgCjZPPa6DAYteKUwKVqSdi2I7NU1fKT94dAH6m670TEhOLIE4mmNpya7TEjEicAa9G5QLTZyLXLAH5FjH1dv4xdGSU0WSiL1U7V0CLegnovzm7BfXoOUwTlaiUmd6S01MifQ41pn-IGACOImbIgN7n9IGHJ0YbE8X9tadwZz7MhDPDpLXhbnVfzy7F3QtxxvH7YrI0wcZx6o4pfUid5xpjFyUYgkuyVkjAQm6o-LgoqUlbWzkgmAeFktGvaaa0RvHFx6JQx0aVSoLUra2N8c-o0fMgAcoHP6NLzQrWeFfIRPY7BiugwuXsO0VUK3QQa4awl5VXQaX4IVA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- In the left panel, select the **Questions** section.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760280981783-image.png?Expires=253370764800&Signature=o-U3dxVzhXS0d6mAOLqDnf-nX-Cudx7EpFel2nSvdvp-K3a5n-9kScbhsKi-Zd02K7A6JEX1Fegj6NwOS5JDJV2H784V4TWoz-hyvEBdYZOXB7DUS07xLm6mZQ4dqLV5Kv4QpC-LhHBVo6Vlxu6-yz53EFG20Uq5N6rVTN7QmgbzvZw6az2hhFURPGNS9EpL7ANssPFhRVvJrgHQxkX67fXVoVe1ds-GakPBH--okIETnDlnEJnZbLUlcBZv7nuqu-kZYI2Xt--rLivTD29ZjRvs8fP2y2L93l8D4-BYA-HFZCwx3nzqGAjYCA6z496Y2DkWmp8lC1Eimy5NUHmrQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

2. Use the search bar or filters to quickly find the questions.

- **Search:** Enter a keyword in the search bar to find specific questions. You can enclose a search term in quotation marks ( " ") to perform an exact match search. For example, "Questions".

- **Filter:** You can filter questions by the following attributes:

- **Show:**

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760282022367-image.png?Expires=253370764800&Signature=JBUC3iCh8f6HSXdoYf8D8xNZLhqaXwiMAXUMu6d5XvKvv02RXPsb5d4YdSm4EnVCxk-lwEUdiJXWql38GnyfvCOesWJm95H-H-9fssQfj1CFYcE-DRIJ4gKOunkmOvY4AFOt8dPYajH6p-pdzbCVX-j8Ut2Yf09P-8KBM-i3bBj2GcoGf-UHXWgfgijU9jvx9iDd-alZ-0furycDnHMZDgwGThraFQ7przu0Jn1NRPf82V0918cnRMNR84GTWnXeq9Ax2-HMJ51oXrlrjz8h1FfNtSgFMGM2wWMqQfqgtTcBj0mHkSQvGfc9h2DFNXdmlp-VSvmVQUtEqExzAtA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- **HackerRank Library:** Displays questions from the HackerRank Library.
- **Recently Used:** Displays questions you recently used.
- **My Company:** Displays questions that your company shared with you or created.
- **My Questions:** Displays custom questions you created.
- **Type:** Filter by question type. For example, Coding, Bug Fix, Database Engineer.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776586818515-image.png?Expires=253370764800&Signature=QOINg0qqFZ6UbP9UAOUxZE2tbpzpr61-vNIUGkiDZSMKgwy6eFX-7PBxKGleKs2Zq9g65TANoOhXVBG-Ep-J4vbNGOSDY2u8d-oLN-FH8H1RUHY1rRU63rdJBcLKwz5HxUYfSpXyZ3RWkrPdKq62o4WdzJXsk4kVebWsIFZVYUePWJ6odOSH184LluSpz9lQB-GXSw3nRVSDLDyrkJAOrOWPSq0-zDg1TJLgyW00EgWhqXt3TS6XRyofcdgqQcG04a7dCHq5iancGdlMI58pKef6JmVXDlcGHSJw8AC70DleDA9ox1ZV6kA4EJ-lbhXTOOyuAIFLeAHO6mVqACoSmw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- **Skills:** Select **Skills** using checkboxes or search for specific skills, then click **Apply**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760281757783-image.png?Expires=253370764800&Signature=bX69s1C4h4ZD5hHmsAbjai8qDU-2qTWVQElm4q4Tt9XcxpSuCZ3AMTcZqzVGz1DbcM8StysNiJnMXhPZz57DBDPZ54StKDaGsXJhj3Q0ilp62VI3xf1aELEAoOjTmBoFf2KjmulDcmeCfCFaP6OHuCbdd7nzBmTG1wMs0Z8ZeXKpU4CpctylU8O5UJJCaPwlk6mEhgoIVxZT2e1NsOVDAjELDLj99u8065QL2N2oYT-81r3iEM8F03T-etSPqI0LIKSBMWnEwUHDYyld0MdZ8fUHfbwsf2q16ZZ7HBX6VXd7-BGe6ApsMI8rpmcROYmORBIYgt10W87R3TvZcqupg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- **Tags:** Select **Tags** using checkboxes or search for specific tags, then click **Apply**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760281874450-image.png?Expires=253370764800&Signature=M38iXUzcMGpQhv8vkW-1IdGHvX2ap-XnSc3fCNYy6vgS-wmujxzdde7mK8mLRslaQHcanLGSih-p96ZayXXJgm8uD5B1RfFXB-7AG8juZ0Y5tsVr8RS7-e2tKsTdiZnm1Jy8OkAJZZ1kjXBfpzbgm6C23m0oTOgamnd0SypK5ccjTsCCGneLykjFBaFdOj7pJYBE0dXdG-Q7gbAfJbfmNf9u-A0Ea5j8hG3SYDkdbTczAONQXJ8p26lCfUv-3rp92CI5od95BuwBHF5Esh2l3GIBC2lZG-F0xEWIZZEk68v9pWV7GUQMOhsfhaChxeNwBO-reOJKm8Ccu49grjsQaA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

3. Click **\*\*Use\*\*** for the question you want to add.

**\*\*Note:\*\*** You can add questions to a template by clicking the **++** icon next to **\*\*Use\*\***.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760282118186-image.png?Expires=253370764800&Signature=Efh4AmvEacdl9DUIFR4b40e9Jnr3BMkDrMOAQn7T8iex41whs07L4N0daRkBg5jbHl84cpNGyV2Dv52zFtoRD9MyvfHRLrYZNuopltTl0Wi~KSnyasi-UfQhHpVvT-emHGcfe3JYQHKGGuJvfQLj~v3BpvSUIg8-5caxKVvG3862CuDio44WflrLi3o7jZfxbTTKJ8e3UPCK8pfvNKvpyOdYHb3pGJRQVMbZoQOnbMnv64g9~ZJkKm9aGaFPjGmeQrf0rZRD7IhwJpyVq-T9J1AZ6P~QozThm8fDNOISF7uR0-yOw2OUozVG3xBX8JarOj1gaYSk2iGa~bRwliFg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

## ## Using Templates

You can access the pre-built template directory shared by your team.

To import a question from templates:

![[Templates.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760285491278-Templates.gif?Expires=253370764800&Signature=Sc28Hbk9ZOPK~c1BcvQ1cD57HEd90qxx4V9VeJIUfH182xnCk3cDFDAGZk0AaU9pjeG9oDMA82tcQUNBTtS44EwP3RMyGz61VxTBS6d9O-Dk8rXxaSmBTWkvFGH~KmBfF5SZN1LOCmbSDz~XbfgOJocOAGi3MYB98qhKYVt~lic0CoJd91~R2ymKulP~MLW15V1eLbBhQLqCj5DiE~qrEJSr8x7rYMyV1GXHQgsVmd-TcOxQNTqNYPIPlp66U7fH2VI-qrwpyOk-KESSWe8NVGV-K8qEzhl1vAA7H~HLfekHdwxqF3qIUbaqlcTlsyhz1w9PqRqD2hl~Nhwx\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Select **\*\*Templates\*\*** from the left panel.
2. Select the template you want to use.
3. Click **\*\*Use\*\***.

**\*\*Note:\*\*** If you select a template while creating an interview, the template interface appears first. From there, you can import questions.

For more information, see [? Standardizing Interviews Using Templates](/articles/2837093779).

## ## Using Code Repositories

Use Code Repositories to access real-world repositories that allow you to assess candidates' skills in feature building, bug fixing, and other development tasks.

To import a Code Repository:

![[coderepoart.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760280411571-coderepoart.gif?Expires=253370764800&Signature=KoFp~3laFNwMOnF~4DYV8P1XqFuTguqJA3GgPlxKWMN7-0HKU83DHbdrCGqkHjmy77jfM~govx8rNkEH0Awrx8xF3pmC1oK0knN2~GcprqTKw0N6VPO2IsUhifu0e4HN33ya-lfJrt0-n9Myxrk-Pue89TX0HP67Kod7l-QCj3qIGKcSpQNx6rxFqEg~IWV5rThn8~7GTPrL~-WdTv~dZMB8B0E2JeeUf98MCM6jR0VcBepqHEOja53~Yu~OmfgoLtiLNjhiO~8S4MXGb46td2ATGN7MSRcNPcmw0PCNol6O7jPSKyNbF06tOWGsgsnevOlmdLGSuGQ6zkLvGTenWA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Select **\*\*Code Repositories\*\*** from the left panel.
2. Select a repository to view its details and tasks.
3. Select one or more tasks from the repository.
4. Click **\*\*Use\*\***.

For more information, see [? The Next-Generation of Hiring: Interview Features](/articles/5377881818).

## ## Import Questions from Screen Test

With the **\*\*Tests\*\*** integration, interviewers can import a candidate's screening test, including questions and submitted code, directly into an interview session. For more information, see [? Import Questions from Screen Test](/articles/2218911700).

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760280458329-image.png?Expires=253370764800&Signature=qhrYZ7Uzx6qh8hwru7328j1~ke03QsQ4-bPA42CxiVH8BexNvT4Q3Qfm-rwlzxf6rKXNdt9w4bj5zzCw~ADv6OLVpBHvco5wOICufKKWDNPMjYAOudlcsjrkE4syDFqoD4hMKCMSyvp4JPfq2gcWwxw26kfB5c9TBcq9f~WaZgG-dQfvunb6UYIBhActWk6f4TnmBjlxFZ3CziNP0KAtiHsz5fNNTeEqZMpxudDGK98zl1ZfiVWvGd2LFMMmFJ6MnG~FcX3oAzutZPgOulTDDIfCJ8xZ5Qko2vsERL66V5BDS9h3OvJtChUrKxU32MU-EYqdAcOyX3O-LoTFtlt7qA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)



# [interviews/manage-interviews] Interviewing with Whiteboards

---  
title: "Interviewing with Whiteboards"  
title\_slug: "interviewing-with-whiteboards"  
source\_url: "https://support.hackerrank.com/articles/7216974183-interviewing-with-whiteboards"  
article\_slug: "7216974183-interviewing-with-whiteboards"  
last\_updated\_exact: "Dec 13, 2024, 5:10 AM"  
last\_updated\_relative: "Last updated 1 year ago"  
breadcrumbs:  
- "Interviews"  
- "Manage Interviews"  
---

## # Interviewing with Whiteboards

\_Last updated: Dec 13, 2024, 5:10 AM (Last updated 1 year ago)\_

Whiteboards are a common tool used during onsite technical interviews to evaluate candidates' skills. They are particularly effective in assessing:

- System design skills
- Presentation skills
- On-the-spot thinking and communication

HackerRank has integrated a virtual whiteboard into its interviewing platform to replicate and enhance the experience of traditional onsite interviews. This article explains the key features of the virtual whiteboard and how to use it effectively in interviews.

### ### Starting a Whiteboard in an Interview

- Join the interview session and navigate to the **Onboarding Page**.
- Select the **Whiteboard** question type to open the virtual whiteboard.

### ### Key Features of the Virtual Whiteboard

The virtual whiteboard in HackerRank Interviews provides a collaborative and flexible space for candidates and interviewers to interact. Below are its key highlights:

- **Infinite Space:** The virtual whiteboard eliminates the physical constraints of traditional whiteboards. It offers unlimited space for sketches, diagrams, and annotations.
  - Scroll through existing content and continue sketching seamlessly.
  - Use the **+** and **-** icons to zoom in and out for better visibility.
- **Collaborative Experience:** All participants can view each other's real-time cursor positions and names, ensuring seamless collaboration during the interview.
- **Shapes and Diagram Tools:**
  - **Shapes Library:** Access commonly used shapes directly from the toolbar. Drag-and-drop functionality makes it easy to incorporate shapes into your diagram.
  - **Editing Tools:** Use selection tools to move, resize, or delete individual or multiple shapes. Delete shapes quickly with the **Delete** key.
  - **Color Customization:** Add colors, strokes, or edge styles to enhance clarity. Click on a shape to access these customization options.
- **Freehand Drawing:** Allows participants to sketch quickly and intuitively, offering flexibility for diagramming and brainstorming.
- **Image Integration:**
  - Upload predefined architecture images to the whiteboard.



- Save whiteboard questions along with uploaded images to streamline the interview process. This feature eliminates the need to redraw company-specific architectures during interviews.

![[2024-11-27\_12-45-13.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046856112-?Expires=253370764800&Signature=JYq1WltVnzYCa7v02t-QzhfnQA6mLVDvmGI0FgF2g5hkW6Pcu9CcKnHwuZd-1xAGAnZkQNERIRGF-YeDXCOeyYXC3L8--Slp18OMHUzUTPgRYimg2LHZCBtz2XXxmUE2GX3pdgRUeN4sgd~DU181I0NcLn~BsiDIPiaZePiBBq~NfuO3LPK-WqNH8T9-X3epyNAfZeGAM2DpvOZJDxv025aoRWip-1V4Zc4WT6c-5up3KS0PfyBgmiQwl34xzbCbnb5b5h5GwRDCh4ZYOCY-RivvAA T2QQObXhieHN05E~v-kFc2NtMSvMPRnCrS1DrTomWm5-xc0LGhl5AxGJiQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

### Whiteboard Integration with Candidate Reports

The final state of the whiteboard is automatically saved and included in the candidate's interview report.

#### \*\*Accessing the Candidate's Whiteboard Report\*\*

- Navigate to the **Interviews** tab in your HackerRank for Work account.

- Click **View Report** for the relevant candidate.

![[2024-11-27\_12-52-59.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046856371-?Expires=253370764800&Signature=oLNyt~WBAT3Jp9qyiz13Sbb9l9l-ay8veTu1-kTxr2iO1SFwIft57lvRz4MWjx7NgL3FGe-prYT19tDNZWVnbqkORJ1g94JPWoe3G-VkqBPEGoppZuTmolaiw8vstQFFOPOuE9ev9KXNnL7bjbVnU81Q6WQTP0RkrqBfw7rIAE4SOct45WJhPoajFlo6xs8JOBpqMy5cvmlZaMYzaJx7kBFfSKjzn4jqevgoMx-BzzvWBfMKFATzqKK71QGKLfqkK6F~T~Rs~JvrJWS3JY0QcJ0NYoGlgRD2iiOspVoGW228nj8cgcGA8aXsh~RZP0oy00qKXly~s2kq4bAraqLA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- Scroll to the **Whiteboard** section to view the sketches.

- Optionally, enlarge the whiteboard by clicking the **enlarge icon** or access the whiteboard in the PDF version of the interview report.

![[2024-11-27\_12-52-24.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046856714-?Expires=253370764800&Signature=AJsnfKQG~ZEvRpaOB~OIGsFf3LGfxlopZPT~-w7v47AfGWMnR5u6lmatNFdsMjZdux1Ym7ucVYOiKqx~sbxHL5SR3gpsV1YycqDWn6aROJtV-36k~tIUxcEyCFNxHKclo5oo-wV~OPF~V9P2~fYICoZUVAugK5PwG5sWI7ppYEeDr9ObKhs6EqyQIncB3W5erMFizWpTHNoBpHyunVX2QXUd25hmISZaV3yDTcj5IDcYLLpVDGYl-kztn3h17ZpjbrWXqNT2HOYfpmnEdprYv17fyjeXgNICWfhAzbwjpjv05PodfA6Wj46DdTfVLWjllEAKzSf-PTTz9AKJTjb2Ug\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

### Benefits of the Virtual Whiteboard

- Mirrors the flexibility of onsite interviews.

- Provides an interactive and collaborative environment.

- Ensures sketches and diagrams are preserved for post-interview review.

\

# [interviews/manage-interviews] Mobile Development Questions in Interviews

```

title: "Mobile Development Questions in Interviews"
title_slug: "mobile-development-questions-in-interviews"
source_url: "https://support.hackerrank.com/articles/7300375637-mobile-development-questions-in-interviews"
article_slug: "7300375637-mobile-development-questions-in-interviews"
last_updated_exact: "Dec 13, 2024, 5:02 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Interviews"
 - "Manage Interviews"

```

## # Mobile Development Questions in Interviews

\_Last updated: Dec 13, 2024, 5:02 AM (Last updated 1 year ago)\_

### ## Overview

HackerRank interviews empower you to assess the mobile development **(Android Java and Kotlin** or **React Native)** skills of a candidate during interviews. A built-in emulator is provided inside the IDE for the interviewers and candidates to build and see their code in real-time. This article will walk you through the steps to use Mobile Developer questions in a HackerRank Interview.

#### #### **\*\*Prerequisites\*\***

- You must have scheduled a HackerRank interview, either by Quick pad or Scheduled Interview.

### ## Steps to Import from Library


As of now, you can conduct the Mobile Developer interviews using two methods:

1. **\*\*Starting a project from scratch\*\***: This starts a new **Android** or **React Native** interview with a boilerplate code.
2. **\*\*Importing a project\*\***: You can import a project from a public Git URL or upload a zip file from your local system of size up to 5MB.

### ### Start from Scratch

- Inside the interviews landing page, you can find the Mobile Development frameworks. Click on the desired tile from the available options:


- Android Java
- Android Kotlin
- React Native



- Select **\*\*Start from Scratch\*\*** on the next page.



- This will launch the IDE with a basic code. You can further build on it based on your requirement.



XaDQSY2f-hh5Nn-4Et8jVvW9aXPaM4rPnSXb9PsMJdt~AguMJwvShxolNpJq264AxQ1nsk3LnJXs6V9N9yRDpchUhzamhm8JwvbNGSSh82ER8s6lr41-hjSoGeh93TsRi1iN1A-hZY0QeN3IGfSuA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- You can check your progress while writing the code on the preview window placed on the left side of the interview screen.

### ### Import your Own Project

- To launch your own project you need to select the **\*\*Import your Own Project\*\*** option after selecting the framework.

![[image2.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046351468-?Expires=253370764800&Signature=TnkJgftAukTsQdSc9ei23Sd87SPR3pierUHx~6-yAzYL4Qt3Ah~kAEqLb4n47VQ8Sz9eXb~BnabE-vSZ-ANmyjF5PwzRmBnZCt7ZPg6Uk3WLkwJKaYUIKoV2gGBpVTmixLFW5fiP1Aly68VKO9KpQ8PSxrga9o-BhnVME6pCla67vBEoTsxmIqvsA6NPkSea7eWF65Ns5J8f~EUSsVKp6ZZyeCWneLwUvV-22bOL3fVWGQsT3hUovwvj6jH6bLk-RDrAx2zsvAvq8EO524TSykcc6iLHD6NFvXnRfgF5PyqUSEau4NDF4Wbi3F9M3lr9z2hJQhRla0-PgvMnCP5g2w\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- On the following page, you will be given two options.

- Import from a **\*\*public Git URL\*\***

- Upload a Zip file as a source (Maximum file size allowed is up to 5MB)

- After proceeding with your desired choice give the project a name and click on **\*\*Validate and Continue\*\***.

![[image3.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046351850-?Expires=253370764800&Signature=sMgA3eXWY-MJxX9qO1gQ6iAQHWF0~b8n0OpgRluGTbmMzZmNAA86ZBgTDjst7AIN-PzML3inpSB~nXul5evwrmmY3CVJeKbaMSOcreSyTGtZYy1Y7CFtlkOhdgVcWspg2gBfzmgV0D~3DGvwx95zmlSrBD3WC-J1jvcW7w6WkAdXr4RhLn9m1Kb615h~FLzmqhVArSrdZOr7YPHYcznn-mZjPBS7f6jHZjfUsg8M4Xc~yn3DpcWjziqtrYzRckQgCIOYMAcZUd3jX1HA8j-RjqJfCMnuwZN-K4snPcUX6rqiKfG~ckYI9lKchqgQKqND7FiObgbXQtYjgswkAVZw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- After validating the project **\*\*IDE\*\*** will be launched where you can build your application further.

- Upon successful uploading, the project will be saved in interviews, and you can find it in the **\*\*Recently Used\*\*** tab.

\

# [interviews/manage-interviews] Front-End Questions in HackerRank Interviews

---  
title: "Front-End Questions in HackerRank Interviews"  
title\_slug: "front-end-questions-in-hackerrank-interviews"  
source\_url: "https://support.hackerrank.com/articles/7721811663-front-end-questions-in-hackerrank-interviews"  
article\_slug: "7721811663-front-end-questions-in-hackerrank-interviews"  
last\_updated\_exact: "Dec 13, 2024, 5:02 AM"  
last\_updated\_relative: "Last updated 1 year ago"  
breadcrumbs:  
- "Interviews"  
- "Manage Interviews"  
---

## # Front-End Questions in HackerRank Interviews

\_Last updated: Dec 13, 2024, 5:02 AM (Last updated 1 year ago)\_

### ## Overview

HackerRank Interviews contains Front-end frameworks, Angular and React.\

Candidates can work on a highly responsive, stable, and familiar editor to solve the Front-end questions, without worrying about getting familiar with a new editor or platform disruptions during the interview session.

### ## Initiating Interviews with the Front-end Frameworks

1. After you are logged into an interview as an interviewer, you can start the Front-end interview from the Interview landing page by clicking on the Front-end framework.\

You can refer to this video to get started with the Front-End Interviews.

<div class="iframe">

<style>  
:root {  
--color: 236, 100%;  
--l: 47%;  
--color-primary: hsl(var(--color), var(--l));  
--color-primary-darker: hsl(var(--color), calc(var(--l) - 5%));  
--color-primary-darkest: hsl(var(--color), calc(var(--l) - 30%));  
}  
</style>

<div id="app">

</div>

</div>

- Select Angular or React frameworks to start an interview based on that framework.

![[fe\_framework.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046358213-?Expires=253370764800&Signature=b1niT0jPOEDWPLE39kM18uNZKTD8p4t3hL3aqHgKSG109TJm-CWTT4wIKrwlUh6yX~ntuzpi10hi7CSo41W04MZeJprMMvEd26BCJ5QdACITHMjmdDI~fyoYMvfXkZ0o1h~IRiaRZ9uc~njz9O-0Az6nyWNhjWMIWk3Tbhf8HJmkRdxavKC1WV9zDFqIgEpC9zcl-EAA3Udl~2bpkDjr5J6tNznANYeGyeW8TS-kBUIMx3gxn9Rqyw94JvHkGnv0d04KAoD9~wMJ3FXpTe8FAqcinUKY19Pcx4tJL5ff2AVy8T4-jaQID~qpW3K4dplZX81x2AoBuWGL~omO4rs5ng\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- The screen navigates to display three options to start a Front-end interview.

![[fe\_interviews.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046358692-?Expires=253370764800&Signature=T6Q4MPI3idxCMWVTRnVwCGZGFQT1JwOmNfZmp0gupkDKvlpGqPMKUi03sw8ykKwy2A8lb2WhBORglQ7tKUO7fb3gdb9ONKRh1qbU5WPFHF6LIQhx6tWIIU7hyqmdHDh0QsTigaWZK2oDmLhzdqnaul-T7HcHdu0sx~Lm4xZRRYsdfI--5GOK0T0nr

r0-SmrREUul5CFK97xXitSGBBTMWrbZtaoDgh2f-Cr~7cWM6qT72AVcZ~1MANpvG61t3B4UJaIGvyxZUSIMA5iUHP6PRZBPYql9RhtGPxfErqZ~Vjqhp3fv~O9wjA8sstlZA3Gwf8gt3tdmTHOztVd6pjJ5w\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- Select one of these three options:

- [Start from Scratch](#h\_01GPBAJ1CZ5WNQ692M0AQNAMP2)
- [Import Questions from Library](#h\_01GPBAJBCBDR2TTYH7B54F0EXJ)
- [Import your own Project](#h\_01GPBAJNE44PTPG04GFM17PFQ1)

### ### Start from Scratch

HackerRank Interviews provides a simple project for you as a starting point in this option. You can modify the project before or during the interview to suit your needs.\

Experience the new containerless VS Code IDE results in a faster loading and stable IDE that works with seamless unstable network connections. Developers can have faster and more accurate autocomplete when coding.

![terminal.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046359110-?Expires=253370764800&Signature=jKnH~~ddOJ7Dym5sbEcuNOrHc1t7S-5axXwJczR6IA8pnnnqkfNxtYpSGjXRwoXHblUaPbMQEAg2gHf8gUGMyN09dghjo7WYqAajwFev7J53Gr-IL1UC9h8qAnTQs1Mzi23-z0IVc6Z1EtvqhK-RvVFfn3F64lL4glyD4cm4RnrufldB3ubtqy5pRXtg9YnctUsLmW8VKTFVeqckMcRxfxA0SUf91hDt2FvdV98mL9kPk08VhCKDLnq2SdyJvGT61jhOh1LRTZ6SZifJ54NBtrJiEVk3ClpnOqypGY3x-Z6ijAqWgGIWHCmy1E870ZktiXqBhwkVlKtQ1hwnh4MsAiQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

### ### Enhanced IDE Features

- **Built-In Real-time Preview**

- The IDE opens with a built-in preview window on the right pane. Any changes made by you or the candidate can be seen on the **Preview** tab.

![preview\_tab.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046359965-?Expires=253370764800&Signature=I6Hwg3Qs3AgVJL2mZbvauCvXwbhrGe21ZkRQ2uL3poMjp6S9-FkHHlw-xAxmriH85vL1XuIPPPD8BICHLVd36NXGYJilv0NwwsYaJ8GEKiywmqtt9kdmTPTJ24TeTcErXiX-OFTvAV-2Z-J3N03SdBmhGpHS726mXVRlwlFQGU01L-DGV0IKbP4ZTWupeZDFnbqWKUUhKSQYQYZOC-9laDC76p9DobojoyETxy~IAXvh54IC50b~NeJSQFys~HRp0FdQmHMZ5ZYr7GR9qsEOyle3vGEvBOvVylXtqxhfkEi6zFBHVtbaX6JP Utt97xopCAN~OtWkybHh8l1JErfas5Q\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- As the IDE is containerless, you can view the preview in a browser. Click the browser icon

![browser\_icon.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046360301-?Expires=253370764800&Signature=EsyXeN2DhHo3GxGKQGP8PQqgaw6NWT0w0dgJ077PblxN3dO3x9tWHAgSvUdj-mBtLQ4ryfxQ4BDTr6gxlT2Ro3nWalauQk-PgaZEuOK~nj1neCOWdZ-5rKZ86rdX04w1tDxTp9DliCP0eMgt3y0QTAJ54~WwLfkedP2PIJlhhLhgnID3he64BcoHk3v4sYX91T-Mz5N9~1ljfWHZKLfmrVrnnvLobM~kVMe2EoqRfhsa3j6lwg4IAVgJ-Q3j22ANn4dG3xQ6mEglibhRfz7EzMjJC-AzWJJ1EVsk5a9XF96KFjy~s30lId4ffd0RuCdZtdltAnu32OcMiw-Lcv3XmQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

to view the preview in a browser.\

\

- You can also select a responsive view (tablet, mobile, desktop, and so on) for the preview. Click the icon

![responsive\_modeicon.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046360628-?Expires=253370764800&Signature=WrOPePfyDBN7hs4Go5VMMHOKma98OzR6nHorK49t29NRnAq38TtOndxOKqXGFPIJ4S8iRHxFRFuViIGBhhi1uRTneEK37e-GXHF1YHWRaLxZOxdyqPLRtZvkGylm9d8CF61L67b1G-cl9rRe2RsDU8N~LpY8LmawLqLYYvgbS6wVEbbus9VKKs7wHwuu9GC2wmczC11t-YNbsR3WO7-Cj~kfxpbgodGp7yUs~R708f~peNI4p2c29PplwdGsCnT59G9HbqudVjQkodNDvcHNK0Wpu6kAkjDmmjbrdUMRnNaeYdzF3BqXQcEvmhzVphr7BxPh1G3QeclmUbE3IWHPHYQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

to view the responsive view.

![preview\_tour.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046361195-?Expires=253370764800&Signature=bwKoO9mwjGqRvgPloSLBb5zydh9nTPEu03sVh6oeTcP6eiXesLZNKvJ5uB7b6WJITjDtH--U9uU3HcbkAJc7seWM4tb2OpM6fqaTYN5-vl362egsACZVwqj5BoKMUBbv41dyeF0nSeGOKTYu-eXtjc~~PRRgbehYBCfEJvgYa3~K-btFugK0felxPcWG~kO-aF-Y5ubjbpWu-d4umF52mWzwvh97t-qh1iRZ9RMq7FcKs3SCOr6ZyCdbN7UVAf9cuN7fSD8SOGtExNDy521DEERDddexpooZ2-z0hzTsh5uvG4k2~U5NpxdlYoBcHuzkcMBBk~F5BZ-LhYwnkLBxw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

## - \*\*Test Execution\*\*

- You can run the test cases by clicking the **Test** tab. Click the **Run Tests** option. The output is displayed.

![[tests.gif]]([https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046361609-?Expires=253370764800&Signature=Fb96Vi5ZjF6X6tsuyllylBbFs~YTznrHTklh4-evYtdCuisQrIMVUwJNypf6uNHbU9s1tw61~aDtEMxIC-KFSt32toMdhISLeELnH8VCXlYjYVyc9TjMWL8Wjjqqg6KL6O4KNvFBXUXUCG0nO-daTdkJ2PRoZnOd--y3NrRXLxtTaQHWNOWvJxagMDlegKKLyJvFNZsXiVRPW7-JNmAKExq0Ez7kkXKv3g1LEMgM0GTV1aKuaWLXDTDNJAigHGqdrqjJ2voUtg7cctHxdIF3OzdBOd334BFS1Cg8CSeUqualv3OH3l-pPYIZZ1bQ6aVa-C4UF7pNqUBXS-uL-eKPA\\_\\_&Key-Pair-Id=K3NV4LZ47N8M46](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046361609-?Expires=253370764800&Signature=Fb96Vi5ZjF6X6tsuyllylBbFs~YTznrHTklh4-evYtdCuisQrIMVUwJNypf6uNHbU9s1tw61~aDtEMxIC-KFSt32toMdhISLeELnH8VCXlYjYVyc9TjMWL8Wjjqqg6KL6O4KNvFBXUXUCG0nO-daTdkJ2PRoZnOd--y3NrRXLxtTaQHWNOWvJxagMDlegKKLyJvFNZsXiVRPW7-JNmAKExq0Ez7kkXKv3g1LEMgM0GTV1aKuaWLXDTDNJAigHGqdrqjJ2voUtg7cctHxdIF3OzdBOd334BFS1Cg8CSeUqualv3OH3l-pPYIZZ1bQ6aVa-C4UF7pNqUBXS-uL-eKPA__&Key-Pair-Id=K3NV4LZ47N8M46))

## - \*\*Built-in Dev Tools \*\*

- The Dev Tools are available in the lower part of the Preview pane. You can click on the **Dev Tools** option for the respective framework and launch the console.

- The console works as a collaborative tool. The interviewer and the candidate can see their changes in real time.

![[devtools.gif]]([https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046361995-?Expires=253370764800&Signature=DCNqW9bxwCy3hw~-iQFESqCQfGGZ1FaSXayxICaAXKKvO6LGI4rfdYxMmK59DON4EUx~baUgDV3vJCj8V0zAcaExNVzG1oQhDu2R1NbARCPd5XLhkZYI7xOm-jZ5AHm6rGgh6H8c-dEniyzXtr-uFMc9j1U6zco8lyBCBkfBe~KnDUhFrDjqQWaHd8CUHXqPV3n9XitNWQ97TcBpVO248fDk026-16ob5-oVZBAes00dKG6IOIFFh4dVcFirvo-qvE3Gk5YPbKiaySTJteRTnbZAvAZ1NhUUzFkpZDvnmNbEi84MufcbASeliYy---XNKRO-BQ8hFRqvUPaFhAeioA\\_\\_&Key-Pair-Id=K3NV4LZ47N8M46](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046361995-?Expires=253370764800&Signature=DCNqW9bxwCy3hw~-iQFESqCQfGGZ1FaSXayxICaAXKKvO6LGI4rfdYxMmK59DON4EUx~baUgDV3vJCj8V0zAcaExNVzG1oQhDu2R1NbARCPd5XLhkZYI7xOm-jZ5AHm6rGgh6H8c-dEniyzXtr-uFMc9j1U6zco8lyBCBkfBe~KnDUhFrDjqQWaHd8CUHXqPV3n9XitNWQ97TcBpVO248fDk026-16ob5-oVZBAes00dKG6IOIFFh4dVcFirvo-qvE3Gk5YPbKiaySTJteRTnbZAvAZ1NhUUzFkpZDvnmNbEi84MufcbASeliYy---XNKRO-BQ8hFRqvUPaFhAeioA__&Key-Pair-Id=K3NV4LZ47N8M46))

## - \*\*Dependency Manager\*\*

- On the left pane of the IDE, you can find the **Dependencies** search bar by clicking the cube icon.

![[dependencies.gif]]([https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046362375-?Expires=253370764800&Signature=uy0Nk9uadWERNsNUQoziR9~SbeJt1mR7B9WSzEF8UUauVTH4NAmpLXY6nX4y~hQLDeh2ziYLktGGw6DN0h3jLSpm44mbaUJFXp1fpGEZ3luGmnk5JfjcppwZUmj6KDLqUFP0TVEtG7Kj~fKVVYgMqK418Mv0LhIPxZqqTUUXmkSbY9vY9P1RXjrwFkG63BV2wOz~xPkeSQ0swzB~n440GvO891gapi0LAdSrQR1lkcW3QqkiWPbBwq1bQiXLDWgXAJ46w-9Vmv4M6oU8xn5bZa6-ZKFQcHnUYUe~yxicVx9cPMJERU~75yAX95dip54AzwdlaCh0J4RpTQXYTouCQ\\_\\_&Key-Pair-Id=K3NV4LZ47N8M46](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046362375-?Expires=253370764800&Signature=uy0Nk9uadWERNsNUQoziR9~SbeJt1mR7B9WSzEF8UUauVTH4NAmpLXY6nX4y~hQLDeh2ziYLktGGw6DN0h3jLSpm44mbaUJFXp1fpGEZ3luGmnk5JfjcppwZUmj6KDLqUFP0TVEtG7Kj~fKVVYgMqK418Mv0LhIPxZqqTUUXmkSbY9vY9P1RXjrwFkG63BV2wOz~xPkeSQ0swzB~n440GvO891gapi0LAdSrQR1lkcW3QqkiWPbBwq1bQiXLDWgXAJ46w-9Vmv4M6oU8xn5bZa6-ZKFQcHnUYUe~yxicVx9cPMJERU~75yAX95dip54AzwdlaCh0J4RpTQXYTouCQ__&Key-Pair-Id=K3NV4LZ47N8M46))

You can search for your desired dependencies and add them by clicking on **add**. Dependencies added are updated in the `*package.json*` file.

## - \*\*External CSS and Javascript Support\*\*

- The External Resources is present on the left pane. Enter the URL of the external CSS and JavaScript resources in the External Resources address to format and style the UI.

![[externl\_resources.gif]]([https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046362766-?Expires=253370764800&Signature=FrhCW7jrDjkUKFiKt-fqSSq16rfWT5fGVB0fxethZdL2OIS0dvMzvEgLP0BuP1Q1QmKHWBprM2mScTXlqtQgFoyc7ZIVdK7Id7sSeRfx3pPz5Xk2pt6Po5LjqFSp6QhFuPMINYGsRfy4jM1UQKZhcsOGh1DU4TIB61rBq7mKEEc1Y-LmkTDb6JSawhIATTvzltBBBqs6PMMWOiJO5s8UlgYYYZe-uC8hQsPxzxrOKhK32evWH8ChVCAVm0yNSVuO2rvI9DUh0yJq2Vp2kwBae4xqsu-xu43HhARaIYM0NVsGbEeoi0Sdyi2G11WD2Ntz9ABf0qRfjtglQQuoNo4uA\\_\\_&Key-Pair-Id=K3NV4LZ47N8M46](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046362766-?Expires=253370764800&Signature=FrhCW7jrDjkUKFiKt-fqSSq16rfWT5fGVB0fxethZdL2OIS0dvMzvEgLP0BuP1Q1QmKHWBprM2mScTXlqtQgFoyc7ZIVdK7Id7sSeRfx3pPz5Xk2pt6Po5LjqFSp6QhFuPMINYGsRfy4jM1UQKZhcsOGh1DU4TIB61rBq7mKEEc1Y-LmkTDb6JSawhIATTvzltBBBqs6PMMWOiJO5s8UlgYYYZe-uC8hQsPxzxrOKhK32evWH8ChVCAVm0yNSVuO2rvI9DUh0yJq2Vp2kwBae4xqsu-xu43HhARaIYM0NVsGbEeoi0Sdyi2G11WD2Ntz9ABf0qRfjtglQQuoNo4uA__&Key-Pair-Id=K3NV4LZ47N8M46))

<!-- -->

## - \*\*Other UI Enhancements\*\*

You can view the other enhancements in the UI that are based on the VS Code Editor in the following clip.

![[ui\_tour.gif]]([https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046363734-?Expires=253370764800&Signature=dl17j5AkkLtSin1T~OSS-0f-1JXGRpAXV0feakyyJw3xxW968OXO2fAb4a9SpVhEgorXbnyKsV-1Yo6YOMYhDMsYBX7u~rWj8lctVtZMGeLVdQNU~dpgZ7VCE99dT1srLcw1E5m3SX92Gh9uuSqIHVXUKJOE3ku7HeX-tu452lilyoIQBkyUxAnihCoVd5myyoB63S5bSC~rqzPwPvOacla-EpmVrn7lzM3KyltaFaAZdZ-4cOJLjkb8wIM7Q8cnfZYPqBL6WDC-Iodow1nhWGV-KasQTgOq9Uf7VqLEaFU2tLHzlkkq0m~LQSi6GI2OleQbA~IGWiCp1NjGtBC3g\\_\\_&Key-Pair-Id=K3NV4LZ47N8M46](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046363734-?Expires=253370764800&Signature=dl17j5AkkLtSin1T~OSS-0f-1JXGRpAXV0feakyyJw3xxW968OXO2fAb4a9SpVhEgorXbnyKsV-1Yo6YOMYhDMsYBX7u~rWj8lctVtZMGeLVdQNU~dpgZ7VCE99dT1srLcw1E5m3SX92Gh9uuSqIHVXUKJOE3ku7HeX-tu452lilyoIQBkyUxAnihCoVd5myyoB63S5bSC~rqzPwPvOacla-EpmVrn7lzM3KyltaFaAZdZ-4cOJLjkb8wIM7Q8cnfZYPqBL6WDC-Iodow1nhWGV-KasQTgOq9Uf7VqLEaFU2tLHzlkkq0m~LQSi6GI2OleQbA~IGWiCp1NjGtBC3g__&Key-Pair-Id=K3NV4LZ47N8M46))

## ### Import From Question Library

This option takes you to the Library section in the Interviews. Here you can select a question from HackerRank Library or a question created by your company inside HackerRank Library.

![import\_lib.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046364153-?Expires=253370764800&Signature=jdXOkDM-bWeMPQ4Bw~w~lGOv2eQAklk1upk3XuTWoTDrTygqAE1QiEKOKZQmNEOca2docrK4L0UH-pTASgPgRtTVescoTpp7SXwIKH5F-PQyp06k~gHv0Ym59sColfYv29bQY-Cgl8t2mUpR5zuhShtsU~4FLUpXoqgkRlw7Snkr7Cr8zZ2Nb01vxSJYH266eqLyZNSHon5wQJL5mOc9-vh454UzIMHb9wZb1LstdNrvGmE93Vh-yNofhdOGs4w9aXDFdSIDRw7e-iZpp2fMYZPoYqyGwu71oHKiHOi1Hip12ZnA1G3aZHuVAyNwnm-db3XdmJTjVQlgwahuSQ~uUg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

Click **\*\*Use\*\*** to launch the question along with the IDE. The IDE launches.\

![terminl\_candidt.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046364716-?Expires=253370764800&Signature=qO6gFb4Qg7f7BWwf5SxqOlo8Ca7BvpUA5dpsX1gYJi7y6O4TcazJY65R7WrQYVKKU7FhA99e12k54iU5BSKJhNgPWSqyzMevzClazPQT3kmm5O5QM6n9BI7Hym3bjsewBHL4pKKCQbeic7SSrUrisLxD~Nrqv1qjLqWxC725Gc0zGZ524NUoXjyVjbfKRazcPE9xBiwsUYmF0xB6VRyex5vywfsCXOiRoE5q4zLxVvw5HdhT5Xvx1pjMvm1SwARzDCNQ9yug2YioLXCowRhBHZsR4knWV5MwH~kZJxO~fFDoMpwgBwrqpZtGqRQf3F1p2hU5dYV6noGMA~lMay8eUw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

### ### Import Your Project

This option allows you to select your own starter code for interviews by uploading your own project zip file or adding it from a public Git URL. Save the project with an appropriate name to retrieve it in the subsequent interviews. After you import, the projects load in HackerRank's Projects IDE.

![image4.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046365119-?Expires=253370764800&Signature=t-YZosbkrZIGE6QjuNxoCXAOG8Fz56PI7SBFD851e5o8JI7mX4xNIIPdH9WN0603x-YnFqdrQ6bXa4Q1kG50sP9PGqb3DF16VgYI6ZTcljFqpSYHjWsBGwLG6hXGLUHiuMN6PHWHiGUOJWX9aYBWB0xL6DN9XIKZ816E4~6wL73l3gqOoTDAWCE~ZHOJ33jLUC7mcQwK2yP9hDP~dyci-y1OTIyt1vS7PNNB30UdNxGIjT8hl-oNRP~-LsrPs9vnDOPo6~Y7IBx9lRj6l2Xq1bUBGbiFeeUJ8-3ppJkP~nYp9qAmcScrrDrFbGdAnRIHowjgt7Qa7TfZsRd0iSbAw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

**\*\*Note:\*\*** The maximum file size allowed for the project is 5MB. This flow does not get the new IDE features. This flow is currently in beta.\

![mceclip0.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046365534-?Expires=253370764800&Signature=N5HHiBZn3vCAq1l911hdq2alf1wqojywsIWjjw~DXagalv~T0ifv7oS7BnoryldTfe-IA9CT1Lbtsf7o0UxzGhtG2Prs9cx9gQo--7nFP0clhB4vBJaCi37dnADI3eJjPewyqlj9tOOnP51b57CZvCLcyEVv5pjxkfkFFFc1~6CoWxLWBONu3LTGS2iSAWcJu0MdgwYXxW3YA~emJYuiDH-e1HX0LN1BV9BZXPmUZ3fxyG-y-POlCzmDfNzqtuWfYq7BTuTuvwnJGqtxytMn7qGEIOrsV3FN90i4soUZ26nv4e8TbSETviXH1rAcVih6QJXjgAxXQwRakxwLC1Jhw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

Once you have uploaded a project, you can find it in the **\*\*Recently Used\*\*** section on the landing page whenever you start a new interview.

[interviews/manage-interviews] Use Templates in Interviews Opening a template duri

```

title: "Use Templates in Interviews Opening a template during an interview Manage templates during an interview"
title_slug: "use-templates-in-interviews-opening-a-template-during-an-interview-manage-templates-during-an-interview"
source_url: "https://support.hackerrank.com/articles/8016598860-using-templates-in-interviews"
article_slug: "8016598860-using-templates-in-interviews"
last_updated_exact: "Dec 15, 2025, 2:57 PM"
last_updated_relative: "Last updated 4 months ago"
breadcrumbs:
 - "Interviews"
 - "Manage Interviews"

```

# Use Templates in Interviews Opening a template during an interview Manage templates during an interview

\_Last updated: Dec 15, 2025, 2:57 PM (Last updated 4 months ago)\_


You can use and manage templates during an interview.

**Note:** If you selected a template when creating the interview, it loads automatically when the interview opens. If you did not select a template, the default interview screen appears. For more information, see [? Create an Interview](/articles/8404005945).

# Opening a template during an interview

To open a template during an Interview:

1. Open the interview and go to the **Templates** section in the left pane.



2. Select the template you want to use. Each template displays its associated questions.

3. Add questions to the interview by doing one of the following:

- Select **Use All** to add every question in the template. You can use this option only for templates that contain five or fewer questions.
- Select **Use** for the specific question to add only that question.

# Manage templates during an interview


You can update templates directly from the interview interface.

## Add questions to a template

You can update templates during an interview by adding new questions from the Question Library.

To add a question to a template:

1. Open the **Question Library** from the Interview start page, or select **Questions** in the left pane.



<!-- -->

1. Select a question and click the **(+)** icon.



2. Select the checkbox for the template you want to update. The question is added to the selected template.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765789052649-image.png?Expires=253370764800&Signature=EaQXjCxaQ0B65cjuPd2Nj2S6A3lZrPJZ~wHF539S1yTvlefFs9GgECeAk83iBoJAOhyNSPsJBIGReMhck6myFOBzg5whdWgMZsCMFkmuOoJa3KzJ2qlA0AAetplHhs8RPNowrjSjKQBFHdZaA1vAUrVRSSfzYndQCfT1b53tWMdYcOHFp2B0aF74nHIMTjIS4cfPYMyXVI2c46faXn-GiyJ8i9Xmdizqw-hrVy0M7oDGIbVBNp2kyPXI2Bfk9opKGTxVH0xMfEh6DrOHkUsIABCAT9nz0HS0MabW-YsfrSVUMLPOhoPh8ygVn8lcsYwW28puTGtuUYOmnT0xh6DPQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

**Note:** You can also select **Create new template** to create a new template from the interview interface. Enter a template name and choose a role. After you create the template, add the question to it using the same **(+)** icon workflow.

## ## Renaming a template

To rename a template during an interview:

1. Open the interview and go to the **Templates** section in the left pane.
2. Select the template you want to rename.
3. Select the edit icon next to the template name.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765789091353-image.png?Expires=253370764800&Signature=QLuBqsNkjJzfbE36CI4OSHvR8ci8vdvLEJhZax83UBTINxyXn7MVCBaf1Yz~8IsLKoRIfL~ATPudSu~dlzq7tbo35v6n15oVpNW7OVKz~-Oq70vmBf6jH2LZYTYi~LnFLKwwwS04hvfUfHsK4tuKwGFYKhVaS34a1tHkPTPFdosX0S29u16AqQD53mOtjc95kmhDsBjAMQh8I93jptqlJA7HOPzJUtePKPd7QOnL4I2IC9S5kU1LIkFAKJTc46dtaH8y2Leb~Rc9Js2YLFGZc7onKbh3p3EK70KzxmjlR9kiHAJyVwltakQzEHklUvZ4u1YsC6rDc6KUC4nChbUdCQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

4. Enter the new name and click the checkmark icon to save it. A success message appears.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765789120541-image.png?Expires=253370764800&Signature=lunaFZQNTUqs3STg0UdBPxpJ65z~vkCcv8VibVP2ac40UyET~IoUBy9xIjtyPUSXOKI1JnZSgfU8QBT~XxRfnfGhtSjboJkBq55Caj8ylvg~JgN37MbpSvSvPXtOD3M02s2w80CyDfp9ewy6ielkmKpA24eLBTlc6-DDJHCUrQQdqeqSHigikVdGhFi7EAYG86yLb2TJnEe0JLz0vDNjGrJULKhSBXzcarEGhZQAmCg2Fxxv0Phwp25HFUpZ8qKm-ph-1rKPHej~5cRh4MkFFDdXoBDMJzOQGXBTTmM~KBA2nctE1LLneLkKIsVgCG5Jgf3gfoyU9u4MEI8aRyrVfA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

## ## Removing a question from a template

To remove a question from template during an interview:

1. Open the interview and go to the **Templates** section in the left pane.
2. Select the template you want to update.
3. Select the **(-)** icon for the question you want to remove.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765789144336-image.png?Expires=253370764800&Signature=mvT71UO6-BJVheW~Xkk9je3Gphxe6J~ndZzGUGf4d-MLqsBYxP1Zkxv7Lk9UY9xtv7FIWH68NhZMj7VARo~RyzHiiQyHEZDP0VR7fsJM3-RwKkHHhiso47NT6PggZSZCIC0CWYzpyvpsqDn1RKsrm5B5eR6W9VgnZwpFA6tuoYHoSYKAYKTDiUYGI Px7v7BZscX6jTUhsIJR4Vr9vsTubKKRetAbuU7-PG6hpbfbB6hm~Tv30zeBnDnueqjecBlqpZXKQZBqi0gveve7O9-S7I6X87LdGfsCWox5ObMDt5RFR04QG4Nvb3Ch-6lzf2PNQIXEwsSyu76V1xT~rhYgSA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

## ## Deleting a template

To delete a template during an interview:

1. Open the interview and go to the **Templates** section in the left pane.
2. Select the template you want to delete.
3. Click the **More options** menu (**⋮**) in the upper-right corner and select **Delete Template**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765789206492-image.png?Expires=253370764800&Signature=mvT71UO6-BJVheW~Xkk9je3Gphxe6J~ndZzGUGf4d-MLqsBYxP1Zkxv7Lk9UY9xtv7FIWH68NhZMj7VARo~RyzHiiQyHEZDP0VR7fsJM3-RwKkHHhiso47NT6PggZSZCIC0CWYzpyvpsqDn1RKsrm5B5eR6W9VgnZwpFA6tuoYHoSYKAYKTDiUYGI Px7v7BZscX6jTUhsIJR4Vr9vsTubKKRetAbuU7-PG6hpbfbB6hm~Tv30zeBnDnueqjecBlqpZXKQZBqi0gveve7O9-S7I6X87LdGfsCWox5ObMDt5RFR04QG4Nvb3Ch-6lzf2PNQIXEwsSyu76V1xT~rhYgSA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

764800&Signature=i2NgqRwPIS5s09rO79gEsDBU~WXItsIjY5Op0hB6EktBG77nQ2r5QUhHzwlkxfu8u5nEmKdSjsyhAAQ2ih~Nden91OGZWqzqxqSnY-LKFAkSw-JE6lv7-sh~Xa1dgOTh6H3fBXJjBXLNL1cbBDerP2wovmnjt9fAITiHV5utKW8yBxFc-7bmq0d3aJQ7YQWL OyeSAd3uW6qCT6AGEA0UNTf1L~-VAb~6rwhSh0jxAxxpQUuR6GMj4V6SnzSxn83g5zYAEDuOxRIRtm6Oy8Oyvhs7AFGPG7jenoP AqMunpWUu55rwyAEX4atXwGBa77FxVX-6-upiWoGMMmxClTtSg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- 1. Click **Delete** in the confirmation dialog.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765789227975-image.png?Expires=253370764800&Signature=CCT07plvVzlleTEJ5YovkMIVZbCtU0ISkgY8G9eyRZZWOqua88fW4wEo7XWrwBZQNs7CoWyMMxCrkUPs8KcUFA2NsyeMvQM83LrH9z3emLLe6xoiDqZy8RdeAMLSb8MjogcX9E9pHFPigKMMaaQtEbEBIY4vMgSMxHE4Zh786LIivOYwVklXeFR4AD9oxBpTbjYqtW8yKRx4m8SjY3KQZ9vvJFGNCAnUIY551xUNJH~f2YrKXHCcnFtB2AaVNUwYTu1szZb~-IFnJTe65mtiwNehAcw-3g snQX7RCz1cWJdiDZ~g0Djm~jZRFBRJwx2j1RIVhN1O3Jfww1huFu2jvQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

Note: For more information about managing templates, see [? Manage Interviews Templates](/articles/2837093779)

\

\

# [interviews/manage-interviews] DevOps Questions in HackerRank Interviews

---  
title: "DevOps Questions in HackerRank Interviews"  
title\_slug: "devops-questions-in-hackerrank-interviews"  
source\_url: "https://support.hackerrank.com/articles/8182862423-devops-questions-in-hackerrank-interviews"  
article\_slug: "8182862423-devops-questions-in-hackerrank-interviews"  
last\_updated\_exact: "Dec 13, 2024, 5:02 AM"  
last\_updated\_relative: "Last updated 1 year ago"  
breadcrumbs:  
- "Interviews"  
- "Manage Interviews"  
---


## # DevOps Questions in HackerRank Interviews

\_Last updated: Dec 13, 2024, 5:02 AM (Last updated 1 year ago)\_


HackerRank Interviews allows you to use DevOps questions to evaluate a candidate's Linux skills during live interviews. This article explains importing and utilizing DevOps questions within the HackerRank Interviews platform.

### ## Steps to Use DevOps Questions in Interviews


- Click the **DevOps** tile on the interview landing page to import a DevOps question.




- **Start from Scratch**: During the interview, use a bare shell terminal on an Ubuntu 18 server to install tools and perform various tasks.



- **Import Question from Library**: Navigate to the **Library** to select and use pre-configured DevOps questions.



- **Use Custom Questions**: You can also choose from your pool of DevOps questions created or shared by your teams by using the **My Company** filter.



**Monitoring the Interview**

- You can [observe the candidate's real-time progress](https://support.hackerrank.com/hc/en-us/articles/697077755795-Observation-Mode-in-Interviews) by viewing their actions in the terminal.

- The interviewer also has access to the same terminal, enabling them to assist the candidate or modify the task if necessary.

### ### Notes

- **\*\*System Requirements\*\***: HackerRank Interviews supports Ubuntu 18. We do not support older operating systems such as Ubuntu 14 or RHEL 7.

- **\*\*Post-Interview Actions\*\***: View the session recording in the [Interview Reports](https://support.hackerrank.com/hc/en-us/articles/115007328727-Viewing-Interview-Reports) section after the interview. Use this report to take notes and provide feedback using the scorecard.

### ### Additional Resources

- [Introduction to HackerRank Interviews](https://support.hackerrank.com/hc/en-us/articles/115007439768-Introduction-to-HackerRank-Interviews)

- [Adding Questions to an Interview](https://support.hackerrank.com/hc/en-us/articles/115007505708-Adding-Questions-to-Interviews)\*\* \*\*

- [Creating a DevOps Question](https://support.hackerrank.com/hc/en-us/articles/115006691787-Creating-a-DevOps-Question)

- [HackerRank Library Navigation](https://support.hackerrank.com/hc/en-us/articles/360010936814-HackerRank-Library-Navigation)

\

# [interviews/manage-interviews] Replacing Interview Questions

```

title: "Replacing Interview Questions"
title_slug: "replacing-interview-questions"
source_url: "https://support.hackerrank.com/articles/8239997164-replacing-interview-questions"
article_slug: "8239997164-replacing-interview-questions"
last_updated_exact: "Dec 13, 2024, 5:09 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Interviews"
 - "Manage Interviews"

```

## # Replacing Interview Questions

\_Last updated: Dec 13, 2024, 5:09 AM (Last updated 1 year ago)\_

HackerRank interviews allow you to exchange an existing question during an interview. Please follow the below steps to learn how to do it.

### #### Prerequisites

- You must have added a question to the interview that you want to replace.

### #### Steps

- Select the question tab for which you want to change the question on the Interview home page.
- Click on the Edit icon located in the Task Description ribbon. You will be taken to the **Question Library**.

![Task\_Description.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046792460-?Expires=253370764800&Signature=Rt~UsPkKu0srSqGfGh5UXuw48SOCH00JGzCrC2NvbNipY0odUfXI5r7TxAjEFziX9RJkw0nTqidZA0aMiLqiujpPr0PehPTYf1qtGI8ac5OUgmvO2fBFHy3CON2lz4wylRbMpmnpRmmqjUnNg0m8kFP6qVxA~CVZOqHudKjqINYGmhN7YY7XALjTWimBLhOKz4cCIPwOOi53eSBHBIq6hCFNjflVAU204uwAx6Xb0M0oYjfEloyhNadiTIPYGVbwo4qsmUycufI0pg5l8dJwJl9wjFAnrkBKmQuNOM3ZKywl3LRIqf8VQC7mEOKei0tyFqpxB9J5SdWeMQhRIESow\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

\*Accessing the HackerRank library to choose an alternate question\*

- Select the question you want and click on the **Use** button in the displayed window to add the required question to the interview.

![image2.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046792824-?Expires=253370764800&Signature=oUaYtEI2-MfOSRxUMGnZXZzWPr6RQXUJvUnFxZO9lqOLYTus9RH3w6PXwaBiW-pD-2vaKfPIPqKyvEtS91xYuYSR5vrurgvWMYXYWt6ugXot3MCV8mNa94nE2RRxSeeS1T6oUZ3UlysYptlxteQHMGylNxEk7YeVhEInuZ5ej6LHI~P1jd3QjPQ7KWB4cw7qc4p~T86B0ds8yrh9MX8IGF7uHqtJ~mrNPPH68PzC4X56ep35oCP3qTlmUdmLh9sNfBIiVSWYspO3ofN4mo6dDE5EJj3euWfUHIvaGW7u54gWotRkqnBGIH3S8HAZTf-8NrT2jpoZzTBwJqXYAXfQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- The question you have selected will replace the existing question in your interview.
- You can use the library options to browse through different questions to find the desired question.
- You can also select the questions from the **Templates** section. Click on the Templates option to access it. You can add the question by following the same process above.

![image1.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046793254-?Expires=253370764800&Signature=GPcmiNymXSyn2WYCU-8nqSrOYNbCo62urNQYhXz35VHRWVCIGhPaj3GURGUfBmTTWQEWhibrsN9qoOvI9cVtwoS7x7BnC0Tlvptis5LPpt3V6gKO2W-OaMxH6GDSzwejiPiGEBnppmiOF5L3f74liRI0RINMCIkW1-CE8z06NALaFifGxD4UmezLyajovzPzzjn8fsEZ-KnCC~5C~JTpwNqUyoj2IgfW40O1tojyc2~al-DUzo6Um2B8CZLnF8sm-iZSZc4QraobMwC1KBs7UuEldzycI8u3kumco0VK7zPY~gDFJz9DwcGCCpj7fW2pxnYtvPbJhgZqsMwTygvkvMg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

\*\* \*\*

**Tip:** You can search the questions by relevant tag names or question names in the relevant search windows.

[interviews/manage-interviews] Export Interview List Prerequisite Exporting interview

```

title: "Export Interview List Prerequisite Exporting interview list"
title_slug: "export-interview-list-prerequisite-exporting-interview-list"
source_url: "https://support.hackerrank.com/articles/8398508792-export-interview-list"
article_slug: "8398508792-export-interview-list"
last_updated_exact: "Apr 22, 2026, 10:17 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
 - "Interviews"
 - "Manage Interviews"

```

# Export Interview List Prerequisite Exporting interview list

\_Last updated: Apr 22, 2026, 10:17 AM (Last updated 4 days ago)\_

You can download the interview list as a `.csv`` file to view, share, or analyze interview data offline.

# Prerequisite

You have created at least one interview. For more information, see [? Create an Interview](/articles/8404005945).

# Exporting interview list


To export the interview list:

1. Log in to your HackerRank for Work account using your credentials.
2. Go to `**Interviews** \> **Interview List**`.
3. (Optional) Use the search bar or filters to find specific interviews. For more information, see [Search and filter interviews](https://support.hackerrank.com/articles/8404005945-creating-an-interview#search-and-filter-interviews).
4. Click the export icon.



The platform downloads the interview list as a `.csv`` file, and a success message appears.

**Note:** If the download does not start automatically, click `**Click here**` in the `**Download Interviews List**` dialog box to download the file.



\

[interviews/manage-interviews] Create an Interview Starting an interview immediately

```

title: "Create an Interview Starting an interview immediately Scheduling an interview Search and filter Interviews Join as an Interviewer Candidate experience"
title_slug:
"create-an-interview-starting-an-interview-immediately-scheduling-an-interview-search-and-filter-interviews-join-as-an-interviewer-can
didate-experience"
source_url: "https://support.hackerrank.com/articles/8404005945-creating-an-interview"
article_slug: "8404005945-creating-an-interview"
last_updated_exact: "Apr 22, 2026, 2:58 PM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
- "Interviews"
- "Manage Interviews"

```

# Create an Interview Starting an interview immediately Scheduling an interview Search and filter Interviews Join as an Interviewer Candidate experience


\_Last updated: Apr 22, 2026, 2:58 PM (Last updated 4 days ago)\_

As a recruiter, you can schedule an interview between candidates and interviewers. You can start an interview immediately or schedule an interview at a convenient time.

# Starting an interview immediately

to start an interview immediately:

1. Log in to your HackerRank for Work account using your credentials.
2. Go to **Interviews** > **Interview List**.
3. Click **New**.



The system opens the interview interface.


4. Click **Invite**.
5. Copy the interview link and share it with the candidate.



The candidate can use the link to join the interview immediately.

\

**Note:** You can also generate a new interview link by selecting the dropdown next to **New**, then selecting **Generate link**. The system copies the link to your clipboard.



E0S2lm~ZlpBAAnOrlIp9XVUS0B-Z9Is9JsNcu5UXniGMPiB91IP1R0q5D-xgr03KzytOMQ3RGqvL6EFfe-30WluzHeu-sqXniXGJCE5zE VpQUV272Bw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

## # Scheduling an interview

To schedule an interview:

1. Log in to your HackerRank for Work account using your credentials.
2. Go to **Interviews** > **Interview List**.
3. Click the drop-down next to **New** and select **Schedule for later**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776850019457-image.png?Expires=253370764800&Signature=VU3m8QiRyvN5QBlzw7JIZF54-JeJ9-mB9iYfk-h4sAO-OOvJPL-SN4PvQcrgYuTRld6xrijdHy9IhvaxOS1BAGKI-I7q5N5K6a1Z08F1ikHQ9GZeUT3YIOfhD-KcUkA7N0x1jNRXmYRcOEBV7aCd8LdBfNu8J20g5vmnIP0eAEwmGbsxoMtXrW42TDFvqTFAt~85lZvvRPeNoYz91fWu3y3Va-lZNQQasC3gJ2nbgtvqFF8uYR72MqkQmEBqS7bXutB9SnA~5YUen3XFwtaLeQRGGwRRaYp3M5C8CiZLYzO7RXLC5XCHW4OVL5OIX6-LcY1lkkXxn9CrQGhc1gsTA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

4. In the **Interview Details** panel:

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776770535027-image.png?Expires=253370764800&Signature=Wx3rZ9gA9ocUEHUfg29ZKmkdByNGTXfqrby9vpoQqP1SGWIZ1GXEOF23SsHPelxXf3OW5F-OuyjQY-v46Cvqe uJMIEnHXxJ7-kuekUTE8Lt7EBmQkfc-BpWFqVSX9HPV3AWgxn-NEqxEcji6XTlztLcM0qbZ93Va6Uf9gZwDMp~l2xas--0WpibnKOMK0s-MCCM4EYgu4VwmhKzJMnKKT5NPee40oQPX0oW1LHyRzlgp42-lJuWcFqavkRKJJhWxgcUBuVbVqRVBo78fOiXivULi51ViiSoPYwC3mbEEh-0jl8QYrZv-J4fb-O3Bx3-7LeTxRkNstA1uVCO5vslw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- (Optional) Update the **Interview Title**.

- Add **Interviewer(s)** and **Candidate email address**.

**Note:** You can use the **Interviewer(s)** field to invite new interviewers to a scheduled or ongoing interview later.

- (Optional) Click **View More** to expand additional fields.

- Provide the candidate's **Name and Phone Number**.

- Attach the **Candidate's Resume**.

**Note:**

- To view the candidate's resume, open the attached file.

- To delete the resume, select **?** icon next to the file.

- (Optional) Select an **Interview Template**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776770584740-image.png?Expires=253370764800&Signature=Up18~uY3bVEqubHO9ZbGQjyqgUMBDPRqSfIDKovTRwYFk5e0GK7gFs0bB-aDf~uOVWhncLv48pzlJEwgEP5bLpiha-94mW~KdxWTPQWL5ObhnOXci4lhRg79S0jOJpc21sf-6hcF8pAjqFErYxbN0yDOoREkGQwzXC4q2HIVi97yTwCTQWrQLlasXHF8~EBNuvN2luYkfcjhOHh5HBhmZWHADc-GAD38IT92FWK1Q37nqDCaCZJefxpU6lgnSOI5vPXnFS~MX59mRKetf8NLvOT9Mvgn uXmQ80nPUPEg5MnJvUj4Jdn06sGWBHtgJTjhW-ro57Z8ssiN~JOknftw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

The template adds predefined questions and a scorecard to the interview. For more information, see [? Standardizing Interviews Using Templates](/articles/2837093779).

**Note:**

- If you do not select a template, select an **Interview Scorecard**. If you do not select a scorecard, HackerRank uses the default scorecard.

- When you log in as an interviewer, the selected template will appear on the **Interview** screen.

- (Optional) Click **More Details**.



- Add **Interview** **Tags** and select **Interview Roles**.

**Note:** If you schedule the interview for a candidate who has already taken tests, the Role field will auto-populate with the role for which the candidate attempted the tests.

- Enable the **Show candidate timeline to the interviewer** toggle to allow interviewers to access the candidate's report from previous x interviews

**Note:** Click **Save Without Inviting** to save the Interview details and invite candidates later.

5. Click **Invite Participants** to schedule an Interview.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776770608446-image.png?Expires=253370764800&Signature=dp-62nUEQ~hlHeZsCjs1XvCjGm5PMEnjhlL1N-2C4ypjHweMLobtZ-EwAg3GvdBh-tDN7eEpCmMjrvEddlf0m-gPpl0hd-Lm0RC~naBIIF7iK5qmuVS5R8Pfb0CW05eAngLv9t8kLTcyBz4mEpAwRI3g2l4GwPTsnGwmoKMKDoZVOcpu~YJvf4acsK2E5WRpvuKqumRCfym~FMfRg3XRIDFZ3Uuy9rDTCNdb6GhhKfLRGxgtNqjLCwDz1u~AhmFByUbA~iOY7C7lLtGh0NxGSIZgwZPBZUdtSA67hrqWMqdbXWEAbvgSUwzD748lnZVnhxPt0GH6GWc0KXlr8jnZUw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- Select the interview date, time, duration, and time zone.

- (Optional) Add email notes. Only the interviewer can view these notes.

6. Click **Save and Send Email** to send the invitations.

HackerRank sends email notifications to candidates and interviewers. The notifications include the date, time, and a link to join the interview.

**Note:** The email includes a sample interview link for Coding, Whiteboard, and Code Repository questions to help candidates become familiar with the platform before the interview.

!sample  
int.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769544304214-sampleint.png?Expires=253370764800&Signature=PrF1Rww1caDrdcErt0OkSjOKITZHyI0Eyv7fT6H1JL-bR-mh6Hqq7Ev3iNlrDBXX2QB6Sc-AcOuFytOZLVBmw4Pbzk3K5LhsRkQ5jbTOS091JHFJxq53~IR2UMOk8jED21ldv0sz7zxDKfQzzK2F~5UgDj9Q4Lolqu2dD8P6KKygBB4qtqiF9e2z966DAPT4DhnLEZGIUw1D8FvHH4GIFdOR1FLseuDmy7zwOFBJbuq00R77-GJNblHwqG1Fwd9d0UGM2ZJsfO1pfmWzeQ4iafT99pYWhTVrRuQDaQMxRjQT4W~kyLAMmr3u8sgpcq8G8A9tI299nT0u-WdtQkDMLA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

# Search and filter Interviews

To search and filter Interviews:

1. Go to **Interviews** **>** Interview List. The page displays a list of all interviews you have created.

2. Use the search bar or filters to find specific interviews.

- **Search options:** Enter a candidate email address, interview title, or associated tags.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776770875796-image.png?Expires=253370764800&Signature=r8YiCsK8U7fqBFQwX3My0pkUXyZ6Grw95zAzmdWFB27h-dwzX6pl894BJA7ZXhek-XzGgtkEp0JHqptNdNetFL2D3qd4sRvNSGeJhUC9xkd9Mwqo3aBUrhRFiqSgEwCDXiBB3hlCLwW0J61XftsfU6twD40b~dfV2Z-0k~UcZLmsBGNlICq~Fr0oYEDvzXEIjypC7wpje0h1mkUlvmhFUnRqgKzZGLyqBmkClg11Zj7jM8boFA66pZjpgDFF9cntFZGJO~vKz8B7C9nnCkUKDM8SXHfiRTm96-LdRFoXWj3RQhcBQ3iunKsyAy9qx8uKmcboO3GOQIWWcf6wltig\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- **Filter options:**

- **Show:**

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776770814394-image.png?Expires=253370764800&Signature=mlKbV-zPbdvA5sEef7YLd4g60xcckAm4DhpKRy20xqD8R8p46lww4ZOuA7s01mDNxnnxtlxowHwzmM~K1z1TsjnjNyMuLE9kTLr4P2GGIncX7m6QbzIIMPg4tf3oHx0UH4FWey6WbYBLEfdOabAp75z1K3Zj0f5UKWawej27PtZBf~bFd68nfl~wEbsb4FWq4nr~7XzlGdEOJ0RyivfixB0m7JAS~EHu1bn-2RilB4r5Q5Q7FHIVZaogI0VqtFdcPcnjDKRUtYsaVHnFNpxCZPwXTEYqoSOPh~HATABMAIUk9H-mE~wmAYgV3V40SdC5~r7UhmPvNVVfGo1tbksuag\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- **My Interviews:** Displays interviews you created or participated in.

- **\*\*All Interviews\*\***: Displays your interviews and interviews shared with you by your teammates.

- **\*\*Created in:\*\*** Select a time range from the dropdown to filter interviews by creation date.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776770791682-image.png?Expires=253370764800&Signature=AcWl92H9Fd-lxhoS5YqwWRUtwcFYyJSewJUtoSPaK26gG-9oIDL5X509TOmORiVQuCne9NsJ6N9nJgACDu6590y-QMVfcmLwYUhcDpM0kux3vHEcu4M1XKPCnXdEmW8CDTWJZ28iugMCQ79F9OPHI-WadpZOoTlfq7YjWMhbuUqpMmCoKBIMdwWp40JmCGdUIMlDaKiP81aDZrqU7z3McYwAkOsPROGTcaWbyJtX52-ELeQReLFhxqxXnyUUVl8Vzv-7OKPS-XGGcrLoMviobd5yw8Q5eIKDJlqwkFTnrAdOyTiAvTp11Wx9JGXSHqj0bO43NC-k-XxhxJ5kp2Pg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- **\*\*Status:\*\*** Select **\*\*Ready Interviews\*\*** or **\*\*Finished Interviews\*\*** to filter interviews by status.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776770779933-image.png?Expires=253370764800&Signature=cHB7mWtZWz~zQCEudWHlXPafNQz8lsLqh0zZ0pY1KyoSVyxeFI~b-Yta3iOZSuefdlFTRm4gFFlO09463KQp0k9Z-y-gso8SZ2xyEJg8YXtDyL~Sle5brpbOU8d3D-m6qYQMSPF3A7ga5EQhJdh5HQJdhO9keIlCJJxZQDWDvgV3aKhbkAtd~QqEaTutYqkvY8Eur3xs6JHFRce94V1o32GyW8EpXOpsZOay1uNm5XjylZgyZmx~pRnXkSM6wvxHYyPVq95XMwleqqyH303bBnoCz-6qZJHqXRQteFt505ZjgChWw35qgGPcWEQsWHn-KQsiAs-0u4Vzm0yZVQ1cQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

# Join as an Interviewer

Click the interview link or click **\*\*Start\*\*** next to the interview to open the interview platform.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F7c1e6447-c02d-43da-8e9d-bc596f88507f-b3e24d1d-1a8a-4d5d-9822-f19bff6d5183-1776769600002-image.png-11fa8c71-66c0-4ca0-8c57-85f5f74c1844-b4be17e8-eb31-4709-87ea-b23cf1a679e7?Expires=253370764800&Signature=nWjKOMlmXiSWBlhqpjJnkgn2y1iP3ucQ65AuFZFGIRmSRuD1HzlP-72y25lYCWsxbEjS-2pn6vg6PQQMrICWmEhQb-Ksq7VwKfrUsS2IK4QPI4m8mCz4rff8giKyTRGR~8FG7uO6KYnX7fkZ7epEZO07x~8vC59nylxNhpeOfbFSR7-Uu8ovh927hMHAUvyDgJd15GLXb~8JVGvN9EDNLyun0xFMpkPO4H~d5-BRN0X1ltnXWwOJ5aHW818838CCfk-M57okCWP3RRfqlaiLvLZhkyEkvTVl8oc57pYgd4kXupRLfkKnE-4KzQpvDCh7XmyBEQThwCew53PaC9-gKQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

**\*\*Note\*\***:

- A maximum of four interviewers can join the same interview session at a time.

- If you are not logged in to HackerRank for Work, the login page appears. Log in with your HackerRank for Work credentials.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758782965902-image.png?Expires=253370764800&Signature=b9YHkdzm~7786hDVgCGn4pSEMdBEnU4u-YTzt9uv4ZEe04zAxZ5Aclh99kNM--HGBwmUpNEoNglyQc-Nrv8xKGawZtSerRn9ru7hkrpgcMgsjLTAUnRO59-epOMoWT3khGDyNP69xCBybIA4FL~tROrdVlHXhustEgnkegNjEaddtoxGmVurZJogW87xtoQKafBpSp-vNh5uFiP9LVz4bzA9XM83MPghTecuVdEsc~xlrjNNHN3B5PcroljQChcT360iYoFjoklBnTXOWuJCOIEuyKNh1JLpS7xUv-KxHacSUwG7R1u~zzA-WSrC9AYNLpUq-U4uUFMwR7Yzmi7w\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

The platform checks your system compatibility. On the setup screen, review any detected issues and select **\*\*See Fix\*\*** to resolve them.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756969723306-image.png?Expires=253370764800&Signature=dhETgTJtlXsYlRWR8s8izU5EyngAuzJeRVij~JTty~P6j1rmoDMC3~l8fsquS66ySdtTyTqtgrPP1ZUSI4ThZ0XYIsLZ8zqmfcDgDvjstAIJ2SCAmvMsPzslBtQ34AYU~Ozl9xb-LWqLnUWKKueazP6UgzHJt8877-by2ws9GOro3Nh6zRCbtSw9yaXajQL3LAnHtA16C6n6uU0MvCRoXXq88Od42fZYQkadV0xW9UDayPYewlB4r8wpt-gEYzEafjAbKv6nSD~KD5Ps2Spbyec3PM6mcd2ot9p2bXw7Mw8eVw0DG9Ade1ybdzOauqVFSbU7RbA0yROUkophJNqhHw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

After setup, when the candidate enters the interview lobby, you hear a notification sound. Select **\*\*Admit\*\*** to allow the candidate into the interview.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758781330428-image.png?Expires=253370764800&Signature=srx2MyP~neT0S70apdBeqK9nA4LiXEJhJ4Zi8HKSzFEIjXSyWSnJ4oscrzLp0NxHWBS-x90RwDtlSjKonMHCbHkRabnqmb1E1DruJF2gVdto~oxpYz-7-ElIXasbJeZvelf9htZcR4oY919G-IDzoUpvhdn9bop1kbPC20c2TaSoP1HU9DQRSWt1AD9bn1WoJhYzGhJlRQY5qADiF2xiLsU3bEho1XEcpZG7JrMH1SZIAUJH64wfs44bm30LMAFAAdWZphjbyWOlJkkZS~isqeu5m2tK045RGL4y3r9wdmB8ttz~EOit4popCYnhEL08hbFnZEmK4etHdlX7RjN6nw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

# Candidate experience

When candidates join an interview, HackerRank guides them through the same setup process as interviewers. The setup verifies their system compatibility.

After setup, the candidate enters the interview lobby.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758781538490-image.png?Expires=253370764800&Signature=Kk~U70YI-dBLuNDVnV~fZWWfMoW02KB0oex4LAo2i8--vUJ9rbgcDpDfFecEqS76U4VWk1Hto0JQgfCv7IfllowbJf7tkwvYxscg9w0EKzOOdPSXf1RTnjBelvowAVDcr-nHwbEyknX0IXxGOuY4jyuqKdsbFEe7RqDpq1hjh4aFt5LvV8nML3qxn5lbnstarkpS2iKSc3BMK6MgxHRaGvQSEDC1Ty3U4u4LddCsuoRpxbnXMNCT-5Q7LurUFE1KF2ROLLMJLBr4010WFpbGcOU4f68e-OcLdxxmXTNRUZS3tYrf4lzMyFwfFM1imn6zkwkcFv3R1G~nGvIk6gVw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

\

# [interviews/manage-interviews] I/o Console Inside the Interviews

```

title: "I/o Console Inside the Interviews"
title_slug: "io-console-inside-the-interviews"
source_url: "https://support.hackerrank.com/articles/8584583879-i/o-console-inside-the-interviews"
article_slug: "o-console-inside-the-interviews"
last_updated_exact: "Dec 24, 2024, 7:25 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Interviews"
 - "Manage Interviews"

```

## # I/o Console Inside the Interviews

\_Last updated: Dec 24, 2024, 7:25 AM (Last updated 1 year ago)\_


### ## Overview

The I/O Console is where users assess their code by running it against the custom input and checking its output. The I/O Console also helps the users to check the result of the test cases provided in a question.

The interviews platform provides a split view interface that lets the users see the code editor and I/O Console side by side, utilizing the maximum available screen. This enables the users to see the maximum portion of their lines while checking its result.

### ## Accessing the I/O Console

- The I/O console in an interview is closed by default. To access the I/O Console, you can go to the right pane of the interview screen and click on the I/O button.
- This will split your screen into two parts where you can see your code and the I/O Console side by side.



### ### Using Custom Input

- On the top of the I/O Console, you can see three tabs **Input/Output**, **Test Cases**, and **Console**. Selecting the **Input/Output** tab here, you can enter your input on the Input space and click on the **Run Code** button at the bottom of the screen to check your code against the custom input.
- In case of a successful compilation, the result will be displayed in the **Your Output** space.



- If you want to stop the Run Code process, you can click on the **Abort** button that appears once you click on the Run Code.



### ### Running the Test Cases

- In case of a successful compilation of the custom input, you will see a message on the top of the tab that says, **Compilation**

successful. You can now Run the Tests? this clickable notation will run your test cases and take you to the Test Cases tab where you can access the results.

![[image1.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046225043-?Expires=253370764800&Signature=kWpFm~pwbagD37YwZlfqzsqxgXqYp7PgiU-5KkWAi1x9Kst~c-F1AQ5KHfGM6uv8jkYBQ8IQ4TKuvi2-jt8OGTWcFIOJE62gF2Faw9Apdc2mfl77bqneCQ6qpgiRNZpaXWayGQW4yCjx41G6IP1rVUW3O6osm50iVuyVWhULwBFGIEUGf-2aKGhEQSjD6JNHUp9QTPBphgcl42o~ABsKhRcXskhj25C5GP4TNSiQPgJwzxNlcQLrAczwt3B9ALfCDUDcc70L2vpr-yyNNDsNrBNSqMPDEQD99R4t2BGucotimVggXHvmcFAKs~OKqOky~G8Ydz4Ww~0galr8Ddpk8w\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- You can also click on the Test Cases tab at the top of the console to access the test cases directly. You must click on the Run Tests at the bottom of the page to run your test cases.

- Once you run your test cases by either method, you will see the result at the top of the Test Cases tab.

- The interface shows the status of the test cases and the number of Test Cases passed.

- You can select your desired test case from the Testcase drop-down.

- Input, output, and expected output will be displayed for the selected test case.

![[image4.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046225473-?Expires=253370764800&Signature=K0WNEREjF05ss8j0jxBetLQpDkFmeHC~vRCemx9Wu5ftOnb0O8PL89cav7B3M8~Ls24ooYkK-TnADVMB588amlyqFL2BoJko9wX5a9XztnPVgLnj-5Gt9tWMxpVhl4SFzyk9qPWI5Hgdx4qdfB3bcpS5mcYQ4Sezskz3Vkrkop7-PYRQof3vjORpvHTTyzu7JBgTYj-k7h1WOOTlf~QHJRUh8cGyjRggNs-1vNGyE-KKewS5VVQwPaksRLKlchl0zaVC8ju6DdKzEBqyMT6QhhfVsNEFArPNZjBDotDfWNDA3sOILwLSyETVQfAaUvVPSxyY6vabwg98l6twyXApAw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- Hidden test cases (the ones with the lock icon) are not visible to the candidate.

You can also expand and collapse these fields, as shown in the below graphic.

![[Expand2.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734071323134-13640309264403-8de5b9e0-b1bd-4523-9638-8069c09b944f?Expires=253370764800&Signature=YMSF71VWZ83azFCO5GxkhtyzmSxQIKTFXMC6mnT6uppX6UlqODi8sj-q3~vg9s3A8l-7~x~ratJV0Vld39htJOuS717msl~XtVLkhHgpRxJOI5vfULJwyz2tr-g1CjYEJx5r-9F5qRbtps3b7rSZvp5tG~A9ZerH3Qrk4WVfjIEwjE9110ZugmOFooZ4hP87TBniS0GefTHbhOowkIH66jx9lletScyJjiUY5YbuNGGQbZ-900bBjjcTL0aCHKTSpb2qfOT3xTmLQq9QEIw9NTfuluqZWzKJEzL1gVUL2En87C25-tKK1vhmWoUcCFypl9I-f2UTMqmECNmzNNtjFg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

\

# [interviews/scoring-and-reports] Scorecard Assist

```

title: "Scorecard Assist"
title_slug: "scorecard-assist"
source_url: "https://support.hackerrank.com/articles/5847159594-scorecard-assist-for-coding-question"
article_slug: "5847159594-scorecard-assist-for-coding-question"
last_updated_exact: "Jan 28, 2026, 11:07 AM"
last_updated_relative: "Last updated 3 months ago"
breadcrumbs:
 - "Interviews"
 - "Scoring and Reports"

```

## # Scorecard Assist

\_Last updated: Jan 28, 2026, 11:07 AM (Last updated 3 months ago)\_

This feature is part of the AI Add-on. For more information, see [? HackerRank AI Add-on](/articles/5847651809).

Scorecard Assist uses AI to automatically generate a scorecard after each interview. It extracts insights from:

- Interview transcription
- Code replay
- Test case runs
- Interviewer notes

Transcriptions play a key role in powering Scorecard Assist. The scorecard appears in the interview report.

Interviewers often find it tedious to fill out scorecards, and talent partners frequently need to follow up to get them done. Scorecard Assist streamlines this process, allowing interviewers to fill out scorecards faster and with less effort. It also speeds up hiring decisions and improves the candidate experience by enabling faster feedback.

**Note:** The Scorecard Assist currently supports the following question types:

- Coding
- Whiteboard
- Projects
  - Frontend
  - Backend
  - Full-Stack
  - Mobile
- Code Repository

## ## Enable Scorecard Assist

To enable Scorecard Assist:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to **Settings**.
3. Select **Interview Settings** from the left panel under the **Company** section.
4. In the **Scorecard Assist** section, select the **Enable Scorecard Assist** checkbox.

\

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753773966130-image.png?Expires=253370764800&Signature=j2-dyPfXfi4-xRKiVXZCFjuqBas1PuhNacQfDpoKdyJjvjiSR10oEoCS-w~0KRFa0A4TekWwYcgBjWOO~chVx5x0G3Og338hmUqJ86BuLQzUDnLXonoqvqspXp7okmrpKXsPSDS4xrcSzIJYi0IY2pxGFpwxVHooclvyfya5gAtv38~MNI6oRH6lgGIVbgiEF0AoUqMm7bll7zRKbklQpdhb5KOHhH4utWUbyYXQPdHWD2N6GtZSoUd9XfBCQCTzr7zeSzwnmwwnPRc7-pBKvhVxPZshQWwXQT5Vz2EOe-v8Th~XnDo3nmuchxZ8IJ8c9EuggljH3DMbCnAddB32UQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click **Save**.

**Note:** Enabling Scorecard Assist also turns on transcription automatically.

## ## Reports

Each interview report includes:

- **Full transcript of the session:**

!scorecardassist4.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753775262817-scorecardassist4.gif?Expires=253370764800&Signature=LpN3VmhhkVOAif8Fcruk3ryoVn6bERqZxROfJ0eLeMOwCHHrEcWhL65abD5ogdpTy1ZU5VERxRc0aVKFW9zm9p0BsfgMs8Wo5VJDpudibM1ruGbkP7xleQfVZF45TPl5etuVyWi3RzDNU2CTF9i3dFBZakdo6Hn79g5iW392Dzpl~gy5gVJSM PZKKJPao3J6vcqgxxmLAN5jngquR6EBdJmrevyY60Pt2oJkxIOi05V~wz349XRdTW2KHYw~3pciaNMFw8JNJyn3Ik~rs-Q6zJoioza27wHrDC1jTCC2a0LCjIHCjZF7isqszuYr9YHgVvGSoOMQB61paJjifYKQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- You can search the transcript by keyword (for example, optimal).
- You can download it for future reference.
- **Scorecard Assist:** The system pre-fills the scorecard with AI-generated suggestions based on:
  - Interview transcript
  - Code replay (if applicable)
  - Test case runs (if applicable)
  - Interviewer notes

## ### Using Scorecard Assist

You can complete scorecards in two ways:

!scorecardassist1.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753775358747-scorecardassist1.gif?Expires=253370764800&Signature=fS4GUJTxNt848ei3JJXCZEyR~9f-RTOzehHIUn3R1r9894MJeZySJP1xao3V9UiMdyYCG4WhwRivMdUZMLq9MDg8MQ2wmbBvlnLir1ofoxiWpjINuXTvnX0R1q0qmeQsxF7bnG29rqUgLRtMbeaOFwfpM4ckRO74dNjvW6kE8s8ZBZLR3O1CkmofKPi1o1fq-D6gYOj2LrlqydSfcrwvfMvCWJ89rAyXxeHQ~rlSubbhKxnXMLhadRtDH5pQdgt9DMN~jfgtN29GS2plTjheIHgPJq0VyqPe7lCspAym2rbeP9RTEhg2WOnTe1HEtHfX~1~TggiQKhaNj1d2Q\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- **Per comment box**
  - View suggestions for each comment box individually.
  - Accept, reject, or edit the content as needed.
- **Autofill entire scorecard**
  - Preview all suggested comments across the scorecard at once.
  - Accept or reject suggestions in bulk.

All suggestions are editable, giving interviewers flexibility to add their own notes before submitting the scorecard.

## ### Post-Interview workflow

The system sends a scorecard summary email immediately after the interview. From the email, you can:

!scorecard

assist2.gif)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753775406844-scorecardassist2.gif?Expires=253370764800&Signature=K1u9oVnK0XTWnS3n6Lc~2SgrOsQhkNqduTNWhcX4go40WvmPA3NQJo64mkBfayy9xZrhmGJJ7puxgrLUdZPQCPsUD4Lh01iQ-5FLGkIsnidHGtF4h~qbyKSkAl73w1nuBVIGECYtT8Z8qfpDrS9bMz-2fkLgt2aQA3jhrJDdZHIL1q7GWFQkTs2R~cCbxiZpBzuUHerFVkwKkIbUpt067MgUsNwJG-2O7QesBZwgSDpHT7Fly6t037DY7ypNqwekookIDVz1Snhmarnq96GhILJbbk9O~3la1UH6QQrv3Ok706bKk3cGaERn3tSvLz2Oa7cagfUZlZWT6wYZQPHnw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- Copy the summary directly into your applicant tracking system (ATS).
- Redirect to the HackerRank report to complete or edit the scorecard using Scorecard Assist.

### ### ATS integration

HackerRank embeds interview scorecard links directly into Greenhouse ATS, helping you close the feedback loop.

To view the scorecard in Greenhouse, see [View interview scorecard in Greenhouse](https://support.hackerrank.com/articles/8806262569-greenhouse---hackerrank-integration-interviews-user-guide#view-the-interview-scorecard-on-greenhouse-8).

### ## Interviewer experience

- **During Interview setup:** Transcription remains inactive when the interviewer sets up an interview, even if it is enabled at the global level.
- **During the Interview:**
  - If the interviewer has not granted microphone access, the system prompts them to enable it for transcription.
  - After microphone access is granted, transcription activates only when the candidate joins the interview and enables their microphone.

![scorecard assist3.gif)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753775476959-scorecardassist3.gif?Expires=253370764800&Signature=W63EtcibLN19vchjsZDS926kyJbEU7lDnFg3VxV8l4jJyHt3rtLzNX58M2FW7s5lvkdexZ0-vNWL8HH1K~cLv2fxRBcBqWgigaOJ8iwJ9zaCbVU-IBNYEEqZo3ZsdhDKp0o3EI6G2-sLe0Yj0bt~frln8AyGiy3hbnhl~VRTpfbnQ7n1GOHIMxkLrF-6OKQmRTVld9R8Q~LqchReeKDdGM6Ru4P9TnsMHeg4uqhlom7Xj3xRH8qBkqxG~bsDzlJGoPzITcoVZw6V5zAtGgk~1OMAZL4ZevDBkmO4Q-Q98BIH49DpHSIfvBiXc0~eH~t0i-UUUfKTVWaz8ioWUY4lw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- **After the Interview:**
  - The interviewer can review AI-suggested comments in the scorecard.
  - The scorecard can be filled section by section or autofilled entirely, based on preference.
  - The interviewer also receives a summary email with scorecard suggestions and quick actions to finalize the report.

### ## Candidate experience

- Transcription activates only when the candidate joins and enables their microphone. No additional action is required.
- Transcription runs passively in the background, providing a seamless experience.



[interviews/scoring-and-reports] Interview Report Accessing interview report Interview

```

title: "Interview Report Accessing interview report Interview report components"
title_slug: "interview-report-accessing-interview-report-interview-report-components"
source_url: "https://support.hackerrank.com/articles/6788713830-viewing-interview-reports"
article_slug: "6788713830-viewing-interview-reports"
last_updated_exact: "Apr 22, 2026, 10:19 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
 - "Interviews"
 - "Scoring and Reports"

```

# Interview Report Accessing interview report Interview report components


\_Last updated: Apr 22, 2026, 10:19 AM (Last updated 4 days ago)\_

The interview report provides a detailed view of candidate performance. It helps interviewers and hiring managers to review responses and make informed hiring decisions.

# Accessing interview report


To access an interview report:

- 1. Log in to your HackerRank for Work account using your credentials.
- 2. Go to **Interviews** > **Interview List**.
- 3. Click **View Report** next to the interview.




# Interview report components

The interview report includes the following components:



- **Question tabs**
  - Each interview question appears in a separate tab.
  - Select a tab to switch between questions.
  - Click the question description icon to view the full problem statement.
- **Playback**: Displays participant activity in video format.



- Click the **Play** button on the timeline to start playback

- Toggle **\*\*Skip Inactivity\*\*** to automatically skip periods with no candidate activity. This option is enabled by default.
- Click the expand icon in the bottom-right corner to view playback in full screen.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776829729854-image.png?Expires=253370764800&Signature=PluKZ6X968lJk2alcG7eYL93r5JzHQb9oagjwpXI9gohQkPkgnIBUPRAp3oeulq~58381-OvXjnBels85Rd6G6BOQlCUmVMhEUh4Rn8mQs85ZgmwvQUYiQWtPLuBwQIVBlwescC0VntpxoTGRCaYBFAvjuf4Z5Msn7cZl3SQ~q6Pf5okyvbphqNiBRVKYWuZnoRHsBtWmMap~qsrJKjzfvWnmDjtt1sxLt6~Eid2pmR5l0cfj39l9QsEDm4VcLb3Y8aQlbQScwya3LxtgXw1xu6DTCBriMmQTTTcK7TMUvFdxCKMXHRW~mQoGHT43auW1WpbGtXpD-dTu6sDNfw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- Active time periods appear as dark segments on the timeline for quick navigation.
- Displays a cursor with the participant's name to indicate who is typing.
- Shows all code executions with input and output, highlighted on the timeline
- Click **\*\*Suspicious Signals\*\*** to view detected suspicious activity.

<!-- -->

- **\*\*Scorecard:\*\*** Click the menu icon to view the scorecard. For more information, see [? Interview Scorecards](/articles/9842091173).

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776829658637-image.png?Expires=253370764800&Signature=ksUGvCtXyCQvFg4gQ98mn~nwAncaSGz7-Zv7MBIT03CDklvzbA1x3CHiCSijowGle4x3k0AgepelUUc8BWpThfv o-nrPS~tXzuxxeFM4UIXFPrLhDWuQ4A9BXT8tk4Hvrvl5jSy2n6rsPjrKSiHyCxBghfnhNXA2ECbmbhxscXV~v-eBwXrcWaNyUiSk1mEKtl-pw0v2W7Z0OozRqX2fhTk5Gy3pR~XkSPirY3m7Sr7xqS1ensldA~NeCU0YesrBfddHHtuF9jAA3uoloZ~8PdpPSERGrz5KV8uYRD-kSlbOdtqgxdlsMehJYcpNsXSh0oSqNDJh5~V7yonPkA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

**\*\*Note: \*\***

- If you have access to the **\*\*Recruiter\*\*** or **\*\*Developer\*\*** role, you can view all team scorecards.
- If you have **\*\*Interviewer\*\*** role access, you can view only your own scorecard.
- **\*\*Candidate Packet:\*\*** Click **\*\*Candidate Packet\*\*** to view the complete activity timeline of the candidate.
- **\*\*Download PDF:\*\*** Click **\*\*PDF\*\*** to download the report.
- **\*\*Share report:\*\*** Click **\*\*Share\*\*** to generate a link. Recipients must log in to access the report.

\

[interviews/scoring-and-reports] Interview Scorecards Accessing interview scorecard

```

title: "Interview Scorecards Accessing interview scorecards Custom scorecards Using the scorecard during an interview View scorecard in Interview Report"
title_slug:
 "interview-scorecards-accessing-interview-scorecards-custom-scorecards-using-the-scorecard-during-an-interview-view-scorecard-in-interview-report"
source_url: "https://support.hackerrank.com/articles/9842091173-interview-scorecards"
article_slug: "9842091173-interview-scorecards"
last_updated_exact: "Dec 30, 2025, 10:57 AM"
last_updated_relative: "Last updated 4 months ago"
breadcrumbs:
 - "Interviews"
 - "Scoring and Reports"

```

# Interview Scorecards Accessing interview scorecards Custom scorecards Using the scorecard during an interview View scorecard in Interview Report


\_Last updated: Dec 30, 2025, 10:57 AM (Last updated 4 months ago)\_

The interviewer scorecard is a private scorecard for interviewers to manually evaluate candidate skills during an interview. Each scorecard lists predefined skills based on the candidate's role and provides structured input fields for feedback.

# Accessing interview scorecards

To access the interview scorecards:


- 1. Log in to your **HackerRank for Work** account using your credentials.
- 2. Go to **Interviews > Scorecards**.



3. Use the search bar or filters to find scorecards easily:

- **Search:** Enter the scorecard name.
- **Filter options:**
  - **All Scorecards:** View all scorecards created by your company.
  - **My Scorecards:** View only the scorecards you created.

**Note:** Use the **More Options (?)** menu to:



- Click **Set as Default** to make a scorecard make the scorecard your default.
- Click **Delete Scorecard** to remove the scorecard permanently.

# Custom scorecards

Custom scorecards provide a structured approach to candidate evaluation, reducing subjectivity and improving hiring consistency. It helps interviewers assess candidates using clear, role-specific criteria.

## ## Key capabilities


Custom Scorecards offers the following capabilities:

- **Tailored evaluations**: Create role-specific scorecards using six input types: Text, Single Select, Multiple Select, Rating, Dropdowns, and Yes/No.
- **Enhanced collaboration**: Add section-level descriptions and question hints to guide interviewers and standardize evaluations.
- **Company default scorecard**: Set any scorecard as the company default to streamline interview setup.
- **Flexible assignment**: Assign scorecards during interview setup or through templates for consistent use across interviews.


## ## Creating a custom scorecard

To create a custom scorecard:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to **Interviews > Scorecards**.
3. Click **Create Scorecard**. A new scorecard appears with one section and one question by default.


  
The image shows a button labeled "Create Scorecard" in a dark blue color, located within a list of options in the "Interviews" section of the HackerRank for Work interface.

4. Click the edit icon next to the scorecard title to rename the scorecard.

  
The image shows a button labeled "Edit Scorecard" in a dark blue color, located next to the "New Scorecard" button in the "Interviews" section of the HackerRank for Work interface.

## ### Edit the default question

To edit the default question:

  
The image shows a button labeled "Edit Question" in a dark blue color, located next to the "New Question" button in the "Interviews" section of the HackerRank for Work interface.

1. Update the question text.
2. (Optional) Add a description to provide context for interviewers.
3. Choose an input type:

- **Text**: Enter free-form feedback.
- **Single Select**: Choose one option.
- **Multiple Select**: Choose multiple options.
- **Dropdown**: Select one option from a dropdown menu.
- **Rating**: Rate on a 3-, 4-, or 5-star scale.
- **Yes/No**: Select either **Yes** or **No**.

**Note:**

- For Single Select, Multiple Select, or Dropdown types, select **\*\*Add Option\*\*** to add choices.

- For Rating questions, select **\*\*Show 3\*\***, **\*\*Show 4\*\***, or **\*\*Show 5\*\*** to adjust the star scale.

4. Use the **\*\*More Options (?)\*\*** menu to:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760192302355-image.png?Expires=253370764800&Signature=B9ZiRCIg94GxWP60rW0n4XWk6BBx-7IYvzhLvafuPPE2DRZ6G7KBtBpiCdZZhg0nlwRfKUWX4O4EdM94HdGP-s8ake69daHml2AGCq50fP1ExPAUBh7mz6rVAdJYAdsNOM~XWLEeTagRiLL0ty0X8R9bTeog08EKLp6zeETyUfViBaIPrnh1--KNSAL~IL7GSsU5w16L6~RVrY4RD5B~Qp2rXgaAwchDhEzu2UsoUzechF5ktpeaWf2NNPpQiDqz-HTTBkODisc7Us1GV3yS2KQC9UaJf9hz87rWu7h4FLqAQH4knvJK~izAe4Dk8wxrfl~vhUaozBq2qGYApCig\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- Toggle **\*\*Required Question\*\*** to make the question mandatory.

- Toggle **\*\*Allow Comments\*\*** (available for all input types except **\*Text\***) to let interviewers add comments.

5. Click **\*\*Preview\*\*** to review the scorecard.

**\*\*Note:\*\*** Scorecards save automatically.

### Add a section to the scorecard

To add a section to the Scorecard:

![[scorecardart.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760192279899-scorecardart.gif?Expires=253370764800&Signature=cu4wNu-StbElyuvTzhaF7gxrvDkdz0A-kuh7ViM~Xdbg1bP1~DnsjLMJUvO9EKw5iaAepHTw24o7lhZoNMOe0IP8qke2WlpN2SIYAjVa3SB4VoDwO-BET8HSKYb1Tpd1PSbjkRdguGkf6k1a7u7GB9JgD-oAF9KIRKHrUUQD4opugD-dQx5tPtaV7vowF5JLRx-2khxNgyRT7XJ9AbeyvAR~Z5QTS3deWKEsBsp-5xjXmxE~yMQbtIA-vBJq4IHtq1-d3YIOkg51tQweRoN47BqxrWes9K9V6G7oWE8hKlmt~oqrNlo4lg3bfPolasNC7D47SJ93lNR7Ljj6VQi6A\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Click **\*\*Add Section\*\*** to create a new section.

2. (Optional) Enter a **\*\*Section Title\*\*** and **\*\*Description\*\*** to describe its purpose.

3. Drag and drop the section to change its order.

**\*\*Note:\*\*** To manage sections:

- Select the **\*\*duplicate icon\*\*** to copy a section.

- Select the **\*\*delete icon\*\*** to remove a section.

### Add a question to a section

To add a question to a section:

1. Go to the section where you want to add a question.

2. Click **\*\*+ Add Question\*\***.

3. Select an input type.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760192256761-image.png?Expires=253370764800&Signature=tcx77Y8FCqbiCDZFgGfRLGKT-gnulY71gCWhl1Q~S6-E6sWC8QyUUbrZ6l3QfccOMKYKDRil4NLRDIyeX165uKL040T1FjNNgscCNtInFG8ntwmyxBWhuEByOm-bG3sf1lvRoP0vCIIEqykXILgxDIM2Kqk9J~ogA9YkZuw83zneH884dLcVYYIuBHqleWW5uOzzU~y7~IILe1CENS3xKpgV7f03U8C8~EDsS0kdXAN0ggFaje6DjkSXyAtrGss7t22K1lxVP5EGAbZy2wcpBCGEiBiGpLA-Vokx2pSHxdKaFWUH50PWz3~0gXLIsMEKOnz-Sk0llsOm3iuxubzM~w\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

4. Enter the question text.

5. (Optional) Add a description to provide context for interviewers.

6. Use the **\*\*More Options (?)\*\*** menu to:

- Toggle **\*\*Required Question\*\*** to make the question mandatory.

- Toggle **\*\*Allow Comments\*\*** (available for all input types except **\*Text\***) to let interviewers add comments.

7. Drag and drop questions within a section to reorder them[.](http://them.Click)

8. Click **\*\*Preview\*\*** to review the scorecard.

**\*\*Note:\*\*** To manage the question:

- Select the **\*\*duplicate icon\*\*** to copy a question.

- Select the **\*\*delete icon\*\*** to remove a question.

### ## Assign a scorecard

You can assign a scorecard in two ways:

- Through templates

- During the interview setup

### ### Assign scorecard through templates

To assign a scorecard through templates:

1. Go to **\*\*Interviews > Templates\*\***.
2. Select the template you want to update.
3. In the left pane, select **\*\*Scorecard\*\***.
4. Choose an existing scorecard or click **\*\*Create a New Scorecard\*\***.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760192066694-image.png?Expires=253370764800&Signature=Veezoyecg1ICGI2oPTbsX9GgsOaxue-Hy4~v36XY5UK0Z4kdWev8kxMC96nOn-fiz10I2JHV18z1Jx-VrddyIS2U40BZ1gZfzVT655qNGfzvmHHFMceJ0l6uMn~DKT03xwTkI7KnilylquhXnxOWk8PsE13bYKc6-iG1fp4j9uVf510bt3G1s9~3M8JGpZHLIhnWwLAqNriuvF~Lc8ndNkEsRZ6gOim6tE5SOG~ucSH9q88QlqCSNAaCcXUrIRakz4B9FQ12dlzU2WYtVhQ~Awd~~FdlQCDhQpRtAJGrxsUZiYtTyAaS3cK2KBqDXwSaz5O3vRY6mbmuVz1SK0oN9Kg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

**\*\*Note:\*\*** If you do not select a scorecard, HackerRank uses the default scorecard.

### ### Assign Scorecard during interview setup

To assign Scorecard during interview setup:

1. Go to **\*\*Interviews > Interview List\*\***.
2. Select the interview you want to update.
3. In the **\*\*Interview Details\*\*** panel, scroll to **\*\*Interview Scorecard\*\***.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760192039248-image.png?Expires=253370764800&Signature=KDNPGbW8RVnhs111VPotuTwyKnQjKeyXedTGXag6qTEncEZS1HYb1XNo1vH7naCiXk88gBjzKEiiaE8l1eY864oCPk~G1WCAMXcF0WrVzhcFfP4WTTK6KwnTe5wL0n~oCpJxgCqYSZB1jSdSsyx4kQgPljGYL3qaH5zcEsjQvNrWaE1qKP79BYs1usCz5hGyNgeu4YwNldL5O9oVT9BWIS2o~L8aUulgcWOIGaEIGv3FuFvhktiHD1Y64-qUvzV53ZZhwLo2QHxy5Q~xhnDe9RWZYng3MNN99Okj9VJucfV0L-5uossSqNPT3wnIf6DCq82o0vBeHo97yGloIbQhA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

4. Select a scorecard from the dropdown[.](http://dropdown.Click)

5. Click **\*\*Save Without Inviting\*\***.

**\*\*Note:\*\*** If you select a template during interview setup, HackerRank automatically adds the scorecard from that template. If you do not select a template, the interview uses the scorecard you select manually. If you do not select any scorecard, HackerRank uses the default scorecard.

### # Using the scorecard during an interview

To access and complete the scorecard during an interview:

1. Log in to the interview as an interviewer.
2. Click the **\*\*Scorecard\*\*** icon in the upper-right corner. The scorecard panel appears.

![[Scorecard.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760192018259-Scorecard.gif?Expires=253370764800&Signature=P~bhhdJv4AfyXKRnwJFRDzwSYem1yEef3Dp63S3PzEEQIYIK0I0RLvjJhXkF7ZBntLB2CAFDHGLjZhL-e~HLDjAmAnL~NkXdCmiWG-rLdJSF~n2AKrVVLbOqWm72iRM-PgHwq-Tsioe~oS4WyjCb~ViojDyR1WPHJnJXo6M2hxKXjxpEFbRywbUQVkh2Jj8A-FC~kkTxUJFzjkOlku0MdcRuVXbCT3lSmLkkde3SyOlSmd2lihfIRDWcNGLPq6SOOvZROQRlgU3y9m1chtUoMi4GFxbCZi8wi-djb4yAYQt6fseZWWHcgDp9uNV7TbYvYjIFe5-bvhuXcPA1RyBvA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)]

3. Review the skills associated with the candidate's role:

- If the interview started from a test report, the system maps the test role automatically.
- If no role is selected, the default skills appear, such as Problem-Solving, Technical Communication, Code Quality, Language Proficiency, and System Design.

4. Complete the scorecard:

- For **\*\*Rating\*\*** questions, select from Strong Yes to Strong No.
- For **\*\*Text\*\*** or **\*\*Dropdown\*\*** fields, enter written feedback or choose the appropriate option.

**\*\*Note:\*\*** All feedback is autosaved. The scorecard is private to each interviewer and is not visible to other interviewers or to the candidate.

After the interview, the scorecard appears in the candidate's **\*\*Interview Report\*\***.

#### # View scorecard in Interview Report

To view the scorecard in the Interview Report:

1. Go to **\*\*Interviews > Interview List\*\***.
2. Select the interview you want to review.
3. In the **\*\*Interview Details\*\*** panel, click **\*\*View Report\*\***.
4. Click the menu icon (?) on the right to open the **\*\*Scorecard\*\*** section.

![[image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760191957769-image.png?Expires=253370764800&Signature=r4teXP0JxJdl73jmpZyFHRyNndsAZob5wtJ6j3Dy51vvHIH3ze~7qE9sdcCWVP-6unr4giTqawwEOZNe6CKW4gusUyKhmFvVbQLZ9liSEI5tCpKkEkbK0MqMUIps-HmU3ZDbN3J8~7EG5lfdt8kh4sxn18vHwwyoFqWTGZxLYSdlQxzrj4nopcvtkBJD4zF506EtxBeQIsqv-qPe3Y3riJkpotnEkS7JdolleGZJNY7CvAyBb~ciu6PMF1N~6dbYHKRThzpkTKd-eM5KHM1dyQ6-hLsl9hIJJoHDZDfoRWZojVj4m834b3rorjQBJTtdY7zQoJma0V1Z~DOI9rQw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)]

5. Select an evaluator's name to view their scorecard and comments for the candidate.

**\*\*Note:\*\***

- If your organization integrates with an ATS, click **\*\*Sync to ATS\*\*** to sync the scorecard. Scorecard sync is currently available for Greenhouse, Workday, Lever V2, and Oracle.

![[Auto sync Interview Scorecard with ATS.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760600472005-AutosyncInterviewScorecardwithATS.gif?Expires=253370764800&Signature=kckYPee-6vgi~k3nlqEhW0z7ohhOVb46f0lt1WaA-aoBvTiBYxV9TiGx9IVVQesL7TS~qo970EBTpObsCUuIlc3RTmW~UoAh8NfssAKRG8a18~ONffzEqh7ZFKBy357KSCGxcap51wzyeZk0YI5JZrWFFG2RHnMxLztn30qVLndfp29uEA4HvKh2UegT8fct0YGPz9MdK4LWvxfknGLJhYgLeY-oxJLSndiKxhvbftPB-7dNIRS2r7j8WcKKJpF6NmaJ10L~LQXDmulNxuZpA8Ygs6tn1IUZzCD58QtalDcON6c9NEufg7~HNNiXtlC09Z-Wku8GrCHCLK~CA~A\_\_&Key-Pair-Id=K3NV4LZ47N8M46)]

- You can access to scorecards depends on your license type.

- **\*\*Recruiter\*\*** and **\*\*Developer\*\*** license holders can view scorecards of all team members.

- **Interviewer** license holders can view only their own scorecards and do not see the **Evaluator** drop-down. If they did not participate in the interview, the following message appears: `You do not have access to view the scorecard`.\*

\



[library/additional-resources/general-questions] Using AWS, GCP and Electrical Stencils

```

title: "Using AWS, GCP and Electrical Stencils for Diagram Questions"
title_slug: "using-aws-gcp-and-electrical-stencils-for-diagram-questions"
source_url: "https://support.hackerrank.com/articles/2793946233-using-aws%2C-gcp-and-electrical-stencils-for-diagram-questions-"
article_slug: "2793946233-using-aws%2C-gcp-and-electrical-stencils-for-diagram-questions-"
last_updated_exact: "Jan 23, 2025, 1:19 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Library"
 - "Additional Resources"
 - "General Questions"

```

# Using AWS, GCP and Electrical Stencils for Diagram Questions

\_Last updated: Jan 23, 2025, 1:19 AM (Last updated 1 year ago)\_

## Overview

Diagram questions are used to assess the skills of a candidate in creating class diagrams, architecture diagrams, workflow diagrams, and circuit diagrams. The candidates can create simple or complex diagrams using stencils available for Drawing type of questions. This article will walk you through the steps in using AWS, GCP, and Electrical Stencils for Diagram Questions.

## AWS, GCP, and Electrical Stencils in Diagram Questions

HackerRank offers AWS, GCP, and Electrical stencils. Using these stencils, recruiters can assess the candidates for those specific roles.

1. Click on the **Library** tab on the home page, and then click on the **Create Question** button at the top right corner of the page.
2. Select Diagram and follow the steps to[? Creating a Diagram Question]/(articles/2805331669)  
  \
3. Under the diagram settings section, you can choose any AWS, GCP, or Electronic stencils, based on the requirement.

```
AWS Stencils

![AWS_Stencils.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046864516-?Expires=253370764800&Signature=kV1iyF~n50DKQTfXC3B2w3suoJHw2dfJ4ug7z2DESzZ6sgh3H5qz3Xc0g7rle5rhdwll7EMRaZcClixSoG5JAIWMMu4SnBL8WabjgZ1sMPJdWgKasay4SV~JgjUPERk2wluhi9EkMwXhSQk~5len9HtzjW7cYw50EQhfcwRyLDhAvrx~ldokX3sUgZXZSEvKNKHVMnAfuqnugu6ZQeSwQ2lIK08HWUtt2dcskrYKrIjgLhVg9FvRG5hciWa6-9frhbTy18PDFjsiyc1aQkUd55l~6fOIDyHE4q5hoJejiQ7rlMC4Qpx8glZ4AQVlOlot3R4rKvvftCUzpv~8Q1Qcdw__&Key-Pair-Id=K3NV4LZ47N8M46)
```

```
GCP Stencils

![GCP_Stencils.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735000572587-GCP_Stencils.png-61fd09a7-b38a-4268-a552-6163b68b6b9d?Expires=253370764800&Signature=llmh-434lr5fh653oXpaTHnUKJ4z2ipqFhjrbdCbbLxSnmL5tRtHAFpnjiRYEJu0mf19oWFWTtmpOwq75PBd5JmskHgPQKeaeFZtsW323bwk46gcH8kly~~ABMJ6l0Ekii05r7sT6eYBpNxt15Qvvvg43xAWoxRWIO8lK~m8rlGcE9hTCfJFxdj3Ar75mK4Fv6btTnq0oNqIBSCXKNAYSN3W37PUzrJlzo1FoxhNBKgvv0H2XGkK3VNbyQn5bC8zfH~F3O~R5J9QUJY9H-kwLmKN8y-Vfbpu~Hzo8mVhMsCoE4P0h~jdMVXte0NCn6JZskMmmVgepOpoQFAZBO~~Unw__&Key-Pair-Id=K3NV4LZ47N8M46)
```

```
Electrical Stencils

![Electrical_stencils.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735000580774-Electrical_stencils.png-46f3f6ce-4fe7-4b9a-a253-784ba72d38e9?Expires=253370764800&Signature=K~vPRnl9pRRXL6ZSoGE-gFqLJwBII7fW-Eyj1g84fpeCfOm54~U04u87LTQ8Pr-XMlXOIB3jeO1IKLWn7f4YlQ6LRP1NPftGsHkqvY3OUwx758Ae-i7csFFv4-8d2rMr-YAcRDgO1pjMNUmwww5lJt446GYe8ETR4rjFzHeWpbs-z1EAwoY-C~Jk-HORKozJvrCuvlgTG9VqNQaE1blm0lwJmdVlrLspYrP1qub3~1dSpiCecs9~WR9G73fKdd7cqZJGLiljeEaHN9dKILmOOce4XqtdjlQVigC7TS7giLlswSZjg39mtUfjhyZ5COeMAYMt3HDbyOqPkIFiu4MQ5A__&Key-Pair-Id=K3NV4LZ47N8M46)
```

4. You can also add these stencils to already existing questions in the library.

![[View\_Question.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046866057-?Expires=253370764800&Signature=kuiYVbob~U094H1ZjO7Thyr8jwyd3puh~Cx9YA9uCLpmnDs5IAGsrqc1GeFv9Aki~ODI~QBz8n6ulBrHwzd9~FNoF3XjpdB0PZW~EcFOsgdErW~LPmBR9K10XjUDv2t~lboVyEIYZ0oSqJOSJpLPtq2FO~B1pkdZV28WFoeUw~0N~DZIWHZ9OVX3vmGfrt3ljCDEU85hqe9oKJtl9VUG2E1M9Lq3hkPu7Ua558bVEbCx5aSUcKFbhMGktXNFvBVdwNcRNxOuJ3wsEqhQ5n~SmEblyNuK~jiMK9pUUipizgsGZPFpQZWOnqLS1mXsjQKq6feRlMhJ5gwdw6rXXiZ1kg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

5. Select a question and click on the **view** option to open the question. There you can find the diagram settings, under that section you can choose AWS, GCP, and Electrical stencils.

![[Selecting\_Stencils.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046866443-?Expires=253370764800&Signature=NxuMGa8P1d~2QnEvdrR58eSzqQz~h~3gE9mcPydj7qukXWzASuftda2tkfh85yul~lyYYE9~f1tw3L4rGE9GyVg62LUJaZyBRtnvw3~nlzmkn2mu3Q9NnfyI4M2bWlc~9hecTQXe8yeYEtgVVswSE05HSFuQa~ZxKqj7OCQgqUPICXAgI6NfKzpDIjMIQtPjWvjM1PG7SxJpk3tlhJha97PdwRTfUw75eu4B8oZFdfAKB3TUL2RrvAMeRBRNYj417KKnwfpn7zdDikvxigWLiYjQE6WF3~ZTSyL0i3DgfU71Xm3XT6XjIH1MYjqKRfcltj1oRXULVxcNcZictk0A\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

### ### Candidates Using the AWS, GCP, and Electrical Stencils

Recruiters can choose which stencils the candidate can use in the test. Candidates can simply use those given stencils to [answer the diagram question](https://support.hackerrank.com/articles/8569407083-using-draw.io-tool-for-diagram-questions).

![[sample\_stencil\_test.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046866850-?Expires=253370764800&Signature=JgRcpuk7s3a2SikAEe4f0f6l~aPEXVNVKwgdFiqOh4UcxYMgzj1OIZA3SgEfu4Pbli2Op34ul2tiHD9Kzqdm~pvz806qOE~NQQkQJNGq~KkLqG17eTiG7~y352wxBU4ZVw9brLcb~3GMDmU0CzKSu1tuAqbuql~7du3O98myHh9ltON7R1ds7~yOqnSTgGWc2t8~3lgSMBX4~RNUs~muWWZgeqp3GIM1LxNTbDJcbmM28CZF8Vuv2KT0TqT7EKZkgijUY7oRjcgATv3s0lpoEsNCn1bzaHqsh7bZJY~oixmdysw8UtJeE~l9di7Jm0sV3a2w~HjPQT6bjo9PjoYISA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

### ### Using the AWS, GCP, and Electrical Stencils in Interviews

Interviewers and candidates can use the AWS, GCP, and Electrical stencils in the interviews as well.

#### #### Steps to use AWS, GCP, and Electrical stencils in Interviews.

1. In the left pane click on the plus icon and select **Diagram**.
2. All the pallets are visible along with the AWS, GCP, and Electrical stencils. Interviewers and candidates can select the desired diagram to create and answer questions.

![[stencils\_interview.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046867175-?Expires=253370764800&Signature=hEfGZZ6ZT4Ssarb8is7xbuVU0qrPKQ4~b9aYSDFC~2PHDz4GQntY1ZPuprWF1RidvesC01ZWUscPHLygiMC6yKIIqB9TMLUt1yP~QSEzi3GOy~dFORNF1zpzzeli5WUllmiE4wOHpSO1qvo90UFyiluUu~Hz33CBgj5dkvl0Yz~j9uLVtLsG~oRfBRw7e8q96BCVoJLA~Bnpw050VQzrsE5EmwATY~WcNDOiKfEftQHufE5gplM0p9FBOya~cDVFvoCpycBu~HeboQZBn6Mx9khUDKi1FRstE5mYtnSKNPgNFqQgiJunMcGuYJ4pUMJPNqUc4SrqaektIYH5tDiA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

**Note:** Inside the interview, interviewers can see the changes made by candidates with diagrams in real-time.

# [library/additional-resources/general-questions] Using draw.io tool for Diagram Questions

---  
title: "Using draw.io tool for Diagram Questions"  
title\_slug: "using-drawio-tool-for-diagram-questions"  
source\_url: "https://support.hackerrank.com/articles/8569407083-using-draw.io-tool-for-diagram-questions"  
article\_slug: "8569407083-using-draw.io-tool-for-diagram-questions"  
last\_updated\_exact: "Dec 13, 2024, 4:45 PM"  
last\_updated\_relative: "Last updated 1 year ago"  
breadcrumbs:  
- "Library"  
- "Additional Resources"  
- "General Questions"  
---

## # Using draw.io tool for Diagram Questions

\_Last updated: Dec 13, 2024, 4:45 PM (Last updated 1 year ago)\_

### ## Overview

The Diagram type of Questions available in HackerRank helps you assess your candidates' skills in designing flowcharts, Entity-Relationship diagrams, UML diagrams, and architectural representations.

HackerRank Tests are integrated with the popular and feature-rich **draw.io** diagramming tool to help your candidates create their designs for the Diagram type of questions. The Diagram type of Questions in HackerRank tests include an integrated and readymade **draw.io** editor. This editor provides various shapes to represent Classes, Entities, Objects, Associations, etc., which are used in UML and Entity-relationship diagrams and flowcharts. Using the tool, your candidates can quickly select and add the required predefined shapes to represent in their diagram and design them using various formatting options. The integrated tool provides an intuitive and easy approach to solving Diagram type Questions, and it adds to your candidates' positive experience with HackerRank tests.

For Recruiters using HackerRank for Work, in the **Diagram Settings** tab of a Diagram Question, you can select the specific **draw.io** category of options available for your candidates in the Test. For example, if your question requires the candidates to create a UML Diagram, you can select only the **UML Category** of **draw.io** shapes available in the Test to answer the Question. This article will walk you through the steps in using the draw.io tool.

Refer to the [draw.io training material](https://about.draw.io/features/training-material/) to know more about the tool.

### ## How to Use the draw.io Tool for Diagram Questions?

1. On the HackerRank for Work home page, select the **Library** tab.
2. Create a new Diagram Question or select an existing question to edit. Refer to the [Creating a Diagram Type Question](https://support.hackerrank.com/hc/en-us/articles/115005739168-Creating-a-Diagram-Question) and [Editing a Question](https://support.hackerrank.com/hc/en-us/articles/115007317428-Editing-a-Question) topic for the detailed steps to create and edit a diagram Question.
3. In the **Diagram Settings** tab of the Question, you will see the various **draw.io** category of shapes available to create diagrams. Select the categories which the candidates require to answer the question. For example, if the candidates need to create a basic flowchart, select only the **General**, **Flowchart**, and **Arrow** categories.

\* **Note**: By default, the **UML** and **Entity Relation** categories are selected.

![diagram\_settings.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046857145-?Expires=253370764800&Signature=Y3vGN-G42fp8H6KNowyXxJhJT7bPIEflVkyb99zXobY5LDDrNmWmu9erwZ3Cdv5fFebb3xWHE-1oVpvBY1wP2lFKZGVGZT7qH2l9ryp0HorBb3VBqdvHJJ8vN7cxg99YRoCMZ0BABEY68i~hSkOO9gQxl2llqkrtpx0D1DdbSW3MRNAMngVZyojDsOUHnOrabwfyMdGr-iDkm9ckDo1nrDCvx05T8AtOkivBxLzoA580u6eb6Bq9ntk8DJa1qexk2aGxkCHcQ2s0iomjCbbf9XJdRe0Q6QbKdv4HCd7E9S~XiTbs7kwYFy0WRoXeA3x3jdjr1WN3gORZmKuuWqX5vw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

\*Configuring draw.io shape categories for the diagram question\*

1. Click on the **Save Question** button to save the changes.

In the HackerRank Test, when candidates view the question, they will see the **draw.io** editor with the options to create and format their diagrammatic representations, as shown below. The left pane displays only those shape categories permitted to answer the question.

![draw\_io\_editor.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046857505-?Expires=253370764800&Signature=GEhoXDY-tWix2xdxVmExx8FoIMmQfVSKFQEGUiVLuglAjJ1ItFdSGykxGBz5UxOLIdrhZNW478K7-w2TniG3WNoXtWAiEzAx5l1W~R5JDn4L~3FnINhX2vClc90I3QCtip1HyLZ2THCL3rXSnN7KEIXDvg0Zlx5fo5c08Ug06qsyAL-7eF9q6hHIdgRm65ZOy22vPvQgOF3s6fmnowzSsg7w56dUIWhHtiMI53ZsyryqYalulQtiAuaMgkw5UuwKdl5PGZEd1Lbh45y2T8NCjbbegEdHEiwGBgcGIC3-XEqlUskQ8d-8kxcDbn2Hi9PL3t3rlT47lv0atECmSc7t2g\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

\*The draw.io diagram editor available in HackerRank tests\*

For detailed information about how candidates can use the draw.io editor in HackerRank tests, refer to the topic: [Create diagrams using draw.io in HackerRank Tests.](https://support.hackerrank.com/hc/en-us/articles/360014931853-Create-diagrams-using-draw-io-in-HackerRank-Tests)

# [library/additional-resources/programming-questions] Test Case Input Format

```

title: "Test Case Input Format"
title_slug: "test-case-input-format"
source_url: "https://support.hackerrank.com/articles/2461683826-test-case-input-format"
article_slug: "2461683826-test-case-input-format"
last_updated_exact: "Mar 11, 2026, 3:36 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
 - "Library"
 - "Additional Resources"
 - "Programming Questions"

```

## # Test Case Input Format

\_Last updated: Mar 11, 2026, 3:36 PM (Last updated 2 months ago)\_

### ## Overview

Candidates debug their code by using custom input when some of the hidden test cases do not pass. If the question setter has uploaded a solution while creating the question then the expected output is readily available to the candidates. In this case, candidates can add their own input and run code to compare the expected output against their output. This helps candidates in debugging their code and understanding the reason why their test cases are failing.

However, even if the question setter has not uploaded a solution while creating the question, candidates can use the custom input to debug their code. In this case, they can themselves determine the expected output and use the custom input to determine if their code is showing the same output as they determined.

### ## Custom Input Format - Sample

The candidates have to enter the input in a particular format to test their code. The following example explains the custom input format in detail:

**\*\*Integer Arrays\*\***

**\*\*Problem statement\*\*:** For the given array of integers, write a function **\*\*\*ArraySum\*\*\*** to return the sum of its elements.

To generate the code stub automatically while creating a question, describe the function signature in the code stub form.

1. Enter the function name, **\*\*\*ArraySum\*\*\***.
2. Select the **\*\*INTEGER\*\*** as the return type.
3. Select the **\*\*INTEGER ARRAY\*\*** from the function parameter type list and give the parameter a name **\*\*\*n\*\*\***.
4. Click on the **\*\*Generate Code\*\*** button to generate the code stub.\

![input\_array3.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046602447-?Expires=253370764800&Signature=Ovm82k-9K6a0BssGWssU2ZySYtBMpSwmdaQp84dKpSkyKI-Cg-yRYF-vRZyP-t~pym5pjQtLcgMyupb0K5ZzBZsn8yTOnaj~6oZE2F6fhdNbOCvHpHOvY6a--ezVH4fl2rpJkBiQEI1WUJvL-UAjGomxYiQg2uq8tJFr8TcNbM5KnurnjRAUt2gbUiTty38a6~ESKuuKPIdo5Cp08Tj3dxQxl5ieJ1e~INSM6NbBJjmk9-DjWLEITPcuxZTwlJHoLJu9C9F-sfR-Y1X5y-F~mOkX2N7pD-KZ0XqFGgyJEOFVMV0EK9nFh0ASz28LTrixOaHSqZ1UMrdS3-6ypQDGQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

\*Generating a code stub\*

While creating test cases for this problem, be aware of the format the stub code is expecting. For a test input array of length Y, the test case input contains (Y + 1) lines. Here, the first line specifies the length of the array and each following line specifies the element of the array on a separate line.\

For example, for the input array [10, 20, 30] and integer n= 123, the test case's input that a candidate requires to enter is:

- 3

- 10

- 20

- 30

The test case's output would be the sum of the elements: **\*\*60\*\***.

![[inputarray4.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046602893-?Expires=253370764800&Signature=CaxIndaes7Lk9TNK0cG47bTh3uxu9F92V4TQTZO02ZI2HKBRP~8OFRHPxybDm7p3EN9GcANuvTbS4SUetaT7DHv ojKerN6A99Ngwkn-BIEqza6VNKM-c3Pu0YVVN2DmceuOAiswDqvBPoyjoqBRMVNjEU5qDjf2uQXGFH85SH-eM9FqrZCuhATYa3CYk0PDV04FJyhFT8BzHYf0i3QhCbNCou42QMA3lq0OS1JTZBvZtF3ISk1VyvkH0i7voH5OS8UZPVcwD1v4xJCIEboUW9VFKJRafm6SqAf3fwY-228BkA4thRfLgE5l90fYRAZXiPSxwk2eKnFfuqONl6zhfw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

\*Allowing code testing with custom input\*

### Generating Code Stubs

For more information about generating code stubs, check out the [Generating Code Stubs](https://support.hackerrank.com/hc/en-us/articles/115006430067-Generating-Code-Stubs) article.

# [library/additional-resources/programming-questions] Test Cases in Coding and App

```

title: "Test Cases in Coding and Approximate Solution Questions"
title_slug: "test-cases-in-coding-and-approximate-solution-questions"
source_url: "https://support.hackerrank.com/articles/3245197419-test-cases-in-coding-questions"
article_slug: "3245197419-test-cases-in-coding-questions"
last_updated_exact: "Sep 18, 2025, 5:43 PM"
last_updated_relative: "Last updated 7 months ago"
breadcrumbs:
 - "Library"
 - "Additional Resources"
 - "Programming Questions"

```

## # Test Cases in Coding and Approximate Solution Questions

\_Last updated: Sep 18, 2025, 5:43 PM (Last updated 7 months ago)\_

Test cases are crucial to assessing a candidate's code. They consist of specific inputs and expected outputs that verify the code's correctness and functionality. By covering various scenarios, including edge cases and typical use cases, test cases help ensure the code behaves as intended.

When a candidate compiles their code, each test case checks the code's execution status and results. The score is based on how many test cases the code passes successfully.

### ## Types of Test Cases in Coding Questions

#### ### Sample Test Cases

Sample test cases are visible to candidates. They display the input and expected output values, allowing candidates to validate and debug their code. Marking test cases as sample test cases during creation enables candidates to view execution results and download them if needed.

![[2024-11-22\_15-59-03.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734993690916-35754831206675-a805cd47-f511-4bc3-ae62-1ecb560c5546?Expires=253370764800&Signature=DbyhawDkQPMhSsYyJe6S2GART7bSen96BDuawviapKnnOR29r217JbMh8fXp9K5V5UtOwwoq1gvf18i77640vLD0ANFQllyDzkaPAQAd9R-QvZcUWDknntljneVHAb0E~RzwH4b1d2XGBQ7akuwGARbXlaqcbZiILv9anIDub3~FMgcIM7D3bhNFQ2~KhzoIRNgPolrkuqLnV0ebp5bUhybw~tX3~yg9MZja42qyqFytXx2mw3sLDck9TpOgEITdqpwhe6fbyLgQ7KB9EUWIMsNqxcgFLrYXqZ7NaekD-IE-DS1ZnbgpqfJgri7qOwonH9AyHBVWM192Kv~lhHd~KA\_&Key-Pair-Id=K3NV4LZ47N8M46)

**Example Use Case:** For a problem requiring the identification of the first non-repeated character in a string:

- The sample test case helps candidates understand the expected solution approach.
- Candidates see the input, expected output, and their code's execution results.

#### #### Importance of Sample Test Cases

Sample test cases enhance the clarity of problem statements by illustrating specific examples. Providing 2-3 sample test cases helps candidates grasp the problem requirements effectively. We recommend including 8-15 test cases per coding question to ensure a comprehensive evaluation. These test cases should:

- Cover varied scenarios and complexities.
- Avoid redundancy by testing distinct concepts.

#### ### Hidden Test Cases

Hidden test cases evaluate candidates on diverse edge cases without revealing input or expected output. Not marking test cases as a sample test case will hide the test cases from the candidates and will be indicated by a lock icon. These cases:

- Challenge candidates to write robust code capable of handling edge scenarios.
- Display only the candidate's output and debug messages during execution.

![[2024-11-22\_15-58-35.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734993701188-3575479947

3555-8d1bb706-e480-45dd-a575-20cc8544d697?Expires=253370764800&Signature=FVpDDpr8vvYYFRy3kj0bLSIAHbU-Im7L~ELck  
xDWfL2eB8IgReOKzIIZWSEmW7hEJT5bX7NYoD9LRNeUjznFa~fS-xXEtoOHWbpY2re7cYm6QY1bWsjPvYscW89RQ-q703~YcDnp5  
ceA9ejQ~w3Z5TMRoZSZrq1YgkidsqGO~a0XmHcMA1PEZdG2aszJallSJyCOYdGIgAYCyTI3sFQMapYCKvzOkpJQLciHb-Oan5p-Kpt  
GQCYUQoTHFad-O6XuD-VNm57Ys7JqTvFARWMnsL8Z5GBhdPxxJ81uwdtH8NWO~h3bmKZhXUusJ8nLc515EGBEXh0bqCxHA2Z  
ca9yW4w\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

**Example Use Case:** For the same problem of identifying the first non-repeated character:

- Hidden test cases validate the solution's correctness under corner conditions, such as empty or long strings.

**Tip:** You can disable the output visibility for hidden test cases via the Questions tab in the test settings. However, enabling output is recommended for an improved debugging experience.

## Creating a New Test Case

1. When creating a new coding question or editing an existing one, you will need to follow the steps for creating a new question and eventually come to step 4, which is adding the **Testcases**.

2. In the **Testcases** section, you can **Upload Solutions** and **Add test cases** one by one or in [bulk by uploading a Zip File.](https://support.hackerrank.com/articles/5773853281-how-do-i-upload-all-test-cases-at-once)

![[2024-11-11\_12-06-30.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734993712790-35286833883027-550271cf-c7e5-4b0a-94e7-fe5a53e94455?Expires=253370764800&Signature=Te38~Vn0bLtpmjGRw8DBEWUq7NGIDPR1IGJD3YQJsssdEH0YIZlatKbfiG1-dXzl3CCyQCyhqp1RzjAdlavw2RgL9SmtQPXlJCbdUIYe6wAI7UIVT5aSzG1zey04ETzMJQnoPK2KIVH-x6Tmc7YQ1rbyZdzpw1Rt5puQVP8CNK73tG1-QTUGFpld17sD4WIRKTZHq4k7ZQHZutW23uomiKVgTIfxXRGZLU1nfTkwsKBIEd9eh9Udm7rCxziLXc-ueDHQfTGVDdR2zFI2OuTTLRUE3RT~K6nbe0bwDPUIIGBGUiqon93UjArPanpacSGeVY9RKO53luYy3rNFb7IXQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

3. While adding a test case, enter the mandatory details such as name, difficulty, score, input, and output.

4. Select **Mark as a sample test case** only if you want to identify a test case as a sample type. You can add the required number of sample test cases to a question and choose not to assign scores for them.

5. Similarly, you can add the required number of hidden test cases to the question (uncheck **Mark as a sample test case**). Hidden test cases should contain edge case scenarios to validate the candidates' code solution. When the candidate compiles the code, the hidden test cases will be executed to show the status and help the candidate to know if their code returned the expected results.

| Adding                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | a | Test |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|------|
| Case.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734993743714-32891410894995-4c270c72-4f4c-44b6-89d7-562766d05ddf?Expires=253370764800&Signature=IByAukJr5ko1XzVwPoxa0EyO7TkdDdCiFaz2ypmjngkNXIcH-U1SUcC66LDbMOpqlrmLhB6v2dYrVvtG5Xcr2tZNVwH4A2UIZswWbX1MzssB7dTGX78ZXukmZdH3KDmxVmwQ7Gfu6eHzg2fQb10mUtnwe6G1dPqPPw4mhIDxSvCSuQNeU0dlFvll1s1zljZ3AluycknTvOM5Nf2U3ns5Vqp1Q4aDAK2QcK7Z9kTeYSs4G9xUdlxDPT82fce8JxHL6HqW0w-6eBRYwfE~mYC2ApJLphjyFWIRixZUM4b--qTF4x5rWNA5A--NQwuF2YTRP7BTLkCmaKNxOhGw~7omw__&Key-Pair-Id=K3NV4LZ47N8M46) |   |      |

6. To avoid EOF issues, we recommend all test cases that require a multi-value input to define the input in the format suggested below:

```
<table>
<colgroup>
<col style="width: 100%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="width: 483.466px"><p>number of lines (ex. 4)

value of line 1 (ex. 100)

value of line 2 (ex. 500)

value of line 3 (ex. 40)

value of line 4 (ex. 200)</p></td>
</tr>
</tbody>
</table>
```

7. Leverage our code stub generator to manage the input parsing for candidates. The test case input format for our code stubs is as below:

```
<table>
```



```

<colgroup>
<col style="width: 100%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="width: 507.188px"><p>5 separate input parameters e.g. foobar(a, b, c, d, e) -
separate parameters by newline:

2

3

4

5

6</p></td>
</tr>
</tbody>
</table>

<table>
<colgroup>
<col style="width: 100%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="width: 508.097px"><p>Int / String Array - the size of the array followed by the
list of values in the array

3

100

200

300</p></td>
</tr>
</tbody>
</table>

```

The following image illustrates the candidate's view of the test case execution status for the compiled code in the test. Note that the candidate can only view the sample test case's input and expected output values. Only the test execution results are displayed for the hidden test cases.

```



```

Refer to [Viewing a Candidate's Detailed Test report](#) to know how the test cases show up in a test report.

### ### Scoring Test Cases

Assign varying scores to test cases based on difficulty, ensuring a fair distinction between candidates' skill levels:

- Assign more points to complex test cases.
- Sample test cases can be assigned zero points if desired.
- The sum of all test case scores constitutes the total question score.

If the candidate solution does not complete within the test case time limit, the test case fails, and the candidate receives no points. Timeouts usually occur in more challenging test cases with unoptimized solutions. For more information about language-specific time limits, see [Execution Environment](#).

### ### Best Practices for Test Cases

#### #### Syncing with Code Stubs

Ensure input and output structures align with the code stubs to maintain language consistency:

- For arrays, read the size (`n`) first, followed by `n` elements.

- For linked lists, input includes the number of elements and their respective values.

#### **\*\*Key Recommendations:\*\***

- Diversify test case complexity and sizes.
- Avoid duplicating test objectives across multiple test cases.

\

# [library/additional-resources/programming-questions] Creating a Custom Checker

```

title: "Creating a Custom Checker"
title_slug: "creating-a-custom-checker"
source_url: "https://support.hackerrank.com/articles/6515044510-creating-a-custom-checker"
article_slug: "6515044510-creating-a-custom-checker"
last_updated_exact: "Dec 24, 2024, 4:47 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Library"
 - "Additional Resources"
 - "Programming Questions"

```

## # Creating a Custom Checker

\_Last updated: Dec 24, 2024, 4:47 AM (Last updated 1 year ago)\_

### ## Custom Checker Code

Custom checker code consists of 3 parts. Two non-editable parts are referred to as a head & tail section. The editable part of the custom checker is called the body section. The body section has a method named `run_custom_checker()`. This method takes two arguments: a `TestStructure` object and a `ResultStructure` object. This method is executed after a candidate's submission is run. Each test case evaluates the candidate's submission results.

!image.png](https://assets.usepython.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734418873603-image.png?Expires=253370764800&Signature=Z1BFEq59ipAIU59o7tJOT6k7c7DDMeF5c43qwsThJ01dOnP~519zfjyZiBkD5oLgPgZ6cMJVIKaI9Osg0nVpf9~kXN3cCLRKp7ripvVoqnQWoPIMGoorGSsdk303zjDsk~sjkKCh3ITleFvljTTE~N7XpOgmbMMUk1EiOcFKbyQhg2JCSzd22Cj-vupJ~CD01JKdr2HcPcFqxDypDyC-ZR~FvIJfrcVlvuo0izu6XaE7UGCLR~UrZ1-1qOCZaLYF9y~s45cM2JzacMqFIQ0glTqFTCyN1tspV0BGrKhjqKlofR7q21XCEReYMSNMRsjoNd5hV6rzDncDydh8MA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

### ### Test Structure

```
| | |
|---|---|
| testcase_id | \[int\] ID of the test-case |
| testcase_input_path | \[str\] File path to test-case input |
| testcase_output_path | \[str\] File path to test-case output generated by the problem solver |
| testcase_expected_output_path | \[str\] File path to test-case expected output to be matched with |
| metadata_file_paths | \[list<str>\] File paths to Question metadata (Extra files usually used for defining training sets) |
| submission_code_path | \[str\] File path to submission source code |
| testcase_result | \[bool\] Set to True if test-case output matches test-case expected output. Matching is done line by line |
| testcase_signal | \[int\] Exit code of the test-case process |
| testcase_time | \[float\] Time is taken by the test-case process in seconds |
| testcase_memory | \[int\] Peak memory of the test-case process determined in bytes |
| data | \[str\] <Future use> |
```

### ### Result Structure

```
| | |
|---|---|
| result | \[bool\] Assign test-case result. True determines success. False determines a failure |
| score | \[float\] Assign test-case score. Normalized between 0 to 1 |
| message | \[str\] Assign test-case message. This message is visible to the problem solver. |
```

The test case result is determined by setting values for the `ResultStructure` object.

- \*\*Result:\*\*** Set this to True if a minimum cutoff score is achieved, otherwise, False. This decides whether you have cleared this test case or not.
- \*\*Score:\*\*** This is a normalized score, where one would fetch the total score, and 0.5 would fetch half the score.
- \*\*Message:\*\*** This is a customizable message that can be used to convey a message regarding a test case result, e.g., `?Failed because the cutoff was not reached.`

**\*\*Note:\*\*** Please don't print anything to STDOUT in the `run_custom_checker` function.

### Custom-Checker for list of 5 prime numbers under 100

...

import re

# Function to determine if the given integer is a prime numberdef is\_prime\_number(x):

if x >= 2:

for y in range(2, x):

if not x % y:

return False

else:

return False

return True

def run\_custom\_checker(t\_obj, r\_obj):

result\_data = "

try:

result\_data = open(t\_obj.testcase\_output\_path, 'r').read()

except IOError:

r\_obj.result = False

r\_obj.score = 0

r\_obj.message = 'Error reading result file'

return

# Read contents of the result file

values = re.split('\n', result\_data)

# Make sure all the values are unique

uniq\_values = set(values)

# Count the number of primes

correct\_values = 0

for value in uniq\_values:

if value and is\_prime\_number(int(value)):

correct\_values = correct\_values + 1

# Cutoff score to determine success

if correct\_values > 3:

r\_obj.result = True

else:

r\_obj.result = False

r\_obj.score = correct\_values / 5

r\_obj.message = str(correct\_values) + ' out of 5 values are correct'

...

### Result



Here is a similar custom checker in Java  
-[https://gist.github.com/patilarpith/7b17b5afb9218f770ebc528747017d25](https://gist.github.com/patilarpith/7b17b5afb9218f770ebc528747017d25)

## Scoring An Approximate Solution Question

Approximate Solution questions are automatically scored based on a custom checker. They are scored like coding questions without a custom checker, using test cases to determine the final score. The question setter defines individual test cases with input-output pairs for coding questions. Each test case has an assigned score, and the total possible score is the sum of all test case scores. When a custom checker is used, it runs once for each test case. During the test, the candidates' code is tested with each test case input. The custom checker evaluates and scores each test case; the candidate's final score is the sum of these scores.

\*\*Related Article:\*\*

- [? Creating an Approximate Solution Question](/articles/1242375181)

\

\

[library/additional-resources/programming-questions] Defining the Problem Details: C

```

title: "Defining the Problem Details: Coding and Database Engineer Questions"
title_slug: "defining-the-problem-details-coding-and-database-engineer-questions"
source_url:
"https://support.hackerrank.com/articles/7816600113-defining-the-problem-details%3A-coding-and-database-engineer-questions"
article_slug: "7816600113-defining-the-problem-details%3A-coding-and-database-engineer-questions"
last_updated_exact: "Dec 24, 2024, 4:33 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Library"
 - "Additional Resources"
 - "Programming Questions"

```

# Defining the Problem Details: Coding and Database Engineer Questions

\_Last updated: Dec 24, 2024, 4:33 AM (Last updated 1 year ago)\_

## Overview

The problem details are an integral part of creating any question. Particularly for the coding and database-related questions, a good problem statement should comprise a clear and detailed problem description, supporting data schema, at least one sample test case with an explanation, and problem constraints.

HackerRank for Work simplifies this process with predefined templates to describe your **Coding** and **Database Engineer** type questions. The templates are a simple and structured format to define your questions clearly.

It is recommended that you use these templates to define your Coding and Database Engineer type question problem details because it provide a structured and clear view of the question to your candidates during Tests and Interviews.

## How to Define a Problem Statement?

**Steps**

- 1. While creating a question, navigate to the **Problem Details** field on the **Question Details** page.
- 2. On the extreme right of the toolbar, click on the **Use content templates** option.

!Use  
Templates.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046717053-?Expires=253370764800&Signature=g-V3y5JVTegRayaPtjxxWrljdCiX1VhBCBsmT1JphY2ScvD-P-TfFV72H3zhLOWkGuJEeNMhWxnM9wX-kwHCqmFGO-hdT5aB5Kli3xMJW7RORcmP-L1MU6ltpTiSRLVIRZXTAXwFhtrj5v0VDdKLMxHWt6Y4xOKGwMEveQLm1sq82m2xYFdm38V-qSvQWdq~hCmhTT9IX644L3njRkAszNaBOn134EXtn1ZfCITw2gN6AnQAZ~plsZHUiqpm-V3rMumCsHxeNVQleZc3-ukwhHDV1Fb6fPbhsmMczD250UaE5t1Td2bbuMdfZHafXWmPtWMTqvpzrlQ6Tc-NXsTVA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

The following templates are available for selection:

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="background-color: #eafcef"><p>Template </p></td>
<td data-cs="1" data-rs="1" style="background-color: #eafcef"><p>Description</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 309.83px"><p>HackerRank's Coding Question Template</p></td>
<td data-cs="1" data-rs="1" style="width: 310.739px"><p>Recommended for coding-type questions. Provides the format to define the:</p>

<p>problem statement</p>
<p>function</p>
<p>constraints</p>
```

```
<p>sample input values</p>
<p>sample output values</p>
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 309.83px"><p>HackerRank's Database Question Template</p></td>
<td data-cs="1" data-rs="1" style="width: 310.739px"><p>Recommended for Database Engineer-type questions.
Provides the format to define the:</p>

<p>problem description with any database queries</p>
<p>the database tables schema </p>
<p>the input using the sample table schema</p>
<p>the output values</p>
</td>
</tr>
</tbody>
</table>
```

![Templates.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046717817-?Expires=253370764800&Signature=TZ~uUDGQb57qfWM95BIPuGPf4qdsyrCg1aGJwvW4Vjdm-V0xz8DPr265U5H80yBiVAsYAzvSnNDXbpMtJZ7HtFuv45t4LNhXgfkTKji~ry7kpTNekuvJ8lgQpnDXRh1sLDj7uY-GY3Vm7jcl7fEscvCAzcO0bt-9aEm1yO25u2gLarOnwL33XbUK33g6U-ycwX8syzTvGkl8vZBjIQ~ySL5LwKqrfvr-ncYLIq7CHc5A6fQZipNVB9Jo3G0SBJIZ48nP3OJo0qqfn0Cnn6kJFKhMvM6GY0HPs89yuBhvYfr~bwXStsCX3nb-hV6I~aUftvtmZlvwDjau~m2VJXnXw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

**\*Selecting a template\***

1. You can select the required template based on your question type. The template format is added to your **\*\*Problem description\*\*** area.
2. Detail the question as per the format.

![Problem Description.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046718167-?Expires=253370764800&Signature=vJIK~hCUUp4aYrFCypvgaMpLptqhoxWYnrkEo66BzrTFvy5-ErquyOD6vcv0D2E40Nx266WlwnWCXXvlzuKJSSw-JgHtYkhEY4HAjR8jWvQPJejCoDSxKnOYUM3j~007-rsjym6OIFURcK8DBAwZO3VixNbUM9LCKx8Y6eCCPcLY0VhaR2EQPea4DaL1C4A4hhjMBwoZKGKLEHJh9Q5a3LaNUBx-bc~6WPuRZYtwdGOL6dm~kKH7jLPDawa~T6dqrwVU3V9x4lqjAMiSwsapn~X9EgcOPLwhmca2RAboCjdKcU~feFX8Pvy95Ao85MSYwLfXk-t70THAAu37uyXm8tg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

**\*A coding question description using a coding template\***

**\*\*\*For example\*\*\*:**

```
<table>
<colgroup>
<col style="width: 100%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="width: 733.466px"><p>Problem Description</p>
<p>Write a program that reads in a string and finds the first non-repeated character in that string. Treat the characters as case sensitive. Therefore, "a" and "A" are different. You will be required to complete a given function nonRepeated.</p>
<p>Function Description</p>
<p>Char nonRepeated(char * str)</p>
<p>Constraints</p>

<p>The length of the string is less than 256 characters.</p>
<p>It is guaranteed that there will be at least one non-repeated character in the given string</p>

<p>Input Format</p>
<p>There is one sentence in the input that contains String Str.</p>
<p>Sample Test Case with Explanation</p>
<p>Sample Input</p>

<p>balloonbA</p>

<p>Sample Output</p>

<p>a</p>
```

```


<p>Explanation</p>

<p>"a" is the first character that is not repeated in the given string.</p>

<p>Output Format</p>
<p>A single character that represents the first character in Str that is not repeated.</p></td>
</tr>
</tbody>
</table>

```

## ## Recommended Practices to Define a Problem

### 1. Problem Description

- **Variable naming convention**:

- The variables in the problem statement must match those in the code stubs. If you refer to a variable in the problem statement as **"N"**, it should be referred to as **"N"** (and not **"n"**) in the code stubs as well.

- All variable names and function names should be italicized. For instance, **nonRepeated** is italicized in the above example.

- **Terminology Usage**: Be specific and clear when writing a problem statement to avoid ambiguity. \*For example:\* When you have to refer to "binary search tree,"; do not use "tree" or "binary tree," but instead use the "binary search tree" phrase.

### 1. Input and Output format

- To ensure a smooth experience for the candidates, you must clearly specify the input and output format while defining the problem statement.

### 1. Constraints

- Unless you want the candidates to figure out all possible constraints of a problem, you should mention these constraints clearly. \n \*For example: \*If the code has to read a number as an input, specify the range of that number. This will help the candidate to decide if **int**, **long int**, or **long, long int** has to be used. If the input is a string, specify the special characters such as: **@ , . ^ %** are also present in the string. You can also specify if it contains consecutive spaces.

### 1. Sample Test Case with Explanation

- A sample test case, with input and expected output, is strongly recommended to clarify the problem statement to the candidates.

\



[library/additional-resources/programming-questions] Floating Values in Database Engineer Questions

---  
title: "Floating Values in Database Engineer Questions"  
title\_slug: "floating-values-in-database-engineer-questions"  
source\_url: "https://support.hackerrank.com/articles/7867481079-floating-values-in-database-engineer-questions"  
article\_slug: "7867481079-floating-values-in-database-engineer-questions"  
last\_updated\_exact: "Dec 13, 2024, 5:08 AM"  
last\_updated\_relative: "Last updated 1 year ago"  
breadcrumbs:  
- "Library"  
- "Additional Resources"  
- "Programming Questions"  
---

# Floating Values in Database Engineer Questions

\_Last updated: Dec 13, 2024, 5:08 AM (Last updated 1 year ago)\_

## Overview

When you create a Database Engineer question, you can upload a CSV to create a table. Each of the database systems that are supported, handles floating-point values differently. This article provides you with an example to show how each database system handles the floating-point values. Currently, HackerRank supports Microsoft SQL, MySQL, Oracle, and DB2 databases.

## Floating Point Values Sample

The following example shows how different database systems handle the data. When creating a Database Engineer question, take into account that the queries return different results depending on the database system used, and scoring is done by basic string comparison.

!dbrank.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046693828-?Expires=253370764800&Signature=uHKe6hPneBUFLMFWyrnm6agELjbgvhGb0UQxm56mCVDQktn7~MQS6d7Zk1ZXxykEeG1a~ZITTp4Zu4ENjrJNZDxsW-Qv7Uc4F7p9Mfh27QdCcoJgukZliUCKt3v5xAUV4F0D7BDEFX2tclNp37O3TPibLL0d3erZpa9dccH5jL2-WUzW0HnjevJPgRFdiTqJKlwp~NuOmquJ4X33w6ljgudCW6iPAk30xB4Hq~pP0ML4tX1tJzGnt9fPyP8ah2BdqGeUijna7nnk5OmXf1qMshYx6~aJe2s6ib5bzvRWhS8Jc~jBt88hez17dFHbU97DvwsWZYh5zCWrmCfp8PnzjuA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

\nA table named Employee with the following CSV with 5 columns. The points column is afloat.

Id,cid,aid,points,score:\n1,5608,1,0.59,4\n1,5608,2,8.70,5\n1,5608,3,4.99,1\n1,5608,5,2.88,3\n1,5608,9,0.79,1\n1,5608,5,7.58,1

For the query "SELECT \* from Employee", the following databases treat the float data in the following ways:

\*\*Oracle\*\*\nIn Oracle, the points column is of type FLOAT. The output is as follows:\n1 5608 1 .59 4 \n1 5608 2 8.7 5 \n1 5608 3 4.99 1 \n1 5608 5 2.88 3 \n1 5608 9 .79 1 \n1 5608 5 7.58 1\nOracle database trims the leading zeros.\n

\*\*MySQL\*\*\nIn MySQL, the points column is of type FLOAT. The output is as follows:\n1 5608 1 0.59 4 \n1 5608 2 8.7 5 \n1 5608 3 4.99 1 \n1 5608 5 2.88 3 \n1 5608 9 0.79 1 \n1 5608 5 7.58 1\nMySQL prints the data as it is provided.\n

**\*\*MS SQL\*\***

In MS SQL, the points column is of type REAL. The output is as follows:\

1 5608 1 0.58999997 4 \

1 5608 2 8.6999998 5 \

1 5608 3 4.9899998 1 \

1 5608 5 2.8800001 3 \

1 5608 9 0.79000002 1 \

1 5608 5 7.5799999 1\

MS SQL prints an approximate value. Use the data type DECIMAL (10, precision) to fix the places after the decimal that are required in the output. If you change the schema-creating SQL we generated from the CSV so that the points column is of type DECIMAL(10, 2), the output changes to this:\

1 5608 1 .59 4 \

1 5608 2 8.70 5 \

1 5608 3 4.99 1 \

1 5608 5 2.88 3 \

1 5608 9 .79 1 \

1 5608 5 7.58 1\

MS SQL removes the leading zeros.\

**\*\*DB2\*\***

In DB2, the points column is of type DECFLOAT. The output is as follows:\

1 5608 1 0.59 4 \

1 5608 2 8.7 5 \

1 5608 3 4.99 1 \

1 5608 5 2.88 3 \

1 5608 9 0.79 1 \

1 5608 5 7.58 1\

DB2 prints the data as it is provided.

[library/additional-resources/programming-questions] Defining Test Cases for Coding Questions

```

title: "Defining Test Cases for Coding Questions"
title_slug: "defining-test-cases-for-coding-questions"
source_url: "https://support.hackerrank.com/articles/8626818013-defining-test-cases-for-coding-questions"
article_slug: "8626818013-defining-test-cases-for-coding-questions"
last_updated_exact: "Mar 10, 2026, 1:03 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
 - "Library"
 - "Additional Resources"
 - "Programming Questions"

```

# Defining Test Cases for Coding Questions

\_Last updated: Mar 10, 2026, 1:03 PM (Last updated 2 months ago)\_

## Overview

Test cases help in validating candidates' code. They form the basis for automated evaluation of a candidate's code. A test case consists of an input to the code and an expected output. Once candidates submit the code, it is run against all the test cases. The output from the candidate's code is compared with the expected output to see whether the test case has passed or failed.

A sample test case with an explanation can also aid in explaining the problem better to the candidates. Ideally, you should use 2 to 3 such sample test cases to help the programmer understand the problem. We recommend having a total of 8 to 15 (ideally a total of 10) test cases that cover all the scenarios. The test cases should be of different sizes that cover different levels of complexity. No two test cases should test the same concept.

**Note:** Please refer to the [Test Cases in your Coding Question](https://candidatesupport.hackerrank.com/hc/en-us/articles/4402921131155-Test-Cases-in-your-Coding-Question) to understand the usage of Test cases while creating coding questions for HackerRank Tests.

## Types of Test Cases

There are two types of test cases for each problem, a **Sample Test Case** and a **Hidden Test Case**.

### Sample Test Cases

Sample test cases are the test cases that the candidates can view and use to validate their code. They see both input and expected output values for these test cases. While creating the test cases, you can mark certain test cases as sample test cases.


For example, see the illustration below of a sample test case defined for a coding question. The question requires the candidate to write code to find the first non-repeated character in a given string.



\*Defining Sample Test Cases for a Coding Question\*

In the test, when the candidate writes and compiles the code for the question, the sample test case is validated against the candidate's code. The candidate can view the sample test case execution results along with the input and expected output values as defined by you. Viewing the sample test case execution results helps the candidates understand their code's expected results. Candidates can also download their sample test cases.

The following image displays the candidate's view of sample test cases execution status after compiling the code in the test.



### \*Sample Test Case Executed after Candidate Compiles the Code\*

#### ### Hidden Test Cases

While adding a test case to your coding question, if you do not mark it as a sample test case, it is considered hidden. Hidden test cases have evolved from the era of competitive programming.

You can include various corner cases as hidden test cases to evaluate candidates against different scenarios. When a candidate runs their code, the hidden test cases are indicated by the **\*\*lock\*\*** icon.

Unlike sample test cases, the candidates cannot see the input and expected output values for these hidden test cases. Although, they can see their output and debuggable output when they click on any of the hidden test case options. This feature is provided to candidates to give them a better debugging experience.

Consider a coding question where a candidate is required to write code to find the first non-repeated character in a given string.

![Hidden\_Test\_Case.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046586504-?Expires=253370764800&Signature=oy45w-pPuh93nDS9XluTCTyOdDapcJpTgkhtwWZrkZ3nByDLY10tt4bXzaUTAAJC8ppBy3INFa~ZluG1RF6aPhXpu3AU0fzOYtAbs68rDlofq4wcqhoHpb8k4eJ4CnCz2oQjY0jWlb95g8tiA9qPFuZoq4x4zkrZ~32HAVkc3m9ID-KIkX96mRpo8qtjhnPt90KPaksInmrXF-IM6Vpwy~W~5C~misDT2mmvU6Gx2yEYKgJfB~u~jHhIRdW7ZCvP0BndiMqHOe6XqGI8KILP1-vkDZfkWRSj2K4plzMnp5bt6tt8PZKwrZLRpGUJBQnAE99Mqh8nPibv31Kr7D7Rg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

### \*Defining Hidden Test Cases to Validate the Candidate's Code\*

In the test, when a candidate writes and executes the code for this question, the hidden test case is validated against the candidate's code to return the test case execution result. If the candidate's code successfully executes the hidden test cases and returns the expected output, then the candidate achieves the score assigned for this test case.

![mceclip1.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046586838-?Expires=253370764800&Signature=kvTLCs3Eb1uN0h84ZOWeCCpH8AmmYzCPXJvYlYxuRjA9aqQJ8IYunw3ql-B-7ANDJmmENHSCZloq8Wer12ZUUMB4C1Hh0bLe1HuByvtyQA6f9~Yy61xLD5eQNIeAGTfWS24uXwaYwXYTuU8rymQpRlyeFqaiUTFNXPcjzzfcL~i7nqE7RAPD8e-awUSbLU7yb6GNbEAGLeo82NpyoK5WdFLTOG4QeLLH2QERkoedctTCPEbMFRQ1CeylKl3JQpyT9qpUi~V3Ff78peMTDe~rqdwV3TG7ptlvo90iuReO71MlaGankERNZGm7vj312Ed~ruic0KypfNOueFiQioGg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

### \*Candidate's Code Execution and Test Case Results displayed in the test\*

#### \*\*Disabling the Output for Hidden Test Cases\*\*

You can also choose not to show the output of the hidden test cases for the candidates. To disable the output for hidden test cases, follow the below steps.

- On the **\*\*Tests\*\*** home page, click on the desired test.

![question.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046587240-?Expires=253370764800&Signature=mRV1uZ4F4~B6C723y~hySOZOgkuN8290vNjWGw5KgadmCTGEb4fUxIE4YbvGhGwOdUaX2D6sxDTESrdqFZ4Xr0PVdiZMwrx8Oy1qI9aB29o8BQu4GJ5CC7efBfXQ2CfPmtNj-mih~3noQS4KTebdJS1QbkmCOUfYJZsmrTW5fGXDhVlnNIIZWRArwa~MX9cETthckYZDXWw~qJo8hPrda7CW6O16s4K8GNIRv3vKGMRSQZAS91q93eBF~6UViZTjsU8jh3KEeFF9NIsVq2bYznOyRdBa8no-WFyf5qydpX4wSc8FBVe1rWDb5XGxZXZiuu8pRMLxoxPySY2OaEKbKg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- After clicking on the question, click on the **S\*\*ettings\*\*** tab and then the **\*\*Questions\*\*** option from the left.

![question\_settings.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046587596-?Expires=253370764800&Signature=mtFR15sukQil~IQvzJWqwQEMIQ19EqLgP2tpmmShXcYJaWu1oNr-WGi-x2m-BL5MV-LT5EaywJmCP6L8T8C7xVBvIMVJf4NNOBn9OnFnib=FRgKGdzBI0gUN1-zxlr9-b0GqojhF2~vMa9IMM~8MgZPBmbI3kQKA8EYQmGFXdMG7kXN799DAHcis7ka~Cqr4VVNSxZMIICqCuHE~mHECBM2ggEaCiVvX1UEbuHS411NtuRRhZXPpy83piFXONzWhJM67LGL3hf6d311RWGcg9gzpygPHLayNHhdFEok0DjSjRQcr4nlxy~1GeuYBXsP4IYZ-53v-TB3QLVoLEdPmcA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- After clicking on the **\*\*Questions\*\*** tab, scroll down, you will find the option to disable the output for the hidden test cases as shown below. However, this is not recommended since showing the output helps the candidates to debug their code effectively. The option to show the output is selected by default. If you want to hide your output, you can deselect the **\*\*Show Output for the hidden test cases\*\*** checkbox.

![hidden\_test\_case\_output.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046588009-?Expires=253370764800&Signature=HRLkvr2bMbVPx3udwCRbvwD9oiKAu6LwtHb1ahhYmWZGAqcvXTT2cWjAMyHmgcQPO1LLkLMEKaWun2hvc-JQIHnEKfbThy3w6pKA3dJAnCs5ECMLxau7nYY5U3F2raeeUxvFk-yo56SA6Gw1rJJ7r1HAFKIXmiiN9YyzBicdV50QJ95UOrLUi7smiuj5fkK42-nUfvLD9is~vlrHP1f57~6Q-s9CGTZmGFKxStclUUCKpotK0EN7vciXfk1~860lau4rYxUTtTQgG-QVHR4mVN~6P2xLffl8ec3gQD5068D3eP3Gdx55-vZyhYRwomBjby-xgiLEVawIVbRWdCkQg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

**\*\*Note:\*\*** Our reports suggest that candidates tend to lose a lot of their test time while finding a solution or debugging because of hidden test cases. To reduce this challenge and give candidates a better debugging experience, HackerRank looks forward to moving away from hidden test cases in the future and introducing a breakpoint-based debuggable experience to candidates.

## ## Scoring

Not all test cases have the same difficulty level. While creating the test cases, you must ensure that more points are assigned to the difficult test cases as compared to the easy ones. This leads to a better distinction between outstanding, good, and average programmers. The sum of scores of all test cases is the total score assigned to a particular question. You can assign zero points to sample test cases if required. The overall score for a coding question is the sum of the scores of all the test cases which are successfully passed.

In the following illustration, you can see the candidate's detailed test report in HackerRank displaying the score achieved for the question based on the test execution status.

![Test\_Report\_status\_of\_score\_achieved\_for\_Test\_case.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046588350-?Expires=253370764800&Signature=u6LRRc4f7AugPfrjtYyVP8e9UTr7RyF5dncNKU4glO5k~3Y9HliAEo623I7kHfABt~AkzQDuxYvjzYWMNZA7IwiXvN3Rf9HiuPur5oodz1Ieu6CoKlcwJzblyZUuE7njSMNHL-iefQ29XJzBppm6zJPHyFly0V-QiHbO4qwt39PzDOvDvRlapoOvJ-Vh9mqLWo4gCP2WVlb~Np5K~sg89Ol6i5~OD9j-atfvDacX8erPp~Yipm037zUUjYLFXA0aakLero1YaAQaBeVf1nzPfM1bllal~X0rj9sftVaU7VHBNaBfFFu9ZE2y~BumeYU0aTHxjGMYAO8Z4AfxTOdX8A\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

\*Question Score displayed based on Test Case Execution Results\*

## ## Sync Test Cases with Code Stubs

When you are using autogenerated code stubs, ensure that the input and expected output are in sync with the code stubs. You can refer to the tail portion to understand this.

\*For example\*:

- If the input is an array, you will always read in "n" (denotes array\_size) first and then read "n" array elements in "n" separate lines. This is required to ensure consistency in reading input across different languages.

- If the input is a linked list, you will always read in "n" (denotes the number of elements to be added to the input linked list) and then read "n" elements in "n" separate lines.

\

# [library/additional-resources/programming-questions] Generating Code Stubs

```

title: "Generating Code Stubs"
title_slug: "generating-code-stubs"
source_url: "https://support.hackerrank.com/articles/9168425479-generating-code-stubs"
article_slug: "9168425479-generating-code-stubs"
last_updated_exact: "Dec 13, 2024, 5:15 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Library"
 - "Additional Resources"
 - "Programming Questions"

```

## # Generating Code Stubs

\_Last updated: Dec 13, 2024, 5:15 AM (Last updated 1 year ago)\_

### ## Overview

You can generate a boilerplate code that saves your time while setting up a coding question. This boilerplate code or code stub handles the inputs and outputs in the code.

Adding code stubs is strongly recommended to save candidates time to avoid minor errors pertaining to the input and output format. The pre-generated code stub allows them to focus on the algorithm required to solve the problem instead of the input and output syntax.

### ## Code Stub Parameters

The code stub can be automatically generated for most the languages by specifying the following:

- **Function Name**: You can only specify one function for the automated code stub generation. However, if you require more than one function, you can select the language and manually type the code stub for that particular language.
- **Return Type**: The function's return type defines the type of value returned by the function. It can be a string, integer, boolean, long integer, integer array, etc.
- **Function Parameters**: Function parameters are the particular variables or input arguments used to refer to a particular data provided as an input. Optionally, you can specify the parameters along with their input type. You can specify more than one function parameter if required.

### ## Sample

```
<table>
<colgroup>
<col style="width: 100%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1"><p>Problem Description</p>
<p>Write a program that reads a string and finds the first non-repeated character in that string. Treat the characters as case-sensitive. Therefore, "a" and "A" are different. You will be required to complete a given function nonRepeated.</p>
<p>Input Format</p>
<p>There is one sentence in the input that contains String Str.</p>
<p>Constraints</p>

<p>The length of the string is less than 256 characters.</p>
<p>It is guaranteed that there will be at least one non-repeated character in the given string</p>

<p>Sample Test Case with Explanation</p>
<p>Sample Input:</p>
<pre data-language="plaintext"><code>balloonbA</code></pre>
<p>Sample Output:</p>
<pre data-language="plaintext"><code>a</code></pre>
<p>Explanation</p>
<p>"a" is the first character that is not repeated in the given string.</p>
```

```

<p>Output Format</p>
<p>A single character that represents the first character in Str that is not repeated.</p>
<p>Code Stub</p>

<p>Function Name: nonRepeated</p>
<p>Return Type: String</p>
<p>Function Parameters</p>

<p>Type: String</p>
<p>Name: Str</p>

</td>
</tr>
</tbody>
</table>

```

However, if you expect candidates to be familiar with the handling of input and output, you might choose not to generate any code stubs. Candidates have to write the complete code from scratch in this case.

Currently, you cannot generate code stubs automatically for the following languages:

- Cobol
- Elixir
- F#
- OCaml
- Racket
- Smalltalk
- VB.NET
- D
- Fortran
- Groovy
- Pascal
- Common Lisp (SBCL)
- Verilog

For these languages, you can type the code stub manually in the editor.

### Test Case Input Format

To learn more about the input format for test cases, check out the [Test Case Input Format](https://support.hackerrank.com/hc/en-us/articles/115008319188-Test-Case-Input-Format) article.

###

## [library/additional-resources/project-questions] Validating a Project for Front End, Ba

```

title: "Validating a Project for Front End, Back End, and Full Stack Questions"
title_slug: "validating-a-project-for-front-end-back-end-and-full-stack-questions"
source_url:
"https://support.hackerrank.com/articles/1053996435-validating-a-project-for-front-end%2C-back-end%2C-and-full-stack-questions"
article_slug: "1053996435-validating-a-project-for-front-end%2C-back-end%2C-and-full-stack-questions"
last_updated_exact: "Jun 17, 2025, 11:45 AM"
last_updated_relative: "Last updated 10 months ago"
breadcrumbs:
- "Library"
- "Additional Resources"
- "Project Questions"

```

# Validating a Project for Front End, Back End, and Full Stack Questions

\_Last updated: Jun 17, 2025, 11:45 AM (Last updated 10 months ago)\_

Before you import a project in a 'HackerRank Projects' question (front-end developer, back-end developer or both), you should ensure it is valid. A valid project should have the following:

1. The project must be less than **5 MB** in size.
2. A **hackerrank.yml** configuration file in the root directory.
3. The configuration should have all the required parameters. Follow [[Configurations for Front-end, Back-end and Full stack Developer Questions](#)](/articles/9443018671) to learn about writing a valid hackerrank.yml file.
4. If the project has a server that needs to be exposed outside of the machine (eg: a web server), it should be running at one of the open ports: **(3000, 3030, 5000, 6000, 6001, 8000, 8080)** only. No other port is exposed outside the machine.
5. The scoring command should run successfully and produce a valid output.

Follow [[Scoring Front-end, Back-end and Full Stack Questions](#)](/articles/4110011178) to learn about valid scoring methods for a project-based question's project.

### ## How validation works

To ensure the imported project is valid, a validation step is run automatically when a project is imported. Here is how the validation step works:

1. Ensure the project zip is less than 5 MB in size.
2. Verify that hackerrank.yml is present in the root directory of the project.
3. Validate hackerrank.yml for correct format and required values
4. Start a server with the project zip and run the scoring command. This step can take some time.
5. Once the scoring command has run successfully, the output is checked for a valid output.
6. If the scoring output is valid, it is checked for a valid score. If test case weights are provided in the configuration file, they are also verified in this step.

A project must clear all steps to be considered valid.

**Note:** The scoring command once ran, should finish within 5 minutes. If the scoring command takes longer than 5 minutes, a timeout error will happen.

\



# [library/additional-resources/project-questions] Hidden Test Cases for Front-End, Ba

---  
title: "Hidden Test Cases for Front-End, Back-End and Full Stack Questions"  
title\_slug: "hidden-test-cases-for-front-end-back-end-and-full-stack-questions"  
source\_url: "https://support.hackerrank.com/articles/1626384486-hidden-test-cases-for-front-end%2C-back-end-and-full-stack-questions"  
article\_slug: "1626384486-hidden-test-cases-for-front-end%2C-back-end-and-full-stack-questions"  
last\_updated\_exact: "Dec 24, 2024, 4:52 AM"  
last\_updated\_relative: "Last updated 1 year ago"  
breadcrumbs:  
- "Library"  
- "Additional Resources"  
- "Project Questions"  
---

## # Hidden Test Cases for Front-End, Back-End and Full Stack Questions

\_Last updated: Dec 24, 2024, 4:52 AM (Last updated 1 year ago)\_

### ## Overview

HackerRank Tests allows you to hide your test cases for the Front end, Back End, and Full Stack question types. This article will walk you through the process of adding Hidden Test Cases to your project file.

### ## Steps to Add Hidden Test Cases

- In the ?Setup Project? step of question creation, you can add test case files you intend to hide from the candidate inside the project and declare its path inside the Hackerrank.yml file.

!image3.png)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046494326-?Expires=253370764800&Signature=GQY-R2iM3PIleoLTVT-wLpjo~B0J2vGH8-iLLkcOoPzPsiaCSjNWjWKluVpfX~c~8u2eWN5se119vTw10pEzh3VILi2cvRBQ4wETJDEtrzpNfQyDeez0SP22c8Db-InfZK3T58TAi~jqE3IBM1k1W8VpUIEz1GYDHDnrK~hpZCM2ZfU6IOEdDIZY~N2jEM6plqflKptzF1oZWOSbLCXMgU3tP8E-8gE753Fn5N8tl7r9gk-ENsaOcbqanydE88C7bluHrhznzBKEy6xqdE07aN1FrMINB-gl4nZG054nduFsh~Gu37SsVEkpDWJR23qxqAxwWTun05OtUir9Y2HO6Nw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- On clicking the ?Validate and save? button, the question will be validated for any discrepancies in the hidden test case declaration.

!image5.png)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046494743-?Expires=253370764800&Signature=ANcpk96SAacYTML2VyQYIxcSUSbH7PZijDCY2pexh3Ku~tpYPH~GUMN98IILPoCh8fX-LxsoGw8dyZF0eUSgniE-5ui2ca~b7NcsQnd-ch0MODkXlxD~eWCvNKowSEK~qVBgv59JZAp9Rg4YBvSaj9ac7dLNly2CgJhyWLTqvX2FLUXwxCqpi9UDnM8mOy0z9GuRxSla~3ywsByHKYVRCaxeyPV23fSX3mEorprUh2kwx9BWwLDhmNJJ5m98xq2A4lwabE0FaERLWarCdeL2VMPY1zWtDiiCUL77FgHxh~4BXT2gtDkDW5ydxle9LW7so0OR0VZFfzCidcA8SFQSiA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- If the read-only files or hidden files are detected in the project, the candidate will see an instruction file PROJECT\_FILES\_INSTRUCTIONS.md which would read:

- \*\*Read-only Files\*\*

The following files are marked read-only. You cannot edit these files in the editor; however, it is possible from the terminal. You must not modify or delete these files because doing so results in a zero score.

\\* src/App.test.js

- \*\*Hidden Files\*\*

The following files are not part of the project while attempting, and we add these files when scoring your submissions. You must not create new files with the same name because we will overwrite your changes.

\\* src/App.hidden.test.js

- During a candidate session, the hidden test cases files will not be downloaded into the IDE to ensure candidates are not able to access the files. ?Run test? by the candidate will not display if the hidden test cases passed or not to the candidate.

!image1.png)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046495180-?Expires=253370764800&Signature=TRjlxFXrdETahP3IGs~RHcfKHpvGAek2kMHb4KQX0EvSTG0GPqLm3tywbu0OuuHMZk40w0Vxm6hlOnzQhjJPnVyUfDXHwD66LmdT5thZX4BGNFiqsd4Kg7GMGLUz-BYIQRDeZLQfRspCijaspCn0qYIdUTzOR9TybVzSVHc3tRzjYWI2zSLx0~OwRxw4jJ0G

Q8qUJPr1ChsockgH8EUUnZ62MXdaP8y7LDWIPdaDYqZM9lcZAw~D7xA3R2y1wchKj9oe-GWDk2OZPsBzV1pGHjvbTapKD7RzdbD  
bCW7D8YAg9xFZdC1CFUvTSzR9EFtsOVAE0zTE~k9V91s~Yg6g\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- After the candidate submits the attempt, the scoring will include these hidden files for evaluation.

<!-- -->

- When an evaluator checks the candidate report, all the test cases will be displayed, including hidden test cases.

![image4.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046495563-?Expires=253370764800&  
Signature=EiLYtWEPXoz49PiyPhxDlp6GpB82eCV1GVOz2AjarzF7W9D3QDdU4PrfcFEcaAS6U-w4xywbr4d9yMLtaUdlXNqkMidvzW  
VqO1UmEW07QfSZ0m6eIHIM4xUjBK~eLnmG~F2sAmhcgw8bU7gYOIPEdwb3yf8IKi6UPmnAZhUI4iVgJ9XguGksw-E8iJvSnnDaUY  
O7ykyoqOBBqSSIObtUy9nQpAPDYgM0Ox4dQJg2XS76oDAs44uL0PKcz9axHG1LKcLd1c1uuqu7fi-vDCVq7c6oOZklsgTQtUCxRW  
hV3ba44mYMFwfArq8De8rOZgtLqz~uFpBM~YeTHJ7AFN2yg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- If the evaluators decide to review the candidate submission in the IDE, the hidden test cases would be present in the IDE, and  
?Run Test? will show if the solution passed all test cases, including the hidden test cases.

![image2.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046496002-?Expires=253370764800&  
Signature=kxtz9ktbTnxCwRkRI8hYcU71Qi6MjB6bXuU7IDqCwrcM7eyGa4MRH6Cku2G0WQsjTTQr5HDodJAJOHhY2cSchC4LnWI1x  
eqcDDeF9EP2B60EOhY7dHoCAsScMcuofNRBkDZrwo2D7WEe8yxno5hgpJB29wA7Xga4dfjOsGfp26odKy~h6ZUx8KrzO~NGQsaiB  
0uelQLhnmNGIa0OP7mpOXQYgdvGtE1an2gpcHdELbF9E1NhgtmZtttOUD9i55A1rYrQIU~zYXBnUF8UlduTvKZprzaBxxf0I7AKPZY  
HznZXuGCz4QpR6o4xwKITZwflZBxiObzmCQhc6jNEx5fmg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

\

[library/additional-resources/project-questions] Assessing Candidates on Cloud Skills

```

title: "Assessing Candidates on Cloud Skills"
title_slug: "assessing-candidates-on-cloud-skills"
source_url: "https://support.hackerrank.com/articles/1938573113-assessing-candidates-on-cloud-skills"
article_slug: "1938573113-assessing-candidates-on-cloud-skills"
last_updated_exact: "Jan 23, 2025, 12:51 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Library"
 - "Additional Resources"
 - "Project Questions"

```

# Assessing Candidates on Cloud Skills


\_Last updated: Jan 23, 2025, 12:51 AM (Last updated 1 year ago)\_

[HackerRank Projects](https://support.hackerrank.com/articles/8401114407-introduction-to-hackerrank-projects) enables you to assess candidates' AWS skills in a real-world environment using the AWS console, providing an accurate measure of their ability to handle cloud-based tasks. Candidates are given a temporary AWS account and are scored based on their work in the AWS console.

## Creating a Cloud Assessment


**Steps:**

- You can create [certified assessments](https://support.hackerrank.com/collections/4259349293-certified-assessments) or [role-specific tests](https://support.hackerrank.com/articles/7429771072-creating-a-test-based-on-a-specific-role) to assess Cloud skills.



- You can also add individual Cloud questions to your tests:

- Click on Library from the home page
- Navigate to the left pane and click on **Type**
- Select **Cloud** from the available options
- Select a cloud question and click **Add to Test.**



**Candidate Experience:**

For each AWS Cloud question, the candidate will receive a unique AWS account to use during the test. When moving to the next question, candidates need to ensure they log out of the previous AWS account and log in to the new account provided for that specific question.



8M46" class="kb-image block" data-drag-handle="false" />![AWS Sign  
in.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046217041-?Expires=253370764800&Signat  
ure=FPbhqGTAJrTYpTooQZX21RdOpiqffJgNQn0NZKbq8EeV9EjHHqkvRqPUbQE2l2RLV5lYVbgnEXSdAA7x5sMo8SppRyhyPT5tN  
xe8z--pYMkkUaZs5fuK9JCM4cP-6XeyEXJFSouXseAodBUzF6dzQ8BxZy66t5D8r1v46uEQB6xxBgGG3V6N8q-oVkuX7rLEggCHa6d  
A6WI9ipAAB~8be27B7HKGg~~f~pUIHY4O6y4zZs~zjLpxp~XnfmdYz5BSJzVR34bGNiY47LiwVioNN6zu9eYhNR9WIFQW~fpU1uFcd  
WtuxlIMdoRUHPDCTITaFvNQjNvHfGZWpteuxXt4XQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

**\*\*Results:\*\***

The candidate's work in the console is automatically scored, and the results are reflected in the candidate report.

**\*\*Limitations:\*\***

- The tab proctoring feature and functionality to add time to a candidate's test are not supported when an AWS question is present in the test.

- You can use the hands-on cloud questions available in the HackerRank Library while creating tests as the ability to create custom AWS questions is not available at this point.

If you have specific use cases related to AWS skills that you'd like to discuss with our team, please contact us at [support@hackerrank.com](mailto:support@hackerrank.com).

[library/additional-resources/project-questions] Package Information for Data Science

---  
title: "Package Information for Data Science Questions"  
title\_slug: "package-information-for-data-science-questions"  
source\_url: "https://support.hackerrank.com/articles/6282504591-package-information-for-data-science-questions"  
article\_slug: "6282504591-package-information-for-data-science-questions"  
last\_updated\_exact: "Mar 26, 2026, 6:09 PM"  
last\_updated\_relative: "Last updated 1 month ago"  
breadcrumbs:  
- "Library"  
- "Additional Resources"  
- "Project Questions"  
---

# Package Information for Data Science Questions

\_Last updated: Mar 26, 2026, 6:09 PM (Last updated 1 month ago)\_

## Data Science - Python

Ubuntu 24.04 LTS with Python 3.12.9 supports Python notebooks using IPython Kernel and utilities curl, git, vim, unzip, wget, and zip.

-----	-----	
**Package**		**Version**
altair	4.2.0	
beautifulsoup4	4.11.1	
bokeh	2.4.3	
bottleneck	1.3.4	
cloudpickle	2.0.0	
dask	2022.5.2	
dill	0.3.5	
matplotlib	3.5.2	
missingno	0.4.2	
nlTK	3.6.7	
numba	0.55.1	
numexpr	2.7.3	
numpy	1.21.6	
pandas	1.4.2	
patsy	0.5.2	
plotly	5.8.0	
pytables	3.7.0	
pytorch	2.3.0	
scikit-image	0.19.2	
scikit-learn	1.1.1	
scipy	1.8.1	
seaborn	0.11.2	
sqlalchemy	1.4.36	
statsmodels	0.13.2	
sympy	1.10.1	
tensorflow	2.8.1	
torchaudio	0.11.0	
torchtext	0.12.0	
torchvision	0.12.0	
xgboost	1.5.1	
xlrd	2.0.1	

## Data Science - R

Ubuntu 24.04 LTS with R 4.1.3 and Python 3.12.9 supports R notebooks using IRkernel (R Kernel for Jupyter) and utilities curl, git, vim, unzip, wget, and zip.

-----	-----	
**Package**		**Version**
caret	6.0.92	

coro	1.0.2	
crayon	1.5.1	
devtools	2.4.3	
dplyr	1.0.9	
forecast	8.16	
ggplot2	3.3.6	
ggraph	2.0.5	
ggrepel	0.9.1	
hexbin	1.28.2	
knitr	1.39	
mlr3	0.13.3	
nycflights13	1.0.2	
plotly	4.10.0	
purrr	0.3.4	
randomforest	4.7.1.1	
rcurl	1.98.1.6	
rodbc	1.3.19	
rsqlite	2.2.8	
shiny	1.7.1	
tensorflow	2.8.2	
tidymodels	0.2.0	
tidyquant	1.0.4	
tidyr	1.2.0	
tidyverse	1.3.1	
torch	1.10.2	
torchaudio	0.2.0	
torchdatasets	0.1.0	
torchvision	0.4.1	
xgboost	1.5.1	
xml2	1.3.3	

## Data Science - Julia

Ubuntu 24.04 LTS with Julia 1.7.3 and Python 3.12.9 supports Julia notebooks using IJulia kernel and utilities curl, git, vim, unzip, wget, and, zip.

-----	:-----	
**Package**		**Version**
CategoricalArrays	0.10.6	
Clustering	0.14.2	
DataFrames	1.3.4	
DecisionTree	0.10.12	
Distances	0.10.7	
Distributions	0.25.61	
Flux	0.13.3	
GLM	1.8.0	
Gadfly	1.3.4	
HDF5	0.16.9	
HypothesisTests	0.10.10	
Interact	0.10.4	
KernelDensity	0.6.3	
Lasso	0.6.3	
Loess	0.5.4	
LogExpFunctions	0.3.15	
LossFunctions	0.8.0	
MLBase	0.9.0	
MLDataPattern	0.5.4	
MLDataUtils	0.5.4	
MLDatasets	0.7.1	
MLJ	0.18.2	
MLJLinearModels	0.6.2	
MLLabelUtils	0.5.7	
Metalhead	0.7.1	
MixedModels	4.6.4	
MultivariateStats	0.9.1	
PlotlyJS	0.18.8	
Plots	1.29.0	

RDatasets		0.7.7	
ShiftedArrays		1.0.0	
StatsBase		0.33.16	
StatsFuns		1.0.1	
StatsKit		0.3.1	
StatsModels		0.6.30	
StatsPlots		0.14.34	
Survival		0.2.2	
TableTransforms		1.1.1	
Tables		1.7.0	
TimeSeries		0.23.0	

\

[library/additional-resources/project-questions] Upgrading Custom Project Questions

---  
title: "Upgrading Custom Project Questions"  
title\_slug: "upgrading-custom-project-questions"  
source\_url: "https://support.hackerrank.com/articles/7922341412-upgrading-custom-project-questions"  
article\_slug: "7922341412-upgrading-custom-project-questions"  
last\_updated\_exact: "Dec 15, 2024, 10:49 AM"  
last\_updated\_relative: "Last updated 1 year ago"  
breadcrumbs:  
- "Library"  
- "Additional Resources"  
- "Project Questions"  
---

# Upgrading Custom Project Questions

\_Last updated: Dec 15, 2024, 10:49 AM (Last updated 1 year ago)\_

HackerRank continuously updates [project stacks](https://candidatesupport.hackerrank.com/hc/en-us/articles/4402913877523-Execution-Environment#frontend-backend-full-stack-mobile-data-science-and-devops) to ensure library questions remain compatible with the latest technology. If you have created custom questions using an older stack, these questions will be flagged by HackerRank, indicating an upgrade is available. It is recommended that you upgrade the flagged questions to maintain a seamless test experience for the candidates.

**Note:** You will notice this flag only when an older version of the question is present in one of your tests.

**Steps:**

- Click on the green arrow icon to upgrade the question flagged in a test.

  
src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734239992804-?Expires=253370764800&Signature=ZyXmk9MV8K6b-vT6WfSQ3dR-J01RrbwiAAKwya4aAlAynupVb-eh6E~b1CvJtVwnc5O2zP17guB11yRECIEjKFEIQyr52rjQJdx7STialEa~CoYaYkX-Kqa1lp5pbilKrQ2XO7xcmY5hzQhc2IMOGsXvjP9qsHOkARTrCa2A-NMPBS1gSBinqAHif3cXFZRVAOpMhIS68zyFacmoDlNnBdHP7~crDY25SRU9fGDwW0za8-hgvniohMeLjICtC~ymgbRZm7l-DhPMoE6QjJy6EDzvHHsNIN7AbaUNSECMrAfgcCGquOOvN98~KHISG5kOG0kvcTLORxfrf~duMUGNaw\_\_&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-bbox="53 470 947 535"/>  
data-drag-handle="false" />

- On the following popup, review the details and click on **Upgrade**.

  
src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734239993516-?Expires=253370764800&Signature=FHkERqcUawe4w7a4aWPZow3-6m8gJ7vvlm2b-VAaWoK4cxlzGMCd6b3FZSi5wLFukPGs3qfvpr9Qjp6QeUn83Bu~t~ZjdwGk2HhS7cxsv4q7FCOJRT49W2VE6xcngQRD7ZKPRXMqqaC7zGzlidYQaIA6f6LQx9LzSJ9uOqhnnneSF8klXoOrJHi3jTOTxvQauJkrCZ1m1Eva79BTLQfk78R6YEkogxz60r8gKXktCZKEVcGWfUAbjNzCg~wJ7LXs-L14OOV~Sk~WokwdXvEN9W9Y-yj~dM1sQS5sZSTCM~LmQMcetK-W22r5-jrT5zl6RBTB~wcvzMI1UfgvTcKrg\_\_&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-bbox="53 605 947 670"/>  
data-drag-handle="false" />

- In the next step, validate the by clicking on **Validate & Upgrade**.

- If the validation fails, refer to the validation, identify the reasons provided, and update the project accordingly.

\



[library/additional-resources/project-questions] Assessing Candidates for Azure Skills

```

title: "Assessing Candidates for Azure Skills"
title_slug: "assessing-candidates-for-azure-skills"
source_url: "https://support.hackerrank.com/articles/8545628905-assessing-candidates-for-azure-skills"
article_slug: "8545628905-assessing-candidates-for-azure-skills"
last_updated_exact: "Jan 23, 2025, 12:50 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Library"
 - "Additional Resources"
 - "Project Questions"

```

# Assessing Candidates for Azure Skills

\_Last updated: Jan 23, 2025, 12:50 AM (Last updated 1 year ago)\_

[HackerRank Projects](https://support.hackerrank.com/articles/8401114407-introduction-to-hackerrank-projects) enables you to assess candidates' Azure skills in a real-world environment using Azure consoles, providing an accurate measure of their ability to handle cloud-based tasks. Candidates will be provided with temporary Azure accounts and are scored based on their work in those consoles.

## Creating a Cloud Assessment

**Steps**

- You can add individual Azure questions to your tests:
- Click on **Library** from the home page
- Navigate to the left pane and click on **Type**
- Select **Cloud** from the available options
- Select a cloud question based on **Azure** and click Add to Test.

![[2024-09-04\_15-43-10.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046050169-?Expires=253370764800&Signature=LG~RHqo-RYSv91CwJxu-GF~7PmzLpqFLUTOGL1uBKcaPMFyAPprjeffrKLFB8PjfAMgvSIYmE4ukzdmlB~ULET5uPQsTx96DaYGNdeUZc-baSSMgXRZ9QSGeYnb8K-fPNgAOfgNvzsBi4QIIIRvCgqZ53q9k~Rdq136YIkSi2ASellYXrlpN20ujMjOOjYpE4yHvcvuK1RTcRdP~--TYXKPP9Zs-l8MCp40idnuijBP87Cx51kOMgeJQfeOh-BR1nPkUeXiSQqwKPUHLAs1FEvuUhRMQrxtDKwxNvScA3bBcSxkN4IZLPKgsGjXppEih44sh~~NtHkna172bWx6cx8rVg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

### Candidate Experience

- For each Azure question in the test, a unique Azure account is provisioned.
- For example, if the test contains four Azure questions, the candidate will be provided with four separate Azure accounts.



- The candidate will see an option to launch the Azure portal with a username and password tied to each question.
- Candidates must log in using the correct Azure account for each specific question.



- After logging into the Azure portal, the candidate can access necessary resources, such as creating a virtual machine.



### ### Evaluation and Reporting

- Once the test is submitted, the system automatically evaluates the candidate's work using the logs from the Azure portal.

- You can view the \*\*evaluation criteria\*\* for an Azure question by opening the question within the HackerRank Library. When the candidate submits the test, their attempt will be evaluated based on these criteria.



- A detailed report is generated based on the test cases passed or failed.

- The detailed report includes scoring logs and activity logs, allowing you to review the candidate's work. You can download these logs for further analysis.



### ### Limitations

- The [tab proctoring feature](https://support.hackerrank.com/articles/1079706165-proctoring-hackerrank-tests#tab-proctoring-17) and functionality to [add time to a candidate's test](https://support.hackerrank.com/articles/3193432392-adding-time-to-a-candidate's-test) [(https://support.hackerrank.com/articles/3193432392-adding-time-to-a-candidate's-test)] are not supported when an Azure question is present in the test.

- You can use the [hands-on cloud questions](https://www.hackerrank.com/work/library/hackerrank?copyscrape=true&hide\_ai\_solvable=true&type=cloud) available in the HackerRank Library while creating tests, as the ability to create custom Azure questions is not currently available.

\

# [library/additional-resources/project-questions] Configurations for Front-end, Back-end

```

title: "Configurations for Front-end, Back-end and Full stack Developer Questions"
title_slug: "configurations-for-front-end-back-end-and-full-stack-developer-questions"
source_url:
"https://support.hackerrank.com/articles/9443018671-configurations-for-front-end%2C-back-end-and-full-stack-developer-questions"
article_slug: "9443018671-configurations-for-front-end%2C-back-end-and-full-stack-developer-questions"
last_updated_exact: "Dec 13, 2024, 5:13 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Library"
 - "Additional Resources"
 - "Project Questions"

```

# Configurations for Front-end, Back-end and Full stack Developer Questions

\_Last updated: Dec 13, 2024, 5:13 AM (Last updated 1 year ago)\_

A valid project should have a valid **hackerrank.yml** configuration file in the root directory. Refer to the examples below or the configuration reference to learn how to write one for your project.

## ## Configuration Reference

```
...
version: (number)- [required] Version number for the configuration schema.
- Current version is 1.0
configuration: (hash)- [required] Parent attribute for the configuration.
- All project configurations are provided here
has_webserver: (boolean)
- [required] Define if a project has an exposed web server
 (can be accessed outside of the server).
- Use open port (3000, 3030, 5000, 6000, 6001, 8000, 8080)
 for publishing the server. All other ports are blocked out outside communication.
readonly_paths: (array)
- [optional] A list of file paths and/or regex patterns
 that should be marked read-only for candidates
scoring: [optional] (hash)
- [required] Parent attribute for scoring related configuration
command: (string)
- [required] Scoring command is defined here.
- This attribute must be provided for scoring to work
files: (array)
- [optional] A list of scoring output files can be provided here.
- Once the scoring command is run, the platform will search for these files
 and parse them to calculate the final score.
- If these files are not provided, the scoring command output is used for scoring.
testcase_weights: (hash [<testcase name>:<weight>])
- [optional] This attribute can be used to provide weighted scoring
 for test cases.
- The sum total of all weights should be
 1. Validation will fail if the sum total of all weights is not one.
- The test case weights are matched by test case name,
 so all test case names should be unique (across files).
ide_config: (hash)
- [required] All IDE related configuration is provided here
default_open_files: (array)
- [required] Provide a list of default files to open here.
 Path should be relative to project root folder.
project_menu: (string)
- [required] Define project menu commands here. All child attributes are required.
run:
- [required] Provide command for Project > Run menu item
install:
- [required] Provide command for Project > Install menu item
test:
- [required] Provide command for Project > Test menu item
...
```

## Example 1: Sample config for a node project without scoring

```
...
version: 1.0configuration:has_webserver: falseide_config:
 default_open_files:
 - app.js
 project_menu:
 run: npm start
 install: npm install
 test: npm test
...
```

## Example 2: Sample config for a node project with a web server and scoring

```
...
version: 1.0configuration:has_webserver: truescoring:
 # npm test is expected to produce test output in results/unit.xml file.
 command: "npm test"
 files:
 - results/unit.xmlide_config:
 default_open_files:
 - app.js
 project_menu:
 run: npm start
 install: npm install
 test: npm test
...
```

## Example 3: Sample config for a Java Spring Boot API project with weighted test cases

```
...
version: 1.0configuration:has_webserver: falsescoring:
 command: "mvn clean test"
 files:
 - target/customReports/result.xml
 testcase_weights:
 # The weights should sum up to a total of 1
 Create a model: 0.2
 Delete a model: 0.2
 Edit a model: 0.2
 Filter model by attribute: 0.4ide_config:
 default_open_files:
 - src/main/java/com/hackerrank/sample/controller/ModelController.java
 - src/main/java/com/hackerrank/sample/model/Model.java
 project_menu:
 run: mvn clean spring-boot:run
 install: mvn clean install
 test: mvn clean test; cat target/customReports/result.txt
...
```

## Example 4: Sample config for a node project with a web server and multiple output files

```
...
version: 1.0configuration:has_webserver: truescoring:
 # npm test is expected to produce test output in results/unit.xml file.
 command: "npm test"
 files:
 - results/user.xml
 - results/project.xml
 - results/api.xmlide_config:
 default_open_files:
 - app.js
 project_menu:
 run: npm start
 install: npm install
 test: npm test
...
```

## ## Example 5: Sample config for a node project with read-only files

You can use read-only files to mark certain files like test cases read-only. The candidate will not be able to modify these files.

```
...
version: 1.0
configuration:
 has_webserver: true
 readonly_paths:
 - app/test.js
 - app/tests/*scoring:
 command: "npm test"
 files:
 - results/unit.xml
 ide_config:
 default_open_files:
 - app.js
 project_menu:
 run: npm start
 install: npm install
 test: npm test
...
```

\

# [library/additional-resources/project-questions] Cookie settings for HTML/CSS/JavaScript

```

title: "Cookie settings for HTML/CSS/JavaScript and Projects Questions"
title_slug: "cookie-settings-for-htmlcssjavascript-and-projects-questions"
source_url: "https://support.hackerrank.com/articles/7103861099-cookie-settings-for-html/css/javascript-and-projects-questions"
article_slug: "javascript-and-projects-questions"
last_updated_exact: "Mar 11, 2026, 3:37 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
 - "Library"
 - "Additional Resources"
 - "Project Questions"

```

## # Cookie settings for HTML/CSS/JavaScript and Projects Questions

\_Last updated: Mar 11, 2026, 3:37 PM (Last updated 2 months ago)\_

If you are unable to start a test because of your cookie settings, you can try the following methods to resolve

1. Use a different browser
2. Configure the cookie settings on our current browser

**Note:** HackerRank uses cookies only for authentication. We never use them for tracking or advertising. You can revert your cookie settings after you complete your test.

If you choose to configure the cookie settings for your browser, you might find the following information useful:

### ## Chrome

1. On your computer, open Chrome.
2. At the top right, click More     Settings.
3. Click Privacy and security    Cookies and other site data.
4. Next to "Sites that can always use cookies," "Always clear cookies when windows are closed," or "Sites that never use cookies," click Add.
5. Enter the HackerRank web address as seen below.
  - To create an exception for HackerRank, enter `*.hackerrank.com`
  - As seen below, ensure that the **Including third-party cookies on this site** checkbox is engaged

![[Add\_a\_site\_cookies\_-\_Chrome.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046766250-?Expires=253370764800&Signature=eyWDB1FpwKqfExGYIE95cZdHAnm4~FprAEknMf632ILXMC2zvsM1VmMchKzDdffY4V9~PztJsA~SmqLJXqlJj4K2lJ56lNh9EVj7TUw~54GaDPE3x2TaoapSAlzX6jbugGVrfnxww0ylLEZliTxJs3ibhwoD-3csV8pcs4r9CWQdTIUV0nFtYMrIzAP26lcWuq9c6zM1NZqUtK6eDYxA~v~3zMgUMd0LsNbUIUneM5~OJXkycq0Gsrc1mu7tp2b98lDxIOqrvRfbu-gaSXbpQ0bfwciTMo4klIdAvTtC4-Akbd0g2UZ2QBFboeqzkqtUdrfDIKOIYP-3yK3c2AxAlcw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

6. Select Add.
7. Refresh your browser.
  - If you need more information, refer to this [support article](https://support.google.com/chrome/answer/95647) to understand cookie configuration on Google Chrome.
  - Refer to the **Allow or block cookies for a specific site** section to understand the instructions to allow third-party cookies.

### ## Firefox

1. Temporarily disable the **Enhanced Tracking Protection**, as seen in the screenshots below.

![[Shield\_access\_for\_cookie\_settings\_-\_firefox.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046766698-?Expires=253370764800&Signature=litdoP0nhIE9bxf-tEHx5V~Z4ZrZnp1fq5cuoXMUBvgsZkhZwmULwhNNgGZj8mcOfg2Y CmQvGaRfv8IKU6pb02YhnlfsuZGOW1RMhBxXEqvi3csdbDNBK7-9BzHkgfNeCraSA5ezeNOw2iiX-Tg2cLw7m7gvVrGpYgBzOWufqj~nWiy6uv4FKg4mv2YiHwR8mzyUkhJ-jVFCJggdI0LosNxZn8iKDTJ6OfRvwJPU~LzT90sVTP1VMUVPwjAfdqTon1ReGVlebJF57eN84Nq~0VxiwvhIf2RsPzQZZYVSwQUv~ryPWXC9mb~rj7TsecbVoxAjaJsWuFrQO4ZeJq9sg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)![Enhanced\_Tracking\_Protection\_image\_-\_firefox.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046767240-?Expires=253370764800&Signature=Il6MHPqDmAB3lCNkFlxfgUjSiT9Rwn4rJi-aE9y71pOJO4yi2qGJBgRLaZX8RNDJ50nqKkQQ~5QW38Q7JFVnMXCVatml~EYgyDJ9M0PobEtc43-T5QP~XN-FWdJXa7ZyTMI1UmUElfe7CD71JOQONi2DfuacLcrFmG8hK9J~tM2UAzONvQB5~HcZh~wXf0JV2TT5JXEtCGmdjwGDQuQ2XEpYPkFT5Lr6fpMyEtSe4YUR3Z~4g~MzXRZcCSPtDzRR-iB-FkENE5-H~~FoomUg9N93JWAfUUA~CUgG0xivy7WgbzRShXyE5XWgZWU1t0CgFO7farYAkdmuk6Agw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

2. Enable the **Enhanced Tracking Protection** after completing the test by toggling it in the same location.

3. Refer to the [Enhanced Tracking Protection](https://support.mozilla.org/en-US/kb/enhanced-tracking-protection-firefox-desktop?redirectslug=enable-and-disable-cookie-s-website-preferences&redirectlocale=en-US#w\_what-to-do-if-a-site-seems-broken) **Firefox support article** for more information on Firefox cookies and Enhanced Tracking Protection.

## **Safari**

(For an optimal candidate experience, HackerRank recommends Chrome or Firefox)

1. Go to Safari --> Preferences.
2. Click on Privacy
3. Make Sure `Prevent cross-site tracking` and `block all cookies` are not checked off, as seen in the screenshot below.  
\\

![[Safari\_cookie\_settings\_image.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046767683-?Expires=253370764800&Signature=cf~AlaueykUzwQ56jPReH11zeFNoPCLJIXsHAO139RbUQ8vScVxaMTQnHZenTnIUM2P-W5ad4y2MGg7Nrk-f6hoWwormRUrZu1leiVDlyuQuTVDWpqlv8kMkLOxvfMbQw6xaTe6-AY-lhBuk9NhJnvVVSdvkSXJpt7tBru8~KDRLJMOXtVuD~9L~4LZMhhN5g0BO9wLsoFMYRCHcT88aBo2x8FVSt9P-g6VlzkWvXNxnYM57Gqi92zV4Co4uPNbI0dZpGqdr5swGBLfDzW7Cdo9rxPJ9i8fB6GTyZ1Qrygv-JyVxVw6x8k0XnUm8NziejHmMF9q9ukRI1pLedPgJUw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

4. Close out of the settings
5. Refresh the page
6. You will now be able to log in to the test.
7. You may re-enable blocking cross-site tracking and blocking all cookies after finishing the test
8. For more information, please see the [Safari Support page.](https://support.apple.com/guide/safari/enable-cookies-ibrw850f6c51/16.1/mac/13.0)

## Microsoft Edge

Allow or Block Cookies in the new Microsoft Edge

1. Open Microsoft Edge, select Menu (3 dots icon on the top right corner of the browser) \> Settings \> Site permissions \> Cookies and site data.
2. Turn on "Allow sites to save and read cookie data (recommended)" to unblock cookies.
3. Turn off "Block third-party cookies."

![[image\_\_2\_.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046768084-?Expires=253370764800&Signature=Tkl75KVtpANigScE0Si6VpCPUpVqVTRIqEL05mv2OPH-ufbqwdDI8~cW1o4qzpXQxtqHQVnWWcg1iW2lvR8x8wD~Vfa0mqm3yOoHI1JMT9gL81df2aAfD8lWH40ggqtcYP6d6Eo~MeuMKfu~OfX~PuXDSFbetATRBepGRXGhBBtAg8ghyHAZYobySDInWZG8gNEKlyjrm~fVQnRvW8Gn1B-nwzMasvTnd7MFSTzHCJKfzpmIwaJ04-mywd0YRZL2WZDsnSZaD79zmKdyNWFx2Tvi9LnHk9xRkt3AvTFoVjE1mhSJ~4J5b7~NF7bG5RBWoaqUybmRz61k2bG8A63ow\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

## ## Others

To load our IDE and stop getting errors, you should ensure that you have third-party **cookies enabled** on your preferred browser. We know that your privacy is important to you, so we only use them when it's important to do so. If you are using a unique browser, the process for enabling cookies varies slightly depending on your browser. We recommend you check the instructions to do so from that browser documentation.



[library/frequently-asked-questions] How can I edit HackerRank Library Questions?

---  
title: "How can I edit HackerRank Library Questions?"  
title\_slug: "how-can-i-edit-hackerrank-library-questions"  
source\_url: "https://support.hackerrank.com/articles/7502854057-can-i-edit-hackerrank-library-questions%3F"  
article\_slug: "7502854057-can-i-edit-hackerrank-library-questions%3F"  
last\_updated\_exact: "Sep 25, 2025, 2:26 AM"  
last\_updated\_relative: "Last updated 7 months ago"  
breadcrumbs:  
- "Library"  
- "Frequently Asked Questions"  
---

# How can I edit HackerRank Library Questions?

\_Last updated: Sep 25, 2025, 2:26 AM (Last updated 7 months ago)\_

**How can I edit HackerRank library questions?**

You cannot directly edit or modify questions in the **HackerRank Library**. However, you can  
[edit the  
questions](https://support.hackerrank.com/articles/9349097996-editing-a-question)  
[https://support.hackerrank.com/articles/9746551127-cloning-a-question) you created in the **My Company** section of the Library.

Alternatively, you can [clone a HackerRank Library question](https://support.hackerrank.com/articles/9746551127-cloning-a-question) and edit the cloned version according to your requirements.

\

# [library/getting-started] Question Types in HackerRank Supported question types

```

title: "Question Types in HackerRank Supported question types"
title_slug: "question-types-in-hackerrank-supported-question-types"
source_url: "https://support.hackerrank.com/articles/2354192461-question-types-in-hackerrank-tests"
article_slug: "2354192461-question-types-in-hackerrank-tests"
last_updated_exact: "Apr 22, 2026, 3:08 PM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
 - "Library"
 - "Getting Started"

```

## # Question Types in HackerRank Supported question types

\_Last updated: Apr 22, 2026, 3:08 PM (Last updated 4 days ago)\_

HackerRank Tests support multiple question types that help you evaluate different skills in a single assessment or interview. You can add questions from the HackerRank Library or create custom questions based on your hiring requirements.

## # Supported question types

HackerRank supports the following question types:

Question Type			
Supported in Tests			
Supported in Interviews			
[Coding](https://support.hackerrank.com/articles/2474669643-coding-question)			
[HTML/CSS/JavaScript](https://support.hackerrank.com/articles/7771245202-html%2Fc%2Fjavascript-questions)			
[Database](https://support.hackerrank.com/articles/8826242281-database-engineer-questions)			

```
</td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?

</td>
</tr>
<tr>
<td data-cs="1" data-kind="parent" data-rs="1"><p>[Approximate
Solution](https://support.hackerrank.com/articles/8117531949-approximate-solution-type-question)</p></td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?

</td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?

</td>
</tr>
<tr>
<td data-cs="1" data-kind="parent" data-rs="1"><p>[Code
Repository](https://support.hackerrank.com/articles/1900882930-code-repository-questions)</p></td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?

</td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?

</td>
</tr>
<tr>
<td data-cs="1" data-kind="parent" data-rs="1"><p>[Generative
AI](https://support.hackerrank.com/articles/7355446816-creating-a-rag-retrieval-augmented-generation-question)</p></td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?

</td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?

</td>
</tr>
<tr>
<td data-cs="1" data-kind="parent" data-rs="1"><p>[Mobile
Developer](https://support.hackerrank.com/articles/1570281449-creating-front-end%2C-back-end-full-stack-and-mobile-questions)</p>
</td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?

</td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?

</td>
</tr>
<tr>
<td data-cs="1" data-kind="parent" data-rs="1"><p>[Data
Science](https://support.hackerrank.com/articles/5187107609-data-science-questions)</p></td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?

</td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?

</td>
</tr>
```

<td		data-colspan="1"		data-rowspan="1"><p>	[Front-end Developer](https://support.hackerrank.com/articles/1570281449-creating-front-end%2C-back-end-full-stack-and-mobile-questions)</p>></td>	
<td		data-colspan="1"		data-rowspan="1"><span	data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span> </td>	
<td		data-colspan="1"		data-rowspan="1"><span	data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span> </td>	
</tr>						
<tr>						
<td		data-colspan="1"		data-rowspan="1"><p>	[Back-end Developer](https://support.hackerrank.com/articles/1570281449-creating-front-end%2C-back-end-full-stack-and-mobile-questions)</p>></td>	
<td		data-colspan="1"		data-rowspan="1"><span	data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span> </td>	
<td		data-colspan="1"		data-rowspan="1"><span	data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span> </td>	
</tr>						
<tr>						
<td		data-colspan="1"		data-rowspan="1"><p>	[Full-stack Developer](https://support.hackerrank.com/articles/1570281449-creating-front-end%2C-back-end-full-stack-and-mobile-questions)</p>></td>	
<td		data-colspan="1"		data-rowspan="1"><span	data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span> </td>	
<td		data-colspan="1"		data-rowspan="1"><span	data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span> </td>	
</tr>						
<tr>						
<td					data-colspan="1" data-rowspan="1"><p>	[DevOps](https://support.hackerrank.com/articles/5929074504-devops-questions)</p></td>
<td		data-colspan="1"		data-rowspan="1"><span	data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span> </td>	
<td		data-colspan="1"		data-rowspan="1"><span	data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span> </td>	
</tr>						
<tr>						
<td		data-colspan="1"		data-rowspan="1"><p>	[Code Review](https://support.hackerrank.com/articles/4262355406-code-review-questions)</p></td>	
<td		data-colspan="1"		data-rowspan="1"><span	data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span> </td>	
<td		data-colspan="1"		data-rowspan="1"><span	data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span> </td>	
</tr>						
<tr>						
<td		data-colspan="1"		data-rowspan="1"><p>	[QA Engineer](https://support.hackerrank.com/articles/1570281449-creating-front-end%2C-back-end-full-stack-and-mobile-questions)</p></td>	
<td		data-colspan="1"		data-rowspan="1"><span	data-name="check_mark_button" data-type="emoji" contenteditable="false">?</span> </td>	

```


</td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?

</td>
</tr>
<tr>
<td data-cs="1" data-kind="parent" data-rs="1"><p>[Multiple
Choice](https://support.hackerrank.com/articles/2513748038-multiple-choice-questions)</p></td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?

</td>
<td data-cs="1" data-kind="parent" data-rs="1">?

</td>
</tr>
<tr>
<td data-cs="1" data-kind="parent" data-rs="1"><p>[Subjective](https://support.hackerrank.com/articles/2296520412-subjective-questions)</p></td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?

</td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?

</td>
</tr>
<tr>
<td data-cs="1" data-kind="parent" data-rs="1"><p>[Whiteboard](https://support.hackerrank.com/articles/2578948087-creating-a-whiteboard-question)</p></td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?

</td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?

</td>
</tr>
<tr>
<td data-cs="1" data-kind="parent" data-rs="1"><p>[Diagram](https://support.hackerrank.com/articles/4376717308-diagram-questions)</p></td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?

</td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?

</td>
</tr>
<tr>
<td data-cs="1" data-kind="parent" data-rs="1"><p>[Sentence
Completion](https://support.hackerrank.com/articles/5866154232-sentence-completion-questions)</p></td>
<td data-cs="1" data-kind="parent" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?

</td>
<td data-cs="1" data-kind="parent" data-rs="1">?

</td>
</tr>
<tr>
<td data-cs="1" data-kind="parent" data-rs="1"><p>[File
Upload](https://support.hackerrank.com/articles/3284451474-file-upload-question)</p></td>
```

```
<td data-colspan="1" data-rowspan="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?

</td>
<td data-colspan="1" data-rowspan="1">?

</td>
</tr>
<tr>
<td data-colspan="1" data-rowspan="1"><p>[Prompt Engineering](https://support.hackerrank.com/articles/6081633644-scoring-for-prompt-engineering-questions)</p></td>
<td data-colspan="1" data-rowspan="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?

</td>
<td data-colspan="1" data-rowspan="1">?

</td>
</tr>
</tbody>
</table>
```

\

# [library/getting-started] Introduction to HackerRank Library Accessing the Library Question sources

---  
title: "Introduction to HackerRank Library Accessing the Library Question sources Searching, sorting, and filtering questions Related topics"  
title\_slug: "introduction-to-hackerrank-library-accessing-the-library-question-sources-searching-sorting-and-filtering-questions-related-topics"  
source\_url: "https://support.hackerrank.com/articles/5664166353-hackerrank-library-navigation"  
article\_slug: "5664166353-hackerrank-library-navigation"  
last\_updated\_exact: "Mar 30, 2026, 12:28 PM"  
last\_updated\_relative: "Last updated 4 weeks ago"  
breadcrumbs:  
- "Library"  
- "Getting Started"  
---

# Introduction to HackerRank Library Accessing the Library Question sources Searching, sorting, and filtering questions Related topics

\_Last updated: Mar 30, 2026, 12:28 PM (Last updated 4 weeks ago)\_

The HackerRank Library provides ready-to-use questions for tests and interviews. It includes:

- Questions curated and maintained by HackerRank.
- Questions created by you and other team members in your organization.

## # Accessing the Library

To access the library:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Library** tab.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758775666070-image.png?Expires=253370764800&Signature=TVsSklZwMlx2WPUjNcfozbwIUdlrQvnlZXnydBfHjOvkJL7-1uX5YuOjfkNtv42mDIWBKOTXMuBVv7xenKLEp--Tlj5~F06sEP1Y62pBrCjEdV9I7QqmJGrHEtoydu3bIRtJa6MrjtekG2duUYyYfRUOXBfTT~a7aVTUIWvErB5QRGLBDP2VguQ8RsSJ0ksBrGyl~ouS~kwwPAYCTKLeoJV4l-m-4OySX1Uz0tN7663qCz8swfyAJRDsUq7YLF01fpXFdYUdYuZT8-5zwnPCwKpsmrFoQO2TyuTasMrLOFIHDMc9FeEptWAaGmOLUO0cA5Uv-GxYxs1cKiqWivSw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

The Library contains two sub-tabs:

- **Tests:** Displays questions you can add to test assessments.
- **Interviews:** Displays questions you can add to interview templates.

Each question includes details such as the title, description, difficulty level, assessed skills, question type, duration, full score, the percentage of candidates who achieved the full score, average score percentage, and more.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758775704681-image.png?Expires=253370764800&Signature=gjq~4Gb2K9mV~xosiLO75gKGUrAVeANfU0OQ~P99gT1uGm12pCP9yaq6Hr4pqw7~0M1aKEbTGIYgUJBwnlyV7oK6k6Qbsa9pStP9I0vGY1HS5pwobOiNdqwuQ~VZYt4f0KB15BPAITJ3fDOFzde32MKAlR7yg3llh~nlmwFtOJdHwQUUpC3GfYGTYKPJxp8VVg~FWHpTy7lhPysgexv9klj5QM4hqWiDkqlLFRXQkBD4SrYu~06-0o7oKr7K1nxSvW6821wHnCiE1Vi9AceUMD2pkrmDG0CpGFSgwOG84AAGuwvbXujloMbyg~eyV7CR7w9a554r6zP7Q6R2U6g\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

## # Question sources

Use the **Library** dropdown to select the source of questions:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758775767539-image.png?Expires=253370764800&Signature=fZpWJpGSebZysZUITFJS8CW0EUKGcJzbgEaiYnVJT1U9TxB2BcZZFDtQxs7~OnQRjjMXHWe2j-wAXsXgHX96AsmWw8tGuE2HmRWKsMsEi2fTP1BjX2I3sHGTZOS3h0RgZXa~06P0hhKgi8Kd1YdjKVRffn70sxlMn6HHaW8Bv-eXFaDy20HOJiknmzrqzMtZW8cQPeW7uUFNq54ewyp~9bks~pe5pPU4CTZiu959UUzLPUv7hROY4EnPgztU9O-Ve4eEZexGBsmbllhjsdeDjgk~sf-XmU7xAWs4FkCdmsrTt67Wx1R4HKFTJ~luOkmobgp-gAlSumG-IUbtcxY7A\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- **HackerRank**: Questions curated and maintained by HackerRank
- **My company**: Questions created by you and other team members in your organization.

The total number of available questions appears in the upper-right corner.

**Note:**

- For information about supported question types, see [? Question Types in HackerRank](/articles/2354192461).
- You can refine your question results using the [search, sort, and filter](https://support.hackerrank.com/articles/5664166353-hackerrank-library-navigation#searching-sorting-and-filtering-questions-23) options.
- The library selection persists based on the last selection. For example, if you select **My Company** and navigate away from the Library, the same option remains selected when you return. The last selected library also persists in the **Add Question** flow from a Test or Interview.

## Test question actions


When you select a question in the **Tests** tab, the available actions depend on the question source as shown in the table below.

Action	HackerRank questions	My company questions	
View details (problem statement, languages, test cases, quality review)	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Try the question	<input type="checkbox"/> Yes	<input type="checkbox"/> Yes	
See insights (candidate performance data)	<input type="checkbox"/> Yes	<input type="checkbox"/> Yes	
Clone the question	<input type="checkbox"/> Yes	<input type="checkbox"/> Yes	
Report question leak	<input type="checkbox"/> Yes	<input type="checkbox"/> Yes	
Archive the question	<input type="checkbox"/> No	<input type="checkbox"/> No	
Share with your organization	<input type="checkbox"/> No	<input type="checkbox"/> No	

- HackerRank questions:



- My company questions:



## Interview question actions

When you select a question in the **Interviews** tab, the available actions depend on the question source as shown in the table below.



**\*\*Action\*\***	**\*\*HackerRank questions\*\***	**\*\*My company questions\*\***
Clone the question	>? Yes	>? Yes
Report question leak	>? Yes	>? No
Edit the question	>? No	>? Yes
Archive the question	>? No	>? Yes
Share with your organization	>? No	>? Yes

- HackerRank questions:

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758775895184-image.png?Expires=253370764800&Signature=oq-CCw7IPjznhgTrL4d-yM1SutlkC-yyfXJ9kyXPeeJ74M7kqDWQTlAwECc3Mt-d-IUMllejNRYAAAd~Nh3LycnCHGF Sd5aycyj70ho~mJ7gFtZW~8De3vYbmuo-9N0GO4~SckO6cXddjllzDkBMd72FmcoAml5bsswK1fnree-R36RVA-gmas8ATnUZWkmb JZ5z2fVEAetKVrs7TpgvnHtJh1y3inuqACgtNzVz8gJLWqC-O3iAYHTCBxIFCyFVoOfrsA56m2TxstcVaz9uxEEZ6doLOaEPffVAXIGE2p g1-X7qU1maQUdYBJWxMnCVy1u3YjZDGpcAorJD2p4KMHg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- My company questions:

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758775914499-image.png?Expires=253370764800&Signature=GT-7wTHsBORTjEgl14jmlxlirE19UqPBFmbeBi0ty8ulOu-NYZWYOmSKratzW-gqt2eU2AgluxVOUKHar6liHXroU9 fsAR9vSsRY4JiRn4aZpDW3pNC6FMqf8LJRKrt3qxBnwNtuquD-ilqXAWb6Ol4rLta9IYOgn9Z1OkR~1qs3jfk6~pwq8XwlczdC~jNJGnrxdGIhrMQTXZVu9lei2QqmEnmkTwehsKgyzXieTyMA-eB~iaeHM8TLOpbJPE65XCOH-5iHQj-8dbTbdJXG6ztq~GPhz-kj0cDrh4PCwxN CKILDq4xrl7q22mCDUf979WVm-KXLLVs5mAt-m6E8xg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

### # Searching, sorting, and filtering questions

You can search, filter, and sort questions to quickly find and manage the ones you need.

- **\*\*Search:\*\*** Use the search bar to find the questions. You can enclose a search term in quotation marks ( `` `` ) to perform an exact match search. For example, ``Questions``.

- **\*\*Sort:\*\*** By default, questions are sorted by Relevance. Use the **\*\*Sort by\*\*** dropdown to reorder questions by:

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758775944245-image.png?Expires=253370764800&Signature=A5N4FuHwNHB6RKu3iauSXtrVkcctmxUKTuCGbJSId-rMJfyjuJXV6Jgrf1LSjOICvrQLvkbDtbRkmQGKYD4fE0xp6 cndZumK0mNGR68SiVq09AeSK1VvENfsU5iRpzW9w6VlhDkGjrE-o69EidRJCAAd-NNrrNbd82~IEl8HzXAxrQEezRFjk~XWHLWHiEyya5 DQF30ARj54N4CFLBfBa4J-dUn2~i0~nlqDE7AjGVmmysWTrt38LIEmjJMP1GVQmkQ3Mia~ydgjRtp7f9RjBnd0STwgbWQjyUJXPph EJTJRtAQ9zp36ZljwBY8Awtr9AQP~vlfRm3ZU5wN-hYcyA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- Newest

- Skills (Alphabetical)

- Score (Ascending)

- Candidates with full score (Ascending)

- Recommended time (Ascending)

- **\*\*Filters\*\***: You can filter questions by the following attributes:

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758793192046-image.png?Expires=253370764800&Signature=HUJM7U4gmpDUhk2uFGL7tOnN9baYtiDr0ZkCF9qyOYFKBFrVTWt7QypooztIq~IGGV~vJmU9VaV4E8b1aEqK~8DU8rts6PB8snCocVB2dBk~fFyWQSDLywnNrQPxTNulhkpASdB~2Qg7FMiZ6y3PgC1gB2wyvwhl-6~wH089iYKURQROxZUMV-0YL pW1fcs67RMKbfsS0kVX0mcWL8xYnH310RKJmm0aycefSxzmaVc56lWYw7klxxUK-2yxoOpNaHta2MWMMeYLoE1jxMGjwF6wwPbRN U4bvqo7KRT1k1TDBpMY69CegoFDzKdWnMzr5rtWVsGMm9oliuuHS6~ng\_\_&Key-Pair-Id=K3NV4LZ47N8M46)!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758793113240-image.png?Expires=253370764800&Signature=c fmYNFHxkx6CJ07~z7TrhfnPKgY4AwmTaa5cLThhSuLv9xpFD6jeKqK4C7IHR6PGr10zrCrvck9-jC4Evh-QrlknQOHc5NOFFW5mFZQ cOcoqlfWFLp1nb5~oaOa7YXMTNEKTVU7i-nAufnO48GJ3taBR-TceeF~9XYHehqlxMRm2B6wg1TwEWDfXtGPvi8Rw5KMw-HV04Z ZmG6xGgfaA2ws02nBzpZflQpthvE6CubuoZx8ewx536hl955xmhoV-KU79JevFOc7Z5JrxqGI2EJ77u8nn0Fi4apWENJeqohtZBI7Dx~H

LjLIXSvGFM6NwwZU9XyjiNmMiarSvVxIV5A\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- **Role**: Questions mapped to a selected job role.
- **Skill**: Questions that assess specific skills.
- **Type**: Questions by type, such as Coding, Data Science, Whiteboard.
- **Attempts**: Number of candidate attempts (Only applies to Test questions).
- **Average score (%)**: Average score of candidates in percentage (Only applies to Test questions).
- **Created between**: Date range when the question was created.
- **Difficulty**: Difficulty level, such as Easy, Medium, Hard.
- **Candidates with full score (%)**: Percentage of candidates who achieved a full score (Only applies to Test questions).
- **Language**: Programming language, such as Python, Java, C++.
- **Median time to complete**: Median time candidates take to finish a question (Only applies to Test questions).
- **Median time to full score**: Median time candidates take to achieve a full score (Only applies to Test questions).
- **Owner**: Question owner (Applies when the source is My company).
- **Recommended time**: Suggested time to solve the question (Only applies to Test questions).
- **Score**: Maximum score assigned to the question (Only applies to Test questions).
- **Tags**: Questions with selected custom or system tags.
- **Archived**: Displays all archived questions (Applies when the source is My company).
- **Others**: Additional filters, such as:
  - **Leaked Questions**: Questions marked as leaked.
  - **AI Solvable Questions**: Questions identified as solvable by AI tools.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758776037617-image.png?Expires=253370764800&Signature=rHVpVQAgUULnNPgoHxrSo4ACkK4IAN1q1C~lohQyU1khMEcJ165Nn0ws0pu55GfdCgDW13jgCExGdp1Af1xEsD~Hi9uVPHnnhDHBuJRpMyTum4SOKJttsEW1yNsnD2i0~p-6zQRTjWTwk5UJnlGKBpfnNH59zOp2bYBelF35pLCuZ0iJfcTBnrDxM4relWWfPHIFNLc0-YuuQGSesJRrWI4znYymTINV51mxvv7j5~S~3OAP64380CGXPW7yPV9LKnG56QwblhnDMcqdfdWCIV8td6bgpXpkDujXqyqqjMFMp8dxzbiPbAJX~enp5iH4hNcEyr2nx0yVXUftThKYvw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

**Note:**

- Leaked Questions and AI Solvable Questions are hidden by default. To display them, uncheck their checkboxes.
- You can export test and interview questions from the Library to a CSV file. For more information, see [? Export Questions](/articles/9028620307).

#### # Related topics

- [? Question Types in HackerRank](/articles/2354192461)  
\  
- [? Edit a Question](/articles/9349097996)  
\  
- [? Clone a Question](/articles/9746551127)  
\  
- [? Share a Question](/articles/6697457900)  
\  
- [? Archive a Question](/articles/2040951869)  
\  
- [? Export Questions](/articles/9028620307)  
\  
-

- [[? View Test Question Insights](/articles/3255724462)](/articles/3255724462)

\

\

## [library/getting-started] HackerRank Question Count Comparison by Subscription Plan

```

title: "HackerRank Question Count Comparison by Subscription Plan"
title_slug: "hackerrank-question-count-comparison-by-subscription-plan"
source_url: "https://support.hackerrank.com/articles/6095274436-hackerrank-question-count-comparison-by-subscription-plan"
article_slug: "6095274436-hackerrank-question-count-comparison-by-subscription-plan"
last_updated_exact: "Mar 30, 2026, 6:03 PM"
last_updated_relative: "Last updated 4 weeks ago"
breadcrumbs:
 - "Library"
 - "Getting Started"

```

## # HackerRank Question Count Comparison by Subscription Plan

Last updated: Mar 30, 2026, 6:03 PM (Last updated 4 weeks ago)

HackerRank offers multiple subscription plans to help companies assess and hire top technical talent efficiently. Each plan provides different levels of access to the comprehensive question library.

### ## Available plans

HackerRank offers the following subscription plans:

- Starter
- Pro
- Enterprise (Full access)

### ## Library comparison by subscription plan

The table below provides a high-level comparison of HackerRank library across different subscription plans to help you choose the best option for your hiring needs.

	----		----		----		----											
	**Metrics**					**Free Trial**			**Starter**			**Pro**			**Enterprise**			
	Total Number of Questions					998		2294		4778		8703						
	Number of Roles					All Roles		All Roles		All Roles		All Roles						
	Number of Hands-on Questions (Coding/Database/Projects)					427		969		2100		3619						
	Number of MCQs					571		1325		2678		5084						
	Proportion of New Questions Released					10%		30%		60%		100%						

## ## Library comparison by skill and subscription plan

HackerRank's question library covers over 230 skills across three proficiency levels: Basic, Intermediate, and Advanced. The library includes the following question types:

- Multiple-choice questions (MCQs)
- Hands-on questions (Coding, Database, and Projects)

The table below provides a comparison of HackerRank library by skill category and subscription plan.

[illegible]

```

</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="475" data-background-color="green" style="overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom; width: 475px; background-color: #D1FAE5"><p>Skill</p></td>
<td data-cs="1" data-rs="1" data-colwidth="168" data-background-color="green" style="overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom; width: 168px; background-color: #D1FAE5"><p>Free Trial</p>
<p>(Hands-on)</p></td>
<td data-cs="1" data-rs="1" data-colwidth="124" data-background-color="green" style="overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom; width: 124px; background-color: #D1FAE5"><p>Free Trial</p>
<p>(MCQs)</p></td>
<td data-cs="1" data-rs="1" data-background-color="green" style="overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom; background-color: #D1FAE5"><p>Starter</p>
<p>(Hands-on)</p></td>
<td data-cs="1" data-rs="1" data-background-color="green" style="overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom; background-color: #D1FAE5"><p>Starter</p>
<p>(MCQs)</p></td>
<td data-cs="1" data-rs="1" data-background-color="green" style="overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom; background-color: #D1FAE5"><p>Pro</p>
<p>(Hands-on)</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" data-background-color="green" style="overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom; width: 100px; background-color: #D1FAE5"><p>Pro</p>
<p>(MCQs)</p></td>
<td data-cs="1" data-rs="1" data-colwidth="91" data-background-color="green" style="overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom; width: 91px; background-color: #D1FAE5"><p>Enterprise</p>
<p>(Hands-on)</p></td>
<td data-cs="1" data-rs="1" data-colwidth="80" data-background-color="green" style="overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom; width: 80px; background-color: #D1FAE5"><p>Enterprise</p>
<p>(MCQs)</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="475" style="overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom; wrap-strategy: 4; white-space: normal; word-wrap: break-word; width: 475px"><p>.NET</p></td>
<td data-cs="1" data-rs="1" data-colwidth="168" style="text-align: right; overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom; width: 168px;"><p>5</p></td>
<td data-cs="1" data-rs="1" data-colwidth="124" style="text-align: right; overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom; width: 124px;"><p>6</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1" style="text-align: right; overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom;"><p>10</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1" style="text-align: right; overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom;"><p>17</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1" style="text-align: right; overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom;"><p>20</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="text-align: right; overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom; width: 100px;"><p>34</p></td>
<td data-cs="1" data-rs="1" data-colwidth="91" style="text-align: right; overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom; width: 91px;"><p>27</p></td>
<td data-cs="1" data-rs="1" data-colwidth="80" style="text-align: right; overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom; width: 80px;"><p>87</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="475" style="overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom; wrap-strategy: 4; white-space: normal; word-wrap: break-word; width: 475px"><p>AUTOSAR</p></td>
<td data-cs="1" data-rs="1" data-colwidth="168" style="overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom; width: 168px"><p>

</p></td>
<td data-cs="1" data-rs="1" data-colwidth="124" style="text-align: right; overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom; width: 124px;"><p>1</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1" style="overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom"><p>

</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1" style="text-align: right; overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom;"><p>2</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1" style="overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom"><p>

</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="text-align: right; overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom; width: 100px;"><p>5</p></td>
<td data-cs="1" data-rs="1" data-colwidth="91" style="overflow: hidden; padding: 2px 3px 2px 3px; vertical-align: bottom; width: 91px"><p>

</p></td>

```

[illegible]

Android			
6			
9			
11			
17			
29			
31			
32			
62			
Angular			
7			
10			
16			
21			
32			
45			
60			
72			
Ansible			
3			
4			
7			
10			
17			
20			
27			
20			
Apache Spark			
2			
1			

	4 </td>
	8 </td>
	8 </td>
	21 </td>
	15 </td>
Apigee </td>	
	2 </td>
	8 </td>
	15 </td>
	15 </td>
	Appium </td>
	4 </td>
	11 </td>
	25 </td>
	40 </td>
Application Security </td>	
	3 </td>
	11 </td>
	4 </td>
	26 </td>





7			
92			

Bash			
4			
2			
8			
5			
16			
10			
21			
10			

Boomi			
2			
5			
10			
10			

C			
5			
9			
8			
17			
15			
37			
18			
76			

[illegible]

[illegible]

Couchbase			
Cryptography			
Cucumber			

[illegible]

Data Center			
Data Modeling			
Data Quality and Governance			

[illegible]



[illegible]

[illegible]

Excel	Express.js	F&O
5	1	2
13	1	8
28	28	15
50	50	8

[illegible]



[illegible]

5				
10				
91				
80				
Informatica Intelligent Cloud Services				
2				
8				
15				
91				
80				
Information Security				
2				
6				
12				
91				
80				
20				
JUnit				
2				
4				

  </td>
7 </td>
  </td>
14 </td>
Java </td>
19 </td>
10 </td>
38 </td>
18 </td>
76 </td>
39 </td>
137 </td>
96 </td>
JavaScript </td>
9 </td>
11 </td>
23 </td>
22 </td>
51 </td>
43 </td>
73 </td>
132 </td>
Javascript </td>
2 </td>
  </td>
6 </td>
  </td>
12 </td>
  </td>





[illegible]

Large Language Models		
2		
6		
12		
91		
80		
Linux		
4		
124		
1		
168		
124		
15		
475		
168		
124		
1		
16		
26		
100		
91		
80		
475		
168		
124		
15		
33		
100		
91		
80		

Machine learning			
4			
Microservices			
5			
11			
21			
40			

[illegible]

[illegible]

[illegible]

[illegible]



10		
26		
19		
51		
38		
Playwright		
5		
Power BI		
5		
12		
27		
48		
PowerBuilder		
3		

	10 </td>
	21 </td>
	35 </td>
PowerShell	
	2 </td>
	3 </td>
	6 </td>
	6 </td>
	6 </td>
Powershell	
	3 </td>
	10 </td>
	25 </td>
	25 </td>
	280 </td>
	48 </td>
	633 </td>

94			
1299			
199			

Product Management Cross-functional Skills			
3			
3			
3			
3			
3			
Product Management Job Knowledge			
4			
4			
4			
4			
48			

Product Management Tools			
4			
4			
4			
4			

[illegible]



Python for Applied Data Science	1	
R	6	
R for Applied Data Science	124	
	15	
	25	
	31	
	42	
	31	
R	475	
R for Applied Data Science	168	
	124	
	1	
	5	
	100	
	91	
	10	
	80	

REST API		
ROR		
11		
23		
40		
7		
6		
14		
10		
26		
19		
49		
61		
2		

React	15	7	39	12	73	21	122	54
React Native	3	6	7	16	21	29	24	47
RoR	6							
Ruby								



5		
10		
18		
Rust		
12		
32		
53		
SAP		
7		
15		
32		
62		
SQL		
39		
14		

89	24	204	56	349	93
Salesforce Administration					
2					
6					
12					
91					
80					
22					
Salesforce Apex					
8					
24					
48					
91					
80					
65					
Salesforce Sales Cloud					
3					

[illegible]

14	
26	

Selenium	
5	
5	
8	
8	
18	
13	
36	
22	

Snowflake	
2	
5	
10	
19	

Software Development Methodologies	
5	
16	
32	

[illegible]

[illegible]



[illegible]



Virtualization		
Vue.js		
Workato		

10	10
1	3
1	7
1	17
1	17
1	30
Others	22
1	66
2	140
1	5
1	500

For more information about subscription plans, see [HackerRank Pricing](https://www.hackerrank.com/work/pricing). To discuss a custom plan, contact us [here](https://www.hackerrank.com/request-demo).

## ## Frequently Asked Questions (FAQs)

**\*\*How often do you update the library?\*\***

The HackerRank question library is updated regularly with new question types and skills. The [library comparison by subscription plan](https://support.hackerrank.com/articles/6095274436-hackerrank-question-count-comparison-by-subscription-plan#library-comparison-by-subscription-plan-4) and [library comparison by skill and subscription plan](https://support.hackerrank.com/articles/6095274436-hackerrank-question-count-comparison-by-subscription-plan#library-comparison-by-skill-and-subscription-plan-7) tables are updated quarterly to ensure the content remains current and comprehensive.

For more information on the latest updates and releases, see [HackerRank release notes.](https://support.hackerrank.com/collections/7394145945-release-notes)



[library/manage-question] Archive a Question Prerequisite Archiving a question Unarchiving a question

```

title: "Archive a Question Prerequisite Archiving a question Unarchiving a question"
title_slug: "archive-a-question-prerequisite-archiving-a-question-unarchiving-a-question"
source_url: "https://support.hackerrank.com/articles/2040951869-archive-a-question"
article_slug: "2040951869-archive-a-question"
last_updated_exact: "Sep 25, 2025, 1:36 PM"
last_updated_relative: "Last updated 7 months ago"
breadcrumbs:
 - "Library"
 - "Manage Question"

```

# Archive a Question Prerequisite Archiving a question Unarchiving a question

\_Last updated: Sep 25, 2025, 1:36 PM (Last updated 7 months ago)\_

Archive a question when it is no longer in use but you want to keep it for future reference. You can archive only questions created by you or your team members in your organization.


# Prerequisite

Your organization must have created at least one question.


# Archiving a question

To archive a question:

- 1. Log in to your **HackerRank for Work** account using your credentials.
- 2. Go to the **Library** tab.
- 3. Select the **Tests** or **Interview** tab.
- 4. Select **My Company** as the source of questions from the **Library** drop-down.




- 5. Click the more options menu (**⋮**) next to the question and select **Archive**. A success message appears.



**Note:**

- You can archive multiple questions at once. Select the checkboxes next to the questions and then click **Archive**.



- To view archived questions, select the **Filter** icon, choose **Archived** > **Show Archived Questions Only**. To clear archived questions, select **Clear Archived**.

## # Unarchiving a question

You can restore archived questions if you need to use them again.

To unarchive a question:

1. Go to the **Library** tab.
2. Select the **Tests** or **Interview** tab.
3. Select **My Company** as the source of questions from the **Library** drop-down.
4. Select the **Filter** icon and choose **Archived \> Show Archived Questions Only**. Only archived questions appear.



5. Click the more options menu (**⋮**) next to the question and select **Restore**. A success message appears.



**Note:** You can unarchive multiple questions at once. You can unarchive multiple test questions at once. From the archived questions filter, select the checkboxes next to the tests and click **Restore**.



\

[library/manage-question] View Test Question Insights Prerequisite Viewing test que

```

title: "View Test Question Insights Prerequisite Viewing test question insights"
title_slug: "view-test-question-insights-prerequisite-viewing-test-question-insights"
source_url: "https://support.hackerrank.com/articles/3255724462-question-insights"
article_slug: "3255724462-question-insights"
last_updated_exact: "Jan 27, 2026, 11:35 AM"
last_updated_relative: "Last updated 3 months ago"
breadcrumbs:
 - "Library"
 - "Manage Question"

```

# View Test Question Insights Prerequisite Viewing test question insights

\_Last updated: Jan 27, 2026, 11:35 AM (Last updated 3 months ago)\_

HackerRank provides insights into every test question to help recruiters analyze candidate performance across multiple parameters. The insights show how candidates approach a question and their success rate in solving it. You can use this analysis to select suitable questions for your test.


# Prerequisite

The question must be used at least once in a test.

# Viewing test question insights

To view test question insights:


- 1. Log in to your **HackerRank for Work** account using your credentials.
- 2. Go to **Library \> Tests**.
- 3. Locate the question and click **Insights**. The system opens the **Question Insights** dashboard.



## Question insights dashboard

The dashboard includes the following sections:


- **Question details:** Displays basic information about the question, such as question name and author, date created, recommended time, and source.



- **Question score distribution:** Displays a score distribution graph that shows the percentage of candidates who achieved each score range for the question.




- **Question percentiles:** Displays score benchmarks across candidates who attempted the question:

A screenshot of the 'Question Percentiles' dashboard. It shows a table with columns for 'Percentile', 'Score', and 'Time'. The table lists various percentiles from 1st to 99th, along with the corresponding scores and times for candidates who attempted the question.


- **Median score:** 50% of candidates scored less than or equal to this value.
- **75th percentile:** 75% of candidates scored less than or equal to this value.
- **90th percentile:** 90% of candidates scored less than or equal to this value.

- **Question activities:** Provides activity metrics for the question.

A screenshot of the 'Question Activities' dashboard. It shows a table with columns for 'Activity', 'Count', and 'Percentage'. The table lists various activities such as 'Attempted', 'Completed', 'Incorrect', and 'Correct', along with the count and percentage of candidates who performed each activity.


- **Attempts:** Total number of candidates who attempted the question.
- **Median attempt time:** Time within which 50% of candidates completed their attempt.
- **Average score percentage:** Average score across all attempts.
- **Median time to full score:** Time within which 50% of candidates who scored 100% completed the question.

- **Question usage:** Shows how often the question has been used and in which languages.

A screenshot of the 'Question Usage' dashboard. It shows a table with columns for 'Language', 'Attempts', and 'Percentage'. The table lists various languages such as 'English', 'Spanish', and 'French', along with the number of attempts and the percentage of candidates who attempted the question in each language.


- **Distribution over time:** Number of candidates who attempted the question each month since its creation.
- **Top 10 languages by attempts:** Most common programming languages used to attempt the question.

- **Question language stats:** Displays a table with programming language statistics such as language by median score in percentage, language by maximum score attained, and language by median time taken.

A screenshot of the 'Question Language Stats' dashboard. It shows a table with columns for 'Language', 'Median Score', 'Maximum Score', and 'Median Time'. The table lists various programming languages such as 'Python', 'Java', and 'C++', along with the median score, maximum score, and median time taken to complete the question in each language.

## ## Dashboard actions

For each dashboard section, click the more option menu to access the following options:

A screenshot of the 'Question Language Stats' dashboard with a 'More' button visible. Clicking this button opens a dropdown menu with options: 'View in full screen', 'Download CSV', and 'Refresh'.

- **View in full screen:** Expand the dashboard to full-screen mode
- **Download CSV:** Exports the data as a CSV file.

- **Download PNG**: Exports the data as a PNG image.
- **Download JPEG**: Exports the data as a JPEG image.
- **Download PDF**: Exports the data as a PDF document.
- **Refresh**: Reloads the displayed data.

\



# [library/manage-question] Review Question Quality

```

title: "Review Question Quality"
title_slug: "review-question-quality"
source_url: "https://support.hackerrank.com/articles/4691012356-review-question-quality"
article_slug: "4691012356-review-question-quality"
last_updated_exact: "May 12, 2025, 11:29 AM"
last_updated_relative: "Last updated 12 months ago"
breadcrumbs:
 - "Library"
 - "Manage Question"

```

## # Review Question Quality

\_Last updated: May 12, 2025, 11:29 AM (Last updated 12 months ago)\_

### ## Overview

Question quality is important for making HackerRank tests more effective. The Quality Review page helps you to analyze the Coding Question based on the following four parameters:

- The overall number of test cases included
- The number of ?Sample test cases? added
- Whether the question uses auto-generated code stubs
- Whether the question has descriptive tags

It would be best if you aimed to meet all 'high-quality' conditions on your Questions before using them in HackerRank tests and interviews.

You can view the question quality under the **Quality Review** tab, which displays [? Creating a Coding Question](/articles/6372874906). After you have added the problem statement, test cases, and code stubs to a Question, the last step involves reviewing the question quality and making any recommended changes to improve the question.

#### **\*\*Prerequisites\*\***


You must have a HackerRank for Work account.

#### **\*\*Steps\*\***

1. From the **HackerRank Library** or from the **Questions** tab of a Test, click **Create Question** to create a new Question. Alternatively, from the **Library**, select your Question to edit and review quality.
2. In the relevant Question tabs, define the [problem statement](https://support.hackerrank.com/articles/7816600113-defining-the-problem-details%3A-coding-and-database-engineer-questions), score, programming languages, [code stubs](https://support.hackerrank.com/articles/9168425479-generating-code-stubs), and [test cases](https://support.hackerrank.com/articles/3245197419-test-cases-in-coding-questions).
3. Proceed to the last step in the **Quality Review** tab.

This page automatically generates and displays a quality review for your Question based on whether your Question includes the recommended number of sample and hidden test cases and auto-generated code stubs.

You can follow the recommendations provided on the **Quality Review** page to improve your Question quality.



\*The Question 'Quality Review' page\*

The following sections in this article also guide you through the best practices and recommendations to be followed while creating your Questions in HackerRank for Work.

## ## Understanding the Question Quality Parameters

### 1. **The overall number of test cases in the Question**

Adding Test cases ensures that a coding question is automatically evaluated. Without any test cases, a question will not be scored and might defeat the purpose of an assessment. Therefore, it is recommended that you add at least 3-4 sample test cases, of which 1-3 are present in the statement, and an overall 3-15 test cases of easy, medium, and hard difficulty levels to each Question.

### 2. **Sample test cases in the Question**

Sample test cases improve question comprehension. It allows your candidates to quickly understand the Question and the expected output from their solution. This improves their likelihood of attempting the Question and adds to their positive test experience. It is recommended that you include at least two or more sample test cases in your Question.

### 3. **Whether the question uses auto-generated code stubs**

The best practice is using HackerRank's auto-generated code stubs (or boilerplate code). Code stubs are recommended because they help your candidates to directly read input and write output using STDIN and STDOUT, respectively. This also helps prevent situations where a candidate writes the right code but fails to display the output correctly using STDOUT.

However, you may NOT be able to use HackerRank's auto-generated code stubs in specific scenarios. For example, HackerRank does not provide auto-generated stubs for:

- reading in a binary tree or
- returning a class object from a function

You may also choose not to use the auto-generated code stubs in scenarios where you want the candidates to display their output in your desired format, and perhaps, you want to assess them on their ability to deal with STDIN and STDOUT.

In the above scenarios, you can retain the default code stubs, or you can choose to write your code stubs (user-modified code stubs) for all the programming languages you want to allow in your Tests.

**Note:** Writing your code stubs (user-modified code stubs) requires additional effort. However, once you write them, you can reuse them in the other Questions.

### 1. **Whether the questions have Descriptive tags**

According to best practices, every question needs to have at least two tags that describe and classify the question. Standard tags that need to be inserted into every question include the difficulty level: 'Easy, Medium, or Hard,' skills or area of expertise the question assesses: 'Algorithms, Problem Solving, Data Structures, and so on. Tags that further describe the question, such as specific concepts tested in the question, required knowledge, etc.

Ensuring that your Question follows the above-mentioned best practices and recommendations helps create good quality questions. When good quality questions are a part of your Tests, it adds to your candidate's positive experience and your Company's goal to attract and hire only the best talent.

**Recommended Articles:**

- [\[? Test Cases in Coding Questions\]\(/articles/3245197419\)](/articles/3245197419)  
 \
- [\[? Defining Test Cases for Coding Questions\]\(/articles/8626818013\)](/articles/8626818013)  
 \
- [\[? Generating Code Stubs\]\(/articles/9168425479\)](/articles/9168425479)  
 \

[library/manage-question] Create a Question Creating a question from the Library Creating a question while editing a test

---  
title: "Create a Question Creating a question from the Library Creating a question while editing a test"  
title\_slug: "create-a-question-creating-a-question-from-the-library-creating-a-question-while-editing-a-test"  
source\_url: "https://support.hackerrank.com/articles/4894957291-creating-questions"  
article\_slug: "4894957291-creating-questions"  
last\_updated\_exact: "Mar 30, 2026, 6:07 PM"  
last\_updated\_relative: "Last updated 4 weeks ago"  
breadcrumbs:  
- "Library"  
- "Manage Question"  
---

# Create a Question Creating a question from the Library Creating a question while editing a test

\_Last updated: Mar 30, 2026, 6:07 PM (Last updated 4 weeks ago)\_

HackerRank for Work allows you to create questions based on your hiring requirements. You can create questions from the **Library** or while creating or editing a test.

# Creating a question from the Library

You can use the following links to view steps for creating different types of questions from the Library:

- [Creating a Coding question](https://support.hackerrank.com/articles/2474669643-coding-question#creating-a-coding-question)
- [Creating an HTML/CSS/JavaScript question](https://support.hackerrank.com/articles/7771245202-html%2Fcss%2Fjavascript-questions#creating-an-html-css-javascript-question)
- [Creating a Database question](https://support.hackerrank.com/articles/8826242281-database-engineer-questions#creating-a-database-question)
- [Creating an Approximate Solution question](https://support.hackerrank.com/articles/8117531949-approximate-solution-type-question#creating-an-approximate-solution-question)
- [Creating a Generative AI question](https://support.hackerrank.com/articles/7355446816-creating-a-rag-retrieval-augmented-generation-question#creating-a-generative-ai-question)
- [Creating a Front-end, Back-end, Full-stack, Mobile, and QA Engineer question](https://support.hackerrank.com/articles/1570281449-creating-front-end%2C-back-end-full-stack-and-mobile-questions#creating-front-end-back-end-full-stack-mobile-and-qa-engineer-questions)
- [Creating a Data Science question](https://support.hackerrank.com/articles/5187107609-data-science-questions#creating-a-data-science-question)
- [Creating a DevOps question](https://support.hackerrank.com/articles/5929074504-devops-questions#creating-a-devops-question)
- [Creating a Code Review question](https://support.hackerrank.com/articles/4262355406-code-review-questions#creating-a-code-review-question)
- [Creating a Multiple Choice question](https://support.hackerrank.com/articles/2513748038-multiple-choice-questions#creating-a-multiple-choice-question)
- [Creating a Subjective question](https://support.hackerrank.com/articles/2296520412-subjective-questions#creating-a-subjective-question)
- [Creating a Whiteboard question](https://support.hackerrank.com/articles/2578948087-creating-a-whiteboard-question#creating-a-whiteboard-question)
- [Creating a Diagram question](https://support.hackerrank.com/articles/4376717308-diagram-questions#creating-diagram-questions)
- [Creating a Sentence Completion question](https://support.hackerrank.com/articles/5866154232-sentence-completion-questions#creating-a-sentence-completion-question)

on)

- [Creating a File Upload question](https://support.hackerrank.com/articles/3284451474-file-upload-question#creating-a-file-upload-question)

# Creating a question while editing a test

To create a question directly from a test:

![[fghtr.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1774868684686-fghtr.gif?Expires=253370764800&Signature=nvpJz-330bG4Ot2uIHsZnBdzqG7peBVIFzSctKqLdW0EMATtceL55pxGveQDFTb6hYms8byNQqoKhbf4SnujOwh6-t-xojlWyAVt4iUwpsRmVNn3GeZIEqCWIQBW2eHXLHHdrIpKn~8VadpM6LHY~1mJyATMYo-VlqZhm~9P7kqe5cUHtLAhDY8Aj8bNSJFms~lCWjOB6k3vT4PWHyzrziQKcLVVsm3MwQEPHNHJVmOmAMmL6OM6o8NWz4YTt~CJElae3QhthvkFQ1AowGlgWcQMBVlzge28B-PnNQThp2zjav7pHd7kZJR7zs7vi1BdllrsGmAVQprHZhqJt7rVUw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Log in to your **HackerRank for Work** account using your credentials.

<!-- -->

1. Go to the **Tests** tab.

2. Open the test you want to edit.

3. Go to the **Questions** tab.

4. Select **Add New** next to **Sections**.

5. Select **Add Manually**. A new section labeled **Untitled** appears at the bottom of the list.

6. Click **Create Question**. The platform opens the question creation flow in the Library. You can select a question type and complete the required details. For more information, see [Creating a question from the Library](https://support.hackerrank.com/articles/4894957291-creating-questions#creating-a-question-from-the-library).

**Note:** All questions you create are saved in the **My Company** Library.

\

# [library/manage-question] Steps to Create Accessible Content at HackerRank

```

title: "Steps to Create Accessible Content at HackerRank"
title_slug: "steps-to-create-accessible-content-at-hackerrank"
source_url: "https://support.hackerrank.com/articles/4968606472-steps-to-create-accessible-content-at-hackerrank"
article_slug: "4968606472-steps-to-create-accessible-content-at-hackerrank"
last_updated_exact: "Dec 24, 2024, 3:10 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Library"
 - "Manage Question"

```

## # Steps to Create Accessible Content at HackerRank

\_Last updated: Dec 24, 2024, 3:10 AM (Last updated 1 year ago)\_

### ## Overview


The candidate site is now Accessible as per [WCAG 2.1( Level AA)](<https://www.w3.org/TR/WCAG21/>)\*\*.\*\* Thus it becomes imperative that the questions are also accessible so that \*accessibility\* is not impacted.

If you are a recruiter trying to create a question for your assessment, below are the steps that will help in creating accessible questions.

- After you have created an assessment, head over to the ?Questions? tab and open a question in view mode.




In case you are the owner of the question you would be able to open the question in edit mode and update the endpoint to view mode as shown below.



- Run this question through [axe](<https://chrome.google.com/webstore/detail/axe-devtools-web-accessib/lhdoppojpmngadmnindnejfpokejbdd>). You can install this extension and run it to fix the violations if any. This will catch most of the violations. The below steps highlight how to use this tool to identify the issues and fix them.

### #### Steps to Run axe:

1. Install the [Axe extension](<https://chrome.google.com/webstore/detail/axe-devtools-web-accessib/lhdoppojpmngadmnindnejfpokejbdd>).
2. Once you install the extension, you will need to restart the browser.
3. Open the dev tools by clicking on inspect in the context menu. You can open the context menu by right-click.



4. Now you should be able to see \*axe dev tools\* in the developer menu.

![[image8.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046681808-?Expires=253370764800&Signature=Rs7TCeMWmOaEeVVPBRc5Iso5IMRGjm7GaM5rzt06t0DTjdZ10PjUcse~6CfNvRVYjN2RU7xowb7g4QsCBiPsAcWuLRux7aaqAS5Cp~Rzbebv-HG34uStda9xJYKG91Jhde7M984KuS-qhrdpd1dB28WaEPwvJdjBFJZJ8K2hgGlmxAww98dGdGtedRpLHvV6kLJrgTTwLJOaNMKYfXz4wuAcfUcEM8CPKyfhHw6xmoH5lhMAhBP8-st9CqTPWGVnf04ijET2sJF-T2lc6dIFnfGZWZk-hiHwVn-6cbVAAKJRU7DdA7Bh2xSds6WCtaF6ZhZu5V5ryNQ4V0P67vg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click on ?Scan? in the left panel to run the \*axe Dev tools\*.

![[image3.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046682458-?Expires=253370764800&Signature=fUz~G7DPBxEQ9SecTXl1j1mfEKcW0~ZawlpqW-VOV8iX4kCA5UiZNVW7p6sebiFvS72bu6FPpqpkKUARss3kFHRQ-3DPXout4YFn6AHmU2MJZ7IsP~zl7PUulpz5YGa0ULueKs~JCB~OFHENECPQWEP8QUNbNL8d53VpuAoViDlpxlIi66VPo5dnda3etF6NdwGMamw-mn2CDdeckW5S61v4C83Yf7C28Y72KYwJU~Yp9R4nWecZVmVDMTGQkZV5RQpux~vX7eV5ii-WokiZ3OubOfcAnaux3sTvDEa4h6kr9tXL4bb1VQVW5E1CiABkwrKJv8yevp8bntCanKNy~Q\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

**\*\*Note\*\*:** By default, the axe will scan the whole page so you can ignore the other issues outside the problem description.

- Axe will report all the violations along with the suggested fix. Once the violations are fixed, rerun the scan and the question is accessible now.

![[image1.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046682850-?Expires=253370764800&Signature=KuJbRRjAgIPVliUBSJlzyorJtDRf5iiZgCeNadvTcaCARzhisox1E~~vOkEFEMe8USJ-3zl91jFes9WFQ4DxrlY9X3xYHHfIBJcBWeaeHXR6ln5e8MHL5wp~0RSuHCJo5QQysRgvCylDf4Y8VumQJoS8XObattGM~C7RGxVBECXbAHQRnH5pUjxCn-fApwwJfWG59iyAe9JM8iUFgoevHuGJHcHLVOFpR8V8ZC9Z~GoJK-ArQq4XIBy3Ba6yZY-uSfd-SpT68rCNPAdTCKKP78oBcdQoWuelMLxTjZmyyLvWGZRP-w9djBL-ZN7nlaEZqZlCdLDm6zyu7FrKn5pMA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

## ## Dealing with Images

### #### Why is alt text (alternative text) needed?

Sometimes you might want to add images to problem descriptions and these images might not be perceived by every user. In such cases, it becomes very important to have an option to make these images accessible to every user. Thus the need to have an alternative text (alt-text) to describe the image in question.

Below cases are where an \*alt text\* (alternative text) needs to be added.

1. For screen reader users, images will not convey the information.
2. For users with cognitive disabilities who do not understand images.
3. Sometimes users might turn off images to prevent distraction.

Hence an \*alt text\* is recommended so that there is no loss of information for the aforementioned users.

### ## How to add an alt text?

In the problem creation flow, you can add an image in the problem description by clicking on the ?Image? icon (screenshot below). This opens the ?Image Properties? pop-up with a \*Text Display\* field. Set an appropriate value in the \*Text Display\* field and this will be used as an \*alternative text\* (alt text) to the image.

![[image6.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734990002231-image6.png-1504db9b-6ab0-4448-b71c-a5fc37f45736?Expires=253370764800&Signature=rMDLpG0hn~sLZEzwVMSGuisp6SLW6juUusE8gnemzHCKCO1g3uvPRtjLtrWqk-n341Qk~fG7LG63jciRjh3fC6dk9GvgFEDNR1qdlJ4ogG7L3j4h8nJNj3MJUMvK6kBM0Oe4AfZxgefEcZ1OIKRCUzbssoa1KSUfd8JUdaAw5IRp42AqBkjmV--Y0SWUp5C-aKNkxZldbov~lZr4OCXcKe-fAuBS1a0i0yyQ9bqTpkH5OMWfeLta79v021HYPXr47WwP0tFcWbOb9Jm~o06qp54bduEglTuxy4qWVGBdxj59~-KJZ~XGkCog1dzs7AhCq9DEtFkS-9WqQl9BolfJKw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)![[image2.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734989996628-image2.png-5ed83856-2413-42d7-a456-a42e5f8f27ee?Expires=253370764800&Signature=dJQBUIRWlrc257ITOWw15GLD7RmAxGfJqlJ8-xQVs73BV8T~44DAleluP00PiXB5lxk6PUptpOAEuUeUJ6cJs2y0njoRnz4TuS6VBZODO67T1Gf-xXanC-rElyF8KzVG8yvuQkbY2EyEWz6OJosxsJmz5rLd9iQwWEOkYneLuMKMVbrdSOPXNT3SDyv0gGmuQ1Jpa3zaaxvOQcAGNjgeNg8ci52CZ8BwZ1FCdBUioQl~JRFvVJsBdpKmu6X1pK4nAsT0wNrhgAnsHk1bT~Z7YRW~lysJQl3g~3-oXqr9blgYHuDoY~E8cxXw0nmU27fVUFTPEgt0tGYVL2zMxc7g\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

### ### Does every image need an alt text (alternative text)?

Not every image needs to have \*alt text\*. Most of the time, the images used will be solely for decorative purposes or some text in the

problem description might already convey the purpose of the image. In such cases, adding an empty \*alt text\* is completely fine as the description contains information about the image, as shown below.

![image7.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734990014004-image7.png-b7313688-27b0-41f0-a760-e7cd3305af3e?Expires=253370764800&Signature=N469lpZUwyBwaDr27oXN6CpFV8CrcNgQBWcrv5HK8h2oB7DETEbd0g3MLr8FyWMLvSJHoQDNKg6N1iuB26Ifjlx940aPjLqr8AGxZKb944fn5o~HErEWpDa50GtvEbhcHVT5w4ZWPBKrsxGpxwCN8Bc~Xw07GxBmEOKZxBwZS6e9lITaIEShVWT0xIly2uwXH3hHFW2bFEpa3jurliE91~5sVANJdl8xH5RpvvFvULTLXc7sg2xA~wt3jTU~fxa9XOWZ4e8kFOk1PsVtCzJ97iWi93loq1wTZAJQXgvtL1u459VAvjkt4pn3wT6pY06Xs2C2wkWIKHkG9fsGumdvkQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

### When is alt text (alternative text) mandatory?

A descriptive alt text will be needed in the below scenarios

1. Images act as navigation elements for example links.
2. Images contain text

**\*\*Note\*\*:** It is recommended to use images (if used) solely for decorative purposes in the problem description so that it is easily perceivable by all.

\

[library/manage-question] Share a Question Prerequisite Sharing a question Transferring ownership of a question Removing access from a question

---  
title: "Share a Question Prerequisite Sharing a question Transferring ownership of a question Removing access from a question"  
title\_slug: "share-a-question-prerequisite-sharing-a-question-transferring-ownership-of-a-question-removing-access-from-a-question"  
source\_url: "https://support.hackerrank.com/articles/6697457900-share-a-question"  
article\_slug: "6697457900-share-a-question"  
last\_updated\_exact: "Sep 25, 2025, 1:38 PM"  
last\_updated\_relative: "Last updated 7 months ago"  
breadcrumbs:  
- "Library"  
- "Manage Question"  
---

# Share a Question Prerequisite Sharing a question Transferring ownership of a question Removing access from a question

\_Last updated: Sep 25, 2025, 1:38 PM (Last updated 7 months ago)\_

You can share questions created by you and your team members in your organization. You can grant **Viewer** or **Editor** access, or transfer ownership to another team member.

# Prerequisite

Your organization must have created at least one question.

# Sharing a question

To share a question with another team member:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Library** tab.
3. Select the **Tests** or **Interviews** tab.

!image.png(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758776370673-image.png?Expires=253370764800&Signature=AajVb3-nES9QfaEZdqrTy3VzfeldQHjOjJI2llwZYknqm2eMdhX78Ou~tmVBOPx2VjlhACpmcMwLraGgKRosW4WnZPxmk1rTsWADEBGnd3Cqz~nwBWCvwYXgM1~czOFRYQbjgoSLLeyzsrjsYDNajz5J4dxm6a3NZV5dg3MtQQ2n7AlwZJOkz~vbDKxssrzVNBiuhdY-9iYoYGVipTdnFuwkj9JwL1UZ4mhwqOpOSi8qmVqRGgcLfRu1XLt7J9Fv3eP2mFCa78HffzMe8CP5p~CRDFbd5vVJrft3ZklHayDe32qkzkRltO9yW0rmZj9Y2d4gVsaJZ5qvHNbtj-EJWA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

4. Select **My Company** as the source of questions from the **Library** drop-down.

5. Click the more options menu (**?**) next to the question and select **Share**.

!image.png(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758776464406-image.png?Expires=253370764800&Signature=TxyABakWtNRltucF8CoSncqky8f7W7DmlhNke17kYe8KAieG1R1-dXv8kszg9I8aaqO~ar-4AmYr6fV5be2R7Uwlll38vh3XcNE7zcbIwjschX2IN8~FscgLa8ToU2qvPJCjuQd1P7gmX9ojCjsGWBnc0CMq9i9ajc-7lw9M5Gb0ROrN-hoEDkQi5ggp5LNeJ5469DSit0-4zrUDxuJSPvQlp0TKI4E6sGPd6G5-MdvdyLBUD4NnvPgtUluEoK9hfQ5isWBS2XUWfJXOQqxAJdqQhDfYXcNHXtJOq1SVNesEAOGJ~SrNhfsOWihYT2wzu2KORXNfcbGAXzcloNQw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

6. In the **Share Question** dialog box, enter a user or team name in the **Search users and teams** field.

!image.png(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758776515991-image.png?Expires=253370764800&Signature=sG0i57BsDlcc8sGspymvsAsTVGfyeAXJmobyzFS3-5ex8zjJwoAPePHUg5~~qWHJQMdjHDso060iv4DDI5Pwh5QBEklRBepsVfbxBHqP7arexw9g0nFtel0qLb~KdYsAAgfpM0ryQHEMxeDOirD8K4~UTNSob7v6WwHQQMPI6DsheT5qCqLSaWUdShzIcLpVHkcZHXVKxZWx9Nc4aMiPsRxKyq-mNP3pkHK7MFcyLQsp5zhNlgUsmVfvRL1fGcNqQ9c0rO2ptPo~nVOkoO7CNMOf5-yh7zZPa4~2SgvQxONr-buPbkUmyyp6qEH8nUfs-HjQH4kPYov7PsSnAg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

7. Choose a sharing role from the drop-down list:

!image.png(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758776528728-image.png?Expires=253370764800&Signature=atk1-f0PgQuluREJ8OknyvPoU0Hc7j-ukT2GiJKI0ZddH~LN0KPsUJZTaiQaTxmSWKibHTIxelDrzulosiLh8pyTaL7



W0D5X3g-7Qv-9CajGOBYWdd~pJbdZb1rZntuDgHMe9FMx9XYy6xj-VjAdQKs-e7IatsaURivLHV1QEWagZrg8a5Kc23ltPE3aq7NclvS~UUIEvkKkDDabfYC9QLYkSggtcYxTiPdPniuQGEZfbUk1Dmwn5lQoiFWAU9SPGeJzqeH1RLICr1z9uME7Gh2itzNejax-B~hz3S9xDkjYcWkU66dXQMM5rpc80rR~J76~~FJDSuSYTzJ-wakow\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- **Viewer**: Can view and use questions.

- **Editor**: Can view, edit, and use questions, and view insights.

1. Click **Save**.

After you save the changes, the users or teams and their assigned roles appear below the search field.

#### # Transferring ownership of a question

**Note:** You must share the question with the team member before you can transfer ownership.

To transfer ownership:

1. Click the more options menu (**?**) next to the question and select **Share**.
2. In the **Share Question** dialog box, select the dropdown next to the user name.
3. Select **Transfer Ownership**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758776548092-image.png?Expires=253370764800&Signature=G7jdVm64VXewDs2kgpDQECcCn~M5Rn7JLHVkJAnbSIUPpBpMkXn2PXTNYRJHp9ySRvi6enSnZdM~D4uiKR26sYQc8WXE1qJyAKI7512XvY-Ddps7lCtEltnhxCNJYMzxoU3fONzVgLKuaUHVLogEzpPN8DITGuNoiaGj2E3PxQLyRZBFZAktCkrSGm-peLzFGqEh5jMAaIOM0hdTGxmbzagLQVBrshZStz2jyCnp5HcZzIRpD7KwysuKkOfHGvVqXg0tZ0TPQ7DocfYt5AuoGIESjSYlanlOXTY0qxV0I7l3lILfv7bUKoaBDLLoFhQ9k98Aab4b~QXGgCuEoGEXw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

4. In the confirmation dialog, click **Confirm**. A success message appears.

After the ownership transfer, the role of the previous owner changes to **Editor**.

#### # Removing access from a question

You can revoke **Viewer** or **Editor** access to a question for another team member at any time.

To remove access:

1. Click the more options menu (**?**) next to the question and select **Share**.
2. In the **Share Question** dialog box, select the dropdown next to the user name.
3. Select **Remove User**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758776558780-image.png?Expires=253370764800&Signature=kkK9lAXErYjyKd1tk-aWlrsPmhFOCtvoq5HaaAmoJLUulrC8Rpsm2bEDWpqoq~WPbgSOkdwJsYx-49zfK3VkoYlNf8f6ahCGJuqqb7fLQAiGuqlsKoih3DI0nz5O9g4nerg5PJXhRbOqanFnMofD7nPpoeUx9tvv9iSRiZPa85xBxX6VnYVhTSfe6XpSLVj-01SPs2k6izS9uwXsUk-BXXcomP7o0tQnHjw4eudDU5KBHnM0OPCSByVGoe5t0W21Ompn0-LNpxVYOI36vXiKiqc0OlbFXvtT3hTGQXBRLjYH1W6Ac85WSBfFTBzmjHpKuABbM8bupMEa8T6EejKg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

4. In the confirmation dialog, click **Confirm**. A success message appears.

\

# [library/manage-question] AI Solvability Indicator and Filter

```

title: "AI Solvability Indicator and Filter"
title_slug: "ai-solvability-indicator-and-filter"
source_url: "https://support.hackerrank.com/articles/7394210877-ai-solvability-indicator-and-filter"
article_slug: "7394210877-ai-solvability-indicator-and-filter"
last_updated_exact: "Jan 23, 2025, 12:54 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Library"
 - "Manage Question"

```

## # AI Solvability Indicator and Filter

\_Last updated: Jan 23, 2025, 12:54 AM (Last updated 1 year ago)\_

HackerRank automatically flags coding questions that artificial intelligence (AI) tools, such as ChatGPT, Gemini, etc. can solve in its library. To ensure transparency, HackerRank performs monthly automated analyses of its question library to simulate how AI tools would perform on these questions. This feature aims to inform users about AI-solvable questions, helping them design tests effectively, particularly where plagiarism might be a concern.


### ## Key Benefits

- Awareness of AI-solvable questions.
- Ability to exclude such questions when plagiarism is common, such as high-volume or university hiring.

### ### How to Identify AI-Solvable Questions

HackerRank marks AI-solvable questions with an **AI Solvable = Yes** indicator. The following steps can help you use this feature:

- Locate flagged questions in the **Question Library**.
- As shown in the example below, you can curate your test using the **Hide AI-Solvable Coding Questions** filter in the left pane of the library.



### ### Why This Feature Matters

AI tools have evolved to solve certain coding problems efficiently. While their capabilities are improving, simpler questions with concise answers are more vulnerable to being solved correctly by these tools. HackerRank protects its customers by offering filters to avoid AI-solvable questions.

When curating tests where plagiarism is a concern, you can additionally leverage HackerRank's [\[AI-Powered Plagiarism Detection\]](https://hackerrank-knowledge-base.help.usepylon.com/articles/7287334157-ai-plagiarism-detection) features for further protection.

### ### Recommendations for Question Usage

Question Type	Susceptibility to AI	Indicator & Filter Availability	Recommendation
MCQs	High	No	Use to assess tertiary skills and basic knowledge and minimize evaluation time.
Sentence Completion	Varies	No	Use for tertiary skills and basic knowledge. Limit usage for primary skill testing.
Coding, Database	Medium	Yes	Ideal for testing coding proficiency. Avoid flagged questions in tests that are prone to plagiarism.
Backend, Frontend, Fullstack	Low	No	Best for evaluating primary skills. These require extensive customization, making them

less AI-solvable. |

### ### Scope of the AI-Solvability Filter

This filter applies to **Coding** and **Database** questions, the most common test types. While also susceptible to AI, questions like MCQs and sentence completion are not covered by the filter. HackerRank recommends prioritizing hands-on exercises (e.g., coding, database, full-stack tasks) for primary skill evaluation.

[library/manage-question] Export Questions Prerequisite Exporting all questions Exporting selected test questions

---  
title: "Export Questions Prerequisite Exporting all questions Exporting selected test questions"  
title\_slug: "export-questions-prerequisite-exporting-all-questions-exporting-selected-test-questions"  
source\_url: "https://support.hackerrank.com/articles/9028620307-export-questions"  
article\_slug: "9028620307-export-questions"  
last\_updated\_exact: "Sep 25, 2025, 1:33 PM"  
last\_updated\_relative: "Last updated 7 months ago"  
breadcrumbs:  
- "Library"  
- "Manage Question"  
---

# Export Questions Prerequisite Exporting all questions Exporting selected test questions

\_Last updated: Sep 25, 2025, 1:33 PM (Last updated 7 months ago)\_

You can export test and interview questions from the Library into a CSV file.

# Prerequisite

Your company must have created questions in **Tests** or **Interviews**.

# Exporting all questions

To export all test or interview questions:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Library** tab.
3. Select the **Tests** or **Interview** tab.
4. Select **My Company** as the source of questions from the **Library** drop-down.

!image.png(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758776875864-image.png?Expires=253370764800&Signature=UzJHIGLiepK13jg5azqlDwa3Gx9VoCnTpfUqln-YdHXXwn4KjcAm7f83tP7u6nmVSExiYOxVPZ8ir-DDcq6IYR6KQYhrK~6WMXXVFpG0mo9WgDPd0R7FsuWl2DLA0UbDwyJytcCV8ZUlxvLYliyU1KATPH52-WhXQtu59TRFDZ2ppwQWGKN~psuO3ibxQXalydEGN9IVfE1Y-JLwYHbwWZUiMDDPrXstqeL8J0mMLo6ahcSRizlcfDJprAQKVGjT3ZbKxpOkAAfypRGK7EHJ5al4HMY2HLATbGWa-bjHNfqFo26tKrYNpXFg46jMDEh-qxaktX6LKdRZPco2r3Ew\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click **Export**. The CSV file downloads to your system.

# Exporting selected test questions

To export selected test questions:

1. Go to the **Tests** tab.
2. Select **My Company** as the source of questions from the **Library** drop-down.
3. Select the questions you want to export.

!image.png(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758776884710-image.png?Expires=253370764800&Signature=kXDK~zzLCK631QUngl5N97oDHX~ILSvpM0YAwyag4GyVSabA~Sv0Kf8F~13hyiPDmmmhsYb3G0IKvclRuWKE0Xxgeyz3SzqMFYO-BwmIM~iA0L8vLTaxnSP3T2Gzocft8kQzqcZPEIDHIUh5Jij16lxvXRjGErazpWBM4O73~eeni6ghEgZqhEoxnk4DH4XV50RyvyN-VEgnedcal0NIAX-NP3v0sPO33UgB7Tu-1OEEdUBUDKq6woj1q~BCCPD99l83ZGtlEZ9oRQyh22LmjMjByV-R9m3TebkIqoooXumWBRDfPiPUPiFE~8SwRd56s-r2M2UegV3Wvfb2dw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click **Export**. The CSV file downloads to your system.

\

# [library/manage-question] Edit a Question Prerequisites Editing a question

```

title: "Edit a Question Prerequisites Editing a question"
title_slug: "edit-a-question-prerequisites-editing-a-question"
source_url: "https://support.hackerrank.com/articles/9349097996-editing-a-question"
article_slug: "9349097996-editing-a-question"
last_updated_exact: "Aug 14, 2025, 12:44 PM"
last_updated_relative: "Last updated 8 months ago"
breadcrumbs:
 - "Library"
 - "Manage Question"

```

## # Edit a Question Prerequisites Editing a question

\_Last updated: Aug 14, 2025, 12:44 PM (Last updated 8 months ago)\_

You can edit questions in your personal library that appear under the **My company** questions section. This section displays all questions created by you and other team members in your company.

**Note:** You can edit only the questions in your company library. HackerRank library questions are not editable.


## # Prerequisites

The question must exist in your personal library, and you must have permission to edit it.


## # Editing a question

To edit a question in your company library:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Library** tab.
3. From the **Library** dropdown, select **My company** to view questions created by you and other team members in your company.




4. (Optional) Filter the list by Role, Skill, Type, or other parameters.



5. Locate the question you want to edit and do one of the following:

- Click the More options menu (???) next to the question and select **Edit**.



- Click the question title to open the preview pane, then click **Edit**.



\

6. Make the required changes.

For detailed instructions on creating each question type, see [Creating Custom Questions](https://support.hackerrank.com/collections/6791011056-creating-custom-questions) section. You can use similar steps to modify a question.

7. Click **\*\*Save Question\*\*** to save your changes, or click **\*\*Save & Create Another\*\*** to continue editing another question.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1755093703039-image.png?Expires=253370  
764800&Signature=hwH9un-sDgxLWolouRcgJ8lWwjRhBxdwMdmEoYYP0ZaE7N93Uz2TjulxMpmkXgM4RkocFgGbemJVeOWJyel4J  
Ke0PBdPpalFsjadKRTfm6hNBEUakwQQBOc6OFh0t9~ikoVo-rFGYW6j5llj194WceyqH0YrSjn7OfAA2loCwx3WoKOdsyY71IFmrZYJ  
VVsvvSDNVIG59Gs34-O3OBjTzJzRdquvl~CkFz6d~V5laHe4aEVwGoP815mkgbgxg2Lj-h~1qEp8LvrLcTDSkf6Ki3mhws~NwBixjjNYP~  
-tWo3t7ajdhtokUNHU-7Hpw6hU5eYVjBaVP30rLpkco5jT3YQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

\

\

# [library/manage-question] Associating Tags to Questions

```

title: "Associating Tags to Questions"
title_slug: "associating-tags-to-questions"
source_url: "https://support.hackerrank.com/articles/9412060538-associating-tags-to-questions"
article_slug: "9412060538-associating-tags-to-questions"
last_updated_exact: "Dec 24, 2024, 2:54 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Library"
 - "Manage Question"

```

## # Associating Tags to Questions

\_Last updated: Dec 24, 2024, 2:54 AM (Last updated 1 year ago)\_

HackerRank for Work allows you to categorize your questions by setting difficulty levels through tags. Based on a question's complexity, you can assign tags such as Easy, Medium, or Hard. Additionally, you can add custom tags to organize questions by subject or parameters like Algorithm, Problem-Solving, etc.

**Note:** You can only add tags to questions in the **My Company** tab. Questions in the HackerRank Library are non-editable, unless cloned. For more details, refer to the [Cloning a Question](#) article.

## ## Steps to Associate Tags to Questions

### ### Prerequisites


- You must be logged into your HackerRank for Work account as a **Company Admin** user, or
- You must have created the question, or
- The question is shared to you with edit access

### ### Steps

- Click the **Library** tab on the home page.
- Under **My Company** tab, search for the required question.
- To add tags to an:
  - **Existing question**: Click **Edit**. Note that only questions created by you or your company can be edited.
  - **New Question**: Click **Create Question**.

!mceclip1.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046575872-?Expires=253370764800&Signature=Ay0SOj7HgWxIY~cq3I1I~ybGDgXXn5qqtfShpCs1XsxHbHNXjZNPdGu5Uee8kSycxd8j1a~ciBqXT~8CxXHFria4XCxPnCsuHwtSwHwxXP1x-CT6r6~qP7fzka-nodhz1Zc8b0oMtyfjKc5I~cLZZJmOCpjVegYLTv4D2GA9uk0HrTaKZ1HgRGUS1c64jQRIUPWxUsKQEEaWWW6sC8VFf3kp~FXSIs1caFPQt~ikvkoO7f6P0Pfr19E905dK0RkqQNDwjpatUrAs6OLYBgISnJ518jKLL2EUNU2hvdalnX1RwB2RTFAuTdZPrp0clgCAf~DIgwXZ0gzcmVnCKKKWVw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- Select tags for your question from the options in the drop-down or add a new tag to your question.



- If you wish to associate tags based on the difficulty level of your question, you can type keywords such as **Easy**, **Medium**, or **Hard** in the Tags field.
- To add a custom tag such as **Fundamentals** or **Beginner**, click the **Tags** drop-down, type the keywords, and click on

**Create**. The tag is created and assigned to the question.

- To remove a tag from a question, click on the **remove** icon for the added tag, as shown below.

!mceclip5.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046576727-?Expires=253370764800&Signature=tnce4My4V8Vq6~XwERqJPInPdfzSRiTP21HpLHMaFOD5ZgdURAbNOrochWke0tk9bFwwVQA-AlgPT-NzhKza~xO6R2NMyOY--ZUsfRvA3lfgzimUqDtR-1UdRZMwbLS1ElryjLso6tfijE4jvF2SkjyjlARYdPjytQzhtutFtboHknGh89r1IX~lOoPE4zFru2imQjQeF8~r6X5CGTB2opD49b1RYqq5XYA5XMusRe32XLaem2A4Z1Qy9akACGNNUvsO2lArjEkVOOXn5w0gvKk4XXY-hhRYRJf7YZHLa1e2nU4YhgLWZL8Kpszc2wzZSjwy5CTh1kG0Lk5hsK~w\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

## Viewing the Tags

- Navigate to the **Library** tab, and select the **My Company** tab.

- On the left search pane, select the difficulty level associated with your question as **Easy**, **Medium**, or **Hard**. Your question is displayed on the right pane. The difficulty tag and other custom tags associated with the question are indicated.



- You can also view **Tags** for individual candidates. On the candidate summary page, click on the candidate name, and under **Score Distribution**, click on **Tags** to view the scores associated with tags.

![2024-09-10\_16-47-59.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046577463-?Expires=253370764800&Signature=HGThNvZRt0fhENRhL0GGiy3DmEDCNeVgZ7KDAWkWgwT5JDJbGNJostCjUUwYSo5JR5pj9F0bTusJ2lYH9VU~PqUCKTf08m9w88gJmKgLw9yJ--ajaVRXwjdk2x2z0KkLsQeOq4J1IkZ3bNSUV-wJknpQ7ETcebVO9lsCfWwGFgLkEsehk0x0JavhLFVqOcZ1G-5wCL-lw~v~zvhhY4wAFAXGGLR07w1QG6Etep5ZiKWvz~5GKP5ptPmb3KAP2MYPNA49ghgzvuDg3DzjO4MsgtksiZAzEjo8p60DL8IXZzriEQy1LiieqQcQCEukZod-jsUPrZH2tcoBb1maAMCkYw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- Scores associated with tags and **Tags** can also be viewed in the test **Excel** report and individual candidate **PDF** reports.

Refer to the[? Test Labels](/articles/2096315953)article for information about setting test difficulty levels.



# [library/manage-question] Clone a Question Cloning a question

```

title: "Clone a Question Cloning a question"
title_slug: "clone-a-question-cloning-a-question"
source_url: "https://support.hackerrank.com/articles/9746551127-cloning-a-question"
article_slug: "9746551127-cloning-a-question"
last_updated_exact: "Aug 14, 2025, 12:38 PM"
last_updated_relative: "Last updated 8 months ago"
breadcrumbs:
 - "Library"
 - "Manage Question"

```

# Clone a Question Cloning a question

\_Last updated: Aug 14, 2025, 12:38 PM (Last updated 8 months ago)\_

HackerRank for Work enables you to clone existing questions. When you clone a question, the platform creates an independent copy with a unique Question ID. Any changes made to the original question do not affect the cloned version.

Cloning is useful when you want to create modified versions of a question for different contexts.

**Note:**

You can access questions from two sources in the Library dropdown:

- **My company:** Contains all questions created by you and other users in your company.
- **HackerRank:** Contains the HackerRank repository of assessment questions.

You can clone questions from both sources.

# Cloning a question

To clone a question:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Library** tab.
3. Locate the question you want to clone and do one of the following:
  - Click the More options menu (**?**) next to the question and select **Clone**.
  - HackerRank Library

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1755092596493-image.png?Expires=253370764800&Signature=L09j-1KengUVqWS0sr3k~NNb7C3~MhljPb35ohvX7LZQDkeirqW3ZFNqI5fq6Kf0C2-AstOuuWTklMzd9zTXuhJnnuFwg4hE0HyphRNC5UiFHanMkl1ZukJpCHcRvWeCqqXXT0wkJ69U6-gws0hbk~2RcWg4Y-zF6Nwym0DDuoTtA0-nt7nyinr-udJuwlXQWXKGwjpm~t1sISmKVBGplQPPoMs15kJqenDwACfayhyQTmiJeJ2Y0qp60d6tRaomHTu2Tk~EU~8ZfXMLI9Qu1uwldXuperbHdIPxZ66Cw24roQYRLNo68k3Wo1rMOF2vqmMmlFOwXoiUpy5HotTLw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- My Company Library

```

```

- Click the question title to open the preview pane, click the More options menu (**?**), and then select **Clone**.

4. In the **Clone Question** dialog box:

1. Click **Okay** to continue.
2. Enter a new name for the cloned question.
3. Click **Clone**.

The cloned question opens in the **Edit** workflow.

5. Edit the question as needed:

![Cloning.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1755092818275-Cloning.gif?Expires=253370764800&Signature=nSbjrfBLuuCShCu1OACbhbmINTfPpDofAA-ph1RsinZ7HBLvDh8OroDe6WcgENx-mB5DTCDQN0h7ET06vRjnF6xasjdt1Z9rCJBsJ5UTYe5au-tEPSXfBuyEqvHRBJoxdpYA2fsfCKpq29Vgbvs9RL6ydSRH6kHHOP7qMgVk-8U35ih0wgQRmvR8EHaa-tHluSKHGFjW66zrPeeb1RxVvXyKR6B93PUMBQVp6CVBKSAFmtuHFEMBJrbcyusMSny8grrEsAeAYd-gk31515OOJUf4OYlut3gmU~EoYDZVQTh-A8VTc-3er8K16LIJtj~odFZwnyg60hbgPZlvHYNNuw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- **Step 1:** Update the problem details, question properties, and Interviewer guidelines.
- **Step 2:** Select the supported programming languages.
- **Step 3:** Review or edit code stubs and function details.
- **Step 4:** Add test cases and upload a sample solution.

For detailed instructions on the above steps for each question type, see the [Creating Custom Questions](https://support.hackerrank.com/collections/6791011056-creating-custom-questions) section.

6. Click **Save question** or **Save & Create Another** if you wish to clone another question.

\

\

# [library/question-scoring] Manual Scoring for General Question Types

```

title: "Manual Scoring for General Question Types"
title_slug: "manual-scoring-for-general-question-types"
source_url: "https://support.hackerrank.com/articles/2056253220-manual-scoring-for-general-questions"
article_slug: "2056253220-manual-scoring-for-general-questions"
last_updated_exact: "Mar 30, 2026, 2:28 PM"
last_updated_relative: "Last updated 4 weeks ago"
breadcrumbs:
 - "Library"
 - "Question Scoring"

```

## # Manual Scoring for General Question Types

\_Last updated: Mar 30, 2026, 2:28 PM (Last updated 4 weeks ago)\_

Manual scoring allows you to review each candidate's submission and assign a score based on your evaluation.

The following **General** question types require manual scoring:

- **Subjective questions**: Candidates submit free-text responses.
- **Whiteboard questions**: Candidates solve problems using a virtual whiteboard interface.
- **File upload questions**: Candidates upload files for evaluation.
- **Diagram questions**: Candidates submit visual solutions that may have multiple valid approaches.


## ## Prerequisite

The candidate must submit the test.


## ## Manually score general questions

To manually score general questions:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test you want to evaluate.
4. Go to the **Candidates** tab.



5. Select the candidate whose test submission you want to review. The **Summary Report** opens.
6. Click the question you want to review under **Questions** in the **Performance Overview** tab.



The **Detailed Report** opens and displays the selected question.

**Note:** You can also click **View Detailed Report** to open the **Detailed Report** and then select the question you want to

review.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772516575781-image.png?Expires=253370764800&Signature=YN1S6RS7kGQ7eNYNern3ntlJGjaTSxxfe79tFNd0hg1GMDQrsuld-nvITKdtbkH1VPwRhCgBxs8caph4eDyJmAk57vs~urTmxXYldXZQ2fgp-NBKmYY7p84~47uDONmt4v~eOCikUJGMqUCAg2gMpGhrluxld8EiLOA~6uaqpaFh1CYttX0vtO~tqfTy1s4FxGakOqEYqOz~ltJVqyi3fQKY17aW5a5gRyqYEPYkeVenRRG8kPjwWGtx9kA3i9uBPed6bJgly7th55-TBCfzKc41F3-dvqGgzfVvKQQt nge5LlkpxPMiXNupz~E6Il7U5rTEapjnxFHE0eklfniCg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

7. Review the candidate's submission based on the question type:

- **Subjective questions:** Read the submitted text.
- **Whiteboard:** Review the solution created on the whiteboard
- **File upload questions:** Select the download link to access and review the submitted file.
- **Diagram questions:** Review the submitted diagrams.

8. Enter the score for the question in the **Score** field.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772516594366-image.png?Expires=253370764800&Signature=RGVrn5CEJEOIP82yDwb0b~zVC-sMSvM0q~v-i7O6xQuZv4m6Hjib2PyJQmjfE94jN1mIUcEMiq5VBQ5da2IbYt1AEumlr2t8Gw-AljjHMSbxZCLmcl-j6TDZomAtpqxjiJDXf0gtMkf7YHdhQcuhg2zYvHo7T5ntrXZDZupOeQBH18xsiRXgw1u76TRtfLLBGwqJVFNyLR33nTL6NWCELFN~zTHZdx9QPBV258J9~LZe8ilt2HFLa3~V-lyIU4DbGrNF724a36MmUz8cnEQvjsf7dDABi9OpnUh5o05qyAnYXINsscQaQRqtri-4-Y0JKLdgu-hRXeAevvb5Ok0BOW\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

9. (Optional) Click **Comments** to add reviewer feedback.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772516606095-image.png?Expires=253370764800&Signature=E6rs8QK5~Fe9YkRSFOmtyaTThg2te8h~NvXqzxZv0KCEptJlxuaDQq655kN43xYmxtQdGQFZXWoa0ec2fPvQvjvN7aFat8mzw6XyXcq6bqAgj4LOM.Jp9VMcNI4VUr7mVI71Uwn95GNw6V2EK0L4IkMFvRSr9hw9uLLosDfR4Xoh~vBI-KORfXnQPIGci tcyJOhkxP-HapFNI8QMqsGWpOVb1sFjP7O6t5HkL6AKpkxVMhPCczRtwojr9TJDxqLjppZEzj8ZADwopJN1~zAyP42Kp2IBopkzOiCulT5kmQ88~jB1yVCkq~3hFbY8L39lp8mPEbARsglm9JVAkKybzQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

\

[library/question-scoring] Evaluation Methods for Test Questions Evaluation methods

---  
title: "Evaluation Methods for Test Questions Evaluation methods by question type"  
title\_slug: "evaluation-methods-for-test-questions-evaluation-methods-by-question-type"  
source\_url: "https://support.hackerrank.com/articles/4666032442-scoring-questions-%28overview%29"  
article\_slug: "4666032442-scoring-questions-%28overview%29"  
last\_updated\_exact: "Mar 30, 2026, 6:06 PM"  
last\_updated\_relative: "Last updated 4 weeks ago"  
breadcrumbs:  
- "Library"  
- "Question Scoring"  
---

# Evaluation Methods for Test Questions Evaluation methods by question type

\_Last updated: Mar 30, 2026, 6:06 PM (Last updated 4 weeks ago)\_

HackerRank supports two evaluation methods for questions in a test, based on the question type.

- **Automatic evaluation**: The platform scores candidate responses using predefined criteria such as test cases, answer keys, or scoring rules.
- **Manual evaluation**: You can review candidate responses and assign scores manually.

# Evaluation methods by question type

The table below lists the evaluation method for each question type and provides links to related documentation.

Question Type	Evaluation Method	Reference Article
Coding	Automatic Evaluation	[Scoring a Coding question](https://support.hackerrank.com/articles/2474669643-coding-question#scoring-a-coding-question-in-tests)
HTML/CSS/JavaScript	Manual Evaluation	[Scoring an HTML/CSS/JavaScript question](https://support.hackerrank.com/articles/7771245202-html%2Fcss%2Fjavascript-questions#scoring-an-html-css-javascript-q uestion-in-tests)
Database	Automatic Evaluation (Manual Review recommended)	[Scoring a Database question](https://support.hackerrank.com/articles/8826242281-database-engineer-questions#scoring-a-database-question-in-tests)

```
<tr>
<td data-cs="1" data-rs="1" style="width: 153px; height: 22px"><p>Approximate Solution</p></td>
<td data-cs="1" data-rs="1" style="width: 219px; height: 22px"><p>Automatic Evaluation</p></td>
<td data-cs="1" data-rs="1" style="width: 284px; height: 22px"><p>[Scoring an Approximate Solution
questions](https://support.hackerrank.com/articles/8117531949-approximate-solution-type-question#scoring-an-approximate-solution-
question-in-tests)</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Generative AI</p></td>
<td data-cs="1" data-rs="1"><p>Automatic Evaluation

(Manual Review recommended)</p></td>
<td data-cs="1" data-rs="1"><p>[Scoring a Generative AI
question](https://support.hackerrank.com/articles/7355446816-creating-a-rag-retrieval-augmented-generation-question#scoring-a-gen-
erative-ai-question-in-tests)</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Mobile Developer</p>
<p>

</p></td>
<td data-cs="1" data-rs="1"><p>Automatic Evaluation

(Manual Review recommended)</p></td>
<td data-cs="1" data-rs="1"><p>[Scoring a Mobile Developer
question](https://support.hackerrank.com/articles/1570281449-creating-front-end%2C-back-end-full-stack-and-mobile-questions#scori-
ng-front-end-back-end-full-stack-and-mobile-and-qa-engineer-questions-in-tests)</p>
<p>

</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 153px; height: 22px"><p>Data Science</p></td>
<td data-cs="1" data-rs="1" style="width: 219px; height: 22px"><p>Automatic or Manual Evaluation</p></td>
<td data-cs="1" data-rs="1" style="width: 284px; height: 22px"><p>[Scoring a Data Science
question](https://support.hackerrank.com/articles/5187107609-data-science-questions#scoring-a-data-science-question-in-tests)</p>
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 153px; height: 44px"><p>Front-End</p></td>
<td data-cs="1" data-rs="1" style="width: 219px; height: 44px"><p>Automatic Evaluation

(Manual Review recommended)</p></td>
<td data-cs="1" data-rs="1" style="width: 284px; height: 44px"><p>[Scoring a Front-end Developer
question](https://support.hackerrank.com/articles/1570281449-creating-front-end%2C-back-end-full-stack-and-mobile-questions#scori-
ng-front-end-back-end-full-stack-and-mobile-and-qa-engineer-questions-in-tests)</p>
<p>

</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 153px; height: 44px"><p>Back-End</p></td>
<td data-cs="1" data-rs="1" style="width: 219px; height: 44px"><p>Automatic Evaluation

(Manual Review recommended)</p></td>
<td data-cs="1" data-rs="1" style="width: 284px; height: 44px"><p>[Scoring a Back-end Developer
question](https://support.hackerrank.com/articles/1570281449-creating-front-end%2C-back-end-full-stack-and-mobile-questions#scori-
ng-front-end-back-end-full-stack-and-mobile-and-qa-engineer-questions-in-tests)</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 153px; height: 44px"><p>Full Stack</p></td>
<td data-cs="1" data-rs="1" style="width: 219px; height: 44px"><p>Automatic Evaluation

(Manual Review recommended)</p></td>
<td data-cs="1" data-rs="1" style="width: 284px; height: 44px"><p>[Scoring a Full-stack Developer
question](https://support.hackerrank.com/articles/1570281449-creating-front-end%2C-back-end-full-stack-and-mobile-questions#scori-
ng-front-end-back-end-full-stack-and-mobile-and-qa-engineer-questions-in-tests)</p>
<p>

</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 153px; height: 22px"><p>DevOps</p></td>
<td data-cs="1" data-rs="1" style="width: 219px; height: 22px"><p>Automatic Evaluation</p></td>
<td data-cs="1" data-rs="1" style="width: 284px; height: 22px"><p>[Scoring a DevOps
question](https://support.hackerrank.com/articles/5929074504-devops-questions#scoring-a-devops-question-in-tests)</p></td>
</tr>
```

[illegible]

[library/question-types/general-questions] Subjective Questions Creating a subjective question

---  
title: "Subjective Questions Creating a subjective question Candidate experience Scoring subjective questions in tests"  
title\_slug: "subjective-questions-creating-a-subjective-question-candidate-experience-scoring-subjective-questions-in-tests"  
source\_url: "https://support.hackerrank.com/articles/2296520412-subjective-questions"  
article\_slug: "2296520412-subjective-questions"  
last\_updated\_exact: "Mar 26, 2026, 5:46 PM"  
last\_updated\_relative: "Last updated 1 month ago"  
breadcrumbs:  
- "Library"  
- "Question Types"  
- "General Questions"  
---

# Subjective Questions Creating a subjective question Candidate experience Scoring subjective questions in tests

\_Last updated: Mar 26, 2026, 5:46 PM (Last updated 1 month ago)\_

Subjective questions allow you to ask candidates open-ended questions. You can provide a prompt, and candidates can respond in their own words.

# Creating a subjective question

To create a subjective question:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Library** tab.
3. Click **Create Question**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772514516150-image.png?Expires=253370764800&Signature=n-lSfKvrtYppmjdB6kT6ERS6zGxkhFqGDtt3wvIa05q3mzBWbBG0Nmxigde-Tc6yv1pl3zNznjnhAjONsVvK33fw4buwmVksNDHu5PZjofot1p9StvBkBfOXY4jPxfOmjkj2Bvlo5AOYkkztcIIEBNw9vxEccIVLVK9L7y2z~pkwSlrYoydL77jiydJJ6Actxecoj6ffwpKnjFt1tzAUEOfxVnF99DvR7ZuW~9PSmxrO5oZXUjfQEAyBuTkAboA1mj8X4QfSVDLKE7JNiOidLZe9-aeokWGfJkmbAF0Mn2NMrsy152cQYzeg5PivrRvpOYmAqsreBJADWODvjPqA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

4. Select **Subjective** under **General**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772514557824-image.png?Expires=253370764800&Signature=D7f5qS~2E1JO8hTAvlpdQ0hBlw-m7r-fpylCyhD6hizDjV6zagQAJWSxRWhfPAfWt0U2PSAOECIgHqF7g9VdMbQJT52zTLegnfnRsbQqHYc2s4OtxBeRPj8w2azBNHXvAHi3lIQbb9GsbnW1rOGM2bo52132k02T4N4di1CiNjVTgVhez4MU~3vjuumn0Trv2flf7COHPvimalGZfP2FKyJnbuTG1x5giU7psFAB4TiuOJltHuBfTHVK2OI~uqWZXnr0GG2d~HEmmhKnpxX5jNBxIV2GQKTcLXsV305RKk8xWzoPNX-xbFRfBkrzo6~eea3B1hfYfSZg~09FJT-XXmA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

5. In the **Problem details** section:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772514822625-image.png?Expires=253370764800&Signature=IkatFR3fpvNt4QgNDfls9UHDm-gvFyAdHjkh-XVlvLUugxgFqkoWV0TeTEcLaorU94g1ZuPem~WxWI0jq7ViSNGnd6bPr-mr8KWOT8L4fRDW7PgDMWxKNGRFTuZhSoCJP2RW1AQhVRBzq79Zf-59GIWqbK9i5-CGysR5ZCnC1onhz7Puqh26A7n2TqLn7xZ5VCwO1rLu3~-2Sbfm7zNjfgA4PPhrJC07f2WutMiN~z6uBGuKrVZ3xh-XC0itSigfWOCLB7S0uY7HRYecM6YMOWWt-0salSsx3x8NBCbliUAjT9RcxHpL9P2FvFNTulee~VndlrIHpCnDypK7~jd1Q\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Enter the question name.
2. Describe the problem in the **Problem description** field. You can use the formatting menu to format the text or to include elements such as tables or images.

**Note:** Click **See candidate preview** to view how the question appears to candidates.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772515502734-image.png?Expires=253370764800&Signature=kT1~WDMgZD2B06JIV9QksJW1d4bC5V-zR98g9riwL5N1GYJBkRMhZLAXvUoAGyw4u9iOqWumi0iwfe0WmjGx



5XvUf04OrhaWrDSIZcRZC4bUi4B6P~mUNfh4KSRjZ-ifyzn8wkZBIDv4ng7zBIHQjBU2VpxDQuFktsOzP1en4er1kh3VkoFhRfrRkbVvD  
JrvdWq7h10t5PccktMQnhmNZCTUayOV0imiehrbfSKkzUGGU7NRo08Q~jawZkPJhnd7mHBEbb0QYVF-2hvKPCIN~CvRO9siYgbq65  
Dgp6aH97-t3CrUczcJmf~AzHAGXMMB8O1kTgE8XsbD6vYDGSvTA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

6. In the **Question properties** section:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772514927282-image.png?Expires=253370764800&Signature=OmQlr0pxJW-kCv4RuW~Qya1g2TOu7x11q9DkbwXAMMNabYxw5MobAimkwqr4GqqkVxyH0q9nzT~O~AjiUqgj87kzor0Bf5brfzL9zLxVJ2mlKgm6XbAh0-08gryRA~FZRjJEATl02TCwA85drkQIs-Sv4wAaw~dhQQb~-IDpkk4tCZCnyxvNacgKookoM9rSmzeA4syujAFlyKv4E5cRvSLqGHxfTASLeujoY05H2wK7UEGBe5c9JuezDh1lm1M4b1dZHQ~hT2KrDv1u8fExaBPddrPTAjsk2lsAkqpNrrJhpwlerk2jHZsy3rpn8WJ~4vAD-Mc0tY0uB2kEt6~w\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- 1. Enter the score based on difficulty.
  - 2. Add the recommended time in minutes.
  - 3. (Optional) Add tags from the drop-down list or create new ones.
7. (Optional) Add **Interviewer guidelines** for internal use, such as evaluation notes and hints.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772514954481-image.png?Expires=253370764800&Signature=BVDomcsmhCFelKp9rgFn9RLaLmPbJlpXOeOV87Vgcr6FslR0~fxXOB3~MkJFil8Nh5iBJtTx6oYScDOxbzKSHYztX2LAV6QxjEljFv6Gz0~HITxqiDH2ZM-aYp2dsPJG1kxx47cEcMtru-iNxMo56ZMbC9HY06mpKpKcAnzSZkbfsH18eBU60ckQFqglBEfon30tJRZy8uoVILKLqxnNrA~lvh2wmfUWLWcGIC0vPKr8yAzivlokxAZN1mmjh85SoWVisru9SQg1oM2y7-O0jZ7joMdcnB99DWZHIctfDNTEIXH5ipfTZVtx4caM2KZIVqY6EzU82PhjtBuMQFg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

8. Click **Save question**.
- Note:** Click **Save & Create Another** to create another question.

The question appears under **My Company** questions in the HackerRank Library.

# Candidate experience

The question appears on the left side, and the candidate can enter the answer in the editor on the right side.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772515606343-image.png?Expires=253370764800&Signature=Bnhx1JEeWuacY5MzE0peityEKlqq0CmsnDUZZ1oOaWyDVZMzosr9BQK9NS3qG9ktn7RTqEzAx4O3DKV3H86Q1Cmh4Z8V0pn~Ldd6jsftQzEJ2spNdzrWDhHmNu6s9UvskyZ~RVW85ssHrTw~MsxdiaMoZ0czG~Ima6uRihFO80bUQKHvGVUGY7Gp8UgkjNUPFhiL-9~hwkNsMyMQRI2eo4LkPneDljbTYNFFywrz2NstXH-A1p~Xox~mqqVtkYcb6dq68vB-YDuPg1SP4rxqiWbHX9sbWJndnV4r6gOgC4mUIW0WByb7AcHW5Z~9ktVF0fshRzeeOaFxdj8GTJ-AA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

# Scoring subjective questions in tests

Subjective questions require manual scoring. You can review the candidate's answer in the candidate report and assign a score. For more information, see [? Manual Scoring for General Question Types](/articles/2056253220).

[library/question-types/general-questions] Multiple Choice Questions Creating a Multiple Choice question Candidate experience Scoring Multiple Choice questions in tests

```

title: "Multiple Choice Questions Creating a Multiple Choice question Candidate experience Scoring Multiple Choice questions in tests"
title_slug:
"multiple-choice-questions-creating-a-multiple-choice-question-candidate-experience-scoring-multiple-choice-questions-in-tests"
source_url: "https://support.hackerrank.com/articles/2513748038-multiple-choice-questions"
article_slug: "2513748038-multiple-choice-questions"
last_updated_exact: "Mar 26, 2026, 7:23 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
- "Library"
- "Question Types"
- "General Questions"

```

# Multiple Choice Questions Creating a Multiple Choice question Candidate experience Scoring Multiple Choice questions in tests


\_Last updated: Mar 26, 2026, 7:23 PM (Last updated 1 month ago)\_

Multiple Choice Questions (MCQs) allow candidates to select one or more correct answers from a list of options. The system evaluates responses automatically based on the answer key defined for the question.


# Creating a Multiple Choice question

To create a multiple choice question:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Library** tab.
3. Click **Create Question**.




4. Select **Multiple Choice** under **General**.




5. In the **Problem details** section:

1. Enter the **Question name**.



2. Describe the problem in the **Problem description** field. You can use the formatting menu to format the text or to include elements such as tables or images.



k-8wXZCPPodNH9-dTUdP2jCCYcR3qBlyYwvx1gKJ0yNNzXkzDS2NQMTcmluE-MX7I188vQTWob7zUwpsIBDjsuV~Q2h8vzpMSXN  
snuXTkxgxiqBC~8q2N~Xbi6Z~rpl7Z80Kgd6ix66feObOMuuMpJ5OjQWEu~VxkDXCiXoFY0UARbsQh9jXqOzfUBPyjV4Cn542YhOZiV  
3pQD~tZYDfdJbqf0DjTOmu74ofM4hffmUIGa8~UDodppk~mQCA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

### 3. Select the **Type**:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771491167548-image.png?Expires=253370764800&Signature=sxuZO15R2wATvu1tPaI8a36FsV73f1kCVNuygwoSP1f2M4lbOg6V5rLqWAFRNah0gq13DgpprFLqhJEhkeTjnf4Bfa4-wSFmsd6houPGFRkB74T6YaSWCRu71SQQIRdVZiiTf-x7UH0oSEd72e90MY0hMWax65SDITQwEEvpPUXVz4RNubUsEZuB3wOqncRGrlbzKeVHEEMn8ZYH8KGZk46raWsh-nEceAi95cybBRJdvQ4SCB3hOLAKn1aH~SqoAI-WMdKc17ASvb9vyEFGX-H3-JwVJ02dohftEjZnB-Jx9wQYyqSHoK0eOVOSLjVU5z00aCR8TO47pB0d7mp3Q\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- **Single Correct Answer**: Select this option if only one answer is correct.
- **Multiple Correct Answers**: Select this option if more than one answer is correct.

### 4. Enter the answer options in the **Choices** field.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771491148739-image.png?Expires=253370764800&Signature=IJuNJO2jmyyp52eybMCBBYrKk5BcCY0zB2VLCjtmxsWLV~BbJP~qX0rpMkrycrsYBb~jDdzAcSoifACXrlj1HqFPv7P0DkHOTCF4qCfUhro8u9oLqZKQMoFgidbOqX6E~e0SdFAOehYLuczwa-yQ1KGAjdU2A6zBvipjyagSaX9mfOrO4TF3C2qXKbjZmxw0IzxdkEUOBGaW6Be26c7RsZODZ-GWHAJta6rMJDkF~mf~3HlmUAiehkgBFhMrNfclrtiJdVquu1Uoi2VWnNhGmO8exfsCfrl50HqHaZQrt8eUSYLzxElOc4fixE6iMrrgxyu8QKpD1OFFDd8rA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

By default, the system provides four options. You can update the choices in the following ways:

- Select **Format Text** to switch to the rich-text editor for each choice. To return to the standard input fields, select **Edit as plain text**.
- Select **Add another choice** to add more options.
- Select the **delete** icon to remove an option. A minimum of two answer options is required.

### **Note:**

- Click **Bulk Upload** to upload questions in bulk. For more information, see [Bulk uploading Multiple Choice questions](https://support.hackerrank.com/articles/2513748038-multiple-choice-questions#bulk-uploading-multiple-choice-questions).
- Click **See candidate preview** to view how the question appears to candidates.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771491261025-image.png?Expires=253370764800&Signature=Bkn9OaDOHcXfJE~GzRrtwklVq13QxBOHWNEANDZZW0J~eQFd0TNUhjCsiBNjNkqTTO3~ndXPt29nIGmL9KMT4PQBHPCTO3WrWnklwcERw8xXUkPWLIu7ux~8ztRTne2x7MiVQ1j~xuwWNI9BXWOCtYJU1Vo7Kte31PpUWC-yz1N91NadLkldVYF7XZAhr7jSE88K8fhT3dru4V8KvvBQ2k2qn-tgtyu4DyP5KzN2Bpx84~Av5A1UbQvgnsc00dQvNvrOoDwz61WHrK2~BCntklTIHlc3JscsNsMqL47TRzXq1iDPT~WIVvb4O3CkVx78UJX6TzcppvF7V5ngT5MaqQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

### 1. In the **Question properties** section:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771491414477-image.png?Expires=253370764800&Signature=MVnl2YLXzErZ-D5GNtt1jbOPxn0cFA9EnSj5PgFazmNz4nQKighPWaP9wXguSD3TTUsXav-Obs8Vy-1gHeFUF4tDduLQepL2IWTJtaWf0YgjWYeTK0QwLt~ZCU0rXyLcmq0ZoeE6W~MixZmaKskseZVG1avqwJwugQ3ZluSp6iYSlyau9GaeHdarB1zjby3qwx1a4ZIDaqAYYSdkV7utgcKmr4mHKT~b9MJ8fCr2NCtoEqHEPhgiY-4nc3bDqUNb~h-pPBVVWEXozk6X3wwLxSt2IXiRwMZZEcYtp33y~o5nEWCn4csSgz8lxgoBaic7403JvCDiYgdkP2AD8huUGA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Enter the **Score** based on difficulty.
  2. Add **Recommended time** in minutes.
  3. (Optional) Add **Tags** from the drop-down list or create new ones.
2. (Optional) Add **Interviewer guidelines** for internal use, such as evaluation notes and hints.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771491456863-image.png?Expires=253370764800&Signature=MVnl2YLXzErZ-D5GNtt1jbOPxn0cFA9EnSj5PgFazmNz4nQKighPWaP9wXguSD3TTUsXav-Obs8Vy-1gHeFUF4tDduLQepL2IWTJtaWf0YgjWYeTK0QwLt~ZCU0rXyLcmq0ZoeE6W~MixZmaKskseZVG1avqwJwugQ3ZluSp6iYSlyau9GaeHdarB1zjby3qwx1a4ZIDaqAYYSdkV7utgcKmr4mHKT~b9MJ8fCr2NCtoEqHEPhgiY-4nc3bDqUNb~h-pPBVVWEXozk6X3wwLxSt2IXiRwMZZEcYtp33y~o5nEWCn4csSgz8lxgoBaic7403JvCDiYgdkP2AD8huUGA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

764800&Signature=urkbPswFnfLCfyJ55QzVIED4ILUGETfctEIWKZf4y1cv2-sDNW7td~2unlgkhdW7d6xjffv2HOUEqlZKohNCPe70Gj0IVannWVpL~6YkD~y9O0MOv2La8GaVev5heNrApAXCrp8RyCW8CmHiU1rvGlee3qVofYXzjf5UxflXKRm~Qf-TFe5kNWNr3HE1WluwozdHTvAlgVTXhobdKL9TKYjduXfvsga5gdhklq2dg0FozIX-ODWE3AjCIS6347ZLDn3Ee~9oPJ09ER9KwpKCyHXS942AB8WrGaYOaHfeD9Ox-sW0dTtH1MgK7geVNjyozBVZS8LVuRuwcUjZwDd0Q\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

3. Click **\*\*Save question\*\***.

**\*\*Note:\*\*** Click **\*\*Save & Create Another\*\*** to create another question.

The question appears under **\*\*My Company\*\*** questions in the HackerRank Library.

## Bulk uploading Multiple Choice questions

You can upload up to 100 MCQs at once using a CSV or XLSX file.

To bulk upload multiple choice questions:

1. In the **\*\*Problem details\*\*** section, click **\*\*Bulk Upload\*\***.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771491509828-image.png?Expires=253370764800&Signature=DGRx32jFFeBK6OWCPgCRwe5Ddb0FOqBLItkDrM6a8tX4M6~TtCB4mxa6befjwNKBWO5LGnV8UOf6Br7PlzJxCZmKwls0cZ7KkDqfWXTRNI2UQKm0OeB2ISGNKY4iP3Sd4L014R6rZc6smOjH07X1YGi5kMJJIHkAQ9ZuijdYOWLrul7mVmYh7sC RUHP1wY7a3lh06H1ldsQVxi~GKi1Ygnymj3OfKEE6eCKogrPnF2rJFMon79bUOQFariSFb-1cHI3-xEOvvCSmmJo1ExR~LXckRMhuwW3ZZtjLq3488aTBEBAR2R2nFWPFFt6EOacS9KwfsC62~62MKT8gd9Qg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

2. Click **\*\*Browse File\*\*** to upload a file.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771491528954-image.png?Expires=253370764800&Signature=QTVBtjz4pthXTdP~z1naqzbF-UtQxQ7AaULsjZ~qY~tfUQDh4vGWiG~YPXZH~Ug-5akkBSJ1aGsNdRnWhzzi4uA gwlTodwzQKXr2gOkG1hiErDWx7A8xsq1fShfmQ6q6fdXHjOW~iP6boHo~zXebTttb3RlaWYD5D5OqE~iBYXGKefYSevRzc0IUTVP4X PVgp4gxrgHmVAcDGrvuQQAyNa6bcsMa9~jtCwnFqx~OlqKZShVdgszLzFf2z~EebfnLBkOc2SmfOUVZg38rQzNT9-mFBXpl-IquQ3sU yBtiyVsbezWBj1mR2hfnlqz5-A1C~faJL6pxl8TLfRi-T97E6g\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

**\*\*Note:\*\*** You can click **\*\*Undo Upload\*\*** to undo the upload.

3. Upload an **\*\*XLSX\*\*** or **\*\*CSV\*\*** file.

**\*\*Note: \*\***

- Ensure the file includes the question, corresponding answer choices, and assigned score for each entry. For more information, see [File upload column specifications](https://support.hackerrank.com/articles/2513748038-multiple-choice-questions#file-upload-column-specifications).

- You can download the sample **\*\*XLSX\*\*** or **\*\*CSV\*\*** file from the **\*\*Bulk Upload\*\*** dialog box, if needed.

4. (Optional) Review and edit the uploaded questions

5. Click **\*\*Save All Questions\*\***.

**\*\*Note: \*\***

- The XLSX format allows you to add images to the MCQ questions.

- The maximum file size allowed is 512KB.

- The system processes only the first 100 rows in the file.

### File upload column specifications

The table below shows the supported column headers for bulk uploading multiple choice questions.

---	---	---
<b>**Header**</b>	<b>**Input Type**</b>	<b>**Details**</b>
Name	Text	Name of the question
Recommended_time	Positive Integer	Recommended time required to solve the question

Tags	Comma-separated values	Internal tags for better organization and search
Description	Text	Problem statement shown to candidates
Notes	Text	Internal notes are displayed next to the candidate's answer in their report
Answers	Comma-separated Values	List of correct answer options
Score	Integer	Point value of the question
A	Text	Answer option A
B	Text	Answer option B
C	Text	Answer option C
D	Text	Answer option D
E ... Z	Text	Additional answer options
Images	Images	Images associated with the question (supported in XLSX format only)

# Candidate experience

The question appears on the left side. The candidate can attempt the question and select the answer(s) of their choice.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771491793816-image.png?Expires=253370764800&Signature=OUb57TgybOIHwEUWcCu2EEiffWLFiA7J6sWxjRN9~riKNRujTUpsqK5-x9DtxMcl8cl6NIG93atBTNF-Mim0JXJ7FrAzNucoOxsUqsRJKsbV-UqGJ~fZ3TdK0rqfNyyHzdOKZUXi6UVr37Z~F-j4t3TNQslf8yZUnLzsbg-d8sOQuQOtF-zvWia17IzKrOsyhEglmVDOlp76FSGKgG2tGc17JTV8VnvgUI4UB5fVffB1PviiWhog~uKQ0FsRXoimV9O-OtUsjznc~tlUW2P3Jw1cFxLT~8bKCVcEG1s0Tapj3udAdealiceKby84gYD~-CB~0Fhm4p-2mJZ9~wbNqQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

# Scoring Multiple Choice questions in tests

HackerRank automatically evaluates MCQs. You can configure scoring at:

- **Question level**
- **Test level**

## Question-level scoring

You can use question-level scoring to define a custom score for an individual MCQ.

If a question has multiple correct answers:

- The system divides the total score equally among the correct answers.
- The candidate receives partial credit if they select some correct answers.
- The system assigns zero points if the candidate selects more options than the total number of correct answers.

**Example**

Consider an MCQ with the following configuration:

- **Total score:** 5 points
- **Number of correct answers:** 2

Since there are two correct answers, the system assigns 2.5 points per correct answer.

The table below shows how the system calculates the final score based on the candidate's selection.

<b>Candidate selection</b>	<b>Score</b>
Selects both correct answers	5
Select one correct answer	2.5
Selects more than two options	0

## Test-level scoring

You can use test-level scoring to apply a uniform score to all MCQs in a test.

When you define a test-level MCQ score:

- The system applies the same score to all MCQs in the test.

- The test-level score overrides any custom question-level scores.

To configure scoring for correct answers at the test level, see [\[? Modify Evaluation Settings for Tests\]\(/articles/8294988738\)](#).

**Example**

Consider a test that contains four MCQs. You set the test-level MCQ score to 10.

The table below shows how the system calculates the final score for each question.

<b>**Question**</b>	<b>**Custom Question-Level Score**</b>	<b>**Final Score**</b>
Q1	5	10
Q2	2	10
Q3	Not set	10
Q4	Not set	10

All questions use the test-level score of 10.

If you do not define a test-level score, each question retains its custom question-level score.

### ### Negative scoring

You can assign negative scores for incorrect answers at the test level.

When you enable negative marking, the system applies the following rules:

- Awards partial points for each correct option selected
- Deducts partial points for each incorrect option selected
- Calculates the final score by adding awarded points and subtracting deducted points

If the candidate selects more options than the number of correct answers, the system assigns the full negative score for the question.

To configure negative scoring at the test level, see [\[? Modify Evaluation Settings for Tests\]\(/articles/8294988738\)](/articles/8294988738).

**\*\* Example:\*\***

Consider the following scoring configuration:

- **\*\*Correct answer score:\*\*** 5 points
- **\*\*Incorrect answer score:\*\*** -1 point
- **\*\*Number of correct answers:\*\*** A and C (2 correct answers)

The system calculates the score as follows:

- Each correct answer earns  $5 \div 2 = 2.5$  points
- Each incorrect answer deducts  $-1 \div 2 = -0.5$  points
- If the candidate selects more options than the number of correct answers, the system assigns -1 point for the question.

The table below shows how the system calculates scores for each selection:

```
<table>
<colgroup>
<col style="width: 33%" />
<col style="width: 33%" />
<col style="width: 33%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="vertical-align: top; padding: 5pt 5pt 5pt 5pt; overflow: hidden; overflow-wrap:
```

break-word"&gt;&lt;p&gt;&lt;strong&gt;Candidate?s Answer&lt;/strong&gt;&lt;/p&gt;&lt;/td&gt;				
&lt;td data-cs="5" data-kind="parent" data-rs="2"&gt;&lt;p&gt;&lt;strong&gt;Assigned Score&lt;/strong&gt;&lt;/p&gt;&lt;/td&gt;				
&lt;td data-cs="5" data-kind="parent" data-rs="2"&gt;&lt;p&gt;&lt;strong&gt;Explanation&lt;/strong&gt;&lt;/p&gt;&lt;/td&gt;				
&lt;/tr&gt;				
&lt;td data-cs="5" data-kind="parent" data-rs="2"&gt;&lt;p&gt;A &amp; C&lt;/p&gt;&lt;/td&gt;				
&lt;td data-cs="5" data-kind="parent" data-rs="2"&gt;&lt;p&gt;5&lt;/p&gt;&lt;/td&gt;				
&lt;td data-cs="5" data-kind="parent" data-rs="2"&gt;&lt;p&gt;Both correct answers selected.&lt;br /&gt;2.5 + 2.5 = 5&lt;/p&gt;&lt;/td&gt;				
&lt;/tr&gt;				
&lt;td data-cs="5" data-kind="parent" data-rs="2"&gt;&lt;p&gt;A &amp; B&lt;/p&gt;&lt;/td&gt;				
&lt;td data-cs="5" data-kind="parent" data-rs="2"&gt;&lt;p&gt;2&lt;/p&gt;&lt;/td&gt;				
&lt;td data-cs="5" data-kind="parent" data-rs="2"&gt;&lt;p&gt;One correct (A = 2.5) and one incorrect (B = -0.5).&lt;br /&gt;2.5 - 0.5 = 2&lt;/p&gt;&lt;/td&gt;				
&lt;/tr&gt;				
&lt;td data-cs="5" data-kind="parent" data-rs="2"&gt;&lt;p&gt;A &amp; D&lt;/p&gt;&lt;/td&gt;				
&lt;td data-cs="5" data-kind="parent" data-rs="2"&gt;&lt;p&gt;2&lt;/p&gt;&lt;/td&gt;				
&lt;td data-cs="5" data-kind="parent" data-rs="2"&gt;&lt;p&gt;One correct (A = 2.5) and one incorrect (D = -0.5).&lt;br /&gt;2.5 - 0.5 = 2&lt;/p&gt;&lt;/td&gt;				
&lt;/tr&gt;				
&lt;td data-cs="5" data-kind="parent" data-rs="2"&gt;&lt;p&gt;B &amp; C&lt;/p&gt;&lt;/td&gt;				
&lt;td data-cs="5" data-kind="parent" data-rs="2"&gt;&lt;p&gt;2&lt;/p&gt;&lt;/td&gt;				
&lt;td data-cs="5" data-kind="parent" data-rs="2"&gt;&lt;p&gt;One correct (C = 2.5) and one incorrect (B = -0.5).&lt;br /&gt;2.5 - 0.5 = 2&lt;/p&gt;&lt;/td&gt;				
&lt;/tr&gt;				
&lt;td data-cs="5" data-kind="parent" data-rs="2"&gt;&lt;p&gt;C &amp; D&lt;/p&gt;&lt;/td&gt;				
&lt;td data-cs="5" data-kind="parent" data-rs="2"&gt;&lt;p&gt;2&lt;/p&gt;&lt;/td&gt;				
&lt;td data-cs="5" data-kind="parent" data-rs="2"&gt;&lt;p&gt;One correct (C = 2.5) and one incorrect (D = -0.5).&lt;br /&gt;2.5 - 0.5 = 2&lt;/p&gt;&lt;/td&gt;				
&lt;/tr&gt;				
&lt;td data-cs="5" data-kind="parent" data-rs="2"&gt;&lt;p&gt;B &amp; D&lt;/p&gt;&lt;/td&gt;				
&lt;td data-cs="5" data-kind="parent" data-rs="2"&gt;&lt;p&gt;-1&lt;/p&gt;&lt;/td&gt;				
&lt;td data-cs="5" data-kind="parent" data-rs="2"&gt;&lt;p&gt;Both selections are incorrect.&lt;br /&gt;-0.5 - 0.5 = -1&lt;/p&gt;&lt;/td&gt;				
&lt;/tr&gt;				
&lt;td data-cs="5" data-kind="parent" data-rs="2"&gt;&lt;p&gt;A, B, &amp; C&lt;/p&gt;&lt;/td&gt;				
&lt;td data-cs="5" data-kind="parent" data-rs="2"&gt;&lt;p&gt;-1&lt;/p&gt;&lt;/td&gt;				
&lt;td data-cs="5" data-kind="parent" data-rs="2"&gt;&lt;p&gt;Three options selected (more than 2 correct answers). System assigns -1&lt;/p&gt;&lt;/td&gt;				
&lt;/tr&gt;				

```
<tr>
<td data-cs="1" data-rs="1" style="vertical-align: top; padding: 5pt 5pt 5pt 5pt; overflow: hidden; overflow-wrap:
break-word"><p>B, C, & D</p></td>
<td data-cs="1" data-rs="1" style="vertical-align: top; padding: 5pt 5pt 5pt 5pt; overflow: hidden; overflow-wrap:
break-word"><p>-1</p></td>
<td data-cs="1" data-rs="1" style="vertical-align: top; padding: 5pt 5pt 5pt 5pt; overflow: hidden; overflow-wrap:
break-word"><p>Three options selected (more than 2 correct answers). System assigns -1</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="vertical-align: top; padding: 5pt 5pt 5pt 5pt; overflow: hidden; overflow-wrap:
break-word"><p>C, D, & A</p></td>
<td data-cs="1" data-rs="1" style="vertical-align: top; padding: 5pt 5pt 5pt 5pt; overflow: hidden; overflow-wrap:
break-word"><p>-1</p></td>
<td data-cs="1" data-rs="1" style="vertical-align: top; padding: 5pt 5pt 5pt 5pt; overflow: hidden; overflow-wrap:
break-word"><p>Three options selected (more than 2 correct answers). System assigns -1</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="vertical-align: top; padding: 5pt 5pt 5pt 5pt; overflow: hidden; overflow-wrap:
break-word"><p>A, B, C, & D</p></td>
<td data-cs="1" data-rs="1" style="vertical-align: top; padding: 5pt 5pt 5pt 5pt; overflow: hidden; overflow-wrap:
break-word"><p>-1</p></td>
<td data-cs="1" data-rs="1" style="vertical-align: top; padding: 5pt 5pt 5pt 5pt; overflow: hidden; overflow-wrap:
break-word"><p>Four options selected (more than 2 correct answers). System assigns -1</p></td>
</tr>
</tbody>
</table>
```

```
\
\
\
\
```



[library/question-types/general-questions] Whiteboard Questions Creating a whiteboard question

---  
title: "Whiteboard Questions Creating a whiteboard question Candidate experience Scoring a Whiteboard Question in tests"  
title\_slug: "whiteboard-questions-creating-a-whiteboard-question-candidate-experience-scoring-a-whiteboard-question-in-tests"  
source\_url: "https://support.hackerrank.com/articles/2578948087-creating-a-whiteboard-question"  
article\_slug: "2578948087-creating-a-whiteboard-question"  
last\_updated\_exact: "Mar 26, 2026, 5:51 PM"  
last\_updated\_relative: "Last updated 1 month ago"  
breadcrumbs:  
- "Library"  
- "Question Types"  
- "General Questions"  
---

# Whiteboard Questions Creating a whiteboard question Candidate experience Scoring a Whiteboard Question in tests


\_Last updated: Mar 26, 2026, 5:51 PM (Last updated 1 month ago)\_

Whiteboard questions replicate traditional system design or brainstorming interviews in a digital, collaborative format. A whiteboard question provides candidates and interviewers with an online whiteboard to draw, sketch, and visually explain technical solutions.


# Creating a whiteboard question

To create a whiteboard question:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Library** tab.
3. Click **Create Question**.

The screenshot shows the 'Create Question' dialog box with the 'Question Details' tab selected. It contains fields for 'Question Name', 'Problem Description', and 'Question Type'. The 'Question Name' field is filled with 'Whiteboard Questions Creating a whiteboard question Candidate experience Scoring a Whiteboard Question in tests'. The 'Problem Description' field is empty. The 'Question Type' dropdown is set to 'General Questions'. There are buttons for 'Cancel' and 'Next'.


4. Select **Whiteboard** under **General**.

The screenshot shows the 'Create Question' dialog box with the 'Question Type' tab selected. It displays a list of question types: 'General Questions', 'System Design', 'Algorithms', 'Data Structures', 'Database', 'Networking', 'Security', 'Cloud Computing', 'Mobile Development', and 'Web Development'. The 'Whiteboard' option is highlighted under the 'General Questions' category. There are buttons for 'Back' and 'Next'.

The whiteboard question creation workflow opens with the following two steps.

## Step 1: Question Details

1. In the **Problem details** section:

The screenshot shows the 'Create Question' dialog box with the 'Question Details' tab selected. It contains fields for 'Question Name', 'Problem Description', and 'Question Type'. The 'Question Name' field is filled with 'Whiteboard Questions Creating a whiteboard question Candidate experience Scoring a Whiteboard Question in tests'. The 'Problem Description' field is empty. The 'Question Type' dropdown is set to 'General Questions'. There are buttons for 'Cancel' and 'Next'.

1. Enter the **Question name**.
2. Describe the problem in the **Problem description** field. You can use the formatting menu to format the text or to include elements such as tables or images.

**Note:** Click **See candidate preview** to view how the question appears to candidates.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769686625096-image.png?Expires=253370764800&Signature=jtHCE~gzzs2a4I2PuuiWVlo3JqdxKNS-YkSIB-1S3Z2S3hTuhA3lqzihQoXr3BixSslthZy8vQP-CmtWPsyO~AqR~P5ulPT4hkW4WqesQ15CPicdB1Sh47GJpP532laJAnTUahSXL6M90SXripelLaSLrLdgDyHxQ-XENd32~vaO~11CgH2Hp8K5Oqu8wMZVT3wH9Ra19ESc2ily-A341~Wo17LIZi-wkKAAWc88NlnqKRskDyLNmQXRZD5Nkev1nynKxldJu0fd68u-Yo~C4Br1vORGffOZSivQ23KI-1HPrRKln-utodYtlGTOfwa0uY7S1sGHGEhKHx-ewwFCw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

2. In the **Question properties** section:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769676775044-image.png?Expires=253370764800&Signature=lvuMOaVuLUwqDAHd0XssKGDJMPXo~PcTx3W3FlrDmbkCBg5cFZy0mirrZ5hsm02Op3W460CEubCpFovEAMyebrA7i1suF4JE-QJ7kSVI5qS4jJJ8CU9Srtt0Olv-RI9nlfkYsx6jcTqKvLc29vi73axTQfBge4nGoKcTovGHq6nif9gVDoO0BnynTjHYGp57ulSHMknRMOhCj6HXO6qZ4UJdJco2xWC0X0GtW8V5z1RjM230f80uwMzy7-2CT4NFF3pOpWH1SiurIBgUu00Fq-ppv45NNxu218A1KYLpT8qGRNkEUfpLRM~dmx8A9~swrZ7fHwYGjfl3B5KMi6pv0g\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Enter the **Score**.
2. Add the **Recommended time** in minutes.
3. (Optional) Add **Tags** from the drop-down list or create new ones.
3. (Optional) Add **Interviewer guidelines** for internal use, such as evaluation notes, hints, or reference solutions.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769676786747-image.png?Expires=253370764800&Signature=UyEnZ0A6dQTb-rgHjoV39XhM2hBzwNat4gcU94unqk5J7B85YrZM0dNhBL5t97h6PgVDme1KtHynconewLe1QnVIYjKmWOR8YF5xxk7tH4nkQHoVrNMN9LFVfFOlyk8VMxjN~sk5e-eUgy2TcUDImmcc8f18HCd40AuASDN~8n4RmLKcSV1P-1I7rLJE-LOpRBBFfzM2lHlMsMNUYjYe9WKnoqW9Ndl6sg9UtpB6Wxki-MJWWxz1xCTnX9QRjQQ6cjG1zhXtuYEuN19PtGN04b~xSY6f4fcDQXWga46vDfHTDDYe6C~9RekDHq4D2Tm5oMIA0YQTdKMxDyGCHYHjw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click **Next**.

## ## Step 2: Whiteboard Settings

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769677124531-image.png?Expires=253370764800&Signature=ceZHSdX9XmIOpsi8KDhv-W8Veyh4yyVq11tZ8jWD4er8DnG2bJldrAQkePejSZH5YvVURrORI~snuyUiNEkhta2~uSbSIEd9qKMGMrro7S8bt0aXA8hVW31-nGllcLCojKVojWnCilUoO2Wc97JTBdaUNj3iBWvXW6bqQcbgDbro5qnJplyKI21vgxrxwJ71EMjidHXD7gCsk-Pi4pC6NGsQw5LE5vUMXA5jgMoxdT-h5ipZjbBwhAv2JvxtSIQrgls7VgkFGyo1LJSHFriTQjNITE3dL8p85ZTOSMPRr7XyuexWwYeY4PkGdJfVjHQ-ks17SWjTiesnjLjJOgyg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Draw the basic system design or diagram needed. The candidate uses this as a starting point during the test or interview. For more information, see [Whiteboard components and tools](https://support.hackerrank.com/articles/2578948087-creating-a-whiteboard-question#whiteboard-components-and-tools).

2. Click **Save question**.

**Note:** Click **Save & Create Another** to create another question.

The question appears under **My Company** questions in the HackerRank Library.

## ### Whiteboard components and tools

The virtual whiteboard includes the following components and tools.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769677084137-image.png?Expires=253370764800&Signature=NfA21UritRTcdVXCq956504JhoGRMdqHTs0BWCuZA3uArkoL~Oj9tFcozfrjbnScjUY14z8ErJbRy-xeXMerpZTwTRBXXIb0KgLEXPY9yASA~vBdO22nmpkp-ACDDKNZgs51ApuTBjVPipEza9IFi8E-DVq4C7rJ0-T1B2pXJaj2OEkd1sjizOm5CRpN4spB7VM3FVPthQnhL9~xG0JMXQ7PhulhegyudhegHuiePMZxkNNjtoscatsl2liwOYRC0yu91MbqjqNql9gHhDPNAbQ3FMgr-CXDycWT9sMcENcdKdgdgudgu-Wua5hBDiqNFZUnj~jkm3c2389Gv3SrQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- **Canvas controls**

- Sketch and annotate without space limitations.
- Scroll through the canvas to continue drawing seamlessly.

- Use the **+** and **?** icons in the bottom-left corner to zoom in and out.
- Use the eraser icon in the bottom-left corner to remove elements.
- **Drawing tools:** The toolbar at the top of the whiteboard includes:
  - **Selection tool:** Select and move shapes or drawings. Drag handles around shapes to resize selected shapes. Press the Delete key on your keyboard to remove selected elements.
  - **Shapes library:** Insert common shapes such as squares, diamonds, and circles.
  - **Arrow tool:** Add directional arrows to diagrams.
  - **Line tool:** Draw straight lines for connections or boundaries.
  - **Pen tool:** Draw freehand sketches.
  - **Text tool (A):** Add labels, notes, or annotations.
  - **Image upload icon:** Insert predefined architecture diagrams and images to avoid redrawing company-specific architectures.

#### # Candidate experience

The candidate can use the whiteboard to solve the question using the components and tools in the toolbar.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769676856233-image.png?Expires=253370764800&Signature=gPQHfkcKhIh-ITwZFM7YHL22Pu77utRWtCzgArf202L4A9t4LvFSV8IRd8qnTz-NqUAFJfWvAhppybbR~5gMFHF2IiefVwMplJc3ooVTWoB00GFGMori~UXO~3kHCvGlXrLakj46b~UnWvj90ssCmSOKfCaHOaILNPv~A0W0-fk0Fsif6Ks1ed0HPj9biUV0pZtYg4iMcFJ-DYWvRsKdGD3lAIDB6nzvCXhd72bgjWhPFBPwW3X7Adhi6514w2SkNNJllvYcEWrs5Yvh92~Ngn4ZqpZUmN6SMptFip960n9viFWY2MlkWtFmSb7FPaURG2xGW6MhmVI7m5wsC2JO3Q\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

#### # Scoring a Whiteboard Question in tests

Whiteboard questions require manual scoring. For more information on manual scoring, see [? Manual Scoring for General Questions](/articles/2056253220).

[library/question-types/general-questions] File Upload Questions Creating a file upload question

```

title: "File Upload Questions Creating a file upload question Candidate experience Scoring file upload questions in tests"
title_slug: "file-upload-questions-creating-a-file-upload-question-candidate-experience-scoring-file-upload-questions-in-tests"
source_url: "https://support.hackerrank.com/articles/3284451474-file-upload-question"
article_slug: "3284451474-file-upload-question"
last_updated_exact: "Mar 26, 2026, 5:51 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
 - "Library"
 - "Question Types"
 - "General Questions"

```

# File Upload Questions Creating a file upload question Candidate experience Scoring file upload questions in tests

\_Last updated: Mar 26, 2026, 5:51 PM (Last updated 1 month ago)\_

A File Upload question allows you to create tasks that require candidates to submit a file as their response. You can use this question type for simple or complex tasks. For example, ask candidates to submit a sample business plan or upload a `.zip` file containing a coding project.

Candidates respond by uploading a file, and the system generates a download link for you to review their submission.


# Creating a file upload question

To create a file upload question:


1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Library** tab.
3. Click **Create Question**.



4. Select **File Upload** under **General**.



5. In the **Problem details** section:



1. Enter the **Question name**.
2. Describe the problem in the **Problem description** field. You can use the formatting menu to format the text or to include elements such as tables or images.

**Note:** Click **See candidate preview** to view how the question appears to candidates.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769674909728-image.png?Expires=253370764800&Signature=dg2SF2G4iPTky4rw8fdN4J3MpzuQ2sU2EaLdZazpFgrToontCIs3-SzUmfloR77my95fC6L6yjJnTjddxOrTOSTlK2kgFvb6msYTFSYQ5HXAN86dRBXsuGqUAsPbC70dmpgrPu44Hla2z-cl5ZPVUv1WuNlaeNKO4d4cbE3V6epfvi717AFXqmfFA2FYXzp ebdJ2j9xs7topsZSVMYRqWtoYTCxPBHuVnOJgkJFPmgGLQKggeDFD9piS3laDNX9JV9fVjJ7tCb8kVvvpdpg8A2m0dCWbENbKAOCM 2v9ld1EJKISwOO-QK1Sjqsyu5XVccOJUWXYtcHSHmxGdpiNg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

6. In the **Question properties** section:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769674937401-image.png?Expires=253370764800&Signature=HoGDWcbOpx~Z7Jdx8BWev9mh4--QcKOv2CyzGDHGN8Egr2i-kVtiHTZuJkhoKRRyPny0nW6qFIhnhllouy0w3xCGVRyp0SjcKcXqn4pKGeLuJaML37LG-ENPz5mpnSMh3sKE1KCiLNg8BC82XOtjZEs-xLFNYAc4UXQHveKaT7v5eLFPM65Va1Bxf6CDB3VYFR0MWzS3AOiuzEkGqW2RoE4bmKLgf03oF~ey~CFHQhxQ-b7XXYpChD6MrMuv~Al9MwbWmcSHC4J0HlkCoGi3CgWwFWaZ0mZLflA0WV6omndUxrl8~YY2lo31nbofl1F9L~6sqYU~jLXu6SGEazx2w\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Enter the **Score** based on difficulty.
2. Add the **Recommended time** in minutes.
3. (Optional) Add **Tags** from the drop-down list or create new ones.

<!-- -->

1. (Optional) Add **Interviewer guidelines** for internal use, such as evaluation notes and hints.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769674966340-image.png?Expires=253370764800&Signature=de~uZ8PxrK1SFEiO5~1xDQvdayePL~MWIkjPCMYfQUXZljdUxRvR09jX2hCP8APV-C~ZD5joqr0uxWfhfQNNZAWhzyn-rQ6-JwwHcN3t-mFsn9PGyYdq9Gxl8xkFfUwFiQERLItJCJbG~nfcD358vabmBwFPlzKWr4NriGpT~zSZK1UveLCpOBBXjBQo8B8AecfEN7J0UTAYlGmi5tiAikkH-mpGjMj41ZY93Kl7buguY5uvGqndt~L1H6xP-KYgMGNTliXTsjlaguoutvLeQGXPkDxabrgJ1R3lCJNkZKnoCg~GWjSqO3V-d4gSlx9k-CCIS7Ejatbkn6668w\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

2. Click **Save question**.

**Note:** Click **Save & Create Another** to create another question.

The question appears under **My Company** questions in the HackerRank Library.

## # Candidate experience

Candidates select **Add file** to upload their submission. The file size must not exceed 50 MB. Candidates can upload one file only. To upload multiple files, candidates must compress them into a ZIP file.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769675647102-image.png?Expires=253370764800&Signature=mDmoigNLEFCkYYtx47HM1IgF0y8ld73cj1kNbYHKwkOYPC4pBkgS5MSA7uW0JYn~hhnX~jhlawvyBJNpzdflYVFnI9GEaHWpsGIVK2N0PFEDXqB10HiSsEUTQd-FnoVmjrKOoOfWlybYANA6B0Daz4QHS6MTYeD4eB5C149Y1jFb1YE9ldZDxz9PIEp7vsb7P1NZ~6sIRdDqKmgcISMEtbwFv84iwl~lze3p4K84MrBTuDjx07PgpPtRA7IH6xPRdGffQXEgmK6eoHZA1hsS78dSMmHRSRadaXqsrqnprY16PKDmxJJP8HRyRyMafMWb6XliOSow9HVjx6tk0V1Aw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

## # Scoring file upload questions in tests

File Upload questions require manual scoring. For more information, see [? Manual Scoring for General Questions](/articles/2056253220).

[library/question-types/general-questions] Diagram Questions Creating Diagram questions

---  
title: "Diagram Questions Creating Diagram questions Candidate view Scoring Diagram questions"  
title\_slug: "diagram-questions-creating-diagram-questions-candidate-view-scoring-diagram-questions"  
source\_url: "https://support.hackerrank.com/articles/4376717308-diagram-questions"  
article\_slug: "4376717308-diagram-questions"  
last\_updated\_exact: "Nov 19, 2025, 3:52 PM"  
last\_updated\_relative: "Last updated 5 months ago"  
breadcrumbs:  
- "Library"  
- "Question Types"  
- "General Questions"  
---

# Diagram Questions Creating Diagram questions Candidate view Scoring Diagram questions

\_Last updated: Nov 19, 2025, 3:52 PM (Last updated 5 months ago)\_

Diagram questions aim to assess a candidate's skills in creating class diagrams, architecture diagrams, workflow diagrams, and circuit diagrams. The candidates can create simple or complex diagrams as required and the examiners can view them to evaluate.


# Creating Diagram questions

To create a diagram question:

1. Log in to your **HackerRank** for **Work** account using your credentials.
2. Go to the **Library** tab.
3. Click **Create Question**.



4. Select **Diagram** under **General**.



## Step 1: Question Details

1. Add **Problem details**:
  1. Enter the **Question name**.
  2. Describe the problem in the **Problem description** field.  
**Note:** After you have entered **Problem details**, you can click **See candidate preview** to preview the question created.
2. Enter **Question properties**:
  1. Set the **Score** based on difficulty:

----- ----- -----			
<b>Difficulty</b>	<b>Score</b>	<b>Recommended Time</b>	
Easy	50 Points	15 Minutes	
Medium	75 Points	30 Minutes	
Hard	100 Points	45-60 Minutes	

2. Add **Recommended time** in minutes.
3. (Optional) Add **Tags** from the drop-down list or create new ones.
3. (Optional) Add **Interviewer guidelines** for internal use.
4. Click **Next**.

## ## Step 2: Diagram Settings

1. Select the diagram pallets you want to use for the test.\n**UML** and **Entity Relation** are auto-selected.
2. Click **Save question**.

The question appears under **My Company** questions in the HackerRank Library.

## # Candidate view

In the HackerRank Test, when candidates view the question, they will see the [draw.io](http://draw.io) editor with the options to create and format their diagrammatic representations, as shown below. The left pane displays only those shape categories permitted to answer the question.

## # Scoring Diagram questions

Diagram questions are scored manually. For more information on manual scoring, see [? Manual Scoring for General Questions](/articles/2056253220).

[library/question-types/general-questions] Sentence Completion Questions Creating

```

title: "Sentence Completion Questions Creating a sentence completion question Candidate experience Scoring sentence completion
questions in tests"
title_slug:
"sentence-completion-questions-creating-a-sentence-completion-question-candidate-experience-scoring-sentence-completion-questio
ns-in-tests"
source_url: "https://support.hackerrank.com/articles/5866154232-sentence-completion-questions"
article_slug: "5866154232-sentence-completion-questions"
last_updated_exact: "Apr 22, 2026, 10:14 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
- "Library"
- "Question Types"
- "General Questions"

```

# Sentence Completion Questions Creating a sentence completion question Candidate experience Scoring sentence completion
questions in tests

\_Last updated: Apr 22, 2026, 10:14 AM (Last updated 4 days ago)\_


Sentence completion questions are fill-in-the-blank items that assess a candidate?s understanding of a concept or subject. Each
question provides a sentence or short passage with one or more missing words or phrases. Candidates type their answers directly
into the blanks.

You can use sentence completion questions to assess both technical and non-technical skills. The system automatically evaluates all
answers.


# Creating a sentence completion question

To create a sentence completion question:


- 1. Log in to your \*\*HackerRank for Work\*\* account using your credentials.
- 2. Go to the \*\*Library\*\* tab.
- 3. Click \*\*Create Question\*\*.



- 4. Select \*\*Sentence Completion\*\* under \*\*General\*\*.



- 5. In the \*\*Problem details\*\* section:



- 1. Enter the question name.



2. Describe the problem in the **\*\*Problem description\*\*** field. You can use the formatting menu to format the text or to include elements such as tables or images.

**\*\*Note:\*\***

- Click **\*\*Bulk Upload\*\*** to upload multiple questions. For more information, see [Bulk uploading sentence completion questions](https://support.hackerrank.com/articles/5866154232-sentence-completion-questions#bulk-uploading-sentence-completion-questions).

- Click **\*\*See candidate preview\*\*** to view how the question appears to candidates.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1767604662662-image.png?Expires=253370764800&Signature=d4lhCPFo0vy8sn4mGblnFJDFBRR4EinCIKwVWNgTR3VXyfYFGrxMFRmTN8GzV7Hauo902Awy7z5QwcQpoZmAcEcHWFjKBZUtqqN7xkRsjbsdEY-J0oaiiOOJUlcotf2soNSX93lfp5~S2CR5oTtRjDNwmFAu~G3lpN3SJxWxS~zA0iXPzg3VF-18kJS H0DiH~4~ErfOop~SDEtoRFOmhB2GF3UXacJmcG1r1J1odiO3L2k6wpeSoNcXqYfu5aL4QOay0c5GODKTE9DFfCZX3gqJLLH0KLn kUD1zx-Wbc690N65Yk-Kj11U4nGkxQ5-t147Tiq1S9kwYYzsYWDtcg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

6. In the **\*\*Complete string\*\*** section:

![[sentence completion KB.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1775466896183-sentencecompletionKB.gif?Expires=253370764800&Signature=AfpGUeRr3DEiXYPbAGoE8-zwTfGPQF8ZJZYWF7y~GKgB-ECT7Ho62xtOVhTkWNBT24k3e46X7AsPrFfnNDAH9W-rgX~vvK22MVHa~Wthl4xrm9TNVdZ85evz9H-zV9nNdxWp6nq6swFuyt~iAjIPYYETUY2u40dtQsttkQCYZizvgzcDnC HvUcA0hHYHclSD9Fpwnqj0BaM4kpO5tmuKYowCa0-BvkiDAryDPbh4vtl60lF6ilzCEJdw7WfWHU54Oh8iEYH0IBScqnnZolydQj1AM-L eFqjmbI~5h7v5ISSCBdjMGWXdFtlwNwuNFMzr9Q7XHQjRG8gV5k78HMA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Type the sentence.
2. Place the cursor where you want to add a blank.
3. Click **\*\*Insert Blank\*\*** to add a blank. The **\*\*Correct Answers\*\*** section appears.

**\*\*Note:\*\*** You can insert blanks while typing or after completing the sentence.

4. Select **\*\*String\*\*** or **\*\*Number\*\*** as the answer type for each blank.
5. Enter the correct answer for each blank.
6. (Optional) Click **\*\*Add another answer\*\*** if the blank has more than one correct answer.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1775461741447-image.png?Expires=253370764800&Signature=YW37IyNB5VNOZAJd1Q7Po3yRMdpZo3Mij9TdL1nH2ecEhE5jEO3NroSSLQLBXC3A2p06g-26XRVsn6u1pM3F8OSwNbZM~QWPMQJDKcRHqHaMvNtFAZ~~Z8NgS4zlyZOASo7mYef8JTKf7Mf9p91cAV8YelhEuhAkv5r24AtfaF94B3rwmimi2cpJhBF6yD2xNwSVGsi8z6i2gigu5JMhchH4X4nVunKF2wfJSLgGDitZfzhGn9WWO9B~L46h3cciblQMXeYOsudwIM8ocu4kMHb~rAes5knsZdK2yoyG21ZWWt5ogZWcoQZlQgXv17JgyiV9ofz~6RR4tcQRQg0GQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

**\*\*Note:\*\*** Each blank in the sentence must have at least one correct answer. You can click the remove **\*\* (X) \*\*** icon to remove an answer option associated with a blank.

- If you remove a blank from the sentence, you must delete all answers associated with that blank.
- The number of blanks in the sentence must match the number of blanks provided in the correct answers.

7. In the **\*\*Question properties\*\*** section:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1767604883635-image.png?Expires=253370764800&Signature=Stx1fn9vNfnhneogTmRAw9ust~5QlHyqh4y-G85z6xfdsrEjt65HHf2OiZVKzEHYt80Mb3H~m9HNjl5UcpJ1icAqacedxLUv7bSvtlEld7RCx6f5zpJRMbubgIl0ymCGzlj1PogZQoUwi8Aj6jHeDbAq3SnYuRpmtTq7Z1ohP-A8kS4P70nhqQL~wP73P7zaCWmUS7Nip40PPX58bdBFAqAFItNB3gDxadQZRsg~P~vWJ9BUNO37Qsz6reFTXqbT60BAGgKZIN-qGUv~prv~5t5DQ65dJiB7BbRILPb3jyjnWk58CMELIGexR7MXYvczHOOgZtl4QK~~b08X2u0w\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Enter the score based on difficulty.
2. Add the recommended time in minutes.

3. (Optional) Add tags from the drop-down list or create new ones.

8. (Optional) Add **Interviewer guidelines** for internal use, such as evaluation notes and hints.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1767604912735-image.png?Expires=253370764800&Signature=bEs77ljzyCFbI8Cz1KTUfNHD9OegOb92tlJmtdLnVApzWw0ZKbDxBtuDhJvyYHQ137vr64b3Ylvj4ndrRAxepXZPQRv6NhozN6yECdj0G5KQsi9mXlnSsPxBlFH03Kc2txz2-lfgAILL-wP~D9-fAY-2BAh4UOLJriFJuzKMn6G6HME3fkMFHhDdqxXRXvVvRRRoU8Pw4lC4J8dQlj6ulgwBksoxJMs7JX4SlggiKE8WnU8YKh2JtqgqUVvlozqo-A9UGKFwQ7mG6EfWC81VGOYDhdprU22SVvtMf-KxNpdjHuuk4YRRyAefVfyg15a~1eSZb2zI8JV~AE0bdBCw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

9. Click **Save question**.

**Note:** Click **Save & Create Another** to create another question.

The question appears under **My Company** questions in the HackerRank Library.

### ## Bulk uploading sentence completion questions

You can upload multiple sentence completion questions at once using a CSV or XLSX file.

To bulk upload sentence completion questions:

1. Click **Bulk Upload** in the **Problem details** section.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1767604970311-image.png?Expires=253370764800&Signature=mm-RamS1J4Hu0UdDW6XOf2~-WN8W0f3GXAB6ul~uXyUATkLCjBbyE7enaO88tRnN3ywpaNiB9HyZrTmWqMJ0~rLH9SBHHdBqWlGVCfI~x5L8~Nu5CTJtgDDQLU2HqF33IlbdPQVkdFDg3Mmx-6o8e~muSZY~-SAHhM0QEfX9729~m0qvNoXH31DkoDlcfec4stgOKS4KzwXDFUMfkv-DZIZLhXldQTCZJPR32LDk13hzFCqsobFlpI7-wKGrn5ZS2DckCA2aTvzLkvDwSa5omBADLPg~qBojdmmRz5EOdPkDBJqJtz74rl-KNXmouztRCQlp567xSKTU1gj~nyUBQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

2. Click **Browse File**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1767604993787-image.png?Expires=253370764800&Signature=DWg~7o22n792G84MnyF51TbG1Oph71PDeNS1o70~1TO8meO4pjnpS3h6Nq5u57-Ljqarppye5F1hHHcK7UWZF3nTLTEGgRdbhGMrARYco5KjBEbkIpbBEMNAwfyXzJ5i29eKUFIUleuUSUf1egaMziAy1rJuD4QggyVX13VPxCyL48vFZ7VwexellR76oKCwlyFMMsPpSKmriqGXwkQi42sajNWIDU~GAEuqE7uEMtS~p52iGujL7-wTLeDSQDZbRAUUAzql-neDdmBQmMMmIM-laDVrum2-9vP~-KX7-NYCjld1Llfsj4xhwmjwwOxo9FkUZyYxgAFRR5VcuFYIRA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

3. Upload a **CSV** or **XLSX** file. The file must include all required columns listed in the File upload column specifications.

**Note:** You can download the sample file from the **Bulk Upload** dialog box for reference.

4. (Optional) Review and edit the uploaded questions

5. Click **Save All Questions** to complete the upload.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1767605449982-image.png?Expires=253370764800&Signature=XlzmGMnT437IJBVAMje08UGUCwA4zjOSnx93ZKj~~v14kjbVA2qQ-5t5SzTXyb0haFKyZQ3fOG03n0jGEfhBvCPkga8BRhltD8i1SDI0zle4wEwHTMTIPO-5dsNy~vZ4ULyw9g9PgJfJpdBUAaYHwy4iUK9RzVC036u9M7zLaXK4z60EpgpLB56W8Pg3aNGjPI-osfOyvKlyE6YIEeYNoCzWuzotRsNPH9G09A8Qc10-djly3M~sbkqEJzl7jwaYc8kep011eojmc0mlv5XppdRt55thwl9J7GF8KmxGbrwVUwDvP2ypjtDv7WQYwhSslb8ibUBXqYTFbSYMSp37A\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

**Note:**

- The XLSX format allows you to add images to the sentence completion questions.

- The maximum file size allowed is 512KB.

- When you upload the bulk file, the system processes only the first 100 rows.

### ### File upload column specifications

The table below lists the required column headers and input expectations for bulk uploads.

Column Header	Input Type	Details
Name	Text	The name of the question.
Recommended Time	Positive integer	Time required to solve the question.
Tags	Comma-separated values	Internal tags for better organization and search.
Description	Text	Instructions or context for the question.
Images	Images	Add images as needed. Supported only in XLSX format.
Notes	Text	Internal notes shown in the candidate's report.
Score	Integer	The point value assigned to the question.
Complete String	Text	The sentence the candidate must complete. Must include <code>{blank}</code> placeholders for every answer field.
Blank 1	Text	Correct answer for Blank 1
Blank 2	Text	Correct answer for Blank 2

## # Candidate experience

Candidates can click each blank and type their answer directly into the field.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1767605047648-image.png?Expires=253370764800&Signature=BttC89zkOh7Kh8ez0WJSkiYTWTpdlkp4x~WM2yriEl6wm1mCwcGI~HRT5A2odZSzDTRfeZAVgERdKhInMIJk6x34PmJJknSHKMPDP7fYJzaZ7ELVlc1wvIaSTjeUfC23CSO~HSfOv1bkbZ33xgfKOWaN9pZWVjz~YKYvkExMBth9i4SlnxIQrGPPjeOv~NgOHkGv5UBrNqHcCWfR8a35rPfQA1A46S5rsC2NpG16egD9zm9wnmCN9q4D3hfsScn6mv~92W5O-AH2xgrLNDzjXTSChSoikYYuOVfnvpiSAslwHpkKuSySGnILD9K~0A1Ju-Ss3a38EW~vgGFs0HndQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

## # Scoring sentence completion questions in tests

HackerRank automatically scores sentence completion questions. Answers are not case-sensitive. For example, if the correct answer is HTML, the system accepts HTML, Html, html, or HTml.

The score for each question depends on the number of blanks the candidate answers correctly.

The system uses the following formula to calculate the score for each question:

$(\text{Number of correct blanks} \div \text{Total blanks}) \times \text{Score assigned to that question}$

For example,

The total score for the question is 3. The question contains three blanks. The candidate answers two blanks correctly.

Calculation:

$(2 \div 3) \times 3 = 2$

The final test score is the cumulative total of all individual question scores.

\

# [library/question-types/general-questions] Prompt Engineering Questions Scoring pr

```

title: "Prompt Engineering Questions Scoring prompt engineering questions FAQs"
title_slug: "prompt-engineering-questions-scoring-prompt-engineering-questions-faqs"
source_url: "https://support.hackerrank.com/articles/6081633644-scoring-for-prompt-engineering-questions"
article_slug: "6081633644-scoring-for-prompt-engineering-questions"
last_updated_exact: "Mar 26, 2026, 5:52 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
 - "Library"
 - "Question Types"
 - "General Questions"

```

# Prompt Engineering Questions Scoring prompt engineering questions FAQs

\_Last updated: Mar 26, 2026, 5:52 PM (Last updated 1 month ago)\_

Prompt engineering questions assess a candidate's ability to write structured instructions that guide AI systems to generate accurate and reliable outputs.

To use prompt engineering questions, select them from the **HackerRank Library** when creating a test or interview.

# Scoring prompt engineering questions

Prompt engineering questions are scored automatically using preconfigured test cases. Each case compares the model's output to the expected output using exact text matching.

## Scoring logic

When the candidates click **Run prompt**, the system uses a strict **Pass** or **Fail** scoring model based on text comparison. The system evaluates the response against a set of preconfigured test cases.

For each test case:

- The system compares the model's output with the expected output.
- The comparison requires an exact match, including characters, casing, punctuation, accents, spacing, and word order.
- Any deviation, such as extra words, explanations, code blocks, or formatting, results in a **Fail**.
- Non-deterministic prompts may produce inconsistent outputs, which also result in failure.
- The result for each case is either **Pass** or **Fail**.

For example:

- **Expected:** `Merci`
- **Output:** `Merci!`
- **Result:** **Fail** (extra punctuation)

The system calculates the final score as:

**Final score** = **Weight per test case** × **Test case status**

**Tips:**

- Make outputs deterministic and format-locked.
- Return only the requested output.
- Mirror exact casing, punctuation, accents, spacing, and order.

# FAQs

**\*\*Can a test case receive partial credit?\*\***

No. The system scores each test case as either Pass or Fail. It does not assign partial credit.

**\*\*Do spaces and newlines affect scoring?\*\***

Yes. Spacing and line breaks must match the expected output exactly, unless specified otherwise.

\

[library/question-types/programming-questions] Coding Questions Creating a coding question

```

title: "Coding Questions Creating a coding question Quality review Candidate experience Scoring a coding question in tests"
title_slug: "coding-questions-creating-a-coding-question-quality-review-candidate-experience-scoring-a-coding-question-in-tests"
source_url: "https://support.hackerrank.com/articles/2474669643-coding-question"
article_slug: "2474669643-coding-question"
last_updated_exact: "Mar 27, 2026, 4:02 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
 - "Library"
 - "Question Types"
 - "Programming Questions"

```

# Coding Questions Creating a coding question Quality review Candidate experience Scoring a coding question in tests

\_Last updated: Mar 27, 2026, 4:02 PM (Last updated 1 month ago)\_


Coding questions allow you to assess a candidate's problem-solving skills in specific programming languages. The system evaluates the candidate code submission using predefined test cases.

Coding questions support more than 35(https://support.hackerrank.com/articles/6693750503-execution-environment) programming languages.

# Creating a coding question

To create a coding question:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Library** tab.
3. Click **Create Question**.




4. Select **Coding** under **Programming**.



The coding question creation workflow opens with the following four steps.

## Step 1: Question Details

1. In the **Problem details** section:



1. Enter the **Question name**.
2. Describe the problem in the **Problem description** field. You can use the formatting menu to format the text or to include

elements such as tables or images.

**\*\*Note:\*\***

- Click **\*\*Use content templates\*\*** to use a template and select **\*\*HackerRank?s Coding Question Template\*\***.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772436694061-image.png?Expires=253370764800&Signature=mXSQxltM5Oi7DnzC7Hdv3fm2~uw9Ik0bV13O0zE1TRa10mfx5VadJ28hc~fD5YjApERIDZM8X8loAskc8ktW0Zgt7oNoKmTAI8-EWG-pDnRdw9C0k4xw3BN0Di7CwGvLQtXoiltMdEf2y2US3j-XF5szonJMH4aWaGke7N0X2Qyw90L5~nB075RGkA~~wq2xSvweUB4Y21ekZS2TRUG8gqqt~Gn5K52aBRkdIX3hZLwEx8A1Y1WwnQd8CNkhA-AM0b7Hb79uDjbgAobfGV1pG74B0Ug0BzzubOXH5fjYnfKq8CiOQMBC3altDFCRThRxWSSKsw-FMulA7YLet8~WbVA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- Click **\*\*See candidate preview\*\*** to view how the question appears to candidates.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772436717062-image.png?Expires=253370764800&Signature=POI-ZC96nR4ZDo-rN2DV2KuJCSm46GwXVHkJoGuD7emvq4wf9nuuRI4eKq-HonWM2n7iT6pvjjUfjOwntvZq6TFHcu6YcAfPuj-BejiCACp6JL-U0el~49QecIRCWj5TrGaywD~EsYmnrKCICStpYWd03QYsafpgQ~XbZwfXdOiD5EvPPpiOFCckDfild8BDGfH3NYR2if8DTQzTUJZJw4ncoPxDNi2-03YpxPf3s-7IsR6r75ZF~Rr5LyNB42b8vc3J5nrPHiqRQ3cmWylX2NdTIAvWJr9y3QsdmnizSSf4cajipp0-qhzbrKo13LtdGKLutXYSFhoo3X-fQHlmg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

2. In the **\*\*Question properties\*\*** section:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772436775212-image.png?Expires=253370764800&Signature=jPfTmtm3hOXr5t5OvmZUZK3TsnL8x1Qw94xF45L-UkRIo8tKLMVrDIH6VBL96pRvAP9nUyjkWRIDtETsU9T0ifMd2ksy881gYiNuvYCPCL1t4HkZB8mwDQrs-07xwJz-EKDMv-1NT~MCO1YLZsPgc~3KFGkoOnCJo1lvUWEsATXrPz4GaOXIdEXA84igHKrcqjX8vFnnRI1xjm0zaEGadx8DxLq9FRY9kWCQWphuEW9b89tCVfntylsUY1j4RNfz7l1yTVRBrdTfvwH32Mlu6n7L0edn7SYIVkiGWJkGI~n5va2eLOFqpatm3lHh~ISMSE6VXMlyahw6zkTsArSMA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Add **\*\*Recommended time\*\*** in minutes.
2. (Optional) Add **\*\*Tags\*\*** from the drop-down list or create new ones.
3. (Optional) Add **\*\*Interviewer guidelines\*\*** for internal use, such as evaluation notes, hints, or reference solutions.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772436811507-image.png?Expires=253370764800&Signature=oN8UlyrMEslBhd-sMxWkzq1hYJAM0wULb4sod7c45DDg25b3KsCQovuNtDJS~jlw25LkCnm7VKv5ajgmVXKTLPbkiXYdrXF20N03wOomcFbF7RzZcwl7fvbS-VU8RP5gd-Fuq4AYnwfdLUF3Yz~dq33595eMKmwPaWXdvyfa3sZS0mqcYwKEyztbzeFoWDXPCrRvOoFZ~r5TtsBpPu~92Sa7XzNx85pUtmR6CmzlHFd7R0cGC9UBSPPoFfqV-g9yzYL5b~FlkPpYFbVIXZVwAgDUKLMo1X9CqXxKRnzUXfMCT8Ducpu7rU-vE5v-kTD2x9PfdUZXHPmtu93lkiVG3g\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click **\*\*Next\*\***.

## ## Step 2: Languages

![[languagescoding.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772436905340-languagescoding.gif?Expires=253370764800&Signature=PKyR4pnrTf9pQF6uuFvmXF6byHCJPFKeGaDv1TJMmMcHt6Am8NeCng2LIDDebrbJ7wAD9NreYwRKJIBx28XsXiE8Hwk2bXcZ4hMmI5WJQokjjsAjREYAe6AqsE4C4OmEjclY6jSSE08LB1eBRph-ldhfDqEnmEIVXdTPkuwLPL3uTclk~NwCB0lQQufkHzbysT8Ct0FrI4l8ot5YGe6iCKqjSF4wY37WJOfEI6ugRfju2EJ17UiD4oeJXfWDXky2ePPdlEpsz1yG60OKif7Y6eyqkFQtpm-w5yX9h9pJgq5oWBKqG-9cUbqSBGRcuaARC6ZlqEKYQIUmq9jTaTBS7g\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Select the programming languages that candidates can use to attempt the question.\n\nThe platform groups languages into two categories:

- **\*\*Popular languages:\*\*** The platform automatically generates code stubs. Select the **\*\*Popular languages\*\*** checkbox to include all popular languages.

- **\*\*Other languages:\*\*** You must generate code stubs manually. Select the **\*\*Other languages\*\*** checkbox to include all other languages.

2. Click **\*\*Next\*\***.

**\*\*Note:\*\***

- Click **\*\*Select all\*\*** to enable all languages.

- Click **\*\*Clear all\*\*** to remove all selections.
- Use the search bar to find a specific language.

### ## Step 3: Code Stubs

Define the function signature and generate code stubs for supported languages.

1. Enter the **\*\*Function name\*\***.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772437075280-image.png?Expires=253370764800&Signature=Oo8iGj5d73HHnH0sxBrUx~iHSTuxTJxKY86hY6NXKV-LvgNdvbtD5Sc3CJRG7maOAoGmijy25On9mJEESR8uaNANDjTTCWCatT9IGdMPXInHZy89cqlgwZiJw1k25ibpNBnUGXLfgjk0WEliC26qrs5JphDS20Y3Lyj03qwurEUy2GX04M4K6rkCRUipNoozZbd6l1P0jvyEMkbA4C3t3GMKPXlh1o9iVpv7L-nBpkPWl9~-mUDwZPhNLAAQs6o00c7eNONO0Dsl1sXR32FNinDfqZppXDoxwkhHr8VhzwXX6TnsO4wNQNY6Lq7ujgBtVICYcGAYLhYO6oSuWlizzQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

2. Select a **\*\*Return type\*\*** from the dropdown.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772437089075-image.png?Expires=253370764800&Signature=O-C98dpmP4CJeytt882n7qlOx9RSPNK8OfMw7Vc2QJHsnEDtX8FJmoEwNgQjLvEkM5HDL54TinPRFDRykdwfFjeV9P0dDgbf-wTPIy0HBsfQlyyc-YAv89L5kPSV-ygnAgkW6C9wH31vEI7gkflVaAqJxX2pSgdOPXNlpuKSU4ZR6XkOuS-lhmawaoFTWULnxU3uqUrqih4HY1sj0ciIHvgxcIW2p0lBqOPcl69SNI2wi8AEN4jAu0-S7rL6xfKc7xiMN0nK-u5onYAR~t12TnDxITLJx~ADDI2ldOvHu0O3OypkQANC2zSqV~ebOAtl8AevP5NU5NAqv4dHEcu00A\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

3. (Optional) Click **\*\*Add function parameters\*\***.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772437139988-image.png?Expires=253370764800&Signature=K~0gBtyW0TcyA-6VDcpeJF4V0ZMhthhT~g129Lecf~vVRuARmEzJ7aP~WVTY76GK03hHTlqjG-ujaEk4PBDZE0WUZedZ-BZ4NwPuqeEmk2GhtS1f2tkW1YGgQqdUDb-0UvEFcQBrmf-V3SmWIDK2fC4GFFBqGbL5iZu3m5t1CXOvuFn4lPlPEf4jsG9eyWriIvEC4A7cL4EOiHDb1e-kbWzT7k0cYuo3cmGL7fSptorzyI5UrDVAInMd0TgKILXAFB06MaDt-nM8n48nqrf7e-urhKuNhTaLmLtlf3wHxMWw4J3CNTAT-etDUW01TO4ZusMOT86BUjlpFZ-ieuQXQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Select a **\*\*Type\*\*** from the dropdown.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772437360744-image.png?Expires=253370764800&Signature=YOXSDk2R5BtUe4d9AyugvhJRNtlqH4oLc7zcReriuGElIpDg1tGXb~0VakLMiQnW57Ve90m0sQEL6HJlqIOWpZHzbXvnHj5G-KhykVjsaJC2bnJ~IIuHlTDjQFEj~B2FHFS9wiH18zNVBUzBDnT8qsU8tv0F-6OBYC~zvxt5Fo9HpJ1XFMgvRvtUE8bIH6fMvclQvssO-szydN6AYIOeRoMzgjoEJwG9m4yX3nSqQRIsbF0Ny-vnTzlvPF1w6SUhc7PVpyQJwggTtC0qOqnQgss8dW~Ax7xWMfzbXtcTZopUS3IK53a3rn5LRWjkskpu1uZEJ3r-Umz5zJ2fB0lljw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

2. Enter the **\*\*Parameter Name\*\***.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772437195260-image.png?Expires=253370764800&Signature=nyWjdyy2CjRbb3gEtkMEyx0kjJ9i8mEEGFQewB1xRwClZazhyJfX1OniR0S0nzh7JMfgagDPCENvzWWo9QYjc~la9wee9k4ZIKinDYS7tDlkTthH0gN9lp2SygX57~-n2xmJyOJg63R6uv1AShqmN~4v9Fm66bGHauA-up-72psbCg0MnFjvk9Osy3qXAKTuQVwAe6zOFcKTd2wu6~cYcuRf2y45N1yAzoo79nnb2l4~h72j9Eo32GuAefiSnVt-V3iVhdvswRPLsETPhDcjGR-cyXesfmH2uYopkKk5Fp~cHwla2rmy3t4NHaPOOSb1dZuNfJb2WkKmk6rEomAw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

**\*\*Note:\*\*** Click the **\*\*?\*\*** icon to remove a parameter.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772437277707-image.png?Expires=253370764800&Signature=IHlktgn4ctv9jw3cy6ZL3g7x6L2Yg225M7eRGbs4bmaFx6wTzDHWOLC6tTv6OVIa4rfVsXsBLwTYxAQ7U8ew8CLQbW2MYr8pfl6pAIJsBr9~SotkW37~zIDgQpYx0cCxVaTZEWlK11oIE0endTpy6Zypf43pXnsCi4dN7g19n6E~9NTELYAb~o~XTkqAXwCvaTXbbY5RELELiUgGwXDdbvhzIQ-xPsulvZWOnSL~U2mq2b6m~sTKRCFQepIGUgURUO8L32PzUh4WkWgyVOeTC0iyDL-MI9KlyYGGQr940hZxzYX9~zLOl8h6PM52NjPmliirN7cxOulCSw~DPRZCLsag\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click **\*\*Generate code\*\***.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772437444537-image.png?Expires=253370764800&Signature=YEvWAvOxuj8MmZtPP43KSx4~DFyJHBMIPVKRRc27LlwfgHbk~jLnHPL2kHrwUxZrWf0vuF3er9p3-6s3IEJ7J5Fu



-L5DaGev8x9Tnm-w079TGy7t2~ana2p5YGmAvuw-HACzdS5x5hHyT1VqGx8ywf~8SBTV4~XVh81qZ4mZApzW~UujL7YZtZUANH  
CdI2ZYa5CFPfFGGlu8B8siT2V0vsc7IJYeqDEoElK1Igu0Dywo7~eblpYUKBldV5ugHMDxZOHxqb-JeObLQtKdKHcq82~VWxPJAE5G  
jnaWkdj1SnzgE23yAZf4JGevtWBqJYtKIEysB2C4xklQrjllaiQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

The platform generates code stubs for the **Popular languages** selected in Step 2 and displays a success message. If you selected languages under **Other**, follow the steps in [Handle unsupported languages](https://support.hackerrank.com/articles/2474669643-coding-question#handle-unsupported-languages).

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772438012015-image.png?Expires=253370764800&Signature=ZJE9uauO941WGkdFzc7ZjH1t5eK-dORRJB3njWZSAD4CJG4HVRqC~MxWj5NnexjXsH9tkN9opMM~OZw4T1W  
GctXcVWlreYAXM~zG9RhDHEjXA0PpkgzfB9EydLBpGS6Ciivj0Ew742FD17yDsZvQ8mbtoJMqnEywRf0NNgm3yBxpMz4ZazZZKw  
wCCodBngmilAsqhXhp27F5r5~EpHAoGCJYwwfPYLZyrgz4c6wpED22S58Hd9XLepSboLKeKO~kCoVkGitEivzf1fGDh0QJ~XiTz8QF  
H0wj7pZ1FXyIcnwdzdIGY~n~nxVDFboyZ5bpn5TeF9e4hf8KrN9iW1bA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

5. (Optional) Review the generated code.

6. (Optional) Click **View in IDE** to open the code in the IDE.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772438025861-image.png?Expires=253370764800&Signature=cyW1O5Q9gv2ck1naZ8nnSFkUSN2cd0YeoTVQzA6ZFuSvHMnMEEP5HCWwxLeUquuGCL~e~1IdmCRyt1F0Nv  
KRpVb4dulNTvabMq38fwamokXyPDkrQkj9kvA2C2xymUbUStBm7Ci08UU-DWC8xnrZEc-zfn2HDhla3XS1xRzzTmNy9~uCMUpWqn4  
oPzHkbVXuH0qHPoPJHSr1Q~8gJa~vyjlxEG41rms2~5IYSjEhsRfEfBODGgEsmn654~QjBr1D4QXJpb7T5gfo7o36rwjhD0AVKdd4xFLt  
z3CtOeH3l-ohZ797dqr0cHRzUN4pdhuobQvy2njZOLBuyfJpWh2Q\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

7. (Optional) Click the settings icon to enable or disable **Keep code stubs editable**. The option is enabled by default.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772438040240-image.png?Expires=253370764800&Signature=b157bKwMSUoLvcvr~hINtJY~fFDPN2IcHNJD~DnFwKLTVnyc56yfcWsXNA8bwgH39klaNOMPki9CMfo8iVz0ucKr  
Huj95aqmIKdBym45VONiuMoVmqqbubNTr2A2TC4g0SV1I0cmkVwd0V~rFsp6oCEctArUosxm7~ZmwpziAiqlYc1vnDtunJECHsnCSon  
9DkwLT9~S8CVnlQJD4ME95I4AxsXhmqqRLlqfrKpWmap06ZIPdogdYr~eYkp7UeyOJYLNq7PGW3g4L4ILbuU8XE1xPAsKbxEbrAi~Lv8  
p2w2O3bDt~raGMGa89yH269OJoHEKdjyFw0~5QpSqtbZd21A\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

8. Click **Next**.

### Handle unsupported languages

If you select languages that do not support automatic code stub generation, the platform displays a dialog listing the unsupported languages.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772438067313-image.png?Expires=253370764800&Signature=WN8QAR~qWYrU7JG2~7iBdECjcmI5D4Q9GGXLlCtmHzRz95Au1aHC7s73s012IpiLGTHehmp6MfXP2~d4cPph  
XWksyPSBAPAdstHEfpKdkucxh~Lfgthk4XhPRIBzc5K~IDe7zVzor3FYYP~nO8YhXarQXy9HC~oMiiMncothSHnB4~wmN4TlqoL5n~P  
92DODk3irfth~CresvOw~1rtV14qYmoM50XeSsdXYmLMxS9J~NPLCihof1qgdp8d7v4bkP8custcxhyUbaWamsGfC~tPj1fppnmzNhkYLH  
syDja10Pj9YKfL0IRX5OkLMyxJI3srhNf~U-MK6BAMlvfg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

Choose one of the following options:

- **Unselect these languages:** Removes the unsupported languages from the question.

- **Keep these languages & manually add code stubs:** Keeps the languages and continues without auto-generated stubs. You must add the code stubs manually.

To add code stubs manually:

!codestubscoding.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772438143157-codestubscoding.gif?Expires=253370764800&Signature=BX2r~qnQpJZ3gwal8kknfEqd7yfm4w5YOf27IU1~KNgVlqnEUysYh66Vph37o8HqGj48BCbyYVSI  
yjmIYRqsc2ZSAyMF2PzGIsCim~iDwGTibX2i9~CzssPyMPz~F7KgkxwLjaM~Zt288s2X6~S1WUofWL8HtBsAvTE5gX9wbkdb7UyIWHr  
c~AMbK86kgWiZOrAc6K0V3USn~p3sz3RGagNQAEnzP1CKTELzqiodYxDZtw9XtMQk7MQ3jdhtnt8DrAK4IQy9QDzhsnlaSHq58Z8lhg  
GIPAUbVbRqaVEjtJpFO~D2SMRtkNBbHhISHyUb~T3H2xr~CC0IFh~pl64z4g\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Open the code editor.

2. Search for the required language.

3. Add the code stub manually.

## ## Step 4: Testcases

Use this step to upload solutions and define test cases for the question.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772438161855-image.png?Expires=253370764800&Signature=veJg-KhgYtdRZ12aPgFuiDhrA0boveij~NaJb4bQP~y13EwNee4rvOkNheNhsvtoGzT-GqLPAt7D8qqtMXvY0Nbl1jo kHKTOOSxxUhFURqMsPFW8gV-jkCWtMRQXAsIZqA~hzfWCRHkKMfNUHyqa106iiSvZcZDj7c2ghuT3gVzzRE5Wba2MqTdkyyj4G~7nPymYE6XmkaZ4lboB0atnomKFrBLcG0L~5dyIKs134H2r-EKYKqWeEgCFHd64937gprFCupq9BnoncGhJs~XJlg~3rZebcHTdGkd2z800hvAS4Fg2zzHrQa0ZJvSm3MRJox2P7uC~wMkijl27O~rQg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

### 1. In the **Upload Solution** section:

1. Click **Upload Solution** to upload a solution file.

2. In the **Upload Solution** dialog:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772438172970-image.png?Expires=253370764800&Signature=RzSbmZt8ODvaFviRlwKpQ-yAtr38dxgGGODDHsiYINfXc933h7atuV1zEtMwwHCz4iP4CiuyyKWwDYmTUTLlgbWxFwGbQ27qDP7joBUGYuFwpj9leq0d85LZ~uLL9x80xZ9jJg3b3reh5zjY7mxv2mZ4fzbZv6eurp~TSi8AvAadc3H9wHzIEAv9FOnPgjEAaAo0NG6BJgGG~U6LBkrmcReNBAsdOFZowHwyiUce7ePFS66ZL-sEyCeSJYzAaaz3BNhkhR4foziAObn4Jj2oo12eU-DmKBWxlaDlj41JUpv8FTpDCp3hrq4J1Q-ul1wu-oCKmOcbDDJXflB9huiDw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Click **Select file** and choose the solution file.

2. Click **Language** and select the language of the solution file, or select **Auto detect**. Auto detect is enabled by default.

3. Click **Upload**.

### 2. In the **Testcases** section:

1. Click **Add test case** to manually add test cases.

**Note:** Click **Bulk Upload as ZIP** to upload multiple test cases in a ZIP file.

2. In the **Add test case** dialog:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772438226455-image.png?Expires=253370764800&Signature=NL6dtXZ~GxKWVtezL9BusmnSYq5zE680bxPZV9xMgmMFIgZZOn-H0wBFVbZPWSgz6HwAaZhvbJjTSRYP-12otKtlWwBAF9bdKVOwcZkXvtc3n9NkpfR6tkyK3IFK-HKlb74~DVXtVF6jvSyPP3Zvr~wYMUrlztpWrEku2nnVg4sFgC4KUJgR6oJPQ1g1NVkuD8NNukG8Vtx4PkaiFNfNiUzH5bVxiJjZJgzT1uUphLRUKwX5sQdrnQ9~tmOaPOXHFYLxX06HxRPNvtikApqZGFUfeqGEcJm5-kl3BkaosixE3WNsVEK8tU3FwGWOWXUqho-Aqfo94j89as0ukaeQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Enter the **Name** of the test case.

2. Select a difficulty level from the **Difficulty** dropdown

3. Assign a **Score**.

4. (Optional) Enter **Input** values.

5. (Optional) Enter **Output** values.

6. (Optional) Select **Mark as sample test case** to make the test case visible as a sample. For more information on test cases, see [? Test Cases in Coding and Approximate Solution Questions]([articles/3245197419]).

7. Click **Save**.

**Note:**

- If you do not enter an output, candidates see only their own output while solving the question.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772438266143-image.png?Expires=253370764800&Signature=FFyaaugszxrjQOKGfr-baeOPImfRuMgu-zq3OJmfl8GnLot~j7JUvG7Jc5fJ6t4VY-9laeLpg7~PATGCu4dPVQMS5kYVWe~bZU3Ai-9Jg7r3aOWxQdOFDjhAy~ZnLbEp2daVLgLBfNqRby0yhZmFQLscCUC9wnuxSzO8nLA1z1yidbNvVhQ8Cgn-R8t6)

k66FZUYTFimkr0YVv4rbLpjXha2TvdVoPf~Wfk7jUUDv1i17jKOONAcsmj4JFeHlType1gZMfbr1eICt4RcfyiSQuEKDntAyKOUFG4~Q53  
6hGCi7WMYTgohweOTQywV9vZ6q0w6h-4Az88dMw8h~Yg3LA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- If you enter an output, candidates see both their output and the expected output while solving the question.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772438285808-image.png?Expires=253370764800&Signature=Do50qAgBMNsRIZ3mXJSAOjN~DZrK9uzoxd4XB~oddW~3A0wOrMUKZ-jk8nDrp6p9aH-h6leu99i0LrvsvTYjU6UyIVgDplS2xwxZleTg2uKJaRevCwYVf0pD7iVAL3dJ9uZsBGxqvm2HCMg7NATa1Kwx6yrLFrYK14BjjCamktT8MvgzpXXoI2b1eDPLh~3bxJpL53OKEAEKGH-vuXHHbVNG0k6JtU1iIKHI3Sbzqc56QAidk-T2Mzc7txCjxt83DvUgLH94Um28crKdSln0zRrrFHeUQ3ZY0TTJKJ~bfOB1Blr9T96deTZE7pbMbQ26D1nWlaWFhi0fzN8iX0Daw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- If you do not add test cases, you must manually review and score candidate submissions.

3. Review the **Quality review** panel to evaluate the question quality and view recommendations. For more information, see [Quality review](https://support.hackerrank.com/articles/2474669643-coding-question#quality-review).

4. Click **Save question**.

**Note:** Click **Save & Create Another** to create another question.

The question appears under **My Company** questions in the HackerRank Library.

## # Quality review

Quality review helps you evaluate and improve the quality of a coding question before you use it in a test or interview.

The system analyzes the question and provides actionable recommendations.

## ## Evaluation criteria

Quality Review evaluates the following parameters:

![[Coding quality review.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772438431144-Codingqualityreview.png?Expires=253370764800&Signature=pDyxQOIzNF860AvfBfefN1oQFG110T0iE8-WgQIrisuKi6pBA18l5GfnsdxJDa6PvSH~9q7JxZMbVpElsx-agdm15WG8CuVJc9crPLDyCy0w99gDPwvotq3CAUg1ja~QKQpJW4JGrZb3rvabs0K0nVtQkHpSyTDbHz8QiX0-6A6N8H13clx7F5-WAcMrCFP2VJR2jn3z2TMxKNjreHO-qb3EsB9MXZkvcuB5-CUEmPGhXP74irVZrOkPB5KUmSIVBxghAbG0vDc75OJ~--NhIknDK-7MNgYea--VNw6kv0mAyNH~NhSDAz0UlwYhWFANPpwTioVDVlg3d0dmuClVww\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- **Total number of test cases:** Test cases enable automatic scoring.

Without test cases:

- The platform cannot score the question.
- The assessment lacks an objective evaluation.

### **Recommendation**

- Add 3-15 test cases.
- Cover Easy, Medium, and Hard difficulty levels.
- Include edge and corner cases.

<!-- -->

- **Sample test cases:** Help candidates understand input and output formats and validate basic logic before submission.

### **Recommendation**

- Add at least 2 sample test cases.
- Ensure outputs clearly match expectations.

- **Auto-generated code stubs:** Auto-generated stubs standardize input/output handling using STDIN and STDOUT. They reduce formatting errors, prevent incorrect output handling, and ensure consistent evaluation behavior.

**\*\*Recommendation\*\***

Use auto-generated stubs whenever possible.

**\*\*Note:\*\*** Manual stubs are required in scenarios such as reading a binary tree or returning a class object. In such cases, modify the default stubs or write custom stubs manually.

<!-- -->

- **\*\*Descriptive tags:\*\*** Tags organize and classify questions. They improve library searchability, enable skill-based filtering, and support assessment alignment.

**\*\*Recommendation\*\***

Add at least two tags, including:

- Difficulty level (Easy, Medium, Hard)
- Skill area (Algorithms, Data Structures, Problem Solving, and so on)

Add concept-specific tags when relevant.

**# Candidate experience**

The candidate can attempt the question in the editor and click **\*\*Run\*\*** to run the test cases.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772438463159-image.png?Expires=253370764800&Signature=gH2JwkLCFZ8l2OoUbOFIPQpYcLueX-FF1fn~-T8LurpMbXDsM6Wr4T83KElyojdaDzmwtYQZICqluoZqbNOFebgqhvr-DuyFDldhOuzlShezPpsnz0msJ2mYIcVYvVcdzOOdMk9evKKJJ06DL8wEFajWHrJmrzeOo-uV~rGgGs-l-RnU4KVPZ8l2YGgftjy7~Zr2ZPnH2mnVB9tSa78~QpJqhmUz6QJ0N4EEG41xnYdKBKtU6B6XZzfzMhEhCNtrfixQU7kPtY~yDetWLZnuf3vB7VgTrxhyeNt6~iDJjEDGC3bM7vM9yAfcpgAZ8SMQ1y3BFdhWy7ofTvQ1pUI7nA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

**# Scoring a coding question in tests**

HackerRank evaluates coding questions using predefined test cases that measure correctness and efficiency. Each test case includes defined input, expected output, and execution conditions. The system executes the submitted code against all test cases and calculates the score automatically.

**## How scoring works**

The system evaluates submissions as follows:

- Run the submitted code in a standard execution environment against all test cases.
- Compare the candidate's output with the expected output for each test case.

Each test case has a predefined score.

- If the code passes the test case, the candidate receives the full predefined score.
- If the code fails the test case, the candidate receives a score of zero.

**\*\*Note:\*\*** Partial scoring does not apply.

The total score equals the sum of the scores for all passed test cases.

**\*\*Example\*\***

The following example shows how the system calculates the score for a coding question with 11 total test cases, including 2 sample test cases and 9 hidden test cases.

```
<table style="width:100%;">
<colgroup>
<col style="width: 16%" />
<col style="width: 16%" />
<col style="width: 16%" />
<col style="width: 16%" />
<col style="width: 16%" />
```

```

<col style="width: 16%" />
<col style="width: 16%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" data-background-color="green" style="background-color: #D1FAE5"><p>Type of
Test Case</p>
<p>

</p></td>
<td data-cs="1" data-rs="1" data-background-color="green" style="background-color: #D1FAE5"><p>Number of
Test Cases</p></td>
<td data-cs="1" data-rs="1" data-background-color="green" style="background-color: #D1FAE5"><p>Points
Assigned to a Test Case</p></td>
<td data-cs="1" data-rs="1" data-background-color="green" style="background-color: #D1FAE5"><p>Total
Possible Points</p></td>
<td data-cs="1" data-rs="1" data-background-color="green" style="background-color: #D1FAE5"><p>Number of
Test Cases Passed by the Candidate</p></td>
<td data-cs="1" data-rs="1" data-background-color="green" style="background-color:
#D1FAE5"><p>Candidate's Total Score</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Sample</p></td>
<td data-cs="1" data-rs="1"><p>2</p></td>
<td data-cs="1" data-rs="1"><p>0</p></td>
<td data-cs="1" data-rs="1"><p>2*0=0</p></td>
<td data-cs="1" data-rs="1"><p>2</p></td>
<td data-cs="1" data-rs="1"><p>2*0= 0</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Hidden- Easy</p></td>
<td data-cs="1" data-rs="1"><p>3</p></td>
<td data-cs="1" data-rs="1"><p>5</p></td>
<td data-cs="1" data-rs="1"><p>3*5=15</p></td>
<td data-cs="1" data-rs="1"><p>3</p></td>
<td data-cs="1" data-rs="1"><p>3*5=15</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Hidden- Medium</p></td>
<td data-cs="1" data-rs="1"><p>4</p></td>
<td data-cs="1" data-rs="1"><p>10</p></td>
<td data-cs="1" data-rs="1"><p>4*10=40</p></td>
<td data-cs="1" data-rs="1"><p>3</p></td>
<td data-cs="1" data-rs="1"><p>3*10=30</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Hidden Difficult</p></td>
<td data-cs="1" data-rs="1"><p>2</p></td>
<td data-cs="1" data-rs="1"><p>20</p></td>
<td data-cs="1" data-rs="1"><p>2*20=40</p></td>
<td data-cs="1" data-rs="1"><p>1</p></td>
<td data-cs="1" data-rs="1"><p>1*20=20</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Total</p></td>
<td data-cs="1" data-rs="1"><p>11</p></td>
<td data-cs="1" data-rs="1"><p>-</p></td>
<td data-cs="1" data-rs="1"><p>95</p></td>
<td data-cs="1" data-rs="1"><p>-</p></td>
<td data-cs="1" data-rs="1"><p>65</p></td>
</tr>
</tbody>
</table>

```

In this example, the candidate earns a total score of 65 out of 95.

\

[library/question-types/programming-questions] Approximate Solution Type Question

```

title: "Approximate Solution Type Questions Creating an approximate solution question Scoring an approximate solution question in tests"
title_slug:
"approximate-solution-type-questions-creating-an-approximate-solution-question-scoring-an-approximate-solution-question-in-tests"
source_url: "https://support.hackerrank.com/articles/8117531949-approximate-solution-type-question"
article_slug: "8117531949-approximate-solution-type-question"
last_updated_exact: "Mar 27, 2026, 4:02 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
- "Library"
- "Question Types"
- "Programming Questions"

```

# Approximate Solution Type Questions Creating an approximate solution question Scoring an approximate solution question in tests

\_Last updated: Mar 27, 2026, 4:02 PM (Last updated 1 month ago)\_

Approximate Solution questions allow you to assess a candidate’s ability to solve optimization problems where more than one correct answer exists, such as in image processing or computer vision.

For example, consider a question that asks for a list of five prime numbers less than 100. There are 25 prime numbers in this range, so a candidate can submit any combination of five prime numbers and still receive a correct result. In the custom checker, you can also assign partial credit. For example, if a candidate lists three prime numbers and two composite numbers, you can award three points out of five.)

Unlike the binary pass-or-fail scoring used for coding questions, a custom checker lets you apply your own logic and assign partial scores for more accurate evaluation.


# Creating an approximate solution question

To create an approximate solution question:

- 1. Log in to your **HackerRank for Work** account using your credentials.
- 2. Go to the **Library** tab.
- 3. Click **Create Question**.




- 4. Select **Approximate Solution** under **Programming**.



The approximate solution question creation workflow opens with the following five steps.

## Step 1: Question Details

- 1. In the **Problem details** section:



DQBxwgmoxSxyY-Jb9kk75EgroNpqknrjKJpP4Pss38ocDyU8XWBF9bIbabF8r9MDDoETu6RRdQUjkb2aoNA~IGiwUcl~iedl45nUdOLT  
R19FRzR-8hw1zBvs27XHBzw0OcXxJQ~ABT3oBCHNjS0IKUg5X2iJ7w\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Enter the question name.
2. Describe the problem in the **Problem description** field. You can use the formatting menu to format the text or to include elements such as tables or images.

**Note:** Click **See candidate preview** to view how the question appears to candidates.

2. In the **Question properties** section:

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771238533443-image.png?Expires=253370764800&Signature=GaSuU83MzMAv6lqdN6OfkMKEHlAnQKcZH2aqtPZKXQU2JNrRBvop5~TKVM1VQsCzRYwVOd25lr7tQIPNC-EXEGp7WRR20R3zMXFp~VOzBmRull-wJj7w3lYvu3moCPHbsONCWkCiBRoYa3VE-g9Lys2ziSERan1mOpaXtBm8QRld758ad80SPIVUrbE7dUB9OEkrCLaUso6XVckVH01tzmzfio9hk~3LQ3EjMFogqC8qcelkijA7mR8KL9wi3VjQfLTEAVNhChtH49Dn6cUPZxB~kjLhz5MnBQW9~C614J8VB-Cb-uyJV7Fp6ysqYaNIB81doSgbMc26vm0aGT58Q\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Add **Recommended time** in minutes.
2. (Optional) Add **Tags** from the drop-down list or create new ones.
3. (Optional) Add **Interviewer guidelines** for internal use, such as evaluation notes, hints, or reference solutions.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771238542860-image.png?Expires=253370764800&Signature=WQoUbFs~~srb2goN-s1XrkuJ6W0gBKivBX7Pfpf3eIWQWSUIb0MUYOIM89sI7016XRXASWCPoguEHmnLu4MtlxkdW-LmADcY8Gw~bJz1iy4YyYgtWJIYzuZgW545LggsbJ3t84Y8YWjKjvwUZCXFQ5jeTgn63IMYZ5OgkVYd2b32pO4R4wzjT2q8ks8GOIEqKMsgObi5ETpKMvFm1rbhz75Vc56Mw5zXlpgq0hJtOxmfvS79qnOa35c1JAeUsvX2FNsTE4RYvmbSE7KYmmk5~baCWvSnCzf1CLpsCbBX6h237zp03LDbyXzeiHk9ktul9nsmwrsMXi6uHdRwWA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click **Next**.

## ## Step 2: Languages

!languagesapprox.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771238620836-languagesapprox.gif?Expires=253370764800&Signature=tQDpPPD8WJQBAH054Kkj5-BMBWhoQL1C8c07jegpKgp0mKDI6z~fnY76nqgvQmxnotEAIYjwO0T136Ndv-55z4wedbjvjsxMtKoMmPMmar01vGjd8rxM02DA1h2LRhE6A6sA4Yf6RvPa2yr75jsZcxX5yds05vXMS6J7XSIZ8328NBmrTkfpZBRdUpLJSQJpva1K5lJrzWd4LCtU8yQimawj4ySJ~JhfV0P3ntuo4gTbbmgbVCpa1tOiOpLoR~Ag18MBpXM05YfYTczWRCy81vIG249CN9ksFEikRjnEJ~wvJ79sE0vtVyLW4lhbTruJn~jJym9Y2PIQzYn8Bd0TA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Select the programming languages that candidates can use to attempt the question.  
The platform groups languages into two categories:

- **Popular languages:** The platform automatically generates code stubs.

Select the **Popular languages** checkbox to include all popular languages.

- **Other languages:** You must generate code stubs manually.

Select the **Other languages** checkbox to include all other languages.

2. Click **Next**.

**Note:**

- Click **Select all** to enable all languages.

- Click **Clear all** to remove all selections.

- Use the search bar to find a specific language.

## ## Step 3: Code Stubs

Define the function signature and generate code stubs for supported languages.

1. Enter the **Function name**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771238657739-image.png?Expires=253370764800&Signature=lywXWOBiLQ2Pt2BT-2Ussgjd92Nlk6ijj-HQ~CVCE8meaLgzFY-ajKrWIEY5pGJP8B6~6SbNVuPm55No3WSskurpn yg~tt2fqWkbwzvnavHp2c4Dxu6NsoEdYhoWt1glfyJQVnHECBXo5Hm6ErXLJc04VMIMZCYaKKe8PM9qBq9EHgwqzLINpiULZ0aYFWaBMSm83UD5v~h-6QGt7fG59JSRHN7QieXGZrVOwhZk-rkXG1eqK1ez-gtoA3RSBW8lr-ICiJm~DLDxN665314o8qVnHZD7B9bgEi7CSg7-MGk2JmPuRqOu1R5rhcSbws9J4py5fyzZ7kN-Y87f2iFBw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

2. Select a **Return type** from the dropdown.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771238666115-image.png?Expires=253370764800&Signature=Bf5e8XZ~nfmbe9YC1OZzjOx4XRJ52TEdxhkLkhOgtUB0j1RJNKULOtXXbOw6E1QrTstb79-MJF1LgWUBGCZuN5jRZqLQjyTGXhaXmNQKEq~kvn96WzGL9UHdm5VIQh~R2QxU8eSUuInqQ6HaKjvYuCgpCk-Ng8c6Fs0Z2wbQFE7dqzJU3WsODGEhsmUbpclT4XPpyk5Z2wVt0wEN3EmphHPkbPP-gef1-l8-OB9nb-RNBFReme8IfkiTB9xZQaePt6vjO3x~Gw2ncmOPAtFIBUrTk2OpEaG6VEwAjK0LsPpmE0bo~kdKcizyql0qbg~ZskSefNERtpc7wz1cQofA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

3. (Optional) Click **Add function parameters**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771238729601-image.png?Expires=253370764800&Signature=hupm7KyIQ78yX0fgxPecax9-rR663qZDPpBI9YyVlr4GQkKrPzhpYKcH4CTsEQgUSbMs5PjyCZQah8WRbE7Ee1FslpSUovcAYMMiQsTXgO3tGc6q4vHuJOjz0DbsqlON-ub-yU0r9zNafSUhsVwhrCmtkzvJWYZa0JxJ6IKdvwHBWS3kURGvYyY27ZCkAUSGttQn2dYiMzWlrgjoRqQEYmPrN53PusWQOEs0l3ZtJJAFq29jcAt3HoDJR2fibvbQPnJv-Q7Q2wBPT0fzgpU73Dpew808FMiHnyEwLZ6UuLq4bAXpBZppmobu3xy05dKPUqchWbmAjxR3Y5yXXghQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Select a **Type** from the dropdown.

2. Enter the **Parameter Name**.

**Note:** Click the **?** icon to remove a parameter.

4. Click **Generate code**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771238760102-image.png?Expires=253370764800&Signature=AzPxkr496-gskkyOCv7uuGm-4lzyvRpKEMlweyCLOQXWYsNzzpS5aPUjWLu0gB7YAdC1OUXFJTYg-4JoGoc7tFqy6336vDPTadk9bfQZHVlQgaAYMzj1KC01Erm1wFyWpwXWPeQ5Pyr8wLAT8k6v8JO8sMxzCKTP8StgX08J8Jx7Y2S1Yg7hIL6KvIQrak35a8E0JS-qgX~5AyWuAFMn6MRwMj9cTG1Jt2Dpsfhmwxljx7tMVys-sxNfZlik-FYYTiqCRGqSRwQIJud5ZIdnHEO-heQHFuLXv1xoCSkftfDJnqLSXwPdAhbUPDvwFVqkEgeFxrQQkHmw2o1Byixg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

The platform generates code stubs for the **Popular languages** selected in Step 2 and displays a success message. If you selected languages under **Other**, follow the steps in [Handle unsupported languages](#).

5. (Optional) Review the generated code.

6. (Optional) Click **View in IDE** to open the code in the IDE.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771238780225-image.png?Expires=253370764800&Signature=L4MvzxilfSNqMdOlhRI0GsdvJfLmJHlZSfxCVzfZuebJr9pl~mMYSD4IC62aiHABqRXEmFSpEIKruFdkSIHhq0o76OvcD6HHp7rbi460LjgPyVVLNYcoVC5zxezwN4PqPiCe4bQcFa-TF4r1fooJajoCS5hyhwARzwwjkdNGXYsp-LR0WazvohcsGZmX3dHqfMJBdZnSqrory-xXapodAi4AqFJWvD-lxqzxlw6DiExtJGafOb-n5GbNdO7TPfMoyCFcuN1UJZTmt8Sa3AK6om40ab22Zzw04fgLEIN3HPUws-K1p7VCZ0KyX-F7gObPUpgNz0FWEa9nmfQjdHa2sa\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

7. Click the settings icon to enable or disable **Keep code stubs editable**. The option is enabled by default.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771238791721-image.png?Expires=253370764800&Signature=FI5ptCTSQVsircnsZ9bbWHVMUN0oAuGZCPxTLB~-R5bt3Nf17aMfbY7yTLC0zkltf8maDQlWuE-lWPD695mjG~8~I569ttlbgc7uRzZgnQTjV0tdhhCi6bVZ5dyCSSvXYZRtXsS1a4xx5loLxYcKU-UKqaPoln3lJFZXHsQxHeBdv~GoZhZCFi7Ru5-EJ6SFsRKM-vzSJlptFUQnZ8Bo1j-Y8U3uFb~idZbOEYg4vtyNxvJO21uQO3ryU0UTUyoGES-RISagQqQ37V6hnCG89Dy7zL8YjNOoWgEEDLy8GXYYamCBLiIA8izFFiW2GGFDo2KJUakUs5YH7zgl1u2Q\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

8. Click **Next**.

### [Handle unsupported languages](#)



If you select languages that do not support automatic code stub generation, the platform displays a dialog listing the unsupported languages.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771238928822-image.png?Expires=253370764800&Signature=f8XDhHRHz5Y01vqXMVIAhE060D5M3Yc7r1dk-AQfBDs3FPP5a4uVSGwkXAvk9UISC1G7U5Vq5KpzWqmqps4E EG4XDSFhpRFoAJCpuCixWSn9ZOxWzO0FiPoNsoOrDh14wgWNSPhLzUIb7xlce8BN8VVO-JIPRbvlXqXascxd7jN6lxupb-2vvnZMan 5ZwWQ8bTslxLr3PSdY-Bw6bb-zS4awKxkkb0yns9bcMUoo7tSXfxt0n0I8FOsWK-nlsGualigkzeZkaLhnUI9HZcVVkbWhvYA6y5Hrec2x p9nYBskn5NcDrbnmPF1AChRMtae3lyS7IY2jGmJ-G2NJyvU7jw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

Choose one of the following options:

- **Unselect these languages:** Removes the unsupported languages from the question.
- **Keep these languages & manually add code stubs:** Keeps the languages and continues without auto-generated stubs. You must add the code stubs manually.

To add code stubs manually:

1. Open the code editor.
2. Search for the required language.
3. Add the code stub manually.
4. Click **Confirm**.

#### ## Step 4: Testcases

Use this step to upload solutions and define test cases for the question.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771238961688-image.png?Expires=253370764800&Signature=MFvLU9NNtpp43BcfLwcFxcYuoRF0GNS1yRNAcvayDT~4kYaBzD7lJcJLbUskyKQjO3pjDEv5ipWXf5JqppuFJij7Do s3lgBcMinDw9nRABIAJ0jP4Im3aUCw7bFQjhSa1D1gDXmSZK53XyMBWiqXUZwlCh3Z6nMjeMCVliXn8YDwrYfnVyf8WgKymiJ-eie0 6DSkC5XoemaltzYdixqoFGAZdYfqdNiJM4qTf7u1YKAHjil10jylzsexmbzYwXgF8Ae~pG9qOYJkph7OWnJq~CJP6osb-9vJLUyTNWV bmx3Wjo40NobG~65FBe9nGuOCayhJtBqXveva4awEMjLIQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. In the **Upload Solution** section:
  1. Click **Upload Solution** to upload a solution file.
2. In the **Upload Solution** dialog:
  1. Click **Select file** and choose the solution file.
  2. Click **Language** and select the language of the solution file, or select **Auto detect**. Auto detect is enabled by default.
  3. Click **Upload**.
2. In the **Testcases** section:
  1. Click **Add test case** to manually add test cases.
  2. In the **Add test case** dialog:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771238980971-image.png?Expires=253370764800&Signature=DgD6rCTdgKfanMUznLEt~b7t1~r-DxaKiSKfsxNd2fHKCnmNjS3jPtMc4-ICr0KacCsDF0n6oudC55WFvFbUTOB5 VdWPAIaLut3AlvKjCrJ5MQAeyi-1gdjHovOFqpTFh-4ZrSbDKv1KM-xoDPWQQ0P-uOglpLoQALW7jhUP4MAIpBuKc3vWMCKTXYE4L n64DPfoelCSdmUIU1UYBw0cEg-OO~fG5743AGEMeAVxibq~ix13HmqPabFe~BmfnWI~HG2gxt93Ax-9OdDd9sQoZMKd0whFNHWZ DIB1eCzEIarmurQ5aNNJJbRH6OyA4hft~~eNirEzOYY6o77AUV46Yg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Enter the **Name** of the test case.
2. Select a difficulty level from the **Difficulty** dropdown
3. Assign a **Score**.
4. (Optional) Enter **Input** values.

5. (Optional) Enter **Output** values.

6. (Optional) Select **Mark as sample test case** to make the test case visible as a sample. For more information on test cases, see [? Test Cases in Coding and Approximate Solution Questions](/articles/3245197419).

7. Click **Save**.

### ## Step 5: Custom Checker

Use the custom checker to define scoring logic.

![customcheckerapprox.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771239059690-customcheckerapprox.gif?Expires=253370764800&Signature=EK99azlP5o9lF99zV8X6zxpVNuQJoMpDkBnwMEoKrY2gEZXTvOmFZyahVI8ZjVlegCMSjn6T4uf0MBIqhehmszuSn3BQP~XViP5hK75J063xBhBz-snU254tc6f1rNeFWsz26Fs-V8VZelquF1nAO1jMK6KDqBbixf5d2l77cagVULTzl9ikFa86V0pQFbroa5d1jtUQk4uf9F6Oo6Wb5GIBxCc8fUf-BlcyO5a2ndapG9aFTjp9ItosGh8nsHj7GMKmRN1Ss-iBC79QsqCFw0muahoIT-f9nw3bP4-iwzXSj9YBv-8EGNV-tWci7JBbQXz4OOYKcEPHnK5tt5cgJg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Edit the body of the custom checker.

For more information on the custom checker, see [? Custom Checker in Approximate Solution Type Questions](/articles/6515044510).

2. Click **Save question**.

The question appears under **My Company** questions in the HackerRank Library.

### # Scoring an approximate solution question in tests

Approximate Solution questions use automatic scoring.

- If you configure a custom checker, the platform uses it to score submissions.

- If you do not configure a custom checker, the platform scores the question like a standard coding question using test cases.

### ## How scoring works with a custom checker

When you use a custom checker, the platform evaluates submissions at the test case level using your scoring logic.

1. The platform runs the candidate's code once for each test case.

2. For each test case:

- The candidate's output is passed to the custom checker.

- The custom checker evaluates the output and assigns a score.

3. The platform adds the scores from all test cases to calculate the candidate's final score.

For more information on the custom checker, see [? Custom Checker in Approximate Solution Type Questions](/articles/6515044510).

\

\

[library/question-types/programming-questions] Database Questions Creating a data

```

title: "Database Questions Creating a database question Candidate experience Scoring a database question in tests"
title_slug: "database-questions-creating-a-database-question-candidate-experience-scoring-a-database-question-in-tests"
source_url: "https://support.hackerrank.com/articles/8826242281-database-engineer-questions"
article_slug: "8826242281-database-engineer-questions"
last_updated_exact: "Mar 26, 2026, 6:05 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
 - "Library"
 - "Question Types"
 - "Programming Questions"

```

# Database Questions Creating a database question Candidate experience Scoring a database question in tests


\_Last updated: Mar 26, 2026, 6:05 PM (Last updated 1 month ago)\_

Database questions allow you to assess a candidate’s ability to work with SQL and Database Management Systems (DBMS). These questions measure skills such as writing queries, retrieving data, and managing database structures.


# Creating a database question

To create a database question:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Library** tab.
3. Click **Create Question**.




4. Select **Database** under **Programming**.



The database question creation workflow opens with the following two steps.

## Step 1: Question Details

1. In the **Problem details** section:



1. Enter the **Question name**.
2. Describe the problem in the **Problem description** field. You can use the formatting menu to format the text or to include elements such as tables or images.

**Note:**

- Click **Use content templates** and then select **HackerRank's Database Question Template** to insert a predefined template.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769680570807-image.png?Expires=253370764800&Signature=HSHcU2If1biPtnT8kaXgLPtEFeQN1Z2a2RIle2kaGuEa4uXxGSGiGyUhtYnQ5IZ1bPNXTI~zqx6GZ1uikk1O~vgDoje5twERSyvr0EUsHJ-DRlZjC9MB1-T0YtRnZDzPXgZHmyCP3beXKMWZxqiB4rK0gOxewu0AudU~tYQZV6HEyl2VahB9yP1O7MQRwPKL4XpM9E8sWfm8naXVioG094zbhOfhV24UgyggqQ5ls6gejWbFar9E3wguknSVtEC-Gx8vEY88r-nfixCzCl04yqMiS5JPJf6oOy4aBKfYUjpHcF~ohh0mAwHtWjx8Eef7aNMtNfzCFLhEgpdY6cSokAw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- Clear the **Replace actual contents** checkbox if you want to overwrite the existing content in the editor.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769680732683-image.png?Expires=253370764800&Signature=RexQxhvmkgGtU8jdwtz4CrKLBjzL8GPzqm-EZPdbFA1m0xkcsaRxM~CEkoNjfxOF-QmY0XQc~cc-xHFkiwQiJshHg~f9X9IO0byQzG1qCmK7YulDW7aE4GJlpZaPc4thaUsllKk3V22vf8KUAfjCzmr2i1TdWK6krpjNW2tJJbsH96FgMk3dMXZnkIPUeS0bfb44XwH14EDk-x5PVuAW1QfyTitl1WJ2P8-bcGOx8jOMU5vNFWBqakGqn-cllBNpr4i9joXRUBi~QwTdVjdDanbkDMe-02SZfwbjaMS7OyEjKl8ZrHLDS3lwPLBoCqFoK6ptd-0bWVldfKn~SaLA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- Click **See candidate preview** to view how the question appears to candidates.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769680777212-image.png?Expires=253370764800&Signature=QmchsurJ7FgfAcYWi5-4S0bGu-H7rtGA~yN800TMYi6Cl3wxKfNOgfpYlV2w5nlg0UHVywgHHw9KSN~Yt3o~yi7KEUj8Tm08w1nqFNnCBZ7BpP2~cEnt~VwUCJQuUmwB07xIJ6~6tPiNxnBg5HGD06igG~uP0cFvxIXz-NzdPq3oMOfRQvFKMd15OgRTIAzCay4v0JXssW79ljXpkNQEHtTRFKghf9ajdL75-DBXdQWsNyNd9k0tURec4G~IDOCu4xGTieU2rbhxMkv6RQnK0YMOm~LzPp6rTb4SdwLAV3gO0b2dBFdyO975yFvDhRSTRkx8gO0tBTEIGiUbQg0g\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

2. In the **Question properties** section:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769680111965-image.png?Expires=253370764800&Signature=MzPkYFp81ZnvF7gnL6fYffmgXmCZbl3vl8QXwkZS~IXb7WUqhtUodtFRDBnUGW5-KPAMfm-d9Kr8TCMigiTJOllNFAN1IGqWBGPy90Klj3B~Py2kRkTOT4IEW2Bysy3Ky5HaGPvpjTiXigPH906zB9s6lk9JubWysjyalxmTfqX9mDBfZ5JNGOD~cjLUq8uw~eyGvwUKaCyMzrmdq~c7mbaDYbYEtsQpoeXMUuZzeGMm6~99wzJBRH8ZlmljET72xs~AktiXZ6y691~0xl9T0q~wcj4vR9PoEiTatP-WarfDU3-pCnYrxRpAETu32h8hoNsCXSuZjvomnv~mQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Enter the **Score** and **Recommended time** in minutes based on difficulty. The table below shows score and time recommended by HackerRank for each difficulty level.

Difficulty	Score	Recommended Time
Easy	50 Points	15 Minutes
Medium	75 Points	30 Minutes
Hard	100 Points	45-60 Minutes

2. (Optional) Add **Tags** from the drop-down list or create new ones.

3. (Optional) Add **Interviewer guidelines** for internal use, such as evaluation notes, hints, or reference solutions.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769680123677-image.png?Expires=253370764800&Signature=PhwaA0H~6IE38c2IYiFPRtIYdtRtSuNc0XiA2KhO8e05moZZON5CHW-2L6tofBMahZdFMk~pYgdvQycKp3iWSA1FDe-EEAUqetYeimkoDg7rV~EoiAu8mSNjJyr5KXLgWYTV5DdQIZyVgWgviHCpig6YSoWzmf17lTrZrwgcQlxuc6veVBD8SATsA34evNzcvlOSu~EIGOEVFdjfSgwZbR-p6j5ns75klNqSqKN~nT-WZi9W-NdNzzWZb7kEWOldBNoSfPj9J6dVE8PHAQiFDL7pnwfcwKxFOV3CDZXoxWgM6yUbuZ7dJbBRPzQlRpazjsRfgoUzm5ggOShZPtPsoA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click **Next**.

## Step 2: Database Setup

Configure the database schema and define the expected output for the question.

1. Select one or more databases for the question.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769680303658-image.png?Expires=253370764800&Signature=ayerGTgHHDpYJK5vxs3dLQTZ7GrOxQQxNAHpJ5P0ndiQKilJ7ICeCUQEu1slUEMbRhpwv48XC0BXAxt4WIL23KfH3Moiq9kiG0AzEES8~zNHsYfQnO2OLemQv9zB4ffnU4T~UXJqExLfL0fE1c43iOdiAvnWETvt07FetLC89GRv5VbyUnT9vABv4q3voU7N~KUfwF8iNqoTbhKv01ba4-VIKHO1QS6dgUMCYyJJ5-ee6Xw79FhU7-DQN5zG89V5~OUNKyo67cmSNxt5hLEHnIm6OJsFn7wnuyz6DXmCvr7YyOvB3epd4AxNJDF3M5b4P3QaSxCzVj4IglNlnHw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

Candidates can choose any of the selected databases to solve the question.

**Note:** Click **Select all** to select all available databases.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769680196400-image.png?Expires=253370764800&Signature=n5TDUflatAReH7UoPqJWvZQgKWb7tpXylUaSPLYy5dVoFizwmnllLomXKmUhQbm20qcLzr0qK~uL5UWnBDaeOC83l0z0wM3KfNIQTQckES-XiFjkzBO9ccZ3M8BhQt8XsPOp3JrQ~7MMmrtEuXul0Mmc8rdAKdifecYmGnkIW8ZHt1vyxox9JPYqwcKopGG~t-B-sOfnUCBb1EHnq67pHX9HQd~KFcERACx-F9iAoOVbXLW-OLgllhECUe3QGxIZWlnKMVAxuGI1uH20hZ9WV62vNGo8XIW9PZNkoRnlJz2sgPPfU2em6Rs55MzYeGqia5ISLfuXsGNLCpFmahI-2g\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

2. In the **Tables** section:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769680341497-image.png?Expires=253370764800&Signature=czOhrhvw3GFfiJbstuqGxyVDjtjEu7gCxd8K43eylOHdeSLHsfkE4GUaKUOWJY0Aaw28AT3c9pUsJzobuX8sY~S9KLLaCUtiKXV-977PTWgc6HgJDA9Kg6No~Y2rGLjUPNR~vvC4vz6Cd2YobKqJ25k1~FbrAz4tLY7NlrhatqvWOLgK1gjPVF38W3QwGh526j9ryisKX7FugHAQ4uhfB1A56UkrOQo35ukhsM7ETc~cA0HdtGenWaXoomOeJRZRBhANjJbsQSuVkoUAiydxyu8hr41Pqy-LUVR94TC-UISwJj49RCe-9ATU1U3~eZqTtdReqbqEtmLDZ1Qdwdrw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Create the required tables using SQL statements in the editor.

1. Use CREATE TABLE statements to define table structures.
2. Use INSERT statements to add data.

**Note:** To upload an existing schema, click **Upload schema as file**, and then select **Upload CSV** or **Upload SQL**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769680886128-image.png?Expires=253370764800&Signature=AGA~A-BURGsZMQbUVKYw8K3ctxHbapms5Uo6ZdZ~4GEFL83CFjVxN6yO~O1nXaWBty8hRT6BHvWc8mOkas n2kfU1WiQAFgNPZ1lbnP3ioQJXDy2XWAgDMKk7Yit1P0s5Qr40oDO6s6Ai-58x1mdEfqaCA6NpkDZetaifJiU4-HBpSC4DIIxof5WYbyPOJQslljN~ZWAhvnpncFoW1FGqc6iSdTFmJxwc7kM-bajgtNyo~uMm1ohJPa4o8DbRWjhoxM5QVC3d87-Pz3NxlMmeeRM2dXs1VdP-YR1XEhn3TQUdigb6-J8WST1ImpKikDRR7TH~RWiK41xMo6jvb8H7Ow\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

2. (Optional) Turn on **DB Specific Schema** to define different schemas for each selected database.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769680940395-image.png?Expires=253370764800&Signature=scg7LOyil4e1~DEVr4GAkUynIHVCnGnUBQDuYEcJLRgmR3nJzDKnoHMKz0h7AjEHtbWuk9se~kRHuyyx0IXPKvWz62NEMYz1kLIKjlf98lFM1LQJzliEUDU0HKPQknJEEe7kfnl7l68hiFYGHojwghuAce~Y0bJp4RaWeoohh70hScJO-3km8u3RRVn3gKqBB18yA20thaU1kpCWVnZq4q~nVc~SsNpx4bcVJLRIaggQoQT4GZuwOGbYntRiapCL6Ox48vG98UWhorlOkoyUuLDG8uu5RUfyuY Mnr7n8DV8jCOPPhQWkMge1~wYYBg7l0a6cXl1KMHRVu9Fg~quw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

3. Click **Validate Schema**. A success message confirms that the schema is valid.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769680978362-image.png?Expires=253370764800&Signature=pDgHu3fp1JjUnvy2nLFkuKklE0pmtGZuntlys1RX~w69XAz1vswQHKAyVvQzNiLULV06YZ9SCbHmeJqrVh2ntnFZlV7pThLbW3oRDomhbany11hkf~UMqT3ldZEU53SOo~YmgzbXtPXrqjDqUfijaEbdiy2zE9aaSPaLnuwOJ69Nfs94Hs8c5q5~oNk4L3oK4YVhoHilpq~jBotY8JhdFBfa6vNYOSrQCAcgtHGe06kKRTb8qYp5nOWBu7Kgs0WpzWIXUe4h2TgnYh8G2Y~sBkjb5yZ2b6H31qCnnnNrl5Q~wjA5ep8QEHFcJjyuOraqaJHvjL8Pichm35j7594Amwg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

3. In the **Expected Output** section:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769681032590-image.png?Expires=253370764800&Signature=maBWCa6bdM~H7x~O1ngPN6vwdqJjYJqEhgklit7i9TAFuDjxWeG34qB7pmCGd~r3QNJRWCxZteRhSXUTOQveEOdofdYMZ6te8POzQNBnfsBZof~YLDWyg3FkIPSMijj8O6HJJljdca1v83ophv5lUykB6VW4jXmo9YkLmrwijz0cWojMRd~qoYsdpgcMTk8MnbboDob-6YaOzuZ4pztq0Hfy4i-uZ~P2KpHSv5vYZaCAEIRPutKHdmiYw7MOWjW9nbE7LBoKpF5nb1SzBU29ZB2FVhnSDxYZlP

d465ICEcMQG3iB6flqHth9V6uJaP64yl7STAQgbW-zilGgG4RU2A\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Enter the expected result of the query as space-separated values. For example, Matt 12 Washington. The system evaluates the candidate's submission by comparing the query output with this value.

2. (Optional) Configure code stubs to guide candidates:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769681084704-image.png?Expires=253370764800&Signature=cotxxscW~sXUgwpXERNpiD1bkLT3m6xDtkQ21O08oTkPYqxdv1rdQa7j-vWrqWdXWjzcLKMO1IBo43bUnNmBKtVh5nnjUiirwJwOSQ9TnJNZU239ilrPnGreUvjmKgAARXVGdoucDL2kp8ADkfdORbgN0IcbLotGfXzFLrwg-o~PyUKz1bzJNmix1YHMgxIZar8Asplna8TAjwR33dZa04wxYvlzIOtiLE6FpGP9oj6vRrh4vtOO4fDwbe~OFphQlpjUP3PwMxqP8PYU49qdNkhx6XPu8J1y03ETfbk98ftGGs9gGaulNYdD73r3oZ3CKY~dwdpyp85pQ73X8R2lQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Select **Show code stubs**.

2. Add content to the following sections:

- **Head:** Statements that must run before the candidate's query.
- **Body:** Instructions or comments where candidates write their query.
- **Tail:** Statements that must run after the candidate's query.

3. (Optional) Click the settings icon and select one or more of the following options:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769681141738-image.png?Expires=253370764800&Signature=Q6kmNuOfVC0dd8QAG81G9zf8xO31TgyaqwPgu-l-gur7hfYbS42LFI73-WD-YakzMcEMxNBM3J2ZmjTkZmJU3RRiHTinOLJi~T~r03kt8yRBz4mjtaHJw-GAh59PjhN0yBWmSK44LQMADNuCoeGWLyiNiOd5c0ttjN9Vkwyny6QK4-kLq9UVuer3YBWDPI MMPiwaEx9xg8dAFU2exyl293CtzkGxC0-SL0na2uxigA1pop1YopFVjyuosb6CNzZvt6zsajD6Kz7BG5Kqurm7KojQxPsQ9Bm-5yiOQxVxslt0s9ONCJQsZ0ZZUOPR20VtFE-HnBNoAvfBTDrjMeK7Xw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- **Ignore row order while matching output:** Compare query results without considering the order of rows.
- **Show expected output to candidates:** Display the expected output during the test.
- **Allow DB write permissions to candidates:** Allow candidates to run write operations such as `INSERT`, `UPDATE`, or `DELETE`.

4. Click **Save Question**.

The question appears under **My Company** questions in the HackerRank Library.

## # Candidate experience

The candidate can view the question on the left-hand side and enter the query on the right-hand side.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769680393034-image.png?Expires=253370764800&Signature=XIC9H90FLREiDhOE~StyCLWDfUcBckZgkI9qScUE9d2F4NAvxsuEx1IuaSgcx3hqVHYgKudKNdBeNnOI9YLuoLqE0GRedEw3m3HGC6di87sDU2VPLXvjHaxwSVIXRHZAwenk-S5uWOJdAax2vP0gh~9pBIXF12eA3ZO1cJ447e4nYQIJFs1xCBgk96OQLUOSTxreY6Pdn79YqJpjZFPP8AgbVzdN5aNkzi22MYJd-yJjn7Cle8klpABSG0AsxYgZOBqc1IS1pPUKDzA37HTwMAd2K-Gf4r1OxP6sQ5AdbuR2MV68TzDuw8jSOxNZFk~Jh4n3FWNJd0VIJLiHe4w\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

## # Scoring a database question in tests

HackerRank scores Database questions automatically by comparing the candidate's query result with the expected output.

- If the query result matches the expected output, the candidate receives the full score.
- If the query result does not match, the system assigns a score of zero.

When creating the question, you can choose whether scoring considers the row order. For more information, see [Step 2: Database Setup](https://support.hackerrank.com/articles/8826242281-database-engineer-questions#step-2-database-setup).

If the query logic is correct but the output differs slightly, review the response manually. You can update the score from the candidate's **Detailed Report** to award partial credit. For more information, see [Viewing a Candidate's Detailed Test Report](https://support.hackerrank.com/articles/8263794320).



[library/question-types/programming-questions] HTML/CSS/JavaScript Questions Cr

```

title: "HTML/CSS/JavaScript Questions Creating an HTML/CSS/JavaScript question Candidate experience Scoring an HTML/CSS/JavaScript question in tests"
title_slug:
"htmlcssjavascript-questions-creating-an-htmlcssjavascript-question-candidate-experience-scoring-an-htmlcssjavascript-question-in-te
sts"
source_url: "https://support.hackerrank.com/articles/7771245202-html/css/javascript-questions"
article_slug: "javascript-questions"
last_updated_exact: "Mar 26, 2026, 4:56 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
- "Library"
- "Question Types"
- "Programming Questions"

```

```
HTML/CSS/JavaScript Questions Creating an HTML/CSS/JavaScript question Candidate experience Scoring an
HTML/CSS/JavaScript question in tests

Last updated: Mar 26, 2026, 4:56 PM (Last updated 1 month ago)
```

HTML/CSS/JavaScript questions evaluate a candidate’s ability to build functional and visually accurate web interfaces using core front-end technologies.


These questions assess the candidate’s ability to:

- Structure content using HTML
- Apply layout and visual styling using CSS
- Implement logic and interactivity using JavaScript


# Creating an HTML/CSS/JavaScript question

To create an HTML/CSS/JavaScript question:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Library** tab.
3. Click **Create Question**.



4. Select **HTML/CSS/JavaScript** under **Programming**.



The HTML/CSS/JavaScript question creation workflow opens with the following two steps.

## Step 1: Question Details

1. In the **Problem details** section:



![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772443536622-image.png?Expires=253370764800&Signature=ZGAL51sLs3pwguenviJunsbDmBfMljqlU9LK5b~d0uab20p9syHLWhi~Mj7alzyHqadCGT5a1yiKWoc3WD7b1JWRp2TYO6KqMic8xKHWsvsNmNxLu57jwmKVbNW4KDU0Shkja-LZ9d34TGR4bmNKibC4-WcYs30KpkmCknY0sr5FX-uWwNEqFehI9VxS87p~GrbEI~b4CF9wsTpLskZRsGG817aMjncEqmIsupbGfxSxzAJjKrqR9NlcABYBbYXwuTZ9b7Wnp1~s-PnYzNTDXoXA84iQH MwlThF2ydo3TKxcevTsVcGB8c~rspGlRCFKVA7EITVOivzK0cbQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- 1. Enter the **Question name**.
- 2. Describe the problem in the **Problem description** field. You can use the formatting menu to format the text or to include elements such as tables or images.

**Note:** Click **See candidate preview** to view how the question appears to candidates.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772443616229-image.png?Expires=253370764800&Signature=bylQN~2~rNAlwqWP-Z4GH3MQ~RIPeNUFLIQYGc7ORBA5~4xtE7HFhD8ZWHnk4ns6z1lwDzOOp3RThGfMgLZpVllhj1HfXXOAO7ZVgWai98VrlpJesZJfz6STwQK2JDGa1RB7iYlx5chFa2QCBleoA~4floEDv~mY87yLK9cYaCmYWdfqB-bWdKkM0zLlOPljc7ovlDPkews0cxgj8myAhVsDTaVxqE5KAxsj6-PrI~WhSeV7HuYL7jntRxOnHOXQx-X6Rgzky2KAlpymhRaO5lcaEH7CYqh0ZJtV92NoQHV3VWo0RS~Q0U0pqtXNF1GW1C~tH5tsdkPLjesPO3XyA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- 2. In the **Question properties** section:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772443663808-image.png?Expires=253370764800&Signature=KZEDxedvTbyDML2WZCG1-kHKg2E7HjZkN3nW-Cw7g2mUr6UKVIYDwTAo8nbi4Me04Hj86MXWNzW2diJTtVCbiloPx0GY~VX5Z02viCIBreBrqwdUoZ~q9GK0KSw1xh6pWqWy38YZAZgv301Fm-tQSUV9CyzLOXU94ESqg2-bXfFaJzA-7PE6gCOzPZPEZ9oT4h8x7uMpkhUjzqYmLAj36FzovTmtQIC57iXK6GEQeLMnGvjfXFWZIRhTAmfcYVnoQpfOfG3v6dJ3DdAO-unMyLqA-dD4GayVYV9tgl~yVVFocl60hToBhcxalG2vF2Hl~8J8t-71T3FPYzt1671gw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- 1. Enter the **Score** and **Recommended time** based on question difficulty.

----- ----- -----			
<b>Difficulty</b>	<b>Score</b>	<b>Recommended Time</b>	
Easy	50 Points	15 Minutes	
Medium	75 Points	30 Minutes	
Hard	100 Points	45-60 Minutes	

- 2. (Optional) Add **Tags** from the drop-down list or create new ones.
- 3. (Optional) Add **Interviewer guidelines** for internal use, such as evaluation notes, hints, or reference solutions.
- 4. Click **Next**.

## Step 2: Design Stubs

- 1. Enter the starter code that candidates can use to build their solution in the following sections:

- **HTML**

- **CSS**

- **JavaScript**

Candidates can edit the provided code stub. If you do not want them to modify a specific section, place that code inside comments.

![[designstubshtmlcssjs.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772443846582-designstubshtmlcssjs.gif?Expires=253370764800&Signature=JKtIWjwaDW7R3bQamqmx~B4hSp-4e9ebRz541im3PUnzxpDxjBBpk70Nu5iT2R-IXfnzw7z5oGy85zr5IOYHxR20OL7cRQKoHEaZAqhJJE91CzAQ77s7usbrRz~ucO4c8bFgd3ZkYDACTjZrPVd20CUGiu74C0qAjuTTRxLevou4~i2Qm5y8Yfyc-O9NpMySaFicPppkPXhDbqlCSz8Nnl5P9l3k7KovPaLbSKI9~8SDsw1zDUhgNaYu~ptoJwl7vefMC~mFZ2eiszNBqScM0RfajrNkPIJxyGKhtVvD6qY0LU~KyQeyVNtOGJHBFMWtEXlhCqUkU1EEv020qH8lw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

**Tip:** To test a specific framework or library (for example, Angular or jQuery), add a `<script>` tag in the HTML stub and set the `src` attribute to load the required library. Candidates can then use that library in their solution.

- 2. Click **Save question**.

**\*\*Note:\*\*** Click **\*\*Save & Create Another\*\*** to create another question.

The question appears under **\*\*My Company\*\*** questions in the HackerRank Library.

#### # Candidate experience

The candidate writes HTML, CSS, and JavaScript code based on the prompt and renders the solution directly in the browser. The live preview allows the candidate to verify layout, styling, and functionality before submission.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772444019542-image.png?Expires=253370764800&Signature=vndgs~h1KKs~Zj8VXcS8RxUf5Mf4TMot0s3T9B64z-xMc6EAG2xAL0Bj2AhP2-OsuKzZDExk-WzkYpOg3p7Eyi66adqga65nmcjLbm2z0gsUV6IMDihcZ8U6mnyNe52QcNHdfVP8DGF8Lv50YDh4azCQ2IKk1WhxoXsglb7hFhKKbcLtxwB6QMgoHe2-DN3KZ90uDifQuuUifv7pp-F0Id5jE8lZhnEYsX-ovlrPESTLSaVrDOmnv1DUqpdrCdzoR7aw0PJLWd-rTLEixwApRn89x~x9WjPgPtkgmKFY7OlhwtBi0PFcD19xKKruSAUsMnH-8RUnNaa-QMv2BTdXg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

#### # Scoring an HTML/CSS/JavaScript question in tests

HTML/CSS/JavaScript questions require manual evaluation because assessment focuses on visual output.

To manually score an HTML/CSS/JavaScript question:

1. Open the candidate's Detailed Test Report. For more information, see [? Viewing a Candidate's Detailed Test Report](/articles/8263794320).
2. Select the relevant HTML/CSS/JavaScript question.
3. Review the rendered webpage and the source code to determine whether the solution meets the problem requirements.
4. Enter the score for the question.

The system saves the score for the selected question.

# [library/question-types/projects-questions] Front-end, Back-end, Full-stack, Mobile, and QA Engineer Questions

---  
title: "Front-end, Back-end, Full-stack, Mobile, and QA Engineer Questions Key benefits Creating front-end, back-end, full-stack, mobile, and QA engineer questions Candidate experience Scoring front-end, back-end, full-stack, mobile, and QA engineer questions in tests"  
title\_slug: "front-end-back-end-full-stack-mobile-and-qa-engineer-questions-key-benefits-creating-front-end-back-end-full-stack-mobile-and-qa-engineer-questions-candidate-experience-scoring-front-end-back-end-full-stack-mobile-and-qa-engineer-questions-in-tests"  
source\_url: "https://support.hackerrank.com/articles/1570281449-creating-front-end%2C-back-end-full-stack-and-mobile-questions"  
article\_slug: "1570281449-creating-front-end%2C-back-end-full-stack-and-mobile-questions"  
last\_updated\_exact: "Mar 30, 2026, 3:15 PM"  
last\_updated\_relative: "Last updated 4 weeks ago"  
breadcrumbs:  
- "Library"  
- "Question Types"  
- "Projects Questions"  
---

# Front-end, Back-end, Full-stack, Mobile, and QA Engineer Questions Key benefits Creating front-end, back-end, full-stack, mobile, and QA engineer questions Candidate experience Scoring front-end, back-end, full-stack, mobile, and QA engineer questions in tests

\_Last updated: Mar 30, 2026, 3:15 PM (Last updated 4 weeks ago)\_

HackerRank project questions help you assess candidates in realistic, project-based development environments. Candidates work with multi-file codebases that simulate real-world software development, making it easier to evaluate their practical skills.

Each project question provides a complete integrated development environment (IDE) where candidates can write, run, and test their code online or offline.

For more information on the supported environments, see [? Execution Environment](/articles/6693750503).

## # Key benefits

HackerRank provides the following benefits for front-end, back-end, full-stack, mobile, and QA engineer project question types:

- **Automatic scoring:**
  - Supports automated scoring based on the number of passed unit test cases.
  - Allows custom scoring logic defined by the question setter.
- **Seamless project initialization:**
  - Runs on any stack supported by Ubuntu.
  - Enables question setters to upload pre-initialized project directories.
- **Pre-configured web-based IDE:**
  - Removes the need for local environment setup.
  - Offers a fully configured IDE with file navigation, terminal access, and execution support.
- **Stronger skill signals:**
  - Evaluates candidates' ability to handle complex scenarios and build scalable applications.
  - Measures adaptability to predefined environments.
  - Evaluates the ability to write and execute tests.
  - Reflects candidates' ability to work in collaborative, multi-tech environments.
  - Measures the capability to assess and improve code quality.

## # Creating front-end, back-end, full-stack, mobile, and QA engineer questions

To create a Front-end, Back-end, Full-stack, or Mobile question:

1. Log in to your **HackerRank** for **Work** account using your credentials.
2. Go to the **Library** tab.
3. Click **Create Question**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760247713815-image.png?Expires=253370764800&Signature=ZTJFT1MI7yOr40SM5fwrYBhuy3Qptyh-xRzY6jR2-fBdUVNli-l8R-YcltZrinGs1jo3vzmvYpEhmAr2fbaqKWI7lrwx4s8IRdzBhygkL~dLCCJdPf1CtQXRpMl8IRkmdcylrd9FCos0-4AOgmXL3ATXJ4iT4h1yS~uDTxPNlvd9F10KlpfNfm06KbaQfJ5qeg-IBbXb b3AB2HX3JXuF5X8n1MHQdQoVlwbTXCIRJ-dtY8NTI5xPZ5exn9~zo3JgnPpLcVfJkM~s4qaKrraYa6Y-h9VDpNBRLQrYgAtaGV7zblpB rvqglfbJXxIWjvEKwPMPNJxfsSx1GRfErp3Mpw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

4. Select the question type you want to create under **Projects**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760247815752-image.png?Expires=253370764800&Signature=SxeaewBsra~EKEXu50QIWI7Ze9pvGSMslrR-tPx9bvm2WB4H7Zd0GwIMlRwFLgxX-w4Yzctf1mN434gHz2et4V1ESyPnvz8LuXWxtXgVghBgMzj-1wDrxhrgASZ7vhKfMFBdjJlL2rIG3zuqKpCPkwd4hSeFWGQ~7CrWH4B0M6ie25UWtsVVzK--tdYVI2YxNeYRjbuV~TTE910A3-LRil4U0T1nYB2HLly47QSpXVBvrAqaxAK~tFG7YTF57ljVBDIY4O4En6hU5zjkXsuBYTr1CgVQJYEgZJTMlj bCOdbjk6YPHjNCIjF2gVEMFPJDAti9uAVcqb01rSx96xhMw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760247830399-image.png?Expires=253370764800&Signature=frVjq3~zKpq-YbZCKLo8YEMcCVtTpophgD~mld3YDMytD20l1IMy3hb7hwQIKFz-MXeLTfboA3ulRehugBzufVMnq86vWfeLilmccosoSezhm8iSyWwbl4lOPSeAFtpQjqwTKEOc-qrUoJaJqLVDBfPZ8x31ZM7zwDT06rcs0BzzcP~OAQ--uXg4mWaNykl1u1JOi38sPaNbnf2fiP097WpbrQhmou LoMfO-ON8nhEHWwFTTNJoaA09U2LOpmZKAkwg-2FOlglbfj2dCx9pFgQl9LvTU8DasNlbP-nl7X7tOhypFJyluTTMMRmJnG9BFD4099MwoDbZD4nidAopBEQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772620309468-image.png?Expires=253370764800&Signature=PSK7Nm5HMg7Vvk0eTG7Z~jsQ09c4nSzAp5YMM Q0pG~9OeqT3lw3QdYKkweS8D1NUx-JwjZ17an5o9~72ddMe04Y8fxPYo4Xx8vePmape-j-PQ75YesltghfTiIX8b4sefUtd7YYgA9yggA HsXs4Thg51TLPZ5MD5ntknoYBJUWsuBK7nW2GOJlrvhNUJn0CCA1ww9FS8RZh8P~w8O7XhqhTmyPg~Ha3CdCoh0K8RkajdaVc0 JEIMZ~D1l2gzeUj3Lg1UfYMKQ8iMqjUXoWNqnPgR~fv5e96uz1BYZg5ytYJJHUGrfGqxpPZ0KYRsuJawQnnqGpXjc08Zaj8xQlJtLSg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

The question creation workflow opens with the following three steps.

#### ## Step 1: Environment

1. Select the project environment.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760247852340-image.png?Expires=253370764800&Signature=BZfUQhknA8DRkxJXLpCzsHanu8FB3xl~MWd5g893fAl9OBqf62jSCG4WHQYeBKXSQJ26glNpMOWPsd4fJrllx7fUnQo6M4uAJhc81QUVmRejNDwlJ4ULaMkAmrl8WH7YcbhhDuL9TIWbmQp7N9qsrxtvTvScbKzj~ivJbyGaEsAaq4pMV99iQ~Zs-Yut0-5l~DM0VUqCko7ZlZ3fxc5mzcOhs2bsMhS9yYlpHZSc-7Q17Phx2sckt7eq1981DOAW~jcoU4lnZgl7rQKAPJmvinm0WC6nZhytN9Kdp mvhJX0Ql6tmII9ldsgxrMzANsgR8R13fgJdtlHFbDOISOJ3Q\_\_&Key-Pair-Id=K3NV4LZ47N8M46)!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772688876110-image.png?Expires=253370764800&Signature=liJwuGljdH-OFd2l8hjtD8l0WqbNlJlwj9HdY1~GNeV1O7YwlaXqKqVMxXo~QWQn38PVriqKqADYTYX3U63wyo5OwkB5g0XQmqERkbQGHARdItAR PUX0pUpsWRPcy9znkkWmqjFs4sQfjCCN7OcwQBtQe8JIAh5ToNywxOq-aWaYucdrWocFmQaJ8z6vsZVFbVHnoVcLjPfUtyWnVQe WpAfLdmfQq9krqNUeuZyJ1BOt6yRpQpsH6mzJCRXF9wMFMcS28NmCs6uMKgPVsu8YEp2jtdUIPI3rcI6Hx5vj7psePADmxZpibj0x ZlOniQ-zdAapy6QT4zZTzI4rmEg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

2. Click **Next**.

#### ## Step 2: Project Setup

##### ### Step 2A: Select Project

1. Set up the project using one of the following methods:

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760247978605-image.png?Expires=253370764800&Signature=jQtB54V-lphd6lxt2A0irMfR8HZ5elghPtAywMXuQ45Z1nirBrWt-ClhP2PNcfr5N1Gs3CKQ6JWVxey8hHTRGgGrgU5wGSJq407cEI98rBxBi~a8zs4u~4sv5ucKOX2Hr4MHYUCffgvhrCwwOs~obW6WzjlK9igWABpoBNSixubPj3LgyY00xArb8mz~dXvOui-wA9nBS6GnnhKDji~XvfopLG7-ZHuLnCmV2SD7YfbXlyOJJ5Zx2HfVDN0qN22hdgbwxjqT9wBLcOkEGo7SMUWKMDRjwnrQRKnT3b MCKmLakgGCKQApM1bB3Y~yysYpCTYwN91V-6Zkz84jI2CA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- **Upload Zip:** Upload the project file in ZIP format. The file size should be within 5MB.
- **Clone from GitHub:** Clone the project from your Git repository by providing the repository link. If the repository is private, the IDE requests permission to connect with the GitHub repository using a one-time access token.
- Note:** HackerRank does not store your GitHub credentials.

<!-- -->

- **Use a sample project:** Select a sample project to build your question.
- Note:** Do not use sample projects in tests as they are not designed to evaluate candidate skills.

1. Configure debugger support after selecting a project. The project root folder stores all files at the root level, which simplifies setup. When you enable the debugger, it automatically appears in the candidate's environment, removing the need for manual configuration.

![[VS Code IDE Upgrade.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760248183279-VSCoDEIDEUpgrade.gif?Expires=253370764800&Signature=XlwHbky39UWWFI3VQCwj--dtKT-V9bWpRu0rRTFCAJktDuskOgzlwU4nBr~PwPZiH5Yw5G9ey-sHj4Z0zXpg~6v3FvAE43LEO8NegOKGqJVABdovmPTVRPrCeZzVRvpExh0allcRgcHvd6bAW2EI0uE7iDmm93WRnMNxGhUeKxZMw561GguYC1p9eN93sm5GcQ-7Eq6dWOQ8k3knI822kGfbvULAhqxiY1Es0A0EO1gEXLWw9fgixMKZPU-ml2NPi7G-teHVQqEwun734pu-Vj5ThQVsa2zas4s8hFujlo75jpNLV9hGb17mC58iXJ MID--EZH8s30fL17mrUqpQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)]

2. Click **Next**.

- Note:**
- Monitor the **Network Indicator** in the IDE to ensure a stable connection while you create a project question. Click the expand icon to view in fullscreen mode. For support, click the help icon.

![[image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760284430677-image.png?Expires=253370764800&Signature=EAHzm72jyBVnz2SogUltq8YvktinR-6ZvhU1KtT8nQrBmrjyQhGqtsYnc8b2GWbzf9lUmiK3cyQEIV4c2gV4j6k~2HfK-V3T2yVNtUXnzXZIkzk~weigzpIdnk7npvR5r0KNZvpI~5x96IG-7MLcwTE-QdJrDq0Xdc20kIWZR36xAiJ5WJs-ZggguO8Lz51rwwrobWaxFb8P50o6azqHWvAq5JYw~UGNrMuGcx37xSPkIO7pswddR1DTBnJGCSQgqv-EEzID1KVHFMykjKkc5RBghgEKF5UORG71ECq5gld61vriVNQPWvzXQDT442IZ-5DhchU7elSauQID-9EEww\_\_&Key-Pair-Id=K3NV4LZ47N8M46)]

- If your project includes any blacklisted domains, the IDE notifies you automatically. Click **View Blocked Domains** to see the list of blocked domain URLs.



### Step 2B: IDE Setup

1. Configure the IDE project commands for **Install**, **Run**, and **Test**.

![[image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760248528597-image.png?Expires=253370764800&Signature=LQPXiY9Czssvldy6WN0Wsh31viN0Ghbssy4uvUKUSzMP6gnuipnvKFQLm9GwDIBzYQGos3KC-PLFuuemTdifPQFP3N6zPFsUSmGPrYj1q-yWdUwtcRRqYK~M9tlQerj-mWXOlogHoZOhycc69mTs4rUfyQJE-DJE44G~NRPm6nGrFBf7hyj9~n3eJ2ibigM7SwNkQ-Y7Zfd4zz3oXd27LcaPNaXrlKpFhjch957KclXmi11h3RIVlre0LdHH1tSo2mY7Tb6FOVmbbjj6wKmpIlN-rZhs1ZWnh2XMIrEQeMTKKwvptHepKxBQ8dJfae4r~IQTEZjLaEROSb2cFZIGQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)]

2. Add **Default open files** that appear when candidates open the IDE.

![[image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760248588444-image.png?Expires=253370764800&Signature=cAAsTgX9TjkEZVAdU3~~djH6ZtX2WFI6F1pN8BYSM2iEUiT6DgbX9FPz2bpHMejX1wlpjwxugg3x05ldb3wBOtH4iNZulpT8BOKhVdjlDN7pafxbCp1MUhOm3oOQ54yZXUHc2g60b5XkfXCshBfmuZAS9qA4IDkIBXuv~K6PWjTfGm4FEPe6VZNQkiVaBySbaHtVmRKw7vH-Ew6YmY8yV5Tp32l-2xIDUezDwf3O2H~EilqyEeOdMbpWJtByHfpmvrPNI-LpocXUbfy3ylFpmnpli2iFGeOdgPXME5IB~tz7BzKmSi1DmLOGqmLG84qdUc8UIGHM0L5yX47n-rF-yg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)]

**Note:** You can add multiple files that open by default when candidates work on the project. You must add at least one file.

1. (Optional) Add **Read-only files** that candidates cannot modify. For example, test cases or README files.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760248607369-image.png?Expires=253370764800&Signature=hbqSLBMs1b2iPhodkaUxTNB8DVINEF9k-p3iml8v-O3mhQ34SPj43aJbhABv90HAIs54yolEkYrOsABWhhZKXn0c55AqTn5heObqNz84-IsBpUJOKd6qRVfd3ioah9c-11hhVhuyM7K2Vr8O1Pw4atvKAq3lgJGMy5GH-CZjZcXsZrf99vmwRUSyXlQacs-oP1T0uUjQFZunPs0d3wT5MlzBSqoYyp-ijOXkVQZdXhnrlylKvA~SCZUn5ubcJHgZeEp9pJUJZ-v4yJTkRb7cYNqhCNYI89UEZKJoTLZDJMecyKT08M0XTq1b4KRUQw8ivX0EOtsd8EUGymaEeD4lkg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

2. Click **Next**.

### Step 2C: Scoring Settings

1. Choose whether to enable automated scoring.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760248775615-image.png?Expires=253370764800&Signature=fJzcRgmQn49RFe6x6cTng0DTjIVGHICXVg6hAabVCtzO1yQ8mibjel6pnrdPYijfiyRv-zqL3~cGtlSK9WwNJKVDrdOm-pZSzCD2pJ8abFaYeNABI9ISxfieGe14dxzd2gOMjKKPrVs-b7EPK7n1xrGNRFZeoQE4R-DwE8G2KZh2h63Zv7Tx3zaYEjeT8cGBKTCkvs7oiZQP1Aq-mH~wi2~9KFIJMNq~4pRU8GDTyXogGUmNasWSXrNDNLZrGp00ZjTY-4r3FZlGBeZ22dFAkM0dlqX~L56tspm-RpfdAkDHqAJqSHePhT1iOK0N1U~ci6YHBWF6DkKx1VBRGFw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- If you select **Yes**:

- Click **Try** under **Define scoring command**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760248662816-image.png?Expires=253370764800&Signature=E3Um7HOxsMR3O3QM-LYULK2Wpi4RrOt4beobp3iqdEv4EXB6ov92KoinVN~YGTJx9w~xuCWUrURkZRhZPvdtqD5stB3cqzZvSMRgoDDyRQ~k0eK~A~WdN2SJ9yo86m5BM3C6tPd7N-O9kYv-ZhKotJPISmQHQsf~rhMVXUfh4ncA31QiHwg9KpKgl-mfsN0~Mwu-gdeJEXyzP2tGNFxsRQk-Ph4Xzq19sR6d48So1epTsGSpw-5LaWt2pTe4sCQWlx07gyD2lsyLLifPQwuVjxcc7XrY4zjz8knu0pEombJ4HLbejywYP3oameGwX4L66iFLvP4OQtjC3apO9DUWwsQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- (Optional) Click **Add item** under **Scoring output file(s)** to provide a list of XML file paths to generate when the scoring command runs.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760249016981-image.png?Expires=253370764800&Signature=s2YJm8LFf2FZahLF35pCt9JlaxHhk4iwS5vUGQzafAZUzLV266XFG7yO2g3Qmfb6zcWCZGRhXHbkCNyWR~AFqNoPnDdJ4t0tQ4ayJMhfCi2WCoUjELNpcslBRRX2~54vBqY58lqlGhslsp0LvbSy4ZO7jznc4bWsnYUgSV-gNBzBz0Q-uouUGdOf3cRqip06p21vc~ddUxL8YXvsJlcQHfgVfdD~WL9hdliQ7XQs~i7GT85Uo6yKfYxZIW01~INMIUV84Mp43nfnNcMzvNocyslvB6pW42nCWUbHnroTCUI6KHmtwPxBBvsalWOKSYfde7aV~0F05Y1aM7w989oA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- (Optional) Click **Add item** under **Hidden files** to provide a list of test case files to hide from candidates during the test.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760249053755-image.png?Expires=253370764800&Signature=Ey51ICPeDrozXkzCs9p3v2WKR69ISyYrp-K8~C~OBz1cSXree6138C0eISkLhUmO9~l0kdKwde1wWY~o2KpU93plsJ8oNYORgzs8~fL-ZdihjFLPXQ62pRvOWjGxQNiN4kaamu9KNyPjDXwjukzHwymDDBvY34TOVWPIK7~8LfHhL~Ovt1L7Dd~PkcLSljwH2w~dOnUUDxz0VeN4eBbfN6W1BLcj4D62sIFbyVGO289N6Z1tMo5UMGDYU6y-M5YoJy03fzRgxzIDLITw3LWw08X9zD7HnKhzhBvw07sTIs8V2tv-TZQKZN9wB7ly6H0i36YH9r1mL7r5a99wMhfw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- If you select **No**, you can assign scores manually.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760248696794-image.png?Expires=253370764800&Signature=nJ03MuCdiJzgmjUKX4TKhYNmekN8v966tbdKlCw9QKfBFx7H-Ig7w70bvU~SiL81pWMrURXSDmErhMgScABV01jriTPRbQ3J2PwOJx8Lg~lIEeHMyLRngQ30kPthiGliZi4uCd0NVLrMTokaXNHxd5dZNTPXK7DI1~2P3PmXsO8laxAUeNsQCU7TpplAiMLTVgNa~Cl8nURvgcHakd09DKITNISRItdFndp4irkZVJtpohIkKJTYSZMWfvT4z02SJYUBoGI95Ecu2jrYaBtRcDo5ouu0ECI4C5uMd5OS6lowJ46m6eZyGwt3PjzjFi19WEXIHhpuXp6cDbN79g\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

For more information about scoring, see [Scoring front-end, back-end, full-stack, mobile, and QA engineer questions in tests](https://support.hackerrank.com/articles/1570281449-creating-front-end%2C-back-end-full-stack-and-mobile-questions#scoring-f

ront-end-back-end-full-stack-and-mobile-and-qa-engineer-questions-in-tests).

2. Click **\*\*Validate\*\*** and then click **\*\*Ok\*\*** once validation is complete.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760248883896-image.png?Expires=253370764800&Signature=SMZovQyFDOInWR~pYwG6slgvzDlyNXX~wrYuZUzHYWUYvaLhK~aacOcMluNXpuxidFLS7pLLrywexi5T~3qWA0AKki3IGdEuqQbD9xvth4yUA~or~sKb1~z6kZW5NjDIJ6M~7BPM3Rc7i2xxgfaqF6g4jyKgduYj73RULtKdhKGqBuQ~EpaivRusR~19oW~sL7ODn~dZ~ZwJW~R2brctgt9ljXaXZxA2Usw8mTJYMYqdlTrd8vuQcmvM1snPUfR67A~b6IESZcwidGXEuQPaZTbPSwtuPdIUf8TschJtdWfV6cg66Rhpahm5chwtGutBkM4KDuq7CQ~V~YjYlojsw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760248898335-image.png?Expires=253370764800&Signature=s70hLdJY1ffDRYqrhTLP822~ZKJnkQY~2AHwHXo6Sht81MlnqIUuo1zFtazGxsHlbhmlt3afHX6TXiPPoxlCKxHYLYPwW6cZ2m7Tdo9vH~kN1f3ulhKY3dv~jaKcJvaGmm5nw0eZRzrpbmPTVDJFHAZw3zJKp4gRpGahKcqIQ84J4ylhFA0lfelf3W~e0afW4RNWuGZZxzfvPVUikLEM5Jo2Z2hmHe1OQOWLoHQdlSFiW2AnoZ5FTH7RIUpfYqZQXFaegyQLNTGkvxAKFURr2yhz0jJvKQa31bLnBvK2nlMxMfLkXhplKvltfhq4IFmzYMBZqrk7SFXBCnYcsCqQbw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

3. Click **\*\*Next\*\***.

**\*\*Note:\*\*** Click **\*\*Revert\*\*** to revert to the last validation state.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760248858880-image.png?Expires=253370764800&Signature=nhTA~SPvxSycF~QocaOisXqKGolj2xOJm~We9aGcOnAr4A38ue9XdvAuHcILkfM3RS1Ej64wdZ7ERnqiKhXR5wXnhDbYFP2PzQV0MhxVisnRRZ~CDlpu0gZZYOoRMN4KFRR~YDnKqFdU9L~F8IR8zRwfl4WEq6fcGtneSfaFiphROOZpyo5qNtA4BA38CKJNEgMEBByehIz05VXT2out1ryQqVHq1TPPetqb7DvAYNjmsRwNsY~dY4CB3i~b8VuvWcVEiS02qcltdf1pglMsMleTkHot3vSTBFZvnRSi8Y6rncc8XZ~oCINC39U4F4gilvwmerRAnHoltrBCrMblgdg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

## Step 3: Question Details

1. Enter the **\*\*Question name.\*\***

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772689119437-image.png?Expires=253370764800&Signature=HsANt1~DlGy061i1MxBVJ7G2a337lvFqcszmXfJzVITEOaSRW6FOOxni4tJOYaf0Ted~1D9tsA5BajNppGvj2rMS6gOiqw9pqlT3q~4e8Q9pGqmUsL~Fj03FANO1fmv2rifP0e1868sAgfqK0DCDF5OX42twTJfuNizPdkZ1G7eukMwUoTXeyZ6Q1WFvF~DZj6FwldezuElZw824cmYWx3wl6qsC2iJZILZccfsLtTEERHq7dEDruNWmJGYPNxy0jWpLdpdPwPaMTwR1GkHSaaWSfL4a5J8bG~a671xk8Mz81J~P0aY2lWQueLnT3rN~H~nRIEEJ0YQLxmVbv8gXQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

2. Enter the **\*\*Score\*\*** and **\*\*Recommended time\*\*** based on question difficulty.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772689172033-image.png?Expires=253370764800&Signature=BCg~ezSjR2sRnYgMSnu9K3soqQNV2moGY2vJvCBKvpVJS7EIjicqjZrExI52iBVHtOnnyH6vSTqsHwzKbxqTyTn~m4TRTshiLR1NPY~DOZ8~HltihoaWRwKsesyTGZ20cdM9CWqaUDuR0m~G9~mtBgHMT5YGgMrsQHnWjP6zgA6ujYlXsyGtzlXXnYgc5d1dzO~RWobjlvU9XR4W9iSw4Sv2wa7QXasmDwjwE9Y0ewfbRPtdZQ~eK3xxRoX~f~AWbw5001dRDxz05FwzmScgFpEMy4umj4qlwFoEeS035g~S~mjUBfTg~pazLMOOo~y~aexNzFejwl6~qAmJVzGg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

-----	-----	-----	
<b>**Difficulty**</b>	<b>**Score**</b>	<b>**Recommended Time**</b>	
Easy	50 Points	15 Minutes	
Medium	75 Points	30 Minutes	
Hard	100 Points	45-60 Minutes	

1. (Optional) Add **\*\*Tags\*\*** from the drop-down list or create new ones.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772689201782-image.png?Expires=253370764800&Signature=a4~QVIHoXvCEYWZR2fbiS1JfB5RkhdTW0ZIK5p0Y62kwltF9zdO5I~uTLB5iA6V5jQQLjZdKV64K8SrcXazr6ZxM0mGMhJbFikStLjWtPe~Njc3tLvOTOilM8EScXTkXw4aYOi0mZwrnQlqVB9GMVLxSBSU~0oqRi2WZ0XOfw3g~xXs3sMEJYrBVHy7OS3j1gbL~6LYzhqm47eiSU7wnNceF0rc~DI6zA4n4cg8lCzhtZhM8omQiAvQy9dtzpylXu0M3wpYGfIKR35MifGBafq9KLYnJBLm5E31xvjkpckcAp2fX2bmBEu~KS6F9mD9JZAJ3FsfD5cODGrSrl1aw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

2. Describe the problem in the **\*\*Problem Description\*\*** field. You can use the formatting menu to format the text or to include elements such as tables or images.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772689248571-image.png?Expires=253370764800&Signature=Ly1Z5RIYeXFMbe8w8MS0i90fi987QKQCT7U2g5jnvHyYSKrlGwlYbvvcZWmObBBf4f5iz8UmRncelQx6~1JCi0bo

QfCLFmsQAAGywtYEJj-fXXtmKfkWfXSQDPjhKVYmEpv2JPVv3OL4PfeS3uCH9IsPHNgKNtNgao~BDKNMpy6upa8FdChwBG7Qaz9dWDwECzQSRXSJjWF-e98Rjn3EoxoOsM0rs3MjnuJE8s~Y3T0sf7znJlhLvot0A8nMv89ExrdshLM8Mq913~gKU1YPWgjX1I7GqoJLHVrUhQGRca36f8SDTjbelwicoUFAjsPm8HzxMhrkjwJMW91PyYeHg\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

3. (Optional) Add **\*\*Software Instructions\*\*** to specify required packages or software versions. If you leave this field empty, the platform uses the default instructions.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772689312286-image.png?Expires=253370764800&Signature=iGWBudtvRJPmJF7E~0S8b~dbaQmiJgdQ9li4jUV75-zCXHxVVDANZK3gmMlFiJqjikLaFKaYLRr1UmAfSAosfw855M98Zsa4us8oY~IIQWHLDeBT3Zcp5UzCBx25FVMHTHrPn47xGAmMIKyRmpsN3IGqglvdhGXozCsjePnF-sqTeAlr-vjdi1t1f1IWMnu2Cyw1cZBkTZA7MnmTyewOm6XOhCK~3OJfR3DVxY07tBIJaxq7g3vSwYXqPb4l7UDhwtHzQI~oSN4VWWIAoz-n3bU9J4YGKKxikupQNgSfcB2T5YwP4BvZtroTzlxMfLLMMCD6Sp7G1Hds57K8xyw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

4. (Optional) Add **\*\*Interviewer guidelines\*\*** for internal use, such as evaluation notes, hints, or reference solutions.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772689390825-image.png?Expires=253370764800&Signature=liAyKExfL2RjAWZov6-UMeqOD0cFQuApgON4FMym~rAc6gj0AubO9H0FP1QXzzLNQhFw7CHkQcDhZpsNsXHUjX~StHWN0eu98rSthv93hgoFcZRENzkpnE1q6yI8RBmho5yGtwKTAH68dwmZyoxgGAdzanFgohbNlSgy8b7pwd7hkZ5oXW6FEg48xqexXLQ0VWkSIXevTAOVbthq1Z6kgSRvzDdaTRHUPIiRmaXpegAQjz4DlmiDZPenelprQGJNl8blYvrVjZKLe5DrKpbMWeVaDYWSk5MnmP~9n8JjXWBkTaobWXZ3Fkvuk8qRGPXTXF3gJEJRhn18VAkYxlrw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

5. (Optional) Click **\*\*Try question\*\*** to preview the setup.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760249094559-image.png?Expires=253370764800&Signature=lmjTXzHhgYW37eH1iMuX1GolzrjWErr4001huoRGnKr3W3Sk3kYB7EqiVRpi-TS~JitPStdek~n5mMVKWUFpP-3rC~bmAA0IE5vz9SvDi4yEKgLLJM0bQwVMSqOEpyVC~TFj6bQbOgJk4RKHellGVIC0UW-4QlmgBD3OPBk984kP1Uc0E39ffP5z23TSA GjRGt1BTro0SV7bzfkrCMm2X4nZ6GGmIACNoMYnt-ad8hnrAkLqqaJxSHu1SenXbUlthtapbqjeb1bYdhPA0AytSaKK3LoyTaJX7m3j5QhLvfnNggWHLEHwKoyLjIBQoHJGOd9z7vzs7qN-U5yH64THdTog\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

6. Click **\*\*Save & Proceed\*\***.

The question appears under **\*\*My Company\*\*** questions in the HackerRank Library.

# Candidate experience

When a question loads, the IDE automatically starts the installation process. The candidates can click on **\*\*Run\*\*** to run the application.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772689454105-image.png?Expires=253370764800&Signature=b~DCLNo6LTNiTSqWCsbGqZ1SPSzVQ9os4kKriM6c5StBzytUD0-Zfb98RojTHwtfT8gSj29R~Y5bPCxrJ091tQGqDI7nJwqMkDng4LIT3mRxmhqxeoISuonQG03yo3heJCOdh9s9fmjDGBvEK4D8HdlzIbi06hQtrShhLNLE9uJ3dl3700zwRtiAZhW1QCzEvyy3T2mbg1n1jAj4dTNkQzNewAQbDXHWKenvVMbfq-OkOJQtaY3AW2WxwqD0IC~Q0L97KC06-QWvaALFJdxmdK9MLKJRAAphmAVXlzoE2o-icVOjMW6zKbV0JVMNuDB-LnL5s8oYb1QgSv6GOWO2ew\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

# Scoring front-end, back-end, full-stack, mobile, and QA engineer questions in tests

HackerRank project questions support automated, manual, and custom scoring methods to evaluate candidate performance in realistic development environments.

## Automated scoring

Automated scoring evaluates candidate submissions against predefined unit test cases. The final score depends on how many test cases the submission passes.

Each scoring format supports specific languages, frameworks, and testing tools. Select the format that matches your project setup and testing requirements.

HackerRank supports the following scoring formats.

### JUnit-based scoring

JUnit-based scoring is the default method.

- The system assigns an equal score to each test case.



- A submission that passes all test cases receives the full score.
- A submission that passes some test cases receives a proportional score.

For instance, if a question has five test cases and a total score of 50, each test case is worth 10 points. If the candidate's code passes three test cases and fails two, the system assigns a final score of 30.

\*Example\*:

```
...
<?xml version="1.0"?><testsuite name="Node.js (linux; U; rv:v6.9.1) AppleWebKit/537.36 (KHTML, like Gecko)" package="unit"
timestamp="2017-04-12T21:08:42" id="0" hostname="2c29b2a64693" tests="8" errors="0" failures="0" time="0.29"><properties>
 <property name="browser.fullName" value="Node.js (linux; U; rv:v6.9.1) AppleWebKit/537.36 (KHTML, like
 Gecko)"/></properties><testcase name="CountryList should exist" time="0" classname="unit.CountryList"/><testcase name="Check
 Rendered List check number of rows that are rendered" time="0.017" classname="unit.Check Rendered List"/><testcase name="Main
 should exist" time="0.001" classname="unit.Main"/><testcase name="Check Functions check if the filter works" time="0.093"
 classname="unit.Check Functions"/><testcase name="Check Functions check empty search" time="0.061" classname="unit.Check
 Functions"/><testcase name="Search should exist" time="0.001" classname="unit.Search"/><testcase name="Check Search check if
 search bar works (case-sensitive)" time="0.071" classname="unit.Check Search"/><testcase name="Check Search check if search
 bar works (case-insensitive)" time="0.046" classname="unit.Check Search"/></system-err/></testsuite>
...
```

### ### xUnit-based scoring

xUnit-based scoring applies to .NET projects that use [xUnit.net](http://xUnit.net) for testing.

- This format supports .NET languages in .NET 2.0 projects.
- Scoring works the same way as JUnit-based scoring.

\*Example\*:

```
...
<?xml version="1.0" encoding="utf-8"?><assemblies timestamp="01/25/2018 18:32:09"><assembly
name="/home/ubuntu/fullstack/project/tests/bin/Debug/netcoreapp2.0/tests.dll" run-date="2018-01-25" run-time="18:32:09" total="4"
passed="2" failed="2" skipped="0" time="0.011" errors="0">
 <errors />
 <collection total="2" passed="1" failed="1" skipped="0" name="Test collection for Tests.UnitTest1" time="0.011">
 <test name="Tests.UnitTest1.Test1" type="Tests.UnitTest1" method="Test1" time="0.0110000" result="Pass">
 <traits />
 </test>
 <test name="Tests.UnitTest1.Test2" type="Tests.UnitTest1" method="Test2" time="0.0110000" result="Fail">
 <traits />
 <failure message="failed">Failed</failure>
 </test>
 </collection>
 <collection total="2" passed="1" failed="1" skipped="0" name="Test collection for Tests.UnitTest2" time="0.011">
 <test name="Tests.UnitTest2.Test1" type="Tests.UnitTest2" method="Test1" time="0.0110000" result="Pass">
 <traits />
 </test>
 <test name="Tests.UnitTest2.Test2" type="Tests.UnitTest2" method="Test2" time="0.0110000" result="Fail">
 <traits />
 <failure message="failed">Failed</failure>
 </test>
 </collection></assembly></assemblies>
...
```

### ### TAP scoring

Test Anything Protocol (TAP) is a standard unit test output format. HackerRank supports a basic version of the TAP output format. The system evaluates test results based on the TAP specification. For more information on the TAP specification, see [TAP documentation](https://testanything.org/tap-version-13-specification.html).

\*Example\*:

```
...
TAP version 13
1..6
```

```
#
Create a new Board and Tile, then place
the Tile onto the board.
#
ok 1 - The object isa Board
ok 2 - Board size is zero
not ok 3 - The object is a Tile
ok 4 - Get possible places to put the Tile
not ok 5 - Placing the tile produces error
ok 6 - Board size is 1
````
```

Manual scoring

Manual scoring allows you to assign scores directly for project-based questions.

To manually score:

1. Open the candidate's Detailed Test Report. For more information, see [? Viewing a Candidate's Detailed Test Report](/articles/8263794320).
2. Select the relevant front-end, back-end, full-stack, mobile, or QA engineer question.
3. Enter the score for the question.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772690386929-image.png?Expires=253370764800&Signature=Qhcp3PlzjnlS~~uX9INBq9EPduMq73Sb0jXIOThXcDydWrCiTftiQhllk9OO~jHR2325KE1P4EsxgMjz4BD7v6XGuUY5eEOXSWr3mvxjaS1QcB70RI2smB~3HyMfqYt8hc~xw6rOygimdlAX9TAt6sOO72ICM9L36sJcPI5kRIwPyNV5jAp84JWz~zTdxqcGd~Ea5l5fiWSSs9zx-xd3sSNnf7QGzoMgqtjJZfTO0~GVr9FtAZxShjglBuMZUxuX0kk-5ZJ8Js4uMmu5Rm6gi6sxkjddSzShYVj9AHv23grd573tlsto-LToM~w39hpz6GtlKJjKOI8pVBylsgw3Q__&Key-Pair-Id=K3NV4LZ47N8M46)

The system saves the score for the selected question.

Custom scoring

You can use custom scoring when predefined scoring formats (JUnit, xUnit, or TAP) do not meet your evaluation requirements.

Custom scoring allows you to define your own evaluation logic using a script. The system runs this script after the candidate's submission executes and assigns a score based on the script output.

How custom scoring works

The system assigns a score using the following process:

1. Create a scoring script that evaluates the submission.
2. Upload the script to the project folder.
3. Specify the script path when creating the test.
4. The system runs the script in the Ubuntu execution environment after the submission executes.
5. The script prints the final score.
6. The system reads the output and assigns the score to the question.

Required output format

The scoring script must print the final score in the following format:

```
`FS_SCORE: XY%`
```

Replace `XY` with a number from 1 to 100.

The format must match exactly. If the output does not follow this format, the system does not assign a score.

****Example:**** If the evaluation logic determines that the candidate meets 60% of the requirements, the script prints:

`FS\_SCORE: 60%`

The system assigns a final score of 60% to the submission.

[library/question-types/projects-questions] Code Repository Questions Key benefits

title: "Code Repository Questions Key benefits Code Repository artifacts Creating a Code Repository question Adding questions to an existing Code Repository Editing an existing Code Repository question Frequently Asked Questions"

title_slug: "code-repository-questions-key-benefits-code-repository-artifacts-creating-a-code-repository-question-adding-questions-to-an-existing-code-repository-editing-an-existing-code-repository-question-frequently-asked-questions"

source_url: "https://support.hackerrank.com/articles/1900882930-code-repository-questions"

article_slug: "1900882930-code-repository-questions"

last_updated_exact: "Apr 22, 2026, 11:14 AM"

last_updated_relative: "Last updated 4 days ago"

breadcrumbs:

- "Library"
- "Question Types"
- "Projects Questions"

Code Repository Questions Key benefits Code Repository artifacts Creating a Code Repository question Adding questions to an existing Code Repository Editing an existing Code Repository question Frequently Asked Questions

Last updated: Apr 22, 2026, 11:14 AM (Last updated 4 days ago)

Code Repository lets you create multiple questions from a single repository. Each question can assess a different objective, such as fixing a bug, building a feature, or working on a specific part of the application, while reusing the same base setup.

The AI agent helps throughout the setup flow by analyzing the uploaded repository, summarizing its structure, suggesting setup details, and assisting with question creation.

Key benefits

Code repository questions offer the following benefits:

- **Reuse a single repository:** Create multiple questions from the same Code Repository without rebuilding the setup for each question.
- **Assess multiple skills:** Use the same repository to evaluate different skill sets, such as front-end, back-end, or full-stack development.
- **Use AI-assisted setup and creation:** Let the AI Assistant analyze the repository, summarize content, suggest setup commands, and generate tasks.

Code Repository artifacts

A Code Repository artifact is the shared base used across multiple questions.

The following elements remain the same across questions:

- Base repository
- Installation setup
- Run commands

The following elements can change for each question:

- Problem statement
- Question objective
- Test cases
- File or repository changes
- Interviewer guidelines

Creating a Code Repository question

To create a Code Repository question:

1. Log in to your **HackerRank** for **Work** account using your credentials.
2. Go to the **Library** tab.
3. Click **Create Question**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776834293691-image.png?Expires=253370764800&Signature=pzg8osGSoV8PeXEruRfIXIMzmHV~R-iH1o3d4liwcG2UQYZhoAL~wRciWk2e7H84mlwxDP7TvkCQcoQ7S-C2Goa-OqCtrmZpWKJuYBfUV7Wa5EFko8T2bVpn~93rTynR~c8vC81egSO-G2Tm6vsG5IF6J0g3zWOuHrbEXOZjTSdh8Rhs1ISKc6WEGVqo3Mctua634fydo90o7fr744eyemib~AO2lGBccJ29Yue5hIFSDa4sm9ARuN0fmW2LG7iouLU~1B2bRapZZjbias5bxx7QzqdcGs0Z5bLehOf551iClcnBIB0Q17Q6nOO9XOb73MnggoHlqVEDeeXdUTrL~w__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Select **Code Repository** under **Projects**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776834307663-image.png?Expires=253370764800&Signature=oeBU2KUvTBsISCQTflh7e53zInln0LK8k2N55X4HMTaisCrUQiH8u0NKLJ0TGITyP5Ap-hLDt47r3HjNQeAuXbCsQ3QrYOU7mp8RD7~2w4LipOKG3NQ~ukjwOodorZJURPi1B6Re4UE-NWC80BjZd2j-tNrkkET5CQ4LpQv~jWkSOTftU2AMfS0sODLVfvJqcl7HpwPiJiNBALuLy835yWjtgYBUR-EOvhZIH3Gp7uJXEaLjIWu5ezXjttBYQ7Z3ESiUkPtYF5~Vdu0OwEmVTket~fHclSEmj8VMmMLFzXEO~HfWJucotn1Z5LGJPHU8cEKUwp0mU942Y6AlfmaHOg__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Select the project environment.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776834348747-image.png?Expires=253370764800&Signature=CvJSMaPaZNS37~OEqltmwTNRDSoCGc4GWliKpe3-mWPvu0~HOG3qamwqQXqzV7DwHx322DG3ogXfvO~QC~38tDoAizdSQFyf~CgKQohemISYP4JkxqNtTOJ4BmDLKPIFXzs6VJ2DtQgMT4nHSoBqjTN4aaB9eyLr7L8KfjnIX0WJ0iqN227ZGM8bXi97YkEB2lDb3myJ2NyEXOvb-e3qs-SovAJArf3eulHakyFHC6Bg5f2DzzrtW9no~lwXqlSMoFaaaJnrzFGu4erzCk3DDoaPOVf884DD650R-0CdNfEfK48COEs0VwRU4hUbcVDPVgrog3jbNmQnBvVrOSdg__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

1. Upload a ZIP file of your repository to set up your project environment.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776834390729-image.png?Expires=253370764800&Signature=uD4f7VJ-rPqUlc0ho8ph46mXgZyzU64SJfOJ2hD6v~kr68elgU9mE6TrOvau79TIH60UCut93aCMI8tq~P30XsghNsSn9mCUTIf7PUQipfH6irTP0Gnt~WF5OGC2JRcGggH71VWWPu14T4LlvF3lCjcfZaEBQANclKyuDM2LYMu6AvlGp7lwL1gPnUgTCB-RX5LZpiGhCusyDbEFY0d4pyEpaO4PBw9S0Yddq-RopWeaW6MfFSjb43RFCeBjrai8WEnyQBxfjIO8v~6yflnvK8HRHDT-M90SW4Q2eUsSouUKQf~1COKldUYwp0zLXmhbg2N7qjLwBf1Qu2szp6qfA__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: The ZIP file size must not exceed 5 MB.

2. Wait for the AI Assistant to analyze the repository and generate a summary.
3. Review the AI-generated summary of the repository.
 1. (Optional) Update or refine the summary if needed.
4. Confirm the AI Assistant's understanding to proceed with question creation.
5. In the `hackerrank.yml` file:

1. Review the generated install, run, and test commands.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776834426244-image.png?Expires=253370764800&Signature=GhIN5mQcGrmkJog0JBf9Obdtu~h2ag1q1c-G8inswvuSmNDa18MjBkYm7L4foDr5Zt609TI9EpdhC9XHIZdmyPwQzrFEETlwNsIsIKKxpNhikPaHOyCw-R4xEoUEa8JLdoUg0XEAMFk9NRjg1Za6~sp-D~MwEoSiyexZiiD0k9FJBeBUgYC0Y995eqROe6RQ9Ot~9wXyuUUiv87d9ZGDB0stZYA7e2JNvRrSZNhq97sQ8dWZ0DjWurnueY5HJVtJieQuMdonNYDevslmNO7Su-4pIBeU0sy4xKZiTY4Lnx4eT7eB5pHs~dzeEqNWz0E7XG3P6CgxpTkzAMIAyP-w__&Key-Pair-Id=K3NV4LZ47N8M46)

- If the repository includes a README file, the platform may extract commands from it.

2. (Optional) Update install, run, or test commands if needed.

6. In the AI Assistant panel, choose the type of task you want to create:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776834445524-image.png?Expires=253370764800&Signature=tsHmopTERTBGRpw0sCV-9ADBgcLLmT3sk43ihP0ugOuAVhSc7pTPvzs1u8V4Ou-ycvVfwNwQDr1fLuG3lL4Uktq5QnA5Fz7Dw3FtR2aRq2dvfh7paWFMGIou2rl8aVhl98yUpOsPE3Mm~DnUGs9T2PGSLX7-HcKISUU~BL1k-XYu1jxJ2NbKzBDSY10ANCvk3qg2ltY8fcQRg1C5xwZLzOZpNgon8Dz6bJJlgR2Y-SjDCuU0vfk2-J1K1Onog8HrP6ldQYMUh7uHZq8J50h7H0NIQJXMfSGjnnf7pgjsVBJ3d7X3kcwwNDqULCiC9nGjoLWcgkXksAAL67mu7qbYvA__&Key-Pair-Id=K3NV4LZ47N8M46)

- Feature Building

- Bug Fixing

7. Click **Submit**.

The AI Assistant suggests tasks based on the repository.


![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776834476767-image.png?Expires=253370764800&Signature=UPrSVD~96EEabYuW4nEMoEd6TRWUOzTYgkYfV1j0BcouwhWB03evIF0fOTBtkyK2pWRwTAZB9sNJrb96gGRTExT9VI0iv6wha~Pki-zQeKo-yEcpyc6OZSLdRGtqS8XE2BHAqiKlmzZsyOos7ndpLncKAbJTR2n11nChdbvuJp1dkQ84YoXT9JEQhT4kgIzE9ke7kM1fAIY~Upf5plkxDiowYMSkTv-Ls891F1qoWsABDofeZ31QkpwDZowPoiswSBLBsDX6VkzYegpRZyhRt2tA2WCvHa5goV8XRCxYcKZspzemnGqybDTXwPyvXWHxrz0qAgcNJntYmjN~8wLLg__&Key-Pair-Id=K3NV4LZ47N8M46)

8. Choose one of the following:

- Select a suggested task.


- Select **Other** and describe your own task.

9. Click **Submit**.

The screenshot shows a list of suggested tasks from an AI Assistant. The tasks are: 'Select a suggested task.' and 'Select Other and describe your own task.' The 'Other' option is highlighted. Below the suggestions, there is a section for 'Problem statement', 'Required file or repository changes', and 'Interviewer guidelines'. The 'Problem statement' section is currently empty.

The AI Assistant may ask follow-up questions. Enter the requested details to proceed.

After confirmation, the AI Assistant generates:

The screenshot shows the AI Assistant's generated content. It includes a 'Problem statement' section with the text: 'Review the generated content.' Below this, there is a section for 'Required file or repository changes' with the text: '1. (Optional) Edit any section if needed.' and a section for 'Interviewer guidelines' with the text: '1. Review the generated content.'

- Problem statement

- Required file or repository changes

- Interviewer guidelines

1. Review the generated content.

1. (Optional) Edit any section if needed.

2. Click **Publish**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776834585803-image.png?Expires=253370764800&Signature=X2SubTuNpHTlwBrRrsb12AAkPktb5DpjSBVPJDCgZISoHqLoZJZW6ed-yTBCBSlkZKDxkCm-JLYfTirXIGYhKG-aKBxwPkcglh39iD~LqbWxkrWq8FwT64Rnu3HsBYP-VWmdg7btUeZug2yUmHLQdoOTiypYbqwlVe~oA7mluEc6xpe7yLtv7W6fqbhG)

aiE5O3oBiKrob5Bxgjcj1xsfePxWBr9J4cOH4Yfg4P4cvD-eXqzDcwfhhgUrL5KQjhB3omLdGiR--LHU7~ZJ-gUwe971pIDwxAhzQgXr2mMI8lqkiYN3LokYsBK7PMJrRF-4FxmnmwYQeAtr35nu-6i5EA__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Wait for validation to complete.\

After successful validation, the platform saves the question.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776834610680-image.png?Expires=253370764800&Signature=QnNCEAeNAAZPINJ2MRTCO-0uT9TP~y-qF37IG1GUI6d1NyPKBAuPHKihj7Ik3DyakOGkM7W6rqC7GWCY6lWvTS6Rj~0sMK1jiltNQ6ootq2R5XtumeMqgFyiUBov6nAwf5QoQQMwZwKt9Dvuil-1S2q9fSJUNdZElR4SrNY59H3rgpkuhcQ~WivBbf0QeoMCAI0PvXak7ulvN7ar9QLpVxkDKCj5SWexjPCztwT1Ghqj5d-QurMZwXRSj2PhpXTGei969rdVLxR2nrxbEy1w2sicdlrX6EFHpYdMwLJDdEdteR7MForb1X0e0WRsVvasNVnEkyobgA9O1O~3kNQ__&Key-Pair-Id=K3NV4LZ47N8M46)

You can click ****View in Library**** to open the question or click ****Create another task**** to add another question from the same repository.

****Note:**** Click the settings icon in the upper-right corner of the repository to update the repository name and description.

Adding questions to an existing Code Repository

To add a question to an existing code repository:

1. Go to the ****Library**** tab.
2. Open a question created from the repository.
3. Click ****Create another task****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776834656557-image.png?Expires=253370764800&Signature=sm9c3QjawgMMQSCGZ2mieY8pHvP31MEcWYMGtIVXjkAMM2Iz1OEgcY7VOHhzcIWRczSHGX9PueNf-MUQWflxheaeuvYF0OWxaNh2os95FM0BUy8Bc4ERDIWiv7dFzKvNxxvEoihxOLxowcRSG0vDQNXoxWfvOK2ob-AOSZKwsBIXWEG9B7uCWv1Pnx7XIGE4KaYNSCjjFukOt86FZrldmRb56qQfDeQhvhk6BSqRkqB5ST-0Bpj~JGQrS90xhkK--sJFZl9fJj1Yo0RgzNLxEGa~fOy~9CspktsO0oMelwURALxI5Mj7CniTU73OWuLyp2YoZVIKwE7wif2fzkcMhw__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Follow the steps in [Creating a Code Repository question](https://support.hackerrank.com/articles/1900882930-code-repository-questions#creating-a-code-repository-question) to create a new task.

Editing an existing Code Repository question

To edit an existing Code Repository question:

1. Go to the ****Library**** tab.
2. Locate the question you want to update.
3. Click ****Edit****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776834673246-image.png?Expires=253370764800&Signature=n2OQQ1MPjhBwbCqsM-wZaZcDRaHnl1BdYa42pucEpJsMHwS-vWSKtE7Af3KWYNLz8a9s8qgAH1JxUhFX~u8qavd2i2odlooySTE~6l04XVvyKSYrpiMN8GmlcMbSuSVHG7oRM6vjOk3r83DmU6duBkO3A1dkShPLsMx8NQEyLYvYdwUXuQ6PGzaXbphq7basc5gD5IYrBI3Dc2V-qBkPktUAAgEf02B3ufVpU~At960pOnSCXjczLU3cf0uH05UW78PmuxuPakwX6v5lCpZL~H09~PSW5YJbvEesuVn6T2Ueh9IuazenHAa4r3YlvXwL5glvORzn6F4le58kfu~bQ__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Update the required sections in the Code Repository interface.

5. Click ****Publish**** to validate and save your changes.

Frequently Asked Questions

****Why does validation take time?****

Validation takes time because the platform checks not only the current question but also the impact of changes on other questions that use the same repository.

****What remains the same across questions from the same repository?****

The following elements remain the same:

- Repository files
- Installation setup
- Run commands

****What changes across questions from the same repository?****

The following elements vary for each question:

- Problem statement
- Question objective
- Test cases
- File or repository changes
- Interviewer guidelines

****How does the AI Assistant help during question creation?****

The AI Assistant supports the workflow by:

- Analyzing the uploaded repository
- Summarizing repository content
- Helping refine the repository understanding
- Suggesting install and run commands
- Generating and refining tasks based on the codebase

****How many questions should I create from one repository?****

HackerRank recommends you create fewer than 10 questions from a single repository. This limit keeps the repository manageable and reduces validation complexity.

****Does the AI Assistant support validation?****

No. The AI Assistant does not support the validation flow. It helps with understanding the repository, suggesting setup details, and assisting with question creation.

****Can I add images or GIFs to the question description?****

No. The question description supports text only.

****How can I navigate between tasks within the question creation interface?****

Click the dropdown next to the code repository name.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776834245516-image.png?Expires=253370764800&Signature=Bj1OIYyJQpJtIQznGe84RBvA3Z6Z2ScyjVL6KgPn6ryimCPve4351qnj5V2tVNkzJ8kgrtntMj~xb72sNY0~ZHvSY4g3rAhgbr2j7BnqbY09DdaI92otAphKO23iRt32ePrJGNNnt3JKVCOTpogp8B3tpPi4fm0nBj4U~uvh-3VOhVz0yU3N07J2qCL0p9Dn3BY1~GjF~FwKoaps5YqBT8anqIW00x3XpsXvYN8Q~~xcsAfjiQ1nVD49petWe7t34DuZQi7z84ICOlX9LzQh-2oj3AY4G9V2EIVPFO8WzJoTqGqKvwVBMLNVGDmVg0WxBRB3fsRfB2v60F9IocfCAA__&Key-Pair-Id=K3NV4LZ47N8M46))

[library/question-types/projects-questions] Code Review Questions Creating a Code

```
---
title: "Code Review Questions Creating a Code Review question Candidate experience Scoring a Code Review question in tests"
title_slug: "code-review-questions-creating-a-code-review-question-candidate-experience-scoring-a-code-review-question-in-tests"
source_url: "https://support.hackerrank.com/articles/4262355406-code-review-questions"
article_slug: "4262355406-code-review-questions"
last_updated_exact: "Mar 26, 2026, 5:30 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
  - "Library"
  - "Question Types"
  - "Projects Questions"
---
```

Code Review Questions Creating a Code Review question Candidate experience Scoring a Code Review question in tests

Last updated: Mar 26, 2026, 5:30 PM (Last updated 1 month ago)

Code Review questions assess a candidate's ability to review and critique existing code, mirroring real-world engineering workflows. These questions are suitable for senior-level candidates who have industry experience, mentor others, or regularly participate in code reviews.


Creating a Code Review question

To create a Code Review question:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Library** tab.
3. Click **Create Question**.



4. Select **Code Review** under **Projects**.



The Code Review question creation workflow opens with the following three steps.

Step 1: Question Details

1. In the **Problem details** section:



1. Enter the question name.
2. Describe the problem in the **Problem description** field.

Note: Click **See candidate preview** to view how the question appears to candidates.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765964040077-image.png?Expires=253370764800&Signature=tl56psHXDyLWFfDb7ybv9TrnOCB8aNN0BLcMVdoHqX6ArUWn9OdGPx7IWsy89f8d~dfwetGOf0MgyNiQz85QRhQud~LZaSkHYwVyMzbm2UKrDAPvkWt7LqAg3FNUNI5x~tiURtx~FIYb9Z4W117SQN4YQIH5o1TQK10aDhtlcTryJRLWsUxI4qbLFwql5RN6MqqAMUrbnusAMoBltdhpdeNjx4tbUx229NFx3pA1AsiJaDFS~yUOMd~HqiV3ZCvw9Mw4~LxzAdB7dOdx6~tp279mTIXb6jsDINXmD2ArABFtdxWtFz3HlkzgzRVCjhJvqoljPov2VPefhuJoBHaQgg__&Key-Pair-Id=K3NV4LZ47N8M46)

2. In the **Question properties** section:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765963979576-image.png?Expires=253370764800&Signature=Az89qkRoCqb5gNejGfUeL3ST1qtVZ4dBl5ccFEcUWGOxWEio9c6hRSpLasX66SSxdFAVHWwmT0U2pZ3SViHLevaK0n5iircY5MTNACEEF0KVUCb~MHRUt1a~KYf~eKVZFsDHAlZswld1I6zO~8OwAdBaL~jp9w~GgCKuWrU3LSccGlalJLwmFc2bRemEKyJhlp1t2f2NHUpClItQnMW4EsgACKwRvpBRKdYIYMn5qoAtz6~KW5dthHqyutAE~oTdOF2HoGxBfBzljR8y4S6h87XOoFHfW6fpag5thk58t8YN9UNFEanMTggZkv5yKy1hXqH~jhXwyEKbxMngL0dYVw__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Enter the score.
2. Add the recommended time in minutes.
3. (Optional) Add tags from the drop-down list or create new ones.
3. (Optional) Add **Interviewer guidelines** for internal use, such as evaluation notes, hints, or reference solutions.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765963993490-image.png?Expires=253370764800&Signature=o2OLUmOX8UJNTSBQP2gVBZs9PCJt~PGC~wOfEiphMdP8akVLEyMtkkKk7j4xHwoF0c93HcuWseJXf0M2x5SYe~wu5oJLv~UTE14a38ZIUSe6aJWpFFlufzEK3zDW4OL~zUBs57kEWXjyuGSJ72OrG6~N2Y~y4~MFqO63yHAbBpFucxadMEN8nq9OxE34FdpqHy~kPxOIJcno2JmhXVKgpdwOpdimrY60XF~CWwHUy5KzgP4MsQuKVMsUPrj4l~DF5y44doDeZOS1EhVPu2xR9zhvhr1whMoaX8gG8nhNc5KZXfu~foWzWbXChTdLk2cBSw~uRiXT~bYC2TaLhAg__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click **Next**.

Step 2: Upload Code

Upload the codebase that candidates review as part of the question.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765964072441-image.png?Expires=253370764800&Signature=nX7Aota5VuS0budPLZJLbfAG9gCioBO1LvR6jcc~loQv1zyZPvWszhl1MaSknrEvFr7ME6wqFlnMnVifJ8Nol3YDP~WWejE4l16iW2leSTytXHCaARMIHdl1iHOEc0bygzILkia5yB97ltfqCCzrTIPGG6SvRoTwTNEM7bVQxyv63sfKG0olmU5Ez~3wltBFUY3ImiEavoZPLbfGOB~6Oyx9UnprVBEfALCMTigxsBnFta9~GoqNX2S5VrgzKdbG6FqxP6KUGkzLXrBxnBKQ8MwyVWYP5sWwal1Jo ua6xskFo59ZNYvWbqQa0MxwUCIT69mEciU~tcA030ED3FA__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Upload the initial codebase as a ZIP file under **Initial files**.
2. Upload the final codebase as a ZIP file under **Final files**.

Note: After you upload the files, you can select the three-dot menu to remove or download the file.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765964091516-image.png?Expires=253370764800&Signature=dtNxHH7TCqw720cUESf6Bg7MwWmCw5F5vFBgE4LYCf~pgWbSrvWiCN3KQoCFcojtv32tzQNCbnlfN3Wp6x78bAjA7UUiYQ1bOkvCieoYLhxr~HkTdCG0kNbjv8v1KCwzIUjrd~fpdxusU6~hw~xbXTEPlkZ~8pqOVYrFKIfu85FTSD5xoAoILWaa5XwYRDMKx6wop3BUYmJMIxnZMIWJS0jr2xl2~yenV8TisKYyU0Wt4pTvwdl3KCWxU4JrjbkgOOJom3pAgt3Zdc2YmlX7rl~m~OLvigc5VderLR2um~1O43SmICGtKGAcSBG28W5G8IE6A94gYC04vVoHl5sEg__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Click **Next**.

Step 3: Grading Rubric

You can customize the rubric by defining the key areas where you expect candidates to leave comments.

To customize the grading rubric:

1. Review the code and identify the lines where you expect candidates to leave comments.
2. Click the plus icon (**++**) next to the relevant line of code.

![[image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765964160705-image.png?Expires=253370764800&Signature=pRyXtRpZnt76W4xJs3p8ZP0nqz4uiLgK96aMIYatpScwJipsr~xM1-YNR7trFFQ-x0fA-wMOutQDT3amZ9RJux18U-aUWee7F4Ky~z~JOWi5v5kKJC0413oaG~TfDggbaLmPGdOCbmzJB9z2RmC6q60Atc-lji19IHmHdKlrkaM-uBHUFpnQo4XLVSgwA1Fe4dBiFvHeaKARhgr5oXPeTj1j~2GYXch6kf4-zzm82ZBjcHLMzggqChR1tksFkgjGSzcmE1bIY6TFV5EOwK1ck1716-1mCHyProOcPEAVMaqSh0WL9JLXD09uWEpQugg0wGt3Qrpd-oC3vWf4e0hZPw__&Key-Pair-Id=K3NV4LZ47N8M46)]

3. Enter your comment in the textbox. Use the formatting toolbar if needed.

![[image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765964194424-image.png?Expires=253370764800&Signature=Lclz2o2tmdNYI9tnqYXXQapuWQ79LbPhAdCINSauO6H~SolnQsF4Br3jUHBHNaNJFr9ADnZ0yUB8ZbK5NK9SAVr8XWcq3uh282SC85ZuxM6s9NPKmU2MHRMHRReAmIAKqsqr9A2Fq7ns4uYblmVJ7ClysO5a-zkByM2HOzUtXeTkLtoosKoXiaJmqMe2u5nQ1av8NMchsAYUZq6gVu9HCR~KGm4YoKeFdC~kcFkJY~cLJYEUqrsY4xb8gFmcYrwwSyKvEEr~hVM3sZb4bfUue~U3SbNjqf5IKrjHntmfZleDtRoi3aWcd-dZaP2i-O2s3Mgj9TnK6y~tMli8iXnFiwg__&Key-Pair-Id=K3NV4LZ47N8M46)]

4. (Optional) Click **Preview** to view the formatted comment.

![[image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765964223170-image.png?Expires=253370764800&Signature=mDNAFqUW3G3jWfnP7PZQKin1G8fgAZ-PHJCuyFiaHZMCkegU42GOOJPPAM98z7biJxFOYfJPluhzIQas90NMwM3y-AkRiiN8UpoqtKfAmBUNGpfVsay9mn4DBTSMCVqNybk0TucjW-eQRjCwXYooneqICV-ud3GDlne791rtQmziOCNHVylz3IBFV2XTvDHFmGOhNjNHiYTKo6nAgY~a8pfuV1NblkCYl3IHdbnjGoHXtKt0gPqJ9KuGzUEM79wF5tYwU-z-7hqjCnuvu30-3ubxfot~soXdkuTp1F7CrjIOlqtKDVw9noNwKyASoVgj9vtV6gAf6UcU3dGYqa4uA__&Key-Pair-Id=K3NV4LZ47N8M46)]

5. Click **Add** to save the comment.

Note: After you add comments, you can:

![[image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765964360713-image.png?Expires=253370764800&Signature=II2rxpuniFJWSo9272BcL9RiFanWfC8NjV0gJEVlgAAV74rS7V1m-miF1F2mklkLIDavWxNTM7BjXeQpKUxQVKX5Mfk-mZBbfYMRLveGgfuyLnmN1ICpsTZ-E5spqvXDaY5GIAdH9y2NZmHDAr6tVEhlwQ8UQkPrg1-oU7e4y5-1ufe85OENfrl63gNSZfIO nb5jJ52UfpCIYU5Ekiu7eJlCFToal~egBhXt8aprBjFRAA84tWupAcFwE928Bbje-vBZXrWgGvewUzH3aS4f6mVNq~aapY9D7KQeOXTWuYtQ3eattvrk61t7IKhgmbYJUqB9Bb3gEppSkDIFPKUGGQ__&Key-Pair-Id=K3NV4LZ47N8M46)]

- Click the edit icon to update a comment.

- Click the delete icon to remove a comment.

6. Click **Save Question** when you finish configuring the rubric.

Note: Click **Save & Create Another** to create another question.

The question appears under **My Company** questions in the HackerRank Library.

Candidate experience

During the test, candidates review the provided code and leave inline comments directly in the code. They use these comments to:

- Identify issues.

- Suggest improvements.

- Explain or justify their reasoning.

The system uses these comments as the basis for automated evaluation.

![[candidate review.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765965451065-candidateexpcodereview.png?Expires=253370764800&Signature=kByGCTo~k68ZhV~3-wPSV4Y6Wzs9gD5PdfpaHo3a21DJ4iqBBVQ27ZJxVjuUnZmpnpq-Glzt-M~7evqNQZd2OYmIbjaTRikLTYBEzBnzNBX0xWl3F-vzruAQLrPY6NF2RPiV60JKilsRmmw9dqyl2a3FIONOEoi1uGMCnXR-lx9Kvh7SKU4pKjK5PT1DX8nSc-l6g5FNXd3Et11Zf7fP7dwQrgCXPe4MS85UBxtsxzv8-iMoaDAfgLmWVBBpnMj-EWPyYfH72SxQEPcORKB~Wo79BwlgygmKQKFusVJ6swq9YUEQN5udOV1tGgyM6lbnLvcsphlr-xuTIPm0b1LXHxA__&Key-Pair-Id=K3NV4LZ47N8M46)]

Scoring a Code Review question in tests

You can score Code Review questions in two ways:

- Manual Code Review scoring
- Automated Code Review scoring

Manual Code Review scoring

You can review the submission and manually score Code Review questions for each candidate attempt.

To score a Code Review question manually:

1. Open the candidate?s detailed test report. For instructions, see [? Viewing a Candidate's Detailed Test Report](/articles/8263794320).
2. Open the specific Code Review question.
3. Enter the score in the ****Score**** input field.



Automated Code Review Scoring

This feature is part of the [AI Add-on](https://support.hackerrank.com/articles/5847651809-hackerrank-ai-add-ons). For more information, see [? Advanced Evaluation](/articles/7098008997).

The Automated Code Review Scoring feature automatically evaluates a candidate?s code review comments against expert comments. It measures how effectively the candidate identifies issues, explains reasoning, and provides actionable feedback. This helps hiring teams assess review skills at scale with consistency and efficiency.

Key benefits

The Automated Code Review Scoring feature offers the following benefits:

- ****Scalable and efficient evaluation:**** Automatically grades multiple candidates and saves time while maintaining evaluation quality.
- ****Transparent results:**** Provides detailed reasoning for every automated score.


How it works

When you enable ****Advanced Evaluation**** at the company level, Automated Code Review Scoring automatically applies to all ****Code Review**** questions.

During evaluation, the AI system compares the candidate?s comments with the defined rubric. It analyzes each comment based on the following factors:

- ****Contextual relevance:**** Whether the comment applies to the correct code section.
- ****Semantic similarity:**** Whether the comment meaningfully aligns with the expected feedback.

Each relevant and similar comment contributes to the candidate?s overall score.



Viewing evaluation results

Recruiters can view automated evaluation details in the ****Candidate**** ****Evaluation**** tab of the ****Detailed Report****, including:

![[Automated Code Review Scoring in Advanced Evaluation (AI Add-on)
2.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765964796971-AutomatedCodeReviewScoringinAd
vancedEvaluation%2528AIAdd-on%25292.gif?Expires=253370764800&Signature=LZCOn134jPMMybyEBkqC3aNpcRb44NWUkTUuT
XfZBzCvtuCoK7LOZeW6mE5dJxy2nvAwWVzH7Db8N0GyhT7JCVKABbbxy~bTPZcPAUTuv9w0k8LknQnGg1NhcgSfrlMGyeIO8no3
SdyvVII0Z2AwU1bChtVTYU0e6A5etwAT5wxuI7Ru8URjQGrV99C0OmrN~2BvnzjiKcUQ33dhhbOmklpafMF9PM4oqhR7WvyQBdIJtV
B8UPhyMxMqMFZU~PKXqRMqUdO6BNsWreyZCtnvU3KY5u8gSxUNvibK7dj-V4M12uqAXqh2xjDZRwToKD52QCfoFMZqcNtNGitKk
O3wDQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- Candidate comments compared with expected comments.
- Automatic scoring (For example, 30 points for three relevant comments).
- AI-generated reasoning explaining how the score was determined.

Note: The system uses the large language model (LLM) **Claude 3.7** **Sonnet** to evaluate comment quality and relevance.

\

[library/question-types/projects-questions] Data Science Questions Creating a Data Science question

title: "Data Science Questions Creating a Data Science question Candidate experience Scoring a Data Science question in tests"
title_slug: "data-science-questions-creating-a-data-science-question-candidate-experience-scoring-a-data-science-question-in-tests"
source_url: "https://support.hackerrank.com/articles/5187107609-data-science-questions"
article_slug: "5187107609-data-science-questions"
last_updated_exact: "Apr 22, 2026, 4:49 PM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
- "Library"
- "Question Types"
- "Projects Questions"

Data Science Questions Creating a Data Science question Candidate experience Scoring a Data Science question in tests

Last updated: Apr 22, 2026, 4:49 PM (Last updated 4 days ago)

Data Science questions help you evaluate candidates on real-world data science skills using hands-on, practical challenges.

These questions assess a candidate's ability to:

- Perform data wrangling and preprocessing
- Build statistical and predictive models
- Create meaningful data visualizations
- Implement machine learning algorithms

The platform includes challenge-specific scoring rubrics to ensure consistent and efficient evaluations.

Creating a Data Science question

To create a Data Science question:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Library** tab.
3. Click **Create Question**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772609520474-image.png?Expires=253370764800&Signature=PkR9q2TEQOCbnHek7TmbuSNWLJrtVx3OeyBsvjHTxI0mdhmpx4Imm~4RPItSE-ucYYhvF0spfsjJhsfXqWE7YiY5EbcNOyp3bFeFiMq0DcTOpL1S-U5C-oN3M0ywlkVrvMjsOGQm75FJ-h7yFzo6sTdpwt~DQSeXB6P24ljBc~giAAh2aDWboD1aaMS02h-S9gbDuWHunk8j4k-laMkYB4FKOuuBYIOsII6b1I-kKtoQUmyDNyPjP~FXQPSUdyI4MEWo6~gt-Hz48czzNA2F~IOqrdzbY2XkgLVMpOohB9YJvyghIHAE2Ia4ORKx3AA~jza2AGEsvToC0NKS06Rbw__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Select **Data Science** under **Projects**.

The Data Science question creation workflow begins with the following three steps.

Step 1: Environment

1. In the **Environment Settings** section, choose one of the following kernels:

- **Python**
- **R**
- **Julia**

Note:

- The default environment is VS Code. You cannot change this setting.

- Click **Package Info** to view the list of supported packages. For more details, see [? Package Information for Data Science Questions]/(articles/6282504591).

2. Click **Next**.

Step 2: Project Setup

1. Set up the project using one of the following methods:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776698888142-image.png?Expires=253370764800&Signature=I5GIUER-0kc8-AYxsqncjUIzomdhxNtBgXPTsBJLoDLSCwqetCAqCpFsBcg0NozxHIKB-ftb9TaoY7HJXHJpTuXjm5VaOBzxwxQl~0kCni2xpMLBnAvZli2g1ZQfDI5gfMmavwqsnRQPby9hNSUFZ7mB3A6ieo1v60RZhaPUqX52G6B~2vCOV-b-bUbDniNsmIjRaUnsLJcZCTHcULQNFTkQiEmmcZolZ9H6cgKlqP3Qg5EUP3psxCsGzqO6Mf1-vde3kx90Vf1aqsM5Mljy3BpfQfEJQ~f4HRXp5yJG6G2mK076ce-KrDZWAwODYhuNE5Eaz3A1mNDjMH6VK2Kq7g__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Upload Zip:** Upload the project file in ZIP format. The file size should be within 5MB.

- **GitHub URL:** Enter the repository URL and click **Clone Project**. If the repository is private, the IDE requests permission to connect using a one-time access token.

Note: HackerRank does not store your GitHub credentials.

The **Project Setup** section also includes a preconfigured sample project for the VS Code framework.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776698939647-image.png?Expires=253370764800&Signature=Ep~Flxfrddkl~gRG9m6AgoRXGKjqnODfUqTi-kNsB017UtKf8N5ENlqso517kuCYItFK8leyj-NU6hRziXfaw4srPad-9CFLX9Wt3LG2oZXj9ojM-3VHxIWUnuzm9UMfBaTDDMR0oM036Kr~R0e3H40zz4j371Rq9AofNxR0P3NmKLkRIL0RLEFyg1Sa82fyJNYH9Ap~PeMGU3CplzinT0UHCavUw6bst1xeMwgalrBiK~6Cir9az~MYDFyk3oQw0hIVVDg6BYW-sGAOLeeIJODi-qtYBjwLnQ1XsA4Q8k-W8nPBI4tNmkoSxBgVTHdnTABauDdCLbPd6WyVxx9vg__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: To specify which files open by default when the project loads, configure the `default\_open\_paths` field in the `hackerrank.yml` file in the following format:

```
<span class="mr-auto truncate">Plain Text</span>
```

```
...
```

```
configuration:
```

```
  default_open_paths:
```

```
    - <file_name>
```

```
...
```

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776854913374-image.png?Expires=253370764800&Signature=QIOfrVYj01aI8RAGhba-KMtUB8oJMiwx3xfZ4Laptd2yOA0I1~OzwdN1q93ik1ha1dX4jwbN3g9QydL65z~io2mgJuhomRRXhzV73QCwZwAjxml3zpU1qM1W6VDzYdYc0GrcXe4BXx6fB9vvDAv1mhomXGkmQtyFWZVeZuBKkf04gJmvCHJYSf2RZLFTb0PztSYYIuzF7wJHUnriNKsAP7WzmzxuAGDcnzuiqf8ESo-XITmwJ-Uf7rOVsF6lZGVVLAW2to8cFhNTXO3WA~KruTUIk9T1BfgKSn8LXcw-0kdrnJKuL8CVROYyoBhzKZ6My1NKckUee749iFLy1wqoFQ__&Key-Pair-Id=K3NV4LZ47N8M46)

2. (Optional) Click **Browse Files** under **Additional Files** to upload supporting resources, such as datasets, scoring scripts, or other required files.

Note: If you enable automatic evaluation with a custom metric, upload the scoring script and the expected output file in this section.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776698977448-image.png?Expires=253370764800&Signature=vYrOOiilBqj5IH4T5yc2BkE277w~wOXAHOVGQDXIbAOjJWzU1ly3pFfob5iToe7A8tfDtzLTnGkDmuGul21oaqBJJNzqSGl0~ksAqw1s-9hAzB2Yxw6fVXSSvPMPoAQuhzdwx55ax~QxEWWaPE4V6MxX8X~W78m5sjHt3I5GDTEDFPkwlnsSS68PZbuSTc42LUnijwcEjPAqhWrd7Aa8cfR7pFkL9YOFueOwJVZI-Qk~aH4-uTZS-Q8bbYF9h9EYYuWY1~1fxn1r1JjGyV9eOaMufZrgpWxipNjn7EWXxYn1X75CaTN40zB141C~7-bLg~Xgw7Y~eBEgWdxZTboQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- The total size of uploaded files must not exceed **500 MB**.

- Each individual file must not exceed **100 MB**.

- Add large files to `.gitignore` to prevent increasing the project size.

- HackerRank supports externally hosted datasets with a maximum total size of 5 GB. When you use external datasets, ensure that your solution runs within the platform's machine specifications:

- **CPU:** 2 vCPUs

- **Memory:** 16 GB RAM

- **Storage:** 20 GB disk

3. Toggle **Automatic Scoring** to choose the evaluation mode.

- **Manual evaluation:** Disable **Automatic Scoring** to require manual evaluation.

Add evaluation materials in **Step 3: Question Details** under **Interviewer Guidelines**, such as scoring rubric, solution notebook, actual output, evaluation script, and evaluation criteria.

Reviewers can use these materials to assign scores manually. For more information about manual scoring, see [Manual scoring](https://support.hackerrank.com/articles/5187107609-data-science-questions#manual-scoring).

- **Automatic evaluation:** Enable **Automatic Scoring** to allow the platform to evaluate submissions automatically.

When you enable Automatic Scoring:

1. Select a **Scoring Metric**. Choose a **standard metric** from the dropdown, or select **Custom** to define your own evaluation logic.

- If you select a **standard metric** (For example, Categorization Accuracy, Mean F-Score, Log Loss, AUC-ROC Curve, Root Mean Squared Logarithmic Error, Average Precision):

1. Enter the filename that candidates must use for their final submission in the **Candidate Submission CSV Filename** field.

2. Click **Browse Files** under **Expected Result** to upload the CSV file (for example, `actual_output.csv`) that contains the actual results used to generate the score. After uploading the file, map the required columns under **Expected Result Format**.

3. Click **Browse Files** under **Sample Submission** to upload the CSV file (for example, `sample_submission.csv`) that you expect candidates to submit. After uploading the file, map the required columns under **Sample Submission Format**.

- If you select **Custom**:

1. Create a scoring script that:

- Evaluates the candidate's submission (For example, `submission.csv`)
- Compares it with the expected output file (For example, `actual\_output.csv`)
- Calculates relevant metrics such as accuracy, precision, recall, and F-score

The scoring script must return the final score in the following format:

```
`FS_SCORE: X%`
```

```
...
```

```
#!/usr/bin/env python
# coding: utf-8
import pandas as pd
from sklearn.metrics import accuracy_score
import sys

def score(actual_data, sub_data):
    if actual_data.shape != sub_data.shape:
        print('Shape Mismatch')
        return 0
    if actual_data.columns.tolist() != sub_data.columns.tolist():
        print('Columns Mismatch')
        return 0

    actuals = actual_data['popularity'].tolist()
    preds = sub_data['popularity'].tolist()
    try:
        return accuracy_score(actuals, preds)
    except:
        print('Error in Evaluation')
        return 0

def read_data(actual_file, submission_file):
    try:
        actual_data = pd.read_csv(actual_file)
        sub_data = pd.read_csv(submission_file)

        return actual_data, sub_data
    except:
        print('File Not Found')
        print("FS_SCORE:0 %")

try:
    actual_data, submission_data = read_data(sys.argv[1], sys.argv[2])
    score = score(actual_data, submission_data)
    print("FS_SCORE:" + str(score * 100) + " %")
except Exception as e:
    print(e)
    print('Score could not be calculated')
    print("FS_SCORE:0 %")
...

```

Ensure the script handles edge cases, always returns a score, and runs without errors.

If the script fails or does not return a valid score, the platform assigns no score and requires manual review.

2. Upload the following files under ****Additional Files****:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776699285922-image.png?Expires=253370764800&Signature=R5v45wc51siTX6YimxhFjPqckR1a4qTyOfrqONM1UTAcWcyfnmynWXVOLwn3HZMymthlnu~hAIT1axnvMcVq5cFPDtljvMhM3RPpnPEmo~50tPGPsMjADeM3OY9~bafiX4PswV7f8mtlinUa4pb6L0pNNd77lrhuREoqodXPq1MIYaGmlThblH7b7d41RoUZ5q~8ykiYjlsfUzFcnPXqdVkrJ6d3Ow3Pc95xBIMn~RtaU~U3vg5hd5LGjYVMnamGwoW2PdD4kn1czs7NmLbfDyTDN69xeFU43kk9X9tL~K~3nBuQyDngGnWyflu3Vg3QBi6AC2CMDJNgaG~xhy1NruQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- Scoring script (For example, `score.py` or `score.sh`)
- Expected output file (For example, `actual\_output.csv`)

3. Enter the expected submission filename in the ****Candidate Submission CSV Filename**** field.

4. Upload the expected result file under ****Expected Result****, if required.

5. Define the scoring command inside `hackerrank.yml`.

Example:

```
...
scoring:
command: python evaluation_files/score.py evaluation_files/actual_output.csv
...
```

![[hackerrank.yml.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772610331466-hackerrank.yml.png?Expires=253370764800&Signature=de86GZRIvrcRn9zVcShWcMdn7TgBaH-ntcPBhn8o-47VrhU9L6V-FfiWGTELA1ZNJTHQqtCQq cEduGwc7ocJ2uUwrxsq59sFiW3G8c5CASizM4DDjkLJayXo6YzmvN~s6qoLpAJWRFhlhaX57cb5RZP84QaG7l8Di52u-h42hwDRIF9o 9oIp8cZ5XJT1jOWBBzil1Ng8Ga9BI0P~CODjI46GfUTKgwUMni-ZC5bKv5NqluA~3PfpR6-j2iNYNlbWt7nu34NFld2kdQJljygdCQfJ5zS Uj5G0OKMmZ0wsrFPyAivCiMzZb0EACO4XkJYnIHycqH0C~jq7LRrRaUhrA__&Key-Pair-Id=K3NV4LZ47N8M46)]

The scoring command must execute successfully, produce valid output, and return a valid score.

4. Click ****Validate****.

![[image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776699505233-image.png?Expires=253370 764800&Signature=QY2gv1dggQ4f1WzhaFxDdhYBt9HU8EsVnWLF56eSF3t1Ncc-JOJnamZA48y-csQZ~UQpDCRdV~5TjEl6kpV5d5 GoHiS~Ki6VZ4dcXRx106imwETDj8rJy-MMSn0Ov-ZVkcdoqGik3PqQbMieFXskiGkVPjHEVnsO0IMbmJGMioPZ4mFsKX3MvZ3YBw5 kijbxwd8ABmi2ngzhrVrfgxUGWp3BQQFb~O8ODBxeUtneEMNGarhxrUc2Lbdle1A~K6oqFa8aJWvHmNApwsbbvQhanysxc0K~uLvg8 1CAItw3rtpo6kNBs5mDpQtQxBfWRpHCGEI5TQLT9m-ykOMnEj1tAQ__&Key-Pair-Id=K3NV4LZ47N8M46)]

****Note:**** Click ****Revert**** to restore the project to the last successful validation state.

![[image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776699684859-image.png?Expires=253370 764800&Signature=qjz~mCoxpDjfb~affmryP820-t8bOdElbUm~Ty0TKJzuth7JjIRy9PFg663p4geA3mZ7OqsJl~EPpGYmdl56DO9Sec UtrOrihcSZwhOgshxrG3oqW4RPDrqSeY3EJCMX12LTb0qUG~BMKc8eWrXl4U6X7b2QBB5Q80mfzQ8qo6LYyy14F9sX8spWWQ1E BYP6yOufgE8Q5E-nhOkQ4bu927~MprhTAmFQD4mInpeDlrBj1ReBCpOb1HPNJq66YLsICxISsyW8F6ObUa5rxJ6cA5dNqYjmOgtu3 FpYzLRUXaTrQU1-I9Y9a5IVS-0v6DWfcAyfzfW4eutCHhdiWZ~VDQ__&Key-Pair-Id=K3NV4LZ47N8M46)]

5. Click ****Next****.

Step 3: Question details

1. In the ****Question details**** section:

![[image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772610432791-image.png?Expires=253370 764800&Signature=hWSv2vF5NwdjMEOPqrNrnRMIZLAHxy3l~-P8AGAXo7Ro8wCCla0iUTQhKZHfD27lu-v0BulscGJN5ychvmdTSn N2RdYYhgzoQtLMkwf0wsTDz~KuXEZQwmE2gciVaBVp0vCwH5Auh3sulinFZLoq1BnyU~7VxQyd1d1B0V6DCv1LPzkyN8EmL7ZXiJ V4BcXZc5toPckmUloDHQFnG~Eiol1JGDg1DpdZU~Xad2wthx~yrJ~RvbTrmfBXBN0672o28ISN8eJijhbJTvo~ySg4e2wyNuAdEpDR5 qcmz7XEBfQj4xf4xxCBRRHrji9biWbu7za6YXp4iuQ3Wms8iDgAA__&Key-Pair-Id=K3NV4LZ47N8M46)]

1. Enter the ****Question name****.

2. Enter the ****Score**** based on difficulty.

3. Add ****Recommended time**** in minutes.

4. Add ****Tags**** from the drop-down list or create new ones.

5. Describe the problem in the ****Problem description**** field. You can use the formatting menu to format the text or to include elements such as tables or images.

2. Add ****Interviewer guidelines**** for internal use, such as evaluation criteria, hints, or reference solutions.

![[image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772610447185-image.png?Expires=253370 764800&Signature=Eu~fwaQn86XRjOXwgOWo60DNazUBxCcG7AEKPcMFtr-viSm7lqTBdZG4b8xNZmAmwRXJ~yHI0dHXacdS2ED 44A1B1nTkxWQRRXXko-1~f8O2p1-fINQMMDsLU9mmHOFagcxmp2Lxpjh-WK-RZ7VNWfjYkjS5PBiWvaA135dj1yk6nevW1~p954cT 7CAsScSJ1Z3tz8eLEgZ6i96j1ab~HHkBAV83OR5o2~~Lb3oRfWB636j-JEq6mQK2-oEIVAnRJXmUpGC5huTnLXT77-ordrZBtWnUm

2inDX2XXR-zsaH1m9LNfMnNFJTSNZx2dKPjbZ4mfsPJ5qirBGZQ83dqA__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: If you selected manual evaluation, add the evaluation criteria in **Interviewer Guidelines**.

3. (Optional) Add **Software Instructions** to specify required packages or software versions. If you leave this field empty, the platform uses the default instructions.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772610752280-image.png?Expires=253370764800&Signature=aHEIF4pPZzx-7EXCF0Ui-3luO2hat-z~hpw0VKPtLbRaxAcp74a-tbR0ddDBLqIU-5YeMGtqqxXQ5P81NamltYQnz9-iX~pH-ed5aE3amUIL3xlgYdNy0SbHz1x9EcGJAYaVopZoRTvIKS6ELVXFvETZAqKk-ddEAkmJjK798qeaf5m9hRvyYaUXwUduzP6Z7~uvi2ooZXULsHTz8t1WF76oZrGM7oB9gZMGMczi~dXNXMvvl06z0XqTYqnY7qEnm10i0yP4~bBW~zyX-sOxT6SZhAaDRFan0i5nZFTSUP3PDKOH2xzNN1AazyoADvzrIF31mCjvVSR6rcx18mVCqw__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: Click **Try question** to view how the question appears to candidates.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772610684194-image.png?Expires=253370764800&Signature=dIZK1YJvO3S6Kpo3TLyz4kcNKX7M9A2WFq6lfXlbWrgTx3okFcikDzqHPF5N-bGQGSNjPNmBI6HjK0pUjhKGvOqaEfiU2tSJRYc-aDIj0i0BOR6oE8m3p1XDGD3-hMtSQB8hmKr2IPnFSt-GVKzDRur-G81xv6P6rPkcJGdmCjucizB1HQkhrAyOb6Zp01xt0zC91JWM8-F7MfvgFUAXRh2WJFQj4Rxt5IEM5d6vH~JKr~tG1os4hcOFBZGI5IGeBA7hnLh2ft6oz2LMq3nU1RFRjaJK3apAr2YkCcRI~BYpqwZy4Q-qMFyZONqFY0l6KkXeSL1hkl0DMG~T7TZYA__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click **Save**.

The question appears under **My Company** questions in the HackerRank Library.

Candidate experience

Candidates solve these challenges in an embedded VS Code IDE within HackerRank Projects.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776699940887-image.png?Expires=253370764800&Signature=JGmfuuC~3cb-vOrpEF1NfJnxfgoTWJ2K45Y3wJIUmgN17x~QxqdUxILJ0wFpsVeSsfYDO4oFVTLE8SLsrkWgjn2A9ZNQ22YHABcNRWFhGgkRE7v~rvJXwuhw58KnTkbc5ryttkWaN149r8BIAvrLEJ3NlvoJKwNvxjgimydePQlttainH3VtT7ldGrJhq9MNEwHjt4kzXjOUss333u5-uRzBZqiNvXPddjLB8fjl4gxE9hj-LSuIZKslojql5biN2KbtJqyT1YmouHI~whRD9dulaKih4fOX-EHFSpjIHDXGrcAMfywYTCu8gKbTVgg2qF3~hjzqNFQf-MvklD04fA__&Key-Pair-Id=K3NV4LZ47N8M46)

Scoring a Data Science question in tests

You can evaluate a Data Science question using **Automatic** or **Manual** scoring.

Automatic scoring

When you enable **Automatic Scoring**, the platform evaluates the question based on the selected scoring metric and configuration.

The system generates the score automatically and displays it in the candidate report.

Manual scoring

You can use manual scoring when **Automatic Scoring** is disabled or when a submission requires manual review.

To manually score a question:

1. Open the candidate's **Detailed Test Report**. For more information, see [? Viewing a Candidate's Detailed Test Report](/articles/8263794320).
2. Expand **Problem Statement**.
3. Scroll to **Interviewer Guidelines**. This section may include the solution notebook and evaluation criteria.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772610822742-image.png?Expires=253370764800&Signature=lrOrqAl5GqdPBjO-mn8J7wtls1rYvFQQaGkw059vCM7w8-AaSLRDUqfh6htiJujGstTl1Xayh5OjDv8f4XoxWmcgYfc1uu66na-LkzzLZt4fnJcvyY5CL7nfYBgFmJdbfGmXewOrMYXPe~mCBVBjTtKfzhkzh8goUSJLNXWTTFFjITi9F6~3BJMUbPtevu4w0vDrrUySSTYVJK9sfdkl4lBxZ1HazRIORaxq4n1gHfwe6a3Z~LbS-mSI9QEvVasfhSxq3LPVTIbEpuOPcnS-etH0UWkm9DiqvZeWhT0~T0d5rY8xln2~AUHIEww88d0Pck5meCMYCKHSuvf5yvNw__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Review the candidate's submitted solution using one of the following options:

- Download the submission as a ZIP file.
- Launch a temporary VS Code session.

Launching a VS Code session allows you to:

- Review all submitted files
- Run data cells and scripts
- Explore the submission environment

<!-- -->

1. Enter the score in the ****Score**** field after you complete your review.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772610837042-image.png?Expires=253370764800&Signature=NC14GJJ0MY9F5zHoVP2YS72QArp~DrVfdC5vOknajLAYGIEKtn6OP~dSppPz8XOdWrXXOova930I070r~-rVgRyfW4JCfjomujgNJEApLHy0is29akaUkryG~hkLmi0u7nnqcw2~kcJSbDQaTk7beSglE8DTnv07UPW4aMmj5p~jcOGEZidcjrHNFUvj5WZ Z6-rvp5p2hBe9hdHajFCDnx03WgqF3u3cnW9hZ5ZhB2GaiDhdxOY4XyS9AZ6z7HMOGJBZtkaL3djuSw4jPHZEOVdeBzS8CBbj4EdK sEsS1G4SK2ax2sDBS6iZkKbd0MY~qgQgQPu4DnmD-XTP~8Q8XQ__&Key-Pair-Id=K3NV4LZ47N8M46)

\

[library/question-types/projects-questions] DevOps Questions Key benefits Creating

title: "DevOps Questions Key benefits Creating a DevOps question Candidate experience Scoring a DevOps question in tests"
title_slug: "devops-questions-key-benefits-creating-a-devops-question-candidate-experience-scoring-a-devops-question-in-tests"
source_url: "https://support.hackerrank.com/articles/5929074504-devops-questions"
article_slug: "5929074504-devops-questions"
last_updated_exact: "Mar 26, 2026, 5:23 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
- "Library"
- "Question Types"
- "Projects Questions"

DevOps Questions Key benefits Creating a DevOps question Candidate experience Scoring a DevOps question in tests

Last updated: Mar 26, 2026, 5:23 PM (Last updated 1 month ago)

DevOps questions allow you to assess a candidate's proficiency with Linux through hands-on tasks. Each question provides a sandboxed Linux virtual machine (VM) where candidates complete real-world scenarios, such as:

- Installing software packages
- Creating files with specific content
- Running command-line tools such as `grep`

Key benefits

HackerRank provides the following benefits for DevOps question types:

- **Dedicated Sandbox VM:**
 - Provision an isolated Linux VM for each candidate.
 - Candidates interact with the VM through an in-browser terminal to complete all required tasks.
- **Performance evaluation:** Test administrators can review candidate performance using:
 - **Automated scoring scripts:** Scripts validate whether the candidate completes the assigned tasks correctly.
 - **Session playback:** Playback lets administrators verify:
 - Whether the candidate uses the manual page (manpage command).
 - Whether the candidate performs tasks from memory.
 - The overall command-line workflow during the session.
 - **Automated environment setup:**
 - Offers a fully configured environment.
 - Test creators do not need to perform any manual setup.

Creating a DevOps question

To create a DevOps question:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Library** tab.
3. Click **Create Question**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771230778483-image.png?Expires=253370764800&Signature=JiWExMnL-70KxO5JK7BefGvzwbxovPh8eJSYVwwislQXYvhdG5yKtFZ4ikaDsjiAZqVM3-NrS5RdIK5f6num0amhl4gexxzwLobg5HEhagYKx49YLScaAVlbQ-XHFjBrTgyGV0r9GsNg-Vq0HTm5jaoovLuPhyTt8LavfJbYicAok7f7F-rsliPt70aJ5-C-LQz67D-eLnJgBaA9nUn5CAdTzOSWDK4Ao9EARja1bnE7leIA6KHDS-Uw7dCeS3tZ1rvCuWc3V8--WamSiK-bKUqixpoDMufOpYiErvWrMwJfA1l3lh2qEwW0LA6Lnt3IH7mdprH8iKdgrRlsJJXg__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Select **DevOps** under **Projects**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771230464610-image.png?Expires=253370764800&Signature=G-6sse8q4AO0kM3hhUcAUfGZBCAywHrnyyXOnBJYZi3QhdxGbhvFa-Dy2FfUAORBCA1pVcUr99gyWBq8l4jt5p7Qg4DDylwg4m5bq4HNKvVhNdTTYhGsAAsfGhd2VA1-H7I-P3EfNlXldzw8hTg03feZ0kgp9jUs74be3jgzN7vkaWv8y0bWHY48zXSrVDGjYQuUXOmCW0tSJBBERGRqo0uOuWX7aEOp2fMqJa1aNcCJuW6v-Qo-IakSyY0zTm1jth5JH2JjxX9302AMQrJr0AutCyW0pWanAvsErMIMMzw1PK8s9adCoJTjA78m7-NrapSCQYho10ABvehfEey8Q__&Key-Pair-Id=K3NV4LZ47N8M46)

The DevOps question creation workflow opens with the following two steps.

Step 1: Settings

This step configures the environment and scripts required for the question.

1. In the **Environment Settings** section:

1. Select an operating system from the **Operating System** dropdown.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771230884166-image.png?Expires=253370764800&Signature=ZRY5ud2p0wsLwu28Hr8LiwGgEwrWiJ5rElwvpN9yRolaUni7aB8Uprx6Tawtz1fgJ~fUrbBqYjX5Rzqh0--VZRSERYkxJrTuerCZFvFGeEmw74qV8MLWI0yGVowI9nHhmK3UHfCEa3rzTqMU61SLYmD1VICNmWfTg4C3KxSm5n7o0-bCBIDmQ9V57ry3ajSgzXkfPSFPuPLi58PysdY0GrmvTBMefJqlnBGy7rukklFESPORTXgKuJmJehylasRm39TiXRR3QolmqjXZHHDZQl2yS5uMmSeda4Y1xFu2pTcdZk7hrchVSn7Bv3EPcZSg5VPMNgcceYgURHZqyn7zg__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Select **Yes** or **No** from the **Root Access** dropdown.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771230960510-image.png?Expires=253370764800&Signature=Ou9X3cqFYqQWo0RCxVitGPecfMVTLEfjgGtPc-FOT6YvEp4O1~1pEH55KDC~70kbj3SsHVhEAT69GaHaUmDeuDVgAcVuJXw8QOrm-ilyADOzTvbe2OO-mLJENFaKnoYd-vfA0TYVrXmNJXlqyOdDwaCkZpanADIJLpsFT6REZ6ne8ktNn3EL~Up1W1bgiUIZE4tYOQmF~eB0O0jjHoyHZWn5mWljWzyAEAs0TKSg-KwD6l6AGBnwhvEqxczll8sBiuQmYPhXrp4l0esLyjBqtbDkslVeDJRpZEzHluVY2TVoiFvpr0QUn1pmAAUDV5YH7NyVl8iFQy1uN1~bTm0eQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: Candidates receive root access through the `sudo` command. If any question in the test requires elevated privileges, the platform automatically grants the candidate root access for the entire session.

2. In the **Scripts** section:

1. Configure the **Setup Script** to initialize the environment before the candidate logs in. The platform executes this script at server startup. You can use this script to install packages or create sample files. The **Setup Script** timeout limit is five minutes.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771231045731-image.png?Expires=253370764800&Signature=hlcwCVCQwIYWHgwm3p0m3XwtX5ztGzWKX-0DIFoJaSvEgL6NXDkf7qqfb8yAdANbKf4esCcpEq8Y~abBjbWrLDR5EhlnCKPisqu6zWu6WmGmP1cJZvvcEVygZJwdO6agQObrlXMCdpcNuz0yulw6GIIC0tTb5FidnGjrKQUC3ZG2RLh-KMbsWrlcwU3qKeLwohYH0Mev2rfHPavr-5eljm4dLySkcMvuQuY1wZM5vOpu8uYL1dhL916GKiKSinggiPuHusJjOve3oyjJM4pR9oB54kqDRxyfd6tHRaFhfHsNL1pqa7tMbr~a5GVMAp6eQoLXxr4CbgXG8skGnC~Xw__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Configure the **Scoring Script** to evaluate the candidate's performance after they submit their solution. You can use this script to define custom scoring logic and award partial credit as needed. The **Scoring Script** timeout limit is twenty minutes. For more information, see [Scoring a DevOps Question in tests](https://support.hackerrank.com/articles/5929074504-devops-questions#scoring-a-devops-question-in-tests).

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771231010089-image.png?Expires=253370764800&Signature=ZFzZ-xyscBEeCKoPIHHvprWniIvWz1XOUmWbb6gM6Dj6Y-1MugchqcNvCEzxDy94H4cgcpwoNVxgpUdA7rCvqQ-IM9EL-K3xu3lHE8AL0cokyZLFvm0~av38VnfhavYdzhfNijH-KwXSBT4xYgXgk2OmIfZjMaHqqiNa9tXVGbWhiz9MMwnvsOU4Y1o064ot2inQekvn0mNNMwl0iFF7RVkq7g9XvzYkbnqz5gwqZxqBMOkypwtZlppaXH0mZLETUnM1AxYQfo13rkphgUr7h7e7NHCGRT0JzxADZ4kb~LEtmjI795xXypi2dDRtQ4S2WBv7zWNNlufhV0gNegkA__&Key-Pair-Id=K3NV4LZ47N8M46)

3. (Optional) Configure the ****Evaluator Solution**** to store the correct answer to the problem for reference. You can use this script to solve the question during debugging or testing when you try the test as a recruiter or admin. The platform does not run this script. This script is placed in the /tmp folder.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771231021853-image.png?Expires=253370764800&Signature=mMVp5Wldsy~MYh-2ApNV~S1EZI07iNKeEVsGd46yHy1p0D45ndSNsE0-9PyVTnrJStfXxLD2crm3HwbgMeEkrB9nN1S7Dp0Kw6OWsXtl~Aa2nLWLbwP8nFSHMOUBZrV6NQ2xed2kkwx2rgseViNeTMj5-0amlPIKNQNvlyLauXyZZ~loUM19j~e18d2FIv~czYARE4qQIvVJOLCJuO2YGetvz70dDWS7u9w1dFTLDXKN9vzCYEutNzUxp85djsPTS2FB3nIKWPr3vReU-BR0UPKHxQe0RIU3sUhFe2mSliow43yfpDn5mn3xDgooA6e8WJlqfj8LhOnMHF7WL-efA__&Key-Pair-Id=K3NV4LZ47N8M46)

****Note:**** Click the expand icon to view the script editor in full screen.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771231302040-image.png?Expires=253370764800&Signature=DFr6BuQGlcT47HclZnb341UBluDCTZ~FPITiPnmrBkjZhkvwD5jliP9cXbK3cGJRljlMPSd~iuKHbhbV3T-zvFNRIrsJAlQ206nu8Mm0eJFGIOgSzqZr8nTSj7JoqtUiMmN8VwBLDRV~5UTp2LMhl~ZU3ubS8lz8uONFCjyB04qtrdCSKVd~pLslc1Z00Fs8lctPZsz7TdS8i-ShloUXnyDEpqQML3Rxc49p7EWFH7dAY~aOkivTsyGbOP12abQq1l6t5xRzfGR0Sh2la7EKR1cYqnYEzLFM5Lr~qng7xvMgimD3LWjC~ar6SZjMoq19oVJwmGc~e8ZQyvcL-m~OQ__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Click ****Validate****.
A success message appears when validation completes.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771231899649-image.png?Expires=253370764800&Signature=iFB49~EKr8HSQMrSlyLgJk8cHnDJVCw0XEiFRhoZEraLqC7v52WU3udwk9wPLf9vJGSwpWQdK3XvU8hj8rVJJo-28zhq2~39g8PV4gA~IEZ5PmjQ-74TZ6HJQpp0olrgj62TCFbCICB0YDSA4Z~sb0k07yZ8TSAQ11kOz0i1W4Rvxq2iPuuu8wRa2F~vNdvKK8Uuk6QJaEQhGXXvLuRgBLzh8AmHRvF70~yetbYkfe42UtUn7YFHy1s~hW6p3hIMIFGAmRg9VW3YgQ3zWT3GtuCx24bx3lkdzFJUu5qFRB~ArzNlkn72s2okxQUgi2QEKLTCn3aVDds6QabG-A__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click ****Next****.

****Note:****

- Validation fails if the ****Setup Script**** or ****Scoring Script**** does not run successfully. To troubleshoot, click ****View Log****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771231446397-image.png?Expires=253370764800&Signature=eSxVklO6eFFzaXt6WvFD0~gmzHrvYJgw0rEM5Y8JBC6I3ChcdA7839kVaQkPU45fcdlbwnNqNqDPiSD3N0faEfb42-X6KAuaJH8-plaXiXZ1dyvOehYk9~4EUplmYTVmXorbH5JM1qg9KBwoGIDmCgGttPnBZWMyYhvJEh43HvtujkNtE0teul0NLf96jHl3u0i0dOyhjQn~LQ99Nolwy2gt0THGM1rnARRZPMMxOzMcci-kzIYYac2hQNf6l~fHlJr6zCVIHI-njF1WnPFX-MrgwQyYCgWc8-gUfG5~dAeTj0q3beGeUD28nJrBuyEnXURAKlq-n~MVINJunidw__&Key-Pair-Id=K3NV4LZ47N8M46)

- If some test cases pass by default, the system displays a warning during validation. Hover over the information icon to view details.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771231462774-image.png?Expires=253370764800&Signature=iLzKa6iP75uem39I3uKHJaoBxiU4UqtuCK1~FgvbdQBFV1IXKCDXmmalpnYTVKQa8BAcPF66rWcJlZxJ7u3uD7P8dNaAFKwXmZ98UnJ141Cvg~lsGgz7To8xAGZQxJ9SCqxmWvHviwZ399HX3FxlUMygVvXvt2wkf7HRRVA~s8hDQ6nAziVq~pZr3ZWZMEXglYFurtOgWj7tTC9XTD5LBA98qorusy1Doj7ndTHRFE4WiCrivtmz9bl8I5LPSbSibKZINKUiHWNcQE~xRCd30DPnprEHYBP~NA2d8SZKJyYvAu5RWDcT8o4eJCGqpMnk66tOzicxghqhVKIOLI-EaCA__&Key-Pair-Id=K3NV4LZ47N8M46)

- If the scripts contain syntax errors, the system displays a dialog box. Click ****View full log**** to review the errors.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771231505401-image.png?Expires=253370764800&Signature=EJkuYyhrX8evy~~wasE8baLcGcHUyxapKV1Y8Ofvsbqrf4ZiKJMBp~HkPMkJSD7FIITeInSwFzSOHz4Vp5kODHfKBgCHc4CakZjxHLHGN4DZrns3qP6nF3gnuSLtyjul6xuFshL~mEZMDXTjGNdbjOXEnhJ-WF73mbIMEldrdC~7VdAMQQLesqFdWRG1FDnQT1ZKpeXIDPAZeENOG2nJM0IIX2M39ZFr8Ef2Uqovjw-U9sNcHmW7xJ7YVU6C~YFN52xz6pjKG1rh5tiXyxT10~GifRhXtM7IxfS89-SIM8IjUZwqej6Mf0rppR91m4WT1MoAcLUiKeFJpiDXMhZg__&Key-Pair-Id=K3NV4LZ47N8M46)

Step 2: Details

1. In the ****Problem Details**** section:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771231670575-image.png?Expires=253370764800&Signature=sqOacXc0QOOnYM4xdUxDFReb6wgnGqS20K2x0fopCLfGOqlfrqyx7QqE2ASDSPWyOFYIDd2LJzSFLffik~bOJN

PrLR0nZws00QaVw7iuvGZT7SQU6K0uV8SJMfjScwVqhvgi534fnHOKQcjy9oBxwb8a67jfMg0sdq6lGJJU2Pww1VXQb0bnWPOc8yW7PtXUXQXaOaos7liVoDzPZai3x6KYr2TbkdnwcehwqW7lUgVlMh6PzwVJiZdUt-3FqNBdSh2C3b1vbSFhxq3f8~H0SugzbH~p9iliyzJ3cpF82dyaaxX8AzTQOgfX1XYlpRkHvKAcGPt0bpFBkb8EsTXg__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Enter the **Question name**.
2. Enter the **Score** and **Recommended time** based on question difficulty.
- | Difficulty | Score | Recommended Time |
|-------------------|--------------|-------------------------|
| Easy | 50 Points | 15 Minutes |
| Medium | 75 Points | 30 Minutes |
| Hard | 100 Points | 45-60 Minutes |
3. Add **Tags** from the drop-down list or create new ones.
4. Describe the problem in the **Problem description** field. You can use the formatting menu to format the text or to include elements such as tables or images.
2. (Optional) Add **Interviewer guidelines** for internal use, such as evaluation notes, hints, or reference solutions.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771231722195-image.png?Expires=253370764800&Signature=U~p-rr6oadWSyePqHu37T2T6XDNItvZWPLn5n4Q7-BifPz9g8gPFivQZB0bOTbIXKeaz0CuVKLSil5XS-8wKMi14D6BGaPQUck3FMrzdiRfWG26wnNFj~CrSYBqqTsETQcn2Cu3pTVCw~ilGbdI-82Br2A12AIS92tbe8eofaaUPtNo44nZluppWLuqPDxD2jLGTeymSyFVUXjr1Ghn~8AREz9FUvpNvl777sZbKZ2aTQ61hS~mt1Fa-fspq8Kud7x37JKdK16B36~r1O5UXLjQpxeYoNie59-6rYf75yRf3~o1zrnm7Xf0SzQCyBfglFVevX7Mz8cfqW2NscDKQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: Click **Try question** to view how the question appears to candidates.

3. Click **Save**.

The question appears under **My Company** questions in the HackerRank Library.

Candidate experience

Candidates can use the terminal to perform the tasks described in the question.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771231528456-image.png?Expires=253370764800&Signature=cPgCCdEEuiTiACHm0~pRaL8BCXvUVAIj~mLuEqOkHuY6CwB3SVwGSJMWiHxkbyFV5f3~ooJ29hWP5pqy8t5LZTY4btwcOto~bMG-ApGPJVPutON99B7KE14m7sE11Xx~HLVeU~NAK1fp097b5eOi1b~g122socaTLguh9vDkSc50KZn6ySSDI~8WZLUjiu~6Ss77p2il54IH5r9hleCuf2zMQqqW~EZxpzS~i6-bPDcB9IRBpkAhFrBmV6BQb~NRRgqaTbQwYTI37RhnbIxGCg4iT2~22GbL0hHCpzuLP-rF4tqBPrY7KJJ0arBYttw-rOY-QEgus0nUIVTIHKMw__&Key-Pair-Id=K3NV4LZ47N8M46)

Scoring a DevOps question in tests

DevOps questions use automatic evaluation. The platform runs a Bash scoring script to validate tasks and assign scores.

The scoring script determines whether the candidate receives full credit, partial credit, or no credit, based on its output and exit status.

Partial credit logic

If the scoring script prints one or more lines in the following format:

Partial Credit: <value>%

The system calculates the score as follows:

- The system adds all printed percentage values to calculate a total percentage score (x%).
- The candidate receives x% of the maximum score assigned to the question.
- If the percentage symbol (%) is missing, the system treats the value as a percentage.
- Example: `Partial Credit: 50` is equivalent to `Partial Credit: 50%`.

- If a printed value is less than 0%, the system ignores it.
- If a printed value is greater than 100%, the system treats it as 100%.

Scoring based on script exit status

If the scoring script does not print any lines in the `Partial Credit: <value>%` format, the system assigns the score based on the script's exit code:

- **Exit code 0:** The candidate receives 100% of the maximum score.
- **Non-zero exit code:** The candidate receives 0 points.

\

\

[library/question-types/projects-questions] Generative AI Questions Creating a Generative AI question

title: "Generative AI Questions Creating a Generative AI question Candidate experience Scoring a Generative AI question in tests"
title_slug: "generative-ai-questions-creating-a-generative-ai-question-candidate-experience-scoring-a-generative-ai-question-in-tests"
source_url: "https://support.hackerrank.com/articles/7355446816-creating-a-rag-retrieval-augmented-generation-question"
article_slug: "7355446816-creating-a-rag-retrieval-augmented-generation-question"
last_updated_exact: "Mar 26, 2026, 5:08 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
- "Library"
- "Question Types"
- "Projects Questions"

Generative AI Questions Creating a Generative AI question Candidate experience Scoring a Generative AI question in tests

Last updated: Mar 26, 2026, 5:08 PM (Last updated 1 month ago)

Generative AI questions assess a candidate’s ability to design, build, and evaluate AI-powered solutions in real-world environments.

Use the Generative AI questions to evaluate how candidates:

- Retrieve and index data (for example, using vector databases)
- Integrate retrieved data with generative AI models
- Fine-tune models
- Evaluate and optimize generated outputs

Note: HackerRank currently supports Generative AI questions in the **Retrieval-Augmented Generation (RAG)** environment.

Creating a Generative AI question

To create a Generative AI question:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Library** tab.
3. Click **Create Question**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772612916145-image.png?Expires=253370764800&Signature=CUNco8TKrLHDT0BA1b120gkRvdrOHPczSjNaNrBWkvuWj8Hz4OMoAdxvJMPEQKQWfUxrBHZFT81rpR1RMHqDUxPun6gJ6olwPiSoScTXCwwAwQhtaYyn~yRS6IRI~jd9BdcY0WOkuSmap5AC3I-hUdwFmr9dO8pbsHjGrAb25OJ82z6ThZHs55kn7wjVf4mROjRbcjQyDEK8YmINhWvE5OjTcKA7v6MMvYNNpS2I37EGcuMfn1JyAh8WXhJppKmmAmWuuBkAUOZcofU01bR~QdWzhpflEb9EyajegQYnZb~PjfrJS5aP2uyDjdZ9bxcM6BhYUGh-eOg1yTZ5QSeJA__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Select **Generative AI** under **Projects**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772612970596-image.png?Expires=253370764800&Signature=Gc6bvHgQnT1AoPoclIXqVLGC5vJ1xvWsJDIfQu~SegKzKY02OwrG5gj8UDZ9jJVuvvGD50dHJd9PNlg7gQgx5lXpsnAILnT9GJS~11vO~bhpl3LI5stb6L1OGHFQIH5NTihMOA1wp~LOhJrFbFY~heC~T4fta3NebLAG1fDKham13dQmMxC8B8Vxv9qn5jPj1QhZlglYwk6OBnrB-XopvoZPx5QPovU3JVB~EZkZXIRoDIMVGmdvzH5G0Xywg1QjIn2wzlkRi~Tm7m1cmJ3hZsgpWIKxzHqviiLJK1WChQ5RoRWvs5S~I1HMXdRKTyD7GJPAGKNc2w2djZ0x0XBBA__&Key-Pair-Id=K3NV4LZ47N8M46)

The Generative AI question creation workflow opens with the following three steps.

Step 1: Environment

1. Select **RAG** under **Generative AI Environments**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772617756063-image.png?Expires=253370764800&Signature=...

764800&Signature=jGf~4vd3Bm5giaYl1qWWvahLe7KSTVfd25PW5abpy2DDEXSbZOGlww7Q-g6Xljd43sQ~A5klHqOyfzGibh2D4zS
W1TnrZOM5kE4S0xw42QJdKrQDLKIsNp97DdZX0RFY5t2-NdeGDiY4TO2fEBPeYwjCueOGSKa77VqqTcS6NpMkXyy~Pq9yCmkkJA
QeVg6MmEubXrB1rSjwzhjYefBE35rNZTh5B4Bp4wFsXqyEYNc4dDNc9gms~WBYwtvskts3iB-om1n9mkE0bbVvMww53dXqCQrvz8H
A5h5bzJhtNvRo695rLogqpf-Xn7NH4W-qrmmdU51fJrZFDWmAvwdfYg__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Click ****Next****.

Step 2: Project Setup

Step 2A: Select Project

1. Set up the project using one of the following methods:

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772617814597-image.png?Expires=253370764800&Signature=N~z3Jcdk~8bdv1ZCvp1zRix6Tb0H-edAj3uakaDkDcrstabJmUCGO3JORb-n3bcx7s4mY2F1-G-zrrAIAMRoHcCUQTQtkGBhupVji0S6OMXPDNxlwYfc~Q-3eIKIE7O5QyW9rJ0Wr161MsWuLDIUstl1m~2HuLbOhR-ymECngat4Dhaziw~pq1wCASm9W0qoC0skyju5tt51dgbzruZlkP3vG~ED2YU2YK4CFn47SEKODE9G9NwEW1a~x8XHg2~IORD6EWZHGhUuR8nlpupBI7Bvt635CfyFtCRTDhyRw9oVQeQEjNBSkUyApaPwojRYbvPZ~Kq-eY6gSA21lr4g__&Key-Pair-Id=K3NV4LZ47N8M46)

- ****Upload Zip:**** Upload the project file in ZIP format. The file size must not exceed 5 MB.

- ****Clone from GitHub:**** Clone the project from your Git repository by providing the repository link. If the repository is private, the IDE requests permission to connect with the GitHub repository using a one-time access token.

****Note:**** HackerRank does not store your GitHub credentials.

- ****Use Sample Project:**** Select a sample project to build your question.

****Note:**** Do not use sample projects in tests as they are not designed to evaluate candidate skills.

2. Configure debugger support after selecting a project. The project root folder stores all files at the root level, which simplifies setup. When you enable the debugger, it automatically appears in the candidate's environment, removing the need for manual configuration.

3. Click ****Next****.

****Note: ****

- Monitor the ****Network Indicator**** in the IDE to ensure a stable connection while you create the question. Click the expand icon to view in fullscreen mode.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772617782223-image.png?Expires=253370764800&Signature=TDh4tEBUgaah1McCDlr7SqrGtP7eA8nlqfnL-TiuYDZptNABm-HT8-e-cEhSkSgkokjRB0CuNB-2OkEu1hRqoX8sd2L5HFVAmDk1W2~-UzdLQQG3kpBmpYGBzFwdLnElbcTRLrc9PE9mWB~yLXMlh5cN2d0fMRxArXcxgQe1k4SEdHDGJUORD9QqsmbWOMyYY-6nNP-LeS0V2LPq96LXwYDoV6XlwzJb~X5HUWrE8tylu3hcifeiwAJob1CU59peS~ewMRnC~QiMMULVM4od6gHJ4YjJ2LHNqskGfYDzpYoammO1ZGEmfieloyaUSOKdvss-hAPhFJSwtfaCQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- If your project includes any blacklisted domains, the IDE notifies you automatically. Click ****View Blocked Domains**** to see the list of blocked domain URLs.

Step 2B: IDE Setup

1. Define a data source for the model to retrieve information from. Choose one of the following storage options:

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772617845271-image.png?Expires=253370764800&Signature=UFNoFW7kPI--AQng28Kvp7n452HNS0j7-3DPWi~MHpjz4W9HeKXjNwvoxd8S4shZHmTiek5-1MMP0MNI0~wQYi3EdoTrxc4VGiLAgN8JzEKJKKcg9Q0DOJJCTgNxKBLEDOFDSae5Uxen7c7lf12MamQJg0lt9ibw89~6C1AS1pcd2Klka82QG5pAWXuj

mDv~mf~mM5NF4CBHA4qslprxVvgcyfXmmEMhaTs4rdlbRj357Lk4sRpQ6Ke8VwjJzMRn-LO74TsMldKJmvSSZJi234~uoAv8esU75H1UGBcl5hh-q3AzVEeDCQe4iXg9KS93ycdaS7IO9ROd4yxRIDWsA__&Key-Pair-Id=K3NV4LZ47N8M46)

- **File-based storage**: Use file-based storage to provide unstructured or text-based data through project files.\nYou can:

- Reference an existing file path in your project.\n The system displays the token count and size limits.
- Upload a new file through the UI.\n The platform stores the file in Amazon S3 or in the IDE, depending on your environment.

- **Database (DB) storage**: Use database storage to provide structured data.

You can:

- Upload a **.db** file to load an existing database into the project.
- Upload a **.sql** file to initialize or modify a database.

Note:

Data source limits and constraints

- File size and storage limits

- Upload files or databases up to 500 MB or up to the effective token capacity, whichever limit applies first.
- The system validates non-text files based only on file size.
- The platform stores all uploaded files in a dedicated data folder and automatically adds them to `.gitignore`.

- Token usage limits

- After each upload, the system displays the token count and applicable limits.
- Large embeddings from files or databases may trigger rate limiting.

- Request limits

- Send up to 30 requests per minute.
- Process up to 3,000 tokens per minute for standard requests.
- Process up to 30,000 tokens per minute for embedding models.
- Run up to five parallel requests.

1. Configure the IDE project commands for **Install**, **Run**, and **Test**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772617876419-image.png?Expires=253370764800&Signature=cx2TEEWYIMDGEulkUi6Z9MLg8v9shLYkNROzfaasZ8As9PHyl6-y6zuCmmA87mUCjjJxwQY18zOTrQoSBEPsi~5mMdx0ENjMkCWviFt1BbCifoyz-tG4sOZdtCYKI4lyIWMW-4yKopKzZm3ZjRHVnllEe5X9FfCcUend4F9EIUIQQHGE8SPia4hPWNHF Gmnf9h3JQRTs4FihN7rSUIa6JfZsjlepcBxNoj4yn92nYwjucf2SPHbR-6hRPq41Mu1OqUZt1mY32P1N7AMMFZjnbZR4zyzV77Z3~bEwlp0qowGHwV8uHUUC82chEKHQKvY043fVLMWXXkHD6cCJ-7Fg__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Add **Default open files** that appear when candidates open the IDE.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772617893514-image.png?Expires=253370764800&Signature=f8N1uCNJu3MO2NAXj8Dn~1s-5w6jh7-60LmeTUZGNAtOFVoKDhvnZqji7GLJRCsTL0TzMTQzNBldOuXISj88mH3Lewh2M7eORFscroDhbX8nY90ipjJeO2naB-W9fHGhN01vOJOk0~aLuKO419T8MDN6OxFbgvLXQt2bpcbr8k-c9B-9xnWuB2gPsmcXNJDSOyZqIhOIldgov~gTbT9UkfEvH0rtXjoNlLasRdZvX9lwzN5Z-4x-w2MGU~ZqVqTk5fsidPF7WiaZHg07fVfQgJkQQ6wIHV6mWCrByYh7XDRtHGNZ8jl6QSBGi5jDRNcQjtJ1y0x2TLbZv2wl0xaQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: You can add multiple files that open by default when candidates work on the project. You must add at least one file.

3. (Optional) Add **Read-only files** that candidates cannot modify. For example, test cases or README files.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772617903119-image.png?Expires=253370764800&Signature=YcBESGm7Kr~dCFENOMRi1EnykgQYodaRy47p1KI9BZbpJhxj7BS7HFIF6gPblqIHUP4tMth3MHrgg6oVWcnm3ytCzmnFuFs7d9oAwWaWF8qFPTb6tzV8h8V02KbiJEwHuMKuViJKp1EbCAaHPapbhgtUktro8KBSOygfUdk9t32JZBKwdR9U9a2vC3rTFg7-wSTb1jUeCEd91kUgwt~SzxbErT-v8~MSVqsRqIJY4WUExdDX250kEhhl3UoXOU8HIPLMcJm~bQefiOuB4JFYDnUD5H~TYffrG1Kde~1CFyqwDogUB8iD24v-GHi63r1pqy2M47V-SzinyXVQgkS2Q__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click **Next**.

Step 2C: Scoring Settings

1. Choose whether to enable automated scoring.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772617971256-image.png?Expires=253370764800&Signature=gznsHACZH9cDKqwuzpqtV8RLVrhWpuRIOAMP3vWUC4HPFYXPN9fxAqReAazcwb8P22kxJMqFueJWw6NsRtGfxleWLM9uXpwLclIPeiFRJ7hkxey3ArG4I4EJpz1mb5b36s42eHd8tuFq-INwMPAMVL~DHbOxnGLpue-5R9mby79x84OBRC0nXoCN UHK5bDaZaEpVmgB7UCrvvUGobZ13kTsNk0k7wjVjPDBgLIFXKIm4gsrz1teKOPlékCGMozqCuD6hwqNJTwewuA8k1ClfNYKI92a7xzRyb6ldQq9sS-nfX9l8NtS5MeVT6a7geg~wNzKrufuX1V7BgRbO6eUFG__&Key-Pair-Id=K3NV4LZ47N8M46)

- If you select **Yes**:

- Click **Try** under **Define scoring command**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772617928722-image.png?Expires=253370764800&Signature=IIQ7IMDh-z8uHpTqKhciv4f-vGIInfJISR2JyWasbtiweS7X~i7IWKK-fkIZkvTg96wFSwatJSKnWpl409TqA3HUW1Ha8mCMBBVy9D6~jyyP-GVSkegQyku1-QtylYVDHhI6t~A25nDuPf~ZPo8Hr4Zgv85otHUC4c6STRI42k4MCQjpJZZ1G90A39KRq7SWH2AfbTYitnkUtsn8iRiKgv9xh8gtF~FjIBmpmxmRb6TTZBG-PMclG6AASrczyWWvOR1NIF1j0ebGzUKAAzsdgtQh3DX-EC7gEjXim6zUZL2wRn6bt7~0S6eDzWKmFvwOqS8msdKkQ-MHqNozCqiN8w__&Key-Pair-Id=K3NV4LZ47N8M46)

- (Optional) Click **Add item** under **Scoring output file(s)** to provide a list of XML file paths to generate when the scoring command runs.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772618026410-image.png?Expires=253370764800&Signature=FNEHfdTsySWHZEbe58PL1I960LS~onpGfNKKmqpl3CXWJN5EzI2qg5GmgcCozz-XRrkP9Attflc8cxosKNfWNUweCTByoYSY5jz7uVqkfQ09uWs1E~2vlmZ7BS~JX6B8f0Zuc3KPKw8~TjTDOJTrKLEQ3QOwfk2Fig2QX2SwYtmbFUVE2eHp01~Kru1PVtg3VoRFeUUqk7yBodI9Tkj~cV3ZN7dKEN5rErTa5fgX4V1BE63Ljr-mFBVw05T8k7DOqHsbGW11H7ZrCbXXXtkCBJotLFeTherg-yK1~pHsLkWxLCUC9Vg7AclfldHFYvrlMfbmHkfUKqXc3vKGZ5ew__&Key-Pair-Id=K3NV4LZ47N8M46)

- (Optional) Click **Add item** under **Hidden files** to provide a list of test case files to hide from candidates during the test.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772617997213-image.png?Expires=253370764800&Signature=uTmqj0KVY371r4vJNi02~YdbEp1YS6mIHK86LDzmATrI~9e7MoNINcRU~JJLZZC175S1T0p6LviH9Se2sWLvgGYudU7RPTbSuHes4VpAkOcd4AFIZ07sZdT6oxc4kELEcbnLyZE6TUmV0aKcZ8cfmlCre5ocWzB-hgwohmdaUPCleewJxf-qnr7NqXL AWeheHJYwqiy7AR86j~y~IVLDAGsnAWx5cA0iH-qFIJZvKODTmv8n6zaDcCfPnEZ7kgw36n0xq2m7d0US-WRmT088qEkuWmgF0o1LhsEoLgtojnEHaTU95K6WWaLvOqc7XsSdSbooin-QBbQ4WJC-VZ7w__&Key-Pair-Id=K3NV4LZ47N8M46)

- If you select **No**, you can assign scores manually.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772618043281-image.png?Expires=253370764800&Signature=DnZruUiqt5OwQujQwCgJYVbnkmZEShCQ2riixseYbODMcaelCOj5rhaTkh~OhwTxZyKk7n3eVvK4cZd1n8AJV3kXHOHqM629fECF89IFhw-Dwa-n8rfcemolsZJtauUsJ2P-YF8Vc5hmjJJZAwxdWb~-R2YXBwd9YeQrTGOVolDUI~2q-R4Fw3PBTCVg1lZAFdMG0UPG3VIO3aRfVv87Qus9KDtP-GTqXDt~FW~S8cRBHRbxT6kcTdw8GKr-LVuThUF6tkfiww9jCHslsSaNgkrmvwp6vv3qJiXLvn5OVSETIMxSiKb3JkYgDTj7KUrCsjMS5iY6iXZc-jFXFx1FmA__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information about scoring, see [Scoring a Generative AI Question in tests](https://support.hackerrank.com/articles/7355446816-creating-a-rag-retrieval-augmented-generation-question#scoring-a-generat-ive-ai-question-in-tests).

2. Click **Validate** and then click **Ok** once validation is complete.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772618057702-image.png?Expires=253370764800&Signature=ns2G~-rE2H10cSP3qowst5i8B4pWqNUhQ1IPmiVB0o09Dj5fBQLuBLeV-8Avvq4HCFDMgPIGwk3s9Fdt~xo4sr45~tXyALxGH4gtlcZW0bXqgbpsQD0xa6GQ923syofX35xX2DbP565jGfXVzAqO~EFJIEwTpM30YLV7RWDBbhWtNKLtrKjPCor45B5WGovVEE6gU7WALZ3M7QpKlJty8rDlIs5hd-i5eKnzPZUPJ2vDTx3XXq285UITygYAWsJAlvo3yv8qoAQyU-wUEw2i3YtIp7e4KFGCt~LkzfiCl8Ay130bb6HYmaDae3uYdnSufv7ey-3KbEil7ydGmuTgg__&Key-Pair-Id=K3NV4LZ47N8M46)![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772618074661-image.png?Expires=253370764800&Signature=sMyzC5v3qoQDpWx3hja4oFhJ4k-JLsbEu5vXhlsOEd-NECsIsDeZ-upnRbehqnotnDtDBKXdhDNS7m815lcJ8tnzp5IFRVxdBUlq~clAUJaQJJuQ0Mkuih76trtrgcZGDVBNfSrvXBB65iteDUXDkd~hT~Luvsv08mezv57EPISi4xBfA7VJdGEEbEE-4ELbTikky86jjPKhj-HVa5Tclr1sIM0Sa1WYA3NHudIX3E-yrijPeEHtiv9xgQcrlTTW2LHdxv86-cscspXtHrHmptDtORr3qz3LkiCY7uklxyom5zkVGxQvekl62UzHL976COAXRhKIT6g~M5eq8udkfQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: Click **Revert** to revert to the last validation state.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772618088645-image.png?Expires=253370764800&Signature=nSVYqdDd2ZO6BRzKx4zcqBpMTopx-6MrTy1TsFwNlqTr-QH4EMxMk9b7UzQPc8iYQhyegRa5UUM7LP0IO~f9kCSDftoDcSMCFDvGkQzFiGARndsxsrl1A3Edxi4EDnPIUtvYwZOkxUJXj0dv5p9Qz2D08JBLQpGJXgNajvBHllnCzAVXu-H8dKNibPS7x54opvDS23vmNVOin~lor3jZsqaBryO4GvjE0BWBVC9H6~TxYhvPR7a1tGI9jliAlSk~kleC-808Alw2mNOBiYBUHTxs4ZoHqYrvo4dFK-A1Bx4Rq9XX4M7hCUwoaHpxLCHEyQgx0jNg2iER~kDtr2rw__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Click **Next**.

Step 3: Question Details

1. Enter the **Question name**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772618475011-image.png?Expires=253370764800&Signature=ubiMgAErr0C-TxXXUq5GjmRuv7AgInwc051iDmnv27AMZvr8fTcc9bNxoTNNBHThnOFSDcgBc1tUO1Ya6RNx7uf8uiYaEZS08ucQEKkUo5-CoaHNrsyQt-9wAS~4xVSvAEKPk20Bqg5atgFXlUGgGdUBozN1oljGvi3dagz2figqKnDPYyN5XTuKh9WkFMHKlflFpC~Zw-VKbNILP09GBEY6iGGfMfImHEgRXbmMhantC4uroRS9xzb0uuw4wG379KbgotzbnjCGfecM817hvXzZvZvv4Vkb9OfFYrdfW0Qv3imKMvxMD5DWrf8K06oH9-4JthDSokXUA0MwtJQ__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Enter the **Score** and **Recommended time** based on question difficulty.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772618565365-image.png?Expires=253370764800&Signature=ljCsebOamxmH~UHhBtdZj3LlMsWmw03U1wWolIwjdj1FW5l~bo93XM7aGNqOI9VjwVdz1qSAlldsxxkwBS7u4oCnBRumkAHFLrwakg5~K0y0Cq2tMP1KEvgV-smAuCs9mJX~4wAePffOk80Rq-MkSnRPG9~JfKN-KyoAWBkeAr81KrwnuZiRkIYM4Mx5o2NBYPbEurtn35VUCI6WqVzqaTYQSK8bM56XtkiudR0PKfu2~26sP4gobLhUlucMNIYXpdtKLbiBhToC0qQlhcAdos3kwqSsGWm9ZUkZ1s2BYyTpui7q7IJT0qvGC9Vkk4qWvnb8WwYWDL3DUZy~CcLGw__&Key-Pair-Id=K3NV4LZ47N8M46)

| | | | |
|-------------------|--------------|-------------------------|--|
| | | | |
| ----- | ----- | ----- | |
| Difficulty | Score | Recommended Time | |
| Easy | 50 Points | 15 Minutes | |
| Medium | 75 Points | 30 Minutes | |
| Hard | 100 Points | 45-60 Minutes | |

1. (Optional) Add **Tags** from the drop-down list or create new ones.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772618584463-image.png?Expires=253370764800&Signature=Xlao~uAwt4~-zHQtVo-YMcVTqFZJhBA3VPPJcRESApOuGF5Y4myQwqpD8luk9OPAbjcYa3CZW~~AOqjZMtqNVDr4Hzr2sUNNRRLVxHTajjr~WUU~sx6Rw9OtLMEXaZWSyUrWRkFN5vD284TkrLyN6D-94XsSKk1EJ4uvweRn6~mzFuYIHtg0jbJD-uk1dtoQtUTu6THTaRPNdXetjpLOTfHioGOSclKpHpL43Gg3IWLXE0rd-iR3LHYk2f9j2tX4kBNzye2OZ-Ak~dfloX4IFRrSEED1pCm8r5-zYITSQkdeH-Ar6giGrUmpFNjQlbadD7j8m4ws8TtwcaqrXOL1g__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Describe the problem in the **Problem Description** field. You can use the formatting menu to format the text or to include elements such as tables or images.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772618618055-image.png?Expires=253370764800&Signature=QsAXvKve1H-TFuEe-Qwkj6J5Ewp6c85pGUKOw2g5Xrs~K6-vjAb-CPawE6jtiA4q-fcSvvJScTv0Pe0elWCn9veB6HIYI9MppMGA3pHYTwwiLX7VaQa7gELZYpUfsZC-5eLkomVFJAEYTDi-cndEI1OMpljIFeO5wXgfVxWgPRECGothD78NEHBZgNPjG4PwwVywbF-dDo~JPZgzHyKaAGY1DyJG5AVkC5kZlpYPRd~0dpFeYtCbGz-rp2VLS1NSVjcEj9wsY1d8sMDZU9EWmEHDohlb~FABRpQGoaADI2RKnIP327L3tzW0c9ct8JBjTpw-c9Oa7SvDQLbT0gak1g__&Key-Pair-Id=K3NV4LZ47N8M46)

3. (Optional) Add ****Software Instructions**** to specify required packages or software versions. If you leave this field empty, the platform uses the default instructions.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772618661687-image.png?Expires=253370764800&Signature=VwW~r6RpvPLC~hT-iTsANJMLERBdC683w1xl~iwcU-0yDiCcASZFy3qIHnCVSQHWpVuorzVqGu07CaNu~peycZy9TJNTmbnAKS4I7nEmb6B8o~KSDw23oYVnJAJxjGNghpqSVSixf171NAscVLbBK4PKIBkGZUfqzJyEUQ27QeFwflVW6t7oZ32w8k~4r4TIIPG6ea37VDaZLL4mXf~cIF1VnJnSYy9nr~X92H4oL35ZdJLnJiXSuiMzKsWz~TRmfWYv~W6n1VlwTlc0UiZTz6UGbOX8dmrK~P9ZoZcWYhVLNkADgRLIFLWh2ogsrZvaqIMA7dUlnLhutjwnZEz7OA__&Key-Pair-Id=K3NV4LZ47N8M46)

4. (Optional) Add ****Interviewer guidelines**** for internal use, such as evaluation notes, hints, or reference solutions.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772618692852-image.png?Expires=253370764800&Signature=vWODccpDh8GNZkbPCV5jTKE4kEVPqcv1-OXies~7fetWpt~2KslAS5JoaHWN7-sfHrgOYgRcpeKOPM871QMu-OvyRDRduFH-RlmL3HQ9YzLhxQs4tt7kwByA97mKahxMJgA2b8VcjP-GCb1dOE~kQnfDkGH8tENPQKCC1kt5wv9UPRiD6KkeTFEPe70Qrp9LHsid2vwjMjPjom3jnwwZ8yPWUhxtebyQH00M0xYfiMs6EKXatORokkFadGFzZhMbNu761Be~~t~9qoLw4UhfnpaD8WqcAT8yndHtw8cGXcKiNxKbc8KSV8MUMbKqYE4QzogTxknLMdj1U4DXL9sCQ__&Key-Pair-Id=K3NV4LZ47N8M46)

****Note:**** Click ****Try question**** to view how the question appears to candidates.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772618135754-image.png?Expires=253370764800&Signature=XMvPpcRKPNXud364fWgdwx5KdX8fic04L-M5DspPakL8jVD9K6cMUGepp8yWXEmGzyjerM0DPMWfCN0Sse5wsff3e-kSuTMGECL2f~ubqPq8xXceoSbLZta4vgGmctb9MIXdTExCC8HPCJ24MptMZ0mZRivVEKmtuCK--VIZzHZArqWDLjmUsIk0U~LqHO9XTD67Y2-HLApfBiuJXzWcwj1zfTkW4y1wJ6wU3Q6H31bGptmfSk00eFw71YQ0x3~YgApdihDqWD5oujv4r3B2xYMO-tQi-agqXeJWQmKMgfQznKVXiyygz47QvRAilPtRc28sQuwRFwQ5DjE6PA__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click ****Save & Proceed****.

The question appears under ****My Company**** questions in the HackerRank Library.

Candidate experience

When a question loads, the IDE automatically starts the installation process. The candidates can click on ****Run**** to run the application.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772618306646-image.png?Expires=253370764800&Signature=dzBHgohxHLt8oWcCYysiWe2brDfEU6ui-J6~~nfbgqQs2NokCZGf5g3tRvtNOatdTkPox0X1R-RjQO9m9P9bkQNc0Y2zqk60PGUZkSjLXKEcoyGI3fwyOgidmsNhkJetCGoWO-ylbQIRYEVYs9zHuMz39bvPpNuTwiamrMSnNKDriJwUF5c61Tyw98RnjsyiZSEYM6pMBwNsdt4PjglJ5~7NweqQMpSr8bpsgE6h7SW3aTO5mh6rDK0zgyZDjSMHVSWqRHNHq0ls3a0YPgXW0M9zTmtnmv~95OKBGTV5hhCmeXsNHpZeOV3pR1Em7YbdVmJ~6cKwA-2Gms~oOhE6NA__&Key-Pair-Id=K3NV4LZ47N8M46)

Scoring a Generative AI question in tests

Generative AI questions support both automatic and manual scoring to evaluate candidate performance in realistic development environments.

Automated scoring

Automated scoring evaluates candidate submissions against predefined unit test cases. The final score depends on how many test cases the submission passes.

Each scoring format supports specific languages, frameworks, and testing tools. Select the format that matches your project setup and testing requirements.

HackerRank supports the following scoring formats.

JUnit-based scoring

JUnit-based scoring is the default method.

- The system assigns an equal score to each test case.
- A submission that passes all test cases receives the full score.
- A submission that passes some test cases receives a proportional score.

For instance, if a question has five test cases and a total score of 50, each test case is worth 10 points. If the candidate's code passes three test cases and fails two, the system assigns a final score of 30.

Example:

```
...
<?xml version="1.0"?><testsuite name="Node.js (linux; U; rv:v6.9.1) AppleWebKit/537.36 (KHTML, like Gecko)" package="unit"
timestamp="2017-04-12T21:08:42" id="0" hostname="2c29b2a64693" tests="8" errors="0" failures="0" time="0.29"><properties>
  <property name="browser.fullName" value="Node.js (linux; U; rv:v6.9.1) AppleWebKit/537.36 (KHTML, like
  Gecko)"/></properties><testcase name="CountryList should exist" time="0" classname="unit.CountryList"/><testcase name="Check
  Rendered List check number of rows that are rendered" time="0.017" classname="unit.Check Rendered List"/><testcase name="Main
  should exist" time="0.001" classname="unit.Main"/><testcase name="Check Functions check if the filter works" time="0.093"
  classname="unit.Check Functions"/><testcase name="Check Functions check empty search" time="0.061" classname="unit.Check
  Functions"/><testcase name="Search should exist" time="0.001" classname="unit.Search"/><testcase name="Check Search check if
  search bar works (case-sensitive)" time="0.071" classname="unit.Check Search"/><testcase name="Check Search check if search
  bar works (case-insensitive)" time="0.046" classname="unit.Check Search"/><system-err/></testsuite>
...
```

xUnit-based scoring

xUnit-based scoring applies to .NET projects that use xUnit.net for testing.

- This format supports .NET languages in .NET 2.0 projects.
- Scoring works the same way as JUnit-based scoring.

Example:

```
...
<?xml          version="1.0"          encoding="utf-8"?><assemblies          timestamp="01/25/2018          18:32:09"><assembly
name="/home/ubuntu/fullstack/project/tests/bin/Debug/netcoreapp2.0/tests.dll" run-date="2018-01-25" run-time="18:32:09" total="4"
passed="2" failed="2" skipped="0" time="0.011" errors="0">
  <errors />
  <collection total="2" passed="1" failed="1" skipped="0" name="Test collection for Tests.UnitTest1" time="0.011">
    <test name="Tests.UnitTest1.Test1" type="Tests.UnitTest1" method="Test1" time="0.0110000" result="Pass">
      <traits />
    </test>
    <test name="Tests.UnitTest1.Test2" type="Tests.UnitTest1" method="Test2" time="0.0110000" result="Fail">
      <traits />
      <failure message="failed">Failed</failure>
    </test>
  </collection>
  <collection total="2" passed="1" failed="1" skipped="0" name="Test collection for Tests.UnitTest2" time="0.011">
    <test name="Tests.UnitTest2.Test1" type="Tests.UnitTest2" method="Test1" time="0.0110000" result="Pass">
      <traits />
    </test>
    <test name="Tests.UnitTest2.Test2" type="Tests.UnitTest2" method="Test2" time="0.0110000" result="Fail">
      <traits />
      <failure message="failed">Failed</failure>
    </test>
  </collection></assembly></assemblies>
...
```

TAP scoring

Test Anything Protocol (TAP) is a standard unit test output format. HackerRank supports a basic version of the TAP output format. The system evaluates test results based on the TAP specification. For more information on the TAP specification, see [TAP documentation](https://testanything.org/tap-version-13-specification.html).

Example:

```
...
TAP version 13
1..6
#
# Create a new Board and Tile, then place
# the Tile onto the board.
#
```

ok 1 - The object is a Board
ok 2 - Board size is zero
not ok 3 - The object is a Tile
ok 4 - Get possible places to put the Tile
not ok 5 - Placing the tile produces error
ok 6 - Board size is 1
``

Manual scoring

Manual scoring allows you to assign scores directly for Generative AI questions.

To manually score:

1. Open the candidate's Detailed Test Report. For more information, see [? Viewing a Candidate's Detailed Test Report](/articles/8263794320).
2. Select the relevant Generative AI question.
3. Enter the score for the question.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772618280699-image.png?Expires=253370764800&Signature=Pk86ZWNB38NoI3sE~5JCIDy3JD2aQ5UkWmxvYQ-bzuGftucqUMq9nbpDIMhIHDjwOAdqhE4seIOFj7S4491FrgXuttCX8bd9waf2G7XbFqGrIrfcqnVImski6HhrwEMuXNUDoDkGF2Jo7H7yGGfeXqSWJrwl5eOioyMj6cYKzZM8Cc~nVrNwe4F~-QNAqGXDB7SFAnigh0lCn4f5hYVLcCl3cDDO7iNA~wEGeeS-Lc5CQ-FhfgdyN1x4PSk9hxrP-YRJKbTdUzid2qw706SiCgfQdNWyOU0Yyg3vs n5oAQiNC6T5UNYYx-x7Yt~SnjGFBnX-Il8cl~cVgyrcMh3lvG__&Key-Pair-Id=K3NV4LZ47N8M46)

The system saves the score for the selected question.

[screen/best-practice-guides] Best Practices for Email Delivery and Bounce Management

title: "Best Practices for Email Delivery and Bounce Management Understanding email bounces Best practices to improve email deliverability"

title_slug:

"best-practices-for-email-delivery-and-bounce-management-understanding-email-bounces-best-practices-to-improve-email-deliverability"

source_url: "https://support.hackerrank.com/articles/1258426835-best-practices-for-email-delivery-and-bounce-management"

article_slug: "1258426835-best-practices-for-email-delivery-and-bounce-management"

last_updated_exact: "Feb 19, 2026, 3:31 PM"

last_updated_relative: "Last updated 2 months ago"

breadcrumbs:

- "Screen"
- "Best Practice Guides"

Best Practices for Email Delivery and Bounce Management Understanding email bounces Best practices to improve email deliverability

Last updated: Feb 19, 2026, 3:31 PM (Last updated 2 months ago)

Reliable email delivery is essential for effective candidate communication and uninterrupted hiring workflows. This guide outlines the differences between soft and hard bounces and provides best practices to improve email deliverability.

Understanding email bounces

An email bounce occurs when a message fails to reach the recipient. Bounces are categorized as either soft or hard depending on whether the failure is temporary or permanent.

Soft bounces

A soft bounce indicates a temporary failure to deliver an email. The message might be delivered successfully if retried. However, delivery is not guaranteed, especially if a spam filter caused the failure.

Common causes of soft bounces include:

- **Mailbox full**: The recipient's inbox is full and cannot accept new messages.
- **Server busy**: The recipient's email server is temporarily unavailable.
- **Message too large**: The email exceeds the server's size limits.
- **Spam filter**: The email was temporarily blocked by a spam filter.
- **Temporary server error**: A transient issue occurred on the recipient's server.

Hard bounces

A hard bounce indicates a permanent failure to deliver an email. The message cannot be delivered and will not be retried.

Common causes of hard bounces include:

- **Invalid recipient**: The email address is incorrect or no longer exists.
- **Invalid domain**: The domain part of the email address is invalid.
- **Blocked**: The email was blocked by the recipient's server due to security settings or blacklist rules.
- **Inactive address**: The email address was previously valid but is no longer active.
- **Mailbox not found**: The email address does not exist on the server.
- **Invalid sender**: The sender address is not recognized or is rejected by the recipient's server.

Note: Quarantined emails are not categorized as bounces.

Best practices to improve email deliverability

Follow these best practices to improve email deliverability:

Allowlist HackerRank domains and IP addresses

Request your IT or security team to allowlist the following HackerRank domain and IP addresses:

- ****Domains****:

- hackerrank.com

- hackerrankforwork.com

- pm-bounces.hackerrankforwork.com

- ****IP Addresses****: Contact the HackerRank Support team to obtain the current list of IP addresses used for outgoing emails.

Encourage candidates to provide a personal email address

Ask candidates to provide a personal email address (such as Gmail, Outlook) for receiving their HackerRank invitation. Personal email providers offer better delivery rates and fewer bulk-email restrictions.

Encourage candidates to allowlist HackerRank

Ask candidates to add HackerRank emails to their safe sender list. You can include the following message in your communications:

> *Check your spam or junk folder if you do not receive the HackerRank invitation. We recommend adding* no-reply@hackerrank.com *to your contacts to ensure future messages are delivered.*

Avoid spam triggers in custom messages

Format your message carefully to enhance deliverability and minimize the risk of triggering spam filters. Follow these guidelines when drafting or customizing emails.

| | | | |
|---|---|---|---|

| ****Guideline**** | ****What to Avoid**** | ****Why It Matters**** | ****Recommended Practice**** |

| ****Emphasis formatting**** | All-uppercase phrases (for example, IMPORTANT, DISCLAIMER) | All caps can resemble phishing or scam messages. | Use bold, italic, or underline for emphasis instead of all caps. |

| ****Urgency language**** | Repeated use of terms such as Important | Excessive urgency may appear manipulative or spam-like. | Use urgency once per message. Choose neutral alternatives when possible. |

| ****Employment and fee-related wording**** | Phrases such as offer of employment and pay fees for application | These phrases resemble scam language if not properly contextualized. | Retain for legal clarity, but review tone and surrounding content. |

| ****Spam-triggering phrases**** | Language such as Click now, Free access, or overly promotional wording | Common in marketing spam; may reduce trust or trigger spam filters. | Use clear, factual language. Focus on value without exaggeration. |

| ****Punctuation and formatting**** | Multiple exclamation marks (for example, Apply now!!!), excessive links or images | These patterns are often flagged as spam by mail servers. | Use standard punctuation. Limit images and links to essential content. |

| ****Tone and style**** | Aggressive, exaggerated, or overly casual language | Reduces professional credibility and increases the risk of being filtered. | Maintain a professional, informative tone throughout the message. |

****Note****: For assistance, contact support@hackerrank.com.

\

[screen/best-practice-guides] Best Practices to Maintain Test Integrity

title: "Best Practices to Maintain Test Integrity"
title_slug: "best-practices-to-maintain-test-integrity"
source_url: "https://support.hackerrank.com/articles/1878974014-best-practices-to-maintain-test-integrity"
article_slug: "1878974014-best-practices-to-maintain-test-integrity"
last_updated_exact: "Mar 4, 2026, 4:43 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
- "Screen"
- "Best Practice Guides"

Best Practices to Maintain Test Integrity

Last updated: Mar 4, 2026, 4:43 PM (Last updated 2 months ago)

This guide provides best practices to maintain test integrity.

Prevent Question Leak

Before inviting candidates, ensure the test does not contain any leaked questions. If leaked questions are identified:

- Remove or replace them before candidates take the test.
- If leaked questions are discovered after the test, exclude them from scoring and check for plagiarism or copied content in the candidates' submissions.
- Use the Watermarking feature to find out who leaked the questions online.

Refer to the [? Manage Leaked Questions](/articles/8820947031) for more on identifying leaked questions.

Monitor Candidate Malpractice Activity During the Test

Copy-Paste Tracking

You can enable the [Copy-Paste](https://support.hackerrank.com/hc/en-us/articles/360011479133-Proctoring-HackerRank-Tests#copypaste-tracking) option to monitor and track the number of times candidates copy or paste content from external sources.

The **Copy-Paste Frequency** column in the Excel report shows how frequently a candidate has copied or pasted code, helping you detect possible misuse of resources.

Tab Proctoring

Activate [Tab Proctoring](https://support.hackerrank.com/hc/en-us/articles/360011479133-Proctoring-HackerRank-Tests#tab-proctoring) to monitor if a candidate leaves the test window during the assessment. This feature can track the number of times the candidate left the test screen and the total time spent away from the test screen.

The Excel reports will capture the **Number of window exists** and **Out of window duration (seconds)** for further analysis.

Prevent Impersonation

Image Proctoring

Enabling [Image Proctoring](https://support.hackerrank.com/articles/7825915809-impersonation-detection#image-proctoring-13) requires candidates to keep their cameras on throughout the test. Images of the candidate are captured at regular intervals until the end of the test. The captured images can help you detect suspicious behavior, such as:

- The presence of other people with the candidate.
- The candidate using a mobile phone or other gadgets.
- The candidate consistently looks away from the screen.

- Long absences from the screen, indicating the candidate has left the room.

Note: If continuous image capturing is not required, you can use the [Photo Identification](https://support.hackerrank.com/articles/7825915809-impersonation-detection#photo-identification-3) feature to capture a photo of the candidate before the test begins.

Image Analysis with AI

The [Image Analysis](https://support.hackerrank.com/hc/en-us/articles/17971376196627-Detect-Suspicious-Activity-Using-Image-Analysis#enabling-image-analysis) feature uses AI to analyze the proctored images to provide more details in the report such as suspicion score, suspicion severity, and reasons behind the suspicion.

The information is captured under **Candidate Attempt Activity** in summary reports on the platform and Excel reports. A set of five images is displayed for each suspicious event, providing a quick preview.

You can decide whether the flagged activity warrants further action, such as rejecting the candidate or requesting clarification.

Multiple Monitor Detection

Sometimes, candidates may employ a proxy to complete their assessments by using an additional monitor. You can utilize the [Multiple Monitor Detection](https://support.hackerrank.com/hc/en-us/articles/17793999314963-Multiple-Monitor-Detection) feature to identify these instances and request clarification from the candidates.

Prevent Sharing of Answers During a Test

Randomize the test structure

- **Create sections** with varying difficulty levels: Easy, Medium, and Hard.

- Example:

- **Section 1**: Easy

- **Section 2**: Medium

- **Section 3**: Hard

- Including harder sections helps reduce plagiarism.

- **Randomize questions** within sections to vary test questions for each candidate.

- Use a Question Pool and shuffle questions for each candidate.

- It is advised to randomize questions especially for MCQ (Multiple Choice Question) and Sentence completion question types to make it harder for candidates to share answers

- **Modifying Questions**

- Clone and modify questions to prevent candidates from copying answers found online.

- Change or add new test cases or make minor edits to the problem statements to make answers harder to find. This ensures that copied solutions do not pass newly added test cases.

- Enable the **hide question title** option so candidates cannot search for answers online using the title. When you use this feature the question titles are displayed like Question 01 or Question 02.

Timing Considerations

Shorten the login window to enter a test and keep the duration of login close to the recommended time to reduce the risk of question leakage.

Recommended login window:

- 15-20 minutes for up to 10,000 candidates

- 30 minutes for over 10,000 candidates

Detect Plagiarism

[AI Plagiarism Detection](https://support.hackerrank.com/hc/en-us/articles/115005603547-Plagiarism-Detection-Using-MOSS-Measure-of-Software-Similarity) is highly recommended if your organization can utilize AI in the hiring process.

Over the past year, AI tools like ChatGPT have evolved rapidly with frequent upgrades and enhanced problem-solving capabilities. These tools are increasingly used by software engineering professionals, making AI-assisted code plagiarism a leading cause of plagiarism in coding assessments.

Since the launch of our latest model, we have detected more instances of code plagiarism, as candidates are using AI tools more frequently in tests. The new model is well-equipped to capture these latest forms of code plagiarism using several [indicators](https://support.hackerrank.com/hc/en-us/articles/16146609166483-AI-Plagiarism-Detection#viewing-flagged-plagiarism-attempts), including references to AI tools.

Note: The [Standard Plagiarism Model - MOSS](https://support.hackerrank.com/hc/en-us/articles/115005603547-Plagiarism-Detection-Using-MOSS-Measure-of-Software-Similarity) is available by default in your account if your organization cannot enable the AI plagiarism feature for hiring. Since this model has certain [limitations](https://support.hackerrank.com/hc/en-us/articles/115005603547-Plagiarism-Detection-Using-MOSS-Measure-of-Software-Similarity#plagiarism-indicators-in-reports), we recommend manually reviewing code playback for any flagged attempts.

Considerations

- Communicate a zero-tolerance policy for plagiarism in the **test instructions**, stating that any copying will lead to disqualification.
- Regularly review and update **tests** to ensure their integrity.
- If concerns about a candidate's test integrity remain, request an explanation of their approach in a [live interview](https://support.hackerrank.com/hc/en-us/articles/115007439768-Key-Interview-Features). During the interview, ask them to modify their submitted code to demonstrate their understanding.

\

[screen/best-practice-guides] Best Practices for Screening

title: "Best Practices for Screening"
title_slug: "best-practices-for-screening"
source_url: "https://support.hackerrank.com/articles/3584214233-best-practices-for-screening"
article_slug: "3584214233-best-practices-for-screening"
last_updated_exact: "Dec 13, 2024, 5:03 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Screen"
- "Best Practice Guides"

Best Practices for Screening

Last updated: Dec 13, 2024, 5:03 AM (Last updated 1 year ago)

Test Creation

1. **Certified Assessments**
Use HackerRank's [Certified Assessments](https://support.hackerrank.com/hc/en-us/articles/10294879213331-HackerRank-Certified-Assessments) for standardized tests tailored to different campuses or candidate batches. This fully managed option allows for quick, reliable test creation.
2. **Incorporate Project Simulations**
For niche technical roles (e.g., AI/ML, Cybersecurity, Cloud), consider using project-based questions in which candidates create a real-world application in a browser environment. For more details, refer to [Introduction to HackerRank Projects](https://support.hackerrank.com/hc/en-us/articles/115005447467-Introduction-to-HackerRank-Projects).
3. **Randomize Questions and Sections**
Enable the [Shuffle Questions](https://support.hackerrank.com/hc/en-us/articles/8915614977939-Configuring-Shuffle-Settings-and-Question-Settings#shuffle-settings) setting for your tests to discourage candidates from sharing specific questions, as each candidate will encounter a unique sequence.
4. **Implement Time Constraints**
Apply time limits for each coding question or the overall assessment to discourage candidates from capturing and sharing questions.
5. **Enable Short Login Windows**
Limit the login window to a short duration (e.g., 10 minutes) to ensure all candidates start the test simultaneously and minimize opportunities to wait for answers.
6. **Utilize Advanced Proctoring Tools**
HackerRank's proctoring tools monitor candidates in real-time, offering features like watermarking, multiple monitor detection, and AI-based plagiarism detection to identify similar code among candidates and detect assistance from external tools. Refer to [Best Practices to Maintain Test Integrity](https://support.hackerrank.com/hc/en-us/articles/5324947127187-Best-Practices-to-Maintain-Test-Integrity).
7. **Use Multiple Test Versions**
Create multiple versions of the same test with shuffled questions and assign these versions to different candidate groups, reducing the risk of shared answers.
8. **Offer Candidate Preparation Resources**
HackerRank provides curated practice tests and coding questions to support candidates in preparing for the specific role, fostering a fair and inclusive hiring process. Ask the candidates to try the sample test before attempting the actual test. You can also instruct the candidates to prep using the [candidate support page](https://candidatesupport.hackerrank.com/hc/en-us).

Recommendations

1. **Take a Holistic Approach to Assessments**
Evaluate skills, experience, and cultural fit through technical assessments, behavioral interviews, and project-based discussions, offering a complete picture of the candidate.
2. **Initial Screening by Hiring Manager**

Have the hiring manager conduct an initial screening to engage the candidate early, fostering transparency and increasing the likelihood of test completion.

3. ****Use Project-Based Take-Home Assignments****

For senior candidates, provide take-home assignments that simulate real-world challenges. This will allow candidates to demonstrate problem-solving, coding skills, and creativity in a practical setting.

4. ****Conduct Focused Technical Interviews****

Dive into the candidate's take-home assignment and explore their technical decisions and problem-solving methods, addressing advanced topics that reflect the role's requirements.

5. ****Flexible Evaluation Process****

Recognize that senior candidates' extensive experience may make traditional assessments less relevant. Consider moving directly to interviews based on their profile and track record.

Be Prepared

- Before sending your test to a candidate, have a fellow employee review it to confirm it is clear and error-free.
- Ensure that the problem statement is well-structured and includes sample inputs and outputs.
- Respect candidates' time by moving high-scoring candidates through the hiring process more quickly.
- Remember that while not all candidates will complete the challenge, those who do are typically highly qualified, streamlining and strengthening your hiring process.

Be Creative

- Craft unique, engaging challenges that resonate with your industry or brand. Customized questions often see higher completion rates than generic ones.
- Don't shy away from inventive scenarios. Examples include:
 - "Calculate the fuel needed for a rocket ship to reach Mars."
 - "Help James Bond decrypt a code to save the world."
 - "Plan a city's new rail line to serve the most residents with the fewest stops."

These best practices ensure a comprehensive, fair, and engaging assessment experience for junior and senior candidates.

[screen/best-practice-guides] Plagiarism Best Practices Guide

title: "Plagiarism Best Practices Guide"
title_slug: "plagiarism-best-practices-guide"
source_url: "https://support.hackerrank.com/articles/4291690360-plagiarism-best-practices-guide"
article_slug: "4291690360-plagiarism-best-practices-guide"
last_updated_exact: "Jul 1, 2025, 2:54 PM"
last_updated_relative: "Last updated 10 months ago"
breadcrumbs:
- "Screen"
- "Best Practice Guides"

Plagiarism Best Practices Guide

Last updated: Jul 1, 2025, 2:54 PM (Last updated 10 months ago)

This guide has been developed to assist you and your organization in understanding how plagiarism is detected, tracked, and reported upon with the HackerRank for Work Platform. You'll also find considerations, takeaways, and suggested steps to prepare a HackerRank assessment and follow up on candidate submissions.

How does HackerRank flag a candidate for plagiarism?

Our [plagiarism flag](https://support.hackerrank.com/hc/en-us/articles/16146609166483-AI-Powered-Plagiarism-Detection) is an indicator that there is a similarity between the code written by two or more candidates. The goal is to identify candidate submissions with the likelihood of plagiarism by comparing candidate codes and augmenting this with certain behavioral signals.

In simple terms, we flag candidates by looking at code similarity between candidates' attempts starting at a 75% match. HackerRank then makes use of certain behavioral signals to improve the precision.

- For context, a 75% match score is considered when the candidate has written at least 10 lines of code. If the candidate has written less than 10 lines of code, we have a higher threshold for a match score of 90% to flag candidates for plagiarism. This is to ensure that we don't flag candidates for questions that require writing simple code snippets of 10 lines of code or less.

Pre-Assessment: Test Creation Best Practices

1. Create sections within the test and add questions of all difficulty levels - Easy, Medium & Hard. For example, creating multiple sections varying in difficulty.

- Including sections harder in nature, will reduce plagiarism.

- Section 1 - Easy

1. Section 2 - Medium

2. Section 3 - Hard

2. Create a Question Pool within each section and randomize the questions within a section to vary the test from one test-taker to another.

3. Clone and modify assessment questions.

- Many plagiarism cases occur because of questions being leaked, which leads to candidates copy-pasting the solutions available online.

1. Cloning and modifying questions by adding alternate test cases, changes to the problem statement, etc., helps in two ways.

- Candidates who copy and paste the standard answer from the web cannot acquire a high score since their code doesn't pass the newly modified test cases.

1. Through modifications to the problem statement along with adding scenarios relevant to your organization, the question will not easily be found on the internet.

4. Keep the login window short and the test duration closer to the recommended time to avoid question leakage.

- For context, some companies with large test expiration times for their assessments have encountered upwards of 50% of their

candidates being flagged for plagiarism.

1. Recommendations for the test login window (test expiration time)

- (Varies from one organization to another)

1. 15-20 mins - for up to 10K candidates sitting for a test
2. 30 mins - 10K + candidates sitting for a test

5. Tab and Copy Paste Proctoring and other Test Integrity Settings

- Today, Copy Paste tracking is enabled by default for all of your customer tests. This will deter candidates from pasting code into their assessment attempts.

- Copy-Paste information (Copy-Paste Frequency) is available in the excel report as well as individual candidate reports (Reviewer can view the lines of code copy-pasted by the candidate)

1. Tab Proctoring will deter candidates from moving out of the test window. Tab proctoring also tracks the number of out of window exits made by the candidate as well as time spent outside the window. Both these details are available in the candidate excel report. Copy-Paste information (Copy-Paste Frequency) is available in the excel report as well as the individual candidate reports (Reviewer can view the lines of code copy-pasted by the candidate).

- For more information about downloading an excel report, check out the [Downloading PDF and Excel Test Reports](<https://support.hackerrank.com/hc/en-us/articles/360012776753-Downloading-PDF-and-Excel-Test-Reports>) article.

2. Use sections while creating tests and **add randomization** by allowing the system to **pick a set of different questions for each candidate**. Since each candidate may get different questions, it is difficult for the candidates to split the test questions among themselves and share answers. Refer here - [Section-based testing (Creating test sections and how to use them)](<https://support.hackerrank.com/hc/en-us/articles/360000784408-Section-based-Testing-#creating-test-sections-and-how-to-use-them>)

3. Enable the **shuffle questions?** option, which would add another layer of randomization to the ordering of questions as well so that candidates cannot rely on question numbers for getting the answers. Refer here - [Shuffle Questions and Question Points](<https://support.hackerrank.com/hc/en-us/articles/115006328628-Modifying-Question-Settings-for-Tests#shuffle-question-and-question-points>)

4. The **Hide Question Title** lets you disallow candidates from using a question title as a prompt on search engines to find answers to screening questions. While the actual question titles are hidden from the candidates, they will be replaced with a generic title like Question 01, Question 02, etc. (Learn more in the [Configuring Test Integrity Settings](<https://support.hackerrank.com/hc/en-us/articles/8915614977939-Configuring-the-Test-Integrity-Settings>) support article)

6. Leaked Questions

- Before taking the test LIVE, ensure that none of the test questions are leaked. If any questions have been leaked, it is recommended to remove and replace the leaked question within any test before inviting a candidate.

- For more information, check out the [Leaked Question Indicator](<https://support.hackerrank.com/hc/en-us/articles/360009582313-Leaked-Questions-Indicator>) article.

7. Test Instructions

- Mention very clearly in the ? test instructions? (under test settings = \> ?candidates? section? that there is zero tolerance for plagiarism, and copying will result in disqualification.

Post-Assessment: Best Practices

1. Shortlisting plagiarized candidates from the excel report.

- Attempt plagiarism - YES/NO

1. This Yes/No includes ? Inside the Test & Outside the Test? plagiarism results.

- For more information on downloading Excel Test Reports, access our [Downloading PDF and Excel Test Reports](<https://support.hackerrank.com/hc/en-us/articles/360012776753-Downloading-PDF-and-Excel-Test-Reports>) article.

2. Plagiarism Percentage

- By default, the system will flag a candidate as plagiarized when the match score is greater than 75% if at least 10 lines of code are written by the candidate. If there are <10 lines of code, we will flag candidates for plagiarism only if the match score is greater than 90%. This is to ensure that we don't flag candidates for questions that require writing simple code snippets (of <10 lines).

1. We recommend a sliding scale based upon the difficulty level for the questions which are part of your assessment. (This is to keep the number of candidates being flagged as potential plagiarism within reason for easier questions)

- Easy questions = 90%

1. Medium questions = (80-90%)

2. Hard Questions = 75%

3. Copy-paste activity

- ****Copy-Paste Frequency**** tracks the number of times a candidate tries to copy-paste the code. An increase in this frequency reveals the elevation of malpractice by the candidate.

1. HackerRank recommends leaving the alert message prompt to candidates off.

- This is to prevent candidates from trying other avenues of cheating aside from copy-paste. For example: Typing the code instead of copy-pasting it.

4. Tab change activity

- Out of window duration (in seconds)

1. Number of window exits (count)

- HackerRank has observed that for all plagiarized attempts, the median value for the out of duration window is 65 seconds and the median value for the number of window exits is 1.

- In turn, any candidates with an out of window duration greater than 65 seconds and the number of window exits is more than a singular exit, could be considered a suspicious attempt.

****Note:**** If you'd like to analyze a specific question, you can also review the question column in an excel report to check if there was a particular question for which the majority of the candidates were flagged for plagiarism. For such questions, chances are high that there is a solution available on the internet, or it may be an easy question. It's also possible that this particular easy question has only limited solutions. Keep in mind, that there are potentially additional reasons.

**How do we go about shortlisting plagiarized candidates directly from the platform?**

To effectively identify candidates who potentially have plagiarized and be able to differentiate them from those who honestly entered in code, ****a manual review is highly recommended.****

****Review by Hiring Manager****:

- ****Review the code playback option to view a candidate's entry****.

- Code playback is available under the Detailed Tab within a Candidate Report generated post-assessment/test.

- This feature helps in playing the recording of the candidate's code submitted for a given HackerRank Assessment. We capture the code snippet written by the candidate whenever the candidate runs the code and display the playback in the report.

- For more information on Code Playback [click here](https://support.hackerrank.com/hc/en-us/articles/360042800834-Key-Components-in-Candidate-Report#viewing-the-code-playback-in-the-report).

- ****Note the copy-paste indicator**** (Has a large amount of code been pasted?)

- The copy-paste indicator can be found on the Detailed Tab of a candidate report. For more information, refer to the [? Plagiarism Detection Using MOSS (Measure of Software Similarity)](/articles/2106056073)

- ****Review the time taken by the candidate to attempt the particular question****.

- Available on the Summary and Timeline Tabs of a candidate report.

- Then, view insights for questions to view how long candidates are spending on the question on average.\

- For more information, check out the [Viewing Question Insights](https://support.hackerrank.com/hc/en-us/articles/360061747174-Viewing-Question-Insights-) article.

What other help can you get from HackerRank on this topic:

- Upon customer request, in selected cases, we can loop in the data teams to perform a complete analysis of the customer tests to see where they stand compared to our global average.

\

[screen/best-practice-guides] Mitigating Candidate Drop-Off

title: "Mitigating Candidate Drop-Off"
title_slug: "mitigating-candidate-drop-off"
source_url: "https://support.hackerrank.com/articles/5269412517-mitigating-candidate-drop-off"
article_slug: "5269412517-mitigating-candidate-drop-off"
last_updated_exact: "Dec 24, 2024, 4:51 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Screen"
- "Best Practice Guides"

Mitigating Candidate Drop-Off

Last updated: Dec 24, 2024, 4:51 PM (Last updated 1 year ago)

Overview

In today's candidate market, hiring teams are struggling with the disinterest candidates have in taking an assessment during the recruitment and hiring process. There are various reasons for this disinterest, including those driven by candidates, customers, or HackerRank, and we've tried to address most of them in this document.

Here are some best practices to mitigate the candidate drop-off at various stages of the hiring funnel.

Best practices to mitigate test invite drop-off (Entry and Junior levels)

- Ensure recruiters build out a detailed and exciting candidate invite [email template](https://support.hackerrank.com/hc/en-us/articles/360010817373-Creating-an-Email-Template) talking about company culture, team, interview process, and next steps.
- Ensure recruiters set clear [test instructions](https://support.hackerrank.com/hc/en-us/articles/360000109287-Modifying-Candidate-Settings-for-Tests#candidate-details) about the role and skills going to be assessed, along with the next steps in the interview process.
- Ensure candidates take the sample test to familiarize themselves with the HackerRank platform and build confidence to take the assessment.
- Share the [Community Interview Prep Kit](https://www.hackerrank.com/interview/interview-preparation-kit) page (for additional warm-up challenges) in the email invite/test instructions.
- Set up automated [Reminder emails](https://support.hackerrank.com/hc/en-us/articles/360000195788-Modifying-Email-Settings-for-Tests#reminder-emails) through the platform. Another recommendation is to manually send out a re-invite through the platform for the ones who are yet to take the test even after the first reminder. This re-invite will trigger the second reminder email if the reminder setting is still on.
- Recommendation is to send one reminder in 2 to 3 days depending on the expiry dates of the invites.
- Avoid over-building assessments.
- Showcase the culture in the organization at every communication stage.
 - Branding, logos, etc.
 - Include videos in emails
 - Test instructions
 - Provide links to the [Candidate Support Page](https://candidatesupport.hackerrank.com/hc/en-us) to enable candidates to prepare for, take part in, or follow up on an assessment or interview, along with answers to FAQs.
 - what it's like to work at the company or testimony from an employee talking about the culture and why it's a great place to work, etc.

- Information around onboarding and employee development opportunities is a nice touch.

- Include a FAQ with answers and guidelines to questions that the candidate could have before, during, or after the test (who to reach out to about accommodation, when the candidate will hear back with a response, etc.)

****Best practices to mitigate test invite and interview drop-off
(Mid and Senior Levels)****

- Recommendation is for a recruiter to call and talk to the candidate (active or passive candidate) first and sell the company and opportunity to them.

- Outline the interview process along with familiarizing the candidate with the tools they will utilize during the interview process. Provide timelines for closing the open position and bringing them onboard.

- Consider conducting paired programming Interviews as the first round of evaluation for niche roles where dropout is high and hiring numbers are low. This motivates candidates as they get the opportunity to connect early with a Hiring Manager.

- Position the test as a Project Round/Project assignment and let the candidate know that it will be assessed and further discussed in the technical interview round.

- You can also position the test as projects similar to what they'll be working on at your company, so it's a good opportunity for them to determine if this role will be a mutual fit.

- If your organization isn't disqualifying candidates based on their scores (which is sometimes the case for senior candidates), have the recruiter highlight this in their messaging/positioning. For example, the messaging could include: "Please note that your performance on this assessment isn't dictated by your percentage score, but rather by your overall thought process (how you approach the question, ability to problem solve, etc.)"

- Allow the candidates time during the weekend so they get some time to work on the take-home test.

- During the recruiter call, the candidate should be informed of the format of the test (e.g. Project question, Coding) so they are aware of what to expect.

- Advisable to use framework-specific project questions and code review questions that will have better engagement from the candidate side.

- Keep to the timeline and have lines of communication open.

- Include a FAQ with answers and guidelines to questions that the candidate could have before, during, or after the test.

- If drop-off continues to be an issue, consider disabling any photo/webcam proctoring, if in use.

**Best practices to follow to mitigate test drop-off and abandonment of tests?**

**Before the test goes live: **

- Provide links to the [Candidate Support Page](https://candidatesupport.hackerrank.com/hc/en-us) to enable candidates to prepare for, take part in, or follow up on an assessment or interview, along with answers to FAQs.

- Ensure test benchmarking is done internally to finalize an appropriate test to test the right skills with hiring managers/tech council.

**After the test goes live: **

- Set up recurring test optimization checks with recruiter and hiring manager - check on test relevance, test difficulty levels, candidate feedback after test, performance funnel, and update test accordingly.

- Consider global abandonment rates - 6 to 9% for different roles\

*****Test abandonment rate***** *- If a candidate submits a test within 10% of the supposed test duration time, then we consider those attempts as abandoned. For eg: if the test is for 90 minutes and the candidate submits the test under 9 minutes then his attempt would be counted as an abandoned test. Test abandonment rate is included in the test attempt rate.*

**Steps to ensure a great post-test experience for a candidates**

- Customize Confirmation email (post-test email going out to the candidate).

- Include as much information on the next steps as possible, positive or negative. Set the candidate's expectations on timelines.

- Track candidate feedback on a weekly/biweekly basis and reach out to candidates to understand their concerns.
- Share any media on what it is like to work at your company from Youtube, careers page, etc. in the confirmation email
 - Offer resources (like a link to your tech blog). This can encourage candidates to stay engaged with your organization and re-apply once their skills have been refined.
- For mid-to-senior (low volume roles), personal phone calls to thank them for their time.

Best practices for improving the interview turn-out?

- If the candidate is going straight to an interview, e.g. niche role - the recruiter should call the candidate and book the interview on the phone versus using an automated tool.

[screen/frequently-asked-questions] How can I Try a Question or a Test?

```
---
title: "How can I Try a Question or a Test?"
title_slug: "how-can-i-try-a-question-or-a-test"
source_url: "https://support.hackerrank.com/articles/1202456939-how-to-try-a-question-or-a-test"
article_slug: "1202456939-how-to-try-a-question-or-a-test"
last_updated_exact: "Dec 23, 2024, 2:56 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Screen"
  - "Frequently Asked Questions"
---
```

How can I Try a Question or a Test?

Last updated: Dec 23, 2024, 2:56 PM (Last updated 1 year ago)

HackerRank for Work allows Recruiters to perform a trial run of their Tests before inviting candidates. You can validate each Test Question during the trial by submitting the answer and viewing the results.

Steps to Try a Question

- 1\ Click **Tests** on the home page and select a Test.
- 2\ On the Questions page of the Test, hover your mouse over the Question you want to validate.
- 3\ In the **Actions** column, click on three dots and select **Try question**.

Steps to Try a Test

- To validate a test, click Try Test on the Questions page to perform a trial run and attempt all the questions. You will be able to log in, view, and solve Questions in a manner similar to how your candidates will attempt this Test.

<!-- -->

- You can share the test with other recruiters on your team and have them validate the test questions. For more information, refer to the [\[Sharing a Test for Benchmarking\]\(https://support.hackerrank.com/hc/en-us/articles/115006004787-Sharing-a-test-for-benchmarking\)](#) topic.

Note: During your test trials, sometimes, when you try to log in to a test multiple times, the browser-level cache may prevent you from retrying the test. You should access the Test in a new browser window to overcome this issue.

[screen/frequently-asked-questions] How to Assess Data Engineering Skills on HackerRank

```
---
title: "How to Assess Data Engineering Skills on HackerRank?"
title_slug: "how-to-assess-data-engineering-skills-on-hackerrank"
source_url: "https://support.hackerrank.com/articles/1572498839-how-to-assess-data-engineering-skills-on-hackerrank%3F"
article_slug: "1572498839-how-to-assess-data-engineering-skills-on-hackerrank%3F"
last_updated_exact: "Dec 13, 2024, 5:08 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Screen"
  - "Frequently Asked Questions"
---
```

How to Assess Data Engineering Skills on HackerRank?

Last updated: Dec 13, 2024, 5:08 AM (Last updated 1 year ago)

Overview

This article describes about the HackerRank enabled capabilities to assess the candidate's Data Engineering skills. Data engineers are responsible for finding trends in data sets and developing algorithms to help make raw data more beneficial to the enterprise. At HackerRank, the Data Engineering skills can be assessed through pre-designed and custom-built tests that come with essential skills such as SQL, Apache Kafka, Hadoop, Couchbase, Apache Spark, Java, Scala, and so on.

Note: Validated by the [HackerRank's Skills Advisory Council](https://www.hackerrank.com/skills-directory/skills-advisory-council), HackerRank provides the [HackerRank Skills Directory](https://www.hackerrank.com/skills-directory), which clearly defines the competencies that can be leveraged to assess candidates for the Data Engineering role.

Using the HackerRank's Data Engineer Role, both theoretical and practical knowledge of the associated skills can be tested. Data Engineering assessment is classified into three roles:

- Data Engineer (JavaSpark)
- Data Engineer (PySpark)
- Data Engineer (ScalaSpark)

Skills assessed for each role are listed below:

| Role | Skills Assessed |
|-----------------------------|--|
| Data Engineer (Java Spark) | SQL (Intermediate), Java (Basic), Apache Spark (Basic), Hadoop (Basic), Kafka (Basic), Couchbase (Basic) |
| Data Engineer (PySpark) | SQL (Intermediate), Python (Basic), Apache Spark (Basic), Hadoop (Basic), Kafka (Basic), Couchbase (Basic) |
| Data Engineer (Scala Spark) | SQL (Intermediate), Apache Spark (Basic), Hadoop (Basic), Kafka (Basic), Couchbase (Basic) |

Question Types to Assess Data Engineering Skills

A few of the most common ways to assess Data Engineering Skills are:

- Hands-on Tasks (Recommended)
- Multiple Choice Questions

Real-world or Hands-on tasks and questions require candidates to dive deeper and demonstrate their skill proficiency. Using the hands-on questions in the HackerRank library, candidates can be assessed on practical demonstrations and multiple solution paths.

For example, Apache Spark-based questions in the HackerRank library assess the ability to perform in-memory transformations using lambdas, converting RDDs to Data Frames, using broadcast variables and accumulators, writing spark jobs to perform data manipulation tasks, and so on.

A few examples of [Apache Spark hands-on project questions in our library](https://www.hackerrank.com/work/library/hackerrank?copyscrape=true&skill_ids=e54fcf47864b) are as below.

![[image3.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046701587-?Expires=253370764800&Signature=GRjsVOVmDY3ZxyUNPr9ez4ENc9FP1coeWgRq~8vc4p12Y77E7cfsAHC-C~ynRZdRMjBJ8kjMRmrD7ShUK9G95O~6mQBSjhXFxmLJYYxU2GTvR74G76rrI52S9QF4n9ZHZW-ftnMadjm8S3ROZ-E79pIRTyTFyWWFraFt8Wpiz~jpKHvQPe9LCxomlsXe~pMTqaA5yVzZb9p2V~ZiYpVVJoSTnglErxd4TqCKdTsYjGcLwho-pyHcvG4H~hGwwjt87HQ--GBj36XMlo0J4dyQma-jaCkv1iHf33g-WxsDVODx0TvEqnV7aS-yKoe7b302f6HoYk-cOoXFV9PA0vj3g__&Key-Pair-Id=K3NV4LZ47N8M46)

Examples of Apache Spark Questions

Similarly, Apache Kafka hands-on tasks test the understanding of Apache Kafka architecture, Kafka clusters, Kafka messaging systems, understanding Apache Kafka partitions and brokers, and Kafka producers and consumers, and so on. Tasks include Web Analytics, Serialization, Deserialization, CDR, and so on.

A few examples of [Apache Kafka Java hands-on project questions in the HackerRank library](https://www.hackerrank.com/work/library/hackerrank?copyscrape=true&skill_ids=3dea4b7867d8) are as below.

![[image2.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046702017-?Expires=253370764800&Signature=bq5TvZoFkc2K9rLADMwOOLVa7kCQyHvCFw6RpkOCXdKEMHwLuQt4s07LZaErwZIH9papx~ZjhMxALj5hLmuqKTjirTU2ZvmKLYupHmQ1yETBe7BRg7roBa4tiwBTFjBWYwxvCax298KjKgNvaKHi-szIVevSgwgCml03BzPff3kHeIODrPdML2dmg1EmzkZD3JjwCbKygoQ2MFHkCGqJV1TP74Q5iBfXtqOd9fAUTY9P~VOc6MwOL99CNVNqhG8~PvsgdfPS3gnS5i8CxMlv-CgCZrp6MlzeRXGZmhCM0OZdQGbEOdAizkX5fdXsu9BwnZaE7IutaceRQSUMd7LQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Examples of Apache Kafka Questions

The Multiple Choice Questions \[MCQs\] assess conceptual knowledge and understanding of a skill. For example, Hadoop MCQs that are used in the Data Engineering assessments on HackerRank, test the knowledge of control flow of a map-side join, MapReduce combiners, and commonly used Hadoop commands, Hadoop hands-on project questions, test application-oriented skills such as analysis, performing computing operations, implementing key functionalities in a Hadoop application, and so on.

A few examples of [Hadoop multiple-choice and hands-on project questions in our library](https://www.hackerrank.com/work/library/hackerrank?copyscrape=true&skill_ids=6b9e4e7335a8) are:\

![[image1.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046702431-?Expires=253370764800&Signature=Uj~QtglxWD48NCMnnXUWcFNHHAEM2zk0dBWgBnZ5YV3gMf2J3Mp943xvUr5IPyZEPSVX5zkZ5VCbw70213xVJ0OOiWwEhBxk0ftG5cxvzGr-ZK-N6PXnLjUus-aEy8-edQjoYYKlIKZqsZOTjQxqELOvsUBLjRa9uYPcDw4-LglX9CKNpAFXnEmWw-a17MXVVoPJUWt1P4DhT8A~mLwfWKumBFkty-slwJK26XOWtlc~e~L8aOsnvqhsI-7xIUkdhTzwbA-ihMSpy8vbc6LbTMGS6CvRVKzNz8pHC186clHbfNjN7sXIW73ragGA4exwcskeSXqURWBT8-DQI9KQ__&Key-Pair-Id=K3NV4LZ47N8M46)![[Hadoop.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046702877-?Expires=253370764800&Signature=bPOkDjl5bCdTfh464KlhIU7KkJ8RqHihvUA2Q~foeDkY85FaUEAuuFYJsf0BE7MmcAYxjXDEUYmWN-ZFAEyX4eL1AEZMS8MNly8q70PW4~Tybrqc2v-WNF T-EtX2xZd8-QN6FbYo-XprBdXdUb~vYIDNZ~LuL8r2poVQz6eQdLfsa2YX1MPgM1U~4EjF72QtG0JVITzISi4mWU8Jf7yo-JUSOX31Fbm5IHbc7EonoelkXxPNMDFeWNYgFABeumPdhCc3eW4TISuVde5SyalcD9R~WHGQwqSqBqHKG-SfGuHjXYiE84yYEfhcy2QjOqaUJnkaJuEJ8J9vgFeKbAM2g__&Key-Pair-Id=K3NV4LZ47N8M46)

Examples of Hadoop Questions

[screen/frequently-asked-questions] How to Assess Machine Learning Engineering Skills

```
---
title: "How to Assess Machine Learning Engineering Skills on HackerRank?"
title_slug: "how-to-assess-machine-learning-engineering-skills-on-hackerrank"
source_url:
"https://support.hackerrank.com/articles/2229796182-how-to-assess-machine-learning-engineering-skills-on-hackerrank%3F"
article_slug: "2229796182-how-to-assess-machine-learning-engineering-skills-on-hackerrank%3F"
last_updated_exact: "Dec 13, 2024, 5:08 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Screen"
  - "Frequently Asked Questions"
---
```

How to Assess Machine Learning Engineering Skills on HackerRank?

Last updated: Dec 13, 2024, 5:08 AM (Last updated 1 year ago)

Overview

This article talks about the HackerRank enabled capabilities to assess Machine Learning Engineering skills. **Machine learning engineers** are responsible for creating programs and algorithms that enable machines to take actions without being directed by combining software engineering and data analysis. At HackerRank, Machine Learning Engineering skills can be assessed through our pre-designed and custom-built tests with important skills such as Python, Applied Mathematics, Statistics, PyTorch, and TensorFlow.

Note: Before we proceed, please visit [here](https://www.hackerrank.com/skills-directory) to learn more about how we define the core competencies of the skills listed above.

Using HackerRank's Machine Learning Engineer Role, both theoretical and practical knowledge of the associated skills are tested.


Question types to Assess ML Engineering Skills

Some of the most common ways to assess Machine Learning Engineering Skills are as below:


- **Hands-on Tasks (Recommended)**
- Multiple Choice Questions

Real-world or Hands-on tasks and questions require candidates to dive deeper and actually demonstrate their skill proficiency. Using the hands-on questions in our library, candidates can be measured on practical demonstrations and multiple solution paths. For example, Data Science Machine Learning questions in the HackerRank library involve training a logistic regression classifier, training a Naive Bayes classifier, predicting future models of given data, among others.

Some examples of [Data Science hands-on project questions in our library](https://www.hackerrank.com/work/library/hackerrank?copyscape=true&skill_ids=d063718956a5) are as below.

[https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046719859-?Expires=253370764800&Signature=ole6thpm9Q3PKnKnWv1ASdPf~W~Ltb02hmQshAyTUZGv2m54~ftlMtGVLogzSKrAnPBEjME4P8MlfiO-45CsR0tz0ZzmZhXHJGHBa4WJYyHCRcr5chFnW~OytdD41DV5Pynl5YV7vZFwvkip7e7CX0u2t9ZOvYCKAMEJzVLA-xrdhVRMXtP6CO4XKHl3c3Lk4frQNVYxtMMAe6JcixR7d0nz6Mk6S7SXAKUqCHvO9k9f6bq3CPcHcb4nj0WY7F417Fde1NVSEUegTLa6RTiReC6ojpEdSNXtLRiRfasUghfUVodtvjFtApFu61T5dT~~cl-zJt4LQ7vEJfRYKhxWpg__&Key-Pair-Id=K3NV4LZ47N8M46)]

Similarly, deep learning, PyTorch, and TensorFlow hands-on tasks test the understanding of fundamental concepts such as NLP, building a deep neural network, among others. Some examples of [PyTorch](https://www.hackerrank.com/work/library/hackerrank?copyscape=true&skill_ids=926948d683f8%2Ccd642b80eb8b) and [TensorFlow](https://www.hackerrank.com/work/library/hackerrank?copyscape=true&skill_ids=926948d683f8%2Ccd642b80eb8b) hands-on project questions in our library are as below.

[https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046720232-?Expires=253370764800&Signature=BxL-lh5yNX2emH-eFkfJZ00MuZ30n1PxU333O~mnpgsi6RbldST4p~PCvYVJASQdrpVW8QP9wHiolu6~VaP-6GU2Jh1aGYr9udh5wNmKVCHu2Knw1~JaL30TC7Z0t6DyJiCH4VMxcGT9ps~ZB1KAO37UgPwRxBtlINSv7ohAdhWDZ3dni70kCIQ9bPPomnRI--D~tCkrFpW~OMuz4ibSqBBAFyNDGbDFZeFgke43hmlLRNiW~PNWOW8bXjJEBcqAGgp6YedXLa2QJX-yHQSJA4K9wVoVIA3ySuidXIqkRohwDy9veJ60AF25NV99FVa5GAUJOowAHCLIn3l~3DSSvg__&Key-Pair-Id=K3NV4LZ47N8M46)]

Multiple-choice questions [MCQs], in general, assess conceptual knowledge and understanding of a skill. Applied Mathematics and Statistics Multiple Choice Questions, used in the Machine Learning Engineering assessments on HackerRank, test knowledge of

mathematical concepts such as probability, distributions, statistical models, among others.

Some examples of [Applied Mathematics and Statistics multiple-choice questions in our library](https://www.hackerrank.com/work/library/hackerrank?copyscape=true&skill_ids=191ea408ad9b%2C625b7711440e) are as below.

![[image3.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046720634-?Expires=253370764800&Signature=sMMz338BasSmJhKkLBuBF~9dxb7FscrrNHAM3CY9w7RiKOcJTZlp6l0jxCniyA2eR6r78TDfQYdsWy8m3r-24l2OroWE6m~4uBz3qx7uDgJt49Z~di3JqC4BzThMLFPR9tA7Acga~X~iDLljceS-PEvI7ucmfinnRsYMeSSdPBqDMzQ3UEVvW3YO93fmkcFlauykGRV1Duxf1B~ZnZ1Kp0Y5Qg8B0jPPUaLd8xck4etIPV16bSbZK7wxYUr~qOWKTfoKvB9Tx3E563YuC5lhJ8pXKeAaGwifTpEFqievTMJ5euhoVK7UnShOONAx2CMnyFbsq3dUlezZmSAdjL~9dQ__&Key-Pair-Id=K3NV4LZ47N8M46)

****Note:**** Validated by our [HackerRank's Skills Advisory Council](https://www.hackerrank.com/skills-directory/skills-advisory-council), we also provide the [HackerRank Skills Directory](https://www.hackerrank.com/skills-directory) which clearly defines the competencies that can be leveraged while assessing candidates for the Machine Learning Engineering role. Please see the key competencies for the Skills listed above, on our Skills Directory [here](https://www.hackerrank.com/skills-directory).


[screen/frequently-asked-questions] How to Rename a Test

```
---
title: "How to Rename a Test"
title_slug: "how-to-rename-a-test"
source_url: "https://support.hackerrank.com/articles/2426927743-how-to-rename-a-test"
article_slug: "2426927743-how-to-rename-a-test"
last_updated_exact: "Dec 23, 2024, 3:25 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Screen"
  - "Frequently Asked Questions"
---
```

How to Rename a Test


Last updated: Dec 23, 2024, 3:25 PM (Last updated 1 year ago)

You can rename an existing test by clicking on the pen icon beside the test name.



Once you have completed changing the test name, you can save it by clicking on the green tick icon. Alternatively, you can choose not to save it by clicking on the close icon.

You can also change the name in the **Settings** tab, under **General**.



Note: We recommend you not change the name of an ongoing Test.

\

[screen/frequently-asked-questions] I made changes to Test content. When does it take effect for the Candidates?

title: "I made changes to Test content. When does it take effect for the Candidates?"
title_slug: "i-made-changes-to-test-content-when-does-it-take-effect-for-the-candidates"
source_url: "https://support.hackerrank.com/articles/3765449705-i-made-changes-to-test-content.-when-does-it-take-effect-for-the-candidates%3F"
article_slug: "3765449705-i-made-changes-to-test-content.-when-does-it-take-effect-for-the-candidates%3F"
last_updated_exact: "Dec 13, 2024, 5:10 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Screen"
- "Frequently Asked Questions"

I made changes to Test content. When does it take effect for the Candidates?

Last updated: Dec 13, 2024, 5:10 AM (Last updated 1 year ago)

If candidates are logged on to the test you modified, you have to ask the candidates to refresh the page to see any changes. However, the order of questions is determined at the beginning of the test and cannot be modified during the test. So, if you have added questions, deleted questions, or changed their order, it will not be visible to the candidates who are currently logged on to the test. If you have edited a question, the candidates can see the changes after refreshing the page.

Any candidate who logs on to the test after you have made these changes will see the revised version of the test.

[screen/frequently-asked-questions] How to Assess Selenium Skills of a Candidate on HackerRank

```
---
title: "How to Assess Selenium Skills of a Candidate on HackerRank?"
title_slug: "how-to-assess-selenium-skills-of-a-candidate-on-hackerrank"
source_url: "https://support.hackerrank.com/articles/4357184721-how-to-assess-selenium-skills-of-a-candidate-on-hackerrank"
article_slug: "4357184721-how-to-assess-selenium-skills-of-a-candidate-on-hackerrank"
last_updated_exact: "Dec 13, 2024, 5:47 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Screen"
  - "Frequently Asked Questions"
---
```

How to Assess Selenium Skills of a Candidate on HackerRank?

Last updated: Dec 13, 2024, 5:47 AM (Last updated 1 year ago)

Overview

HackerRank now enables Selenium skills that can be leveraged to assess QA Engineers and Back-End Developers. Please see [here](#) before we proceed to learn how to create and score questions on the HackerRank library.

Selenium is an open-source Web UI automation testing framework that supports automation across different browsers, platforms, and programming languages and provides a domain-specific language, Selenese, to write tests in C#, Groovy, Java, Perl, PHP, Python, Ruby, and Scala, among others.

Selenium Projects tasks in the HackerRank Library

HackerRank's Projects questions associated with Selenium skills cover a wide array of topics. Ranging from basic operations to advanced skills, Selenium developers are assessed on competencies such as:

- **Broken link detection using Selenium** - Broken links may exist due to some kind of server error, which, in turn, causes the corresponding webpages to malfunction and not be displayed. Automated Selenium testing for broken link detection, which requires the collection of all links, verifying the HTTP response code, and so on, is assessed with a Selenium Java question as shown below. In a similar fashion, our Selenium questions are also designed to assess the automated detection of broken iframes, images, anchors.

!selenium.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046596591-?Expires=253370764800&Signature=nhL1WOUArME~UAIYcw9ewuaNNzieE1ojltTyW1b6YB-bsBpr7RzoBFiUpf-P8MtaImIrg7-64AEnYdVAki9Rb6sS7298IGmx xnn7y6Jjy~n-8pD2tWE-QRVA~AIUGXPoK6FqZgwSk5uPJ~F~gcdHXwR4Q4MM6yig5ntM-0uJPXtPF9IZbLv0Qwsu36EypS38I5P0-Z6 wsbGCDZsj6ratHI977cKtmpuZ1YjMlm2Gs1OAB2ZkBGsBAcrJcNkyyQh~oxy9FpsMzyHgV4wYTZK8EdmMeR0fvQfyfnnsVQJVu1AP VFNYO9RWek8eeqg~fkfMc7A0AbuzpJLIljwQBC6uLw__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Form submission automation** - Questions to assess login, registration, and automation testing abilities for form submission on web pages.

- **Web Authentication** - Question to assess operations such as handling Authentication/Login Popup Window using Selenium WebDriver, implementation of WebAuthenticators, and so on.

- **Web Scraping** - Questions to set up web-scraping to extract valuable data and information web browser automation, among others.

- **Data entry automation** - Questions that assess data entry automation skills, including entry into web form from text or database.

- Other common competencies tested using HackerRank Selenium questions include Fundamental Java programming knowledge, knowledge of XPath, CSS, HTML, and DOM.

\

Note: Validated by our [HackerRank's Skills Advisory Council](https://www.hackerrank.com/skills-directory/skills-advisory-council), we also provide the [HackerRank Skills Directory](https://www.hackerrank.com/skills-directory), which clearly defines the Selenium competencies that can be leveraged while assessing candidates. Please see the key competencies in the Selenium Skills Directory [\[here\]\(https://www.hackerrank.com/skills-directory/selenium_basic\)](#).

[screen/frequently-asked-questions] How to Allow Candidates to Retake a Test?

title: "How to Allow Candidates to Retake a Test?"
title_slug: "how-to-allow-candidates-to-retake-a-test"
source_url: "https://support.hackerrank.com/articles/4428221834-how-to-allow-candidates-to-retake-a-test%3F"
article_slug: "4428221834-how-to-allow-candidates-to-retake-a-test%3F"
last_updated_exact: "Apr 9, 2025, 11:23 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Screen"
- "Frequently Asked Questions"


How to Allow Candidates to Retake a Test?

Last updated: Apr 9, 2025, 11:23 AM (Last updated 1 year ago)

For a candidate to be able to retake your test (which is submitting another attempt after the most recent one), you can either [[? Reinviting Candidates to a Test](#)](/articles/1002936098)to the same test (when you do so, a candidate's test status initializes to "Invited").

Note: When Candidates try to access a Test for a reattempt, sometimes, a browser-level cache may disallow them from logging in to the test. To overcome this issue, it is recommended that your candidates access the Test link using a new browser window.

To re-invite candidates to a test, you can select one or more candidates from the **Candidates** tab in your test and click on **Invite Selected** as shown below. For more information on re-inviting candidates, refer to the [[? Reinviting Candidates to a Test](#)](/articles/1002936098).


src="https://lh7-rt.googleusercontent.com/docsz/AD_4nXfeML3UQRHVoOJf9AgSCYVRghz8W7c6MuMsGh4efyYDa52O8B0cofSpZfZQL1JGAcnW41_FcxORwG8AA65F_d0ELOJmAJ8dCxbwqJq9fv4DbgX7vPA6ecJF6uEpVZ1P24oY9-xwfux-NfginwSTVTMT-YTM?key=HMxNxcplu3FYrZl3bA0bPQ" class="kb-image block" data-drag-handle="false" />

Note: When you re-invite a candidate, the most recent attempt by the candidate is archived. A candidate can be re-invited as many times as needed.

[screen/frequently-asked-questions] How can I delete a Question that I No Longer Re

title: "How can I delete a Question that I No Longer Require?"
title_slug: "how-can-i-delete-a-question-that-i-no-longer-require"
source_url: "https://support.hackerrank.com/articles/4964125282-how-can-i-delete-a-question-that-i-no-longer-require%3F"
article_slug: "4964125282-how-can-i-delete-a-question-that-i-no-longer-require%3F"
last_updated_exact: "Dec 13, 2024, 5:09 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Screen"
- "Frequently Asked Questions"

How can I delete a Question that I No Longer Require?

Last updated: Dec 13, 2024, 5:09 AM (Last updated 1 year ago)

You cannot delete the questions in HackerRank Library. However, you can archive a question and restore it at a later time as required. Read about the steps to archive a test or question [here](https://support.hackerrank.com/hc/en-us/articles/115006379968-Archiving-a-test).

[screen/frequently-asked-questions] How to Move Questions Across Sections in a Test

title: "How to Move Questions Across Sections in a Test?"
title_slug: "how-to-move-questions-across-sections-in-a-test"
source_url: "https://support.hackerrank.com/articles/4989710628-how-to-move-questions-across-sections-in-a-test%3F"
article_slug: "4989710628-how-to-move-questions-across-sections-in-a-test%3F"
last_updated_exact: "Dec 13, 2024, 5:08 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Screen"
- "Frequently Asked Questions"

How to Move Questions Across Sections in a Test?

Last updated: Dec 13, 2024, 5:08 AM (Last updated 1 year ago)

You can organize the Question in your test under logical categories called sections. You can create multiple sections within a Test and use the **Move** option to organize the Questions in different sections.

1. Click **Tests** on the home page, select the required Test.
2. In the Questions tab, add Questions to the Test from the Library.
3. To create a section, click the plus sign and select **Create section**.

Section 1 is added, and by default, all the Test Questions now belong to this section.

![[Image_1_-_Section_1.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046687690-?Expires=253370764800&Signature=Kiq0sroLXWK4vCrkmbXQmzYAsXgxyZ39VpqZzzxTXB8Vg9hKvpffAL-jbNAgTtyg16QZxYuCGfpKN7TSR6C8~Ub~DU1lxEa3PhQCgW~W5EKc6Vzdc6Nw7Mf0zdeZTwbMoTewGlrUrMFSUINqLpuYUFkXYwYTwLhqBeJPQVrs4i3WIXHDLMXn3eBeNzW6ya6zujF4hzAd7naPd~uTW4OLJKw3KXFu458OI9SW0hbFu0C~FmF1MMiBpei7H6jCU~qc2Gbqo6-JbxbmbwhIN0e3T304fIUeowDCzC180ueNyRt7uK0nVK7gTA4SI9~8E8NB0h2qpnnzK-CagsWNLk17nYQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Questions added to Section 1

1. Click **Add another section** to add additional sections.
2. Select Question(s) from **Section 1** and click **Move**. From the list, select the alternate section to move the Question.

![[Image_2_-_Move_option.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046688045-?Expires=253370764800&Signature=QQQUzhvHdeGfGB36WckosUfJQa~nH~20vCsn5i6PUD3c~DWSy2wXoGujZeyz~iTW3gk4sQOWv2HM6MGt-ly1q0Q1x-tiT2xgnL5668OyLvFJ4kYIOpqj923eckUzUIT0CLS9T0XTSywmucRw274aVnl1I7e~FLpj1xiD32RAc8rhQUt4HA0ljk-VvEBfZ0~sso5f7pVny2XP0loOChq6Guw7KK6i449X4vDnIVxvNtmKojelfYtgrtWsGU38LILHmin45V6hjPYhlr~W5oPvmJPY4gul-5EOQM Y-OfHmvpP~M-wuBFt4QuwqnT2vQV55WZhXNHfQq4FA3AUFAT0QA__&Key-Pair-Id=K3NV4LZ47N8M46)

Moving the Questions to another section

The Question is moved from **Section 1** to the selected section.

![[Image_3_-_Question_moved.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046688452-?Expires=253370764800&Signature=bFN1XlcpBpLdS~knbwvr4tOIzT26Ny0-w5S2CNB3M5f7G4TI8ifE7IhW~69TMQq~ly7BJ9Uy~2BDJ3-g9o4CleSbvq2HfvqUETwd1pojBpij8YpfDWYvaYQ2C6Nb9Nqn45rRq8q-8VcxSyXnQO5kFlal8zbw9p8SnPFIfps3aNbysQe0CMwP5E04RvDAPPA-2urzsaVxvDvImulOkZOMxZR55kyiRhXhJTnghfCGi1PvdfooJN-yxen16e34Gla-jFhP9csfu6v0CTMZTzgKg-eidqdY1iKopq7D9KhJ6cb1Z-BYly8wE5u3E1KpLI3vvgxpVqJUJUWCvw~grSZf-5Q__&Key-Pair-Id=K3NV4LZ47N8M46)

Question moved to another section

1. In a similar manner, select the required Questions from any section and click **Move** to move them to an alternate section.
2. In a scenario where the Test Questions are not added to any section, they are listed under the **Unassigned Questions** category. You can select the Questions from this list and click **Move** to move them to the relevant Sections.

![[Image_4_-_Unassigned_Questions.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046688869-?Expires=253370764800&Signature=RTthTtWMU4rPoc2baNn17G9qY9uQAOMwhmu1q4QgcgFwIH8ntluV5o1OqOMj2Q5WF2INo5f4WAORRpQkuvuW5FeMpiQ4WA5Q9QWdvcqXubj2alrZu2xegiY2gh3CIQSR8TPY7kqjdfJu863c6m14WgKVN~72cw-ax0zSy2phO4d

7moVC8FIMmqKcQcrHB3PIluqHfclYIFceGiiw5wdyw5LZ4ymYk2nbeqS4f1looH3Z3zmvFgjmmFdAOsJ2PfXezKbGHmXdRrutG4f4OJ
Gin19T5-UDLQb0mjfD52HVkh2zMFAZMVcAl1PTpj-1ARYivVpHY3GupoH5lCsuLy1vTg__&Key-Pair-Id=K3NV4LZ47N8M46)

Moving Questions from the unassigned category

****Note****: It is recommended that you use the ****Move**** option and avoid the 'drag-and-drop method to move Questions from one section to another.

[screen/frequently-asked-questions] How Do I Upload All Test Cases at Once?

title: "How Do I Upload All Test Cases at Once?"
title_slug: "how-do-i-upload-all-test-cases-at-once"
source_url: "https://support.hackerrank.com/articles/5773853281-how-do-i-upload-all-test-cases-at-once"
article_slug: "5773853281-how-do-i-upload-all-test-cases-at-once"
last_updated_exact: "Dec 13, 2024, 5:47 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Screen"
- "Frequently Asked Questions"

How Do I Upload All Test Cases at Once?

Last updated: Dec 13, 2024, 5:47 AM (Last updated 1 year ago)

HackerRank allows you to upload all [test cases](https://support.hackerrank.com/hc/en-us/articles/115006611728-Defining-Test-Cases-for-Coding-Questions) for a Coding or Approximate Solution question as a zip file. This feature is particularly useful when dealing with large inputs or outputs, a high number of test cases, or when you prefer to use an external editor.

Preparing the Zip File

To upload your test cases, organize them in a directory with the following structure:

Example Problem

| | | |
|------------------------|---------------------------------------|--|
| | | |
| ----- | ----- | |
| Input File Name | Corresponding Output File Name | |
| input000.txt | output000.txt | |
| input0.txt | output0.txt | |
| input1.txt | output1.txt | |

For a given test case, the input and output files need to be associated with each other. The numbers in the input and output file names should match for them to be associated. For example, input0.txt and output0.txt are combined into a test case, as is input002.txt and output002.txt.

Note: Ensure that the directory contains only these files and no sub-directories before compressing it into a .zip file.

Uploading the Zip File

You can upload the zip file directly on the **Test Cases** tab of a Coding or Approximate Solution question in HackerRank. Refer to the [Create a coding](https://support.hackerrank.com/hc/en-us/articles/115006421707) [question](https://support.hackerrank.com/hc/en-us/articles/115006421707) article to understand the detailed steps involved.

Handling Zip Uploads and Test Case Scoring

When using a zip upload for test cases, each test case receives a default score of 10 points. The system does not retain or recognize any previous custom scores that may have been set for test cases in earlier uploads.

Creating Zip Files for Mac users:
For Mac users, ensure that you create the zip file via the command line. Using Apple's "Compress" feature from the "Get Info" menu generates a zip format that is not compatible with the system, which may lead to issues during the upload process.

Steps for Command Line Zip Creation (Mac):

- Open Terminal.
- Navigate to the directory containing the files you want to compress.
- Run the following command: zip archive_name.zip *.txt (Replace archive_name.zip with your desired zip file name).

[screen/frequently-asked-questions] How to download Bash history, logs and session playback recording?

title: "How to download Bash history, logs and session playback recording?"
title_slug: "how-to-download-bash-history-logs-and-session-playback-recording"
source_url: "https://support.hackerrank.com/articles/5819570244-how-to-download-bash-history%2C-logs-and-session-playback-recording%3F"
article_slug: "5819570244-how-to-download-bash-history%2C-logs-and-session-playback-recording%3F"
last_updated_exact: "Dec 13, 2024, 5:08 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Screen"
- "Frequently Asked Questions"

How to download Bash history, logs and session playback recording?

Last updated: Dec 13, 2024, 5:08 AM (Last updated 1 year ago)

DevOps Questions are automatically evaluated and assigned a score based on your Bash Check script. However, to further assess the commands executed by the candidate, you can download the Bash history and the session playback recording from the candidate's detailed Test report. You can also view the output log for your Bash Check Script which was executed for the automatic evaluation.

1. Navigate to ****Tests****.
2. Select the Test in which you have a DevOps type Question and want to assess the Test results.

![[Selecting_Tests.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046711221-?Expires=253370764800&Signature=jsUUeRqeA0QQ8RNwsqj~D1GD7DphOXkn9PrDmq-yNBpbH8jtMRvqIDxl7xnjzVMboQsN4rDfQTZEnoQ2NNFg6jEGCooxhQQIAmMx1E49AtJBDJJ96uf9X1aRTsdOX-5EMJHmLOZUpjUvgt5zjDaYs327d9pY4bE58G3i8N3WmJ9dokpR9qkDSZxWw4mR1prqgEr6XirhTxDZrnXUdTauipt8xT1OaWsEvQG9NOVU9zGO60LzAcN29QPv1YsUJGAOmUFNDP~wkH6bPTCUIY20~V6yj2a3HJ8gupj5RkrCL60zQHENL2YKiu9q~cNXcNPrZjH1VCfay8Pf9OP~ZW3wclw__&Key-Pair-Id=K3NV4LZ47N8M46)

Selecting a Test to evaluate results

1. Click the ****Candidates**** tab and select the candidate entry to evaluate. The candidate Test summary page is displayed.

<!-- -->

1. Click the ****Detailed**** tab to view the detailed test report.
2. Navigate to the DevOps type Question. The Question is evaluated and assigned a score automatically.

You can specifically view the ****Task check log****, ****Playback****, and ****Download**** tabs for DevOps Questions in the test report.

![[DevOps_Tabs.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046711584-?Expires=253370764800&Signature=fTSPrVX9JwitWtqvpcHLejprPZKewdo8G6kZ8g79x-bN58OF7AOUAZz0T0Y3Bf3HQR85cQxD981j-63nmBXfUL4PV9TSDtdXnO1fV-QG4Lowi1F0qugta6pgMtFce1TKcihDThcfCka~3rsm3t9GsNKdZMUKUje3-E3Jo18ooD88OE3ZeX9E2NhKnj6EDYIHx-dB2sfXElImRzWALQJfeHmFz5ZyCkeJZapOw-hwm2bAltwn3v-AmdC-fobUlcicBQJxi5xOEA9fGqL6lnhubHqurFdkl1yGTMxPOQuSRxxCI3928ERIt14cGaOZDlxeuf8Qjz2jIQEVoejwji7rg__&Key-Pair-Id=K3NV4LZ47N8M46)

Tabs available under a DevOps Question report

1. ****Downloading Bash History****

Click on the ****Download**** tab and click ****Download as zip file**** to download the Bash history, logs, and complete session recording files.

![[Bash_History_Download_Tab.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046711945-?Expires=253370764800&Signature=Ro2Crck0hnf33M0XMbrPhpDqEEtJK1uFw~8ALLq-WRr2d8Uyn-35sR7FIPkErE9~iqa9dowEqUtneqomWcC9t0J31BLde7ypYuGZvT2M9UY3Z9xa5yOrjmy5ZFURKJS2KGI4noX3lhvh5iui2xgHXK-LHZyCMZlBMEUTmrnVFx2fRB98g4abrIrWW60MnUyW98s4uACBzfvrmjeBbsz-nkgoyh1eg4zaJavYZpHp2GKaR0hLX5e3lLq8yoAoyNdpCYQVFOPskco5xhKvzD9vJfBEiZbrSxey7GYU0AZB8DgxuAve8QnmbqnxJAzl~DtNduNAqd5FChW8oJ9BP9mUQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Downloading Bash History

In the downloaded path, the **bash_history** is available under the **user_log** folder.

![Bash_History_Path.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046712286-?Expires=253370764800&Signature=CR AoFVJtFJoJnQ3NwqYfYjsjqeqkdWnLbMfaxEVFZ4UcOEcmx00-5HurplBdCYK~~XiUnU-oDQ1bRQ~mQJwO RY8hHv8fDDnyVUYd7PFdurjG5Do9Aq4VVXI4zjbvlcfnlfHR0qbernXXT3scL1saUNnYVtncVRfqUXNUfxylaBCn-iDPkycKFomqq57Vkluc3cqIRiSti0gih7kOmoxesmvkNmA7877GYco6~y7S~ek8hxyrg8XJTrWDLWyXUhlqldtMtGpK491A8XB8Dy6m3q95dN2GvaNyeUV5C maQ1LxTDSdPBrytTElrz4gb4xCdq7eC-90Fmhqg-Y1~r1QXw__&Key-Pair-Id=K3NV4LZ47N8M46)

Bash history file*

1. **Viewing Session Playback**

Click on the **Playback** tab to view a recording of the candidate's attempt to solve the Question during the Test.

![Playback_Code.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046712630-?Expires=253370764800&Signature=VGkha3KaVOR-LNEKYtMpKduy5ahcgtVNMYSMPd5uDnJ-LaAM4zmJigJ8TzvhXOzn2c9oDqkrzGr8wbUHckRzJp Mp9706a404uzA7T1mLz59ulLoc4GQKjT5LrPhYpXLAhmkz4grx7BAQNyRT2TgakZ4-2J7QcGbnKICyFsmSBha3aR-tbsqtCeCixMZM w9vsSRvdUc~jdp7bPuM9bpgLGtNDVoaHeqwJvBwVfXSVJSGmGxsUgOUWhVsJ~77YSdRocN~YpJ1p72Ry82Lv64YYX-B5CkZC4j6 KWPPhrUtH0MZ8-eLsXOp6JH2V7bqJlQij6GK40-P0U4TbnAY18Zgw__&Key-Pair-Id=K3NV4LZ47N8M46)

Code Playback Recording*

Alternatively, in the downloaded path, the recording file is available in the **tty_rec** folder.

![tty_recording.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046712983-?Expires=253370764800&Signature=GuOKOqkqx2V9Pr6sw-7qXagE8ainL7DN27~L9BFziM9fc5WZ1hWB22dsNkvlrx9Q5j52f6C1Yao2HhV2teV1fAMpF8 gUW7lud7yPsmZBm7Bj1yYHcH5EfJSeMMbaPfrkHP3FUMTTOmdwkO6ZGjDrjdaxmNc-Gfnh9n1NaFfCcjoole~9jOFvrOslgdMjUZ yAV1NQn-22aJ-xGpRcwsfXbSoxYpFScoaQ0yxuuU2IFQfbzZ~~fZhCNldsneiXPeNVKID-UVJ2hYnH24mgyJf7YMAhV48OJ1aVqdupH olRuCZF96clOSBJiktMh-Qnx1-XrvbCp5phEiey5akL47A__&Key-Pair-Id=K3NV4LZ47N8M46)

The playback recording file*

1. **Viewing Bash Check Script Log**

Click on the **Task check log** tab to view the output log for the Bash Check script used to automatically evaluate the DevOps Question.

![Task_Check_Log.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046713363-?Expires=253370764800&Signature=tqMPK-6TD7OkLDdm6mvFMDGwURspE2E1fZIKq9U~genwRNYVbEb0QcYgkCkA20nhBut4IH4MwphptR3Al1Mc xXioNgEgz5ucv7-rSSwEnMto0mRPLsC6oX999ofai0P6rUm~fqY5VWt4qgyjF8Fgsmqy1MlhmaDMeadQzYWH5eHFRHQI7gQdnKrrg4 ZIWstddqy6n04p2tv49LvaEtOJzWte0a4VUS3QpW2L~hL8OgMJk-9OZoOnxSBW5K5ncLCye~P6XluJbzSGOP~mDse1aXD5F1VE91 aQWHW2bLeD9e17AOadSNkvovmXSlyXnYG--q~1p-VXrJLP3F7733bcPg__&Key-Pair-Id=K3NV4LZ47N8M46)

The output log for Bash check script*

In the downloaded path, the log is available under the **taskcheck_log** folder.

![task_check_log.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046714034-?Expires=253370764800&Signature=GzhtxNAGm3sHW7ffgFNJNE8tdgpLBBNCdQrJBF9zXvsTi~IIHqYW8a0jIDWubExdyH3~oct8Kzo-5fl8hca7wkaWIG UhThi2j4484aljCXqGYOxnq6Xdn-BEauNmYE7Gg6F777KgWB2Wfz3-ckWAWnXpvm4uUYnRH-dOZiFdD5yRnEt-Qy1UvlojYReeFHR 61ODWRBdGyoXx-O2~wfSEGjJxyV0C7cTvnOzVR-XrqukAMgvnwUU3ZoVM6lnotUZXXK-THcpsul8QFO93zCRBrQjsdrmsf2xXdoRNR QqcD8hS8A52HUDDfe5ORHY0fVHlCRxeW1F8GVdePMrEmmEqPcg__&Key-Pair-Id=K3NV4LZ47N8M46)

The output log files*

Refer to the [Scoring a DevOps Question](https://support.hackerrank.com/hc/en-us/articles/219879848-Scoring-a-DevOps-Question) topic for more information about the Bash Check script.

[screen/frequently-asked-questions] What happens to Candidate statuses if the cutoff

title: "What happens to Candidate statuses if the cutoff score is altered?"
title_slug: "what-happens-to-candidate-statuses-if-the-cutoff-score-is-altered"
source_url: "https://support.hackerrank.com/articles/6321836373-what-happens-to-candidate-statuses-if-the-cut-off-score-is-altered%3F"
article_slug: "6321836373-what-happens-to-candidate-statuses-if-the-cut-off-score-is-altered%3F"
last_updated_exact: "Jun 5, 2025, 5:20 PM"
last_updated_relative: "Last updated 11 months ago"
breadcrumbs:
- "Screen"
- "Frequently Asked Questions"

What happens to Candidate statuses if the cutoff score is altered?

Last updated: Jun 5, 2025, 5:20 PM (Last updated 11 months ago)

If the cutoff score is changed after the test report is processed, the ATS state of a candidate's test attempt will not change. The change in cutoff score will come into effect only for tests attempted after the change is made.

For example, let's say that the current cutoff score is 50. Candidate A has scored 60 on the test and has been marked as "Qualified". If you change the cutoff score now to 70, then this will not affect the status of candidate A. Candidate A will still be marked as "Qualified". However, if candidate B now attempts the test and gets a score of 60, they will be marked as "Failed".

You can set the cut-off score for a Test under the Test Score Settings page. Refer to the [? Modifying Score Settings for Tests](/articles/8294988738)topic for more information.

In the **Candidates** tab of a Test, you can use the options in the left pane to filter and view the **Qualified** and **Failed** candidates list separately.

Example: Consider a Test with a cut-off score of **75** points. The **Candidates** tab lists all the Test candidates and their statuses. Once the candidates submit their Test, they are automatically marked as **Passed** or **Failed** based on the specified cut-off score of **75** points.

!image.png(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1749123950254-image.png?Expires=253370764800&Signature=NIGrMtjsHSQTWf42OLogpt20xixqX686GmIkIVzsUiFahj1r47I5~mLfnQ316wTI8Xya4OubtPQxdUaN8puQEhgCe7AuKMqKnDkFnab1gB4GqSPWjUG2s1xiQipNGZWSdtQpAw~a7hwr3bmGMB1--cuTP7Lt6ElzsMyW66-jQj42eJyDLztOlec3j0HSSRzJx6qv9npobQifHSJOueG9ptdCKfishY18ak14nH2j2ApqT08XCabaMqDmo3vv-jY2~eR5svDDNH7iBZseErYPbNrQFoE9j3K8CjJtZ8Z~bQCV7a09osgLtcz416XVkv0E-kx~qiOmFPuKHgRuniRdg__&Key-Pair-Id=K3NV4LZ47N8M46)

To view a list of Qualified Candidates:

In the left pane, under the **Candidate Status** category, select **Completed** and the **Passed** option.

!image.png(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1749124061156-image.png?Expires=253370764800&Signature=ejfBIYCFYrLTCV5B86s~ZaZywSWhAlZZDAJVbU0eLXFfoHTVHkO7P6MeQnBVrhXWEQJzu~6RfuMgIkHL6TNpTwMV2CRgjlpy-pqnDlxQtMZ5vac5j-4nMgrsWTeIF3~LiFwywQky~ltbTE0obRjtYRCv73sQuUB2GphmmaGDz0KRZqwko~DZmKzUv3AHHbnGliwvzfYBOi07AVytWXacCL2Ny6jPWSQrpZUkp0RXvLsXqGqeNearNpWhAlBqzR343HbwPqgZ3SWjVy2pjSDNEW~fvDsIRBw8IEpcly0CmNj31fsEAg~2BEI5vzkDJtzUPZ~q1-kIbKfGvhsem5wPg__&Key-Pair-Id=K3NV4LZ47N8M46)

To view a list of Failed Candidates:

In the left pane, under the **Candidate Status** category, select **Completed** and the **Failed** option.

!image.png(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1749124161358-image.png?Expires=253370764800&Signature=mX33IQEHEoWI8N2CxRKCeHcj72Qp~efVJ6xpDlIL~y-7TDIAITyBUVYxVRh9n7n3GxNT5YoLeWm-DpPhPqtNkSMrwsa4EQr08SaBkgeeLxNtdDATkZdulHrYouxhpdg98DCNiXyHdy9cTn6zRmS6GWV0HANuxnnJEuHHqm4MzdsOwAbWUzpF69LCNQUzQi81J1IOORR2pBNUbljXdYa--36Qv-b7HH8RKanIfjtFefRZxU5~tR1zdoCy1YMPUMtr87PJkc8qPkyiqy7sui4XJLibHedlfNSjPGHE2CKOdw-P942PFBzws70bP98MkjQ2V~TzDcM2sy8QUQGvdQ__&Key-Pair-Id=K3NV4LZ47N8M46)

[screen/frequently-asked-questions] How Can I Cancel a Test Invite?

title: "How Can I Cancel a Test Invite?"
title_slug: "how-can-i-cancel-a-test-invite"
source_url: "https://support.hackerrank.com/articles/7974410169-how-can-i-cancel-a-test-invite%3F-"
article_slug: "7974410169-how-can-i-cancel-a-test-invite%3F-"
last_updated_exact: "May 12, 2025, 4:39 PM"
last_updated_relative: "Last updated 12 months ago"
breadcrumbs:
- "Screen"
- "Frequently Asked Questions"

How Can I Cancel a Test Invite?

Last updated: May 12, 2025, 4:39 PM (Last updated 12 months ago)

Refer to the [? Cancel a Test Invite](/articles/6257623198) documentation.

[screen/frequently-asked-questions] How to Assess Kubernetes Skills on HackerRank

```
---
title: "How to Assess Kubernetes Skills on HackerRank"
title_slug: "how-to-assess-kubernetes-skills-on-hackerrank"
source_url: "https://support.hackerrank.com/articles/8730911957-how-to-assess-kubernetes-skills-on-hackerrank"
article_slug: "8730911957-how-to-assess-kubernetes-skills-on-hackerrank"
last_updated_exact: "Dec 13, 2024, 5:04 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Screen"
  - "Frequently Asked Questions"
---
```

How to Assess Kubernetes Skills on HackerRank

Last updated: Dec 13, 2024, 5:04 AM (Last updated 1 year ago)

Overview

In this article, we unpack HackerRank enabled capabilities to assess Kubernetes? skills. Before we proceed, to learn how to create, and score DevOps questions, refer [here](https://support.hackerrank.com/hc/en-us/articles/220163367-DevOps-Questions).

Kubernetes questions help you assess candidates? ability to think about scaling, distributed computing, and managing containers altogether. This also usually relates also to other skills like Docker and DevOps in general.

When a candidate takes a test consisting of Kubernetes questions, we set up their own sandbox Linux virtual machine with Docker and Kubernetes preinstalled to log in remotely through SSH. Developers can be asked to perform tasks such as: creating clusters, listing clusters, management of containers in clusters. For instance, solving HackerRank?s Kubernetes questions tests both theoretical and practical knowledge of the skill. For example, assessing the knowledge of what node stands for in Kubernetes terminology and then implement a solution to display a list of nodes inside the cluster. Learn more about which Kubernetes competencies are recommended to assess candidates' proficiency levels by visiting our **Kubernetes Skill Directory**[here](https://www.hackerrank.com/skills-directory/kubernetes_basic).

Question types that can be used to assess Kubernetes

Some of the most common ways to assess Kubernetes Skills are as below:

- **Hands-on Tasks (Recommended)**
- Multiple Choice Questions
- System Design Questions

Hands-on Tasks

Real-world or **Hands-on tasks** and questions require candidates to dive deeper and actually demonstrate their skill proficiency. Using the hands-on questions in our library, candidates can be measured on practical demonstrations and multiple solution paths. Kubernetes-based questions in the HackerRank library assess the deployment of a MySQL pod on the Kubernetes cluster via Secrets, creation, and configuration of clusters, to name a few. Some examples of questions in our library are as below.

```
![kubernetes.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046497523-?Expires=253370764800&Signature=D-A5CCIQw-y3Cuc9beFlxhRilcTVjfwUXYu6dELuFcxCMjh9d3h1q50kZP2KD1eFH-959YD8Tdpa1pGNSjCPmnplo6Jm6AXeFHiLk8Y-rtG8IMN8cmaBuqFfsgM6hmsvtPe72tuuSYeR6FmUrq0ElKHpfb4a1Aszwe5kPtKGRBArpmBzliNfM9V9jF1H2HS5jpgmLBOImNkZe1vbAFYKBNqrgUnDot3NRWh5hdgnGxmFFugZlv1T8J0VQG71P2Ci~a4jCi3~hsw31Q1DaslbTW7z97TvPrlo8weDbPX4h-teCpzjFK~gO0o-3e~x~xLfivPHmuta-cmbD6LdHA__&Key-Pair-Id=K3NV4LZ47N8M46)
```

Multiple Choice Questions

Multiple-choice questions \[MCQs\], in general, assess conceptual knowledge and understanding of a skill. The highest and most accurate insight into a candidate's Kubernetes skill is available by using

```
![MCQ_kub.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046498041-?Expires=253370764800&Signature=ih2Eo8Aa8pTOsdh54sYSpKMX2Sa4viMwBNT--6RkzXjdqtYioAw01mf7cPlfJO8JmexBbFpGE8AdDzSQ3g9Y8ih9rE0N1hYpafjCy4QSq09GjdSGtOWXUeiPaF0-pOM3F64oKIZwFYW-BATJhLUc0roTcL0eivmfWc0Si9sCLyMoDjRjVMwiZbB6672WyHFbKky
```

4DXAbK3lgke-EJXpdlZJLnvoHyjHI-Nu4a7DaSc-B3WyKReCyfBmeWTy5Uf67epuzlgRfSaobuU86p7F4g2GiEGo4rHGzAERZzoY~e0uGfBL581BcJ-v~12Vjf4reidCtBESSaXeXRsYO1Vy3Q__&Key-Pair-Id=K3NV4LZ47N8M46)

System Design Questions

Customers can leverage whiteboard solutions on HackerRank Interviews as well as Diagram questions to sketch out cluster organization, nodes inside clusters, what containerized apps are used, on what backends, and so on. These questions provide insights into the candidate's thought process.

![Mock_Aws_Diagram.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046498570-?Expires=253370764800&Signature=O4Z3rTK-YPsUoQogS2teCAqhnHjmyo0i5HS5HcgXvyabefnbNmwfXHRbKYb8137s0LRFIjHKoZ0gwcDlcRJ JqvdykHKUWJxrY8LEz5oDAkmOGLnS8kzsL-DRX7rLsWO8PC8aSj8ptepiw~n25gsXBn2SWT0yA7wL~CEBNov33SwXKECj6UE-0r2PYxzekQCsVrZPv9kOzgp-TOjDKXELyjJa7kmOcKRHsPq2otdOECRfZLmHCKMNIxsMytkzoRmpSAqB89qp0C86lcpzQYO9gLW5IP7WcjQFFVlhHsObFeGRD0E0dh6-dXt6Am2J4x8EDbk10NBZUdT8npGiLieXQ__&Key-Pair-Id=K3NV4LZ47N8M46)

\
\
\

[screen/frequently-asked-questions] Screen FAQ's

```
---
title: "Screen FAQ's"
title_slug: "screen-faqs"
source_url:
"https://support.hackerrank.com/articles/8754663182-what-is-the-maximum-number-of-candidates-i-can-assess-using-coding-assessments%3F"
article_slug: "8754663182-what-is-the-maximum-number-of-candidates-i-can-assess-using-coding-assessments%3F"
last_updated_exact: "Oct 3, 2025, 5:59 PM"
last_updated_relative: "Last updated 7 months ago"
breadcrumbs:
- "Screen"
- "Frequently Asked Questions"
---
```

Screen FAQ's

Last updated: Oct 3, 2025, 5:59 PM (Last updated 7 months ago)

1. **What is the maximum number of candidates I can assess using coding assessments?**

You can assess up to 100,000 candidates simultaneously using our coding assessments.

2. **Can I include emojis in the test disclaimer?**

No. Test disclaimer supports only plain text. Adding emojis or other non-standard characters in the test disclaimer can prevent candidates from starting the test.

3. **Does the invite count drop when reinviting a candidate?**

When you re-invite a candidate for a test they are yet to finish, the invite count will not be reduced.\nHowever, if the candidate has finished taking a test and the recruiter re-invites the candidate to retake it, it will be considered a new invite.

4. **How can I check a candidate's attempt using their email?**

On your home page, click the **Candidates** tab and search for the candidate by name or email ID. This search gives you the candidate's history, including a Skills summary, the timeline of events (tests and interviews attempted), and their public profile.

5. **Why can I not send email invites to candidates for a test?**

User accounts can be assigned to any of the four user roles: Company Admin, Developer, Recruiter, or Interviewer.

To send test email invitations to candidates, you must be assigned a Company Admin or Recruiter user role.

Also, ensure that your user role's **Allowed to Send Invites** entitlement is turned on.

6. **What happens to a candidate's status if the cut-off score is changed?**

If the cut-off score for a test is changed after a candidate's report has been generated, then there is no change in that candidate's status. However, any candidate whose report is generated after changing the cut-off score will have the new status.

7. **How do I assess Selenium Skills on HackerRank?**

Please refer to [this article](https://hackerrank-knowledge-base.help.usepylon.com/articles/4357184721-how-to-assess-selenium-skills-of-a-candidate-on-hackerrank) for more details.

8. **How can I try a question or a test?**

Please refer to [this article](https://hackerrank-knowledge-base.help.usepylon.com/articles/1202456939-how-to-try-a-question-or-a-test) for more details.

9. **How can I rename a test?**

Please refer to [this article](https://hackerrank-knowledge-base.help.usepylon.com/articles/2426927743-how-to-rename-a-test) for

more details.

\

\

[screen/frequently-asked-questions] When I edit a live test, when will the edits take effect?

```
title: "When I edit a live test, when will the edits take effect for the candidates?"
title_slug: "when-i-edit-a-live-test-when-will-the-edits-take-effect-for-the-candidates"
source_url:
"https://support.hackerrank.com/articles/9355761217-i-made-changes-to-test-settings.-when-will-it-take-effect-for-candidates%3F"
article_slug: "9355761217-i-made-changes-to-test-settings.-when-will-it-take-effect-for-candidates%3F"
last_updated_exact: "Dec 23, 2024, 1:22 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Screen"
- "Frequently Asked Questions"
---
```

When I edit a live test, when will the edits take effect for the candidates?

Last updated: Dec 23, 2024, 1:22 PM (Last updated 1 year ago)

| | | |
|--|---|------------------------|
| | | |
| <p><table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs=</p> | <p>>Edits made to a live test</p></td>
<td data-cs=</p> | |
| <p>>Experience for candidates in a live test session</p></td>
</tr>
<tr></p> | <p><td data-cs=</p> | |
| <p>>Test password change</p></td>
<td data-cs=</p> | <p>><p>Affects only when a candidate has to re-login.</p></td>
</tr>
<tr></p> | <p><td data-cs=</p> |
| <p>>Time added or reduced</p></td>
<td data-cs=</p> | <p>>
<p>Affects when a candidate reloads the page.</p>
<p>Also reflects when the candidate re-logs in (i.e. HackerRank test tab is not open when test changes are made).</p>
</td>
</tr>
<tr></p> | <p><td data-cs=</p> |
| <p>>Question added/removed</p></td>
<td data-cs=</p> | <p>><p>Changes won't affect candidates already in a test.</p></td>
</tr>
<tr></p> | <p><td data-cs=</p> |
| <p>>Edits to sectional settings</p></td>
<td data-cs=</p> | <p>><p>Changes will reflect on page reload.</p></td>
</tr>
<tr></p> | <p><td data-cs=</p> |
| <p>>Edits to test Instructions</p></td>
<td data-cs=</p> | <p>><p>Changes will reflect during page reload or re-login.</p></td>
</tr>
</tbody>
</table></p> | |

****Note:**** Candidates logging in after the edits went live will see all the changes made above.

[screen/getting-started] AI-Assisted Tests

```
---
title: "AI-Assisted Tests"
title_slug: "ai-assisted-tests"
source_url: "https://support.hackerrank.com/articles/1152916770-ai-assisted-tests"
article_slug: "1152916770-ai-assisted-tests"
last_updated_exact: "Apr 22, 2026, 10:44 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
  - "Screen"
  - "Getting Started"
---
```

AI-Assisted Tests

Last updated: Apr 22, 2026, 10:44 AM (Last updated 4 days ago)

This feature is part of the AI Add-on. For more information, see [[? HackerRank AI Add-on](#)](/articles/5847651809).

HackerRank enables AI assistance for project-based coding questions to mirror real-world development environments. This feature helps candidates experience realistic workflows and allows recruiters to evaluate practical problem-solving more accurately.

The AI Assistant operates in the following modes:

- **Unguarded**: Allows candidates to interact freely with the AI, similar to real-world AI coding tools and agent-style workflows.
- **Guarded (Default)**: Provides help with syntax, platform navigation, and conceptual guidance but does not generate complete solutions.

Note: Contact your account manager to change the default setting or to learn more about the available modes.

The AI Assistant currently supports the following question types:

- Coding
- Database
- Data Science
- Projects
 - Frontend
 - Backend
 - Full-Stack
 - Mobile
 - Generative AI
- Code Repository

Enable AI Assistant for Tests

To enable the AI Assistant:

Step 1: Enable AI Assistant in Company Settings

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to **Settings**.
3. Select **Test Settings** from the left panel under the **Company** section.
4. In the **Test Evaluation** section, turn on the **AI Assistance for Candidates** toggle.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1775561672530-image.png?Expires=253370764800&Signature=OJXtg4~tQPNMMEcb38zfEWLL0y8O9aetUMghuEdngbbSJ9rkJAmf-Q2m0995I2Tt20xvJiaSmOwZ8K3QF3cg8ml o2mVfz6ZP0aBn4lAleKKoBIVMFgDOrn~dMxLxlyjunssEdSRoFU43dpNny6yqX6zocWhwlg9JVltAZLBzIH1q74GUxA~ckCuxjS2bKLR QZ0DOPwj1WExi88rJ9yDVcTPCPwJXzL5xaDGZQHHi7KWPqU6lHAKqXEnFpDLxhQyYJAnralkbs54LR5BTdfvqpZmlZjxFFQvIAMrjD oratGKhRafxpaQHVX9HdhoBksuJeQQAScKO82Tee3SxX47AA__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click ****Save Changes****.

Step 2: Set up AI Assistant at the section level

- 1. Go to the ****Tests**** tab.
- 2. Open the test for which you want to add the AI assistant.
- 3. Hover over the section name and select the ****Settings**** icon.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1775562265970-image.png?Expires=253370764800&Signature=j5OT0JbZYGFBHsTUHHAKjC4P~6dYFAA3AP7VUE5l9lGErbSbk7HeCISz3zvnYCfbv0O9ubcClgOH43gg5BMLQh gmz5LFGV3wgyhwLQeUtJ8btRpAwAeEGg~ktmBsCqvnCFoMJtUte99zFIA3GYKTrb4~YsBvKh8oWGQbxWBPIVjXZm0cPtztq4r4ffxhh 7WDKdFoFv~L0aGCbc21l4lEot8y~ck6s~ffWy9BLwVezAXrPZ5OPmioxNtnFZtP7nkehUjodzDPF~GeZ4ZzQCqG1Z8YmOW3Cw38ooK dLma89Osl2L58in8xV8NaKn9Tt~wMYjcM3WzzmlrBsLwW6RkWRQ__&Key-Pair-Id=K3NV4LZ47N8M46)

4. In the ****Section Settings**** dialog, select the AI assistance level you want to enable for candidates:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1775561503492-image.png?Expires=253370764800&Signature=eWJ3yMFsrlz7qm~Y0NSQzfob9v3O3fVs41~0T3rC6l1z~4M5FArzwrkSbOhecZSHSHZ8jZxuKLSB5kQNaUrZre9~Al CQ0GtK7Djly5uuNmHhpBa~uUvSdHdurC6c875gMm5cU~Nsl2Nx6mrXh8O~Hf0XYk9buzLWyH3YmMWWvDFqPHElunHMsOzlJgYe 95kEtZXChvMeY~ixi4SpV4U84SpreNyuT3ZOBtIxxq6keAehaWCwISrREfMorZqW1zejj3Zf9m2VVVBVG~KAGPuD3eRQYodJj1cYv~A OqKua~EifVE2aS3~6xlujdVTu43xlcbHDMXuVGiJnbqo~2limrQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- No AI assistant
- Guarded AI assistant
- Unguarded AI assistant

5. Click ****Save****.

After you enable the AI Assistant at the section level, the section displays an ****AI Assistant**** tag.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760107449859-image.png?Expires=253370764800&Signature=SMBD0TclOes4agkUnVffJk5ro07NVSUA6oY~S5HOAt57tEo1ZdpOq9lI57krhD~LoE1kjCoP2zj~it9MEMWPewcwn G9RRNZLcyFWLRCy~VcschrdcncVF3LXqfMNS81IYAVOVqe6yAQUL5ozq9ENzYbG51C4lFlweOABcTkXzuTQrQrEhgxjSTRXCr93y ~0tRASoVytPyswNOy6NhDXI5kvUwpsRljp3wXyMX3iclz65c3jReT1KdUUoF0UUFpZqo169fGOadS6SLxZe5Z122aFOH~F0SokRkCu uGoggi2Xab~1J58CR9ldr1y~U7jHY~sLeTjZpDg3P~1J2fg__&Key-Pair-Id=K3NV4LZ47N8M46)

Candidate experience

When candidates take a test with the AI Assistant enabled, they see AI chat support that allows them to ask follow-up questions.

- Coding:

![[AI IDE-Coding question.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753779578532-AIIDE-Codingquestion.gif?Expires=253370764800&Signature=JJogA2CXlIRpoUQ9XGQdaAlSDxYChbZ0PqVXuVI2fCPbinn7q509KNGKHUZpDKFLrPLjxpowjTN ~4H1eQzYK9EG9c8SdO~LjjyBL2xrRPRxUDEjOwAPXBzzxFubA8SSQome46uPMUolZfGLXSalQye2~WPWeF~TLASf~kSutNBzjWmE ~Q4DIgqHwJ2Arlc7RYgoXKjA~3~MYBF8QtxZHVn6qZA7d9iu7A~U~dzMf9vy6EtjPHfiso~8ZbxTG73mvK3KcvOCTWOSU2bF3M3QQs c3szs2R8NoLjgV~Z1HjYI4RZmOhGxeCj~dtSw7AUKqd6MFfgegOu~FZICZJloLV~w__&Key-Pair-Id=K3NV4LZ47N8M46)

- Project:

![[AI first IDE-Chat.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753778714435-AIfirstIDE-Chat.gif?Expires=253370764800&Signature=QmupH699HkJ2GVPgGH3yKrbWpBD2OvnafK8rpD~yDZ5Yb313jfyBtB3i7HeqyGiAKfDTcbks0ArvDMIO8i7Q

mxC~Ws79uKD1tpYr33-LLcUHTaHM8ZDyY3h5rLIYPCw09a6-NzFc60DPrErz1y8uMLe4ZaECC3tlk3oj0A-IUhtzgGhx~-AnglPpzvq19
sna8jdxm9HCr-jjkWuTd6HlvTY1S3iyXiWXXdNBwOOgM4sGpOZ2RXtQLHiEtIn-ECEKopCXBxg009vNVsq~1ya3z1gEsJ0n4BXUMZ
t2XmXABID5evXEIagk~AiOjiN2jZH0lvPy8OVmEhr7T-AgsdGA__&Key-Pair-Id=K3NV4LZ47N8M46)

- Database:

![database.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760093637636-database.png?Expires=253370764800&Signature=bO1wlXdiGHifBL-eGGB08-KBk7dBm04NQ11xP7la~Y3oeNqHPQNG5Fn9aZt84chVMRpsbPCePuoxuK85oVJEmXG9QLTsG6DRwHM-r2i9mFqvOx4peWGCTsOpu1UneocBuJUUtQHc-M4r7Eqd6~9FoTBErrpzV6aRMbbX6pS2sSD6R2eNPMfOgWOkb8yFZpneMutJBPrBNnz9JiZh0Neo0wtKQbMtmFq9OO-NE-tJDQ5A3vQcBKUxD0heVTZEwuhJcAS~d8glLm01KaVRbjCTIE~li7UBXMsayJiuXDMlHPPaPhDNtoia~emxHRBnlocaWSP7tKZDDowI92MiHBsHsw__&Key-Pair-Id=K3NV4LZ47N8M46)

- Data Science:

![AI Assistant for Data Science Questions (AI add-on).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776243651499-AIAssistantforDataScienceQuestions%2528Aladd-on%2529.gif?Expires=253370764800&Signature=iueOxTWjwZ4TU-EfEDMJWfzyixuFpPE40uTqGoFeTMuF8UmWBDSiCOS5uJy4boKw9RRThERHkY2U1aYJhb71JLrdTdMJ6EoJbwc-2JlbwS~al8l4oqctZv4V5phxO9WeeJzHuRdiOUbnT6z1WgCDpf6crWIT-DmFG66U54jNSbOZnvJvuEcUZgZMR9HlxVnY-tEUBjOqWQ9hWP4Uc87tAPIF9K1h63YgHdQhoWabe2PMw1cqI3clLeU3CQNXYkDu8RgYd0ynvYdY0eyZs-G-q0jLWmXVsSjZb8PiCE~yEr8HIM2~4JfjECtT3uSQixlo17QnUy15TghxDODqNTNtew__&Key-Pair-Id=K3NV4LZ47N8M46)

Report insights

After the test is complete, the candidate report displays AI-specific interaction data.

- **AI Assistant Transcript:** This transcript shows the full conversation between the candidate and the AI assistant in the **Detailed Report**. It is enabled by default for all AI-Assisted Tests.

![DDDDFDD.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1754474711048-DDDDFDD.png?Expires=253370764800&Signature=L0OKNQlKFqs6FIBLLXgr0puBM~fRzapj-VDPZqqBi4v~uPjGpMwLnXgmeBJepkpAnaKHA0rXZ-bKKE82pdsIT4u7gTc7VpsLvqKRNyAEic-eYGDfN7bs2YepqGA0dK7r5zi4PTeoK~nYuep78T~Pk~cLO2vkR9bXiPvQKPDQwv9WUJfQcA7jwVqLgvOk5Y7b5sXflrNa9JFBEZf5MGU1Utlv6UrplIFpelGeiDAn86ut-EDDEIGRAmDYhPhNoxFC50mK1EXwb6yWNxtMMGdybX0EODZQNJI0cRb~MyXI-gY6veN~81UojfnW673HLrOHqt3yYEMZ9vGIADIKwuzSUg__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- **AI Fluency** (optional): Provides recruiters with a holistic view of how candidates interact with the AI assistant during a test. For more information, see [? AI Fluency](/articles/1773201418).

Frequently Asked Questions (FAQs)

Does the AI-Assisted Summary work in proctored tests?

Yes. In proctored tests, the **Performance Summary** appears in the new reports interface.

Can I view the AI Fluency in older reports?

In the classic reports view, the AI Fluency is available only at the question level, but not at the test level.

Is the AI Fluency reliable?

Refer to the [? AI Fluency](/articles/1773201418) article.

When should I use the Unguarded AI Assistant?

You can use the Unguarded AI Assistant when you want to evaluate how candidates work with AI in real-world, agent-style workflows.

\

[screen/getting-started] HackerRank Certified Assessments

```
---
title: "HackerRank Certified Assessments"
title_slug: "hackerrank-certified-assessments"
source_url: "https://support.hackerrank.com/articles/1649328687-hackerrank-certified-assessments"
article_slug: "1649328687-hackerrank-certified-assessments"
last_updated_exact: "Feb 7, 2025, 3:16 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Screen"
  - "Getting Started"
---
```

HackerRank Certified Assessments

Last updated: Feb 7, 2025, 3:16 PM (Last updated 1 year ago)

What is a Certified Assessment?

HackerRank Certified Assessments are pre-built role-specific tests created after long-term research and analysis of the questions that match the industry standards for the given role and assure a quality outcome from the screening process.

These Certified Assessments follow industry norms and design a universal test for a specific role. Any company that wants to hire for that role can use this single test to assess its candidates. This provides an unbiased interview experience for both the companies and the candidates.

Benefits

- **100% HackerRank Managed Screening:** HackerRank entirely manages these assessments. You do not have to depend upon your recruiting and engineering teams to create the test questions or manage the test.
- **Unbiased Assessments:** HackerRank uses a third-party content bias checker that helps to provide an unbiased assessment experience.
- **Leakage Protected Skill Bundles:** You will not be required to keep a tab on your tests to check if a question is leaked. HackerRank automatically detects and removes the leaked questions and replaces them with new questions. The leak detection process runs daily, and questions are flagged immediately once detected during the daily run.
- **Robust Plagiarism Detection:** HackerRank provides the market's most powerful plagiarism detection software to detect malpractice.
- **Accurate Classification:** Our team has built a machine-learning-powered role mapping engine that conducts in-depth research by scanning thousands of job descriptions throughout the industry. This approach helps us accurately list the skills required for a specific job role.
- **No Repetition:** HackerRank follows a 10-step robust evaluation process to select questions. The possibility of two developers getting the same question is 1 in 1000.

Creating a Certified Assessment

- Click on the **Create Test** option and select the role for which you want to assess the candidates.
- Search for the desired role or the skill you want to assess. If the role you selected has a Certified Assessment you can see the badge as shown in the below picture.
- A Certified Assessment is categorized into skill-based sections. You can see the skills mapped to the role you have selected. You can add or remove these roles in the next step.

![[2024-10-23_11-55-56.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046338704-?Expires=253370764800&Signature=QbXwsZMEfBFsJ08GOSzuOJkWPWYzc65baWF~G3leV2FuVfXr0fsz9jSASr55SCutn0xn2IzEFfRYucLW9BoowWsQuW~jELH1ivNC7E~PvyKWC~5MbfxohD6px3xPQGt-CieWpecuzkxax1AfuLtYm3HzilHOGpyJeEBbOydQvliVuPYd6O3~jPv7IQ0PGmKzWr0HrAmePqsHN8U1CqXUpo-H6qadgnEkU0FXxwuSZCe1MEotYskiPzXckNa5q4l6OxoP3lql9L4Oapvl-r~bP1~6EK0mSV2VgNgd7mMua8NS8T34lwjGzUJXBwtXwiSfl-eT8K4stsNf2xvDuBQ__&Key-Pair-Id=K3NV4LZ47N8M46))

Tip: You can access the [HackerRank Roles Directory](<https://www.hackerrank.com/roles-directory/>) to view the skills mapped to each role.

- On the test page, you can access details such as the selected role, core skills mapped to that role, and other relevant skills. You can click on the ****+**** icon beside the relevant skills to add them to your assessment.

![[2024-10-23_11-59-39.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046339127-?Expires=253370764800&Signature=Ap9UOCssIXTiB-6Xo2E8elwTpll7UqSlcoDAHrd7LPt3KXesXK5chEn~~PfsScsLqeWpYX5HhvUWCQwyEbFalfcqsmsS57-e0ar21DQmXplPXxt4R76Q10JNBVyzprdpvAdrNZ7MujPWm68AMJkv-TeubBveHbKdbxaZ4NxX20WzQZHTqM9jKTTJfkXamm1cgNH5jfCBWr85PKCoNCbQ-WxS-dsJ-1Lg4rTuvzSVNRVMg-shRn2Wc830KGxQaH0Qv-AMbjAIDDn~pH0H9D7c0WPw3xxDxaYu9uVY4D~dFWUicaoSR6GMmD99FjEARscTo9sx62Uaklj6SK7~7awRtdw__&Key-Pair-Id=K3NV4LZ47N8M46)

Section Level Settings

Shuffling Sections

You can rearrange the order of skill bundles within a test. To reorder the skill bundles, hover your mouse cursor over a skill bundle, and while keeping the mouse button pressed, drag the skill bundle upwards or downwards to the desired position. This allows you to easily shuffle and reorder the sequence of skill bundles per your preference within the test.

Skill Bundle Settings

- Hover over the skill section and click on the ****settings**** icon
- Within the skill section settings, you can change its name, select the number of questions, and change the time limit to answer that section.
- From the Advanced Settings, you can:
 - Control if you want the candidates to see the sections when disabled candidates will only see the questions within a test.
 - Enable or disable the sections to be shuffled for the candidates.
 - Allow or disallow the candidates to revisit previous sections once answered.
 - Allow the candidates to use the duration left in previous sections for the upcoming sections.

Leaked Question Replacement Indicator

- Whenever a leaked question is automatically replaced, you will be notified with an indicator within the test.
- You can click on the ****Review**** button to view the questions that have been leaked and replaced. This will help you check the accuracy of the replaced question compared to the original.

![[AQR Final sn (1).gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046340571-?Expires=253370764800&Signature=J9dXphNXWmN96dQPuScJViQLEJpWwBKSZWomDTftONpnMtu3SaS8rUyIM7zOs0zWSocjR~RUCSrUmuzOKHBErol3uCbKeCxcBw8ueC4LfUUhMlVShVLthvfaBnWgcwrlQ7d1zm~MhrnuXsXpW9Rt9WVW1FzXwU0lg9BZ5fvg5J~ZAWAXIQ0RyO7CrPgNQui5f5ZRavXdA5IqJ74mbd7BNAV6kelqq21q5lwrX81POvUdKrE5KztLNdbZZiYE92guQqF5Lkb5puBGVieii3FcSIVj3c49MxVbfSkTUr2BA~lWs8gkPTK4W5vhERTI6bGi~ugfHnhzdt7YDXZOJ3Qg__&Key-Pair-Id=K3NV4LZ47N8M46)

****Note**:**

- Automatic question replacements work for all the published tests, even if locked.

Customizing The Skills

Coming to customization, if you feel that skill is not needed for the role you are hiring or want to test an additional skill in the candidates, you can customize the assessment at the skill level.

****Important Note****: When you add or remove a skill, the test will lose its Certified Assessment status

Adding a New Skill

- Click on ****Add New+**** and select from the available options:
- ****Add Skill-Based Questions****: Add questions curated by HackerRank and mapped to each skill.
- ****Add Manually****: Add questions from HackerRank or My Company library.

- If you select Add Skill-Based Questions, you will be asked to choose the skills.

There are two types of skill bundles:

- ****Basic Skill Bundles****: These are standard skill bundles. The questions in these bundles are mapped to specific skills.
- ****Leak Protected Skill Bundles****
 - The questions in these skill bundles are safeguarded against leakage
 - HackerRank exclusively manages these skill bundles. If any questions from these bundles are leaked, HackerRank replaces the compromised questions with new ones.
 - Leak-protected skill bundles are highlighted with the safeguard icon, as shown below.

****Note: ****Basic skill bundles do not support automatic question replacement. In case of a question leak, you must manually replace the question in that test.

- The skills are differentiated at three levels:
 - ****Basic****: Consists of questions with easy difficulty.
 - ****Intermediate****: Consists of questions with medium difficulty.
 - ****Advanced****: Consists of questions with hard difficulty.
- Next, you can choose the ****Question Type****, such as Coding, MCQ, or Project type.
- After selecting the desired skill and question type, click ****Add to the test****. The selected skill will appear in a new section, and the test duration will change accordingly.

Adding Questions From the Library

- Select the ****Add Manually**** option after clicking ****Add New+****

- Select the ****Add From Library**** or ****Create Question**** option.

- When you select ****Add From Library****, you will be taken to the HackerRank library, where you can select the desired question using the available filtering options. Click on the **+++** icon to add the question. Selected questions will appear on the right pane of the screen.

- Once you've completed it, you can click on ****Go back**** ****to test**** to proceed with the test. Selected questions are added as a section.

Skill Bundle Settings

- Hover over the skill section and click on the ****settings**** icon
- Within the skill section settings, you can change its name, select the number of questions, and change the time limit to answer that section.
- From the ****Advanced Settings****, you can:
 - Control if you want the candidates to see the sections when disabled candidates will only see the questions within a test.
 - Enable or disable the sections to be shuffled for the candidates.
 - Allow or disallow the candidates to revisit previous sections once answered.
 - Allow the candidates to use the duration left in previous sections for the upcoming sections.

****Note****: You must add ****duration**** to each section to enable the above three settings.

Removing a Skill Section

Hover your cursor over the skill you want to remove and click the **delete** icon. This will remove the skill section you chose.

Once done, you can **Publish** the test and start inviting the candidates.

Note: [Shuffle sections](https://support.hackerrank.com/hc/en-us/articles/8915614977939-Configuring-the-Test-Integrity-Settings#shuffle-questions) is a default setting that cannot be changed.

Related Article

Learn more about how you can set up [skills weightage and cutoff scores](https://support.hackerrank.com/hc/en-us/articles/16300832418195-Scoring-Certified-Assessments) for your certified assessments.

[screen/getting-started] HackerRank Glossary

title: "HackerRank Glossary"
title_slug: "hackerrank-glossary"
source_url: "https://support.hackerrank.com/articles/3572240492-hackerrank-glossary"
article_slug: "3572240492-hackerrank-glossary"
last_updated_exact: "Mar 5, 2026, 7:38 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
- "Screen"
- "Getting Started"

HackerRank Glossary

Last updated: Mar 5, 2026, 7:38 PM (Last updated 2 months ago)

Here is a glossary of all the terms and definitions you need to know while using the HackerRank for Work platform.

General

| Term | Definition |
|---------------|---|
| Recruiter | A license type assigned to users who can create and edit tests, questions, and reports and send invites to candidates. Users with recruiter licenses who are a part of the enterprise plan can also use HackerRank Interview to create and conduct interviews.
Click here (https://support.hackerrank.com/articles/9603546665-types-of-user-roles#recruiter-14) to learn more. |
| Interviewer | A license type is given to users who can create questions in the library and take technical interviews using HackerRank Interviews.
Click here (https://support.hackerrank.com/articles/9603546665-types-of-user-roles#interviewer-10) to learn more. |
| Developer | A license type is given to users who can create questions and interviews and access candidates. A developer license is usually assigned to a software developer or technical manager within the company.
Click here (https://support.hackerrank.com/hc/en-us/articles/115008320348-Types-of-Licenses-#interviewer-license) to learn more. |
| Team Admin | This is a type of user who has complete access to manage other users within their team,
add or remove users and change the permissions of existing users. A team admin usually has a recruiter or developer license.
Click here (https://support.hackerrank.com/articles/9611303302-introduction-to-team-admin) to learn more. |
| Company Admin | |

[illegible]

| | | |
|--|--|--|
| <p>Public Test</p> | | |
| <p>Test Settings</p> | | |
| <p>Tests can be accessed by anyone who has the URL to the test.
Click [here] to learn more</p> | | |
| <p>Private URL</p> | | |
| <p>Test Settings</p> | | |
| <p>Tests that are password protected can be accessed by individuals who have the correct password to the test.
Creating these tests is useful when you want to control who can access the test.</p> | | |
| <p>Click [here] to learn more</p> | | |
| <p>Test Expiration Time</p> | | |
| <p>Test Settings</p> | | |
| <p>The time frame for the test is marked by the start login date/time and end login date/time. The test URL remains active within this time frame, and candidates can only attempt the test between the start and end times.</p> | | |
| <p>Click [here] to learn more.</p> | | |
| <p>Proctoring</p> | | |
| <p>Test Settings</p> | | |
| <p>The feature enables the hiring company to monitor a candidate's focus on the test screen while they are attempting the test. Using this feature, recruiters can assess their candidate's authenticity and note any suspicious activities or malpractices during the test.</p> | | |
| <p>Click [here] to learn more.</p> | | |
| <p>Confirmation Email</p> | | |
| <p>Test Settings</p> | | |
| <p>Enabling this setting will email the candidates after they complete a test.</p> | | |
| <p>Click [here] to learn more.</p> | | |
| <p>Reminder Email</p> | | |
| <p>Test Settings</p> | | |
| <p>Enabling this setting will send a reminder to candidates before a test. Only one reminder is sent to each candidate.</p> | | |
| <p>Click [here] to learn more.</p> | | |
| <p>Email Template</p> | | |
| <p>Test Settings</p> | | |
| <p>A sample test invitation format that already has some detail in place and can be edited further to meet the test requirements. Recruiters can save different email invite formats in the form of email templates, reuse them later, and share them with others within their team.</p> | | |
| <p>Admin Email</p> | | |
| <p>Test Settings</p> | | |
| <p>A field in the Test Settings where you can put the</p> | | |

email addresses of individuals who should receive candidate reports for the test. These individuals are other than the test owner or recruiter who invites the candidate.

Test Summary report

Test Report

A short overview of the report of a candidate who is invited to a test. The test summary page contains the current test status (e.g., "test completed-evaluation required, test completed, etc.), the candidate's details, their score for each question that is present in the test, etc.

Click [here](https://support.hackerrank.com/articles/8111267829-viewing-a-candidate-s-test-summary-report) to learn more.

Detailed Report

Test Report

A detailed test report explaining a candidate's performance in a test. The Test Reports are generated after the candidates have submitted a Test, and their answers are evaluated, and scores are assigned if applicable.

Click [here](https://support.hackerrank.com/articles/8263794320-viewing-a-candidate-s-detailed-test-report) to learn more.

Timeline

Test Report

This tab under the candidate report will have complete details about the candidate's actions from the start to the end of a test.

Plagiarism Flag

Test Report

A flag denotes if a candidate's code submission is similar to other codes available on the internet.

We recommend that the hiring manager or engineer review the highlighted code to determine whether this is an actual case of malpractice.

Click [here](https://support.hackerrank.com/articles/8000786908-ai-plagiarism-detection) to learn more.

Test Insight

Test Insights

Datapoints that provide a complete statistical analysis of the progress of a test. The test insights help recruiters analyze the trend of their candidates' performance compared to the time taken and scores they achieved in a particular Test.

Click [here](https://support.hackerrank.com/hc/en-us/articles/360012069794-Test-Insights) to learn more.

Distribution of Candidate Score

Test Insights

A graph represents the different scores achieved by candidates who have submitted the test. You can use this score graph to understand the approximate number or percentage of candidates who are successful with the test and can potentially be hired.

Click [here](https://support.hackerrank.com/hc/en-us/articles/360012069794-Test-Insights) to learn more.

Median Attempt Time

Test Insights

Indicates the median value from different candidates' test completion times. This median value is a benchmark correlation to separate the faster and slower test takers.

Click [here](https://support.hackerrank.com/hc/en-us/articles/360012069794-Test-Insights) to learn more.

Median Time to Full Score

Test Insights

```
<td data-cs="1" data-rs="1" style="width: 43.4286%; height: 201px"><p>Indicates the median value from different test completion times. It considers only those tests in which candidates have achieved a full score. This median value serves as a benchmark correlation to separate test takers who achieved a full score in the shortest possible time.<br /><br /><p>Click [here](https://support.hackerrank.com/hc/en-us/articles/360012069794-Test-Insights) to learn more.</p></td></tr></tr><td data-cs="1" data-rs="1" style="width: 29.1429%; height: 89px"><p>Median Time</p></td><td data-cs="1" data-rs="1" style="width: 27.2857%; height: 89px"><p>Test Insights</p></td><td data-cs="1" data-rs="1" style="width: 43.4286%; height: 89px"><p>This graph represents the median time taken to solve each question in the test.<br /><p>Click [here](https://support.hackerrank.com/hc/en-us/articles/360012069794-Test-Insights) to learn more.</p></td></tr></tr><td data-cs="1" data-rs="1" style="width: 29.1429%; height: 134px"><p>Median Score</p></td><td data-cs="1" data-rs="1" style="width: 27.2857%; height: 134px"><p>Test Insights</p></td><td data-cs="1" data-rs="1" style="width: 43.4286%; height: 134px"><p>For every question in the test, this graph represents the median value of the scores achieved.<br /><br /><p>Click [here](https://support.hackerrank.com/hc/en-us/articles/360012069794-Test-Insights) to learn more.</p></td></tr></tr><td data-cs="1" data-rs="1" style="width: 29.1429%; height: 89px"><p>Candidate Status</p></td><td data-cs="1" data-rs="1" style="width: 27.2857%; height: 89px"><p>Test Insights</p></td><td data-cs="1" data-rs="1" style="width: 43.4286%; height: 89px"><p>A pie chart that represents the distribution of candidates who have passed or failed the test and those who are yet to be evaluated for the test.</p></td></tr></tr><td data-cs="1" data-rs="1" style="width: 29.1429%; height: 156px"><p>Test Health Dashboard</p></td><td data-cs="1" data-rs="1" style="width: 27.2857%; height: 156px"><p>Test Health</p></td><td data-cs="1" data-rs="1" style="width: 43.4286%; height: 156px"><p>A dashboard that offers an up-to-date view of the health of the test. It consists of a set of metrics that assist you in taking immediate steps to enhance the quality of your hiring process.</p></td></tr></tr><td data-cs="1" data-rs="1" style="width: 29.1429%; height: 112px"><p>Candidate Response</p></td><td data-cs="1" data-rs="1" style="width: 27.2857%; height: 112px"><p>Test Health</p></td><td data-cs="1" data-rs="1" style="width: 43.4286%; height: 112px"><p>The measure of the number of candidates who start the test to the number of invites delivered to the candidates.</p></td></tr></tr><td data-cs="1" data-rs="1" style="width: 29.1429%; height: 112px"><p>Invite Email Delivery Rate</p></td><td data-cs="1" data-rs="1" style="width: 27.2857%; height: 112px"><p>Test Health</p></td><td data-cs="1" data-rs="1" style="width: 43.4286%; height: 112px"><p>The percentage of candidates who received their invites in the inbox without it bouncing or getting marked as spam.</p></td></tr></tr><td data-cs="1" data-rs="1" style="width: 29.1429%; height: 112px"><p>Invite Email Open Rate</p></td><td data-cs="1" data-rs="1" style="width: 27.2857%; height: 112px"><p>Test Health</p></td><td data-cs="1" data-rs="1" style="width: 43.4286%; height: 112px"><p>The percentage of candidates who received your invites and opened them instead of ignoring or deleting them.</p></td></tr></tr><td data-cs="1" data-rs="1" style="width: 29.1429%; height: 112px"><p>Test Link Click Rate</p></td><td data-cs="1" data-rs="1" style="width: 27.2857%; height: 112px"><p>Test Health</p></td><td data-cs="1" data-rs="1" style="width: 43.4286%; height: 112px"><p>The percentage of candidates who clicked the link to take your test after opening the invite email.</p></td></tr></tr><td data-cs="1" data-rs="1" style="width: 29.1429%; height: 112px"><p>Test Start Rate</p></td><td data-cs="1" data-rs="1" style="width: 27.2857%; height: 112px"><p>Test Health</p></td><td data-cs="1" data-rs="1" style="width: 43.4286%; height: 112px"><p>The percentage of candidates who clicked on the invite link to take the test has completed the steps and started the test.</p></td></tr></tr><td data-cs="1" data-rs="1" style="width: 29.1429%; height: 179px"><p>Assessment Quality</p></td><td data-cs="1" data-rs="1" style="width: 27.2857%; height: 179px"><p>Test Health</p></td></tr></tr></pre>
```

You can find out how well your tests are helping in evaluating the candidates' strengths and weaknesses with the help of Assessment Quality. It is based on various inputs, from the design of the tests to candidates' experience in taking them.			
Attempt Duration Distribution	Test Health		
Determines whether your test's length is well-calibrated - not too long or short.			
Click [here](https://support.hackerrank.com/hc/en-us/articles/360012069794-Test-Insights) to learn more.			
Attempt Rate	Test Health		
The metric to know how many candidates started the test and submitted an answer to at least one question. It measures the initial impression your test gives the candidates when they first see it.			
Click [here](https://support.hackerrank.com/hc/en-us/articles/360012069794-Test-Insights) to learn more.			
Completion Rate	Test Health		
The metric is to know how many candidates are willing to see it through to the end, submitting an answer to every question on the test. A high completion rate means your test is well-calibrated to your candidates' abilities. A low completion rate means your candidates got stuck or frustrated midway through the test-taking process.			
Click [here](https://support.hackerrank.com/hc/en-us/articles/360012069794-Test-Insights) to learn more.			
Candidate Feedback	Test Health		
This measure measures the overall candidate experience of your test. It gives the average rating across all candidates who chose to provide feedback.			
Click [here](https://support.hackerrank.com/hc/en-us/articles/360012069794-Test-Insights) to learn more.			
Score Distribution	Test Health		
A bell curve of the U-shaped curve metric is based on the distribution of scores candidates receive on tests. Tests with a wide score spread that are not too easy or too hard are more likely to lead to a positive hiring outcome.			
Click [here](https://support.hackerrank.com/hc/en-us/articles/360012069794-Test-Insights) to learn more.			

Interviews

Term	Definition
Interview	A real-time pair programming environment is needed to support remote technical interviews ranging from simple coding challenges to full-stack development scenarios. The interview was formerly known as CodePair.

Click [\[here\]\(https://support.hackerrank.com/articles/5377881818-the-next-generation-of-hiring%3A-interview-features\)](https://support.hackerrank.com/articles/5377881818-the-next-generation-of-hiring%3A-interview-features) to learn more.

My Pads

A list of all the interviews you created.

HackerRank Lobby

A virtual waiting room for the candidate and the interviewers participating in an interview. When multiple interviewers access a single interview, the candidate or interviewer can wait in the HackerRank Lobby until they can enter the interview.

Click [\[here\]\(https://support.hackerrank.com/articles/1151935613-using-virtual-lobby-in-hackerrank-interviews\)](https://support.hackerrank.com/articles/1151935613-using-virtual-lobby-in-hackerrank-interviews) to learn more.

Whiteboard

A virtual tool that lets candidates and interviewers sketch diagrams using easy tools from the toolbar. When you end the interview, the sketches on the whiteboard are captured and available in the candidate's report.

Click [\[here\]\(https://support.hackerrank.com/hc/en-us/articles/360048201413-Interviewing-with-Whiteboards\)](https://support.hackerrank.com/hc/en-us/articles/360048201413-Interviewing-with-Whiteboards) to learn more.

Scorecard

A private scorecard to manually evaluate the candidate's skills during an interview. It displays a set of skills to be analyzed based on the role that the candidate is getting hired for. Click [\[here\]\(https://support.hackerrank.com/hc/en-us/articles/360048405234-Interview-Scorecards\)](https://support.hackerrank.com/hc/en-us/articles/360048405234-Interview-Scorecards) to learn more.

Recommended Questions

A set of interview questions, curated specifically for interviews that take less than 30 minutes to solve, is designed to have a quick read time. It comes with a set of interviewer's guidelines that provide hints, solution code, complexity analysis, potential follow-up questions, etc.

Click [\[here\]\(https://support.hackerrank.com/hc/en-us/articles/360049354333-Recommended-Questions-and-Interviewer-s-Guidelines\)](https://support.hackerrank.com/hc/en-us/articles/360049354333-Recommended-Questions-and-Interviewer-s-Guidelines) to learn more.

Interview Templates

A structured set of questions to assist you in asking similar questions to every candidate applying for a particular role. Interview templates will reduce bias and provide a way to benchmark and compare candidates to get the right fit.

Click [\[here\]\(https://support.hackerrank.com/articles/8016598860-using-templates-in-interviews\)](https://support.hackerrank.com/articles/8016598860-using-templates-in-interviews) [\[here\]\(https://support.hackerrank.com/hc/en-us/articles/1500008525861-Introducing-Interview-Templates\)](https://support.hackerrank.com/hc/en-us/articles/1500008525861-Introducing-Interview-Templates) to learn more.

Leave Interview

A button inside the Interview allows interviewers to leave the interview without disturbing others. This feature is particularly helpful when multiple interviewers simultaneously present in the same interview.

Click [\[here\]\(https://support.hackerrank.com/articles/1242592015-ending-an-interview\)](https://support.hackerrank.com/articles/1242592015-ending-an-interview) to learn more.

End Interview

A button inside the Interview that ends the session for all the participants present in the interview.

Click [\[here\]\(https://support.hackerrank.com/articles/1242592015-ending-an-interview\)](https://support.hackerrank.com/articles/1242592015-ending-an-interview) to learn more.

```
</tr>
</tbody>
</table>
```

Candidates

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="background-color: #eafcef"><p><strong>Term</strong></p></td>
<td data-cs="1" data-rs="1" style="background-color: #eafcef"><p><strong>Definition</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 50%; height: 22px"><p>Badges</p></td>
<td data-cs="1" data-rs="1" style="width: 50%; height: 22px"><p>Candidates can participate in various challenges in HackerRank. Upon completing those challenges, they will be awarded Badges.</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 50%; height: 22px"><p>Benchmarking</p></td>
<td data-cs="1" data-rs="1" style="width: 50%; height: 22px"><p>Measure to compare candidate?s scores on specific skills against a cohort of candidates who have been assessed on the same set of skills.</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 50%; height: 22px"><p>Candidate</p></td>
<td data-cs="1" data-rs="1" style="width: 50%; height: 22px"><p>Individuals who attempt or are invited to attempt tests or interviews on the HackerRank platform</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 50%; height: 22px"><p>Candidate Packet</p></td>
<td data-cs="1" data-rs="1" style="width: 50%; height: 22px"><p>One-stop solution for a candidate?s skills summary inside HackerRank. It hosts a collection of reports and scorecards of all the tests and interviews that a candidate has taken part in for a particular role.</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 50%; height: 22px"><p>Contest History</p></td>
<td data-cs="1" data-rs="1" style="width: 50%; height: 22px"><p>The history of all the contests in the HackerRank Community (HRC) in which the candidate participated in the past.</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 50%"><p>Public Profile<br />
<br />
<p></td>
<td data-cs="1" data-rs="1" style="width: 50%"><p>Activities of the candidate in the HackerRank Community (HRC). It includes the candidate's certificate, badges, and contest details. The Public Profile is a part of the Candidate Packet.</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 50%"><p>Skill Summary</p></td>
<td data-cs="1" data-rs="1" style="width: 50%"><p>Summary of a candidate's performance in all the skills that are mapped to a particular role in which they are being evaluated.</p>
<p><br />
Click [here](https://support.hackerrank.com/articles/3872148153-skills-on-hackerrank) to learn more.</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 50%"><p>Timeline<br />
<br />
<p></td>
<td data-cs="1" data-rs="1" style="width: 50%"><p>List of events, including tests and interviews on HackerRank in which a candidate has participated historically, arranged chronologically, according to their occurrence. The timeline is a part of the Candidate Packet.</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 50%"><p>Verified Skills</p></td>
<td data-cs="1" data-rs="1" style="width: 50%"><p>Skills in which a candidate has successfully completed the HackerRank Skill Certification test.</p></td>
```


Projects Questions		
General		
Container-based real-world challenges that allow you to evaluate programmers who are familiar with each layer of software technology and are adept at front-end programming, back-end programming, Full-stack development, DevOps, Data Science, and databases.		
Question Insights	Question Insights	These data points provide a complete statistical analysis of a question, helping the hiring company analyze the performance of that question under multiple parameters.
Click [here](https://support.hackerrank.com/articles/3255724462-question-insights) to learn more.		
Author	Question Insights	The one who created the question.
Attempts	Question Insights	A number of the candidates submitted a response to the question.
Recommended Time	Question Insights	Suggested time to solve the question.
Median Score	Question Insights	50% of the candidates who attempted the question scored less than or equal to the number mentioned.
Median Attempt Time	Question Insights	50% of the candidates who attempted this question took less than or equal to the time mentioned.
Median Time to Full Score	Question Insights	50% of the candidates who scored 100% answering this question took less than or equal to the time mentioned.
Score Distribution	Question Insights	A graph that elaborates the distribution of the score percentage of candidates who attempted a response to the question.
Click [here](https://support.hackerrank.com/articles/3255724462-question-insights) to learn more.		
Usage Over Time	Question Insights	A graph that explains how many candidates attempted to answer this question per month from its inception to date.
Click [here](https://support.hackerrank.com/articles/3255724462-question-insights) to learn more.		
Candidates by language	Question Insights	This pie chart shows the percentage of candidates answering

this question based on language.</p></td>

</tr>

<tr>

<td data-cs="1" data-kind="parent" data-rs="1" style="width: 27.1429%"><p>Language Stats</p></td>

<td data-cs="1" data-kind="parent" data-rs="1" style="width: 29.2857%"><p>Question Insights</p></td>

<td data-cs="1" data-kind="parent" data-rs="1" style="width: 43.4286%"><p>A statistical table of candidates by language and the Median Score, Maximum Score Obtained, and Median Time Taken.</p></td>

</tr>

</tbody>

</table>

Insights

<table>

<colgroup>

<col style="width: 50%" />

<col style="width: 50%" />

</colgroup>

<tbody>

<tr>

<td data-cs="1" data-kind="parent" data-rs="1" style="background-color: #eafcef"><p>Term</p></td>

<td data-cs="1" data-kind="parent" data-rs="1" style="background-color: #eafcef"><p>Definition</p></td>

</tr>

<tr>

<td data-cs="1" data-kind="parent" data-rs="1" style="width: 50%"><p>Test Usage Dashboard</p></td>

<td data-cs="1" data-kind="parent" data-rs="1" style="width: 50%"><p>Embedded Looker dashboards give you deeper insights into the various activities related to Tests performed from your HackerRank account. It helps you analyze which of your company's recruitment teams are being efficient and effective with conducting tests and the candidates' responses to them. The Test Usage Dashboard is present inside the Insights tab of your HackerRank account, and only company admin users can access this dashboard.

Click [\[here\]\(https://support.hackerrank.com/articles/4945003466-account-insights#test-usage-dashboard-8\)](https://support.hackerrank.com/articles/4945003466-account-insights#test-usage-dashboard-8) to learn more.</p></td>

</tr>

<tr>

<td data-cs="1" data-kind="parent" data-rs="1" style="width: 50%"><p>Interview Usage Dashboard</p></td>

<td data-cs="1" data-kind="parent" data-rs="1" style="width: 50%"><p>Embedded Looker dashboards give you deeper insights into the various activities related to interviews performed from your HackerRank account. It helps you analyze which of your company's recruitment teams are efficient and effective in conducting interviews and the duration of interviewing the candidates. The Interview Usage Dashboard is present inside the Insights tab of your HackerRank account, and only company admin users can access this dashboard.

Click [\[here\]\(https://support.hackerrank.com/articles/4945003466-account-insights#interview-usage-dashboard-13\)](https://support.hackerrank.com/articles/4945003466-account-insights#interview-usage-dashboard-13) to learn more.</p></td>

</tr>

<tr>

<td data-cs="1" data-kind="parent" data-rs="1" style="width: 50%"><p>Interview Questions Dashboard</p></td>

<td data-cs="1" data-kind="parent" data-rs="1" style="width: 50%"><p>Embedded Looker dashboards in your account that display the overall statistics of HackerRank questions and the custom questions that are used in your interviews.

Click [\[here\]\(https://support.hackerrank.com/articles/4945003466-account-insights#interview-questions-dashboard-19\)](https://support.hackerrank.com/articles/4945003466-account-insights#interview-questions-dashboard-19) to learn more.</p></td>

</tr>

<tr>

<td data-cs="1" data-kind="parent" data-rs="1" style="width: 50%"><p>Legacy Reports</p></td>

<td data-cs="1" data-kind="parent" data-rs="1" style="width: 50%"><p>Set of dashboards and trends to view the activities of the Recruiters and the developers in the form of charts. These are the former representations of insights from your HackerRank account and will be deprecated soon. The improved dashboards are the Test Usage Dashboard, Interview Usage Dashboard, and Interview Question Dashboards, as explained earlier.</p></td>

</tr>

</tbody>

</table>

\

[screen/getting-started] Scoring Certified Assessments

```
---
title: "Scoring Certified Assessments"
title_slug: "scoring-certified-assessments"
source_url: "https://support.hackerrank.com/articles/8606775858-scoring-certified-assessments"
article_slug: "8606775858-scoring-certified-assessments"
last_updated_exact: "Mar 12, 2025, 12:56 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Screen"
  - "Getting Started"
---
```

Scoring Certified Assessments

Last updated: Mar 12, 2025, 12:56 AM (Last updated 1 year ago)

Overview

HackerRank Certified Assessments allow you to assign weightage to skills and decide the cutoff score for a certified assessment.

****Important questions answered:****

- How can the top 10, 25, or 50% of candidates who have completed a certified assessment be identified?
- How can you determine the cut-off scores for a certified assessment?

- Need more information on [Cutoff Scores for assessments](https://support.hackerrank.com/hc/en-us/articles/115006147187-Modifying-Score-Settings-for-Tests)?

Weighting of Skills

Adjusting the weighting of specific skills being evaluated within a Certified Assessment.

- Why weight skills?
 - Weighting the value of each skill evaluated in a Certified Assessment enables easy identification and segmentation of top performers.
- How does the scoring method work for Certified Assessment?
 - Hiring teams assign weights to skills based on their needs for any specific certified assessment.
 - ****Note:**** Default weight values are provided but can be customized.
 - Candidates who have taken the assessment are bucketed together into performance tiers. (Top 10%, Top 25%, and Top 50%)
 - HackerRank will then reduce the scores based on the weights you and your hiring team(s) assigned or default system-assigned weights.
 - Average scores were then established for each tier.
 - The average score can then easily be used to determine the performance of any candidate compared to the scoring average for the performance tiers.

Sample scenario explaining the scoring method

1. A certified Assessment is created to evaluate two skills.
 - Section 1: PS Basic - Coding
 - Section 2: SQL Basic - Coding
2. A recruiter assigns weights to skills. (Weighting below)
 - Weightage of PS Basic = 40%

- Weightage of SQL Basic = 60%

3. Candidate Mary has taken a Software Intern Test with two sections.

- Section 1: PS Basic - Coding

- **The section score** of the candidate is 45/50

- Section 2: SQL Basic - Coding

- **The section score** of the candidate is 50/75

- **Total Score** 95/125 = 76%

4. HackerRank uses results collected through the assessment to provide the average score for performance tiers, including:

- Top 10%

- Top 25%

- Top 50%

-----	-----	-----	-----	
Tiers	PS (Basic) - Coding	SQL (Basic) - Coding	Final Scores	
Top 10% of candidates	30.4	43.2	73.6	
Top 25% of candidates	29.2	41.4	70.6	
Top 50% of candidates	28	36	64	

How is this helpful?

- Candidate Mary earned 95 of 125 possible points while taking the certified assessment, equaling 76%. Compared to the average for various performance tiers, Mary is clearly a top performer in the top 10% and is now easily identifiable.

- Noting the average score for the various performance tiers can help determine a poignant cutoff score to help differentiate the top performers.

Note: the final percentage can change depending on the weighting selected by the recruiters for each section.

How can weighting alter the scores? (Sample scenario with updated scoring)

- Though the final percentage seems similar in the above example, it can change depending on the weighting selected by the recruiters for each section.

- Let's say a recruiter assigns weights to skills. (Weighting below)

- Weightage of PS Basic = 30%

- Weightage of SQL Basic = 70%

\

[screen/getting-started] Quick Start Guide for Recruiters

title: "Quick Start Guide for Recruiters"
title_slug: "quick-start-guide-for-recruiters"
source_url: "https://support.hackerrank.com/articles/9248897371-quick-start-guide-for-recruiters"
article_slug: "9248897371-quick-start-guide-for-recruiters"
last_updated_exact: "Feb 13, 2025, 2:07 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Screen"
- "Getting Started"

Quick Start Guide for Recruiters

Last updated: Feb 13, 2025, 2:07 PM (Last updated 1 year ago)

HackerRank is a technology hiring platform designed to help companies efficiently hire skilled developers in a remote-first world. It enables objective evaluation of tech talent at every stage of the recruiting process. This article introduces the key features of HackerRank Screen to help you get started.

HackerRank Library

The HackerRank Library is a centralized repository containing pre-built questions of various complexities and types, covering multiple programming languages. This feature helps you create Tests aligned with your hiring requirements, enabling skill-based and experience-driven candidate assessments.

The library includes:

- Ready-made questions curated by HackerRank to match job roles.
- Categorization by language, complexity, and skill type.
- The ability to create custom questions is stored in the ****My Company Questions**** section.
- Options to manage shared questions among team members.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1738610832664-image.png?Expires=253370764800&Signature=JWkfbgQ7odtmcrITHT7gzl6nm0y71z5pCPyzX4R9nddjXidjuaPE1N-U0X04N5pU87I6W6k9a2MVKYiTtRyb0MMLJA7c~g~8CDJDfrlvMc9aQXB9G-V1UI6DCjLyTsPvQUMWcJtimDeC1zcfyydSYkd2oPZ1LNonVcrpj0hB~3qP1wrTLHraY3tBBdV9SUhTyc6Ru-Qs4kFH6rNUSG2WuwC2u~cLIVtVKc~Ca1HF5UOExyf-pxUtlHn1b-oeB0yNV-gNfaqtBUU605XOpptW22D64QJgKjA7qVbfqmNYbTBDwvBO2hfxOlaJF2~s1uCO1FAI1dYCVecxa2iPerJA__&Key-Pair-Id=K3NV4LZ47N8M46)

Tests

HackerRank allows you to create Tests to evaluate candidates' skills for specific roles or custom requirements. Follow these steps to create a Test:

1. Go to the ****Tests**** page and click ****Create Test****.
2. Choose an applicable role to create a test.
3. Add questions from the Library or your custom question repository using the ****Add from Library**** option.
4. Filter questions by role, skill, difficulty, and more to match the Test's requirements.

Refer to:

- [Creating Certified Assessments](https://support.hackerrank.com/articles/1649328687-hackerrank-certified-assessments)
- [Creating a Custom Test](https://support.hackerrank.com/articles/2031393332-creating-a-custom-test)

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1738610931196-image.png?Expires=253370764800&Signature=dWeK3ft-W7Q-9gWBoakJIVwyjNa4LB9~FV6nNZwf6sPOxlrSScQEiuCpbhW-2Cdlos685aH6-2QOMbjEGh2EHhT~ReW4MIZUiH6~OmQD7duLs-F2mbCHfqjfx8mFbSGgIT-UeqvZY-D1p-x43orS9-CnBW3VB~TqdcioA4aj7uJA89dqAmplNMwD7YmX0Oa10bqB08uSZ-0McywVp~zbobCzZfw~kM-sAbE8tDrUE-mc20dd~uydQxiZ0xx4A74eepeqQIKrm3G6FDkkwaj5597oltXraIN31K1IT

luczoFQ~nQ~pW10-83sRqBhTdQCKt1CFd~GtS2cKxyjz8boQ__&Key-Pair-Id=K3NV4LZ47N8M46)

For additional guidance, visit the [\[https://support.hackerrank.com/articles/5297005851-hackerrank-academy\]](https://support.hackerrank.com/articles/5297005851-hackerrank-academy) [HackerRank Academy](https://support.hackerrank.com/articles/5297005851-hackerrank-academy) to access on-demand training courses on test creation, working with the Library, and more.

Test Settings

Test settings allow you to configure options such as:

- Candidate access
- Test scoring
- Question display
- Time accommodations

To modify settings:

1. Navigate to the **Tests** page and select the desired Test.
2. Click **Settings** and adjust options from the tabs on the left panel.

Refer to related articles for specific configurations:

- [Modifying Candidate Settings for Tests](https://support.hackerrank.com/articles/6890796492-modifying-candidate-settings-for-tests)
- [Proctoring HackerRank Tests](https://support.hackerrank.com/articles/1079706165-proctoring-hackerrank-tests)

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1738610964228-image.png?Expires=253370764800&Signature=Lln~y~~6dUI9Ni5qzp6aobjxIM3hXYlfK9who8nKTv1wuBn7UpQu6Tx0P6Jg9sLhKylcFId4gtapP0Lj-0ZZSqBLkITQqfzahjKkxFU2~dDGWNTTl9vxVd9a2FWB-W1XdIbVhQpOkacsLzUQ-VUZ0NtR~Ae0SPSjVfKt-IUPfU-WrC6VvWR~WR3b0~3u17HOvSZPdOapiyuS6iD9gL-IxWeU8pVRZzOpLk05cInfcZnpD35aGYmhZbdUkNuMvS1D7-eyamo1o55xKViGA~cWNIPy~BcQq2qyuF0iZBjYfYitjKymwpzdpSPZ7rt5uVH7rT1em1Cr9H75ILQlhX6gA__&Key-Pair-Id=K3NV4LZ47N8M46)

Inviting Candidates

Invite candidates to a Test via email. To send invitations:

1. Publish the Test.
2. Click **Invite** and enter candidate email addresses or upload a CSV file.
3. Customize the email using templates or saved formats.

Note: Recruiters must have a valid license to send invitations.

\

Test Insights and Reports

Test Insights

The **Test Insights** page provides performance analytics to refine your hiring process, including trends and effectiveness metrics.

Candidate Reports

Access detailed reports on candidate performance, including code quality and plagiarism detection. Reports can be downloaded as PDFs or Excel files for external sharing.

For more details:

- [Viewing Detailed Test Reports](https://support.hackerrank.com/articles/8263794320-viewing-a-candidate's-detailed-test-report)
- [Downloading PDF and Excel Test Reports](https://support.hackerrank.com/articles/1786677446-downloading-pdf-and-excel-test-reports)

HackerRank Interviews

HackerRank Interviews offers a real-time, interactive platform for conducting technical assessments. Interviews replicate an in-person experience while enabling collaborative problem-solving.

Explore additional resources:

- [Introduction to Interviews](https://support.hackerrank.com/articles/9059560249-introduction-to-hackerrank-interviews)

- [Interviewing with HackerRank](https://support.hackerrank.com/articles/8981400034-interviewing-with-hackerrank)

For further assistance, refer to the comprehensive [HackerRank Support Documentation](#).

!image.png(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1738611273681-image.png?Expires=253370764800&Signature=C~WiZEej9283RbscGiKNBGG6uHDAi70eBgyvoIPZxml7LGZFcOmUwuxit5wBgIMF6V0k7x9IGR7CqshysntluBsbEt91QSD5Krt18R7WuqHXmdRYU-WpcZ4b7INe5PqL7~v1nOV4SWTgliEHf903c2DPINmLSbEjctpvdXso3oD1a2GxTufKoTg6h6QeuDzPNs0QYQ9uPcl3Ruey4tdVHHVVgBi-SjO~q8MOrh20pOrWzcj3oDQG0XboWEEdGQ~tB3~OMzG1uvTkuyKsHpl7VjnFxRkn-Om8EK9PFESZHvIw01hZGadTQeeyyMrvdARNffJ9t7d~jEv4iEjS8z6ytQ__&Key-Pair-Id=K3NV4LZ47N8M46)

\

[screen/invite-candidates] Reininvite Candidates to a Test Prerequisites Reinverting can

```
---
title: "Reininvite Candidates to a Test Prerequisites Reinverting candidates to a test"
title_slug: "reininvite-candidates-to-a-test-prerequisites-reinverting-candidates-to-a-test"
source_url: "https://support.hackerrank.com/articles/1002936098-reinverting-candidates-to-a-test"
article_slug: "1002936098-reinverting-candidates-to-a-test"
last_updated_exact: "Dec 4, 2025, 3:13 PM"
last_updated_relative: "Last updated 5 months ago"
breadcrumbs:
  - "Screen"
  - "Invite Candidates"
---
```

Reininvite Candidates to a Test Prerequisites Reinverting candidates to a test

Last updated: Dec 4, 2025, 3:13 PM (Last updated 5 months ago)

If a candidate experiences an issue such as a power outage or loss of internet connection, you can reininvite them to retake the test at any time. You do not need to delete the previous invite or attempt before sending a new one.

Note: When you reininvite a candidate, their previous report is automatically deleted. To recover a deleted report, contact support@hackerrank.com.


Prerequisites

- The candidate must have already been invited to or attempted the test.
- You must have a Recruiter license to reininvite candidates.


Reinverting candidates to a test

To reininvite a candidate to a test:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test from which you want to reininvite candidates.
4. Go to the **Candidates** tab.
5. Select the checkbox next to the candidate you want to reininvite.



6. Click **Invite selected**.



7. In the **Send Test Invites** section, click **Send invite**.
A confirmation message appears indicating that the candidate has already attempted the test.
8. Click **Re-invite** to send the test invitation again.



764800&Signature=FbtrB9itXVIT~prWW0rl6rivKUwyj-CQYgGcCHnYTZTUJRbe3HG8NVZ04KGG5HtZoO7sHiphXOM4z5ag-MiqQtX7xyJxv7HVORET4YMesolUnzO-VnJSexHxYITUkxtSvAWS9sWlsmg-yaKBc9~MJgnoPZVPAZo-92sHnHNfS3JdCijNHjsG3MW64jQVZwnKG3p8MPLe-YYP5j1fl73xhA7LkWyppyvEHrvvLwKZZKcl1nJidE8r-msaKPgKzdBIKCeDXGJar2XUeWwL0K~gGCsfaGEkkitDf-dhT2i0ys06IF0TR8v0ELSGiz4C8up-L16CBhzy16cbQZzk-zlOhOA__&Key-Pair-Id=K3NV4LZ47N8M46)

9. Click ****Send invite**** to complete the reinvitation process.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1763973947256-image.png?Expires=253370764800&Signature=cQZmOU9c~l7cwmheq0LQqnkWYiUmYj5r7QOP8q2pT2JywpKjpWUJG-QZrGdG72497kVU6MDQCH~7ZDxHooEzSOjbnQe3T1SZppF98qoXKGHIs-Ph6Mdg~qeoqBWcY6pj2mJf4klKQKqRQE~5g8XYsHjlgSywIOXBHvLNACFTg03px2FUHeazegBz3gTRgV4Kp7wcmBd4MU68eUzCBR1Z2WLCTrrUY4-q283Bc1y5bwxB9AzeD0tegZGJoJEsSyu8cRKUKiXxlzqeqEG13z5wsWKdepBMCgsQGHSa-gJ8HZONgT6XsU1Qc86rM5cr1mpw8WguLOqQtCxuchaf7P6low__&Key-Pair-Id=K3NV4LZ47N8M46)

\

[screen/invite-candidates] Deleting an Email Template

```
---
title: "Deleting an Email Template"
title_slug: "deleting-an-email-template"
source_url: "https://support.hackerrank.com/articles/1128741183-deleting-an-email-invite-template"
article_slug: "1128741183-deleting-an-email-invite-template"
last_updated_exact: "Dec 24, 2024, 4:28 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Screen"
  - "Invite Candidates"
---
```

Deleting an Email Template

Last updated: Dec 24, 2024, 4:28 PM (Last updated 1 year ago)

Overview

Once created, you can delete an existing Email Invite Template if you no longer require it. This article will walk you through the steps to delete the existing Email Invite Template.

Note: You can only delete your Templates. A Shared Template can only be deleted by the HackerRank Recruiter who has created the Template.

Steps to Delete an Email Invite Template

Prerequisites

1. You must have created an email template that you want to delete.\

Steps

1. Navigate to the **Tests** tab on the HackerRank for Work homepage, and then click on the **Invite** icon on the extreme right.

![[Sending_Bulk_Invite_-_Invite.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046618492-?Expires=253370764800&Signature=VDIMcBd9fZeRHHIglwptVjkVnD63ksJa1RYc7-SssnYx-LTsMWX6-RJYxfIXrqN9krPMkvRhDSlrgfsFvbArfaEY2vjX7VOph-lhMW4dHC8N1Lt6h-tlMaz-ktjrjCKIhfGehx6XkxpyaYEH21V9eID3QU792qXXIjRYAFAtGWsQq1jMjPnVkydTVwZB1f3VVKmVL7GCr66bwGKmdNope1eBN4tMITSP4ehxfm9RIHdyiEgNfLW3E7nbQJxsJcNd~YW-jfqklyeWH1Ok9ufpcN5fYUm8kDx3FzRIFpKgkXJXTY6waLIC20~Um5OKzZXE4SZHLPiVc8hXiZeJS4Q__&Key-Pair-Id=K3NV4LZ47N8M46)

The Invite option to invite Candidates for a Test

1. The Send Test Invites page is displayed.

![[Creating_an_Email_Template_-_Template_Save.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046618807-?Expires=253370764800&Signature=W4n-0mr26oHkJP61LwX3Y5sx1d5SFSdN88Xky6-4uqYkFyq~DE85VEJ7PjSjY1YKDGcduea~nn1JkoqXAsWEG6m8GuNLGPi7rhY6IUQJ4neNTT9FIOan-R2wCfFcCy2WnfPxU9bVifOERAvRBTeA1fyonnZheAe4nEuNPLT1o4SmSy4EfcKDSrj~ngdn9HJgEeO4gvXSPpSqoGpHwNTKDHsl3WRXRkQ2D1Up6kmgE82Zj-SlbDnLoWy0lUdd9Q0EcMP7~4U3sm3BHYhEgEM63pQuPXeY08Cbo4w8qRXY2yenemckMYcDLPwYPGuOJCZdeSiN-qIDNhCRqymsNAGCyyg__&Key-Pair-Id=K3NV4LZ47N8M46)

The 'Send Test Invites' page

1. Click on the **Templates** icon. The Templates window is displayed. Your Templates are listed under **My Templates**, and the ones created by other Recruiters in your HackerRank Team are listed under **Shared Templates**.
2. From the **My Templates** list, select the Template you want to delete.
3. Click on the **Delete Template** icon in the right pane. The Template is deleted.

![[Deleting_an_Email_Invite_-_Delete.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046619209-?Expires=253370764800&Signature=KySqGo6tjbCDCIkqfSMIQfotQigmMQTZOeyuDYc7U81RwreTLD2zj0PzbrMsNwSwVCLcKam~

eN9Rqree4Qe1nlWFBx7MpuLGsSeABIGB7ta1T-3S4r0skRP6XkNZm4Ke8CfamIVy87bT2bYLXaS7QSCxPBcTb1UIZ7YIs0wt-v8PbN9n~jNVDiVcwnz6EONvWRj~Pmt3VYPYjy-i~dZGjLHwbToW2zwPv1YsFZsJj~eNgEylm0s8OgtpDa-k0aGEefoylte22xeUkSqMpN~CnJyiHjsr4-19wCfMPfHwQKH2AVkSCXUIqWpw1H8pN9XVcfkmTF3vWoq9rMUmuVHb5Q__&Key-Pair-Id=K3NV4LZ47N8M46)

Deleting a Template

1. You are prompted to undo the delete operation if required. Click on the ****Undo**** option to retrieve the Template.

\

[screen/invite-candidates] Limitations With HackerRank Projects

title: "Limitations With HackerRank Projects"
title_slug: "limitations-with-hackerrank-projects"
source_url: "https://support.hackerrank.com/articles/3052727240-limitations-with-hackerrank-projects"
article_slug: "3052727240-limitations-with-hackerrank-projects"
last_updated_exact: "Oct 22, 2025, 9:18 PM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
- "Screen"
- "Invite Candidates"

Limitations With HackerRank Projects

Last updated: Oct 22, 2025, 9:18 PM (Last updated 6 months ago)

The project questions on HackerRank use VM-based containers, with specific limitations on the number of workspaces a company can have at any given time.

****Limitations by Question Type:****

- ****Logins per Minute:**** The maximum number of candidates who can log into a test from a company in any given minute.
- ****Workspace:**** A container assigned to a project question. Each project question uses one independent workspace.
- ****Concurrent Workspaces:**** The total number of containers a company can utilize simultaneously.

	Question Type	Logins Per Minute	Concurrent Workspaces
Front-end	500	10000	
Back-end	500	10000	
Full-stack	500	10000	
Data Science	500	10000	
DevOps	500		

10000	
MCQ	
	20000
Coding	
	20000

Example

If a test includes two project questions:

- **Maximum Logins**: 50 candidate logins per minute.
- **Simultaneous Test takers**: Up to 500 candidates.
- **Concurrent Workspaces**: 1000 concurrent workspaces (each candidate will utilize two workspaces (one for each project question))

Candidate Experience

Generally, candidates can log in without any issues. However, if the limits are exceeded, they will experience the following when:

1. Logins per Minute are at Capacity: When login capacity is reached, candidates will see a message indicating their login is temporarily throttled. A countdown will replace the "Try Again" button, and candidates will be provisioned on servers once it finishes.

[Confirmation

Form.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046700429-?Expires=253370764800&Signature=gAl0fmDcO5PJrv0f5Fhv78bbOwRM9YKglFWSQCnsNZNHE0~~EfbsMf2p3h0AJqBemuKg9JN88W9WDSgoiJRhrQeGzXJbHRE~p~pelJa4Kz-rhV1OJd5G5n9gNkbZr4JrejHOK-gvFtS92GHm71j37Yj14ju5ExZz7B44~Bg10o1kWI~jB1H~J7L-ZmaGHdDROTOw1-1CzYml~~CsHNP39xyo6aHhUT4eSFbdeLRNqREx-1fo6eQEAsBqT8eTn5N2XLfrJjaXSZVpzDrlzs8EH1hGQ~pAYi~1A1vNGDvBZr~WieHHbrBhPlaKcAqFQCym8vkmwEg-lwxl97B7nw__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Concurrent Workspaces are at Capacity: If the concurrent workspace limit is exceeded, the remaining candidates will see an error message: "Our servers are at capacity. Please try to take this test after some time." As candidates complete their attempts, new candidates will be allowed to log in.

[Servers

capacity.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046700808-?Expires=253370764800&Signature=Gxi18p7-iXxnJWK~06OCeL6hamhgXRilpfENgVrijjIP-q3YECFphF6fSm5zhuA16N2d3-ilesyJnNpA-xl5kzImdOG9wi~gzoXY66sAAQjqyDJMkCgswe~cyYY0NS3K00r2KDBsVj6yiyDProKp1ZJD-E7L8LLT~6W4fM2~bDNrUyniTftodOCC3gZZG9D1MCazLB57IJ6zync6IBq8TG0X1VZ3QTgurvC7EkTzEpwRgfwik6SQGnJg3usd~Kr4My9lhkO~5lqifZ8K4FCTroJ1m-MAqh-spu-8l1J2lrQvdAhRArRoXTBvzH8XYICQvQGcF9vJoN0m~t5EXC3rAQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Note:

- Reach out to support@hackerrank.com if your requirement exceeds the default threshold. Given the limitations, inviting candidates in batches to stagger logins is recommended. Also, the limits remain the same irrespective of the test duration, as the table above mentions.

- For both Project questions and non-project questions, if the requirement is more than 5,000 simultaneous attempts, reach out to support@hackerrank.com.

Related Articles

- [Creating a HackerRank Project Question](https://kb.hackerrank.com/articles/1570281449-creating-front-end%2C-back-end-full-stack-and-mobile-questions)

- [Front-end, Back-end, and Full Stack Developer](https://kb.hackerrank.com/articles/1570281449-creating-front-end%2C-back-end-full-stack-and-mobile-questions)
- [Data Science](https://kb.hackerrank.com/articles/5187107609-data-science-questions)
- [Database Engineer](https://kb.hackerrank.com/articles/8826242281-database-engineer-questions)
- [Code Review](https://kb.hackerrank.com/articles/4262355406-code-review-questions)
- [Mobile Development](https://kb.hackerrank.com/articles/1570281449-creating-front-end%2C-back-end-full-stack-and-mobile-questions)
- [Scoring Front end, Back end, and Full-stack Questions](https://kb.hackerrank.com/articles/4110011178-scoring-front-end%2C-back-end-and-full-stack-questions)
- [Manual Scoring of Data Science Questions](https://kb.hackerrank.com/articles/1079079701-manual-scoring-of-data-science-questions-)
- [Auto Scoring of Data Science Questions](https://kb.hackerrank.com/articles/8932030959-automatic-scoring-of-data-science-questions)
- [Taking Front-end, Back-end, Full-Stack Developer assessments](https://candidatesupport.hackerrank.com/hc/en-us/articles/4402921107091-Taking-Front-end-Back-end-Full-stack-developer-assessments)
- [Blog](https://www.hackerrank.com/blog/hackerrank-projects-supports-data-science-skills/)

\

[screen/invite-candidates] Using Shared Email Templates

title: "Using Shared Email Templates"
title_slug: "using-shared-email-templates"
source_url: "https://support.hackerrank.com/articles/4162887849-using-shared-email-invite-templates"
article_slug: "4162887849-using-shared-email-invite-templates"
last_updated_exact: "Jan 20, 2025, 1:05 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Screen"
- "Invite Candidates"

Using Shared Email Templates

Last updated: Jan 20, 2025, 1:05 PM (Last updated 1 year ago)

\

Recruiters belonging to different HackerRank Teams can share and reuse email invite Templates. Assuming that you are one of many recruiters in HackerRank, email invite templates created by you and all other recruiters can be shared and reused by all the members.

How to Share Email Invite Templates

Prerequisites

1. At least one email Template must be created by you or other Recruiters in HackerRank.

Steps

1. Navigate to the **Tests** tab. For the selected Test, click the **Invite** icon on the extreme right. The **Send Test Invites** page is displayed. If you have set a default email Template, the email editor automatically populates the editor with the default Template format.
2. Click on the **Templates** icon?the Template window displays.
3. Templates created by you are listed under the **My Templates** tab, and the ones created by other Recruiters in HackerRank are listed under the **Shared Templates** tab.

![Creating_an_Email_Template_-_My_Template.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046689349-?Expires=253370764800&Signature=B5KM-7YXraozFGsXLRUviBs~W3HHFZIOOjHVijJVQg1qnr2-inCQ3rj8shJMbK1P9OihiBkjWZ9OdQ4eOxBsooO28m9tDtk3XFkzQ5Nv~sxHs-xivj8HIYbliPEuplNs2k3a8~wSYSzSoVSTjXPvuLNhLwRDqraIZmUedA4j21DiRptvMJTHmLYPJGTYPgssHoMJWXen8tPc4XtXl1mDkX3W6i0Q2WHZld7AHID3QnMrANjbkgSQxJIZvsyJaKqYNONWArFd9AStpPBKpz4kJev7rUUOqld9BZdG7cnmuYJDGrpHyEGqWcu2vdZd55ljmN009o3Ob5w~2WOrU7g__&Key-Pair-Id=K3NV4LZ47N8M46)

![Shared_Invite_-_Shared.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046689688-?Expires=253370764800&Signature=hpgTP-ReilY-RAWEZAuOkvcXdjNZ6VKRh-DHsWht0McXRtedIIMPH-WPTvwZZvW8CLLSi3x3-aGQ4Qq1YJOqa8PDdYWksd4dyJPo2gQcvWXTVyQvvUi~P8GQvOl84YCOgNwC37h7O7j6ZrkPiJMWVoRpHtMGN~XgMCEHkMzfja7BOBVc-hkoeZlnZPhmsqlhAMiZ1yKD3lj~oXaJ4uZ4hp9Vs7kZl0OYuv6abYQl8ZhqtNWlC1qKdaJX11g8b8aplXDSfuGLYQW~~nYmVr3qZ9JP70EWI9cHLswlOLte5lwSIbjyOdJqSan4jedfr2akYSfmDNCObg~sTODgQwQ__&Key-Pair-Id=K3NV4LZ47N8M46)

The ?Shared Templates? List

1. Click on the **Shared Templates** list. The list of all Templates created by your HackerRank Team is displayed. The HackerRank email account displayed below each Template name indicates the owner of the shared Template. You can use the **search** bar to search from the list of Templates.
2. Select a Template in the list to preview the contents.
3. Click the **Use this Template** button, to use the selected format in your email invite.

Creating Your Own Template From a Shared Template

You can copy a Shared Template format into a new template. All the contents from the shared Template will be copied, and your Template will be listed under **My Templates**.

To copy the format from a Shared Template to a new Template:

1. In the **Shared Templates** list, select a Template whose format and contents you want to copy into a new Template of your own.
2. In the right pane, edit the name of the template, or make changes in the Subject or contents.

![Shared_Invite_-_Edit.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046689998-?Expires=253370764800&Signature=FiPrKghl~-BSIttn7ltwuniomznaljmWst2NuMJCGAj-FyD99dWz4LRQXjyfyfVOLkXSyAF3ap9iY7qrvuR79BpToDRCINeBqZsEkUGmq3VuP1RrLyvPtn~TYsc1~pXmFjtNd4FenfYtltO9Zy9HTq1YZKv1JsQwjwQ2AiTtUnHAAI7lznN~eTXxNleJ97IYNVdSdV8vZTOHnysNdq7FWSJ9gF61vZnje3lAopQFZb4B1uBYvR3Uj65W5hCLNZppXij7gjbI8xpCHe5r5IE~LQwOagxDc-DshFXMFQBY119XfLaps1GVCJPIGS5~w8WsanUjXETOBj972TdH7JY9A__&Key-Pair-Id=K3NV4LZ47N8M46)

3\). Click on the **Save** button.

4\). A copy of the Shared Template is created and listed under the **My Templates** tab. Click the **Use this Template** button to use this format in your email invite.

![Shared_Invite_-_My_temp.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046690320-?Expires=253370764800&Signature=E9NLSsUx1MehhsKukq~GqWQAfvr3AzZaRGf5mt411hIcav5LIXunaRMi0mP5-BpK8RJZJc5wvKgwi3dUQv5valrvYVh9AicHTfDt6KAj94zdwUye4vO7MSecRrbLzSyxbB5jWWAmIAoTPdC6exPlkDBf05oNx5XbwNpJaQdKCKm0KRBh1P~99NQZvPLOAoBIO-YlIk9HUneKHmTn-ORGyOAAerfL7AmCFycLa~Lldhz5dBQlJlmmQZIOM0lc8FVYpol9AF3FvL8QriahQQISlqEc3jnbvTnfYvTT7ZV37kAbLLwNcEX4WtkGGDj~vuTwnqGgH03t1~Q-sEycDrEaKw__&Key-Pair-Id=K3NV4LZ47N8M46)

You can also set a Template as the default format for all your email invites.

Refer to the [Using a Custom Email Invite Template](https://kb.hackerrank.com/articles/6675460135-using-a-custom-email-invite-template) article for more information.

[screen/invite-candidates] Invite Candidates to a Test Prerequisites Inviting candidates to a test

title: "Invite Candidates to a Test Prerequisites Inviting candidates to a test"
title_slug: "invite-candidates-to-a-test-prerequisites-inviting-candidates-to-a-test"
source_url: "https://support.hackerrank.com/articles/6027855406-inviting-candidates-to-a-test"
article_slug: "6027855406-inviting-candidates-to-a-test"
last_updated_exact: "Jan 28, 2026, 9:52 AM"
last_updated_relative: "Last updated 3 months ago"
breadcrumbs:
- "Screen"
- "Invite Candidates"

Invite Candidates to a Test Prerequisites Inviting candidates to a test

Last updated: Jan 28, 2026, 9:52 AM (Last updated 3 months ago)

HackerRank for Work allows recruiters to invite candidates to take a test. Test invitations are sent via email, including a link to the test and other necessary details. You can customize your email invitations and save them as templates.

Note: You must have a Recruiter license to invite candidates. Hiring managers must request their recruiters to send invitations to the candidates.

Prerequisites

You must have created and published the test for which you want to invite candidates.

Inviting candidates to a test

To invite candidates to a test:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test from which you want to invite candidates.
4. Click **Invite** in the upper-right corner to open the **Send Test Invites** page.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1746783191607-image.png?Expires=253370764800&Signature=nTJ8SofVL4SdeAORfa7N4ByNt9Xgwg~LJbiKe1JT1LeQ9oAoub~pDme~SNy9ELVh093M1hleCfQFp6oOJBj1QpMli-4WcELaASDrWnxZz18DVvllMvmrrn8t9zF1YcfhrlUklA~YMycZmQwr~cjdTWvxgCU0azhFCQDTgECMBfO9cTEXLJWVpowljSX863h2VnnAwsZGCFTcM29Bmt7Fi8UxuyNA8sC5HdvpmW37zweknKeUMdTxxH3gOIOQGzuZvGmjUGckBBh9awf7s3eTMVZQCkmyCJytCbD54HzlrCiB87M3sJG7XTEZK1yDAREQfE9CDEZXJSIcPV~i9AADQ__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Enter the candidates' email addresses in the **To** field. Use either of the following formats:

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1746783357664-image.png?Expires=253370764800&Signature=crB64tmC2MRDloX2MD5N5kNaA-QEylduu9PRQnp~3x4D182sAx2bXAdJ3VwTjuRxByvebaE-8mC9YJngdm3WrGIRRM2Bc9loBRNeUx7rcidQA~yjlNFfR3wWHwvzpNzwkQH253LXRa~mO-MdSOe1ogYO485bTsiYmOYioiHgnXflKw7qKZJ9iTmlr8zXkvWAeslomlvGV2yiNR09DxtR8ScGXHO2UnnInAmFbMz~Eo1ckLWg3vIph4M51GNAO7X9L8VRO~acnYWtXf2Rnyb~fh3UqReQTH8EyiXkDKhCLaFsgm-NAPJyRGKFJ6~OLkex3-fc14WfkajlJlgXrx7A__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Only email addresses:** evanbrown@gmail.com, ethanv@gmail.com, nancysmith@outlook.com

- **Names and email addresses:** Evan Brown \<evanbrown@gmail.com>, Ethan \<ethanv@gmail.com>, Nancy Smith \<nancysmith@outlook.com>

Note: Refer to[? Send Bulk Email Invites](/articles/7127221409)to invite many candidates to a test at once using a CSV file

1. Edit the subject line if necessary. By default, the test name appears as the subject.

Note: You can also include emojis in the subject line.

2. Customize the email body as needed. Use the formatting options to add bullet points, numbered lists, or other elements.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1746783438273-image.png?Expires=253370764800&Signature=qW0zI1r-tzR4Lh~RKKOSm2-Uui6kLEBfZ9X9~TMMhGt846wJ2WQe6wL1Ji-j3xWJJcdYcmBrtpzazK7IMh0djb1vo00sOOAgogDs220MQLrRVZsFhkqPQSiHOESYsJVZvEQUpZU1nJzj6LQrIMfC5U6~iJejGz6cwcIx7YLRy3wftg6QZqkbhIUR7mV8C3Wq39RCjlgNg4PO8cfX4D0no3b7nRmth8sEMt0OoHEdGpF4ROX2WML7otxkjsehvaQjd45dkjTA~2i05YaJgBpl03jIEsqJFMLquGZfNdsimmaKnQpobteS6-by~a5-DGH65HgDxtDZVVDq0PZ~J9S3g__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: You can save the email as a template or use an existing template. For more information, see [? Using a Custom Email Template](/articles/6675460135)<u>.</u>

1. Click the **+** icon to insert placeholders for the **Candidate Name** and **Recruiter Name**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1746783506292-image.png?Expires=253370764800&Signature=NMKPCKI74Sg7VHHIcPuZ0GB91wWHp5ZQoX68HL09I9RcUiB9AKn9Xz-G5j379obFnyMr0RzFiALDSIYMPzp4OEJcDz0MMJNpr7FJK5qkA0aEtX6dVcUfNbD48fnJDkDCFWEK-kbH63F3mHuKoTEK3VdnGRC7Qksf7BqrzZaba6AuoxrphT9LYhsd4sveXeUHXzevXNELdgg3cCab5Y1Tk6cymW9~2QvZdLXv2OXO1hja8KgRwouTpdZjIMkVhdJqyRhQsA0b~tBb5h2jxGOjsILzQvVKwdjL9L7QhDChfc5NmWA~v-GNFtXMyDj5~GWyDJfU5hDp~OIP3t1OBN5buQ__&Key-Pair-Id=K3NV4LZ47N8M46)

1. If the candidate's name is available, the **Candidate Name** placeholder will display the name from the **To** field or the bulk upload CSV file.

- **Example:** If the **To** field contains Evan Brown <evanbrown@gmail.com>, the placeholder will display Evan Brown when the invite is sent.

2. The **Recruiter Name** placeholder will display your full name as registered in your HackerRank account.

<!-- -->

1. Add a hyperlink or upload a document:

1. Click the link icon.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1746783539562-image.png?Expires=253370764800&Signature=M0h16YsDp52TM~USLBfCt~r8d9CVtRtCDI5IMKZnkPGfwwAMxCVUy8SewkDuQ9UHLG-EPS~kpzIdnQzVKs7IxEuqRsfEkEdDCKtacDoyy40H1ogyepDv2dzFsRSkNesvbcDPktg1mZ-L3DIFMAWMUe2pDKqwx0NSbQAPfDnGOH09XtOw1455uxbrRaUZ5sj9dfvZIs8zYHXuSFsu2jcjwtpX45j9wzfdPXO3CMbcMLv9U4luLMOqrDYynqGNo3QT0r92rvsvzPKX-KYT07~1K4eK5A~o3svoZBRzaWBwZIJHbLyYms4cLj9vAW~w1Ne36~2NYc7o9D7hyA1EDqj2w__&Key-Pair-Id=K3NV4LZ47N8M46)

2. In the **Add Link** dialog box, enter the display text and URL, or upload a document.

<!-- -->

1. (Optional) Customize the test invite with additional options:

- [Set an expiry date](https://support.hackerrank.com/articles/6027855406-inviting-candidates-to-a-test#set-an-expiry-date-14)

- [Send reminders](https://support.hackerrank.com/articles/6027855406-inviting-candidates-to-a-test#send-reminders-22)

- [Add time accommodation](https://support.hackerrank.com/articles/6027855406-inviting-candidates-to-a-test#add-time-accommodation-28)

- [Configure invite settings](https://support.hackerrank.com/articles/6027855406-inviting-candidates-to-a-test#configure-invite-settings-30)

2. Click **Send Invites**.

Note:

- For more information about email invitation best practices, see [? Best Practices for Email Delivery and Bounce Management](/articles/1258426835)<u>.</u>

- You can invite a candidate to a test from the **Active Tests** tab by clicking the invite icon next to the test title.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758612410511-image.png?Expires=253370764800&Signature=DH2xRtb7x5GplpvfIARxOLYkEyJ42gjRGhqUq0LMFZWW40nBZAPznssKbb-sqBq01zBR-FFI8pkka8WbF5hHhfkVIYCdKgnTi-GZRRDKINXegGk~39bU11S6sgDTyXzdrfP2ua9CDYj-gYrJ9okEXfS8EUoOokMRQBMdsQnLjDnCdtTLB7TaNqP01Mg74dMqM2yCphWSU4Jy7Dnj30ddH9JMQ6CeCsqd2whO1sS3MRR2r55NOGoD9cDchSWBI3ajly1j6eGMLwYTPjmol1cPzWS3gZYEYS8NxBLQ-akUC-pH9As~B-gnkp~twlnqodJf9bPta7DH-mBgLL5vFw__&Key-Pair-Id=K3NV4LZ47N8M46)

Set an expiry date

You can define how long a test invitation remains active. After the expiry time, the test invitation expires, and candidate(s) can no longer take the Test.

To set the expiration date:

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758612369930-image.png?Expires=253370764800&Signature=bR50ftF--6l7XUNLXRkxs1msYksy12GUMgZauXnVk0eAhfZKy7YXh6EyJG0e08SWabaREHOSpvcBR39V4MiP5TYPjXLCbHhKhC9BssivTfUu~e3ynyK1~4aOvgAOIOrlkWpVkp~pw-WlFvwoh5-s6-WAtx09tbipT2oHh4WBuckTQKJWCkj6x~t7l9EYv7YWYU~Dgq3AAs3-qv60fmf73OUzVM8qNmWrYRmEyMPW1rUULiQBG3y2O-mNcadymnaec6RSYnCdETG0~qc~vMP4RwFOXHb6Nz4lXmP1XdoDdME5J6cfSPqpGrs0pan9I~eicQfMgVSVsjki3uBPA9E6EA__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Click the **Expiry** dropdown.

2. Select an expiry option from the list.

- If you choose **Custom**, select the expiry date, time, and time zone, and then click **Save**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758612341785-image.png?Expires=253370764800&Signature=Ng3yEkJAYCRmtnyfqglbe7gO6~Hmp80~JYR-KM3ck6fwJ7L8OsLHP9jrYI0-Pakad43PwZ~dityyqENKGYxwQpbxzH1Xb6uKXwp2sjxcJtJCazJRkEtsum8tlwfEhsjoKp4uvLqOp~WotA9f5r7DPJZ-c9-zrm77Vt9PrIEK~krqYZpbGW0iinhxhRVX4Q2QdZC UKXmuYTuyBzCplSflG6fmHWYgVtUioj4D0SAZISA7oUeOeKf122fuGZwstMie9Y1~OribTARZiObGD0ScNtxZphBHuDPIyFjnl2eEccfiUQidQoQQwIQAEI~25LHS6cfs~2T6HZ7pvWNky7T~Q__&Key-Pair-Id=K3NV4LZ47N8M46)

The selected expiry date appears.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758612586423-image.png?Expires=253370764800&Signature=C0yG2uq5FcGuTOKxujta3rb24ei762V7sAq8W1h64sQ7bL2WheTEKW0U2u-z4IDRs19F~bLkXO0jDn-Epfqe3Z7gnA~U4WDw6BrUeq2Hwar5YJi1ld99fvtAuB36WEBLmpxeWbfrdHL5atw1HBCs2-c3t8InRjlVuhCAgtfeqz4MBcteylu0Qj-7Ko5NcrNwtiNkAaKhgUae9PE6ScLZ0Pk-QD3s6QGd0ZlgaI0E~JYe3o7vZRHv3HiafZDGMtzBhQcATJ7q-42R0lzdGzXpq-3ZWT8j4Ean~rzZ9C~BNDUm~yuiayan3n44eCgFSukFs5W~bt-Qm2H2rOGq2V21A__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: By default, the **Expiry** option is set to **Never**, and the invitation does not expire.

Send reminders

You can schedule reminder emails for candidates who have not started the test. The steps vary depending on whether the invitation has an expiry date.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758612265911-image.png?Expires=253370764800&Signature=TiV04H0ta1QI~CxOAEJSROEI4FWBqUuJ0aU9gZiMxdGIJ3r6MM2PE8vrhgOlvajA4LIFGUGoKzweki4miwa9IjOsOV0bg-al0ipL~J34tKerM1XFJQGPmXnLTah-6SKLcr8i8SXDxA4fO173Es7rtmCjboZywcUvhROBMjSavtimEnRtBwVTuhGP5ZQBnyXrYT~SixR0R8yrQTp6RabYohSPmYkpV4S7Aro7U31ZBfs4X1fzd2fhdLJSuvBTBI6NNwN7XvkLidjyQQPGY5HzVKnH4eNbMpn0NzASU~pnnpymCr-h1wvdOFbtqEWolJDGy-vZY~bJ5AY4a7gBNnGVyA__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Expiry is set to Never**:

To set a reminder:

1. Click the **Send Reminder** dropdown.

2. Select a reminder duration from the list.

- If you choose **Custom**, enter the number of days after the invitation is sent and then click **Save**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758612232757-image.png?Expires=253370764800&Signature=Ji7qwgmEv3zNwt4JBo5h21MlJ1q96x5Ht3nlfeVWJ-LNwaUbsTDz1A2vnYURYB2gft9zdV0PirBc0F6sommZJJEbh-1VG5BsS6YrvQcRDGzmab7CSK9vLd1tDlyqbwnJVnb-yMUf2t5CSjqRL6NG9W~5l3QhfwocFkgpxjqyqskztMRGaBROyzZMA8EqIc5kjVSHWN8hckXGdlhbQIGXu8lxyMYMvhayppqpyLle6~e-Ts1WBSyodDCe2FmYfJE4zaUsPBUMuuUD3LkNK7apVF6FZYUwMYT

HAUTnggu0SWmoT3CzBVfLD0eMDYPtgD5Uel~4FWMWgr9y70Rw__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- ****Expiry is set to a specific date:****
To set a reminder:

1. Click the ****Send Reminder**** dropdown.
2. Select a reminder duration from the list.

- If you choose ****Custom****, enter the number of days before the invitation expires and then click ****Save****.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758612179243-image.png?Expires=253370764800&Signature=jcaMxJlVdQMhgGAfDyFGIO-dGhTqMLPjOyqZmRgUWG3VkiXFY1tCXiHf2aLaBpfxtefQlkhDsE2TGp8APfV6yXAZDxrb5M4AYcTObgUHBgFpGAOxRnc9CURD3YvBpwUMwd25ljoMffMqZOq1eHP3bvgnBnn-gVySVM5Nr4ibhb4zrzhbHitk5aoDDBRCamU3X6osh9XEH1qhT2EdJfDX79s4rMxM4t5875NIVAVE~qOnkQYx2KuLrJqwcoVswfTS7rBASqulJF8CJa86z3fqF4qADROAwSTeYd8SHR429XUmRrBBXG~NkzAfv~Ru7jfVmFfuKCR3uJSnY4yIPZL6w__&Key-Pair-Id=K3NV4LZ47N8M46)

****Note:**** Reminder emails are only sent to candidates who have not started the Test. Reminders can be scheduled only if the invitation expires more than one day from today.

Add time accommodation

You can extend the test duration if needed. For more information, see [? Extend Test Duration for Candidates](/articles/4811403281).

Configure invite settings

You can configure additional email options for test invitation, such as sending a copy to yourself, including the test link, displaying start and end dates, and adding candidate tags.

To configure the settings:

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758612127733-image.png?Expires=253370764800&Signature=CfdTxXATlc2maxAOLomLg-oLZ2Rj3FZ7wuahksULYoOVnVGD-J9Nop215wqv-BsxBMS0zQCbaKHxD7Uoxz7P01zebVMvZNtpNm30U9Eolr7eKtfs3mmbq~3c7x90mNrtB-pKXI3h~NPLG2PbAGZYUiog0aW77LATN0RU8f20w1Jsh8p1nrQGtGBDvMUkWO6P6XwjwJq0WHNfxQJbYntdmvYHdt1rQ6yLk0mK621bNjz-zLkCPMG2rq4VnwjhfV3bF~Kc3gs46SvMD4dnKtR~cuWfDh3P~vuj~VQyS2-FjS5XMyAq6-V1BayQEefjAH1ZLLvqupGZRCdn6p-1aVTzQ__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Click ****Settings**** in the upper-right corner.
2. Select the checkboxes for the options you want:
 - ****Send a copy to myself:**** Receive the same invite email.
 - ****Include test link in email:**** Add a test link in the candidate's email.
 - ****Include start/end dates in email:**** Display the test start and expiry details in the email.

****Note:**** ****Include test link in email,**** and ****include start/end dates in email**** are selected by default.

1. Enter tags to associate with the candidate under ****Add Tags****. Tags help to search and filter candidates.

\

[screen/invite-candidates] Cancel a Test Invite

```
---
title: "Cancel a Test Invite"
title_slug: "cancel-a-test-invite"
source_url: "https://support.hackerrank.com/articles/6257623198-cancelling-a-test-invite"
article_slug: "6257623198-cancelling-a-test-invite"
last_updated_exact: "May 12, 2025, 4:37 PM"
last_updated_relative: "Last updated 12 months ago"
breadcrumbs:
  - "Screen"
  - "Invite Candidates"
---
```

Cancel a Test Invite

Last updated: May 12, 2025, 4:37 PM (Last updated 12 months ago)

HackerRank for Work allows you to cancel a test invitation that you have already sent to a candidate.


Prerequisites

- You must have created the test.
- You must have already sent the invitation to the candidate.

Canceling a test invitation

To cancel a test invitation:


1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test from which you want to cancel a candidate's invitation.
4. Go to the **Candidates** tab.



5. Select the checkbox next to the candidate's email address.

Note: You can select one or more candidates.

1. Click **More** > **Cancel Invite**.



The candidate(s) will be removed from the test's invitation list. The number of canceled invitations is credited back to your company's account.

Candidate experience

Canceled candidates can no longer access the test. If they attempt to start the test, an error message is displayed.

![test.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F38771ff3-2401-4af5-93b3-864096e1d475-1747047816106-test.png-4ccfc67c-5f00-4eec-873e-837c81dddb87?Expires=253370764800&Signature=rSAEjseUK-nqC4MKO~0LGKwaGZA26vEid601MnPlpDFvPhOswBmWRwRFolsXVgXtVGJ17f9~YFqdXWfQ1rfIPujazn7dx5lqZ4YSNJSeYfk2BuqLPHVqjw2qWpwlq8HisHWGIZ459M3~ShZuW~rYnxHxxm4YZDrXseOUaxQ92w-Pda1eoRNxO4YrCzE0N6LcZ90itIsCwMPYQH45wWwJjBAy5Ia5X7oo~SbGeckgmV8rKMQICmlLTgx5EO~8KDVQpcVrDkicNfar7-m2dBevb4Xs7Bthu5CeurH~Nx8rl2hryY2hyLKQP4Bqq2vou7Gu7Flj4E9VI~pTrpUIrISCA__&Key-Pair-Id=K3NV4LZ47N8M46)

For more details about inviting candidates, see [? Invite Candidates to a Test](/articles/6027855406).

\

\

[screen/invite-candidates] Send Bulk Email Invites Sending bulk email invites Troubl

```
---
title: "Send Bulk Email Invites Sending bulk email invites Troubleshooting bulk invite errors"
title_slug: "send-bulk-email-invites-sending-bulk-email-invites-troubleshooting-bulk-invite-errors"
source_url: "https://support.hackerrank.com/articles/7127221409-sending-bulk-email-invites-to-a-test"
article_slug: "7127221409-sending-bulk-email-invites-to-a-test"
last_updated_exact: "Sep 17, 2025, 12:25 PM"
last_updated_relative: "Last updated 7 months ago"
breadcrumbs:
  - "Screen"
  - "Invite Candidates"
---
```

Send Bulk Email Invites Sending bulk email invites Troubleshooting bulk invite errors

Last updated: Sep 17, 2025, 12:25 PM (Last updated 7 months ago)

The Bulk Invite feature allows you to send test invitations to many candidates at once using a CSV file.

- **CSV file requirements:** Before you upload the CSV file, ensure that it meets the following requirements:

- The file must be in `.csv` format.
- The maximum file size is 2 MB.
- The file can contain up to 35,000 rows.

<!-- -->

- **CSV content formats:** You can include only email addresses or both names and email addresses in your CSV file.


- **Email addresses only:** List candidate email addresses in a single column.\nFor example, ``evanbrown@gmail.com`, `nancysmith@gmail.com``.
- **Names and email addresses:** You can include names with email addresses in one of the following ways:
 - **Inline format:** Enter names with email addresses in the format ``Name<email>``.\nFor example, ``Evan Brown<evanbrown@gmail.com>`, `Nancy Smith<nancysmith@gmail.com>``.
 - **Separate columns:** Enter names in one column and email addresses in another.

Note: If you include candidate names in the CSV file, you can personalize invitations by using the Candidate Name placeholder. The system automatically replaces the placeholder with the candidate's name from your file.

Sending bulk email invites

To send bulk email invites:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test from which you want to invite candidates.
4. Click **Invite** in the upper-right corner.



5. In the **Send Test Invites** page, click the upload button next to the **To** field.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1757401446055-image.png?Expires=253370764800&Signature=CwkAalZph8M-PO6obfREG3wBz20rNI7-h1BhWhl2sUuKwqDafPeyOGhYmWCGhS2j27GLrCHzGreCAczMs-1ROY4soQuk-8oFOUaaMAMHC8F9Lk73m7dWu9L4O4V5eTnrl-V9iXN-8-fEuWALEYaBkkH3u1eoZkdDXnczjCh5o555WO-Wc2V-c9SwjnmyBKuxNPQTence9DkZRq1jNXMSV8XclPBfPcbJYXLhooxW8Vu0EslaFxbg1IRJaYNAADWA3tW488tbuBqPDW-KBN1HDOcf7M9bZofy~vA81SegW4d0SISYEqC3tV7v-rLx0EkpU1QTc0A92UleX2VCS66Oxow__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Click **Upload CSV**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1757401464623-image.png?Expires=253370764800&Signature=le3nJY4iJ1GQepBJ5ieZ0VXIqA4hhl6sG3J4oY7t-yHMy4tixk4ltMpkH8Q0UEoX6y1OrW5L9bKyWv5fCPGGSrjwqE3lInE5r6BaNc3u~zB6eWFUICE3lrFw~bWantXz6kmcKK8q5EsC2Wumnp0KSwqT2~bpVkfRRlhnP2tf59FDSRPNISMdZD024B2QAenXLdB0~zKf9eIJ3c6TULqY~uHxUqhkyB5A8Lx7u7Q0wlf07SK8wK2HKe73t2foUmS37rtLXWeNyAlPfkVWU3BEF0N~1hO5y40wSct4GNf5D-d47np5-wP51i45xqiRALQiGe5xApW43gj~r0rYIQ__&Key-Pair-Id=K3NV4LZ47N8M46)

7. Select and upload the CSV file. The email addresses from the file appear in the **To** field.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1757401477670-image.png?Expires=253370764800&Signature=E~Jdg1Xu1Qchez0G0sTjn0qEU3BXIT4L7rzCr~7F9Jpy3HP0t6mnHFNhZVDj~7OAD-yqZiSrxYz4MVzwZXU7pql3el4LH1L79~oXBHhshxWKOu2Cxc1ejuHWA8~2PexEkgaWa019O1uGL15zEbCeW8IndjU--XI-cMd~2WvFrDbwNSnV8Vrdbe3K2sc--0VuDH6cOwyxUCzpiLX4Uuw2-lzKLau4BMysFFTBi2pZ2iEkjsO-W1xqWyd1FHKnymrQFQCA9rheRLvLO4xnZqEOZ~7pEqDlkUh59roJwqsvx2~eJLNEv1sUF~G98Ngr3-XqZpy~Qm5ld0iisPuLoaPVYQ__&Key-Pair-Id=K3NV4LZ47N8M46)

8. Click **Send Invites**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1757401490324-image.png?Expires=253370764800&Signature=YapPGWuP6LpUmjF6a73C-YOhqzjvSvAFJjTLIsiCi3YN6FuOKly5YZdapT2Y9wJkm0k9WvBi8Osw2oGoX64Kdl~5jhVizJgRKgq8c3EahhtmlpfkrxIDu969esfyclxHMIck2fYQhuafagXhsmGhQJH2etZt~7t3pPAAyVNE7qVyOldcXyRTiBEiWPJNG9S9DcOmx8xqEZabQWFeaELNCQKCS1WODmau0LFBpy4gPGRvGjGNgNEX7kDaeqplc5lf-KX04ye-7MmRoCtiByrTN2yYe3qKYrCO5ygLtl~bbLWJYKQvLeLoj4iPNxGbaFqAfGnA5G~nHBegkJg__&Key-Pair-Id=K3NV4LZ47N8M46)

Note:

- Each candidate receives an individual invite. Candidates cannot see the details of other recipients.
- Do not use emojis in the subject line of your email invitations.

Troubleshooting bulk invite errors

When you upload a CSV file, the system automatically validates the entries. If the file contains invalid invitations, an error message appears.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1757401512990-image.png?Expires=253370764800&Signature=aOc4~Jm239OmICxAJ69exN~7ij0HqxiHVgaJG~BpPcqzfgReXnDtriJJeXCXiiZ7aklDerle5zrsmwhcOzBmpOOdbdQ9AJFQpXTvdtneiK5aPxZv71fzUBIQNZVYNk4JmbMfP75LmzHPvnnD5~L~rKlr9F2xFNj52NkwD2dueQvwulFAGV5vewON0W1rFmnO4vUbln2UCex0X471pE~9LjITg~16Lqe7IVjf1Qy78gSh-xos~sC-cD2hzJoJQT~f9YPjEP6Tp8C6Zr2aBOaSumTeGihwdtJKYmeYcW9sVxEQOHNBK7Hrf6Gtx92sAdrDrape~xe51-gbTJXH6Bh7tw__&Key-Pair-Id=K3NV4LZ47N8M46)

Select **Resolve** to view a list of all invalid invites with details such as the number of invalid invites and reasons for invalid email invites.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1757401535565-image.png?Expires=253370764800&Signature=eo3CbUuhWtWEjqm4Gd4wQ~tTsihHVQWqxzfAWgaV8vxRGcnVePwc9teq~Vmgrp57zCxpPwQ8HOjHnYleghV9b-TyzB1yy9J5rFPChkXh2VVLfU7Jaz46kYvTzrF80m5ZiZW8OJyQeBon6dplvKJUlsywIV0m9Rv1e67qr-fZga~IEOiXL1aQsu7H6Tk0cj-RRLFO-iUz7walJcrFyl0qBzBhXbJGM~T401d5Mkm-x2ke04Q5b~rkLmFRwopQjMZ8g4vomCS6YuvH6ymGSWjYOCanIdAtWnfTav8h4EfHfadcqsnof92jLtyLBrBVS-c8tzcpczkMDBhqJjoJgFGnw__&Key-Pair-Id=K3NV4LZ47N8M46)

You may encounter the following errors:

- **Previously invited:** Candidates who already received an invitation cannot be included in the CSV upload.
To troubleshoot, click **Re-invite** candidates to send another invite, or remove these candidates from the CSV file.
- **Incorrect email structure:** An email address does not follow the correct format.
To troubleshoot, correct the email address using a valid format, such as ``name@example.com`` or ``Name<name@example.com>``.
- **Duplicate emails:** The same email address appears more than once in the CSV.

To troubleshoot, remove duplicate email addresses from the CSV file before uploading it again.

\

[screen/invite-candidates] Editing an Email Template

```
---
title: "Editing an Email Template"
title_slug: "editing-an-email-template"
source_url: "https://support.hackerrank.com/articles/7775986938-editing-an-email-invite-template"
article_slug: "7775986938-editing-an-email-invite-template"
last_updated_exact: "Dec 24, 2024, 4:27 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Screen"
  - "Invite Candidates"
---
```

Editing an Email Template

Last updated: Dec 24, 2024, 4:27 PM (Last updated 1 year ago)

Overview

Once you are done creating the Email invite templates, you can edit your existing email invite Templates to make necessary changes. This article walks you through the steps to edit the existing email invite templates.

Steps to Edit an Email Invite Template

Prerequisites

1. You must have created an email invite Template that you want to edit.

Steps

- 1\.. Navigate to the ****Tests****. For the selected Test, click on the ****Invite**** icon on the extreme right.

![[Sending_Bulk_Invite_-_Invite.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046600632-?Expires=253370764800&Signature=EOTnl86i76gFQljOD-W7E7CQXPu~nq1zGK18AdcJjptVqSTcrprmGreNW~0-t0U3VTGVv2OLnXetbiePh7raSPpoJY7DNJFuSvoZeWhk0EmMvhzdrwnlnp0FBR3Kclkm61WT0Wpm2yL3h1gDEFzgZu9svjMgdtAonKAQoVNxqZ5kh37zyqwTPQbv8m--~UPQgEXgQ~WOKMeILXv8hEb5HnJTBgPMZ7jXVDdtTYNXh9pMWOPrGD~nS7fAC6jWloXmYm55WhaNsGeGs-TTEW KlP~44pF~3yuHPfk1IX6GMSYyeY0vJ1ZR1vSwL7zGCI91wkkMMYIOBmaylPlsaNUNUw__&Key-Pair-Id=K3NV4LZ47N8M46)

The Invite option to invite Candidates for a Test

- 2\.. The ****Send Test Invites**** page is displayed. If you have set a default email Template, the email editor automatically populates the editor with the default Template format.

![[Editing_an_Email_Invite_-_Email_invite.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046601113-?Expires=253370764800&Signature=ts2sGRNM6tRwGsd3F69uJVq2ts6ReleBwrEJpBtlh3mxaUg236JZ7OG3OGtp5ReFBi~Ugc aWK2fhQVNRrC9hoPZt-Q-Z907QxiH3C6HUbMeXhkCjB-cabd4z-Fpa4X03YoDf-EIP-GqSfLGvuoEx7i4sxdmQS430eemOtUctGvRu1EO~lxtLW4tCnltoptCKIZDkpBvi4szlgZFhRUfmB68mcsor0PKYmgEVdUcpcfCSPBFDyH98LmwTTaw-Tz2vAschfqMJ0RQdCEAcxUCxBpM6KoDlydLf2hY3CK2h5UWn8tmbDSU42HAv0nxZtkxu1F2AZPfyF02nozbsl6Tg8Q__&Key-Pair-Id=K3NV4LZ47N8M46)

The Send Invites Page - Email Editor

Refer to the [Using a Custom Email Invite Template](<https://support.hackerrank.com/hc/en-us/articles/360010822713-Using-a-Custom-Email-Invite-Template>) article for more information.

- 3\.. In the editor, make necessary changes to the email invite. Click on the ****Save Templates**** icon. The Template window is displayed. The changes made to the email invite are shown.

![[Editing_an_Email_Invite_-_Edited.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046601411-?Expires=253370764800&Signature=CbFN5RJ-KnW42mP~3kK9ElnHB6kHo-Wji4qgXP30jWjy9YobMw6rK-2byieMR5MM7XpmnlSzdaJWmMiYblwdOovTA7rITFngsTjQtZvL2fzn0hY5btfJd~jhqhQr6zw10sSDlvrHs2LATTRQ0QnwkhHE9IXlsZ3G0en8cvgawg9j3EfvAme-Du676IEYL4GfRYnE5EtpKGNXQdAO4wHDID5bgWFDUDU-zlJTn7Rh6B6g6nWH9kM-xYVMIDXhaAePwdXjEFdUGAQ0Yo52a0nnqfKI JplwloTz0w7rNJ52DJt46sULL8D0IRHs6CEEyclxJkqfPjCfjQEDJ4xVuQQSw__&Key-Pair-Id=K3NV4LZ47N8M46)

Editing a Template

4. Click on the ****Save**** button. The Template is updated successfully.

Alternatively, you can also edit a template from the Template window.

1\.. Click on the ****Templates**** icon. The Templates window displays. Templates created by you are listed under ****My Template****, and the ones created by other Recruiters in your HackerRank Team are listed under the ****Shared Templates****.

2\.. Select the Template you want to edit. In the right pane, make necessary changes.

![Editing_an_Email_Invite_-_Saved.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046601865-?Expires=253370764800&Signature=UR-HbOjAPuuibXLZLj1clQhoH6mFy4O8TR7jB8va38aN-9Mw1FvuTzzT9fGz41njiZ9Gm~41HRUVAkPFKgKpz1PLXdXMqZENT~SnYkwi8oLsT4D52VS0ht7IWJjmUvV-~vlu21MmPEfAvJmJ9bM8X5h~vWEKfqK8ydgOBXQ-7FQunJVRW9o00-bG6X7FGvL1euPwLYstR1aWcgAFzITrZKkildbAYeXUbEZAgsGXX~IYZQxcWrpJn8dU7SWjknQaLtn76r58Eylx13f2ZnQ8AcQ3D5Orr-6Zbhelx91aM4slyCRV9sHBUAOIIRAJBXUv9vSmShEn6chk0OAvoJ6HA__&Key-Pair-Id=K3NV4LZ47N8M46)

Editing and updating a Template

3. Click on the ****Save**** button. The Template is updated successfully.

[screen/invite-candidates] Manage Email Templates Prerequisite Creating a custom email template

```
---
title: "Manage Email Templates Prerequisite Creating a custom email template Editing a custom email template Using a custom email template Using a shared email template Setting a default email template Deleting a custom email template"
title_slug:
"manage-email-templates-prerequisite-creating-a-custom-email-template-editing-a-custom-email-template-using-a-custom-email-template-using-a-shared-email-template-setting-a-default-email-template-deleting-a-custom-email-template"
source_url: "https://support.hackerrank.com/articles/9684438314-creating-an-email-template"
article_slug: "9684438314-creating-an-email-template"
last_updated_exact: "Jan 28, 2026, 9:51 AM"
last_updated_relative: "Last updated 3 months ago"
breadcrumbs:
- "Screen"
- "Invite Candidates"
---
```

Manage Email Templates Prerequisite Creating a custom email template Editing a custom email template Using a custom email template Using a shared email template Setting a default email template Deleting a custom email template

Last updated: Jan 28, 2026, 9:51 AM (Last updated 3 months ago)

Email templates in HackerRank allow you to standardize and streamline candidate communications. You can create, edit, reuse, and share customized email invitation templates with your team to ensure consistent messaging across hiring scenarios.

For example, create one email template for campus hiring and another for lateral hiring. Save each template separately and select the appropriate one when you send invitations.


Prerequisite

You must have a published test in your HackerRank for Work account.


Creating a custom email template

To create a custom email template:


- 1. Log in to your **HackerRank for Work** account using your credentials.
- 2. Go to the **Tests** tab.
- 3. Open a test.
- 4. Click **Invite** in the upper-right corner to open the **Send Test Invites** page.



- 5. Click the **Templates** icon.



- 6. Click **+Create New**.
- 7. Enter a template name and add content in the right pane. Use the formatting options to customize the content.



ynLWUNLgIT6Wt5yitxOpfeP6zVzV1LhemexWocrfuBrraLw~jBERfEBDDg0HDZvftaAzsy1AaS-jGqavLDIV1Au6CCO1LztJdpb1DbRba
pc7NP2vM3F3C852yQ4Ms8Lyh5WIBn5MJ1sF1eLYhgoCvfGpPC4K2wfp36ZbCew4W1JAGDuhBwEyTYUv4dLW1iV34KdKpvbn90xj
yo-r7mirUqi-hQD6aT-2whLP94iKjyyEZQP1b6XQgH8Sma5pJMxg__&Key-Pair-Id=K3NV4LZ47N8M46)

8. (Optional) Click ****Add subject**** to add a subject line for the template. The subject appears in all email invites that use this template. You can also include emojis in the subject line, if needed.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758792565525-image.png?Expires=253370764800&Signature=Trfuw4Cvf8ZLsbf0LGsVHNUcC4owkyB1Et9riEAEZDzCf99f4tPNh~h1OwkPG9fkVRsn~gJ6GhxkwSL7tKqMMhIUOr27cPOs~5HumifeNIEm4km3DKQsbMZfOBeV6KmwBz2RQDH213w5ntz7W8TZ3c5IzVRpojQ0whqLP4-Kt3XEny35cfG92mp9wWILkfzOZY2buAlU~xW53Y48LR0HjDwcs4SgvRbl~O5PU4L0lrAsDYH0J7Dc7dyX55vzzZH9KZz2L8Xivy60Q2x-uaaeRemlBjZ~B4KO-FXHfU5Cr5~WfbZQJt8eMc3mtNyKY86eEmDfkwM6ZnkMO26GP0jQA__&Key-Pair-Id=K3NV4LZ47N8M46)

9. Click ****Save****. The system saves your templates under ****My Templates****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758792595920-image.png?Expires=253370764800&Signature=rpsKVnFLTbf3T41Q4w93eOBDvwDtT335U~Xhz2PBZDvt6LAO8OIS8gTsvPZKDMsGYwiiGRJLsaaNV1MLw2wI2uqHx~f0Fqa0vhcpM~Xz1a4OPD7sAZMQuvNtWqDCPercFXpkIfSC7mYjYE8pFeeA0IGJhBxTGlzgzlQ36CTc-f8jEM8UQRWGG0wHhS4EXSFBSSVFBs1mmCjr-Zg~RZtm3T4S2nuT~lhlIcKU6o6RKtNKnWpRiDLFQ5RfD8~5X5q0wzB91HSdx8EalD-ZXhW0FkgX~9jhXG8nt7iMq8VpqXtymprMYy3hb8aGC3Ei0Me80ADz9eMVmARNoJal7Yg__&Key-Pair-Id=K3NV4LZ47N8M46)

Sample email templates

The following are sample email templates:

Invitation template 1

```
<table>
<colgroup>
<col style="width: 100%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="width: 100%"><p><em>Subject:</em> <strong>&lt;Company Name&gt; &lt; Test
Name &gt;</strong> Assessment Invitation</p>
<p><em>Email Body:</em></p>
<p>Hi <strong>&lt;Candidate Name&gt;</strong></p>
<p>Thank you for your interest in <strong>&lt;Company Name&gt;</strong> We have reviewed your application and would like you
to proceed to the next step of the interview process!</p>
<p>Your next step is to complete the coding challenge administered by HackerRank. We use this coding challenge to assess
<strong>&lt;list skills here&gt;</strong> needed for the job. Once complete, we'll review your results <strong>&lt;include optional
timeframe&gt;</strong> alongside the rest of your application and let you know if we want to set up a phone call to discuss the role
further. <strong>To begin, please click on the "Start Challenge" button below. </strong></p>
<p><strong>Test Expiration Date: </strong></p>
<p>The challenge consists of <strong>&lt;list # of questions with question type&gt;</strong> You are free to choose any coding
language
from<span>
</span>[this
list](https://candidatesupport.hackerrank.com/hc/en-us/articles/4402913877523-Execution-Environment-and-Samples) and can even
take this <strong>&lt;insert sample test URL&gt;</strong> to familiarize yourself with the HackerRank system before you get
started. </p>
<p><strong>Here are a few other helpful things to know: </strong></p>
<ul>
<li><p><strong>Technical Support -</strong> If you experience issues accessing or completing the code challenges, please refer to
their [FAQ](https://candidatesupport.hackerrank.com/hc/en-us/sections/4402845071635-Test) or contact HackerRank support at
support@hackerrank.com. </p></li>
<li><p><strong>Accommodations?</strong>If you have a medical condition or disability that limits your ability to complete the code
challenge, please email <strong>email@CompanyName.com</strong> to request an accommodation. </p></li>
<li><p><strong>Questions?</strong>If you have any other questions about the recruiting process, please contact our Recruiting team
at <strong>&lt;recruiting@CompanyName.com.&gt;</strong></p></li>
</ul>
<p>We hope you enjoy the challenge and look forward to receiving your results! </p></td>
</tr>
</tbody>
</table>
```

Invitation template 2

Subject: &lt;Company&gt; &lt;Test Name&gt; Assessment Invitation Email Body: Hi &lt;Candidate&gt;,</p> <p>Thanks so much for your interest in joining the &lt;Company&gt; team! We're excited to move you forward in our interview process.</p> <p>For your next step, please complete our online coding challenge, administered by HackerRank. This exercise evaluates your technical skillset, and the correctness and completeness of your solution will be evaluated based on the number of passed test cases.</p> <p>Once complete, we'll review your results and get back to you within &lt;days/weeks&gt; about the next steps. </p> <p>A few helpful things to note before you begin the challenge:</p> <p>Accommodations- If you have a medical condition or disability that limits your ability to complete the code challenge, please contact &lt;team email address&gt; to request an accommodation.</p> <p>Time Limit- Please note the time limit/duration below. Once started, the timer cannot be paused. After the timer ends, you cannot update your solution, but you're welcome to utilize the full duration.</p> <p>Internet Connectivity- Please ensure you have a stable internet connection for the duration of your challenge.</p> <p>Local Editor/IDE- You will submit your solution using the HackerRank code editor, but you can use your local editor/IDE while working.</p> <p>How to familiarize yourself with the HackerRank system- You are welcome to take this &lt;Insert [Sample Test](https://www.hackerrank.com/test/143hd7jsid6/1c1521f6f2821d9e07525fa45a2a8b27) of your choice&gt; to familiarize yourself with the environment.</p> Test Expiration Date: </p>
 <p>To begin, please click the ?Start Challenge? button below.</p>
 <p>We wish you the best and hope you enjoy completing our challenge!</p></td><td>
--

Editing a custom email template

To edit a custom email template:

1. Open a test.
2. Click **Invite** in the upper-right corner to open the **Send Test Invites** page.
3. Click the **Templates** icon.
4. Go to **My Templates**. This section lists templates you created.
5. Select the template you want to edit.

!<img.png>(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758793582993-image.png?Expires=253370764800&Signature=ISAUUV-FmQgJ3NbK9BbX2icBffG2x~eKKrzy5g26hqbrjFNy6WaDLFRJ6fzjl6U4sfRt6D~6lzv6xJs08P6VUUYYkELiVKFGS3S5oHfCLbJ4jpLquzYgC7Wg3HAYwBVCbmtD2T9eSuLPhB4gZsT90K~m~0B2POEQ04uCPDWTUXLJtcgvqQB-KxHdaG1BUETqgf~v2UA8AhALCmTBTwfkDD1BHU3qvEfgfCSflgGTSeDkLoUrV8Fjn6ouFDPLa~lu19MkkL-fZmXYNB1O4u9qICfH8-2i~NMYsu332cwsPaVfu7ZefBjNsMSCmNb76lajz8qchNTTqEB9CVM4pv6ypQ__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

1. Make the necessary changes.
2. Click **Save**.

Using a custom email template

To use a custom email template that you have created:

1. Open the test for which you want to use the template.
2. Click ****Invite**** in the upper-right corner to open the ****Send Test Invites**** page.
3. Click the ****Templates**** icon.
4. Go to ****My Templates****. This section lists templates you created.
5. Select the template you want to use.
6. Click ****Use this Template****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758793302679-image.png?Expires=253370764800&Signature=GD4MDb5JKTOZ0nXOs3CcxuQR1Dh9Qj4QmnerG~RZS~u49HW7POaFpsxzf6RHJKGGRCpkQuis~DP-B38X~pguEbS7S-Sx0XcoDMmVkJNKBsXuyhBGviPGCRMvuay~zNHlpY5Ge9a2rfmpCHJkueSM6d9Wfh7pC6e0l3C8wysbkL4FezsKOGxjTLpJ5BSwUJVec8jtAiMickNHqleTZFQuBcqZGZxgqSyB4lI80l1ilG~wruA7E1Tq8dnvkO6Zcv-VOVYiTw5RRVQiEuogE6WSbU2432wJZNh15s6fGGJtucWT0TP8ndf4CK4D26Qya5e-GT5pF~Huli4C5PWF9Zalla__&Key-Pair-Id=K3NV4LZ47N8M46)

The label ****In use**** appears next to the template currently applied to the invite.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758792903829-image.png?Expires=253370764800&Signature=h8U2Fa6wO-W14yAE7hoQIMlve40Ae657sO5u7NJJIzIuDulAqnEKA6w95tDRwEBgf-w-aK8FtndoFB3Oukf429-06RmQrXGkYzjrwtOSdn1t-DzVaJb6fkm1heEUHagMQX~hAFkUTrPtBngGmWtmdHso2FApkRL-mMb9TmHwwe2Zt1sMf8hYwYTrW0Pqd3v-YmmV-BvzgLBpoZMxkY~OkStNjEzBSrWtZWqIDBPP9FWBoWCpt-mMKGiUMZR97y6ghdEcs-AQNp4rsqK6EeYnL0dXWcOK6tjudqGfuczcqXA9tQdL-6NuWnngvpjmaAdesFAGuDu6nfsqQd5wTTwA__&Key-Pair-Id=K3NV4LZ47N8M46)

****Note:**** To configure an invite email at the test level, see [[? Configure Email Settings for Tests](#)](/articles/2564162886).

Using a shared email template

To use a shared email template:

1. Open the test for which you want to use the template.
2. Click ****Invite**** in the upper-right corner to open the ****Send Test Invites**** page.
3. Click the ****Templates**** icon.
4. Go to ****Shared Templates****. This section lists templates created by other recruiters in your company.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758792836192-image.png?Expires=253370764800&Signature=q2sz98x9F~gkBs~RGmw6~dEx0fexPlyWetiYg6oy3-zuyIvIJ~80EFp6x7k1XAvDQ8TweUoOaNofgtJNlaiHyRyYVQA2u~b00GI17dwSMv5enfQWEcbQHC9OeBkAUaWxQLJ0~22y81uEP3Em4QgSjoXHPk-0Xx2NTN3t-rdnp-7cMUsMQOsUaYjsCmHqE0HHW9G3UDRDArwAZHMPazZ5KZOqGAKqxBHTmtQ8hPMXEO8DTklu6V33mYROYu21BW2glmU2NN5m5vCgkvU0XJtT4yXGyyV0UVs04WsefcKDIDvDPDMYI8FTdD~bmMhmbmV59kuCqJ5qFHI-g8GoBlw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Select the template you want to use.
6. Click ****Use this Template****. The selected template appears in the test invite.

Setting a default email template

You can set one of your templates as the default for all email invites. When you set a default template, the email editor on the ****Send Test Invites**** page automatically loads it when you click ****Invite**** for a test

****Note:**** You can only set the templates you created as default templates.

To set a default template:

1. Open a test.

2. Click **Invite** in the upper-right corner to open the **Send Test Invites** page.
3. Click the **Templates** icon.
4. Go to **My Templates**.
5. Click the star icon next to the template name. A success message appears.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758792811366-image.png?Expires=253370764800&Signature=m-O1LerAhyTEed9GauAUQuA1VcLRT2qNNw8NpeMC-jpNFoOH67H2tNF5thehaKwZOLIKYX4XikohTCIq2LEK6~WZhp5ujn8pAadBnuq8yCH1YnMys6UAetruDTjKmz0Z2K6BjR3IMn2w7B6Xt1fQRAx3xpCB7TURt5MU0cmJvGrh5EuYOPXOmw4jqechQtq6ybLF4hk9V-py~TjWZscfh236q8RoxdcT7BDU-nUH4ucwiLcnrcDgr0vq4FE~0Gf2VBy7tpyYh1PkTpGU2XVcunylvngcxSM3cHoXRmb9ldq2Dn9-apJC80GUg0a1yNO1nbier4K755ME53GReNMt6Q__&Key-Pair-Id=K3NV4LZ47N8M46)

Deleting a custom email template

You can delete an email template if it is no longer in use.

Note: You can only delete templates you created.

To delete a custom email template:

1. Open a test.
2. Click **Invite** in the upper-right corner to open the **Send Test Invites** page.
3. Click the **Templates** icon.
4. Go to **My Templates**.
5. Select the template you want to delete.
6. Click the **Delete Template** icon. A success message appears.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758792655774-image.png?Expires=253370764800&Signature=R0MlyflbW5mtYGTNKUu5owNpus9kHEWGF9-2SCBDXPO8ma7j4WYAdQzTXWE5X9M-kUa8xEkjpGNOUiF4M7GaiYMXFrM39SG9B6r6atuxVKq9ubo6oqtTsZ9aXcMC7j8t8RNonJgcfv1CvZYIT6TkQenl8Jmuctl2R2xk3gmTzG23qTXyvAfDjskNSPD8xqaJJrKxbV-Qb0KBAJ7omqb-kzaPr6r8c4ra8pKwv~Y~2cANDHU18mVegYtRXPoRxdCZLC3n4FUWFnqiYebsf36q9bqpfioOddIOHytRsJJgq5s6~-zXOOmu-CJw1Yh~IXDGB9-nUgAb~UuYDozb3YEhg__&Key-Pair-Id=K3NV4LZ47N8M46)

\
\
\

[screen/managing-tests] Test Labels

```
---
title: "Test Labels"
title_slug: "test-labels"
source_url: "https://support.hackerrank.com/articles/2096315953-test-labels"
article_slug: "2096315953-test-labels"
last_updated_exact: "Dec 13, 2024, 5:05 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Screen"
  - "Managing Tests"
---
```

Test Labels

Last updated: Dec 13, 2024, 5:05 AM (Last updated 1 year ago)

Overview

You can create labels for the tests in HackerRank. The labels are nothing but a set of words and phrases which will help in organizing your tests. With the help of these labels, you can easily filter and find the relevant tests. This article will walk you through the steps in creating the test labels.

Creating Test Labels

Prerequisites

- You must have created a test.

Steps

1. Click on the **Tests** tab on the home page and then click the required test.
2. Click on the **Settings** option from the options present below the test name.
3. From the left panel, click on the **General** settings and scroll down. You can find the **Labels** section.

![[Labels.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046559244-?Expires=253370764800&Signature=XOnJf3f-0SVwGKzR6rSDvsqAwSLSIlijzHMOUMMKvSfxSDpBGIEdl6nfbYlxwiDDvtM6Jbjfl0aHjnqgWzxYcjYQqiuCxAJWd3sABa359wVrYCme2lo~ELI8rVbwnGWbDvMmh5Udy7X7MGCHvvCz2kbjoTQ~rJgLsIT8Bo~Rbccx~t~2Ce1n4LJGr63tLi6wwafIL-cyyL5PYXfrSWJ9cKEXQ2MCMwqDA54ZVaNBp7nGnfTq8pXbke90YcYxYHK94Tjalq8keOapFoHanAn33JeeiZrmQXIJ0XynYa1e~FXRNv x5P9l2N6~kJTf~8cXS~~qGOzqs2cZHEpNrSIO4jg__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Type your custom labels in the box under Labels.
5. Click on the **Enter** option after typing each label to add them.
6. Click on the **Save Changes** button to add those labels to your test.

Types of Labels

- **Role-specific:** For example, if you are hiring a Java Developer, add Java Developer in the Label field.

<!-- -->

- **Difficulty level:** For example, if the test is an easy one, you can assign a label as easy. Alternatively, use labels medium and hard to assign a test based on the difficulty levels.

<!-- -->

- **Other Labels:** Example: If the test is for hiring a beginner level Java Developer, you can add labels such as "beginner" or "basic".

Usage of Test Labels

You can use test labels to find a required test quickly and efficiently. However, you must have added relevant labels to the tests as

illustrated above to use them.

1. Click on the **Tests** tab on the home page.
2. Click on the **Labels** option in the left pane.
3. It will display a list of labels. You can search for your required labels and choose the one you want by ticking the **checkbox** before it. You can select multiple labels at a time.
4. Once you select the required labels, tests with relevant information get displayed.

![[Test_Labels_Filtering.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046559606-?Expires=253370764800&Signature=PWzFMv-b0YpvjnCGS96KITZTrafikPQzJ~9C~osSWrZ53yacwbStE8fCJbn4MmNy26l3xIXGcukvI7kGVloM1B~HGx3E40QL6UxrABfF~nxMFIQOHXsKwm1WHmWtpFbln80Jr0~BCMyyVvVJCUVIA1Ix2zvUiMnbklllEXeDIJEVDMsLyCSZswl-4feCjI7PLOGpK6jylRThuCwjkm1wHfluPrRzD-fflDJCtOWJ57qISMAOuauOW6KiMN2mNpto5fR0Dvazl9cP1ITv1UOF7toKGj9NOCXVHwUu5Z5W1~A2786s6yD0JiakRhQlEdYTxZ-8loiWxUVb1nEVB7eQ__&Key-Pair-Id=K3NV4LZ47N8M46)

\

[screen/managing-tests] Revoke Test Access

```
---
title: "Revoke Test Access"
title_slug: "revoke-test-access"
source_url: "https://support.hackerrank.com/articles/2097730024-revoking-access-to-a-shared-test"
article_slug: "2097730024-revoking-access-to-a-shared-test"
last_updated_exact: "Jun 26, 2025, 12:59 PM"
last_updated_relative: "Last updated 10 months ago"
breadcrumbs:
  - "Screen"
  - "Managing Tests"
---
```

Revoke Test Access

Last updated: Jun 26, 2025, 12:59 PM (Last updated 10 months ago)

HackerRank for Work allows admins to revoke test access from specific users or teams.


Prerequisites

- You must be the test owner or have **Editor** access.
- The test must already be shared with the users or teams using the **Share** option.


Revoking test access

To revoke access to a test for a specific user or team:

1. Log in to your HackerRank for Work account using your credentials.
2. Go to the **Tests** tab.
3. Open the test from which you want to revoke access.
4. Click **Share**.



5. In the **Share Test** dialog box, locate the user or team.
6. Select the role drop-down next to their name.
7. Select **Remove User**.



8. In the confirmation dialog box, click **Confirm**.

The user or team is immediately removed and will no longer have access to the test.

[screen/managing-tests] Lock a Test Prerequisites Locking a test Unlocking a test

title: "Lock a Test Prerequisites Locking a test Unlocking a test"
title_slug: "lock-a-test-prerequisites-locking-a-test-unlocking-a-test"
source_url: "https://support.hackerrank.com/articles/2125093931-locking-a-test"
article_slug: "2125093931-locking-a-test"
last_updated_exact: "Feb 19, 2026, 2:46 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
- "Screen"
- "Managing Tests"

Lock a Test Prerequisites Locking a test Unlocking a test

Last updated: Feb 19, 2026, 2:46 PM (Last updated 2 months ago)

Locking a test prevents changes to its questions and settings. Only test owners and company administrators can lock or unlock a test.

When a test is locked, you cannot:

- Edit test settings
- Change the order of questions
- Add new questions
- Modify existing questions

Note: You cannot delete a locked test, but you can archive it.

Prerequisites

You must have an existing test in your HackerRank account.


Locking a test

To lock a test:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test you want to lock.
4. Click the more options menu (?) in the top right corner
5. Select **Lock**.


[https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758779539908-image.png?Expires=253370764800&Signature=EMDGbh-BvNYFvieh41Jp04BMR-TT1VpV7arevNIVtIjgHmmlpWaddwDQ6gA2ZnU6VzjKmfbovXjrJmCR33vlerwe i6ltUsiXmuXbucTDkyLZsPS1JzLgFp~a20cr5HwCBGp9m49yJ5jfN0WWIxUMjuO0Kwbrea2UDvfsDibS0nPluno2F9NUfAoW9NtlvjhwX YrO1-cXQO83JRj6MNC~mywFuEmuqBq7oHmL9GJ8u~UI3bComsX1hU1cLlBo2fC5P8sZC-gvyhxCfRpKgRPZUc3khPEc7L8z~mtYk XVP42i5-7D-52~cz52AhlTII3YRAzFUHrxy4A1CE77QLI0IPA__&Key-Pair-Id=K3NV4LZ47N8M46)]

6. In the confirmation dialog, click **Lock** to confirm. A success message appears.


[https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758779601537-image.png?Expires=253370764800&Signature=kFzkleLLvqsATL97TsgPZKhBAkggcpEcjYBQjwZINTQpLOy9rLtAMyrqcEHoHJTCKz5CvvKyHfqFXHPMJLcXW0 cySovnIO8ir~BUUnHCe8VKwkcPym7Mq7u29y18kTsK4hkgAcNVxJ0AqgiBTxRED9hRTghgu4UQiIXOERDGTljo-ETrPot2b20rMLnLthfh ~m0KKg9wuvlm8al7gU3RZ0kjEWsKxYAZZDD~VN6911NZ1LzkGKUkSMtw6SVPuujud~q4clO8Ke-ZUMD0VKhVP5FSeWmQPY9FT pGGVZlrAC83lf1tnQwM34plfQkzylnlQjFHHTwOnXJT1p90lwK~Q__&Key-Pair-Id=K3NV4LZ47N8M46)]

Unlocking a test

Note: To make changes to a locked test, you must first unlock it.

To unlock a test:

1. Open the test you want to unlock.
2. Click the more options menu (?) in the top right corner.
3. Select **Unlock**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758779775355-image.png?Expires=253370764800&Signature=e-0PeCFPeMjoOMGfTgcR3ivLK8w5aylc0McSFqmH6Ti0YkE1jll11BY4T4hmFiJQN1ckiKzrnTT2ZDmMNYw~AfMQMnN7guC7mmEba8ZiWfbm~gNjK9jNoMv1PZWmUuV0SSD9DvMAzJ0O3xPSXJH7QEmuux~Ua4K1bM8Uw0SoV-4CPNBaKKrgtGAUJE1wyKpEgd0OPOTHdGYT4vyojY4n7SPjpxyhbXIX~X8UCsIDJlIX~RDWdOHQ0SKmfCGtNzvNsH038dAE67~r~Jvb4q8VtAn~klXmxbjpHlFCPLvOMPxXOtOH0hgCUws~xWq6rGSaMH9jo9cWUgCloGdOZgT~Q__&Key-Pair-Id=K3NV4LZ47N8M46)

4. In the confirmation dialog, click **Unlock** to confirm. A success message appears.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758779803117-image.png?Expires=253370764800&Signature=iqACCFDuClZ~JqXDac9mkkQULs1ziojDMeSVeOEFxwjNxpviE6H04Hu4DWsLhNtXLYnpD3uWxCinMGm7qcDgtJel~PcdfVe3QdhQQN02dd9XSxLJ6rh0ddzEVmePT0qCzPgQ1B657QEIHpGQvO5Tud-gnZLFVyZDt~zQmvkNtXy02b9zryGVbF~G~r8aW7hqtZJ46W~qMm-FN~gZK6zGIYAvgRCqGtGkfNtgja03BK4HoNCguK3kocuCVISckXvKYnfhf3hQ2vPflvGQgiEV29IziMw-qYRLitzMsOT7sdsWhEEkLHLdm0feR0aiZdqqw4aeSF6fU2OH9Dq1fDEaow__&Key-Pair-Id=K3NV4LZ47N8M46)

Note:

- You can also unlock a test from the **Questions** tab.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758779863498-image.png?Expires=253370764800&Signature=V6IK3~IbTWDTcJ8LCeMYGA0bDBacP~JOUBInk6GrWVykBOMWzA~kOeUpDtJZKZBkX4KeMv~MpvPjbzt4ztWK Cgr6xsHB0dW74OXGPhYa3CgTbgTO0RCEogq~RkBVSVH909BkR2hsbcgAwq0W68hfdlo9d7JDMoA6XGnMtduyv5E4t~2ePhkUby9RGG~8zll8PgTAisLjJwU4ilzcC6RUhlc4hZg9xu5julsYoeMdpaKUcanJQ~O0~HyqR1JiqWfdqdTxK~Yrhp3du5~qGRVsz7eIVxGpW09fD92C0hvhjel3IRXpbcE7BF~b4rlC8LJZS4W~BwU7CMxjEf9MFI9wQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- You can lock or unlock multiple tests at once. From the **Tests** tab, select the checkboxes next to the tests and choose the **Lock** or **Unlock** action.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758779937971-image.png?Expires=253370764800&Signature=MVJqOyFngoziSkC0XmWVAcMWwLjd7QrDDIbKjiRV2DyAFTJHUepoy2dpDg1jp6C8KfISfxTsajWuxpIN0kxv~Ot0HyESRj2T~LoxCfC08PjizaK4PJx3~03eYYILvIoC1jCTkTb3oon2idTCg5BUzdVLVc3hh27HrPQU8sWnvcWFN~ZfamW2qaUGpBvronA6j2ax7nEu6F98Lx~MaKzatZ0od52hkwaSiPZcY4QspjR32bx9~lhljC~JkjCr7Ng0cPV6DKZJBxx3LHY7CitlqAMy30FjDbasMWAKjSihINgrE5SZRpe7SajPRYPiKvRA~HcsmZP3AEVTIAON84Fw__&Key-Pair-Id=K3NV4LZ47N8M46)

\

[screen/managing-tests] Replace Leaked Question Replacing a leaked question

title: "Replace Leaked Question Replacing a leaked question"
title_slug: "replace-leaked-question-replacing-a-leaked-question"
source_url: "https://support.hackerrank.com/articles/2349070108-replace-leaked-question"
article_slug: "2349070108-replace-leaked-question"
last_updated_exact: "Nov 18, 2025, 6:40 PM"
last_updated_relative: "Last updated 5 months ago"
breadcrumbs:
- "Screen"
- "Managing Tests"

Replace Leaked Question Replacing a leaked question

Last updated: Nov 18, 2025, 6:40 PM (Last updated 5 months ago)

When a question is flagged as leaked, a warning icon appears beside its title in your test. You can manually replace any question identified as leaked online.

When you click the warning icon, the following options appear:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1762414586514-image.png?Expires=253370764800&Signature=LAEmatZ7mFk7FY3Dvc-4ULIZy6v5ml3hKVhmPbdEDw76NkYarTuiLWnKzKoEmk9Yy2kZiyFBek0dHjip4ga-UWA cPa9mflsEzY4e6wCIIFtlwUTHksJAI9vW~bhjJPko-nhU-A-5iRY6dtde9b3Quvm5Z8J1xdIBsMEOWk9S~D~iDE7E6z8ZVg7NWUt6C-8w nzsMimZsl7h3nP6hx~T2PBmVVf5cNPY9kMwqMXXUT17sWUhJ~X-yOnYoeVKHVphUnk7JkyaKj3C1~YvxczO~rvVHWxl6TkpgMBhk Mb4WSS2QvggZqZ7Wn1flrTc5jDJJeA6tv0YTR6gaaSJ6z3I5Q__&Key-Pair-Id=K3NV4LZ47N8M46)

- ****Subscribe to email alert****: Receive notifications when HackerRank detects a leaked test question. For more information, see [Configure Leakage Alert Emails](https://support.hackerrank.com/articles/2564162886-modifying-email-settings-for-tests#configure-leakage-alert-emails-15).

- ****View leaked sources****: Review the online sources where the question appears.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1762412810551-image.png?Expires=253370764800&Signature=TQAxwnVSKw3iAXuUF57LrcG7cvZozv11teyKYgReL0F-uPT5zfFrnWge4VzPo87q0JaQU~NDpjVuNRFzhnlNvZS TP4CntzdSWF1EAm3EwJ~jJcK4lsNkfR6H7xdqETbW8hx~tKc0LHzb-kCpiciMvRw9fzU64gE64WqDs0-A49HTgh7pRowl9Zu-oQmM7 8J-QCKRA08l9U03gbNBOG8yyZszLjpDo3x71yAZohbD621isScDYmphVAlub9HTzkVMA1XBJeK~Ct7CIJSEbbK3T0Y~fJ5XkdCF43O PGcEDDzM~Ntgodcjm3CZwCiHi8cvfUCF8IEMNBUDUJ4nbl6Gc1kw__&Key-Pair-Id=K3NV4LZ47N8M46)

- ****Replace****: Replace the leaked question with a suitable alternative from the Library.

Replacing a leaked question

To replace a leaked question:

1. Click the warning icon next to the leaked question.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1762412929858-image.png?Expires=253370764800&Signature=eytcT0gvOXo-xjdfkAYCAS5xgwtLDpTI0dR7m31gqUQ52icKglW9dvtb5TbTIgoqnR1oLdC7PTzrmLRV5ZEMPGSn nsKUe4dT71UVQ8oGOwfp01GILK1rH1ldP5x6GeM1UlvjXbrYZw6uv4AE~SUyh5Crr59PB7oMaMaz6s2zGJlaOFHodlHCr08hAVZZsD 6npZsSxgw94JcJ3e39qCF0R6lMOs6Gd3l19Kn0RbBoprj53gHcXdsiXEeOJy0HUO4XhHNbq0fcFmuXG29lqJ5TvM59PvJW9lKtnaLno F7O~rVK43k4qYzCU2lgs-sDy4RM~N7UhBqvS5Yl4Wx9Q06jg__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Select ****Replace****. The Library opens with filters applied based on the original question's type, skill, and difficulty.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1762414460646-image.png?Expires=253370764800&Signature=c779Ufk4Yy9z-18nzt648Ny2gl4yV1vYaWe5p2UUugnbrUQRG56dlqYu~a~13FioHWGtOaveF3mXYFSuur9eLpYz ZIEh-RT-CtQRBgZhx1SwlRTHZM1j6oPMn6mwkkaC3fsYXG0PRXStSy8~nxzTAXm3E~xZDCG0RkRedqqaMe~vPhXRZElnGhHrZUhyKcXCy712kl~XiK2eVSXUd9gftjXUfnQX5t0qZkFsWbQwEuVmfgzSPUHN86v8qNdv3zSFwXdSIKbHUa7rJHlSkF4NJ66EZmA33uy4 varTD9vmflv9ERhEzP6Qef~EH-DrA~q~FYmj1zvGeOzG1B5TMllw__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Choose a suitable replacement question and click ****Replace****.

4. Compare the existing and new questions in the confirmation modal (name, skill, type, score, and duration).

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1762413142315-image.png?Expires=253370764800&Signature=MIRhV1FLdaqQco7HPHKyygERXuIVLiONeff1gciahUbLE3dd1ZktuQuUThDkqde0pRkWavEfrkjN4EqoDO5enKPIGK-XB64q2MFVU9Bx2spzyzcLbpII-QsXWV6uX6iLhuX3jYVhZjhAXncBhH4NElgQO8TIBFrPeGe1TnCV7I30uieMGZkQXbZlvziwJfclEQNS3flU4WMUB~-nsLFMLTUt-nct90xx7W639xlh5hYuBsno8XYwf720inXlp3AiQo~oNc0Vh4BgfAav42gZeh2G0aCjlk8ShPWEZkxe409OiAM2U4M2wPMpplkOduXpz7xrX5c0C7z7Ki3FYe7~g__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click **Confirm**.

6. Click **Publish** to make the updated test available to candidates.

\

[screen/managing-tests] Modify Test Expiration Time Prerequisite Modifying test exp

```
---
title: "Modify Test Expiration Time Prerequisite Modifying test expiration time"
title_slug: "modify-test-expiration-time-prerequisite-modifying-test-expiration-time"
source_url: "https://support.hackerrank.com/articles/2979262079-modify-test-expiration-time"
article_slug: "2979262079-modify-test-expiration-time"
last_updated_exact: "Mar 10, 2026, 9:05 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
  - "Screen"
  - "Managing Tests"
---
```

Modify Test Expiration Time Prerequisite Modifying test expiration time

Last updated: Mar 10, 2026, 9:05 PM (Last updated 2 months ago)

You can define a start and end time (including time zone) to control when a test remains active.

Candidates can attempt the test only during the active period. After the test expires:

- Invited candidates cannot access the test.
- The **Invite** button is disabled.
- You cannot invite new candidates.


Prerequisite

You must have created a test.


Modifying test expiration time

To modify the test expiration time:


1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test you want to update.
4. Go to **Settings \> General**.



5. Modify the **Start date & time** and **End date & time** in the **Test Expiration Time** section.



6. Click **Save Changes**.



u7kd4jxVu89luyznvHYykwWu3anl2D-fRY0LN8ygnqqINyQaeclDPI66NvQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Note:

- By default, the **Test Expiration Time** fields are empty.
- To restore the default state, click the clear icon (**X**) to remove the **Start date & time** and **End date & time** values.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1773156879829-image.png?Expires=253370764800&Signature=VDILoX1VpNCR4-3wb9XIRQVo~gJpNRAGmIvuh1T3Ksje4FgGHVYb8q~Kvzb3udNO1rU21O7JWQcutJyzrzaQZdP4bJBkzFIh8IYZsG2tEhnQVhT7mWDYLGSSnpjBct6QT77RSX85EPkw9YuzCVkQ~B-rcrua0iSUO~tLrdqcjybLXbTbWikWBC2TMDmnKP7Tc1VDtejA1WYsTHWNae8Ef7iNdOpVk8LTcfKQVaxN35VkJEFLO-oaoF~8PgYkcW91UaCYLRX56y7tl1Q6ArkqtLnmRtxRD-cE7Up3cwBHK6OywhaAjPxMRc7ogzkRiEaR-y6ij5Ksk2qUY2-jycJw__&Key-Pair-Id=K3NV4LZ47N8M46)

Note:

If a candidate needs to retake a test, you can reinvite them at any time. You do not need to delete the previous invite or attempt. For more information, see [? Reininvite Candidates to a Test](/articles/1002936098).

\

\

\

[screen/managing-tests] Manage Email Alerts for Leaked Questions Key benefits Ena

title: "Manage Email Alerts for Leaked Questions Key benefits Enabling email alerts Receiving and responding to email alerts"
title_slug: "manage-email-alerts-for-leaked-questions-key-benefits-enabling-email-alerts-receiving-and-responding-to-email-alerts"
source_url: "https://support.hackerrank.com/articles/3105510130-email-alerts-for-question-leakage"
article_slug: "3105510130-email-alerts-for-question-leakage"
last_updated_exact: "Nov 4, 2025, 12:44 PM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
- "Screen"
- "Managing Tests"

Manage Email Alerts for Leaked Questions Key benefits Enabling email alerts Receiving and responding to email alerts

Last updated: Nov 4, 2025, 12:44 PM (Last updated 6 months ago)

Email alerts for question leakage help you quickly identify and respond to leaked questions, maintaining the integrity and reliability of your hiring process.

Key benefits

Email alerts provide the following benefits:

- **Managed alerts:** Receive notifications only for the tests you subscribe to, and set the email frequency to daily or weekly.
- **Easy leakage management:** Use the direct link in each email alert to open the affected test and replace the leaked question immediately.

Enabling email alerts

You can enable email alerts for leaked questions at the company level, user level, or test level.

Enabling email alerts for all company tests

Note: You must have admin access to configure company-level settings.

To enable email alerts for all company tests:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Click your profile icon in the upper-right corner.
3. Select **Settings** from the drop-down menu.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F866e5203-1e55-4753-a7db-198d8af20c6c-1759991275884-image.png-9415f717-e18d-4404-addf-b7e60bdefb70?Expires=253370764800&Signature=oD8JaYsR6XKRPBKoEuQ0~wleD1wJXHKbt2uycjZUvF2VgViTLQJimgAVDUYf5lacYmmuSPXzdyMYNm75YA0XqtiwYdlamfa-fu62Ghp1RUKfp2G2RI5U~IFCXWFyGAeAJqIVjf0IMn7VNMT-sTso86sEkPok-pg5ozVp-w6ZXcfCZpRrg0UjmE3ete4zgN2NRjBbV6x76nq~ffb9u0JtKpuRjUiPMLfQowjc82LhZO7f~JK8-7F63up6UwomW~o1PnK1RJVKUUOq2fOOqoEK811XyulOg0~iwWOtYmE68gnVMFCnQEirW8rEQUQLzL3Aj6qPK2xRJtWRNGqaQT~6w__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Go to **Test Settings** under the **Company** section.

5. In the **Test Emails** section:

1. Turn on the **Leaked Question Alerts** toggle to enable email alerts.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fbf9fb007-7d94-41e5-9e30-daa7f42ffcf1-1759991258853-image.png-eb91504f-cd51-4093-9e22-3807fa23f05f?Expires=253370764800&Signature=dYw2Uizqt3Tu4M5eX6lsy7or5M0WPv8MQAWcnxAFwTP7PNyxc-9Gc7s3SfrsY1YKgKtQAUfkWuMeSyZ8MSYIND2gCPpUk33W9XKKT~uO9gdSagO7ilUAAxJaW2DVNfeji0aG4fWgl7I9dCukx2tLhjJMohdSAYXnuUNlihLyp2xnepyWn9fJSiRXAPP2TfHhVw4ZwKYwvBpvUC6AN6tWr4Y6oSCqNSU1~v2p7M4c3Pd3U9qwf1aN9cGIqouRcd7ztjaCIWyFR8a7D87IKHEoolP0HVxLlfa05y3Ts1sGQINdPJJe-wYqsiW~JhH3wFkyOMSIX7W MvhyUwXNryJXQ__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Select **Daily** or **Weekly** under **Leaked Question Alert Frequency**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F89daf920-73cf-4200-919e-6d54db89634c-1759991211755-image.png-7edb8b39-7e77-423a-aca1-4af0226e65e7?Expires=253370764800&Signature=M-INT0GagfVWk0uqHJv1imAnw-zZK3gb1B0wjdsSNlmbCZf-pyzCy5UIVWFyYO7l0VYvKwrWzc5JXXa-zhOtUSxIJ6AlmjhmT11Q11T~7F5pU-g002rQ-9qyFOW0egINJf3ru3taptJz-t1F-wOac6g9FYw68EaJ1zjP0~QLXAor3ro2Eg9x0otyexMJtgzHeccOoV1LljjnOUWeEaDm2AkuF6CQTh5-TFGWG SrRHlbrfWaPZjSXhmPVbuxoLxpC7sj38R9pLU1uwyum1J13ODvqJp0Kp2NOHIN-TGbSxKlXN3FZp4Fezf~kJNPjIm-76kWPjPu8DF0dYkCWanTnRw__&Key-Pair-Id=K3NV4LZ47N8M46)

3. (Optional) Click the **lock icon** next to **Leaked Question Alert** and **Leaked Question Alert Frequency** to prevent individual overrides.

6. Click **Save Changes**.

All test owners and editors will receive an email notification when a question is leaked.

Enabling email alerts for your tests

You can enable email alerts for all the tests you have created.

To enable email alerts for all your tests:

1. Click your profile icon in the upper-right corner.
2. Select **Settings** from the drop-down menu.
3. Go to **Email Notifications** under the **User** section.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Ffdf8e7c7-9b10-407b-8f8f-3d9c89eeac1a-1759991118585-image.png-bec716a2-ec13-4606-bccb-6d8695dafa58?Expires=253370764800&Signature=ofM37U-IriOHcdVB9PXCBLISPMdmT-uSSzd5Kt4s6-l52nB2CmL1EruKdMihMf3j1JJcAe8-rDtwWAHFOHcSfFqSY4Cb8eZ77rqzDnO6xVYVKMz7qUOP0oqFFBZzxL-jA0hCAFHxlm8LtezC-5GldHmK-3t7u0taNKFKaptnd01xu5ThxextHhpKsfyb~IU1rx2xrjrCnQuXtXDWd8Z-SuFGgoGschgk58Pw~gR6fDnl5yWgSP80mUheWx1blK05muhGYeDuv0b8HynFXN4ct2wTipudmi7fK09C4MdTpGpcpKq67A3EKmA1F~fojZy7OjFNNUYi~rEjzL7v-jVnA__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Toggle **Turn on leakage alerting for all my tests by default** to enable email alerts and select **daily** or **weekly** to receive alerts.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Ffc5e99012-ab26-4664-8062-d52317370109-1759991061116-image.png-2f73a93a-bcd0-450c-abfe-e0f8b141dedb?Expires=253370764800&Signature=IR4tlJj88EujQJKeHu00ym8rW7~2H3RzD2lEtBgK1IYOXc88LW6T60x1GE0et4jf37QeMENEj2v39Amz8OGSA-K1dvd8RT6l57CzSyTbihLACLINlwywIVSozBR6kur-Ad7y~yxYIOEAvBVz1a6xhfBsF8BdwlBjo7iXCztRJ5XINm0Kc~1~jAylorYzpEfQKoC-gK1-cGzcAuBNEucc1xPZ8~xqZO9BRj~hBJqX8sVWENhwcengCLKh9yPht8z4P8i-AX0w5F-MnAMphRbONBMq9i-l-VhKHH4OJo5KfMI~0uccR6d8pUNVAahCLK4QmqUQvwWYq8DHtv8jXPD-Q__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click **Save**.

Enabling email alerts for a specific test

You can enable email alerts for a specific test that you own or created for other users within your company.

To enable email alerts for a specific test:

1. Go to the **Tests** tab.
2. Select the test for which you want to enable email alerts.
3. Go to the **Settings** tab.
4. Select **Emails** under the **Test Administration** section.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fd40daec6-7b91-4c97-83d7-f3d9362b741e-1759991024420-image.png-a46cb4df-4ad2-4bb6-83d8-a3d96f47c925?Expires=253370764800&Signature=I0oPM5mLbKgNEBRVZHY

HxqDeSQM2OWJoTso1B9hQe0CSVvE09Ntc2kplbLPzLd3hvV7aUhL5HhIngxjTwQRCSJh0WeXV5WVQorp96T-XgdNzScusl-0jZwxa
yCBVmj7bgLdKncdST1aL9hZfrty7-CI8VoyUecqZRhmMCKjTqLmnsptdy9QxQZTS~qaw433C0wMvBRkssYvxNoXbo5kcKkgexYelasZ
V5LwckVIKB6oalza-DAQEdROOcbidrHWxRWLSuTXPjDCh8qkI0~RjhCAY69GD4-COsW9YrDPeomd3aK6Ek8MVBQUv1hwZVr6cC6
XqV0i~0znx0k8vdPg5g__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click the ****Enable**** dropdown under ****Leakage Alert Emails****.

6. Select the users who should receive the email alerts.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1a133f64-14e1-4aa5-ad8b-c537ccbf30b4-17
59989548649-image.png-815b1de4-c9ed-47ae-ae1c-d711cc8b240c?Expires=253370764800&Signature=rgzookErY7s4405wMadn9
TUplOjKwVv-ehMR9OwUNzHNO-I0RIJAi9tR8pK1E0fSYrgBbfzrpbccPYWEtIXdfZt9-lq5-bSvD2iK45NjNGyxseKFCth8U1iwdHzOYbkc
UweHool466XlJHTakVa22jeK9TVFFgFnwdsDE0vA6Yow2IIUq7ZZDpziW7aEeyPBckrGxHMy9B78AsDI7OvQYW0NMJ1g8kxCk5wxn
KCCWci-ZDLarbG6uFC40Hsv3-KwwtcQ89ef~050-jQSDALKnXpbCAeUwJ9j6mW6ZKmFeWs-abLF8yuRI-6h72vQIAyrZZHsWLP0C3
Nxn5Mmzu5cRA__&Key-Pair-Id=K3NV4LZ47N8M46)

7. Click ****Save Changes****.

****Note:**** For more information on leaked questions, see [? Managing Leaked Questions]([/articles/8820947031]).

Receiving and responding to email alerts

After you enable alerts, test editors receive an email that includes:

- A list of tests with leaked questions.
- Direct calls to action (CTAs) to manage each affected test.

****Note:**** The list can include two types of leakages:

- Questions that were not leakage-protected and got leaked (marked without a shield icon).
- Questions that were leakage-protected, but the automatic replacement failed (marked with a shield icon).

If the email contains more than three tests, download the attached spreadsheet to see all leaked questions across the tests you are monitoring.

![[leakedquestionemail.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1762239984055-leakedquestio
nemail.png?Expires=253370764800&Signature=kHTu00-zgYU0tUd80wLBbO00RXmp6NI4KvWG3nCXhW23Kfh~6nc7mKjmFb-dU~v
h-nYpPgV6t5nExTUE7bR7LxMkte3~YDQL1TymHMqQKbvBOFsO~bPSEE2CMjZZUIxJ3k~9mO6zcUlp3x1J3b3Tutsr2Dgi3ietblhEAqf
Vw6Erqk-hDUScZuDJVuj1ckWDNwWJqahLXnweZhJIG~2JiftsoUDjzcuGBgwFaYi2OtS2p-e0GDLBvtRrzV5-ld3vHSTRIN-YPGSticG
Ga5B1XBXhGY3dg7EgEnPBy4GY79P9nVp0JOgKaBRz9b1RyPPn9m5XDD~BeeqDS3kM~~HFQ__&Key-Pair-Id=K3NV4LZ47N8M4
6)

\

[screen/managing-tests] Clone a Test Prerequisites Cloning a test

```
---
title: "Clone a Test Prerequisites Cloning a test"
title_slug: "clone-a-test-prerequisites-cloning-a-test"
source_url: "https://support.hackerrank.com/articles/3225598042-cloning-a-test"
article_slug: "3225598042-cloning-a-test"
last_updated_exact: "Sep 25, 2025, 12:16 PM"
last_updated_relative: "Last updated 7 months ago"
breadcrumbs:
  - "Screen"
  - "Managing Tests"
---
```

Clone a Test Prerequisites Cloning a test

Last updated: Sep 25, 2025, 12:16 PM (Last updated 7 months ago)

Cloning a test allows you to create a new test with the same questions and settings as the original. Changes made to the original test after cloning do not appear in the cloned test, and changes in the cloned test do not affect the original.

After cloning, you can modify the cloned test by adding or removing questions or updating the test settings.

Note:

- If the original test does not have a defined **job role** and **experience level**, you must add them before you can clone it.
- Cloning a test does not create separate copies of the questions. Each test uses a single master copy of every question. When you edit a question, you update the master copy. Any test that includes that question, including the cloned test, shows the updated version

Prerequisites

- You must have an existing test in your HackerRank account.

Cloning a test

To clone a test:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test you want to clone.
4. Click the more options menu (?) in the top right corner.
5. Select **Clone**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758780069336-image.png?Expires=253370764800&Signature=fNh2l6SpPZtpWLwLn1oMHVf7eLlc9EyxpgiK1F6D0npgi~hM6eunmUycq7Hj7u~G2BdC6pQpuTD2K6sSxup-i5hDLaw-q5~YryKjUKAI7r3ts5QGSUzsrpMY7GyFzYzHFz5ADIQT4z-EBO~IXVc6hBoNCstQy1PHNnKhcnfFbbvsvzmA8akL78iKamBrB2t6PL3QIzEbM2TOIGkDGOFSJVyZ-0tCgZl~skucVSwRtYoOj~hmM4ugFZ~W-dyi~fLHbBjfrPci4Ch4gSlakrpb4HbYjAi~RiqKWCHOLciM9cglb3miABELVzEvWlpgilCpTmyT02QRDSdOpEolOm8-w__&Key-Pair-Id=K3NV4LZ47N8M46)

6. In the confirmation dialog, click **Clone** to confirm. A success message appears.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758780105932-image.png?Expires=253370764800&Signature=boXnViD4vl6eiPYyawVRyCqr6CvoVtyAYXslyyDEyCqUNlaZtqhNaNAd5xbUEdK8WvgHGDmfb7JvC54y7EAjHEkCaAxn2oHAmCLwBoSlr1Y56CrJbS4iB-ZeTkoREELdF8WnVsKLaRzujMEvqyp~HBrcsHX6XqZg-PngUddXyPeff3Je47bluaQ2ni2QjCQMNRJVUpzdS7X0so9QPBOef~7vIRk9oMI9fXE16~eSvR9e1sRKCBxWHp1ncL0kANlnjD8IKH9hzJVryp3TQ8mMppu7vO3Fu7HPZfGnuV6verjKN5z7u20qUj7owSewFVwRYIduJBCIVLQO9fMIXwJXnw__&Key-Pair-Id=K3NV4LZ47N8M46)

7. Click the **Test Created**. Click here to go to the test button to open the cloned test.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758780122526-image.png?Expires=253370764800&Signature=Zr611e~60V-xPFXFRSUafMQlx7HMIkrV7YSzjfvVYLYGNhuSDKhXYYXGfpxi~AmuWpV3iRKDxZe9cMlgozeMPtbkDFODwDu9yGc8-2BG~4wO872zrRz5U1mpuxkZ7atr9hOd9N16w8Zgct89IaPCgKd5p3MIqjsspx3yJ5xIjy8t6c9mdf1t78EBsRhSaPMbpB1Odu~q6tcSpATfYOeExsoBSjs~3RDBux6iZ6DQxXvwPUFMuRXTK1FM5jglV62r7xt3xmNz-hZfEJsDNAG3F9m9uyPmjwwwux5FZ5V7XsFW7vObaRz9H9eeOV236FXPtC7gkPUkWkO8SORXYevAvbA__&Key-Pair-Id=K3NV4LZ47N8M46)

\

Note: The cloned test name follows this format: **Original Test Name (Duplicate)**

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756359662921-image.png?Expires=253370764800&Signature=q6szW2LDsu~i~EFQz6WWhRhK1B0P2XmabRsOT9b0g-fsNnqGnPQy0656CMp4dc4q0phDZHg4Mx~JJVJzYMdS~sCkivugN2ejRz3TQT5m2-QXPfH5grl5fDQ07mTAMMSqwElfonP~GFIpjPHGlygcyiS93avRS19TxRxCftB2Ld1a7EjtAK0EJ42PhQ8MyOwJJhq2lg7l8~rOkHrkAWzDaNdnkXXhVC8Z74dDGHe1T3e~ji5rgBzx7-xrfh8HKfukRY~GR6HpJ0~Nr0gbeiQxvsfJeo6giXLZgEKdFsUMCfaZ-DtSJdj~L4Ty3LAjCsi7YtGwmm-G2KnBKBcLkz66w__&Key-Pair-Id=K3NV4LZ47N8M46)

The cloned test appears on your **Tests** page. You can edit it as needed. To make the test available to candidates, click **Publish**.

[screen/managing-tests] Download Tests as PDF Prerequisites Downloading test as PDF

title: "Download Tests as PDF Prerequisites Downloading test as PDF"
title_slug: "download-tests-as-pdf-prerequisites-downloading-test-as-pdf"
source_url: "https://support.hackerrank.com/articles/4481890289-downloading-tests-in-pdf-files"
article_slug: "4481890289-downloading-tests-in-pdf-files"
last_updated_exact: "Sep 1, 2025, 12:08 PM"
last_updated_relative: "Last updated 8 months ago"
breadcrumbs:
- "Screen"
- "Managing Tests"

Download Tests as PDF Prerequisites Downloading test as PDF

Last updated: Sep 1, 2025, 12:08 PM (Last updated 8 months ago)

You can download a HackerRank test as a PDF to share or review offline.

Prerequisites

You must have an existing test in your HackerRank account.

Downloading test as PDF

To download the test as a PDF:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test you want to download.
4. Click the more options menu (?) in the top right corner.
5. Select **Download as PDF**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756445447131-image.png?Expires=253370764800&Signature=tkr5jMQ9vrN~D4lXH4zR8K~JQszQ3p~d90vvxiCpMI-l-0366h0cxb9PkKipgjLUcY3~QGoKHc6bb6Xn5EZUfGnWUMgaDUkcPvpula7jYxm9CvDELM6CnuylH5~vQUP8DAjjTtxtuoqXIWIN9MubyNyeBK8C7J~48k2PzTvsm8m7qJbVZ5YPy8twXd2l3C5UOkSas6HHg6HyV~ENQ7WSl6gc26NPdedUI9fz~cD0fGLoVz1EXorznoItDqr17VjxwYrg8gGQ4NAyzYusN5prUfZyKZLM1KGmAUREq8x6PRfDSKU8STOyeR33T6ZBibg90lWcAqU7Wslc~lQmRPMg__&Key-Pair-Id=K3NV4LZ47N8M46)

\nA **Download Test as PDF** dialog box appears with two options:

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756445498526-image.png?Expires=253370764800&Signature=Y3rJNFaRCgg7GhGTPWX1GqE0Fibo1YBFrat4PkrYViVOXU3rkwhYaP1FypIE~SKHZr5X6aR-BM3dKGyKCRxyhne~evblh6QPh5tGvE3UX~DqYBSsP9fO33vbCAGyh1kM7JaZ72~0uRXMWKWXGBSaTdT4uu6~QjXGPrKygm5aQnE2wbj1O5l4K-6226ZZlPbSiLwh9VkJPli~J2j9jDgkkiTL2xCSp7kozbAU0gsuaURmRrq7iAzeVrK7Pkp6D6ID5S7at~QNhYYbzd4DE3PhEGO01xJrY~32Dx6PmyZNpB5tq5EWezmcyjk1DQtCAbzCBDwOvR-Eun59guVuA~YA__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Download Questions and Answers:** Downloads the recruiter version, which includes all test questions. The download includes answers only for Multiple Choice and Sentence Completion question types.

- **Download Questions Only:** Downloads the candidate version, which includes only the questions without answers.

6. Select the required option to begin the download.

\n

[screen/managing-tests] Extend Test Duration for Candidates Add Time Accommoda

title: "Extend Test Duration for Candidates Add Time Accommodation Add extra time"
title_slug: "extend-test-duration-for-candidates-add-time-accommodation-add-extra-time"
source_url: "https://support.hackerrank.com/articles/4811403281-adding-extra-time-for-candidates"
article_slug: "4811403281-adding-extra-time-for-candidates"
last_updated_exact: "Apr 22, 2026, 10:15 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
- "Screen"
- "Managing Tests"

Extend Test Duration for Candidates Add Time Accommodation Add extra time

Last updated: Apr 22, 2026, 10:15 AM (Last updated 4 days ago)

HackerRank for Work allows you to extend the test duration for candidates in two ways:

- [Add Time Accommodation](https://support.hackerrank.com/articles/4811403281-adding-extra-time-for-candidates#add-time-accommodation-3)
- [Add Extra Time](https://support.hackerrank.com/articles/4811403281-adding-extra-time-for-candidates#add-extra-time-17)

This ensures that candidates have a fair opportunity to complete their tests, whether due to accessibility needs or unexpected technical issues.

Add Time Accommodation

The **Add Time Accommodation** feature allows you to extend test duration either before or after sending candidate invites, as long as the candidate has not yet started the test.

Prerequisites

- You must have a published test in your HackerRank account.
- You must be the test owner or have editor access.

Adding time accommodation before sending invites

To add time accommodation:

![addTAinvite.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758608482988-addTAinvite.gif?Expires=253370764800&Signature=GJZS3H3jVFOlSkAu5Sg0tNCEiCvBueGPPVRRwc1TB3cdmCSRLmqmGGj5k-ljNJPBWXXW28Je11mNHW8wY6Lbhv-ZQ1~7ez5LMUiT2QA-MnN2zQdyKfniQT~L4xt7BdCCL~h5-JueVusyo~7ilLsY2RIGYOobGJN4xIZuAQep41QQUHwkiXZATAubDmdii2u1zKt8rxC~WmTeJ9~-QEMECIPiKpoCBaLb631gHaq93ShsdvOCXXBTmL81MpqBm3L9NsOg7-Rm5gLOcMF4q1BMO RzoV~vCgiLuYATOt2HjxyXUpjiSyxT63VjXoSJdx~NTJ-T9zouFHkpwIDSf~jLC3w__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Select the test you want to modify.
4. Click **Invite**
5. Select **Time Accommodation** dropdown from the upper-right corner.
6. Choose one of the following options:
 - Select **25%**, **50%**, **75%**, or **100%** to extend the test duration.
 - Select **Custom** to set a custom percentage:
 1. Enter a percentage in multiples of five.

2. Select ****Save****.

The system updates the invite template with the modified duration. You can then invite the candidate to the test. For more information, see [? Invite Candidates to a Test](/articles/6027855406)

\

Adding time accommodation after sending invites

You can extend the test duration for specific candidates after you send the invites, as long as the candidates have not started the test.

To add time accommodation for specific candidates:

![[addTAcandidates.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758608530550-addTAcandidates.gif?Expires=253370764800&Signature=X8jRqZ8cZUcVa7siP56iXDKfWN-9x1tpsLmYI~F~VeKFrPZd0wffTUQRIN5o9lyZRBj-Lk48nO7ymi8LyotuyLOx4HK9k26S~Uxoc98f8hsQ6fwqAUvfXJ1-lsfVGYJp13kh8mLFxlll6nyuvbsKp8M3M1ioyxMccOBJ2gntzouCJ4NJaZkMKjlA52-lxnCV4HvleOBYTZ7IOJh3goyd9rWEKUy2Ljy1qYKkhfla7PrXutVxEYCdihldP0xCDcngqlE2dWNpz1UH82nFX76F7YkMAuQqwWORb2U27w5WDskWuEeYzuYWe2Hc10~Ga2GZHOlnUNMDUjotlyp82syU1g__&Key-Pair-Id=K3NV4LZ47N8M46)]

1. Log in to your ****HackerRank for Work**** account using your credentials.
2. Go to the ****Tests**** tab.
3. Select the test you want to modify.
4. Go to the ****Candidates**** tab.
5. Select the checkbox next to the candidate(s) you want to accommodate time.
6. Click ****More** > Add Time Accommodation. ******
7. Enter the accommodation percentage in multiples of five.
8. Click ****Save****. A success message appears.

****Note:**** After you apply time accommodation, the updated duration appears in the test invite email and on the test landing page before the candidate starts the test.

![[TimeAccommodationVisibilityonTestLandingPage.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776439698486-TimeAccommodationVisibilityonTestLandingPage.gif?Expires=253370764800&Signature=TLW3pgXEhSrtZxrTBmakLBvL06ASR1u2cwyVl0BeclFo2wOACb9bB-1NuiIN46t~~Ss4xpiciRI~aoZk162cizYPw035ZcAd~Vj0ZFkmtL4Tmb4z-t-Vxl5gGSbY5fEI5m2kQntIXrbh1a5UKcoJUyzzq61~V9BAOI5AJYlShZnhiD2-OgdXqAMsM9yx25fRaZ6Mvha2ZOnfSr4HTlaLaaEPS1jwioAssEt8xEhNNxuAAb3o2wALIV12zaWrZm8o0hHqcSUflS~lyBBT3kk~OtJ-BRNVsliKLKEtrHZfjXPpmfpp6Al-drVkucSVsCsaW78ctNW5XOngUdbUw4vNtw__&Key-Pair-Id=K3NV4LZ47N8M46)]

Add extra time

The test timer runs continuously and does not pause for technical issues. If a candidate loses time because of internet connectivity or other issues, you can add extra time during the test, after the candidate submits, or after the test ends.

Prerequisites

- You must have at least one candidate who is currently attempting or has submitted the test.
- You must be the test owner or have editor access.

Adding extra time

To add extra time for specific candidates:

![[addextratime.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758608548241-addextratime.gif?Expires=253370764800&Signature=vTjz25klG0RQoTJFqPYrf2dY8Br~-1xek11cZzUfkbBJGD5MTYeZ1DBY55vORDZa-68jOvyRV8ASKmtbWEWCI25GYJdP5zhTX~76dqdTQtZH3jwts0ag8ceCvVBNcpPbmHCLUzbzXQ4~qZ-D8njDb11W00I9dFyIZwtZimPaqhphFndE4-ak7ssBgZ0mL8c9NAFsaZL~ufgrnf0YPVCVDFrV9kr2RQZDuatN1qNitNjZfxx6SMCKfPaBbXTwkpWVOWp5VwXNp3q7~wh2xOgq6UabTZ7h3IrtK~UFDdEiMmV271b3DrpkHw6yklzSGhuhHeljUjcxmk9AjmkjDcNYA__&Key-Pair-Id=K3NV4LZ47N8M46)]

1. Log in to your ****HackerRank for Work**** account using your credentials.

2. Go to the **Tests** tab.
3. Select the test you want to modify.
4. Go to the **Candidates** tab.
5. Select the checkbox next to the candidate(s).
6. Click **More > Add Time**.
7. Enter the time in minutes.
8. Click **Confirm**.

Note:

- A candidate who is still in a test session must refresh the page to see the updated timer.
- A candidate who has completed the test must log in again to view the added time.
- Do not add time to a test that contains DevOps questions after it ends or after the candidate submits it. The system purges the virtual machine for DevOps questions upon submission, and added time does not restore access. To allow additional time, re-invite the candidate to take the test as a new attempt.

Adding extra time in variant-based tests

For variant-based tests, you can add extra time at the section level for candidates.

To add extra time for specific candidates in a variant-based test:

![[Add time to candidate attempts (2).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769337789635-Addtimetocandidateattempts%25282%2529.gif?Expires=253370764800&Signature=IVn8ZOCLet04y77297oPBkt3NLANOheUSD3KIjyEXhTfGnKALdyYyEXmhPqxuLNMEiGOkl4t8Remxrdi-2RXIRxIUoooVijEhdkoS3~D1kN4c0Vgl3rt80VopjOIE7xeouubfUPQTOfethfrVXqMwTSG2MpYtqtRu90e0XK13f-OOJF2Ofh9gOAezsfLixf1matW2ZBeNclJt9JlvLPWLUXly0XDdOYImzv7rXGTTPPxh09PfOdiqj8SBvQoLDEe5YdANXfwWLVzxwwLAXO5htumGn~XCg9tHccXL~Sm13jDDrN8MtMtWdpUJq66Z1IDl~-YluSLtIXptk~jVJJnyg__&Key-Pair-Id=K3NV4LZ47N8M46)]

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Select the test you want to modify.
4. Go to the **Candidates** tab.
5. Select the checkbox next to one or more candidates from the same test variant.
6. Click **More > Add Time**.
7. In the **Add additional time** dialog, enter additional time (in minutes) for the required sections.
8. Click **Confirm**.

Note:

- The **Add additional time** dialog displays only the sections included in the selected variant (for example, Problem Solving, JavaScript, or CSS).
- For bulk updates, select candidates from the same test variant. If you select candidates from different variants, the **Add time** option is disabled. Filter the candidate list to a single variant to continue.
- Candidates who are actively taking the test must refresh the page to see the updated timer.
- Candidates who have completed the test must log in again to view the added time.

\

[screen/managing-tests] Manage Sections in Tests Prerequisite Add a section to a test

```
---
title: "Manage Sections in Tests Prerequisite Add a section to a test Add a code repository section to a test"
title_slug: "manage-sections-in-tests-prerequisite-add-a-section-to-a-test-add-a-code-repository-section-to-a-test"
source_url: "https://support.hackerrank.com/articles/5546852679-section-based-testing"
article_slug: "5546852679-section-based-testing"
last_updated_exact: "Oct 15, 2025, 4:07 PM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
  - "Screen"
  - "Managing Tests"
---
```

Manage Sections in Tests Prerequisite Add a section to a test Add a code repository section to a test

Last updated: Oct 15, 2025, 4:07 PM (Last updated 6 months ago)

Sections help you organize test questions by topic or skill. You can also include code repositories as separate sections to assess real-world development skills. You can set time limits for each section and control how questions appear to candidates. You can configure multiple sections in a test to create a more focused and adaptive assessment experience.

Prerequisite

You must have created a test in your HackerRank account.

Add a section to a test

To add a new section:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test you want to edit.
4. Go to the **Questions** tab.
5. Select **Add New** next to **Sections**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fa2d0919b-a8ef-4fe5-8b89-6e7d6159fb2f-1758791675589-image.png-b1dd1ed5-8b46-47c2-8d59-170036a8a35b?Expires=253370764800&Signature=Z9hRwWnh1qWX~7i7J2oygDKKDAuCivK9xpEypLwe5ogU-7pLPRgwaPRPWYiRsuBdscwCP4ypOjORpLnveqsu2lj8YaZePJpyOTgljcr4TJgGEjZclBTr7VTrczxUjVydvy2NLUWSqdedlRmpWBHTQcMVTvTtOFF1Tg2Hbp7svRo1G4hCKZc52BHtrXFNYjdH6XNxm4JXglPMpu44Z1otmpE7TjXolcqnv6xFFVyw9sbvgawAIO15cDsYSe8~SMnKB-ka7~1Ea94fz8gZjgg2jdpMqgbre8KbWe~SaAn4diRISi8wvUj8Ojg0g2X2XDrYhzU-KPLiqtBtXWPCiw__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Choose one of the following:

- **Add Skill-Based Questions**
 1. Select **Add Skill-Based Questions** to create a section using HackerRank-curated questions grouped by skills.

![[addskillbasedsection.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F656961af-33c0-4979-9974-182666161d47-1757092959740-addskillbasedsection.gif-aaa27a9e-6182-4d64-a730-48fa6d2e4497?Expires=253370764800&Signature=graVnEe8EkQbody574bOWdP5ZL3msZOLKye5nQpatWXbZDPvdOUR26iyikXUe9YPeu1BR6s55Enf7qZ1U4zU9CNGekbT1i69g-zlVDRcylCuLvYtNVcAkAOGbtDE0fc4GthzPUEQ~~Zcj8EPaVJcqjAMxc7AY9TArFdyhH0vS4eCHFay5-6aYRdZEeYFLjZm7XaMkGxCFZ0JpuWDtL2zfNgbJxEaYBqRExmNL~E1FGFAEXOp8XlejpHvcWTgMOGeiDJiRnoIXQl2B~gSzqfz8t6nJ7LA7fllD1FRCrUE7wl5~N6-VUEfjFyKRIYAcKreu0TESJCqKGasljcjd51Rw__&Key-Pair-Id=K3NV4LZ47N8M46)


2. Select a **Skill** and **Question type** from the dropdown menu.
3. Click **Add to test**.

HackerRank automatically selects questions based on the chosen skill and type. To manage questions in a section, see [Manage

section](https://support.hackerrank.com/articles/5546852679-section-based-testing#manage-questions-in-a-section-20).

Note:

- Leak-protected skill sets display a safeguard icon next to the skill. HackerRank protects these sections from question leakage. If any question leaks, the system automatically replaces it.

[image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F45fa89fb-e438-4b14-b01f-11ae99629b40-6afc31bd-35a1-492a-86b1-ab307abdc44d-a2cc3fb8-b4cc-4f12-8222-c8ecd5c85c9d-1757093055909-image.png-123f6efc-fa1d-4caf-9b29-f9cd8f29f2af-0073d9b0-f470-4195-ba8c-1eea6dd21789-4ab823ff-7117-453c-b77a-507a1cac3ef2?Expires=253370764800&Signature=SPq0yOnDSqHa1PAmK-CnByoNRzT7uA-Q05~zCpOpgDq1PZsT33nSL-ozbPUb7pnRAWn~QCICJq3s1jEI8vkmaQk7ETgQYzvyK9aUvtfjqcvYhfW~4LcckHTO6cFDAXKq~ivAOmH024VEisk0t7oOBuTI3yioMUnSz622YDSwyyAE9hg8Wa77SDtEgUKLPVxOuDkwPYUQA0ayTNkXAdFc0Krb5y3VjY36MIn0xiGy6dPjZ2qaKXWlq4PP1iOzsA6eEPf6wjYEzzKcLLuBmxMnVPUU1NdcRVITIsXJKvbCRIZuYR1n2eBwzZgGE8QLdOjhQjeOLsAvm0IGPjhQthRMw__&Key-Pair-Id=K3NV4LZ47N8M46)

- For more information about available skills in HackerRank, see [Skill Directory](https://www.hackerrank.com/skills-directory).

<!-- -->

- **Add Manually**


1. Select **Add Manually** to create custom questions from the library or your own questions. A new section labeled **Untitled** appears at the bottom of the list.

[addsectionmanually.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F5f8ee8e-4c56-4858-baef-61d82eef7ce2-1758091397939-addsectionmanually.gif-38288118-2300-4fa6-8ee0-a265aa5d99f7?Expires=253370764800&Signature=od3A7zQjhbOsgqij2SqPqRUsR7RfGL2EljaOgqW-YG6wR5RcPwc3DSMPo9ZwRHBWiqkVAEuB~XZY0~ExugOemHLDeehcaSAc5M2FMze~Vs6~0RX8Ms2UsDfty9B3VjCq387CxER63Sj0pgONI5bUAv-UUIfpzwiSmAnyWrtGt9UyIDD-NPwngiioKzXUms3ngQdvefrXfccR7t5esGOxUTKg5CGoLnYv5CkBY4~WKFv1vnuPWp0C5SDdrJaBHahWovCBdWu~dFmzHQTyX3A73CJ2GNCUXnI5mL7UDm-U1tdjTNmWXtlwSmLLDgz2MzNm9dqOcedlQXRKqF6Y7liza__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: To rename the section, see [Configure section settings](https://support.hackerrank.com/articles/5546852679-section-based-testing#configure-section-settings-6).

2. Choose how to add a question:

- **From the library**

[addmanuallyfromlib.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fcaf34a9b-392c-428d-bdb8-c84c04e00539-64bdf2c9-d58d-4d0c-b27d-ec36bdeeb227-1757093697013-addmanuallyfromlib.gif-74a952be-5571-4c29-90b5-b6bff5c3f521-8da1fba3-b14c-47ad-aadc-b1c016028a5f?Expires=253370764800&Signature=EIIR3yUN5d5BoL56jaFX7QhT3PGjUnAwAJbQjw3CekXGfZvzrW25HvXstCIWg4yU-t-vyn7Xk4wkjnrTJ3U5qpTQb8o-fxHytUXpGcfQBZSSseJf9feJ~A6nZ9LzAeVq5uAla1JOrKRKMMFot31cIlrl-bglQPmbBKSieyUJAKVxde0rtcVpbgmZ56DqC5UYAy6Pc7Kiv4oxBfHcx8V5FMS9LWxTeDSS3af7tSo7xvbaTZG3Eu5H5nUpFBPDQ4jTSoRhetiDmuZQ4Tr2khIFUHofefoUbFMRx9QwBsXOTL6yodQqbl7jSWqJUzFEzRAEIDWnf6j9zXmjPKErR1hUv6Q__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Click **Add from Library** to open the question library.
2. (Optional) Use filters or the search bar to find a question.
3. Click **+ Add** next to the question you want to include.

- **Create your own**

- Click **Create Question** to write a new question. For more information, see [Creating Questions](/articles/4894957291).

Configure section settings

You can modify the section name, timing, and behavior.

To configure section settings:

1. Hover over the section name and select the settings icon.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758791857450-image.png?Expires=253370764800&Signature=EYxOQXkWSV3VyKRguXEjJTG89IGCOCzXzIFYEnIrrPSmH~uJ-Fx7Ew-qS9v3rj8oP43rVKitr3oOTWu8~9yqF9rSXIff3rqwXmZYctebou25PJAXH~4Jr9Qyrwr8k8TMPm-BtcQUawaqqrqwbXCu7jIKkuMBDfvLql-R7f2v2epl49splw6UBAT1vgran3i2IAHzFa2eUVRgdU9FrInFunF--PxyzZFtyuO8sUx27bfxZtLdd1M8O6wWvp7t-adiAafEn9JJuKU~XlwmOVwFEYyhr7TV5IUchyBWofVBpc~qbq953yEPGIShpADm3Om9FGuJlZ1nepbCQRx9WA2~ZBA__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Update the section settings:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760355178111-image.png?Expires=253370764800&Signature=RBmcdm1l8RHHljDrq2oyC3SEFXTg3gE7qVgb0HLFn~ugKbqlRrV3mcvquWBfR90yVkbQApXi3Su1pkX7DsSmPNPB-XZubew-ATuXZV8wIA9yyZftk3L9S1wrPFew360lhsi6WEaVHwBLw9WqMGreLWBZaamLJ8UI1LSrWmEQvfo3W2RCLohdQ7zJMimyvJiR2AQ3VPMHanJnA0fXA~NSmbilTyScY0gTINC9Qisg4fDojks2BioudGtdKL6PSm5glB7uovOBS7Wg1PcnkxIEATV-LL2996ZJHM9v5Wu9IQ7iMgX9kxfnT6cpHlb~BhQhufCp2wRVuv7MbeNoy-tXtw__&Key-Pair-Id=K3NV4LZ47N8M46)

1. **Name**: Enter a section name.
2. **Randomly pick (Optional)**: Select how many questions to show to each candidate.
3. **Time limit (Optional)**: Define the time allowed for this section in minutes.
4. **AI Assistance Level (Optional)**: Choose the level of AI assistance for candidates:
 - No AI assistant
 - Guarded AI assistant

For more information about AI Assistant, see [[? AI-Assisted Tests](#)](/articles/1152916770).

3. Click **Save**.

Note: Random selection sections allow you to control the variety of questions across candidates.

Reorder a section

To reorder a section:

![[reordersections.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1757093945787-reordersections.gif?Expires=253370764800&Signature=iChncopQDzjC5XO~-I2Fyo6eP4-LM~o7p8XhTMRDns5Z2uOlejIMMQ6tZdzWxlCcYSZCAXlYN5Q~Xf2oW7MFHztRbtuBWbrPglUog2uuJP-h12hRg9Lxb2aCeqQ7KwPd3~xt2GX7BBvCjAXWDILDNXz84sLmOV3kMM5Asj9NBzeF7GxRK4YMsgjwatlsSufNKobmgH3n6MNIkj0ZR9XtuH7TWaWMNCN~tbqJPwn~BAOXRI7MVXoloaz7vs3yApL83M3-9OcweMqbLxB1CEqQRy4SI0IzXuNemv6YHArmeNQaE9gvLDTuHjc-TtveiJ46ddeM1RjamkW-gq3XrdZqQ__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Hover over the section name.
2. Drag the drag handle (??) to move the section to a different position.

Delete a section

To delete a section:

![[deletesections.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1757094006343-deletesections.gif?Expires=253370764800&Signature=kl1cc3y0N-GHmTEYVOz5zCOUkpY6QEX99fmY-DNlRAy5X1UDhMpbW8cx7AIJDII~6icLWMvb3xrWUzee6pl~gzxsr7a~hKWm~qG8e3YU8DsdzFAIqEP5gfYznp1jhwcmvsO~50w2Mqz509ePIVod7YGk3KnID2cukb8m26pC6AgIDlu82jK4-C7x8ChveZmtvXk4W-DhVr~w7Hps~EUjPoW879n3cyN~Lr5~BrO5Ug8IVBBsFiQ6FRTm618NwEsVsowaaHnxLShJ73DbdBI4EvT71SFsU4M3TPCUpYd7HlmZsQYEOJCL3eqpFkW-JP4vqy-liuMlAnqBq~8UenwTpw__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Hover over the section name and select the delete icon.
2. In the confirmation dialog, select **Delete** to remove the section permanently.

Note:

- Deleting a section also removes all questions in that section.
- You can also delete a section from the section settings icon.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758791910992-image.png?Expires=253370764800&Signature=b0BzVndWgV5uinTc-VS3yOI3mqZMQbrPJCfa0fonyXayE4t1E-csOWtWVACJVAcDfWqK0pPXLdDRzumLWhffBtWD8lfoiTLxG94w72eQUFRQ1582EJl~PGglu9duT-ARZnHXofddW11qK-BbwBb8N5QL6Z9xoMyWoZXWsbNdhCM7csCBzrZV3KjXvJ0~syplgF4M27MePuKUIYB1PX5A1FPVM2OExAvnvHJe4igeG43-XYke87ABxA7naqH6TjqfujgG7AYnR4wisQnqi2E3gHslHoWjJWR2teyrZ8yT9wNINvuLMYecUF1mfEmiJxzDU2LwnScCAzdZjHtD9aAw__&Key-Pair-Id=K3NV4LZ47N8M46)

Manage questions in a section

You can add, try, replace, or remove questions within a section to control what candidates see and how the questions are presented.

Add a question

To add a question to a section :

1. Select the section you want to update. The questions in the section appear.
2. Choose how to add a question:

- ****From the library****

![[Addquestion.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F9ad88c40-89ec-4a88-bd08-02c9cae64267-017944ce-026f-44d8-b81d-0eea546e13fb-1757094166355-Addquestion.gif-7e58116f-1f50-4ea7-9640-786baf071953-ecb925f5-a03e-48ce-88a1-e585b47cae60?Expires=253370764800&Signature=tY8aRHnHDUd-206n-LMxC7PziRY1a~FcsEul2-fZihkq3NmAefp01~aCWW~0keNII~aBSGdDpJ5XH7SpNyHZ~7o-68WewFOQ~JmE1w0EyFxFk2ViphgMbl0HJu6ma828jKL8d3opVUoo97Z2P~aUp9KKaE8HKHsQo1JZsOO0lfdjVf7OIRyb3GEvAznpj81UrAwly~iFDXhCkWigjkrYY4GZIEiRpbBT5PhIoiaa0Y77L~FMVIndch9Ls37-qTnscoDPNUeAVNgWwky~4qUrGs6cFq~ht36~MfQ16Jfb5dqB0~EXTtLrlwN9ZD2hmbE2G6l6NQ3Xf4UTayrWyzp-tSQ__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Click ****Add from Library**** to open the question library.
2. (Optional) Use filters or the search bar to find a question.
3. Click **+++ Add**** next to the question you want to include.

- ****Create your own****

1. Click ****Create Question**** to write a new question. For more information, see [[? Creating Questions](#)](/articles/4894957291).

Try a question

To try a question in a section:

![[tryquestion.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1757094201314-tryquestion.gif?Expires=253370764800&Signature=pwbHQ5d-YqNVUIV00XSx4nZknqoOlz9Qlc~fsYAJEUTpYKH3xnEPJAbSOC2zng7PSy5tgsODqCmdYILD RwlJdQxlcNalTldp0nG5-UuDFv6ETT5MWqfdAYE9onVTheQoleCWZdt-yZ5ELQLR8pE~QgaOH~PzNpBhGuRu97uGSKqrojesz5rfQYZPtEGXVLdrFuINltYcLTQt82rD1lptG4PwbovpndZyxjYoyw9TgTD01MKks3BygZXIQAmJ-Dg5qslfm1YeugPBlgGKxMBL9GYAt8BS~5zP7FBrT-Mk20HiUYKEgObZnaMujcwBhL0czclqLdtGJVsaWDW0OLSBfg__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Click the more options menu (****? ****) next to the question.
2. Select ****Try question****. A new window opens showing how the question appears to the candidate.

Replace a question

To replace a question in a section:

![[replacequestion.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1757094237102-replacequestion.gif?Expires=253370764800&Signature=vO9R23EH9ByeHk9wle9qe0Ckig0SxIjz-2-oBnwWtitxWugAYJ5LzuoDDTnZiSI4mkJA0NkmAecA9BG2ugt8Ojza8we~jMNIlsboNXnEJe5c3vz-SGXRR-RlBmK3aE3Dof4X6EZ0DqrC2qoszuK0x0LAJBT0lr-Q0qh1jRuix9-BkgauFPSSGHmTAYSiuMPT0tjtLhyPNnqOxe6xlchf-n4bzUGBWYRefYg8tthLxMJXXP-0okgNBHDr-5~t3tDYp0PwliJ9pYUuAgoFWv~-xhaLa19T5qxiJ39unmkStlzMWelFwRtSBUURkdY9sukWgZQqKS~Mlb989MPmgIAKmyg__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Click the more options menu (****? ****) next to the question.
2. Select ****Replace****. The Library opens with filters applied based on the original question's type, skill, and difficulty.

3. Click ****Replace**** next to the question you want to use.
4. In the confirmation modal, compare the existing and new questions (name, skill, type, score, and duration).
5. Click ****Confirm****.

Remove a question

To remove a question in a section:

)

1. Click the more options menu (****?**) next to the question.
2. Select ****Remove****.
3. In the confirmation dialog, click ****Delete**** to confirm.

****Note: ****

- You can delete multiple test questions at once. Select the checkboxes next to the questions and click ****Remove****.

)

- Select the ****Insights**** icon to view question insights. For more information, see [? View Test Question Insights](/articles/3255724462).

)

Add a code repository section to a test

Code repository section allow you to assess a candidate's ability to work with real-world codebases. Each repository includes the following task types that you can choose from:

- Feature Building
- Bug Fixing
- Code Review

Currently, code repositories are available for the following roles:

- Frontend Developer (React)
- Senior Frontend Developer (React)
- Backend Developer (Node.js)
- Senior Backend Developer (Node.js)

You can add one or more repositories in a single test to evaluate different skill areas. You can also add code repositories alongside other skills and question types in the same test.

To add a code repository section:

!/[CodeRepoinScreen(2).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F34820950-a369-4deb-9199-e38ef71c436c-1760349165854-CodeRepoinScreen%2525282%252529.gif-62145d08-4341-4ca0-b796-ba5e774ccc8f?Expires=253370764800&Signature=X24tXGDq9YNYGPKGA5oI5R0Wtxa0P4wO~01-SodWTbgp4~WggbTDJfJG5NbJ~KpOSn8vdE3rF8iI01vmNQS6Cd3oeP9Y9OUZmmUrx-TuE0MPEI3BltasxS8WeCN3WP1zPVjlbMiZAMO~FHfoPmqT33gDrAm7k~lhWLiNLQX7EMDHru0RruF4ts9K3LJb0XzXreuxKxj1KPbkWJx8vj~lp0suOGjVSEYSjQmJ0LjaA9ALstvPluGKVABm2RvtFFzOnM4OvmuYVq62i3duQgiPVMCZ5kwM0DiG0Jx6HuK8HUKIW9w-y6jBHf7rfuC0TeY0XAii-G~0NE4xKcqZb7vzQ__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test you want to edit.
4. Go to the **Questions** tab.
5. Select **Add New** next to **Sections**.
6. Select **Add Manually**. A new section labeled **Untitled** appears at the bottom of the list.

Note: To rename the section, see [Configure section settings](https://support.hackerrank.com/articles/5546852679-section-based-testing#configure-section-settings-6).

7. Click **Add from Library** to open the question library.
8. Use the **Type** filter and select **Bug Fix**, **Feature**, or **Code Review** to display only code repository questions.
9. Click **+ Add** next to the code repositories you want to include.

Note: To add a code repository tasks to a code repository section, see [Add a code repository task](https://support.hackerrank.com/articles/5546852679-section-based-testing#add-a-code-repository-task-35).

Add a code repository task

To add a code repository task to a code repository section:

!/[CodeRepoinScreenfinal(1).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fb8f99716-8c1f-43fb-a9d5-aa2d3b553198-1760352376832-CodeRepoinScreenfinal%2525281%252529.gif-85c5638c-8e97-4570-a888-b3f270945fcd?Expires=253370764800&Signature=aFwv2LdS9yDVud73cZUIKhf7NMWUjK~-pSZ19YUUIsq71pszPXYqkObHHgAsgkl~CRSI2AHSB19ZiArOzt4IWj1krRZqlujHRdlrayLfTVmb5PBeUwZ8xyE3m81dXTjqLFkrHGKTvX47fmFI9tXboW3EQ7ix0DlazgroZtlLmZWdBuS6cvZUeqO0CW9S~xzzg1Y86EWQ5Y9sYz0Tixhp90kGLo6rsTeORqUzyvxFi913Z~oSxSK3Xq5x4tyM3eKL0zPTXEajYmk7lu2-Yd5-4MviBdaF8gJsSSONCDPv2JiUZn2eXqUTUicNChoJpFvDVraG3fd37D6dknj3tMMnLQ__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Select the code repository section you want to update.
2. Click **Add from Repository** to open the question library.
3. Select the checkbox next to the question you want to include.
4. Click **Add Task**.

\

[screen/managing-tests] Create a Test Creating a Test Additional test actions

```
---
title: "Create a Test Creating a Test Additional test actions"
title_slug: "create-a-test-creating-a-test-additional-test-actions"
source_url: "https://support.hackerrank.com/articles/6967597139-creating-a-new-test"
article_slug: "6967597139-creating-a-new-test"
last_updated_exact: "Dec 3, 2025, 6:52 PM"
last_updated_relative: "Last updated 5 months ago"
breadcrumbs:
  - "Screen"
  - "Managing Tests"
---
```

Create a Test Creating a Test Additional test actions

Last updated: Dec 3, 2025, 6:52 PM (Last updated 5 months ago)

You can create a test in HackerRank to assess candidates for specific skills, experience levels, or job roles. Depending on your selection, HackerRank recommends relevant questions or allows you to build the test from scratch.

Creating a Test

To create a test:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Click **Create Test**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1757090442855-image.png?Expires=253370764800&Signature=GhYW3T2Y74DcUJripozEeE15zIO5~AOqnudMnjHk6A0L9OOgbfeqbwpUr3dWLWcmN-q1B9helYUZ~Scdr8rQmiHJI7ffNDi-K8B20HuOmv~Q4-JRiD7BCto5ksL1w~tGuOnW~naxtasKvOfyWMtU1hdPJ0ItJkiNMcMRdrS3ImXqb~TTrQa7Oq0yrWYcGnNZ-S7-iQW9D1Vj3WNliygB5fd3yfp5Nx5p-BTZ3ns0tjBBOIAXYxkbCKwy5wK-FQNi~3HJ2rIZWtynMmyxmXKKVv7k6SGK9zIHG-FFs zqWrEeX8rtumFHcGIZUbMc~VayagaD3PIO2-D7WH5F30ZjPvw__&Key-Pair-Id=K3NV4LZ47N8M46)

\nYou can create a test using one of the following methods:

- [Create a test with a job description](https://support.hackerrank.com/articles/6967597139-creating-a-new-test#creating-a-test-with-job-description-4)
- [Create a test based on a specific role](https://support.hackerrank.com/articles/6967597139-creating-a-new-test#creating-a-test-based-on-a-specific-role-10)
- [Create a custom test](https://support.hackerrank.com/articles/6967597139-creating-a-new-test#creating-a-custom-test-15)

Creating a test with job description

You can generate a skills-based assessment by using your job description. HackerRank analyzes the job description to identify the required skills and experience level, then recommends relevant questions from the HackerRank library. This helps you save time and ensures that the test aligns with the role requirements.

!createatestwithJD.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1757090547211-createatestwithJD.gif?Expires=253370764800&Signature=ev~PYhvto1pBBK6awMMGuuJa5FBILt34eftiaXihZ77FiMCt1kjC1k2uC~JVn8zFBBZTyN11ja1qrQf9yosShpkTrm3SdWfZrwzeUcg~ExFN7LYda-GRtpq0uEaQBgQonuJDr4HyLyCgTS3HFS5KDNZWzIBpPbn3GiGIE2p36tU-Hmo6fgcd-wkXGVVWxzIJYVz~~mbL9S0zIYSr1ym~x~n-TiSIKLVG4muMGCCwts-gceXvXNj1MntmkBQpe1lx6jpf49HrAHnTFnX9q6cutyA6Cz8zirf9IWI7T~T6mufNxNA3dZGkObQw6UW8elmZDrha5ZLzxe~JjoV0BYIAFw__&Key-Pair-Id=K3NV4LZ47N8M46)

\nTo create a test with a job description:

1. Select **Create Test with Job Description**.

2. Copy and paste the job description into the input field.
3. Click ****Submit****.
4. Review the auto-generated skills and questions in the ****Test Preview**** panel.
5. Click ****Create Test**** to continue.
6. (Optional) Edit the test:
 - To add sections and questions, see Manage Sections in Tests.
 - To delete a question, select the ****Delete**** icon next to the question.
 - To rename the test, click the edit icon next to the test title.
 - To change the test duration, click the edit icon next to the test duration.
7. Click ****Publish**** to make the test available to candidates.

Creating a test based on a specific role

You can create a test using predefined roles in HackerRank. Each predefined role includes mapped skills and curated questions from the HackerRank Library.

![[CreateTestSpecific.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1757090597459-CreateTestSpecific.gif?Expires=253370764800&Signature=IlzJCtbMhb0HURl9NySg-iCak69PWcGHe0eilxGtgi5K9L04SQbjmqirAZoXhmgx6XR4BV99mzL9uQSqmK7ePnh61geEj~3w7dyDpPKk2ihfrtHVkEZkQxkf5NZ~UYdAvKL-ZSq1f97OiHQK0nBdCL9uQZju-mdz4ipzKN4k2mMZsKLAb6jZ3IbVDV1uNLFFHha3QjmbL0j~dVszMxRgfBmtJA1kp6O2xiFIGj2o7O5R0ugALcARWGodSdbxuHNxhsw4myachNlotS1AFpu21E sTPPxVbZQeGRyoi8qvEJ09sl7rq8eFtLTuB7Kc3olhAfj6zHAYkhDdsEFEWkjmYg__&Key-Pair-Id=K3NV4LZ47N8M46)

To create a test based on a specific role:

1. Select a predefined role from the available options. You can search or scroll to find it.
2. Review the auto-generated skills and questions in the ****Test Preview**** panel.
3. Click ****Create Test**** to continue.
4. (Optional) Edit the test:
 - To add sections and questions, see Manage Sections in Tests.
 - To delete a question, select the ****Delete**** icon next to the question.
 - To rename the test, click the edit icon next to the test title.
 - To change the test duration, click the edit icon next to the test duration.
5. Click ****Publish**** to make the test available to candidates.

Creating a custom test

Custom tests let you design assessments that meet specific hiring needs. You can create a test from scratch to evaluate candidates for particular roles, skill levels, or experience. Use this option when you need a highly tailored assessment.

For example, if you want to hire a Quality Assurance Engineer with five years of experience and expertise in creating optimal test automation scripts, you can create a custom test with questions that assess the required skills and experience.

You build the test by adding your own questions or by selecting questions from the HackerRank Library or your Company Library.

![[CreateCustomTest.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1757090627479-CreateCustomTest.gif?Expires=253370764800&Signature=cV3RxyAztCE~AmGuvKB-HxmsgcA5xYuPaQYSLpfG-f683qozllq3CYZzwx0~evpddtEZY07D1Q7KA7JLgv39kD3FDBDT0fmQnEUpdJSlsvijKInYMc17Ddnhk1OP82NT98bqpid7YKSgqe2~CFY9w21dbk3VLejbfmms3tXI7IkVh6MwmrZtTAko7L6f~SBO1hK1otgEqUW78cbUKg5RU0hf-XlITRSTac27l~zAtTzrz5Guz5uEEbbUNfiGnjgSH~Xsny1pl~t2GgUfogHyPK1lrJHu4PZUjLagdgXKJRULmo10bMFxqq0yvIzEbvzO-JV84u09251O6DAuAZnNpQ__&Key-Pair-Id=K3NV4LZ47N8M46)

To create a custom test:

1. Scroll to the bottom of the role list and select ****Other****.
2. Click ****Create Test****.
3. Configure the test:
 - To add sections and questions, see Manage Sections in Tests.
 - To delete a question, select the ****Delete**** icon next to the question.
 - To rename the test, click the edit icon next to the test title.
 - To change the test duration, click the edit icon next to the test duration.
4. Click ****Publish**** to make the test available to candidates.

Additional test actions

Move a test to draft

Select ****Move to draft**** from the More options (?) menu to change a published test to draft mode. If a candidate has already started the test, their session continues even when you move the test to draft.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1757090745938-image.png?Expires=253370764800&Signature=QEQndsITPlrCbSKQCKom Monk6qSqDs8vRNN0t0kqlaQGPH~Ix6CXD4t2YKhCIDuh-XWo3Spe2bO~4yDdO6GulUrySpYtRioXfZDLKF~Sq4KBPvI-H6Or~XdbfYyLgMqhXpCj3yYyJWg5xSG20J2IFjN74aTUUTAlxd-zSRRKjbPgQRnAs11P59F3w4cXFY uM~mztPdrtvz~CdZg2Bh~UT6dPgbuN1YIN8SgoGryqKhU2eLVBILZPbAbZmMWOHwPqN9poF~cBAUAVETTHHpTdEteJ~OW9kjKYh hXw9UBrAeAxiPA9LC~fzaWwqITLRA15AJAnHOC9tZSgcg4JqghKA__&Key-Pair-Id=K3NV4LZ47N8M46)

When you leave a test in draft mode without publishing, a confirmation dialog prompts you to either publish now or continue editing later.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1757090768608-image.png?Expires=253370764800&Signature=FqPExvmU-ZNm88i-T6P0tm4TT~AtclrmozV55BQ7EgBIWRPasiOrfPPDh1IbDsY-GD0JL-3fDG3LZv1XpTp8t0vgDpb2aBqto466TvWxuVKZQFAYfTky8zeXLakwdB7IL~vKkj8xbWQsSBkURYodPI2NFCQDUyVZgmmmax9hOotAlHzHwk2l2C4ETxjqr8XE0~nOoMpkdh7XsMRO~pvfDvBdNhK9L1FgOJd44R68yNLOESCVj5FUcSgwGuIrg3gc2gUWfWcykkXcJeH12cgFuoXjRlc8LsHxoygyM yZSRWTIsQwLaIKhpufM8K-B~~~P6hutTES5RY279PUIAedADXw__&Key-Pair-Id=K3NV4LZ47N8M46)

Share a test

Click ****Share**** to share the test with your team. For more information, see [? Grant Test Access](/articles/9398245856).

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1757671469803-image.png?Expires=253370764800&Signature=Bt4p7PWwPV63b3uP0Bt4~3wru8k-vi5a8S7dS9IPPqM72kwpMt58b2iF2I9S9Aa17RRdq9NLkmjzqQyKtydmEAOdlK9qPDEwecDZC05BvwKz12pgAkPXVN~-e85s0s98cBSNH73oYmDslJtUgCIRvnVMVxk0Rulq1scPXANRagVf2MuLg37A7MwYUrKL5SC6a52eF6IIIX9eKxix9N2jdCMAJrBnggsnkgL3mqllxx6Zh0bluzr7UZTIKdFEv6rmVZgfJ77GsE-5hl7jKpXgkuYEZkjjx6oRhMsZ41VTRnZgGep45QfC1ZMhFO1L42W3o-piEgquc7vNkZVUdb2ug__&Key-Pair-Id=K3NV4LZ47N8M46)

Preview a test

You can preview a test from the candidate's perspective by selecting ****Try Test****. This action opens the complete test experience in a new window.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1757672035758-image.png?Expires=253370764800&Signature=JO8W0I8aDu27~bYrc1M-f6uHHdH~HoiRx6dBbimlbCA3JJYleXsT9a48znQw-5LjVjoGMwyYDsU6-DbWSYUuG1ortcnFXwf7b65uWA2ncvmXWE4TIUQescvdhVQT5pZh6pQkYoqB7I-BZd6fHH4H7rKVZwpZoCbbXhlsCte3atfQwoeTX0QwfuHc26HZzKbAWN3LUVt~6GML7jYIY1AKq13~koSdViMWtEgQnBLmCwWjNdHHAcF2W4Toow6wzYdoolhTblujURfUnf6TS1AoREFPuEpOXkJS0ehLsuk-Zlw3tqGB6LINre25dBsYhT7rY62wRrx-fedHJrJ8JIEssw__&Key-Pair-Id=K3NV4LZ47N8M46)

You can also copy the test URL and share it with team members who have a HackerRank for Work license so they can open the link and preview the test themselves.

If a team member does not have a HackerRank for Work license, they cannot access ****Try Test****. However, you can still benchmark the test or allow them to experience it by inviting them as a candidate. For more information, see [? Invite Candidates to a Test](/articles/6027855406).

HackerRank applies the following attempt rules when you preview or invite a candidate:

- **Using Try Test with the prefilled email:** When you select **Try Test** and keep the prefilled email unchanged, the preview does not consume an attempt.
- **Using Try Test with changes to the prefilled email:** When you select **Try Test** and replace the prefilled email with another email, the preview consumes an attempt.
- **Inviting an external candidate:** Inviting an external candidate consumes an attempt when the candidate launches the test.
- **Inviting an internal employee:** If you invite an internal employee who does not have a HackerRank for Work license, the invitation consumes an attempt when the employee launches the test.

\

\

[screen/managing-tests] Export Tests Data Prerequisites Exporting tests data

title: "Export Tests Data Prerequisites Exporting tests data"
title_slug: "export-tests-data-prerequisites-exporting-tests-data"
source_url: "https://support.hackerrank.com/articles/7081156839-exporting-tests-data"
article_slug: "7081156839-exporting-tests-data"
last_updated_exact: "Sep 3, 2025, 11:42 AM"
last_updated_relative: "Last updated 8 months ago"
breadcrumbs:
- "Screen"
- "Managing Tests"

Export Tests Data Prerequisites Exporting tests data

Last updated: Sep 3, 2025, 11:42 AM (Last updated 8 months ago)

You can export test-level data as a CSV file that includes test details, test settings, attempt statistics, and more.

Prerequisites

You must have existing test(s) in your HackerRank account.

Exporting tests data

To export tests data:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. (Optional) Refine the list by applying filters in the left pane. You can filter by Labels, Owner, Role, Work Experience, Created At, and Certified Assessments.

!image](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756806222931-image.png?Expires=253370764800&Signature=KL59VooMr3t80GeLfZZdUnVEvydWN5xFDnwPEXUqBM96GARhV2UVPDWMw8ZsLf6MtVzhYeYwhA1rSEIUaKnzyvGHCYB6VH-ltkAxegezcyuP2q~tXgTs~mBDnCUUhr5dJ9OKIMbUsla40fCUW04beYRjFko~etEhYDEyTJzXE9T6K6ACaH~feutXFpcNBge3rZ0arU~SNnyLDJU72NNI35kvSXzyVgnZ1fKHYcZuDgeaK5IEOWsu1M5rek2xvGRK2RmfzpqlyghBt1GybjwIIJrDVSslyO2vH6QyoYWYQossli~Et08q1~Kg6jrAWSRk14GPV-T4u3hy~JzRUe1w__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: The export includes only the data visible based on your selected filters.

1. Click **Export**.

!image (2).png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756879659539-image%25282%2529.png?Expires=253370764800&Signature=YkTj05XXdTC4-7F4PfH3JA6KEdZ-jxHybksyAkQw1sWK3Ht9J86XPRq9aUnGdquoildCmAXerB7dIS33z1MkLRKu1biKWp0ZsgizP2GUvzFisliWj-CufU8o~WpHf7bXDkiG7AutlucUMGKujuM5WfVez2ru7lftyzpqWiarEp9cJx8yojD7mwYXvwfz18zxumsFWAuSleHI0hjb9QlwsRdZaPjUdEINa7QgeeiXXSJvRk5Q3XX8Rgmumr-3mtS9WWh28N2sD3OIzCuiCB19Z4fneUFJPoDiY~PrUT5kZBnRvsRDrT0mip6ZW5Fni2EhHMQQfEKfKqIWUQyzIU-kBA__&Key-Pair-Id=K3NV4LZ47N8M46)

The platform automatically generates and downloads the CSV file. If the download does not start, select **Click here** in the confirmation dialog.

!image (1).png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756879680306-image%25281%2529.png?Expires=253370764800&Signature=Un2ZEKXkrlbj~KfEGNKbV48qlqNS5nY2qff3Y5OL22vQXIQnlOQoCINE2YKTtTLp8YZPunwK1tPoXIRNnO9-2pKbjFUyLnap6dK4OREXBclcroew-Xl01~hnNHlvOX2zBNfBXC8mnFxaC~OqMh~KTa6TLu0~HDI5vIPyORrW1AOyXI5MNUXRat9v1x8bkzuJtOYcXlZNCa0TxxPI2t0ybPeICXb4tYJT-qMcSADvmuJeWVZGstadOBaOPWeDJgg7pPqe9Dlt1NotxxUa7UaNC4BUHk57rio09V6mlyeEGD~2FthklZGaohARRIXPzjSdmKQpZqF0chaGUAe30vtw__&Key-Pair-Id=K3NV4LZ47N8M46)

\

\

[screen/managing-tests] Create Test Variants

```
---
title: "Create Test Variants"
title_slug: "create-test-variants"
source_url: "https://support.hackerrank.com/articles/7530103378-test-variants"
article_slug: "7530103378-test-variants"
last_updated_exact: "Jan 28, 2026, 9:48 AM"
last_updated_relative: "Last updated 3 months ago"
breadcrumbs:
  - "Screen"
  - "Managing Tests"
---
```

Create Test Variants

Last updated: Jan 28, 2026, 9:48 AM (Last updated 3 months ago)

Test variants allow you to create a single assessment that adapts to different candidate profiles. You can design multiple variants within the same assessment to personalize the evaluation based on roles, skills, or other criteria. This approach eliminates the need to manage separate tests, improves efficiency, and ensures candidates are assessed on the most relevant content.

Creating test variants

To create test variants:

)

Test

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test you want to modify.
4. Go to the **Questions** tab.
5. Click the more option menu (**⋮**) in the top right corner.
6. Select **Create Variants**.
7. Click **Create Variants**.

The system converts the existing test into **Variant 1** and opens **Variant 2**, where you can start creating the second version. To add more variants, select the **+** icon next to the tabs.

Note: A variant-based test requires at least two variants.

Renaming a variant

To rename a test variant:

1. Click the more option menu (**⋮**) next to the variant name.
2. Select **Rename**.

)

3. Enter the new name.

4. Click ****Save****.

Adding questions or sections to a variant

To add questions or sections:

1. Select the variant tab (for example, Variant 2).
2. Click ****Add New****.
3. Choose one of the following options:

![[ime2.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753882511751-ime2.png?Expires=253370764800&Signature=YrTEhMROT3E~8XG7F0gscK8oDcpbiD67RpKhxVRHTb-PXmxw8BMT7mao01uo~t6~0n5V3q0lBqiCx9ejfBTwk-lxdSlo1JUNwwboA0YftQ0O5C-b-Q---s54Xws-V13d9c~aEMoPH6xlii2Wt0h8qEI6h9FklDO1Z59WKyApeNNjfu-7RRqoi0Gsb~84A-FU7m729f5sf3opnnuJjFC1Q7LrhGNvaLsVu2usbQzHgZbqLpyyFy326RBdX1s8~8-NJM6RnXDjo0dT~ODRvQYlip3o-FB7U1nD9ou8QgNgdP1Pu2J1iTEjHPqH452bONs-yzQQUF9aISHLq08UDPFg__&Key-Pair-Id=K3NV4LZ47N8M46)

- ****Add Skill-Based Questions****: Use HackerRank-curated questions grouped by skill.

- ****Add Manually****: Select questions from the library or create custom questions.

- ****Add from Other Variants****: Reuse existing sections from other test variants.

4. Select the relevant questions or sections.
5. Click ****Add**** to include them in the variant.

****Note:**** You can also add skill-based questions or reuse existing sections directly from the empty variant screen using the ****Add New Skill Bundle**** or ****Add from Other Variants**** buttons.

![[ime3.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753882583647-ime3.png?Expires=253370764800&Signature=IX7jBr03R3535lkj1KxZNinn6WiAoftPBHobajclE6ly07YVNCvMCULIQGufJ-cqyGI1kTI0M9zUUBVXJeiwXRZgOh-P L0Rsu7TCnDb-qSvCQBFlvKD26SxpShXZsXKtQ7XExMdY55Qh3xPCxRSyd2letTYip9zoGaV0XXFPBZJ1accUyttCVqlpLkceECe-ddJ1VODCs60-bLaMWdkK-KSeVLigQM28SR~yYBlp3hanchCg4nDaVodMFLYN7n-ub3JVyyJh8xyBQmMkJgk73QGv66nGuWOr9lQ60vW~O9DRjvcrtrKnIgykV-y6EIKKk5zIEc7OsbQ2iOQmaZQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Deleting a variant

To delete a variant:

1. Click the more option menu (****? ****) next to the variant name.
2. Select ****Delete****.

![[ime5.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753882660342-ime5.png?Expires=253370764800&Signature=XoJhu9~C7-IPsAdrvwkFFJgycearO8kmpNvNvbl-L-XVNvMYeY5911mPAu0OC9a13PKsDTDFRi2HmXvt-w9SM~EUbBe4eK3Kucstf6du2nOZovzE8NiWFi1oLQIZTGMf2849afjF9D1gBeOTyaWiJ9-ZZlcZpxLhxFkklBtZLCJmfh6EzBXcAk4rUcNvOfiHylxqJVJENYSulwF45cqPa0XPq8oSRWbOl8h3Eca-z7THxFoGcL1upgvU3YZR3m8c537lsqnAlipvgxvfE6aZrIHfvq6TS-P1LmR4cnmwDuno mo9oIVym9~pNz--8x1ZzvERuGiShEzmBqpmnHh6IMw__&Key-Pair-Id=K3NV4LZ47N8M46)

A confirmation dialog appears. If the variant is mapped to a candidate option, the system also removes the mapping.

3. Click ****Delete Variant**** to confirm.

****Note:**** You cannot delete a variant if only two variants exist. A test requires at least two variants. To proceed, manually remove the sections from the variant instead.

To remove a section from a test variant:

1. Hover over the section you want to remove.
2. Click the trash icon that appears.

Assigning test variants to candidates

You can use routing logic to assign candidates to specific variants.

To configure logic:

1. Click **Add Logic** in the bottom right corner. Alternatively, use **Add Variant Logic** in the top navigation bar.
2. Enter a routing question. (for example, What is your experience level?).
3. (Optional) Add description to provide additional context about the variant options.
4. Define the response options (For example, Less than 5 years, Greater than 5 years).
5. Select the appropriate variant for each option using the **Select Variant** dropdown.
6. Click **Confirm** to save and activate the routing logic.

After you configure routing logic, publishing becomes enabled.

Note: Variants without logic will not be visible to any candidate until you add logic.

Evaluating test variants

After a candidate completes their assigned variant, go to the **Candidates** tab to view the variant they used. The **Candidate Option** column displays the option selected by each candidate.

Use the **Candidate Option** filter to filter candidates by variant.

Note: For variant-based tests, you can add extra time at the section level for candidates. For more information, see [Adding extra time in variant-based tests](https://support.hackerrank.com/articles/4811403281-adding-extra-time-for-candidates#adding-extra-time-in-variant-based-tests).

Additional note

The **All Sections** view allows you to edit sections that apply to all variants. Any changes you make here apply to the corresponding section in each variant.

\
\
\

[screen/managing-tests] Archive a Test Prerequisites Archiving a test Restoring an archived test

```
---
title: "Archive a Test Prerequisites Archiving a test Restoring an archived test"
title_slug: "archive-a-test-prerequisites-archiving-a-test-restoring-an-archived-test"
source_url: "https://support.hackerrank.com/articles/8415416322-archiving-a-test"
article_slug: "8415416322-archiving-a-test"
last_updated_exact: "Sep 25, 2025, 12:19 PM"
last_updated_relative: "Last updated 7 months ago"
breadcrumbs:
  - "Screen"
  - "Managing Tests"
---
```

Archive a Test Prerequisites Archiving a test Restoring an archived test

Last updated: Sep 25, 2025, 12:19 PM (Last updated 7 months ago)

Archiving a test helps you manage your test library by moving unused tests out of the **Active Tests** tab. An archived test is no longer available for inviting candidates or publishing. You can restore an archived test at any time.


Prerequisites

You must have an existing test in your HackerRank account.


Archiving a test

To archive a test:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test you want to archive.
4. Click the more options menu (?) in the top right corner.
5. Select **Archive**.\



6. In the confirmation dialog, click **Archive** to confirm. A success message appears.



Restoring an archived test

To restore an archived test:

1. Open the test you want to restore.
2. Click the more options menu (?) in the top right corner.

3. Select ****Restore****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758779253795-image.png?Expires=253370764800&Signature=lnZhqwtvoWgd51cvzC4c2lCjb53~swX4xU5Xrg5PkMfhRDh1Pj2Fx-LMyg27vMhNINLIWYpdSEkn1NqtEo86Zuk32t9vxJxLH7pTJUWOBNo9purlLwkQEKeBPglmZflfRBN1kHcnqiKICG8kY07aaC4C6ZSXM1DT7cqlJoXJyx1IJTKii6xZUn5r6daIOGefLHF AVDXStx4aZIT3sgKqBVVce6QHn3-XwakzciK6WFQsfGHnieTp1pnejvao13-2TwBH7LOd39u8suUQJ7vLk0xjEMUZimuKOa8ybkz6nY0Lx4PCprlxHlrFeta67XX7PSMXVKJz~1Jcxnh3Zn~pOA__&Key-Pair-Id=K3NV4LZ47N8M46)

4. In the confirmation dialog, click ****Restore**** to confirm. A success message appears.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758779282426-image.png?Expires=253370764800&Signature=hO-QNBNb2Fs6GzzlMzPGGh3k~715vgi7nnkqbtnd5hS0oELv~q68Ojpv4t4lnd1Wf7R6h00lm3mAv4xVS7wqc01dFJUBqPUHaKNtduY-Y~ZvAVidJrv6peO2CiDBFujUDuporrDT96SRdz0~j-jkU1OLNXtUUVoAhrzwTaF4Jmlo2o-NX6tm23XK6b3eBU4gJyBkcraZquEpFvYYmYoB7scckST1ltRrb8loZSqfnkYFs94hx76YII4b3Pp1cb~BQ4BBRWf~60MdG4jox330wpxl-i0rShBJY50fpJnrqpM MUNV~AxPzObHsmoki4qZhvYyDqlrHYEDnwh6sfyiUQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Once restored:

- The test moves back to your list of Active Tests.
- Candidate invites are re-enabled.

****Note: ****

- You can also restore the test by clicking the ****Restore Test**** button at the top of the test page.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758779297694-image.png?Expires=253370764800&Signature=chl53M~f2nf--yclx-xOWZP2rgJfr4m2WvW1RyQbuvf9F-Abx1~BUUaralXkfryTFyJ9r681m2FF47TI-lw9O5zzJlnOsSBe0yKElgy0LxBXk9q0z1V9TbHCTAB57zsNPg~C3Sf71ieUypDgbezlsVgf9dgqOFOi4hl~AZiMeTYlahUOUI5XEn6-nqmtY0lvDNgQzZq~g8Q14c0YHlv6f5VaRpCXv4N-h6iopHHW4aT3i-7lpa-h7aUYSol9OQI7~qUtwdJVrbCvL3DuxAv0zqC2SS4NTQ9DMGAd2wubfRS-RhA9NTsipGB9hkJ3sDOehq5DDsPnR3lmtMDYUhcQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- You can archive or restore multiple tests at once.
- In the ****Active Tests**** tab, select the checkboxes next to the tests you want to archive, and click ****Archive****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758779333339-image.png?Expires=253370764800&Signature=MakYInuR9~Lpy80n~DMu~WX5WMjBKZ8Oegz286~RjcR~sgHzxR3-lbnQcTWoKP5OYTOQb96Hh5YHI1Lj96evT33P5sgxhmaPMH7aCExpAX90HKHjF9-7KeSlzu4JQuBktBhof-PdwKV~l9XmcOUjBrQM9T3ALBBZYcfSA0GXiJulMrqeV8v1SKaC4mWw9p~sxiL7QtVo3jBAhZ6RsMvIKyljI2MhUis9GIUv5gjkvDZe1C0e59RtDyesALZCuh~lfrvL9BVKsvYCWBUHoYXYz-JKITgYEGYPofyOciqnA7COaYmNUCmR2YNWWQ9dVwftNHI9GFYFuJDLWK622~Vg__&Key-Pair-Id=K3NV4LZ47N8M46)

- In the ****Archived Tests**** tab, select the checkboxes next to the tests you want to restore, and click ****Restore****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1758779477590-image.png?Expires=253370764800&Signature=FX1ACDi0ojK6GvsjT5G0Eq1apX75buigDcEPu6XwoLu~6TM0AjpgoHT5g0EldYIyL50YXNROtvewi30E0DuY5kdnxdoJqeiZpxhvxmLvW5sDCXUmRLva2SuJy2jqcczfndNdayD5tBC~sOeskqN13ievsWYoRZuylqY-GgSkM9VHDzisMtMdyJWquSXE~2OFaYAMPjdWixjIKBmN5thmbWQoRk5uXhjCUYLLj5GR1FapIghqWLuEwccTHLLO6zYsPPwCbRet04O653vCTPo9ElyGoVdQIG0bTc vDct94yysh-dhYPIqqXn-Jzsf-fH4c~cKOIKMwR9rr778ketlBg__&Key-Pair-Id=K3NV4LZ47N8M46)

\

[screen/managing-tests] Manage Leaked Questions Detecting leaked questions Reporting leaked questions in library Viewing tests with leaked questions Handling leaked questions Leak mitigation and takedown actions

title: "Manage Leaked Questions Detecting leaked questions Reporting leaked questions Viewing leaked questions in library Viewing tests with leaked questions Handling leaked questions Leak mitigation and takedown actions"
title_slug: "manage-leaked-questions-detecting-leaked-questions-reporting-leaked-questions-viewing-leaked-questions-in-library-viewing-tests-with-leaked-questions-handling-leaked-questions-leak-mitigation-and-takedown-actions"
source_url: "https://support.hackerrank.com/articles/8820947031-managing-leaked-questions"
article_slug: "8820947031-managing-leaked-questions"
last_updated_exact: "Apr 22, 2026, 11:39 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
- "Screen"
- "Managing Tests"

Manage Leaked Questions Detecting leaked questions Reporting leaked questions Viewing leaked questions in library Viewing tests with leaked questions Handling leaked questions Leak mitigation and takedown actions

Last updated: Apr 22, 2026, 11:39 AM (Last updated 4 days ago)

A question is considered leaked if it appears in publicly accessible search results and matches a HackerRank Library or customer-created question both structurally and semantically.

Detecting leaked questions

HackerRank uses a leak detection algorithm that automatically searches at regular intervals to identify leaked questions from the leak-protected skill sets in your tests.

How leak detection works

The system:

- Searches the web for matches to a question's problem statement.
- Scrapes the content and applies string-matching algorithms.
- Flags any question that meets or exceeds the defined matching score threshold.

Note:

- Although the leak detection algorithm is highly accurate, HackerRank recommends that you conduct your own validation before taking action on flagged content.

- Leak detection currently applies to the following question types:

- Coding
- Approximate Solution
- Database
- DevOps
- Fullstack


Reporting leaked questions

If you find a HackerRank Library or your company question that appears online, you can manually report it.

To report a leaked question:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Library** tab.

3. Select the **Tests** or **Interview** tab.
4. Select the source of questions from the **Library** drop-down.
5. Locate the leaked question.
6. Click the more options menu (?) next to the question and select **Report question leak**.

A screenshot of a web application showing a dialog box for reporting a leaked question. The dialog box contains a text area with a long, complex URL and a button labeled "Report question leak". The URL is a long string of alphanumeric characters, including "https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1762409259318-image.png?Expires=253370764800&Signature=OEDsRzs7Zgy9XputxSU2HZouxmMigjp-TZfvIRnMN8O~Bi6BmrlYIAhhtJDfgedt5-MqsNC6CgY1Sne3o67~NCwn eNxRbka3yh6rXzBfV7VrYzXCbu~Fxl~OMJpp5oFLM~4mrPH5zTKf1ZLLaXK1Q98TUM~FUrEC-sgM1i47D7j-UnMZu4KNhWIKiVr-2x6DKwr4LFLSGcra-xXZjDw13gqTV-mnKKYcem35Q5OSN~vjOU~bYBVpioFFDkmUcq5st5FituzgsSB02DotkLak4kNTvhDBai0k-eh5PB4NV9B51CoFjrX2YpsTL-L9jXKnL7fhDRDALPF386mkEf7cA__&Key-Pair-Id=K3NV4LZ47N8M46)".

7. In the dialog box, paste public URLs where the question appears.

A screenshot of a web application showing a dialog box for reporting a leaked question. The dialog box contains a text area with a long, complex URL and a button labeled "Report question leak". The URL is a long string of alphanumeric characters, including "https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1762409305928-image.png?Expires=253370764800&Signature=C86bCU0IEEoDsM8NKd1D~87FYIMaysG5PdT~rPD6aDOG1mLzQjA2sumuQsXYayMcWy5I7q4SfeyHfGI1YD9Z1hWbcbgLT30gOZDxuA8uw4mME5BYLTiFG5biaDdUsUaIq3PF6v5AknCALIICq5opQOP8BibPwkempsbglSd14R6TowHWpgqj7jp-dJAw49DcO9QtQVnnboWwN33qaG0Hajo6MkHykXNG2JkrJZIU6~tOa8BJYQjso8WfVPqrpauqFCCAw1wEiQOPAU88hbMuAlgYl3M4mFb9ITgVxx5mrfl0A5vt3o1lyc0Kf3NYrHOnkvU~Y~v1PtNlfd32yPg__&Key-Pair-Id=K3NV4LZ47N8M46)".


8. Click **Submit**. A success message appears.

Viewing leaked questions in library


By default, HackerRank hides leaked questions from the Library.

To view leaked questions:

1. Go to the **Library** tab.
2. Select the **Tests** or **Interview** tab.
3. Select the source of questions from the **Library** drop-down.
4. Click the **Filter** icon and select **Others**.

A screenshot of a web application showing a dialog box for reporting a leaked question. The dialog box contains a text area with a long, complex URL and a button labeled "Report question leak". The URL is a long string of alphanumeric characters, including "https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F67c942da-741e-40dc-947b-0e04045e3e45-1762409408130-image.png-e3bd2cfd-c2df-4faa-bc2b-db30bd8a0689?Expires=253370764800&Signature=WE5SRgQQloOh~gPvTHqu06n~r07v3n8Z6xAu~4uijWBAaw5pWo7CpSeCl0XMj8oig~NNT3fWR8I2vXcEVvNN~SY1HjyP9~p-4WBpLGkyRkyXhhZrke4Hik1tp5DoL9aSX9VOukIFAxvz62H070u8KJF81M1bs-CcU06EiYRA~QpfT~X5YHsEC~Cz--4MchpKnZk~at3RfVZKKD1ZoyLJ5liPjhjwTVVqzUdo1S2Fb~FJfueWb6h12R8TAKxH~ItwajNO2ZywiSc7bxKjz~xnujo5MyGV-MY-m3Aj2sXC32ddP5BMxU4GJe0OiXm1t0-bEneWc1~LYFlwV3EfoA__&Key-Pair-Id=K3NV4LZ47N8M46)".

5. Clear the **Hide Leaked Questions** checkbox. The leaked questions appear with a warning icon.

A screenshot of a web application showing a dialog box for reporting a leaked question. The dialog box contains a text area with a long, complex URL and a button labeled "Report question leak". The URL is a long string of alphanumeric characters, including "https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1762409623753-image.png?Expires=253370764800&Signature=JiGdxDOajc~a6yBamxML4llxaM7GEpViifR2A85apNKff~x~b5Tk~o3X3-emhwlLQMz4tzV3cnbFITSBnL~pR2tuyFhtvM6VpDFyD9-9gVriAn9MoBKo7m~jA6Z~oLFvKp5dkHVtkEoDFvldvuWimUI1G4riQdw4TRLekcjpdoOTyy~xDpz3XxCoBKpQNbd6MHsEyQCOle5ntqIW~00oqZkpL9o~YAsfESfer6X27WrBi9pjxaKUI-8f0EAnC5kFmUtal~CoU9H5jAQKFvLBNflQgrCHdWCNYh857bTStbofsEsRN8iudK~IdCgl2mHlqksELIZIT1ydu7MEshnEoQ__&Key-Pair-Id=K3NV4LZ47N8M46)".

Viewing tests with leaked questions

You can identify tests that contain one or more leaked questions directly from the test listing page, including tests in the draft stage.

To view tests with leaked questions:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. In the **Active Tests** tab, select the **Leaked Tests** checkbox under the **Filters** panel. An indicator appears next to each test

that contains leaked questions.

filters.gif(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769345240249-leakedtestsfilters.gif?Expires=253370764800&Signature=slaa~cxWP~LESUYFTAxeyN07aGn7ISah6kXNpE8rHoSc4toQc1diRRnUkQkh1HgHtoMQhd3sLEyi~50f5kXItXqK8wEI1-kVxXUrraGQNGqChYQCKeUOdBHD6WVSRgf20tKQ0lr2W19MGbsc1LfwKIDug8CrV8CJsZ7YJ5vdgVqqrO7u1Ujn9HGjjMFTn3C45XjNm6MqbYsPpXmmONxA9PJ~YJo0UFD0~SlzFrtTCynV~B45mSctIBsrN4zNJhePwC8Pyup5NU1ICgVY9DDHq444K-mYsRzw85elpMwHsHZQntFuVwGHaGan1Vez-1yEVRJ-5v84sGiEojxfNmKa3g__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Hover over the indicator to view the number of leaked questions in the test.

5. Select a test to view the leaked questions

!image.png(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769346402823-image.png?Expires=253370764800&Signature=dA0-YbWuzuroIbYVaA8ZrNjHgEJzg2rQOEfLciBO0MWEdlrVtjvialf-emQGsFvjro3aiygnvNyMhL5oulmClxCdr~1-hAxXu7KIMJ6jCR7GoP5gCLglUj9I8Y1Vv6xE~PMA1kQ24f31DrO6yO5L~lgfKgKVZiXy1MZLGLyCf2K-5Zeh2Et~OWQ5Num2buV1rf9Yt5Fq~dWGWJZ-Ff9lpEezamrl8~8x3tgeR9b2HzWzjX5rjJVMEF4y0G6WT8yEWxajbNrzRNNP6VUqclchiW2oFiqvsZg40rc9VqYoaP53AN6fUdJ6fOdJp7eeBR4WoEI00WtjBONSmrKeHhKTA__&Key-Pair-Id=K3NV4LZ47N8M46)

Handling leaked questions

Take the following actions to maintain test integrity and minimize exposure:

- **Avoid using leaked questions in new tests**: Enable the **Hide Leaked Questions** toggle when selecting questions during test creation.
- **Replace leaked questions**: Use the **Replace Question** option to replace any leaked question with a similar non-leaked one. For more information, see [? Replace Leaked Question](/articles/2349070108).
- **Monitor ongoing tests**: If a leaked question is included in an active test, use the [plagiarism detection](https://support.hackerrank.com/articles/8000786908-ai-plagiarism-detection) functionality to monitor submissions. Replace the question if required.
- **Adjust scoring for completed tests**: For completed tests, disregard the leaked question during evaluation to ensure fairness.

Leak mitigation and takedown actions

To maintain content integrity, HackerRank takes the following measures:

- **DMCA takedowns**: HackerRank issues DMCA takedown notices to websites hosting leaked questions, prioritizing cases based on severity and domain type. For more information, see [HackerRank's DMCA Process](https://www.hackerrank.com/blog/dmca-takedown-policy/).
- **Library updates**: HackerRank runs leakage detection daily and updates the question library regularly with new question types and skills. For more information, see [? HackerRank Question Count Comparison by Subscription Plan](/articles/6095274436).
- **Automatic replacement of leaked questions in tests**: If a test contains leaked questions, HackerRank automatically replaces them with similar questions for leakage-protected sections.

!image.png(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769347446122-image.png?Expires=253370764800&Signature=CFLvzMvNdOVaCYTkMW74Jj-OPYxrMGH5gB3SxzyYfhBxfzrxTtFSmG7~VNiuDKUHjeljpupFKZOpa36c-tlBZibqPcNh8~ZGtV9QAdHkOywmyONc-FixJj7toctAeC50rUE4Wn~FRm0z9W4P775S0HHtbgoOgOJpBe5hv6HBqv4W1kMP3IQaM0qR9EgqOpaLYsdjJa8jBcxvLsUad3V2tEmKP9ArF7~GgpnnyM4WGMmmcfk9AhQEMJhBsHtdrwgKbcfMYr5rGHytB4~j5qo-6mJMtJLHROIhtsXIHY2ukDlytc4e21h9Q0sEBSmdznMEoBVwQTHhc7FcBvTp9pSA__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Custom question monitoring**: HackerRank runs leakage detection for customer-created questions every two weeks to identify and mitigate potential breaches.

\

\

[screen/managing-tests] Grant Test Access Frequently Asked Questions (FAQs)

title: "Grant Test Access Frequently Asked Questions (FAQs)"
title_slug: "grant-test-access-frequently-asked-questions-faqs"
source_url: "https://support.hackerrank.com/articles/9398245856-sharing-a-test-"
article_slug: "9398245856-sharing-a-test-"
last_updated_exact: "Sep 1, 2025, 12:26 PM"
last_updated_relative: "Last updated 8 months ago"
breadcrumbs:
- "Screen"
- "Managing Tests"

Grant Test Access Frequently Asked Questions (FAQs)

Last updated: Sep 1, 2025, 12:26 PM (Last updated 8 months ago)

HackerRank for Work allows admins to grant access to a test for specific users or teams.

Prerequisites

You must be the test owner or have **Editor** access.

Granting test access

To grant test access to users or teams:

1. Log in to your HackerRank for Work account using your credentials.
2. Go to the **Tests** tab.
3. Open the test you want to share.
4. Click **Share**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Ffbf0c209-66dc-48e1-b55e-43b7d08dc7df-1750922081759-image.png-0d2360f5-5e44-4f06-86a0-600e41cf3eaf?Expires=253370764800&Signature=VA-nFCbtN3j74WKBu79VQ4auKA2U6dbAJmefQW-3DYRddR1R5rcfFrS1AhCzT8~oO-u6mikzBsbbhRXu8RS38W8IIC2ZDJAG79j6tky1RU8pgE9y184yv3EBZ~~kFxhZeAtZ6WnlEvlaiWtDs--tvPZmK4Ft~gWYvaBJHPPGeGX2RG0Y4B3jVnV3JrCEJph~Eq5D63D7tCnOq4eGUcOg~BR-RrsYPonH96dRboR3SnH1Ma6uG2iH4M9QzwwGqmdJuMUSnr09ZIDttfBelcdjQCaQEPo-ngiLI5IUYbfueZWDgP3ar34OKPi1klfLwLvsAhf3i~FWNBG5azR4sTNN08Q__&Key-Pair-Id=K3NV4LZ47N8M46)

5. In the **Share Test** dialog box, enter a user or team name in the **Search users and teams** field.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F88aa2c84-1742-4962-a906-0bb4b3864aa3-1750922142502-image.png-128a31ed-85ea-40f7-9d9f-77eccc681d76?Expires=253370764800&Signature=EniplugZr5iNrUqrFOVodq3biYJcZe12RutQyg2eN8MhkqklnZtWKfuGwFVIQZbBodogCitTxU-rTcS1R-cr1mknEldmFisN1ihprk1D3c3EUKc-qzKi-VSqj7zegl2paVDu3hh3opP4jsCESddUyhHVHyQJjiULcZudJPSG2esaUhHZn-emOBf-QdwUyU2~L~t6qwolpd-zqK-Ovssm5DK0js9VTrc3ZQ9DnSibj0MBE56v1FYF-cuMald-YoIl5tOjFDB5tI72K4M86qtr5CQdVhS2fLYRJuaAXycXC8Y-cvUZsryTwjyZxblWPDilddfcXdubmRYf7PBbPq8-DA__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Choose a sharing role from the drop-down list:

- **Viewer**: Can view the test and send invites.
- **Evaluator**: Can view the test, send invites, and review candidates.
- **Editor**: Can view and edit the test, send invites, review candidates, and share the test.

7. Click **Save**.

After you save the changes, the users or teams and their assigned roles appear below the search field.

Note: Any teams the test owner is a part of automatically have access to the test.

Frequently Asked Questions (FAQs)

****Can I disable automated team-based sharing?****

No. You cannot disable automated team-based sharing.

****Who can share a test?****

The following users can share a test:

- The test owner
- Company administrators
- Users or teams with ****Editor**** access

****What does transferring ownership do?****

When you transfer test ownership to another user:

- You become an ****Editor.****
- The new owner gains full control of the test.
- Team-based sharing continues to determine which teams have default access. You cannot remove access from teams that have access by default.

\

\

[screen/managing-tests] Delete a Test Prerequisites Deleting a test

title: "Delete a Test Prerequisites Deleting a test"
title_slug: "delete-a-test-prerequisites-deleting-a-test"
source_url: "https://support.hackerrank.com/articles/9552481360-deleting-a-test"
article_slug: "9552481360-deleting-a-test"
last_updated_exact: "Sep 3, 2025, 11:09 AM"
last_updated_relative: "Last updated 8 months ago"
breadcrumbs:
- "Screen"
- "Managing Tests"

Delete a Test Prerequisites Deleting a test

Last updated: Sep 3, 2025, 11:09 AM (Last updated 8 months ago)

You can delete a test when you no longer need it. Deleting a test permanently removes it from your account along with all associated candidate reports. The questions used in the test remain in your Library.

****Tip:**** If you want to retain the test and its reports but hide it from the active test list, consider archiving the test instead. You can restore archived tests at any time. For more information, see [[? Archive a Test](https://support.hackerrank.com/articles/8415416322)](/articles/8415416322).

Prerequisites

- You must have an existing test in your HackerRank account.
- You must have the required permissions to delete a test.

Deleting a test

To delete a test:

1. Log in to your ****HackerRank for Work**** account using your credentials.
2. Go to the ****Tests**** tab.
3. Open the test you want to delete.
4. Click the more options menu (?) in the top right corner.
5. Select ****Delete****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756374693063-image.png?Expires=253370764800&Signature=DhkYRIUfBaTukTc9JCFHG89eN8jPQLoyQ5o83aiOOMz4TTjoilPdjrIRssoqbk238z4b1ZpA011jpvVTQXCIK3TrOeWkiQO3kfx4BABjQxvmAgKf4EQxpcE12tOGc76phowdYVMGgcukap3viGvFmVBMrmMrmPs4k0kyyIkDgoOHw7goqfcRzkBxnhW0xfpOdK3HSnofWAPxvGvMEsyM458zGuYOciOWmArfW8WZRbhCKIKKLtErEekNeTigE5Kbfe4h9gzU-o94rWCOKkjbAyNMZv0EQG2S7uylrYyW7TW8WPE~h1PKQIHwqEDKso2MskJ-lv6tWA4WrbDM2OyQig__&Key-Pair-Id=K3NV4LZ47N8M46)

6. In the confirmation dialog, click ****Delete anyway**** to confirm. A success message appears.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756374710326-image.png?Expires=253370764800&Signature=bPpqVRp41kF09XPxURRtf4BDutMhyC0RK8b5XaX2BVqFdspY8O9c52EKtGKIqKzW70ENUL4RzMXES65E-wRmHpeRY96I~0G01KBNjizOAFoV8U8KPHRPNCrpx~QTqLRFidZIndKr-AvSI9HAvKT~IBjR-cEbFf~oIZHMf67xMRJotA-66CIL8TLbQpY9T62rehBVSfNgkZJ6bi-VP5EYVWqRgRs37lxF6vuf3zVaUppRJ6wWX90HnFgStXZXLIM2rwWp4WgQa2-7Z0LqDu0HisuuHrEgL3mHCh3LGPLksJoozk0bgzTB7jnQvMo-t2KJF~EHINFgKcCJ-VFM8V7dQ__&Key-Pair-Id=K3NV4LZ47N8M46)

****Note:**** If you share a test with a candidate and then delete it, the candidate can no longer access the test.

\

[screen/managing-tests] Delete a Test Submission Prerequisites Deleting a test submission

```
---
title: "Delete a Test Submission Prerequisites Deleting a test submission"
title_slug: "delete-a-test-submission-prerequisites-deleting-a-test-submission"
source_url: "https://support.hackerrank.com/articles/9556988565-deleting-a-test-submission"
article_slug: "9556988565-deleting-a-test-submission"
last_updated_exact: "Sep 3, 2025, 11:32 AM"
last_updated_relative: "Last updated 8 months ago"
breadcrumbs:
  - "Screen"
  - "Managing Tests"
---
```

Delete a Test Submission Prerequisites Deleting a test submission

Last updated: Sep 3, 2025, 11:32 AM (Last updated 8 months ago)

If you want a candidate to reattempt a test, you can delete the candidate's test submission. This action permanently removes the candidate's previous attempt, including all proctoring records, and resets their test status to **Invited**.

Note: It is recommended that you do not delete a candidate test submitted if the test is in progress.


Prerequisites

You must have a test submitted by at least one candidate in your HackerRank for Work account.


Deleting a test submission

To delete a test submission:


1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test that contains the submission you want to delete.
4. Go to the **Candidates** tab.



5. Select the checkbox next to the candidate(s) whose submission you want to delete.



Note: You can also search for the candidate by their name or email if required.



1. Click on **More > Delete**.



764800&Signature=gcHWyI9bCNLELYGVU6E-P62n9TfrAsNMMNcLoy0zK8xZ56R6C67Ndi9gXTMA8KH5nxdod8QGZSKdHwtzqNMRTu5DWfwmKBYoBRLmcPScT2CoKuZfLz6h9fYlsLgi410JUdVx0b3anU0-S58lpuAFgtXxZr5ACx3f52O5FWBRxyTJ6iTKQ769bSYNsOH6XkQBEDrrkMTqodxxo5JtkeCvo9kJ0LtNISgmj6LBTli5Gq7gVTagcVg-jzZUyYV9fwZ7RY2XZy5usxgBJkaCX86V0t-10ThIDjk7WbT0tCGC6Ykbg7eNnuCWFELUzToghtclYFU~Lh0td5KES~Rpc1wKnw__&Key-Pair-Id=K3NV4LZ47N8M46)

2. In the confirmation dialog, click ****Confirm****. A success message appears.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756806028199-image.png?Expires=253370764800&Signature=NMmMB0KR9PDNTT20V0yQz9n3PTMqTawaPXIZ8p671DyPY1whbfVOu2h2ZB2P~TUXbdqAn2F33FsMAO-TTtgsmhaMGvh~T76alw5GXxTCtkRD5CIQnCbMUcKreXZkBZtyyMj4ORy8f7wkRTupOMBcqGhbKC4qvXMH95CwRS6RdLVj~mawVvwsDSzW9wrbnHGX07vEil3lckQ-ekiXhCKxFoQWvGq7LG0uA9IBh5l~c8opDzppwg7uFEOLKFzVryp3M-S45qA~VVdB7ExmYvuYqP9QBmH6LgyC2Lqcipo0awQBB-aliWm4~cp3CzoKiniateddV3mhVadAoWE1CuHS0g__&Key-Pair-Id=K3NV4LZ47N8M46)

****Note:**** Once you delete a candidate's submission, the candidate can either retake the test using their original invitation link or you can send a new invitation. For more information, see [[? Reinviting Candidates to a Test](#)](/articles/1002936098).

\

[screen/test-integrity] HackerRank Test Integrity Test Integrity Modes Additional integ

title: "HackerRank Test Integrity Test Integrity Modes Additional integrity features Built-in integrity features"
title_slug: "hackerrank-test-integrity-test-integrity-modes-additional-integrity-features-built-in-integrity-features"
source_url: "https://support.hackerrank.com/articles/1079706165-proctoring-hackerrank-tests"
article_slug: "1079706165-proctoring-hackerrank-tests"
last_updated_exact: "Nov 5, 2025, 5:44 PM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
- "Screen"
- "Test Integrity"

HackerRank Test Integrity Test Integrity Modes Additional integrity features Built-in integrity features

Last updated: Nov 5, 2025, 5:44 PM (Last updated 6 months ago)

HackerRank offers multiple integrity modes and add-on features to help you maintain the right balance between rule enforcement, candidate experience, and compliance.

Test Integrity Modes

You can select from the following integrity modes based on your assessment requirements.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760453409414-image.png?Expires=253370764800&Signature=JPIPy--Plinpix6xYEJKuEtczgvlgRV3SyQw7LSaUT4ZD-6GfaHejuzsQeCzd7IAZ12kQzQJn16dhekdJKyEefMgmp0E1O89z0M-ILVrb7zlgH4CckPiKn6AfV0LXDy6zXWoOIS3~6y5Eui8B-KANsBnANsLLpi4kQLQf6hWDfZHbEcPhX4iGHRu7eFqziBZHPzms5BtgSpcyWYpmGcneT8JLWBQgFLf5JyYqik716xRM7qQNdlP5Xd-nUkC4bijRZfQigmlvNedy58QK-80x0Ji2STiCWF1YXaWQeKXhi5lGrXN8FwE-mETjJYbsAAHwGWF1qqh1aoitS7-y2qaw__&Key-Pair-Id=K3NV4LZ47N8M46)

Secure Mode

Secure Mode runs tests in a controlled browser environment. It enforces full-screen mode, blocks copy and paste actions, prevents the use of multiple monitors, and alerts when candidates switch tabs.\nFor more information, see [? Secure Mode](/articles/2545360734).

Proctor Mode (AI Add-on)

Proctor Mode includes all Secure Mode capabilities and adds AI-powered features such as screenshot analysis, plagiarism detection, and webcam anomaly detection.

For more information, see [? Proctor Mode](/articles/5663779659).

HackerRank Desktop App Mode (AI Add-on)

HackerRank Desktop App Mode includes all Proctor Mode capabilities and adds operating system?level monitoring to create a fully locked-down environment. Candidates must install the lightweight, native HackerRank Desktop App.

For more information, see [? HackerRank Desktop App Mode](/articles/5973590014).

Additional integrity features

You can enable additional integrity features to strengthen test monitoring and candidate verification.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760453417022-image.png?Expires=253370764800&Signature=ryK9mjtfOS01rsmTjP4j5uAFeEkegPKbrqlnyHCZ9pB2JRUNrc8rS~fBx~bYPNPtDycKCewge-wCqQXjlh3SWahnm~Y0cbC7~NQbSWMP6E91bwtgb2M~ZdEEJNHZp4iM4NAZHJxnAzX~OiO9xCbD79t7D8L30MBJGmRW2hINLZo2l87iSmngUXr5yPLSWQLjrpTQOPa5tsERE3fpegsG9fPthaAcjeJKWbw47B-Rns9MuM04qNq-0RrAEs9XwTgbnmu~vPqsAWa1GA75nVy-vQ1HwVQezhTz3MgUubrgdd-walkVeo3A4fZKnzFE1dT1Fk74rHZpSmMg7QgwwTKTTA__&Key-Pair-Id=K3NV4LZ47N8M46)

AI Plagiarism Detection

AI Plagiarism Detection feature flags potential plagiarism by analyzing candidate behavior, code evolution, and submission similarities.

For more information, see [? AI Plagiarism Detection](/articles/8000786908).

Image Proctoring

Image Proctoring feature requires candidates to enable their webcam before starting the test. The system captures periodic snapshots during the test, which appear in the candidate's report for review.

For more information, see [Image Proctoring](https://support.hackerrank.com/articles/7825915809-impersonation-detection#image-proctoring-13).

Image Analysis

Image Analysis feature uses AI to analyze webcam images and detect suspicious activity during the test.

For more information, see [Image Analysis](https://support.hackerrank.com/articles/7825915809-impersonation-detection#image-analysis-36).

Photo Identification

This feature requires candidates to capture their image before starting the test.

For more information, see [Photo Identification](https://support.hackerrank.com/articles/7825915809-impersonation-detection#photo-identification-3).

Built-in integrity features

HackerRank provides basic integrity features by default. These features require no additional setup.

Copy/Paste Tracking

When candidates copy or paste text, the system records the action automatically. Pasted content appears in the candidate's test report. This feature applies to Coding, Subjective, and Sentence Completion questions.

Recruiters can view copied text in the **Timeline** view of the candidate's Summary Report.

The **Copy-Paste Frequency** column in the CSV report shows how many times a candidate copied or pasted text. The plagiarism detection model also analyzes copied content from external sources.

Tab Proctoring

Tab Proctoring tracks how often and for how long a candidate leaves the test window. Tab-switch activity appears in both the candidate's **Summary Report** and the **CSV report**.

In the CSV report, review the following columns for more insights:

- Out of Window Duration
- Number of Window Exits

\

[screen/test-integrity] Secure Mode Enable Secure Mode How Secure Mode works

```
---
title: "Secure Mode Enable Secure Mode How Secure Mode works"
title_slug: "secure-mode-enable-secure-mode-how-secure-mode-works"
source_url: "https://support.hackerrank.com/articles/2545360734-secure-mode"
article_slug: "2545360734-secure-mode"
last_updated_exact: "Apr 22, 2026, 10:15 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
  - "Screen"
  - "Test Integrity"
---
```

Secure Mode Enable Secure Mode How Secure Mode works

Last updated: Apr 22, 2026, 10:15 AM (Last updated 4 days ago)

Secure Mode helps maintain the integrity of assessments by preventing unfair practices and ensuring a controlled testing environment. It ensures candidates rely solely on their skills for a fair evaluation.

When you enable Secure Mode, the following integrity controls apply:

- **Full-screen enforcement**: Prevents candidates from minimizing or resizing the test window.
- **Tab switch alerts**: Warns candidates when they attempt to navigate away from the test.
- **Copy/paste restriction**: Blocks external copy and paste actions during the test.
- **Multiple monitor check**: Detects the use of multiple monitors and allows candidates to continue only if a single monitor is in use.

Enable Secure Mode

To enable Secure Mode:

1. Log in to your **HackerRank for Work** account using your credentials.

<!-- -->

1. Go to the **Tests** tab.
2. Select the relevant test.
3. Go to **Settings** > Test Integrity.
4. Turn on the **Secure Mode** toggle.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F5c4066e7-c94d-44e3-8c6e-bd3441ebbf90-1760279839644-image.png-41f9cb42-ed06-4087-a43a-e8de0ed11791?Expires=253370764800&Signature=UePJsbntqEY3AcraBwzsvlUixzKu3Au~qPDpKFFKIN8Fo2Y10KDnm-EJ85wEcoTiTUTRjO6s5YVpbTfGaUrKrPHUAHXQnkLlkJ6A5ZJc0JC-0U9j5YPUpCslwgFC8uziBKTBU-S0cZPIWJbR39WpL9zVtj~NfQLsT6TRx4~zIEnzDXelq~11Ax0b2hVhfVdU6wxvg-3l6mPmvovvNA~qjhhQqKqQFqOKEW OmuQX4ytteji7L2luuQOqqonadFQVeplqQKV3fu8piwmz2cmMGHPcJ3NhLP1ksx9ZaoiCiXqVZ0D0I093S-i3SmEvIxMrbAxEqRXL5xd8H3muZkfTg__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click **Save Changes**.

How Secure Mode works

Secure Mode applies integrity controls at every stage of the test session.

Before the test

Secure Mode starts with an onboarding flow that prepares candidates and helps prevent integrity issues:

- The system displays the **Integrity Guidelines** and requests candidates to review them.

- Candidates must grant the following permissions to start the test:

- ****Multiple monitor check:**** The system checks for multiple monitors. Candidates can continue only if a single monitor is in use.

![[be1.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760388401058-be1.gif?Expires=253370764800&Signature=XQ81BKyn7hyhGjl9L6E6I6-8SK8fdTORT8n1NMrdSIYjdp2zgsflYugam6t7JSAz6BBGzo0xiLYlgTOuu040ONI0k5JrD4nW9n5ax4kxrMEDXINxNQXeSB6PWx4FTvSRW3H24K-jE05kybveREDgaeynpXuiLrIkD66JFIRH6Az37LVrctONf08JVL6cSSuphyvPKxs6Ntlo1XJJc~KAZBRZf5~u-H0mWCf2WOU6siBTQE2emZDlp0bv0jwivJXNgz9wPEhFPO7P8zlkWAC2v02gBN9He6SukFmBWzoE7wy7mRKsukDjx4QIPKpA-DG-1ZLbQBUDZvcnuPf1uNxx__&Key-Pair-Id=K3NV4LZ47N8M46)]

- ****Full-screen mode:**** The test launches in full-screen mode to reduce distractions and reinforce integrity.

![[image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760388746565-image.png?Expires=253370764800&Signature=F7qWFP4i8z1opQetbtm7FPeyYyWdl5Wl4ZT~aGBreQa25OJSPaY4oyzx6YljvRi4bUuYsgngIAE-nyUjqvqTw6rAWMEEMqmdGKZnBw4uZSm4t6nglWKnfYuirpxJTKcXSkWmiBeHn~~zNiHIMC1NUVuy~9q3DRWaRpZmJozqiHRgCksb4DkKr9v2ZVXKwRyticLmKp2IS9EKHp3c8pX7psbJK9sd04O8q~tgkyJ~hE4EmBhibtnL-zQDU~HpMogESmzEgx9FIKSFuQHWeGFAJWVATCrjFIWTwOJS7ulafMoJSwlu8PhDN7gJy9yn1SRnH3CZoFGZG4qS6-IJwNz2Rg__&Key-Pair-Id=K3NV4LZ47N8M46)]

During the test

Secure Mode actively monitors and enforces integrity controls:

- ****Full-screen enforcement:**** When a candidate exits full-screen mode, a warning appears prompting them to re-enter full-screen.

![[image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760388244551-image.png?Expires=253370764800&Signature=bDBu9whDX-PUOH0LleYB7XFUiJhrwN0DNNqvw86sl1o2Xj~bxU6ODuS8GEMSwFILk-UqjdxID6kTVdeEc~Fa78aL7bkWCS5o5FMQZTG~qbrNP6TIPSRVq-XUiruzpFSj9p1RCNX0qX8nplj1uoorUJmeJWE1ul6NA9wN8itv1~HAbeMyIBqm6WELbayGICP92JoHZligBZ1BAa-cy~L9BNS4xqtsWqdE6YGhdLnL-GX7dztVTc3Yz4rYaTH3Qtlt0g7QP3Ev6JxM1SW8ATWGpEVGfOWUtq-4~VKUxyEhj0fixnqGY0TZMXw8jrpb9eDs95u5WvXW4j2EqjtHyop8Kg__&Key-Pair-Id=K3NV4LZ47N8M46)]

- ****Tab-switch alerts:**** When a candidate switches browser tabs, the system immediately displays a warning.

![[image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760388206979-image.png?Expires=253370764800&Signature=RdPhnb~GZwfj-k4YJFHY0Flej5GvUy854Rk0eDY48uOQGc5RhUplMVlxFRRbqoswhJa3gR2UmAJxS4vYDGuOc67OD870HaCLTtn1qmQsCOgEJSN8ji3IULvrFx5oCQX0aoRCE19TZbL6yAqyHwDNLizanS-YcbdHesbg1SoAL0-8e6iA4rinHRXAo8L-TZbIVNkaqy9dJB79RqjGcwN5EYmsy2pmf4HAKxvAwFC1ypPntcgtELFieOKbjg-MmR1vVjHz3rt-6cipzAgEebAB2~25iehwdtaWDWs6heZ5QJ7jMmZk0DZLZo9IyMEodKiC-DpidS~7zhPFFWSdTs7p1w__&Key-Pair-Id=K3NV4LZ47N8M46)]

- ****Copy/paste restriction:**** Copy-paste functionality is disabled to prevent pasting content from external sources into the editor.

- ****Multiple monitor detection:**** The system continuously verifies that only one monitor remains connected. It flags any new monitor connections made during the test.

![[be2.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760388375578-be2.gif?Expires=253370764800&Signature=jUF8KnxcxOqicl7RndXf4i4eseKUQUHabcnMm-dccX9QYQRhLlg9rpHRPK8p6OvFTmsEBLCszzadJFit~08RZEXgtFbeh72nJFmZ9gUAjeggSrg7gHT7q8Rrtd4zkmbDTxXFvqnyQn2230soyp~w9N0epKyW7uzXnhcScUKJUuCRFZm-oqaf1Cd9n2Mb62FiJDHXFwr2TiIDscvOXfVfXmLuQzkowYG1eS7jDE5nxnOP-40D6P~xFeHYPoGh2GBa41CwlXho4JSk4dE8amtY7oX8R-elvaonKnsRX0YhzDCAq5cmSnq9BVW1k238YFrJQ39OoE40VDrArnNwor7dg__&Key-Pair-Id=K3NV4LZ47N8M46)]

Secure Mode logs all violations in the candidate's report for review.

After the test

Secure Mode generates summary and detailed reports that help you assess candidate behavior and overall test integrity.

Summary report

The summary report offers a concise overview of the session, including:

- Indication of whether integrity issues occurred

- Integrity summary

!Consistent Integrity Reports Across Assessment
Modes.gif(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776769720799-ConsistentIntegrityReportsAcrossAssessmentModes.gif?Expires=253370764800&Signature=oBqbLx91DBHhe1x5y9~DxrurOLka5BNpvCGaf7qyAxJoSc~D-9ZiN60PHcbH9sg6O63n71RGaQ1a2TpERR0I0f6p~Zk1cOKS1VO6I7vyTWItPJbaSlq8bWip1UIGQJGnh3xPFYo0rI75nF1IoioL1V-hMFePXzLdsJUSK8nZvRjO7Qnq4MnAfLwXt~QvpBixcKH83O9AQXFSuWxD5Q2ZAHBvD-LSxpf~-e-MmwXwghADhG4jFme~CtQjE1rfj~PvHb0wwAOOpboX5IGUZICWNGiMu4LNP9HzwpDIzWRiDhGAjSi52082RBfUPM-SjWXgKa8CyDT88af-BTWFFj6vkw__&Key-Pair-Id=K3NV4LZ47N8M46)

****Integrity results****

Secure Mode assigns a final integrity result of ****High**** or ****Medium**** based on the severity of detected issues. The integrity results evaluate violation based on Secure Mode rules such as exiting full-screen mode and switching tabs.

****Integrity summary****

The ****Integrity Summary**** provides a consolidated view of all detected integrity signals for a candidate. It lets you preview issues and drill down into supporting evidence, such as timestamps and duration, within the same section.

[screen/test-integrity] Best Practices for Running Group Assessments in HackerRank

```
---
title: "Best Practices for Running Group Assessments in HackerRank Desktop App Mode Prepare candidate systems in advance Ensure a stable internet connection Set up webcams Set up lighting Prepare the physical environment Complete pre-test setup Troubleshooting"
title_slug:
"best-practices-for-running-group-assessments-in-hackerrank-desktop-app-mode-prepare-candidate-systems-in-advance-ensure-a-stable-internet-connection-set-up-webcams-set-up-lighting-prepare-the-physical-environment-complete-pre-test-setup-troubleshooting"
source_url:
"https://support.hackerrank.com/articles/2686193421-best-practices-for-running-group-assessments-in-hackerrank-desktop-app-mode"

article_slug: "2686193421-best-practices-for-running-group-assessments-in-hackerrank-desktop-app-mode"
last_updated_exact: "Mar 13, 2026, 12:32 AM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
- "Screen"
- "Test Integrity"
---
```

Best Practices for Running Group Assessments in HackerRank Desktop App Mode Prepare candidate systems in advance Ensure a stable internet connection Set up webcams Set up lighting Prepare the physical environment Complete pre-test setup Troubleshooting

Last updated: Mar 13, 2026, 12:32 AM (Last updated 1 month ago)

This article provides best practices for running group assessments in HackerRank Desktop App Mode, where multiple candidates take the assessment simultaneously at a shared physical location. Following these guidelines helps ensure a smooth, stable, and fair assessment experience for all candidates.

Prepare candidate systems in advance

Verify that each candidate system meets the minimum technical requirements before the assessment begins.

- **RAM:** Minimum 4 GB
- **Operating system:**
 - Windows 10 or 11 (64-bit)
 - macOS 12 (Monterey) or later
- **Processor:** Intel or Apple silicon (M1 or later)

Ensure a stable internet connection

A reliable internet connection is critical when multiple candidates take an assessment simultaneously.

- **Minimum bandwidth:** 5 Mbps per candidate
- **Recommended bandwidth:** 10 Mbps per candidate for optimal performance

Use the following formula to calculate the required bandwidth based on the number of candidates to avoid network congestion.

$5 \text{ Mbps} \times (\text{number of candidates} \div 2)$

For example, if 100 candidates connect simultaneously, the required bandwidth is:

$5 \text{ Mbps} \times (100 \div 2) = 250 \text{ Mbps}$

Note: Avoid using VPNs, proxies, or restricted corporate networks. These networks can interfere with test connectivity.

Set up webcams

Prepare webcams before the assessment starts to meet HackerRank Desktop App Mode requirements.

- Use a functioning built-in or external webcam

- [Test the webcam](https://webcamtests.com/) in advance
- Uninstall or disable any virtual camera software to prevent conflicts

Set up lighting

Proper lighting ensures clear webcam visibility throughout the assessment.

- Seat candidates in a well-lit area
- Ensure the candidate's face is clearly visible at all times
- Avoid strong backlighting, such as bright windows or light sources behind the candidate

Prepare the physical environment

A controlled physical environment helps minimize distractions and maintain assessment integrity.

- Use a quiet, controlled space
- Minimize interruptions and background noise
- Ensure adequate spacing between candidates to maintain focus and assessment integrity

Complete pre-test setup

Complete the following steps before the assessment begins:

1. Install the HackerRank Desktop App on all systems you plan to use for the assessment at least 30 minutes before the test.
2. Enable the following system permissions:
 - **Windows:** Camera access
 - **macOS:**
 - Webcam and system events access
 - Screen recording access
 - Accessibility access
3. Disconnect all external monitors. HackerRank Desktop App Mode supports only a single display during the test.
4. Close all other applications before launching the HackerRank Desktop App.

Note:

- Ask candidates to take a sample test to familiarize themselves with the environment. The sample test link appears in the test invitation email or instructions.
- If candidates take the test using a laptop, connect it to a power source to prevent interruptions.

Troubleshooting

If the test window appears blank or unresponsive, ask candidates to refresh the screen:

- **Mac:** Command (?) + R
- **Windows:** Ctrl + R

Note:

- For more information on downloading, installing, and launching your test using the HackerRank Desktop App, see [Attempting Tests Using the HackerRank Desktop App](https://candidatesupport.hackerrank.com/articles/5105545533-attempting-tests-using-hackerrank-desktop-app).

- If you experience any issues during the assessment, contact [\[support@hackerrank.com\]](mailto:support@hackerrank.com)(mailto:support@hackerrank.com).

\

[screen/test-integrity] Proctor Mode Enable Proctor Mode Proctor Mode compatibility

```
---
title: "Proctor Mode Enable Proctor Mode Proctor Mode compatibility How Proctor Mode works"
title_slug: "proctor-mode-enable-proctor-mode-proctor-mode-compatibility-how-proctor-mode-works"
source_url: "https://support.hackerrank.com/articles/5663779659-proctor-mode"
article_slug: "5663779659-proctor-mode"
last_updated_exact: "Apr 22, 2026, 10:12 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
  - "Screen"
  - "Test Integrity"
---
```

Proctor Mode Enable Proctor Mode Proctor Mode compatibility How Proctor Mode works

Last updated: Apr 22, 2026, 10:12 AM (Last updated 4 days ago)

This feature is part of the AI Add-on. For more information, see [? HackerRank AI Add-on](/articles/5847651809).

Proctor Mode is an AI-powered feature that simulates live human proctoring to help ensure test integrity without the complexity of manual oversight. It monitors candidate behavior during remote technical assessments and provides detailed post-test reports to support fair, data-driven hiring decisions.

While traditional human proctoring offers strong integrity controls, it is difficult to scale. Proctor Mode delivers a scalable alternative by replicating human-like supervision across large candidate pools.

With Proctor Mode, you can:

- Set clear expectations upfront by showing candidates the test rules and guidelines before they begin.
- Monitor for violations during the test, including behaviors such as tab switching, use of unauthorized tools, face detection anomalies, object detection in the webcam feed, or conversation patterns in the code editor, and intervene when necessary.
- Review a smart, human-like test report that highlights integrity issues through a clear summary and an in-depth session replay with labeled screenshots and flagged events.

Enable Proctor Mode

To use Proctor Mode in tests, you must enable it at both the **Company** level and the **Test** level.

To enable Proctor Mode:

Step 1: Enable Proctor Mode in Company Settings

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to **Settings \> Test Settings**.
3. In the **Test Integrity** section, turn on **Proctor Mode**.

new.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753797455742-proctornew.png?Expires=253370764800&Signature=KYvvumEX4nTOEOK7EblBvhXqjprx7W3~uXlc5~9VuWe~QK0kTGhiY07nToEJ-ByzBfISJmGDMZiZzAt9VZb-z2C-PbrV5~JaUbDd2MdvM4bBf1j4Lh3m3aBhvNReWDUV5kA0D1YcehGUiNmX8LiRuvZV8F5KCrjpugLb12-z8I9cV9N1po2WC~GajudBv7mFyv5m9OBYL0Hc1J0jt9-3HqdgogpE6~D16pUcxTbHbaLt9zyH~jAjlQm76dtgh4qg0x4LHqij6d9tZQQRnWqduzccld6Q71WzsD HLL-gl4IO8Qbil79TLAu8LAoONPGa8AG2dEOAg-LvgcQhdRHng__&Key-Pair-Id=K3NV4LZ47N8M46)

4. In the confirmation dialog box, click **Agree & Enable**.
5. Click **Save Changes**.

Step 2: Enable Proctor Mode at the test level

1. Go to the **Tests** tab.
2. Select the test you want to configure.

3. Go to **Settings** > **Test Integrity**.

4. Turn on the **Proctor Mode** toggle.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760279073731-image.png?Expires=253370764800&Signature=hTIWAetXhcR~KXneVidb9AqyyLRC8-j~DSpK869QtRm5s4~y-dSxqG0-15F7nB8S7Ne7S6h0z8PIL~sARQSqC7H Sx-QoryHwJrDausUXgKkix56H~w1mT0BdDXkUzrXfTx7lh4egC1JSOT5w3eyyA3NewDwh7inHlzH57AXwqBk1gGBCLVBjsqHgp1up 5FhnXmCBQUDDvOPxbjGdy-Sk5NPMWsXLQW5N0uY~a9DRAfQBsDEKjZ5iDCjTt4fSBhh8~nUJdW0GY-1146Rqeb6SLxmi0NKu8 ErtwInV72ERu4jp4UN9~0kAdzuw0vHiVm7SSGaAbwsMZuOqd0lCdaFQ__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click **Save Changes**.

Note: When Proctor Mode is enabled, **AI Plagiarism Detection** and **Image Analysis** are enabled by default. You can disable Image Analysis, but HackerRank recommends enabling it for full session integrity.

Proctor Mode compatibility

Proctor Mode compatibility includes the following:

- **Availability:** Proctor Mode is available only for tests created after the July 2025 release. You cannot enable Proctor Mode for tests created before this release. If you used Proctor Mode during the limited availability phase, those tests continue to support it.

- **Supported question types:** Proctor Mode supports only the following question types: Coding, Approximate, Multiple Choice (MCQ), Database, Sentence Completion, Subjective, File Upload, Code Repo, Code Review, and Projects (excluding DevOps and Data Science).

<!-- -->

- **Locked setting:** After you publish a test and candidates start attempting it, you cannot disable Proctor Mode. To conduct the test without Proctor Mode, clone the original test and invite candidates to the new test.

How Proctor Mode works

Proctor Mode replicates the stages of live proctoring through automated workflows before, during, and after the test session.

Proctor Mode simulates an ideal proctoring experience by focusing on the following areas:

Before the test: Set rules and guidelines

Proctor Mode starts with an onboarding flow that prepares candidates and helps prevent integrity issues:

- **System compatibility and permissions:** Candidates must meet technical requirements for network stability, supported operating systems, and supported browsers. The test does not begin until all requirements are met.

- **Consent and test rules:** Candidates review and acknowledge a list of prohibited actions, such as switching tabs or using external tools, and must give consent to proceed.

- **Permissions:** Candidates must grant the following permissions to start the test:

- **Webcam access:** Allows the system to monitor and record the candidate through the webcam during the test.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759320470404-image.png?Expires=253370764800&Signature=ASZeeYqKTKbLq4fbfW7u4rk2GF~o4wOUJis~SipyAxE8rvMwdSYrayVA-ekgmOWW8Utip5GFRjwU70n5fMy2Tkp 6Z2oYWauarU7YjF6jkFSFn4uqj34x7jnbbJ0pMvSirRD7yogquQc5hPOoNbgamqvYwJNZYQYp-wDbUf-NRAXklKO-C7FnwUU88i41s mMUu2Uh5~y5vWpX~zs1caAdkbvbfK68M1P6bkJES8C860MSMhveWwceBRawLJKQ0lu~sFccOKwpfwgjGw7S6DhJxnJJkgFwccF- nAd-9ui-Ph~d7tp-KjN1kftvulCrO~l13lZXjyGLfuqlouf-CZePag__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Multiple monitor check:** The system checks for multiple monitors. Candidates can continue only if a single monitor is in use.

![[prnew1.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fa9fb2a1f-5561-4117-a905-779cb29b3089-17 53798134441-prnew1.gif-14904339-900b-435f-8f2c-f46e684fd555?Expires=253370764800&Signature=HGktj4zbYkGWaO9A2nKxf mm2Zhsy~iutyXr4zegxr24ADqVlVr91dvztvTFRBjB~sGzmBIL7rMnTyYyMEvCLiTD6r8jbxNU2A1sHp6VRHiEcjz2VHmQRF~BeuiZu7iEL OKH7zd3Fxdvg0cmyeTz-HB7G13hxUzSuL9rHv5cc5kQTp4JRU~x2SQ2CvjEWQt-V5lhvdLbwA9K1R9hiRzpYvZJIn9Iz~B6btER2h6x Gi8CC4Nwewh9GYPWZiYXmmpssiRlBElk44KzqzA~3q00KKWz3At8cPCLpXC~OSTe03Otln1iYILT9jGcKjYjZr-VtY5sx-MdzlQbnUOSR

3V9wg__&Key-Pair-Id=K3NV4LZ47N8M46)

- ****Screen sharing access:**** Allows the system to monitor the candidate's screen activity during the test and verify that no unauthorized applications or resources are being used.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759320620118-image.png?Expires=253370764800&Signature=Bna3geom6UGcdVWMOiG4~GduYI2T2EbguEXxqG7j47PHZ4IAMVnOTH9hQzR8fQ4BebHMRKJVko1012o83PBC~wo5AcRIDm-vMDsIHJzRyWoxMaJANTt289yxCjYfiNY2jz3upKDA6QHekcE239fvYkOwofJ0aqkDiHlrHcFvEsB3WO-Wz5u39dwBa3FDghOim90XzEVnrd6F1PRCMPHKncBbth1nreOtpy1TqAUkv~4clFkPGZOulEPpXZQXDzqj3LYzs4fsTq~3KeXFcAimTxYotMMQvTNULYr404ppZZkG8NRkk~utwp2AHyeusgngZW6THl6Xf4caTz-fq1gtpQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- ****Full-screen mode:**** The test launches in full-screen mode to reduce distractions and reinforce integrity.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759320398229-image.png?Expires=253370764800&Signature=nk0qNhxmRXu~Q8LEVMcGlpYkgwFzVkhLBNI4U6jaSvfiUSad13B7t6aCQkVig1q4ZFabPHJmCNkziPNAK9FhfQk4na3xOZULKIfGL6MMXwZRng8JKNgg0rw1471973sTjhQLQGAGxAEnnCxee~sCcW1I2dYnll6evwEYQaQGqNaJZXruwjuLqEc09ygyPrUJ8JuJeETKtbrk0EloVZCvXOPyVsU1cqDPWIKGkTqolmyKWMMeFAeHaWk7Dnrz-leNHYik5iq7nCDQuX96lIOUzqo2ZwO5FG2YjuWoFzWs6HvRewqz1BX9hlqTsgU25EcJIG5f72QlnHNNhVdOjONnfg__&Key-Pair-Id=K3NV4LZ47N8M46)

During the test: Monitor in real time

Proctor Mode uses AI to monitor candidate behavior and flag suspicious actions in real time.

- ****Full-screen enforcement and tab monitoring:**** Attempts to exit full-screen mode or switch browser tabs are automatically flagged and logged.

![pr2.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753798883688-pr2.gif?Expires=253370764800&Signature=OWaqzEOH0uTg14jdHHUjQiaCGlotGoUOYC29NH0A8ZMzBYB8xmXrGIDBb7xblRNsx2-sJ56ssRN0SZI~mV579PX3veeh02ldMrd0s~09wkGEdr5nbHPjfpZsjE6hyUZ2h06klqb4fxcZLpOSYBOyundJ7MfcDn6gdOZNgGe4aCmLqbJbs9NgLnBmVW2w3dyYetrN7JIPGHbW8-Xp8-f38FefrrP~GTKlrSeYzPKZhsU7EzLMthZjwpmbgzT0TYF6ze~ASoACIZ9Y9IEgl5GMRLltgDCCKj6JfvSncZO80BFp5o-iQfuakd8ww9Mmr-4KV7TvBYH-eoeUv0cYXQGQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- ****Webcam monitoring:**** AI continuously monitors candidate presence. If the candidate is not visible or multiple faces are detected, a warning appears and the event is recorded.

![pr3.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753798923367-pr3.png?Expires=253370764800&Signature=IOOK-pPOKs07sVeGoU~~YsdorR-t4U2bEvUMPLB0r-7k~rIV348S2oF7Cv-9Uq65Sx1VmjlTjz-gfYe9FXGmYpm4DD~-Rdk4UHahfzWgwW8QXdsnsQngYVCCc2yzQE0S0lo-C7jedbo6EDBaB~eD7om6vzalwBctGd2e7iCPW9AjPfdK~Zkn8GBWp6xBLK2gkNnbLKvcfXiB1kQYy0J3u~nLSmYhYgV404KJsVZdg2KHTFAv3g2lrxVLWqpDtXzxNI07OTIZAx7SeMc3lpPFQzJ65BfZPDypxrdw8R2ieZ8KkW2HhqqEX6RIMB24nw13NqpGJrnlcJd~KTWZlZejA__&Key-Pair-Id=K3NV4LZ47N8M46)

- ****Object detection in webcam feed:**** Detects and flags mobile phones and tablets in the candidate's webcam feed. It captures images with the detected objects and adds them to the report for review.

- ****Multiple monitor detection:**** The platform continuously verifies that only one monitor remains connected. It flags any new monitor connections made during the test.

![prnew2.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753798782242-prnew2.gif?Expires=253370764800&Signature=LVPkdKxx8W7R1SN3XaQX9-0S0Bv4Pp5eFuNQF3yHX7QwrbQ0Awid9E2WUSXp01sDjwU7zkENYrCSKTIEBqof4LcwCRLQXwxqbic2Hu4Q0fel6W14TtqXxRUXmnMVEZx1bKD1-gUxddMA8U9UBcm-SltTh-bHhBHwBp~gNlrDlh9IP~qVIOAZk68rCMpAs4cK7MKiJ2wkXqsym1LWDFAIAM2HP6HKMMepNR92SzS~PhYSFYppqucpCNiJu1DYad7BNzE7fhpdOCDxFeQ9WZh2wbsNj-YFzYDjGfh-VdSY59jEZ4fKDrIVzlt8t8YQyW15ucc-Wz50uXDEN5hbtJh5Q__&Key-Pair-Id=K3NV4LZ47N8M46)

- ****Session screenshots:**** Screenshots of the candidate's system are captured periodically to detect unauthorized software or external resources.

- ****Conversation detection in the code editor:**** Detects patterns where candidates type and delete content in the editor that may indicate external communication. Such activity is flagged for review as potential external assistance.

- ****Copy-paste restrictions:**** Copy-paste functionality is disabled to prevent pasting content from external sources into the editor.

After the test: Generate post-test integrity report

Proctor Mode generates summary and detailed reports that help you assess candidate behavior and overall test integrity.

Summary report

The summary report offers a concise overview of the session, including:

- Indication of whether integrity issues occurred
- Integrity summary

Integrity results

Proctor Mode assigns a final integrity result of ****High**** or ****Medium**** based on the severity of detected issues.

****Tests without candidate personal information****

When a test does not capture candidate personal information (such as webcam images), Proctor Mode evaluates integrity in the following three areas:

- ****Proctor Mode rules****: Check whether a candidate violates Proctor Mode rules. For example, exiting full-screen mode, switching tabs, or leaving the test window.
- ****Screenshots****: Reviews periodic screen captures for suspicious activity during the candidate session.
- ****Code Similarity****: Compares the code submitted by a candidate with the code submitted by other candidates.

The ****Integrity Summary**** provides a consolidated view of all detected integrity signals for a candidate. It lets you preview issues and drill down into supporting evidence within the same section.

!{test without
webcam.gif}(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769513919844-testwithoutwebcam.gif?Expires=253370764800&Signature=JtXP9vwlhowgyaP3mS66VtQOmgIq65glTR04mkGO7~iSDWnwANU89uGWDFPzRL-OY6U~PnnockjDyiYh0Y~z9Uzrlkg2l42oguuxp5lruqeWctweQoyzjb1rhUbBWuehNxMJRBLzf5ZY-uFxfj-5duQdCrumoVnVpGLxXLwpmKCji2yXQkKMLvFi4FNBB3RXM7nleBcLF69B4qF5Yors3ClcaffhfwskghH2FhjaekRD8hUPupWj5a1e3WU-lpaGCUVj9P7~TtUWAm5YDNV3b7041F-smJSGUni~kL1qHvMMLz0XEQ2Fc2ZRS62nhGQ6YNGJzfs37ZoLFihuNsqYKhw__&Key-Pair-Id=K3NV4LZ47N8M46)

The ****Session Replay**** provides a timeline-based, video-style view of the test session. It includes the following features:

!{sr.gif}(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776633958417-sr.gif?Expires=253370764800&Signature=LTue3GINZwddp0tJBwgSDzGBYNaliRkr4Ojic4q9eYrFTYWJy7pshLFG29cHTopn2gATAYANZ2rg8l7~htQXVAEa8IT8jlmM2AuVK3A~PpRbUL2eueQgljoGHb2rU-iFRJ9jzfO3oHI-hxbVgu1bJTaqMEukk8q0MQHR-ipa0rz9S0o8q2XF4lQrllzvzI0EUpX5Dcm73gj-jTdocfvyAUvpB~PK6nsyUbxZ0c6AaqDg3zwYL6V5Z1r~~HcY1-jGFx-zoehuQNbu6lhnfQPbpdU9rpTeZe3e8eb07Sz1dJTs0snosmu8ZzJYOfxilfnCJnvj5qFpO6QhFRrp2tpEcw__&Key-Pair-Id=K3NV4LZ47N8M46)

- Recording of the candidate's test session across the full browser screen
- Lists all critical test events, including integrity events. You can search for events and click any event to jump to the corresponding timestamp in the recording.
- Displays a synchronized timeline with test activity and screenshots by timestamp.
- Analyzes screenshots automatically and highlights suspicious activity.

****Tests with candidate personal information****

When a test includes candidate personal information (such as webcam images), Proctor Mode evaluates the same three areas as ****tests without candidate personal information**** and also analyzes webcam images for potential violations, such as the candidate's face missing for an extended period, multiple faces visible, or secondary faces detected.

The ****Integrity Summary**** provides a consolidated view of all detected integrity signals for a candidate, including issues detected in webcam analysis. It lets you preview issues and drill down into supporting evidence within the same section.

!{test with
webcam.gif}(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769513895832-testwithwebcam.gif?Expires=253370764800&Signature=g3q2F4hY1hCPs3AsFh3hnhjbgMtYKQ2ZR3iY~IggdmOUEXZFQdIW3XMGuf1iIPQqY4eg5e25Lgr6oomfWvZQVRzeqokkpOvqG3hX5oMsL3pogSr76Li-BdgMfK7U3dH4h7ZJX~fGH0VB5EkCm5v-7~FYC2OGNkvHmBaPY3LRX1Hkkqmyl0UQCcNZhZTdFiyfA9dOh8vj0f0Dzz5qtB7avvbzNGn2DqT5tmk1AUtCOXnyQTZJRw~uzM7N~T8~oIWqjPGk4LLTmrr1kSOX~Oaq97L1ewPEt0aP7JK4SDax00Bi7G7s8jS5-oModdwbjfJk~bJqBHYEF8QIGC0bhxbiHw__&Key-Pair-Id=K3NV4LZ47N8M46)

The **Session Replay** for these tests includes all the features available for **tests without candidate personal information**, along with the following additional capabilities:

- Captures webcam images every five seconds.
- Captures screenshots every 15 seconds and increases frequency around integrity violations to provide contextual evidence.
- Displays a synchronized timeline with webcam images.

Note:

- Proctor Mode uses **Screenshot Analysis** to examine captured images.
- For more information on how to review integrity issues in Proctor Mode, see [[Review Integrity Issues in Proctor Mode](#)](/articles/9607697321).

Screenshot analysis

The system prompts candidates to share their entire screen. The platform captures screenshots every 15 seconds. When the system detects suspicious activity such as window switching or exiting full-screen mode, it reduces the capture interval to five seconds.

The system uses a model to analyze screenshots and detect unauthorized tools, including:

- Tutorial websites, answer-sharing platforms, or GitHub repositories hosting leaked solutions.
- External AI coding assistants, such as third-party AI tools or copilots, not integrated within HackerRank's IDE.
- Specialized browser extensions or invisible overlay applications that assist in answering coding questions.
- Collaboration tools, such as video conferencing, messaging, or remote desktop applications.
- Question-leaking tools, such as screen recorders or screenshot applications running in the background.

The system classifies each screenshot as **suspicious** or **not suspicious** and provides an explanation for any detected issues or tools. All suspicious screenshots appear highlighted in the Session Replay and on the candidate's attempt timeline.

[screen/test-integrity] HackerRank Desktop App Mode Enable HackerRank Desktop A

title: "HackerRank Desktop App Mode Enable HackerRank Desktop App Mode How HackerRank Desktop App Mode works"
title_slug: "hackerrank-desktop-app-mode-enable-hackerrank-desktop-app-mode-how-hackerrank-desktop-app-mode-works"
source_url: "https://support.hackerrank.com/articles/5973590014-hackerrank-desktop-app-mode"
article_slug: "5973590014-hackerrank-desktop-app-mode"
last_updated_exact: "Apr 22, 2026, 10:14 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
- "Screen"
- "Test Integrity"

HackerRank Desktop App Mode Enable HackerRank Desktop App Mode How HackerRank Desktop App Mode works

Last updated: Apr 22, 2026, 10:14 AM (Last updated 4 days ago)

This feature is part of the AI Add-on. For more information, see [? HackerRank AI Add-on](/articles/5847651809).

HackerRank Desktop App Mode allows you to conduct tests in a secure, lightweight desktop application. This mode provides stricter proctoring controls that are not possible in web browsers.

When you enable Desktop App Mode, the following integrity controls apply:

- Prevents candidates from sharing remote access to their systems.
- Prevents candidates from sharing their screen or taking screenshots.
- Blocks the use of other applications during the test, including tools such as Cluely, video conferencing, messaging applications, or LLM applications.
- Enforces full-screen mode throughout the test and does not allow candidates to navigate away from the test interface.
- Prevents the test from running on a virtual machine.

Desktop App Mode includes all features available in [? Proctor Mode](/articles/5663779659)and provides the highest level of integrity controls for administering tests on the HackerRank platform.

Enable HackerRank Desktop App Mode

HackerRank Desktop App Mode builds on the features of **Proctor Mode**. To use it in tests, first enable Proctor Mode at the **company level**, and then enable Desktop App Mode at the **test level**.

To enable HackerRank Desktop App Mode:

Step 1: Enable Proctor Mode in Company Settings

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to **Settings > Test Settings**.
3. In the **Test Integrity** section, turn on **Proctor Mode**.

![proctorcompanysettings.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760454319108-proctorcompanysettings.png?Expires=253370764800&Signature=OPwTGGyJv106ILGv-gvWr7mTqGIQOIHPr~WaYlHftZRitUcOHAe4FRZ~utiWZaUUKdT~TEUgr2MlejWalXGGRIn4sfdGX1qyvWkHqAZQsKwRcLyJxWofw9pjwtfNqiqueTFsiTD4jm-HBcRCUnzYvvVWkk3fOynDa00ANI9aY6gcZAKO8V1c~WRI86fiiC6st7IO326HaWX~uvLDv8UFR5eKvkfqLIDg6sqYdM~JsF814jPXUKrIsfqbzGMGCr0oOOUalZyeGS8TTXaswgcSmz5qFZMRVD5s9jdSX0-aWqYPNh1qHmRIPLfwaRRFGVGt06LdesJ1IZsGrYd4F8Kew__&Key-Pair-Id=K3NV4LZ47N8M46)

4. In the confirmation dialog box, click **Agree & Enable**.
5. Click **Save Changes**.

Step 2: Enable HackerRank Desktop App Mode at the test level

1. Go to the **Tests** tab.
2. Select the test you want to configure.
3. Go to **Settings > Test Integrity**.
4. Turn on the **HackerRank Desktop App Mode** toggle.

1.png)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760454392403-hackerrankapp1.png?Expires=253370764800&Signature=KYmiVxRugDyPXjAfjnrkrm40w4y-FHEetRjkIRPNzzXbWkgGEimMTIMngsF98JpASaZp3Gm9LU-Gy5T7L3Ln5kX4GPd~19si0ZWVeJxALF6F06lJDf9zxkNJrHmR75eV6Hvc6QwpnYESz7XVrJJrQroap~Z6QIQhH63JmC6foXmBraaBELEX9H7vsnPBPhuiCZUu5-bKkx-crNp81la9bmlFH6ZotNDsi0x-1UnNIX0oimpwbZj3wXD71S9OJFV4hd6CekkVi0t18YhqTt18Rhv2uQhd5TTmv4LRm9SVqCpN2JfwwALQb9Mu4SinfjP~TBU-SvddPk5QeTgMU7Bw5Q__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click **Save Changes**.

Note: When HackerRank Desktop App Mode is enabled, **AI Plagiarism Detection** and **Image Analysis** are enabled by default.

How HackerRank Desktop App Mode works

Desktop App Mode enforces integrity at every stage of the test session.

Before the test

Candidates follow a guided onboarding flow that prepares them for the test and prevents integrity issues.

- **Download desktop application:** Candidates download a lightweight HackerRank desktop application, available for Windows and macOS. Once downloaded, candidates click **Start Test** to launch the application.

!image.png)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760454433729-image.png?Expires=253370764800&Signature=KafKywUgftS9pEezqDffF6vZ5cBlI8iM~bfQ0fHiAaOrLkvX9S7ih5A3yweim3j0Mbb9YYBzjSzPcqTzc~NbMTyA6Q161raOISd-qjde4dGvHOo1XfVmsAWErSuTz88QLU43ZyoBXuGAtrluvurN-2dw0na8oJ-zuH3vASPPwsGZmynSedcwg4rAPYTP4zIphn2edO7nqIUravkqtKw8tJHmpXgHXo8lQRN3WOviiYjZMQX8WCdA6VTbmd3qvj3JfGOT7JW-8l7pIBU1zYrYkqbX6UbsJqvNewcYlpQMqHeqoxg-VNdM4vLQRPh8GgPsUVMoA2oBxkUiymIW6A__&Key-Pair-Id=K3NV4LZ47N8M46)

- **System permissions:** When a candidate uses the desktop application for the first time, they must grant the required system permissions. These permissions allow the application to monitor the candidate's system effectively during the test.

- **Consent and test rules:** Candidates review and acknowledge a list of prohibited actions, such as switching tabs or using external tools, and must give consent to proceed.

- **Permissions:** Candidates must grant the following permissions to start the test:

- **Close additional applications:** Candidates must close unauthorized applications before starting the test. They can close them manually or click **Force Close All Apps**.

!image.png)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760454487343-image.png?Expires=253370764800&Signature=a2vbZfBVs56df-sP0DAcMPFOGxXLvzPhX95oUlgAVeLwHLclpcctQCPmlq3mfsYOlutQKJfvIURYAqlyJwSbMteXGBu-Wzw8l97XM7gEU5kN010hq5F8sA6QxN3cOUA-1xRS41sBwwJvJWWhcQlAp~dgzmh4~HsmmFVNe9rk93t-V7bWBxqz9YnRHZHG0x2JtKSIXrYUbuIP3kFxp4aqqol5TOu6aki8g0xClu1~CXKgC6bVXYREvi0G7AT-RYTEp5A1AS2oUKiyjSvglcFOiVJjNVy1mV9Z8VjzYWOeVf7wsWbIXQF3~0Dt-Xa~Ru8vtc5x8sA88ZFx9NUI8XQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Webcam access:** Allows the system to monitor and record the candidate through the webcam during the test.

!desktopappwebcamaccess.gif)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760454618153-desktopappwebcamaccess.gif?Expires=253370764800&Signature=F3wjYO2HIHi4gJGajTSxsX1v-DqEHI1Thgk-1qOrlogjzIRk9FENp6BuEKjlpNV~HKj3lpbzZ06Sx4sstwmNjtVMmIM2UNKqpl6KNJLdVyirPOc30KKid9NtEsWOurlqGuJrgHDCuMNAyq9Q~AAItkGwJFV43uDQekrvzQ7K3v7n4rlCn8l~FjB1rG4Mjs1y1pK-Th8WYQxyrOBIJ4kdngQy7anD8tYRzKoNOxeQfGS3pdT2EJ1mO28L24DRKNysd6y2LcOMxL9uqU81z-89Baljc8d9KPToGCuxcsPwJvPBKHg-jjUFPMPC3lbQ9XpsmOxnEbhJ1JDUkU3il3f8zQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Multiple monitor and screen mirroring check:** The system checks for multiple monitors and screen mirroring (when the screen is duplicated on another display). Candidates can start the test only if a single, non-mirrored display is in use.

!screem1.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776635635388-screem1.gif?Expires=253370764800&Signature=U4Myvkrc1-DNstnnYwPcFIZICRgZ-3DNYdDLmRcAibpPqR96gvf8ul8DgIKQdyNbjTuXuF~jZRZkEXQcOIHiQYIve~7pnrxF0pC6M2LwdCu9rUt2bdEqQQBhVeLHbQZh2sUIhx4kMtb4D~ZR9lpMdN-1al6TUBQvcjxT73~p6zrvdgbn2eu5lZs1uZamCIR OZYXXmnu2Utn~VvBqjpNd6w22wadahwnzQrWmytHISwM9HxOkmXP72dcwYRd7crj8YV5mW6lBjK93pohK7nRb7uO9w-IBCBANnS bUTaxc7Gj1f9nePo4iJPiXDF6zj4H41PCUsgGvVYKcnIMH4W5qg__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Screen sharing access:** Allows the system to monitor the candidate's screen activity during the test.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760454617702-image.png?Expires=253370764800&Signature=evd69E6NFmkjmwssUwGScwLNd4cEumSe9qVWEIUm5n1m9UA-Vhg6bK2RR8dKctbvCxlAwDJHR1hLe0d9qg0WOvajvCUJh2TVU7-dgPtN8kjCBEOGc7u0h742121wLosD01zHBxZTWTC88jwobN2w~9mMmbpLrs5PJwQsg8Gikio4KyEPAGsg0FTg759twKyrKfE1yyKmCbGBLMZe6om01biGTZWsPXVjkgSS4q2a8y9mXrLtMFIUar~8QPbu~4IW838mP5J~Zpt51wEE-gB5MNI1L5geBoj7~WDLZDxUWrjCbW134DwUzPwmaZg5LMSdJLwhgAYrOYBrwb-3mckfra__&Key-Pair-Id=K3NV4LZ47N8M46)

Once candidates select **Start Test**, the application launches the test in full-screen mode. Candidates can exit full-screen mode after completing the test.

During the test

- **Full-screen enforcement:** The application prevents candidates from exiting full-screen mode or switching to other applications. It blocks all such attempts. If a candidate bypasses these restrictions, the system automatically flags and logs the activity.

- **Application monitoring:** The application detects and closes any other programs that candidates try to open during the test, including invisible cheating tools such as Cluely and Ultracode.

- **Webcam monitoring:** AI continuously monitors candidate presence. If the candidate is not visible or multiple faces are detected, a warning appears, and the event is recorded.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760456011217-image.png?Expires=253370764800&Signature=C-QobmsRumdk2dy5r7wYaVet53YsceMuB16sVN-VCdW5kg~pW4On9mt2hVQz-PIL4ezEtVkgXbRN9NqoFBfXJ CyT4O5c20zvVqn3u5n6pVZXt8F8dseinMa7ao8QsPrI9U9d0ipa6Aux4bA-XRkTLamIE1FfuWzWfzbOK7NQX-RfQd7cmfP1aGD7YV~jZrz2kWIJWJBAERDKMfiXwJ9-YWoCJS6eFcb3gcybsxqRVxZSUWRTVrpPA-GpEbH78AhYe3As06amXpJPTx-iwwKpF6de1VXDxw22bBHe4FH0c5LS6~8owoDO08~hUsdFPmhW61Bp89tdZ3Pcl1eoylew__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Object detection in webcam feed:** Detects and flags mobile phones and tablets in the candidate's webcam feed. It captures images with the detected objects and adds them to the report for review.

- **Multiple monitor and screen mirroring detection:** The system continuously checks for multiple monitors and screen mirroring during the test. It flags any new monitor connections or mirroring activity, and candidates must disconnect them to continue.

!screennew2.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776635498658-screennew2.gif?Expires=253370764800&Signature=Aelila2GgZL8tgplRa~P7q2Ru9G-yasmik8uKTfPvLMUkoOvule4HNP4hpm3RINupHtMWZKPDnBvvMijv9mnaRKKxvpCVilNq6iq9WNgDvVRamECrmo98dDLUlw4HajdJE60xWGD8wmGoyN65nXoPaGeKUD3YwAtnZyjmEHpn0FBL0Lpl5m poJaPeSSbfgLWHXk7KFPFhi8Bq0fTna~1j8op5DINOjXGs5n0l583c1mlqAScnfd-vG0oXlBM8bYqmC2MqY33VN0NKc73v7ETwsl1L0 Mm3aAwk313U4~rVSoSodfa9JLJtxQq06aNUjxCkgCz4pARBSv1q7T2ocUKA__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Prevent screenshots:** The application prevents the candidate from taking screenshots during the test. If the candidate manages to take a screenshot, the screenshot appears blank.

- **Conversation detection in the code editor:** Detects patterns where candidates type and delete content in the editor that may indicate external communication. Such activity is flagged for review as potential external assistance.

- **Copy-paste restrictions:** Copy-paste functionality is disabled to prevent pasting content from external sources into the editor.

After the test

When the test ends, the system generates a comprehensive summary and detailed reports that help you assess candidate behaviour and overall test integrity. These reports are similar to those available in [? Proctor Mode](/articles/5663779659).

Summary report

The summary report offers a concise overview of the session, including:

- Indication of whether integrity issues occurred

- Integrity summary

****Integrity results****

The system assigns an integrity rating of ****High**** or ****Medium**** based on the severity of detected issues.

The integrity results evaluate violations across two areas:

- ****Webcam images****: Analyze webcam images for suspicious behavior. For example, missing candidate face for a long period, multiple faces, or secondary faces.

- ****Code Similarity****: Compares the code submitted by a candidate with the code submitted by other candidates.

****Integrity summary****

The integrity result is paired with additional details in the ****Integrity Summary****. The ****Integrity Summary**** provides a consolidated view of all detected integrity signals for a candidate. It lets you preview issues and drill down into supporting evidence within the same section.

 with
webcam.gif(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769514023885-desktopappwithwebcam.gif?Expires=253370764800&Signature=uXuavv94zpsL0nfQHg0yGUOg8WX2Y0fGCQnCGS7UiSCvVz5l04bTDAcPWm9vkAev2QTTCXcz-YpaILBzIJr2P3b96n4IRwuOCofSZIF5pyrL~84XI1c3ApYI7hpkIn0VRmsqdrESyk5cAc7UJuS1uBj5SxOT6UNvz6QCVYfZBmguTDPzyglqpYGcuWtEsaQpgPRVhU5mb-pv2anGvQdCIV~wnbJbdaHN~kFbsvDEre7YlouiDbmBeBdEND399PK1E4bGrxT3P9rOc9kvDJXSHwabiTTbb4C0FDIIKMo8oEEs5Xqm6lQavc3I~VGD0FIFvXzOAMpEnyE0yngneb62SA__&Key-Pair-Id=K3NV4LZ47N8M46)

Session Replay

Session Replay provides a timeline-based, video-style view of the test session. It includes the following features:

 Session
Replay.GIF(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776632994591-NewSessionReplay.GIF?Expires=253370764800&Signature=fqEDUftY5Idyjes-l5zO1ghWxdF8bei3-aV4GPPDI-FNptB2eJ4Xkhfk48l~kpQZZAPW23ziK4LPY596eg0RKmE3WWvIo9a6Ln6MnSmmg3Lf-QB7apRgl92YI3FufhrzQxhAwYVHqScj1l~D03QrrpgB7vb~AtyRmOZywNHJLboDhnbWTPmznjGTWmLKFn0UdBeljFoKyRGYa9TkzGuqtAzZkOlplI2TFoUhcieqNMhXWNiJmTt4R1CuVa1-FfDD0B7auVjYFV3SFjmEUvriR36D20w65qCwT1W~iCCX8Rp3GNYUZqNJuv-wXYFQ0RhuAVzmrHQGvgSI5JV~96miDg__&Key-Pair-Id=K3NV4LZ47N8M46)

- Recording of the candidate's test session across the full browser screen

- Lists all critical test events, including integrity events. You can search for events and click any event to jump to the corresponding timestamp in the recording.

- Displays a synchronized timeline with test activity and webcam images by timestamp.

- Captures webcam images every 15 seconds.

****Note:**** Content protection is temporarily unavailable in the HackerRank Desktop App because screen recording requires screenshot permissions that were previously restricted.

\

[screen/test-integrity] Impersonation Detection Photo Identification Image Proctoring

title: "Impersonation Detection Photo Identification Image Proctoring Multiple Monitor Detection Webcam Switch Detection Image Analysis"
title_slug:
"impersonation-detection-photo-identification-image-proctoring-multiple-monitor-detection-webcam-switch-detection-image-analysis"
source_url: "https://support.hackerrank.com/articles/7825915809-impersonation-detection"
article_slug: "7825915809-impersonation-detection"
last_updated_exact: "Oct 14, 2025, 8:10 PM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
- "Screen"
- "Test Integrity"

Impersonation Detection Photo Identification Image Proctoring Multiple Monitor Detection Webcam Switch Detection Image Analysis

Last updated: Oct 14, 2025, 8:10 PM (Last updated 6 months ago)

HackerRank helps detect impersonation during a test and offers the following features for impersonation detection:

****Features that do not use AI to detect impersonation:****

- Photo Identification
- Image Proctoring
- Multiple Monitor Detection
- Webcam Switch Detection

Photo Identification

The Photo Identification feature in ****Test Integrity**** settings is disabled by default for all the tests.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760447191895-image.png?Expires=253370764800&Signature=SjkYXU4~uWZtd9ugjVU3yAFr0rBESYH34hWE8ynMnim~qts76eIRF9nQKdXHmDX0g2pyawwcH2sWS80njaNWdxmUjcJ-DeFBF53EXYQJ81tw5yWLdacYIcu3oTBojrdX3gXhcPgiHC4CJYFqICMvbdnU28qLDVAiBredTy69TiEMoM6QDeBEKeSX-tyM6tEQ0LjZfaZH6jBNi9mLX7Lc5ENM~0BzQVywOMDrQIEepiIG0o67UmeZ1RXGBvTsjEPbvTyG5C~U9zhq0BFw7~vXr-Qb6NsBKRwAQpNRHbYPz3uioqR2tzY7D1EGlBNuxAMtGzQgi~3Yf2PIFEnSDPg__&Key-Pair-Id=K3NV4LZ47N8M46)

Candidate Experience

When ****Photo Identification**** is enabled, the system captures a photo of the candidate before the test begins. To complete the identification process:

1. The candidate clicks the test link in the invite and lands on the test landing page.
2. The system prompts the candidate to allow webcam access. The candidate must grant permission and enter the required details to start the test.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Faa909950-095f-4d85-8b6b-16d27f44dce2-1739213513761-image.png-592d7810-f1e1-4095-b593-9a507d76e631?Expires=253370764800&Signature=XKVAXMtdyZgU95rsaupITZ10hn-Fr6HVk7kqPH19o2eFQ7jr6rS9dFCCf500p0z9gYhMSEMKiPxwXwQsMkh2M5O5YKU5xr~QNMm1lvbyVW8euSNoE4Xtsl5pgcXe6QJgVoidw~9TmtmHSCbhXZDYzwhaKH0BPwW5DJMWCD1jk-1bLkFjMn1pux18~kKRQPZbSV3NTNHg0tunIV0TdLrE-8EXOSgbkSAYozfLZed5fHHWLS9nKWFXYSBPB43lkfJITGjxOwl1A7NckDMdoLQ~aT7ZjHVyCsOoshPED0pRI5egHkMp-hkU~BTYfuM0UWbALuUEk9T1L77G8YvYboGUag__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Once inside the test, the system prompts the candidate to take their photo.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1739250402781-image.png?Expires=253370764800&Signature=n378KNueyXBey8aCba-RovyGxWZ1xR~bUmFuxemmVeZS6XZCXCKY21aSd8R4YHTF2kum7KMExKheg-B8Y43EAGo10lzXfW0uzLSJPce2oJfACUpiM1F~NSwwU01HcbvhY46ohdKaSDfXgB4HfjnEVUn2kYUadSUavfmTleCOuR6AiZzFQNT6tk2Hc0HddblfyqyUs3DhXy2JyQOjWiyFMmgxMrKBSdXBWY04gbkpJp7QPwXM6i5ZcFIYKTGuufx7PLWaJnWwFSMdEpHMCIDNjKES

VavhKBH7F8aDIFBb93iCMkWPzUxtPbcyBLS5iEf86awJII4LCSshJg0kk~ew__&Key-Pair-Id=K3NV4LZ47N8M46)

4. The test starts automatically after the candidate submits their photo.

Note: The system does not automatically validate or flag candidates based on the captured photo. The hiring team must manually verify the candidate's photo.

View Candidate Photo

To view the photo:

1. Open the test with **Photo Identification** enabled.
2. Select the candidate's name to access the candidate summary report.
3. Go to the **Attempt Activity** tab.
4. Expand the **Photo ID** section to view the candidate's photo.

Image Proctoring

The **Image Proctoring** feature captures images of candidates at one-minute intervals during the test. By default, this feature is disabled. This feature within the **Test Integrity** settings is disabled by default for all the tests to monitor suspicious activity during the test.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760447211342-image.png?Expires=253370764800&Signature=ECnZkNxSsWor2zGI932Z-jOXrbwZc--l9DZTbfsAPUxa20ZsFaXFw0mDxMKtIqeWujndaPq1siPKk86J5~yN7Tr8XiIXlIrXz812uSVOIWqD0WS0hMozIX7MMnuc02vlhcZp0sQWDqSi75EMSiM35HBhzecLbteQ9lntO~y3E8UUBgVHfEUNFFykgAofKLY~i7VEEwHJ8w4sJj9Wr-tuXHGFgDfKh-AA2SVb7Ljt0yVpe7EW-u56tlilrmkAroaE3P~CUUZJ2QRVfJKHniu30V2Jga8lGcDTKp49uzladW47dFi5ST6hjC3M8jQWMJ~iMaBFGhevS322vSiNxJj1eg__&Key-Pair-Id=K3NV4LZ47N8M46)

Candidate Experience

- Before taking the test, the candidate is notified about **Image Proctoring** and to enable webcam access.
- When the candidate enables webcam access, a message is displayed to the candidate outlining the conditions.
- When the candidate clicks **Continue**, their image is captured periodically throughout the test duration or until the test is submitted.

Accessing Image Proctoring Results

To view the **Image Proctoring** results:

- Open the test where **Image Proctoring** is enabled.
- Select the candidate's name to access the **Candidate Summary** report.
- Go to the **Attempt Activity** tab.
- Expand the **Proctor** section.

Multiple Monitor Detection

You can detect if an external monitor is connected to the candidate's device during an assessment. This can help identify potential cheating, as the use of multiple monitors can be a significant factor in decision-making.

This feature within the **Test Integrity** settings is disabled by default for all the tests.

Candidate Experience

HackerRank will detect and track the number of monitors that the candidate uses throughout the test. This feature is supported only on Edge, Chrome, and Chromium-based browsers. HackerRank will not prompt the candidate if they proceed with an unsupported browser.

Monitor Detection Logs in Test Reports

From the **Timeline** tab in the candidate report, you'll be able to view the list of events, such as changes in the number of windows

open throughout the duration of the test.

```

```

An additional column, **Max Number of Monitors Detected**, will appear in the CSV report, showing the highest number of monitors connected during the candidate's attempt.

Note: To view the details in the CSV, you must enable the report [setting](https://support.hackerrank.com/hc/en-us/articles/15120087394451-Report-Settings#accessing-report-settings) for **Max Monitor Detected**.

Webcam Switch Detection

The proctoring mechanism automatically detects if a candidate switches their webcam during an ongoing test. This feature helps recruiters and hiring managers identify potential suspicious activity and allows for further investigation into why the webcam was changed mid-test.

Review the information under the **Timeline** tab within a candidate test report and decide further course of action for the candidate.

Note: To view the details in the CSV, you will need to enable the report setting for Webcam Switch Detected.

Feature that uses AI to detect impersonation:

Image Analysis

The **Image Analysis** feature categorizes captured images during **Image Proctoring** based on flagged activity. Each flagged category displays up to five images for a quick review of suspicious activity. The **Image Analysis** feature is disabled by default under the **Test Integrity** section.

To enable **Image Analysis**, turn on **Image Proctoring**. This will unlock the option to toggle **Image Analysis**.

Agree and Enable the feature after reviewing the considerations.

```
![2024-10-21_19-28-15.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046032821-?Expires=253370764800&Signature=kUxgPQUeVlj3RXLnKHU6f2PDrJyxYeRkKI5Gwe476YAI5iZdfPNNIvyshLYJyboTOJQJ6LJa~hHdmtwcL0KzON0SmBER2ve5O23vj0iU8ZeP6gwiSqDRxB7QJoJlQ5r-feTIKZNTHdfTiMQUIreT3EqLXRKZQSvsAe-qp3u1GOWGTDE1EJn3pH0ywgUyak8GKf6nPQAzUBh0zGOX0WWKwOYCufV0wSpfJcflKNU9964Pb0fAhBT548POxCdnsXSumv66ntaGSi1EZHoYgfgo9APnJRhr3WfBD85-jlnG4B6wOznzghriUaa4i3zpPJEj0iEqIGZmKMZj86CDuyiw__&Key-Pair-Id=K3NV4LZ47N8M46)
```

Note: For more details, click the help icon or view the [HackerRank NYC laws for AI](https://support.hackerrank.com/articles/3067349942-faqs%3A--hackerrank-services-and-ai-laws). HackerRank's AI-powered plagiarism solution has undergone an independent bias audit, ensuring compliance with the NYC AI Law.

Candidate Experience

When **Image Analysis** is enabled, candidates are prompted to allow webcam access. Upon launching the test, the candidate must consent to the proctoring and webcam access.

Note: Proctored tests are only supported on Chrome, Safari, Edge, and Firefox browsers.

Reviewing Suspicious Activity

To review a candidate's suspicious activity:

1. Open the test and go to the **Candidates** tab.
2. Click on the candidate's name to view the **Candidate Summary** report.
3. Navigate to the **Attempt Activity** tab and expand the **Image Analysis** section.

The captured images are categorized based on the following:

- **Multiple Faces:** Flags if two or more individuals appear in the same frame.

<!-- -->

- **Secondary Faces:** Detects if two or more candidates attempted the same test.

 $\langle \dots \rangle$

- ****No Faces:**** Identifies when no face is detected.

 $\langle \dots \rangle$

- **Static Faces:** Detects static image projections.

- **Image spoofing** is the ability to detect if a candidate projects a static image during an ongoing test. This feature helps identify those candidates who try to use image spoofing software to pretend they are live while taking the test.

Reviewing Suspicious Activity in CSV Exports

Proctoring data is captured in the CSV report, with additional columns to help filter candidates based on suspicion severity, score, and reason. The columns include:

- ****Proctor Activity Suspicion Severity****

- ****Proctor Activity Suspicion Score****

- ****Proctor Activity Reasons****

The following examples help you to filter candidates based on their proctoring activities.

****Example 1:**** If you are concerned only about highly suspicious candidates, use the ****Proctor Activity Severity**** column and filter out candidates marked as ****High****.

Proctor Activity	Suspicion Severity	Proctor Activity	Suspicion Score	Proctor Activity	Reasons
High	9	Multiple faces detected,	No faces detected		
Medium	7	Multiple faces detected			
Medium	5	Multiple faces detected			

****Example 2:**** If you are ok with moving ahead with candidates flagged for reasonable suspicious activity, use the ****Proctor activity suspicion score**** column to filter candidates appropriately.

Proctor Activity	Suspicion Severity	Proctor Activity	Suspicion Score	Proctor Activity	Reasons
High	9	Multiple faces detected	No faces detected		
Medium	7	Multiple faces detected			
Medium	5	Multiple faces detected			

- ****High Suspicion:**** Scores of 8-10 indicate high suspicion, such as multiple or no faces detected.

- ****Medium Suspicion:**** Scores of 5-7 indicate moderate suspicion, like multiple faces or potential spoofing.

- **Low Suspicion:** Scores below 5 indicate no significant issues.

****Note:**** When progressing candidates are flagged as ****Medium****, it is recommended that further assessments be conducted to ensure that no cheating occurred in the previous rounds.

\

[screen/test-integrity] AI Plagiarism Detection

```
---
title: "AI Plagiarism Detection"
title_slug: "ai-plagiarism-detection"
source_url: "https://support.hackerrank.com/articles/8000786908-ai-plagiarism-detection"
article_slug: "8000786908-ai-plagiarism-detection"
last_updated_exact: "Jan 28, 2026, 9:42 AM"
last_updated_relative: "Last updated 3 months ago"
breadcrumbs:
  - "Screen"
  - "Test Integrity"
---
```

AI Plagiarism Detection

Last updated: Jan 28, 2026, 9:42 AM (Last updated 3 months ago)

Plagiarism in the hiring process compromises the integrity of evaluations, making it difficult to assess a candidate's abilities accurately. Plagiarism detection tools help maintain fairness, creating a level playing field that leads to better hiring decisions.

Types of Code Plagiarism

We encounter three types of code plagiarism:

- Use of AI tools when explicitly prohibited.
- Plagiarism from other external sources like the internet.
- Copying code from someone else who took the same test.

Types of Plagiarism Detection Models

Standard plagiarism detection

[Standard plagiarism detection](https://support.hackerrank.com/articles/2106056073-plagiarism-detection-using-moss-(measure-of-software-similarity)) is enabled by default for all tests. It uses [Moss](https://theory.stanford.edu/~aiken/moss/) (Measure of Software Similarity) to compare a candidate's code against others in our database. This method effectively identifies plagiarism from external sources or copied test cases (as mentioned above under types of code plagiarism). However, it may result in false positives, depending on factors such as code length and similarity threshold.

Advanced AI plagiarism detection

To address all three types of code plagiarism, including AI-aided malpractice, we have developed an advanced Machine Learning (ML) model. This model analyzes multiple factors, such as:

- Code writing patterns
- Time taken to solve the problem
- Copy-paste activity
- Tab-switching behavior

The ML model predicts suspicious behavior and classifies candidate attempts in a test as either **"High"** or **"Medium"**. This detection is especially useful for identifying the use of AI tools like ChatGPT when their usage is restricted.

The flagged attempts are highlighted in candidate reports, allowing hiring teams to review the reasons and make informed decisions. Human oversight remains crucial, as the ML model currently has an overall precision of **85%**, meaning flagged sessions are correct **85%** of the time.

Note: The AI Plagiarism Detection feature currently supports only Coding questions.

Limitations

AI plagiarism detection is limited when evaluating questions requiring minimal effort to achieve a full score or when solutions consist

of very few lines of code. These scenarios often lack enough data points for accurate detection. However, the system will still flag the response for potential plagiarism if significant external content is copy-pasted.

Note: Given that it's a Machine Learning model, we comply with the audit requirements mentioned in the [https://support.hackerrank.com/articles/8514725302-summary-of-bias-audit-results-(hackerrank's-image-analysis-system)] [AEDT / AI law](https://support.hackerrank.com/articles/8514725302-summary-of-bias-audit-results-(hackerrank's-image-analysis-system)).](https://support.hackerrank.com/articles/8514725302-summary-of-bias-audit-results-(hackerrank's-image-analysis-system))

Enabling Advanced Plagiarism Detection for a Test

This feature can be enabled from Test Settings.

Steps

- Click on **Settings** within a test and select **Test Integrity** under the **Test Administration** section.
- Scroll down to **Plagiarism** and turn on the **AI Plagiarism** toggle.
- Click on **Agree & Enable** from the following popup.

!7c6722ef-474f-4575-86f8-7df538645a7a.gif(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046211204-?Expires=253370764800&Signature=d2dZ-F~HtkYN4R3ATZYqBEHek8ITlvA45yhX0DSw1vUiDSFpJnZHe723RIAWREKs4Zak4mQBHB3RFyW7hKqTAYMk0Oh9gbajPL51sX8fd7yGmjFeQJGEsUFb6zID56PVqV7qxbSrrUS7EMmX6Z5PFrO1JfQ7zGvjKS9qIlkb2j4ElyFqEXolBaTZtZWXS7wt0oDOKVOAlg-qbkliimtXRv56A1njUrnnaa7HrdC8XN81Lbdf88u99lw~ke5mZctdsnmfGRGKzzUVegwGjX0UNg3tj2XTCg0VxmesFvA~Qjy~GnOiFOLNAscqB0l3syok1WsZLSeTYM9vecdhh~g__&Key-Pair-Id=K3NV4LZ47N8M46)

Candidate Consent

When AI plagiarism detection is enabled, candidates must consent before starting the test.

!7bf3e75d-b7ec-434b-9965-65858e62a65e (1).png(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046211595-?Expires=253370764800&Signature=aM3R2B293W1nA~RcD46YwWWAiQD2wK37HWBpx1zkhBl~mR4C5M95A4h6eAX86zInUThme1AwHjHXrerlJyTQUKclsphqU8mHwx0LBVEYcOmJJalJJ8Em9I98o35BL0azeamVa--VQ110cGvnoG8l28865j0eWEf-MGIR4Vru2HtxviZ58Q1twUVFb1PxI6sOChcedWPG9kkqzV28cJegQoKlge936X0tQ-Zj2aHCwoZCFY0hbmJSE2JUimx4jp0WfoguLVzOsOgGr9rovKd4KO7aNHhtCDnzTqmbWciUP0KzwK6FBdthxNbohckO7xptqb5AdRwitQLzX9HlQwgrg__&Key-Pair-Id=K3NV4LZ47N8M46)

Signals Used for Detection

A non-exhaustive list of factors considered:

- **Copy-Pasting:** Significant portions of code copied from external sources.
- **Coding Patterns:** Structural similarities in code and distinct coding styles.
- **Iterations:** Multiple iterations in the code while tackling layered tasks.
- **Tab-Switching:** Switching away from the active test tab during execution.

Viewing Flagged Plagiarism Attempts

When a candidate's test attempt is flagged for plagiarism, it is categorized as **"High"** or **"Medium"** based on the confidence level of the model's prediction. Follow the steps below to view these flagged attempts.

Steps

1. **Navigate to the Candidate List** and choose the candidate whose test attempt has been flagged.
2. You can view the suspicious activity under the **Performance** tab in the Candidate Summary report.
3. To review more details on the plagiarism signals, click on the question that has been flagged.
4. In the question details, the **Keystroke Codeplayer** lets you quickly understand why a candidate was flagged for plagiarism. You can navigate to the relevant portions of their coding journey where potential suspicious activity may have occurred.

!CodeSimilarity.gif(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1761737395059-CodeSimilarity.gif?Expires=253370764800&Signature=h~LGe7FRkjEljf64dTPFCnlmeXVlqzNjwq2DfUGI26w28xQ92L1-lkSg88ARVGqFHaW0J~CK7jmzq

bqRgT7FrMgSk85o2-OGAjiD1BMrEaFgEYYTpXBy8PgWQx7Qk5P98HNv3IRc~lpHbeZkNoVo8-PzW6w2bZVRtW-AxzD~zJw3KorRSy
TdEq6oBlgiMVQb23U-1I1N9tkLH1VbZcD8CO7fiS5HQTvZwt02iaV6wfbJGTNCpSKoReMoNfx3srq-U~PnnvBEpCJvbWiUtSNYBdBig
slnUYeoilPs6EcvEJoseVGCmi84Y4rlQkt8J0naYupgreNBkrnFe4Ff~KG5bA__&Key-Pair-Id=K3NV4LZ47N8M46)

Understanding the Reasons for Flagging

There are two main categories under which a candidate's attempt can be flagged:

- Code Similarity:** The candidate's code is similar to one or more candidates' submissions, indicating potential plagiarism.
- Coding Patterns:** Unusual behavior was detected through the candidate's keystroke patterns during the test. This may involve:
 - Code iterations
 - Writing patterns or
 - Tab switch instances
- Sub-Patterns in Coding Behavior:** The following sub-patterns are commonly detected when **coding patterns** raise concerns about the candidate's behavior:
 - **Suspicious Code Resetting:** A large section of previously written code is deleted and replaced, accompanied by irregular typing or cursor movements.
 - **External Copy-Paste:** Significant portions of code are copied directly from an external source.

Continuous Model Improvement

HackerRank's dedicated ML team continuously improves the plagiarism detection model by learning from emerging patterns of code plagiarism and misclassifications. When a statistically significant improvement is made, new updates to the model are deployed automatically.

FAQs

Will coding in an external IDE instead of the HackerRank platform trigger a potential cheating flag?

If candidates use Projects, which support an offline workflow (coding in their own IDE and pushing the code to the HackerRank platform), no cheating flag is triggered.

However, if candidates solve a standard coding question in an external IDE and copy and paste their code into the HackerRank platform, the system is likely to flag this behavior as suspicious activity.

Related Articles

- Standard Plagiarism Detection -
[(https://support.hackerrank.com/hc/en-us/articles/115005603547-Plagiarism-Detection-Using-MOSS-Measure-of-Software-Similarity) [Moss model](https://support.hackerrank.com/articles/2106056073-plagiarism-detection-using-moss-(measure-of-software-similarity))
- Future of Hiring with AI -
[(https://support.hackerrank.com/hc/en-us/articles/31668981495187-The-Next-Generation-of-Hiring-Interview-Features) [Next-gen Hiring Process](https://support.hackerrank.com/articles/5377881818-the-next-generation-of-hiring%3A-interview-features)
- [Plagiarism Best Practices](https://support.hackerrank.com/articles/4291690360-plagiarism-best-practices-guide)[(https://support.hackerrank.com/articles/4291690360-plagiarism-best-practices-guide)]

\

[screen/test-integrity] Best Practices for Running Group Assessments in Proctor Mode

title: "Best Practices for Running Group Assessments in Proctor Mode Prepare candidate systems in advance Ensure a stable internet connection Use supported web browsers Manage browser extensions Optimize the test environment on each system Set up webcams Set up lighting Prepare the physical environment"

title_slug:

"best-practices-for-running-group-assessments-in-proctor-mode-prepare-candidate-systems-in-advance-ensure-a-stable-internet-connection-use-supported-web-browsers-manage-browser-extensions-optimize-the-test-environment-on-each-system-set-up-webcams-set-up-lighting-prepare-the-physical-environment"

source_url: "https://support.hackerrank.com/articles/9264843630-best-practices-for-running-group-assessments-in-proctor-mode"

article_slug: "9264843630-best-practices-for-running-group-assessments-in-proctor-mode"

last_updated_exact: "Feb 6, 2026, 8:13 PM"

last_updated_relative: "Last updated 3 months ago"

breadcrumbs:

- "Screen"
- "Test Integrity"

Best Practices for Running Group Assessments in Proctor Mode Prepare candidate systems in advance Ensure a stable internet connection Use supported web browsers Manage browser extensions Optimize the test environment on each system Set up webcams Set up lighting Prepare the physical environment

Last updated: Feb 6, 2026, 8:13 PM (Last updated 3 months ago)

This article provides best practices for running group assessments in Proctor Mode, where multiple candidates take the assessment simultaneously at a shared physical location. Following these guidelines helps ensure a smooth, stable, and fair assessment experience for all candidates.

Prepare candidate systems in advance

Verify that each candidate system meets the minimum technical requirements before the assessment begins.

- **RAM:** Minimum 4 GB
- **Operating system:** Updated with the latest system and security updates

Ensure a stable internet connection

A reliable internet connection is critical when multiple candidates take an assessment simultaneously.

- **Minimum bandwidth:** 5 Mbps per candidate
- **Recommended bandwidth:** 10 Mbps per candidate for optimal performance

Use the following formula to calculate the required bandwidth based on the number of candidates to avoid network congestion.

$5 \text{ Mbps} \times (\text{number of candidates} \div 2)$

For example, if 100 candidates connect simultaneously, the required bandwidth is:

$5 \text{ Mbps} \times (100 \div 2) = 250 \text{ Mbps}$

Use supported web browsers

Using supported browsers helps prevent compatibility issues and ensures consistent performance.

- Use the latest version of **Google Chrome** or **Microsoft Edge**
- Do not use unsupported or outdated browsers

Manage browser extensions

Browser extensions can interfere with the assessment experience and Proctor Mode checks.

- Disable or remove all unnecessary browser extensions

- Ask candidates to use ****Incognito**** or ****Private**** mode to prevent extensions from running during the assessment

Optimize the test environment on each system

Reduce system load and distractions before the assessment starts.

Ask candidates to:

- Close all other applications
- Keep only the HackerRank assessment tab open
- Refresh the browser page if the assessment becomes slow or unresponsive

Set up webcams

Prepare webcams before the assessment starts to meet Proctor Mode requirements.

- Use a functioning built-in or external webcam
- Test the webcam in advance at <https://webcamtests.com/>
- Uninstall any virtual camera software to prevent conflicts

Set up lighting

Proper lighting ensures clear webcam visibility throughout the assessment.

- Seat candidates in a well-lit area
- Ensure the candidate's face is clearly visible at all times
- Avoid strong backlighting, such as bright windows or light sources behind the candidate

Prepare the physical environment

A controlled physical environment helps minimize distractions and maintain assessment integrity.

- Use a quiet, controlled space
- Minimize interruptions and background noise
- Ensure adequate spacing between candidates to maintain focus and assessment integrity

****Note:**** If you experience any issues during the assessment, contact [support@hackerrank.com](mailto:support@hackerrank.com).

\

\

\

[screen/test-integrity] Review Integrity Issues in Proctor Mode Reporting views in Proctor Mode Workflow for reviewing integrity issues

title: "Review Integrity Issues in Proctor Mode Reporting views in Proctor Mode Workflow for reviewing integrity issues"
title_slug: "review-integrity-issues-in-proctor-mode-reporting-views-in-proctor-mode-workflow-for-reviewing-integrity-issues"
source_url: "https://support.hackerrank.com/articles/9607697321-review-integrity-issues-in-proctor-mode"
article_slug: "9607697321-review-integrity-issues-in-proctor-mode"
last_updated_exact: "Apr 22, 2026, 10:13 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
- "Screen"
- "Test Integrity"

Review Integrity Issues in Proctor Mode Reporting views in Proctor Mode Workflow for reviewing integrity issues

Last updated: Apr 22, 2026, 10:13 AM (Last updated 4 days ago)

Proctor Mode generates Summary Report, Session Replay, and Detailed Report to help you assess candidate behavior and overall test integrity. This article explains how to interpret these reports and review common integrity issues.

Reporting views in Proctor Mode

Proctor Mode offers three reporting views. Each view provides a different level of visibility into a candidate's test activity and helps you evaluate potential integrity concerns.

Summary Report

The **Summary Report** provides a high-level overview of the test session. It includes:

 (https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769514218359-reviewproctormodesummaryreport.gif?Expires=253370764800&Signature=LaEn6s7o1m9upcAZobwv7teVnWxb-rB-9EZ5n-ziaF-SNcKvUERWj64NEgMU9pLQvtUFHv4OO3yyw3SGM2tyC7beEn27D3-wFUiLiLNvatZROZlcbobqMMtojXjMHBfnq2StE3LI4rBLP0ZliouKN-W~pKyAzJMV6BvpZW70xiXUF RJupb1lv-UI8LKIJPwVJYapm25QTksePMZMydJYgOaPckZeuhOyOJAe9e8ikZ6~3kKTPyBGA~6-NyGswHSI1RErA5gDb06f~tiqHnXE Aqo9aPJkce9cNYsWaiGhW2TGUgxranqvlo5el-Y4ZzvNBRHc8pTpBCOCXNPWYEREbG__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Integrity Issues indicator**: Indicates whether Proctor Mode detected any integrity issues during the session and displays the severity level.
- **Integrity Summary**: Lists each reason the system flagged the session. Each suspicious activity appears as a separate bullet.

Session Replay

Session Replay provides a timeline-based, video-style view of the test session. It includes:

 (https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765884365440-suspiciousactivityintegrityissuesproctormode.gif?Expires=253370764800&Signature=I5FY-bo2UCxUUhZXTU3iMEaminGloolhIP2j4ipe-4CCgqHyxUkPS8qxVOM9oMpDGIU50vYFDVez9soTCr83lxlvbpaWCQQLlqidoli3xWleOX6QK3wYyH4coKbSpB5iTmLLs36bkaLF6ZjGEH5O1HzrJyOG8KJBDGbkFD0dzvU9q12KivRFfw143uzr-XWdWWPdvTpDand~3Sjk1amQyQk2Ph5llsz2ThulnEIE90U2KaAqSSAtDIgH~kRq9EUmDc4MuAL7GhiAu0VTl6FVgDgTyASe1ibtvemVm6lp8RBTt4mywvrMgkAe6jyAnVWbfY5DPDYDaIGF5dhv6Hdbg__&Key-Pair-Id=K3NV4LZ47N8M46)

- Recording of the candidate's test session across the full browser screen.
- Lists all critical test events, including integrity events. You can search for events and click any event to jump to the corresponding timestamp in the recording.
- Synchronized timeline showing test activity, webcam images, and screenshots by timestamp.
- Screenshots and webcam images are captured every 15 seconds, with increased frequency around integrity violations to provide contextual evidence.
- Automated analysis of screenshots and webcam images that highlights suspicious activity.

Detailed Report

The Detailed Report offers an in-depth view of how the candidate performed on each question. You can use this report to investigate a candidate's performance at a granular level and to review integrity issues, especially when a candidate is flagged for code similarity.

Workflow for reviewing integrity issues

Follow these steps to evaluate integrity issues in a candidate's test session.

Step 1: Check the Integrity Issues indicator

Open the candidate's **Summary Report** and check the **Integrity Issues** indicator in the upper-right corner.

!image
(38).png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769514264013-image%252838%2529.png?Expires=253370764800&Signature=qvCPXfsfJu2M1IUViSUAiA7SWb-1uN-xpGindfrLhQgzHSS2IGTZq61RI3kZdR10SR3QlidvIpxDbMn1pHdln-kqkWuTB3RkmVcOEKDA7knqsu-cxCf7QqZBvhKhMQp2rWVqnnK6FLK4WxTNkNXQhvBvB8OadxPOvqxDCDdo65-zbXcGjW7KCQYV3PUcoj-VpAPdpVoXI7a3k2-tUFTLsbA-MotwiJ7hGjuo7oKpfaX~TLEUMDY~DXTZgqNZEfHjKDs~yl16tqaaXNhmOrAEbRyAj4-Tfif4aaELYOYg6-D2ultH1W~8Ng5XR2QQA-GzWbdAq6RWxBNt2oZQcAHSg__&Key-Pair-Id=K3NV4LZ47N8M46)

The indicator shows one of the following values, depending on the severity of the detected issues:

- High
- Medium
- No issues detected

If the report shows **No issues detected**, no further integrity review is required.

If the report shows **High** or **Medium**, continue to the next step.

Step 2: Review the Integrity Summary

Scroll to the **Integrity Summary** to view the specific reasons the system flagged the session. Each item represents a type of suspicious activity that requires review.

!image
(39).png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769514330622-image%252839%2529.png?Expires=253370764800&Signature=S9hk22KHEfjYDzNUi7JR92Ctyhkh~f901IEB4zlwYhQUBRPPIET7dBWctKm31W414TrMmFPN3~0YeGC6mBga8CBGgF8ku7eiMkaCRJAZDYMMFdjJWT4c9RkRmWc40kyo6~o04folw10AXhoqVqROMKYUeulBmmJ7eb31mDUsz68YLNdlpTfW1JWLulhGcb2mqazM2drUy3cF9dloe0hr8aPDZi73T~~iy175N1sLuHPkgAmoBGZGLdV62Ma2ZhbFPlk0ce-UL7X7jXN-6svtqjrKrc-IEGMV1u4ney-L1bBTn-A6Fb5peuB~wGk2UvHLRf1pqZgNdu2~SUpMVaS-2Q__&Key-Pair-Id=K3NV4LZ47N8M46)

Continue to the next step for a detailed review of each activity type.

Step 3: Review each suspicious activity in detail

The sections below describe common types of suspicious activity and how to evaluate them.

Tab switch or full-screen exit

Proctor Mode flags the session when the candidate:

- Leaves the test tab for 10 seconds or more (single or cumulative duration)
- Exits full-screen mode for 10 seconds or more (single or cumulative duration)

How to review

!tab switch
(1)1.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769543249287-tabswitch%25281%25291.gif?Expires=253370764800&Signature=uocb~g-6Yp3TAwsnr7BgxrYvFtJZQJwZMAk5Vd6Q5OLivKOLvAj2KAJQj5D350w4XXiSlnGA~uFaGiQI~YwlcHubEJavr~NkVwBDO2KlpP0US0bKi8pbFbYyVX-BM9t39O~-oGc2gf9wAGst1To2EaOxIR1s8FL5Ycx0UXdO7laPzlSy2ut0zAs~lf0tsNJezDDbV98YwPfZ1ydxDSH6X5ExSpSll6V0jioVbkMxzsfwShEfjg9xZJEN5KAHcwcTrTRvs1xrPTHrw~y2obx-OyBDKpGfZOX0Pk4VtA30zydbvb4MITQpl16gphQivFgGSMTTrGTO2peVG8Uku6RMufQ__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Open the **Summary Report** for the candidate.

2. Go to **Integrity Summary**.
3. Expand **Candidate switched tabs** or **Candidate exited full-screen mode** to view flagged time ranges and the duration for each instance.
4. Select a flagged time range to open the **Session Replay**.
5. Review the screenshots captured during the flagged time range to understand what the candidate was doing while away from the test tab.
6. Watch the test-taking tab recording to observe the candidate's activity immediately after returning to the test.

Tip: Look for sudden, high-quality code written after the candidate returns to the test. This pattern may indicate the use of external references.

Webcam-related integrity issues

If **Image Analysis** is enabled, Proctor Mode captures webcam images every 15 seconds and analyzes them using an automated model. The system flags unusual activity, such as:

- The candidate's face missing for an extended period
- Multiple faces visible
- Secondary faces detected

How to review

!webcam no face detection integrity.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769515481982-webcamnofacedetectionintegrity.gif?Expires=253370764800&Signature=Rtsndt7bn5gReHYrqI0740nJMHxXZg~GLpNvSPkbrUjJ1sgFOKnWs4zWeikQWFGIG7G-EQpr5~gocPLgNJqICpq78FYaHy~y7mAYQG22r3a0mY~GDGWUC90P3KVV1g3QbEX9p-zNpgip4DpoXtsotRcWBkm44XvzX9O7JMKLMJY3DsT2X2QZ9Mb75GbkWoaqVeqCVAtHNISaJbevsSqHKO9tl2w8GIPcvV2t8JSp-rqLhPB8JU9VCZn2NA94cFcpcwFBFwQ6X6VWTprNrPzBunO2GPC4mu1WcbKYTo11-5tgzBwE6KWuGDM7ZltPHq56PieDfvWINHPcwJxuM6WYJw__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Open the **Summary Report** for the candidate.
2. Go to **Integrity Summary**.
3. Expand **Detected in webcam images** to view the flagged images and the timestamp of each occurrence.
4. Select a flagged image to open it in full size.
5. Verify that the images match the flagged integrity issue.

To review the candidate's activity in detail, open **Session replay**.

Screenshot analysis issues

Proctor Mode takes screenshots every 15 seconds and analyzes them using an automated model. The system flags any screenshot that appears to show unauthorized tools or applications.

How to review

!screenshot detection integrity.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769514820640-screenshotdetectionintegrity.gif?Expires=253370764800&Signature=DDd1H2P3KhK3wrDoB8TkQOkj91iwZCSZK5MNH3gnfX0ZQrPAe7U58~sldqO-ayOLveoLwtuHj8LiqVy5T6vzOFxElwr6RCr6M0hmpNrrVZChMN78Ooag11y84m55ETemPsuul1f37J0ns2NTuYezUqgVMxEy1Sg1QqTFRTy~8gpYFE17HlrX5egEVHhUNmFi88f9S8xNzyGKBWcXNReJNBQRvaldGgNgSRa32oqQm7rWbEkq736VrV5QgZyO1G-z2LRp3HmNYYTivqe0cWBtXuEPa3EH6~yCP3DNaHnpYNniO9-LICMuxxqzfNb3epvlfN~~gdC20CZ7Lg~WkrSGMw__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Open the **Summary Report** for the candidate.
2. Go to **Integrity Summary**.
3. Expand **Detected in screenshots** to view the flagged screenshots

along with the following information:

- The detected application or tool
- The timestamp of the activity.


4. Select a flagged screenshot to open it in full size.
5. Verify whether the screenshot shows an unauthorized tool or application.

To review the candidate's activity in detail, open **Session replay**.

Object detection in webcam feed

Proctor Mode detects and flags mobile phones and tablets in the candidate's webcam feed during an assessment.

How to review

The screenshot shows a table with columns: Object, Detection, in, Webcam, Feed, and (AI Add-on). The table contains one row of data with a long URL in the (AI Add-on) column.


1. Open the **Summary Report** for the candidate.
2. Go to **Integrity Summary**.
3. Expand **Detected in webcam images** to view flagged images and timestamps.
4. Select a flagged image to open it in full size.
5. Verify whether a mobile phone or tablet is visible in the image.

To review the activity in detail, open **Session Replay**.

Conversation detection in the code editor

Proctor Mode detects patterns where candidates type and delete content in the editor. This behavior may indicate external communication. The system flags such activity for review as potential external assistance.

How to review

The screenshot shows a table with columns: Deleted, Code, Analysis, and (AI Add-on). The table contains one row of data with a long URL in the (AI Add-on) column.

1. Open the **Summary Report** for the candidate.
2. Go to **Integrity Summary**.
3. Expand **Detected conversation in code editor** to view the flagged time ranges and the duration for each instance.
4. Select a flagged time range to open the **Session Replay**.
5. Review the candidate's typing activity during the flagged duration to identify potential external communication.

High code similarity

HackerRank reviews the code submitted by the candidate to detect high similarity with another candidate's submission. Proctor Mode flags a question when the candidate's submission is highly similar to one or more other candidates' solutions, indicating potential

plagiarism.

****How to review****

![[code integrity.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769542222960-codesimilarityintegrity.gif?Expires=253370764800&Signature=H5Zbm8TXIXJni4tNUYJuJvtSjoeEtNp~2zNgT2YfUsgLEpv6S5CLO88ndhB~Into4KSfiNOZ~x1qob~jlyUhBSSAiDX7VJplAc7kQgKdfmpUIMBYm0ikkIHZPXEAAnmjwo-OV115SmiJ8OOEsWezlu8RvHMzs0KCoJtf2qOU0vnA01cs0udeQdu s3YbTYnwmn3HsbQZHQz-YodFyaqgSlzt3NGkCRbgIPsU~Wk0PAZhJHoXZFfuHNpwufcQOVaZWQzZZiSNiww4Rduxh6ktiRQ9IXtmj FRv4~lk1fbYwM2qJBIMQMLzzzs624jrE3AWgurQpN8lh9VgTLR69jDV3A__&Key-Pair-Id=K3NV4LZ47N8M46)] similarity

1. Open the ****Summary Report**** for the candidate.
2. Go to ****Integrity Summary****.
3. Expand ****Detected code similarity with other submissions**** to view the affected question and the similarity percentage.
4. Select the flagged item to open the side-by-side code comparison.
5. Compare the submissions to determine whether the similarity is legitimate or suspicious.
6. (Optional) Click ****Go to Detailed Report**** to review additional context.

\

\

[screen/test-integrity] Evaluate Integrity Signals for Flagged Candidates at Scale in Proctor Mode

title: "Evaluate Integrity Signals for Flagged Candidates at Scale in Proctor Mode Evaluating Integrity Signals for flagged candidates at scale"
title_slug: "evaluate-integrity-signals-for-flagged-candidates-at-scale-in-proctor-mode-evaluating-integrity-signals-for-flagged-candidates-at-scale"
source_url: "https://support.hackerrank.com/articles/9728791902-interpreting-integrity-signals-at-scale-in-proctor-mode-tests"
article_slug: "9728791902-interpreting-integrity-signals-at-scale-in-proctor-mode-tests"
last_updated_exact: "Jan 28, 2026, 9:43 AM"
last_updated_relative: "Last updated 3 months ago"
breadcrumbs:
- "Screen"
- "Test Integrity"

Evaluate Integrity Signals for Flagged Candidates at Scale in Proctor Mode Evaluating Integrity Signals for flagged candidates at scale

Last updated: Jan 28, 2026, 9:43 AM (Last updated 3 months ago)

Proctor Mode helps test administrators quickly identify potential integrity issues in online assessments. [Proctor mode reports](https://support.hackerrank.com/articles/5663779659-proctor-mode#after-the-test-generate-post-test-integrity-report-26) are easy to review for individual sessions, but become inefficient and challenging when evaluating candidate attempts at scale.

Evaluating Integrity Signals for flagged candidates at scale

To evaluate Integrity Signal for flagged candidates at scale in Proctor Mode:

Step 1: Export Proctor Mode data for flagged candidates

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test that contains the candidate data.
4. Go to the **Candidates** sub-tab.
5. In the left panel, under **Integrity Issues**, select the checkboxes for **High** and **Medium**.

!pr1.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1761737575114-pr1.png?Expires=253370764800&Signature=mPwYKd-jwajvxiqALTlRujkCVMKmzRvUHD5BNmsUu81Buxn2yeXsuhWjcolHKJbn2FNWTTtb2YdkZ-CQ2u3YkDmqpPWaTbMyG6wohP4~OhoA14-M2-n4dVoHb491CzDRK1CmRCL9aAO8LBp91ykobWxEmb32dReChe91X1Lk0ARMBSjkPS70V1ucCE5n2voLQbgQz2VWXDWICNDIayO9zWYksZ76OFRoOQqcNw8wrvPZ4tK455v8FB6fVWiRW2EvXbzexY69j9rie8dINmhmmiH9INY42AO8UpOf9tOCJZqtz6lh2fONm1BRzxmYg2Xtrc7mE5Zsnue9CDolhcVRQ__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Select the **Select all rows from table** checkbox above the candidate list.

!pr2.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1761737608161-pr2.png?Expires=253370764800&Signature=TEsU7GJSeZiy7Q6oWSHiNuEZdgm8gGO22lgkIXB98Az8TjuLB6oolDk3APJiO4ZK5-kdLRWNxCmsWQOROCx2DnxyRpyjqz7mKe70NaEKTeaNy2gEf84XdYqayCOT-veilQNV-Xwbb39twaxaC7nY2axDZTltw4QC0KkFwd3euU~i3fTzjrfrc~CW-uHHNncg9t8swla9C4eX2oWJ8cDtxM7rmUI~ppQ0unOfV-3RVnxM~x8mUHXIN~ZlsgxTIWYpFkktj-DkflcNRzt1z~p~4t180hz0gePliiCBuGGf3gssDOULYymahB-NtQRzn8QfLeiOfQqr~8fexUAtoeOCQ__&Key-Pair-Id=K3NV4LZ47N8M46)

7. Click **Export** and select **Excel**.

Step 2: Apply filters in the spreadsheet

Use the exported file to filter and analyze candidates based on suspicious activities. Apply the following filters:

1. **Fullscreen Exit Count and Fullscreen Exit Duration:** Indicates how many times a candidate exits the enforced full-screen environment and for how long. The system flags candidates who violate these rules with **High Integrity** issues. There are no known ambiguities in detecting this rule violation.

- Filter out candidates with **two or more exits**.
- If a candidate exited once, check the **Fullscreen Exit Duration**:
 - If the duration is more than 10 seconds, filter out the candidate.
 - If the duration is 10 seconds or less, system does not flag the candidate, but you can review the context to confirm.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1761738941216-image.png?Expires=253370764800&Signature=DFmqKmxRe8~hRL8T8fdbFtec71pM8WPzu87jZJCI-WjsRuLKJ9THoz2QBwqZX~14Ke7hNYh4N5XJhDssedzNK9MDBJWf5D4o~hm1-FQkrGlx1GOyYwaccsT2YnDkikoKwLCpHehI58Tfp0Yps5CXVTwWqryDs1EsF4eZ97vRYoDShyVrEDZJSVKZAPwQmc6-7cU9Z997gA76cMfQs6tDDpyoLvSm0gRRoZEFTgHMqjNqu0DCxFS-tjKws0DuusFoIU-LCpn6BmgwxuPETfi1SluQR9XFxdGlfH~5XGf8l5ibXV7BPMCpRU85aGjWxyVW-cVGk98Gy99qqn795~djw__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

1. **Number of Window Exits and Out of Window Duration:** Indicates how many times a candidate navigates away from the active test window and for how long.

- Filter out candidates with **two or more window exits**.
- If a candidate exited once, check the **Out of Window Duration**:
 - If the duration is more than 10 seconds, filter out the candidate.
 - If the duration is 10 seconds or less, the system does not flag the candidate, but you can review the context and use discretion.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1761737899954-image.png?Expires=253370764800&Signature=ooYVv95lw~QocNAWKfwH6hboHFy9dNMTq34ffoCt-Z2jUILL30-iw1dXpPbtCLGZ3WKtTHdOnwmPiBNTIh1I1TiVEp q4hrtSFecf-5Xn~vy8kVLkn-ZeZvUttqWvWhN9vwgJhk3zp3v90lo5tMjUZextmDG9e2THgV5M5RmMUdglelq0XARjwGVdaHLyYPxFjJN~AgGXdY3dR9e2SBRmoVehBJqooe2uCdGOfJlJjBLOTdQj8xBgeM5aW2syP4ufxfgJurs4KtbNTsdrxlfu4VIKPo0Ehi0f5UtUSZ2rrOb5GTpDlx77J1HUES0HCtyyuxc2d1Xnx~Kil-vvnZfw__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

1. **Proctor Activity Suspicion Severity and Proctor Activity Suspicion Score:** Indicates suspicious activity detected during webcam monitoring.

1. Check the values under the **Proctor Activity Suspicion Severity** column. The system marks this column as **High** or **Medium** when it detects multiple faces, different faces, or no face.

2. Check **Proctor Activity Suspicion Score** column to understand the overall confidence of the flag.

- **Score 10:** High confidence
- **Score 5:** Medium confidence

3. Check the **Proctor Activity Reasons** column to identify the detected anomaly.

Severity order:

1. Secondary face
2. Multiple faces
3. No face

4. Filter out candidates with High suspicion severity.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1761738542431-image.png?Expires=253370764800&Signature=Lh6lok8gAy-Y4cexCgQU58Pqgm1IsU7EH7HiGwjn8R~sVndUmXY-ZII0xHt6aNZo1BECi8FJmU7DUWpyYcU0~RI iGqTfqT3K7oszn0KkqCrYtkDeeVdlLYCdBeVPm6XZLpWsxkvA9sn6FviU~6~XaIN~jhrggFYd9kAb6GF3SH35PtAJ6lj0MCTGoAueRU D9HJ~KWrmTsP1QZDOEFnUp27eA-5qq1BK5~iXdzM~FC4o1YUbbRMVa9McYs1EZCj8tXwQDInf1AY3~Geufbmt8HnUFxmkn~razCBGh2FKGOyv1X1eU5ThgqAvFsCjv3Hmh9kqgd~HzzN~z9IdPYI9Q__&Key-Pair-Id=K3NV4LZ47N8M46)

****Note:**** Ignore multiple-face violation flags if the test takes place in a setting where multiple faces are expected (for example, invigilated university exam halls)

1. ****Integrity Summary:**** Review the ****Integrity Summary**** column for tools detected in the screenshots taken during the test. Common tools include:

- External websites or reference material
- AI assistants and cheating tools (for example, ChatGPT, InterviewCoder)
- Messaging and conferencing tools (for example, Slack, Discord, WhatsApp)
- Remote desktop tools (for example, AnyDesk, TeamViewer)

An honest test session shows only the HackerRank interface. If a candidate opens another application or navigates away, the system flags it in the ****Integrity Summary****.

Use discretion when reviewing flagged tools, and verify by checking screenshots in the ****Session Replay**** on the attempt report.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1761738403419-image.png?Expires=253370764800&Signature=kVRsyNkyB9YOuCdAj5wIOWiDJuYp~xyfGqcpq~x5JQPBT04g5bUoGe9f73lQlZq5S5SsHmTLye9lrbsRSsN-suelUfDe7ITIn7BEqkR7KOLOt5GwPlwOwHJmvNkFRxkZ05agvXQbO2BONw01fy6WGhpxAuHUN-woXxZ~8MjWcQ56PVJM9ohWv03KbkKQIAQ8Bwn744Wly4wKpOHw23o1xeCfYA2R059NG~kfcZb4ze2q-hiwlPpRpgNZ0g~oV1Pil4EdByh4KMdxm5mD8EvKz6c6kpNpPUnoURnviKnXNst3TbYKJSB730inPbOrkG4~fRsKxAwO4bk96xGDL7vGIDA__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

1. ****Attempt Activity Suspicion Severity and**** ****Attempt Activity Suspicion Score:**** Indicates suspicious or unusual code-writing patterns detected by advanced plagiarism models.

- Filter by ****Attempt Activity Suspicion Severity**** based on the severity values:

- ****High:**** Strong suspicion of plagiarism
- ****Medium:**** Suspicious activity with lower model confidence (many customers choose to ignore medium flags).

- Filter further based on ****Attempt Activity Suspicion Score.**** The scores here are indicative of the confidence level of the prediction. Higher the score, higher the prediction confidence.

- Score 8-10 ? High confidence

- Check the ****Attempt Activity Reasons**** column to identify the suspicious pattern:

- Large copy-paste events (blocked in Proctor Mode)
- Suspicious code resets (candidate deletes large portions of code and restarts with a new approach that passes most test cases).

\

\

[screen/test-reports] AI Fluency Evaluation Key benefits How AI Fluency works Enab

title: "AI Fluency Evaluation Key benefits How AI Fluency works Enabling AI Fluency evaluation Viewing AI Fluency results Frequently Asked Question (FAQ)"

title_slug: "ai-fluency-evaluation-key-benefits-how-ai-fluency-works-enabling-ai-fluency-evaluation-viewing-ai-fluency-results-frequently-asked-q uestion-faq"

source_url: "https://support.hackerrank.com/articles/1773201418-ai-usage-summary"

article_slug: "1773201418-ai-usage-summary"

last_updated_exact: "Feb 11, 2026, 4:07 PM"

last_updated_relative: "Last updated 2 months ago"

breadcrumbs:

- "Screen"
- "Test Reports"

AI Fluency Evaluation Key benefits How AI Fluency works Enabling AI Fluency evaluation Viewing AI Fluency results Frequently Asked Question (FAQ)

Last updated: Feb 11, 2026, 4:07 PM (Last updated 2 months ago)

This feature is part of the AI Add-on. For more information, see [? Advanced Evaluation](/articles/7098008997).

AI Fluency measures how effectively candidates use AI assistants during assessments.

Key benefits

AI Fluency Evaluation provides the following benefits:

- **AI collaboration competency:** Distinguishes between strategic AI use and overreliance by assessing how candidates integrate AI tools into their problem-solving approach.
- **Quality over frequency:** Measures how effectively candidates communicate requirements and apply AI suggestions, rather than tracking usage frequency.
- **Enhanced differentiation:** Reveals differences in problem-solving approaches and tool-usage strategies among candidates with similar coding scores.
- **Modern engineering readiness:** Indicates a candidate's ability to iterate on solutions and build on previous work

Note: AI Fluency Evaluation supports the following question types:

- Coding
- Projects

How AI Fluency works

AI Fluency uses large language models (LLMs) and standard rubrics to evaluate behavioral patterns in candidate-AI interactions.

The system analyzes the full conversation history between the candidate and the AI assistant, including prompts, actions, and responses.

The AI Fluency evaluation focuses on the following dimensions:

- **Context quality:** How clearly and effectively candidates communicate requirements and provide relevant technical context.
- **Critical thinking:** Evidence of independent reasoning and analysis, with AI used as a support tool rather than a replacement for judgment.
- **Collaboration:** How candidates progress through problems, build on earlier interactions, and refine solutions over time.

AI Fluency grades

AI Fluency assigns one of the following grades based on how candidates interact with the AI assistant:

- **Grade A (High AI Fluency):** Demonstrates effective AI collaboration through strategic tool use, clear communication, independent analysis, and iterative refinement.
- **Grade B (Moderate AI Fluency):** Shows reasonable AI collaboration with developing proficiency. Indicates opportunities to improve consistency or depth.
- **Grade C (Low AI Fluency):** Indicates limited AI collaboration and a need to improve effective use of AI tools.

Note: The evaluation applies the same standards to all candidates, regardless of experience level.

Enabling AI Fluency evaluation

To enable AI Fluency:

1. Enable **Advanced Evaluation** in the test-level settings. For more information, see [Enable Advanced Evaluation](https://support.hackerrank.com/articles/7098008997#enable-advanced-evaluation).

Note: AI Fluency Evaluation is part of the **Advanced Evaluation** package and cannot be enabled independently.

<!-- -->

1. Enable **Proctor Mode** in the test-level settings. For more information, see [Enable Proctor Mode](https://support.hackerrank.com/articles/5663779659-proctor-mode#enable-proctor-mode).

Viewing AI Fluency results

AI Fluency results appear in both the **Summary Report** and the **Detailed Report**.

Viewing AI Fluency results in a summary report

To view the AI Fluency results in the summary report:

![[AI Fluency Webinar (1).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770636392429-AIFluencyWebinar%25281%2529.gif?Expires=253370764800&Signature=lmBZkpkG5YtL~KUnbn-vH~E4Acu-KNB0uXBC7xVRCLM8aWYNUrQ7AnDZbNGyXk4D4IVaUNow2-W~2QfUKUnvSYGzHOoJ7UchkqUi0nRGherCXQN~g8JCbwXXPK-3jgxefFYScWWgtu8JZgmaGo2itePLJ4WCgUbo8lcBKCFfHGtWszg7iUgwJwIFdOUI3vFGjUcF~2SOuyqkFcpn74lpC~~GT0~Er9UfDSHCyVAwwDuOriYW~I3z-AYyAvdta9hv0WyATetxEgEOdX22~SNZI9vp86mClrA9zT~xddpjVSNUypM-ufmc1vcMPxOJISprX1l-aYHxV9aqO0NkNje-g__&Key-Pair-Id=K3NV4LZ47N8M46)]

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test you want to review.
4. Go to the **Candidates** tab.
5. Click a candidate's name to open the **Summary Report**.
6. Scroll to the **AI Fluency** section to view the following details:

- Overall AI Fluency grade (A, B, or C)
- Brief explanation of the grade
- Breakdown by evaluation dimension

For each dimension, select **Ref** to view excerpts from the candidate's AI interaction that support the evaluation.

Viewing AI Fluency results in a detailed report

To view AI Fluency evaluation details for a specific question in the detailed report:

1. Open the candidate's **Summary Report**.
2. Scroll to the relevant **Coding** or **Projects** question.
3. Click the question to open the **Detailed Report**.

[screen/test-reports] Download Test Reports PDF test reports Excel test reports Dow

title: "Download Test Reports PDF test reports Excel test reports Downloading test reports"
title_slug: "download-test-reports-pdf-test-reports-excel-test-reports-downloading-test-reports"
source_url: "https://support.hackerrank.com/articles/1786677446-downloading-pdf-and-excel-test-reports"
article_slug: "1786677446-downloading-pdf-and-excel-test-reports"
last_updated_exact: "Oct 14, 2025, 7:35 PM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
- "Screen"
- "Test Reports"

Download Test Reports PDF test reports Excel test reports Downloading test reports

Last updated: Oct 14, 2025, 7:35 PM (Last updated 6 months ago)

HackerRank test reports provide a detailed view of a candidate’s performance and scores in a test. After candidates complete a test, you can view their detailed performance reports and download them in PDF or Excel formats.

You can use the downloaded reports to share with external evaluators or recruiters or to maintain internal performance records.

****Note:**** You can download test reports only for candidates who have completed the test.

PDF test reports

You can download individual PDF reports for each candidate. Each PDF report replicates the detailed test report and includes the following information:

![[12345.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760355540329-12345.png?Expires=253370764800&Signature=U3ukAgjNpYN2~Hxalb1gDqeQ~dO6XgxJ4qi43f4ITwaFRf0AZ8FaZMqy7txtEgVnCrj1IHpgp6IHb0VDqE5sARCDbTeLuiQVktME~fOHGURtqSpfbdXw1VsvchioDheKu4gMT~1ysvA02VDuwcGVuRfL206ELpURFS~uLhT6nJGHrjJwOS0JwndFKTAtNjXmO2TMJAmcnTRKccvCEBGys826AczWLOSbFzsPr8wZmWNANWN5STxb8G0uHzoE4ffqLgT7xD~4~7VanDB2FpzvPvMfbO0~T0LXkSxhNd2oQibyWjiNuF3Gm3cvGCI22GqdOvdQX63h0HaUK2h5nOpQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- Score
- Candidate information
- Skill distribution
- Tag distribution
- Questions and candidate answers

For more information about detailed test report, see [? Viewing a Candidate's Detailed Test report](/articles/8263794320).

If you use the new version of the summary report, the PDF also includes:

![[downloaddetailpdf.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760338787605-downloaddetailpdf.gif?Expires=253370764800&Signature=tQwvn6w50ujU3lKEeyA3~3w7v~tyKi5gX8kIBBYcz0~t2kkMt0-1V0vDLTOgASPztfOo-r-9nuzqksYoCnpawlr~p0Lulfb6HufobsQHfvGzXmrV3VPIDGtgAKcqsItW5aRi1v5lVz3bJPYKQLL9iy7~2hz9rrpF4QidlcgOzvGfxvMcaYZmer~qy~m7CeJl54h8LrhyBu2byimgsJgzeq-Gbh6kJCdBEuL43~cNuTEE3MYvXrWoUG0SLPZhrLlrGo4xwE8Tjb6iZLiCpXdGeXuA~kTWXxyrFVULPFKa885ufPuFzovXQ92kldly9jtnwfdlvYCeTK~RoqHB5pMuA__&Key-Pair-Id=K3NV4LZ47N8M46)

- Code quality
- Integrity issues
- Performance summary
- Integrity summary
- Questions and answers with code quality details (If available)

****Note:**** Although the PDF report includes the candidate's detailed answers to the questions, use the Detailed Report view in

HackerRank for a thorough evaluation. The detailed report provides features such as **c**ode playback, compilation, rendering, and download.

Excel test reports

The Excel test report contains the performance report for all candidates in a single file. You can customize the report in [Report Settings](https://hackerrank-knowledge-base.help.usepylon.com/articles/5213013268-report-settings#accessing-report-settings-1) to choose which candidate performance data to include when downloading it in Excel format.

Downloading test reports

To download test reports in PDF or Excel format:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test whose reports you want to download.
4. Go to the **Candidates** tab. The **Status** column indicates the test status of each candidate.
5. In the left pane, expand **Candidate Status** and select **Completed**.
The right pane displays all candidates who have completed the test and are marked as ``To Evaluate``, ``Passed``, or ``Failed``.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760303184475-image.png?Expires=253370764800&Signature=IHH46ThWMLKAr0r-omiirdHJn1POyppgNyuXjbsO75poGX5E0UqckEt19boyGGVituWFr9EYoTw8kw3GEVPudvtTeHNtmTmn~o7ko6dGUQQDs3R886~CSc27FEvgfwe3CiwXDV-lky7RwD3HuwUa6ol1dNUs6Vfpb7SqZlqCliLAH~6IziSrXFXZHAM5mvt40DuMMHGb7pBRdxrj-9BQSUARqIfs25WIMIP0Xre79~iGEWvBNY3jkJ1hFkT~VmboAVtgsfjmo3dRuA3xuqITdcymkyeh8ivmncf~fbLGjyVRp-LmMG2-602wSLh8g24Eq6jX5djfFBg40gpKawaTr-A__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Click **Export** and choose one of the following formats:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760303275571-image.png?Expires=253370764800&Signature=XzfvA7ocSq7wYj8fS6NVZ5ohip4ib3fcWwf5bNgQXGfAaEEf2nOEGSU37Ik1nVuMi-MATu6uY4A8oVFqKcneQT73-reOznUtOlyxkw6Yyhzt~dbSAXWgvZ-IJM3Jgpe4XXsajL6RWm5pSvfBtgJ9tNy7xkZQL3Z4Pb0oCSSRpCMZR82rYOr93HgHZ93A47zqoPCIQsrMtPWONdEl6slfSLNrhs~HtLfBmVDHGD910vHcsdzjX7~VXtsXSSdONTczFzZWc9E3OAE6GlsnwJ5vTKPbKd20KRMOKjvk1mpGziEQfcQo1-bXZSw6UdYV6zcrDtVVjtWiUixADWbkuWk3A__&Key-Pair-Id=K3NV4LZ47N8M46)

- **PDF**: Downloads a folder containing individual reports for each candidate.
- **Excel**: Downloads a single file with all candidate results.

Downloading test reports for selected candidates

To download test reports for selected candidates in PDF or Excel format:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760303411481-image.png?Expires=253370764800&Signature=mXPEDdzWDP6C3qwgUveCyvoztqrS-VQNIZ-nc3uDFAB5xweuwUwQj705R2FVizXRT1dRebNNGahW-07NNvR0ZY6IzJamZTJ-f8-GQfJnVC4pHsBZdBsP6UdEC99V13ltePjgysQoSO~CScwmhQCZUyzXIMVgExSjs88p3BjnlBCGQdxS-biK5ORIOSzBliY-tlrGybwJSg2vYPr~BaurWv2YznUVu~J1NwJGA1ovR44JIAGMmOrX0z8H8~srqSYKpxslroU8cviHd6MaSzSpTr3wlUstYCWjBu0DR3UdOh5GxY6-Mvx75YIY~g4n4JY~7qskvu99pLi3hoeBfHxA__&Key-Pair-Id=K3NV4LZ47N8M46)

1. From the **Candidates** tab, select the specific candidates you want.
2. Click **Export** and choose one of the following formats:
 - **PDF**: Downloads separate reports for the selected candidates.
 - **Excel**: Downloads a single file containing the selected candidates' results.

Note:

You can also download a candidate's report as a PDF file or share a summary report link directly from the **Summary Report** page.

- Click the **Download** icon to download the candidate's report in PDF format.

- Click the ****Share**** icon and copy the link to share the Summary Report. Users must have a ****HackerRank for Work**** account to view the report using the shared link.

- New Summary Report

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760338808116-image.png?Expires=253370764800&Signature=R71ftj7CLAs7Rq8n7GT~93zdIKLxPy6qJC8FxM2hM1Vu6b1JhYwYgmBlyxRXb8C4uySYFVkBzvukWoLbcBjqLIH6XhVK4ywm7IZxYyITcOxgwTkUIGydFA~B1EULRE-JZUONGWHRtHZ4gz4XNTr7i4Gkx4bjSkVngqkIXwDE~OZkT7zXcsBQ-rrg5Llw4dKzUxTuaubv9zQ~BCsyrQY4IsoJs9hGWv2s7~mBy~i65MdqT19GEQZNitgBJOPyM0kEGL~pG0PAaFBvi27o9WKHWNRo0i9cFMvZ8sO4PtbToY~9qdSb100yWzhQlzF3M0a12uACPtVmgALuKDC4BLIYg__&Key-Pair-Id=K3NV4LZ47N8M46)

- Existing Summary Report

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760302887325-image.png?Expires=253370764800&Signature=aKYohX8iU4mvSLx99cSNxdaRa8pvfuis~6uZm8Yyi5~9twvCijg7bAWj0LuNasTJ2JpVIM7tjDBJ2XfNpCGzHrtu8yxSD59jEzerrNPfPnWBZmW2HjkjnmUrE33DGJa5mbHYumoH~veD9sdU5wK4oZk4xnyCikNmRPw3bd3oBHseX1flaQGM4qNo62PloYK8~s3woqfN-5Ge4Pgo5RCwiGB~uSN3-TDasYoai3PQZerBAGA5r-fn~8TX7J4QuuORFN38LEWg5~18ApPLN7mVtlvRk0P2xKqpqDf25GCEexaFzyLOSyLE86K6eVh9vbfTMT9Q6T8pMOXD9AagNNkfQ__&Key-Pair-Id=K3NV4LZ47N8M46)

\

[screen/test-reports] Filtering and Sorting Candidate Test Reports

```
---
title: "Filtering and Sorting Candidate Test Reports"
title_slug: "filtering-and-sorting-candidate-test-reports"
source_url: "https://support.hackerrank.com/articles/1829746072-filtering-and-sorting-candidate-test-reports"
article_slug: "1829746072-filtering-and-sorting-candidate-test-reports"
last_updated_exact: "Jan 20, 2025, 11:11 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Screen"
  - "Test Reports"
---
```

Filtering and Sorting Candidate Test Reports

Last updated: Jan 20, 2025, 11:11 AM (Last updated 1 year ago)

You can use various filters to search and view relevant reports. You can filter reports with filters such as the candidate's name, email ID, and status. After filtering reports, you can also sort these reports based on your selected criteria.

****Prerequisites****

- You must be logged in to your HackerRank for Work account.
- You must have created a test for which you want to view reports.

****Steps****


1. Click the ****Tests**** tab on the home page and then click the required test.
2. Click on the ****Candidates**** option from the test page.
3. Now you have the complete list of the candidates who have been invited or participated in that test.
4. On the left pane, you have the ****Candidate Status ****filters, which allow you to filter the precise list of candidates based on your requirements.



****Note**:** The report list automatically refreshes to display the appropriate data when you enter or select any of the filters.

The available default filters are:

- ****Candidate Status:**** This option enables you to filter the candidates by their test status, such as passed, failed, in progress, to be evaluated, etc?
- ****Total Score:**** This filter enables you to set a range of scores to filter the candidates falling in that score zone.
- ****Invited By:**** This filter enables you to select the candidates you invited rather than those who joined using the public URL.
- ****Invited On:**** This filter lets you find the candidates invited within a particular time frame.
- ****Invitation expiry date:**** This filter enables you to find the candidates whose invitations expired on a certain date.
- You can also add a separate filter by clicking the ****Add Filter**** from the ****Filters**** section.



[screen/test-reports] Errors in Test Reports for Coding Questions

```
---
title: "Errors in Test Reports for Coding Questions"
title_slug: "errors-in-test-reports-for-coding-questions"
source_url:
"https://support.hackerrank.com/articles/1972468979-understanding-errors-in-post-assessment-reports-for-coding-questions"
article_slug: "1972468979-understanding-errors-in-post-assessment-reports-for-coding-questions"
last_updated_exact: "Jan 20, 2025, 1:03 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Screen"
- "Test Reports"
---
```

Errors in Test Reports for Coding Questions

Last updated: Jan 20, 2025, 1:03 PM (Last updated 1 year ago)

This guide has been developed to help you understand various errors and warnings that may appear in coding questions in Summary and Detailed Post-Assessment Reports.

No answer was submitted for this question. Showing compiled/saved versions

- You will see this message if candidates never run their code or tests.
- The system will treat it as if the candidate didn't attempt the question.

Note: If you still want to see the candidate's final code when submitting the test or when the time expires, you can manually run it to see how it performs.

```
!No_answer_was_submitted_for_this_question._showing_compiled_saved_versions.jpg(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046207243-?Expires=253370764800&Signature=Kr-aGStNBPbVT~tg5QuLg6T1SVqgQtGkr~CtJGieSef1Nty-5h9rL-TjobPUJmSU1FwgM3aWRstA4Q2V-Eez56oOAILoVB90QcLqErH9xc58LF~sfeVu5fjOXzjFdzXczk9JOZxQdl2aWbkhYZgtoHoFPuPQZWJqmb3SYnEbLZ22nmhCUVywNKRk4hwGTQVamoN7alpU7xaDDx5cjAu~pSEby2pAmD2OQi-JnkyukXOxa6wl523azsm4qD7WVtwfhNDbh~rbEnZvdYPG0KRfxYCV8SgzOju59TEZdNbZW6hPki0NJ9Tf6TcGd729YZxp4zs8h10Ol6zzQkfBZcTQ__&Key-Pair-Id=K3NV4LZ47N8M46)
```

No code was submitted. The last compiled version is displayed to the user

- You will see this message if a candidate has run their code or run tests but never hits submit on the question.

Note: When the test submission or the test timer expires, the system will run the latest version of the candidate's code and use that to score the question.

```
!No_code_was_submitted._Last_compiled_version_displayed_to_the_user..jpg(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046207681-?Expires=253370764800&Signature=Og-5pb5t-EAxcKwz7k~~8NMN8p3UsRKdLsMeQHxTnPC9f5G3y2oZ6CTzTuJeOMfwWOudBHY9LAB4hF-y2mEt6UjPkO6p66rYq2rN8ZQMNA5eiXmpjJG48Wx4MA1V8zogG4P8Y0lsC815HdGrxt2pzEr6TZcEqbfE6uqj~l88gdwxXuoN3~sPwP38YKcUyclrL5JmU3ooJZ~fH4An2~fkxUbDeE5nR2xjm6CvCZhWqjqzje~0-5iooOiJGVNYcNg0Ze5fGd37XcyNKurBmWEEv-dp7AI2X4xVOBqUUNr4WXGIGogsHLvnrA7tbJj~1DhhIPAAGJHxDV9ePulqpk0~A__&Key-Pair-Id=K3NV4LZ47N8M46)
```

Terminated due to timeout

- Each language has limitations for how long the candidate's code can take to run test cases.
 - For example, in Python, the code must execute within 10 seconds. If the candidate's code takes longer than permitted, the test case will fail and be marked with a "Terminated due to timeout" error.
- Candidates will also see this when running the test cases during the assessment.

Note: Our [Execution Environment and Samples](https://candidatesupport.hackerrank.com/hc/en-us/articles/4402913877523-Execution-Environment-and-Samples)Candidate Support Page article lists all the languages and their respective limits.

```
!Terminated_due_to_time-out.jpg(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046208043-?Expires=253370764800&Signature=PldzXt6LWd9whMQmfV7G9~TsGp-D8TJT3u4PtqEINhO7O4IHnwxeZulrOWWP-BNWC2Vek0zxKtZo
```

9Gj2-wP7ZDEouWhwcmTDy1SB2AmBPMBogUrwb8wZOydfj8jCubX4W8Dacun~yMNwqVNSBt6G2WxQaLGKtFSRJeCGkuXOKM4QbzHDO2Q68ICAKYppZPWj5~xiocKHn6l6mdM3Jyf2xrVxknwj073qQ6IM5qJuznnoA1-SLxGzEwsqy1p-BWl6gggnOR1IMor1xOr6zE-EA2FzNj13ueLDwl25IWygQbX3LGihG7ZKLDwu4wfm8kjHgfZ~Dpl6K94xLGRqPB~U8Q__&Key-Pair-Id=K3NV4LZ47N8M46)

Access denied

- This is seen when someone tries to access a candidate report to which they do not have access.

- For example, Tom is on Team A and tries to share a candidate report with Sara, who is on Team B. Since they are on different teams, Sara will not have access to the report.

****Want to know more about team management and permissions?*** Check out our support page articles covering [Teams Management](https://support.hackerrank.com/hc/en-us/sections/115002458528-Teams-Management).

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735039109394-image.png?Expires=253370764800&Signature=ojkOHHnuZxOb-lbWtgdq1Voi473IKo4rJWCIMLllywudheAj2RTxDg5kaQ0tSDQ5p0WQD62ghwQs8CpcSPIAjzZOy3gNwT55tDqv7YYD5xtPfoiiqDhF9geWhdlTUb1qlFR-Xx9mfhD7KjJ47yd25ewM7M1ZHBiSaOv2Vsr44dVx1D9SJCRRkqkRksFoCkKIHWLMOTre9k-q4rHdVVtHUGAzdf2gZKhqGkGZJDUZtZr0jSiOd~XpEDzUFAMgHWH8E025B3MD~JBehH3yVZv-zglApeRslFmE4~r79ccF5b~e18jIDxnjOqObzBe3FKWZf-5yvWzv6nfu7WhYcHwBg__&Key-Pair-Id=K3NV4LZ47N8M46)

Playback not present

- Keystroke tracking is a feature that was released as part of a report UI update.

- If viewing a candidate report from before the update, you will see this message saying the question does not have playback.

![Playback_not_present..jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046208803-?Expires=253370764800&Signature=Zw-Ttnx0HwJeH98ohfghbaRR98MpXVBxUWloFMMjM2~yg6Ec3p5yApDM0uXwxN5cPJcfYWKtbSICF5lnuwrye7q3f-ZEE3JxzZb2tNRGsrYJ1IvA6swYwDsb8~1aCLtkw65RoKE2mx3euCfuMhGQNBOSAdlmuRhDTomErJw~DK53r18AEvjfTbf4P51rVjKWw8CNA~g9YTmooPyQcrarjku4ylUft02KYAPeAdDjMvueSVhhS3IEepKJWhcWSeQBIO3N1ZHhcq0ofbcfcoNRxml1YREW R2bs9L7iJRLHWh~hV~hQAJ7i8z4ayUfVdWFjT~VxVJl0PE9yliWfawpQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Runtime Error

In some situations, you will see ?Runtime Error? as the status of a test case in the candidate report.

At a high level, the Runtime Error means the candidate's code wasn't able to run properly because of an error in their code.

Below are two examples that could come up in the test cases, but there are many other situations this error may show up.

In the first example, this is a Python error where something in their code is being converted to an integer, but the value they passed in, in this case, the word '99.95', is giving an error. This is a common error with a few ways to fix it, and the candidate would see the ?ValueError? in the test cases during their assessment, which lets them know the test case isn't passing and it's due to this error which they have to fix.

The second example says the function "get_command_results" expects two specific arguments, but the candidate's code hasn't passed them into the function, so the code cannot run. Like the above, the candidate would be aware of this during the test and should take the proper steps to fix the errors.

hn5uZ9i~pqFon26j6Th59RCv430UyrplWSBsLZhCPPx~ZlcJwrAS5UY~CTYAhfklgPPfKgOzhxGguAqpsAwLSvZSU3PLSt1GJQHvUa-VR524iluv9Z56JRJr2UieqTy40ZVDrtkLR9cBAZwMmNwe6Dkk-Qg3k8-sjaDTfucZnymep-3HIWMKPIUPy-NHmnPTkzZjdDe3~olHkjmu~nQAMSqfKCpdjobkFdSRIH~v8wmhcZcETvRFA__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

[screen/test-reports] Plagiarism Detection Using MOSS (Measure of Software Similarity)

title: "Plagiarism Detection Using MOSS (Measure of Software Similarity)"
title_slug: "plagiarism-detection-using-moss-measure-of-software-similarity"
source_url:
"https://support.hackerrank.com/articles/2106056073-plagiarism-detection-using-moss-%28measure-of-software-similarity%29"
article_slug: "2106056073-plagiarism-detection-using-moss-%28measure-of-software-similarity%29"
last_updated_exact: "Jan 20, 2025, 12:03 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Screen"
- "Test Reports"

Plagiarism Detection Using MOSS (Measure of Software Similarity)

Last updated: Jan 20, 2025, 12:03 PM (Last updated 1 year ago)

Plagiarism in the hiring process compromises the integrity of evaluations, making it difficult to assess a candidate's ability. Plagiarism detection tools help maintain fairness, creating a level playing field that leads to better hiring decisions.

HackerRank employs two primary models to detect plagiarism, specifically in coding questions:

1. [MOSS (Measure of Software Similarity)](<https://theory.stanford.edu/~aiken/moss/>): This is enabled by default for all tests. The model compares the candidate code against others in our database. This method is effective in identifying plagiarism from external sources or copied test cases.
2. [AI Plagiarism Detection:](<https://hackerrank-knowledge-base.help.usepython.com/articles/8000786908-ai-plagiarism-detection>) To detect sophisticated and AI-aided plagiarism attempts, HackerRank leverages an advanced AI-based model. This feature is an option that can be enabled if required.

This article talks in detail about the MOSS model.

Plagiarism Detection Using MOSS

Moss tokenizes candidate code and compares these tokens to detect substantial overlaps. Common strategies to bypass plagiarism detection, such as changing variable names or introducing white spaces, are generally ineffective, as Moss focuses on the overall structure of the code.

Plagiarism detection is conducted for the same question across different candidates and versions of programming languages. The system flags a candidate's recent submission based on behavioral signals against previous ones, considering overlapping attempt durations.

MOSS plagiarism detection is turned on by default for all HackerRank tests.

Verifying Plagiarism in the Candidate Report

To review flagged plagiarism activity:

1. Go to the **Tests** page and select the relevant test.
2. Navigate to the **Candidates** tab and select the flagged candidate (indicated by a red triangle).
3. The **Suspicious Activity** tile in the candidate's test summary will provide details on plagiarism.
4. Scroll down to the question flagged for plagiarism and click to view the detailed report.
5. The **Attempt Activity** section will display the flagged code. Review it and confirm or dismiss the plagiarism flag.
6. Click **Yes** or **No** based on the review:
 - Yes retains the plagiarism flag.
 - No removing it.

7. Use the **View Matches** option to see code similarities, and click **View** in the **Output Diff** column for detailed differences.

Code Similarity and Output Diff

The Match Percentage shows the degree of similarity between candidates' code. Use the **View Matches** option to see highlighted differences in the codes, which helps identify potential plagiarism. Based on the percentage, flags are categorized as follows:

- High: $\geq 90\%$
- Medium: $80\% \leq 90\%$
- Low: $< 80\%$

Plagiarism Indicators in Reports

In reports, plagiarism detection is presented as follows:

- **Excel Report**: The **Attempt Plagiarism** column indicates whether plagiarism was detected during a candidate's attempt. The result is displayed as either **Yes** or **No**.
- **PDF Report**: If plagiarism is detected in any candidate's responses, those specific question scores are flagged.

Limitations:

This model's limitation is that it cannot determine the exact source of plagiarism. Hence, it is recommended that you review the code playback for the flagged attempt before making a final decision.

Related Articles

- For more details, see the [\[Plagiarism Best Practices Guide\]](https://hackerrank-knowledge-base.help.usepython.com/articles/4291690360-plagiarism-best-practices-guide)(<https://hackerrank-knowledge-base.help.usepython.com/articles/4291690360-plagiarism-best-practices-guide>)
- [\[Tab Proctoring\]](https://hackerrank-knowledge-base.help.usepython.com/articles/1079706165-proctoring-hackerrank-tests#tab-proctoring-18)(<https://hackerrank-knowledge-base.help.usepython.com/articles/1079706165-proctoring-hackerrank-tests#tab-proctoring-18>) and [\[Copy-paste tracking\]](https://hackerrank-knowledge-base.help.usepython.com/articles/1079706165-proctoring-hackerrank-tests#copy-paste-tracking)(<https://hackerrank-knowledge-base.help.usepython.com/articles/1079706165-proctoring-hackerrank-tests#copy-paste-tracking>) can also be used for questions without plagiarism detection capabilities.
- For further guidance, refer to the [\[Downloading PDF and Test Reports\]](https://hackerrank-knowledge-base.help.usepython.com/articles/1786677446-downloading-pdf-and-excel-test-reports)(<https://hackerrank-knowledge-base.help.usepython.com/articles/1786677446-downloading-pdf-and-excel-test-reports>) article.

\

[screen/test-reports] Front-End, Back-End and Full-Stack Test Reports

```
---
title: "Front-End, Back-End and Full-Stack Test Reports"
title_slug: "front-end-back-end-and-full-stack-test-reports"
source_url: "https://support.hackerrank.com/articles/3527033062-front-end%2C-back-end-and-full-stack-test-reports-"
article_slug: "3527033062-front-end%2C-back-end-and-full-stack-test-reports-"
last_updated_exact: "Jan 20, 2025, 11:42 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Screen"
  - "Test Reports"
---
```

Front-End, Back-End and Full-Stack Test Reports

Last updated: Jan 20, 2025, 11:42 AM (Last updated 1 year ago)

You can view the Test report of a candidate after the candidate has taken a test. For Front-end, Back-end, and Full-stack project-type questions, the report displays a Candidate's performance score based on the scoring mechanism specified. You can conduct further review and evaluation by downloading or launching the Candidate's project directly in an IDE.

****Prerequisites****

- 1. You must be logged in to your Hackerrank for Work account.
- 2. The candidate must have attempted the test, and a report must have been generated.

****Steps****

- 1. Click the ****Tests**** tab and click the required test name from the list.
- 2. Click on the ****Candidates**** option below the test name, and then click the required button from the left-hand pane that shows various ****candidate status**** options.

```
![view the candidate status and filters](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1737353168712-image.png?Expires=25337076480&Signature=GE0glQrdZWla2hpLMBonU4583llz1cHbjebKJfAyBiqpScGWQ0VZ5LAAOJOnCO-k3UWeUI52aHrUhwWiWMLVxpnJW3j~0RlVl2hGt1q8OdMXogsQA5IH16ZmFMuldwldt6-u8gmNV03zT6IV6g4LSNyW0fEwlNKPWrbffYARLsOkIjsNRU4yB1XjVfHVBwQSMgyceSzxSjO7XiXBOBLkfIkP1ozGwPi4t4JoM~IT-D3EwqcQoq9khZyeD~5LBZIC67VURkBC9pslhwmILSRDy6YvXowNXOwoTknsvSi4CWNpmBRIE2GgIV3IC3gu~pGnc8m6oR39mDT5iPSNCe2A__&Key-Pair-Id=K3NV4LZ47N8M46)
```

- 1. Click on the ****candidate's name**** to view the report ****for the required candidate.**

```
![view candidates individual report](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1737352958235-image.png?Expires=253370764800&Signature=ApSNC3WbfMa-aXHDdeyMaOdrbnEpkw-VWeDfUZWZSEKhhub2zxp~teiTyjc6wmi8B3VTOU7irGuSD0r7O-4NNYC2t-MQmjxsfDcVhhSQwxCtUht7fShvN9HEUdM9TUnFF78R6fC0FXa2wJNYEvToVD5~70BSIPO25k386-dXQ2FJCLwAIFMQxD-ru6X4o vKDfuoz~K-LmQgxXDLPSsQXOG4HICzNSVglBbmzqT3FnT8yV2Tz7UcGLN4CnIBOSNFbtGDIDPChoEqHvZvHwHm5X7GKzvDtfLk eLyVdgjvifkZbkxk200nu~pAuCoppF26e~75yR4qRoV0-Jirlq~PGw__&Key-Pair-Id=K3NV4LZ47N8M46)
```

- 1. You can view the ****Summary**** and ****Timeline**** tabs. Click each tab to view different details.
- 2. Upon clicking the ****View Report,**** you can see the test case-wise split-up of scores and download or review the Candidate's submitted code in an IDE. The report provides two options for evaluating the candidate's solution in the submitted project files.

```
![image15.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046744827-?Expires=253370764800&Signature=DXgOVGwycN0jZvpYslbAV5xTvLYnQ1PDxa52RYhVh-H1jg1of7LPnNoT0bhMEVMjaFXKLhE6dTO8FRYAAPxKk5OF3g qmICUgxQDPztiwBeKXhdiUW0sn5ndypY5fWDLyBIOZCesY7vr8QHYZ5fEdA86x7R3TpcM57JxYo4VCQrm82YVulfUT3uRhQF7TWo NeisfiTglFOIMvv8fm19KwYat3Kh4dA8IPXDWaBZlh4w81hLAIBvlj0rgY68U8wLUR~cEHkft8Noi8XGmzzkwWGDQIH5OuAzNwifkBqp8 S1256ehGb2--QBqhlFIX2KUinvnQH7sZ8zouO83sfHWAolA__&Key-Pair-Id=K3NV4LZ47N8M46)
```

- 1. Select the IDE view to automatically open the Candidate's project in an IDE and review the submitted solution. You can directly change the candidate's code and run and test it to determine where the candidate made a mistake. This approach does not require downloading the project locally.

****Note**:** The IDE session is active only for 30 minutes, and any changes made during the session are not saved.

![[DE_changes.jpg]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046745235-?Expires=253370764800&Signature=HGPyMt53lrpCAvp-CCWGrSVbfQ7-v4UDjb70l5IUQ4MZ81Xeh-kw7ahlXkMBJzHjwV6CORbJf3ISbEEU5Id6KGMhrCQ5QhgWa26UMX79ZqW6L30rmSUEXW1biWKRK6L9sGs3XTF7GCNa87Wig3~HZH4rU3e12GVdivgPaOoj4Z3pLg2zDalW7LW3VITr2Uyc1ENrfNkBqMBE0FL3vW22L5X7N4JpcBiFyTHdHWHRJpruDiRa5S97dQwaeSbOi9AQ5TY68Qy0pE8FwpBfTmjWlqeDO4h6GLtPKGs3lb9lji4mmQxCSUx0uPBZlaQn5qiwdJeuA8l3HcHDp6rg5itJ6Q__&Key-Pair-Id=K3NV4LZ47N8M46)

1. A new browser window displays the updated project files, commits, and comparison of the files. You can download the project files and test the solution locally.

![[Projects.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046745620-?Expires=253370764800&Signature=AKBm-l-arLI~RCF3mgV~pfMRzDV~19TRxdEDF1wmwvfFJ9lPuo96Cz5T4pwJuz8PQzXdqUN85mTrdrNbxudRbpQRzpdxA~gbkhmlei6bGawffVndtxRnzblfDL~pyAOZ6w9WikkmQEVMIbAeLnTZ8N0OsnD62qBiiDxy7VtPWNW~l-42PcGBMEd23R3QqoXg3e-sgl4iuGoTUSc2Qw3scD-gA-OofMe6f7o1YAkS8pXtQcjUr9ibVkk~SfIXYWsL4KM8Qef-C1rhNycGd~IKAuJRlXlurELoXlhm1YpWlcpaEaJm5TmPUscYC6y5ZsnofwnYwkz-PuYUJlne5qd-Yw__&Key-Pair-Id=K3NV4LZ47N8M46)

[screen/test-reports] Optimality How it works Set up Optimality Evaluation View Optimality insights in reports Frequently Asked Questions (FAQs)

title: "Optimality How it works Set up Optimality Evaluation View Optimality insights in reports Frequently Asked Questions (FAQs)"
title_slug: "optimality-how-it-works-set-up-optimality-evaluation-view-optimality-insights-in-reports-frequently-asked-questions-faqs"
source_url: "https://support.hackerrank.com/articles/4755292353-optimality"
article_slug: "4755292353-optimality"
last_updated_exact: "Dec 1, 2025, 2:14 PM"
last_updated_relative: "Last updated 5 months ago"
breadcrumbs:
- "Screen"
- "Test Reports"

Optimality How it works Set up Optimality Evaluation View Optimality insights in reports Frequently Asked Questions (FAQs)

Last updated: Dec 1, 2025, 2:14 PM (Last updated 5 months ago)

This feature is part of the AI Add-on. For more information, see [? Advanced Evaluation](/articles/7098008997).

Optimality Evaluation enables hiring teams to assess whether a candidate's solution aligns with the expected time and space complexity. It enables you to distinguish between brute-force and optimized approaches.

This feature evaluates the performance and scalability of candidate code, aligning test evaluations closer to real-world engineering expectations.

How it works

When you enable **Advanced Evaluation** at the company level, **Optimality Evaluation** automatically applies to supported Coding questions. The system analyzes the candidate's solution to determine its time and space complexity.

Note: The candidate experience remains unchanged. Candidates take the test as usual.

Set up Optimality Evaluation

To set up Optimality Evaluation:

1. Enable **Advanced Evaluation**. For more information, see [Enable Advanced Evaluation](https://support.hackerrank.com/articles/7098008997-advanced-evaluation#enable-advanced-evaluation-6).
2. Use a **Coding** question. Optimality Evaluation supports only the Coding question type.
3. For custom questions, add the following in the **Interview Guidelines** section:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753698716860-image.png?Expires=253370764800&Signature=b2jo9gDvG4YmqDYtlEwYX~nz3EBh-mSF9-vkqSzD8r7OBNOoAqblKkefcIL~ZKDz8rK7WeR6c20~S3PEmlm-mPtD~OpObPXl9XUIW6q2wVI0JW4iChAKvEBUx6ZlutcZP4CWDugYli~Vlt8dVPR0M0MRc5LzQ~VNDhkUli78yDMMZTNVhSMwniYtbnwxt03C2fHKPCSc2YP3dhEVPztzUJhrAipajs8dCNRfAMqcxI29wWszYeOyVwpTmpw3-GXzFGixXZ1r~bEMEcQ0P2nzUxzG8G~2sByGaev3fRwAupThyYeUUJXz9LAgEEYgmCt0zL~MtC-dqX~X0JhUdW-NFw__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Time complexity:** insert expected complexity
- **Space complexity:** insert expected complexity

Note: HackerRank Library questions already include this configuration by default.

Once configured, **Optimality Evaluation** automatically applies to the question when used in a test with **Advanced Evaluation** enabled.

View Optimality insights in reports

Optimality insights appear in candidate test reports.

To view Optimality insights:

1. Log in to your **HackerRank for Work** account using your credentials.

2. Go to the ****Tests**** tab.
3. Open the test you want to review.
4. Go to the ****Candidates**** tab.
5. Click a candidate's name to open the ****Summary Report****.
The ****Summary Report**** shows an ****Optimality**** column for each Coding question.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753698750520-image.png?Expires=253370764800&Signature=KmasT8K6g9kkKCGrAbXy2eULD~0FvUBCUyrypPL9D~Ya2MWX0DKP9fclh1vsNTbO2uh~JMWPZliXPERVfP6p dnfu12WHaBQ2Q8RW~Y~hUzhSQPKuRf56i1I5h5b8BaKDpt91MFHEvzidHZKFaNhH8ZYhWzLvDFLOAtLH4ZMgPf2hG2-X81S5Vgpl 3Y6T0INS6lcX6lAeuS~AgUGGJ3cwwLHfMWZ66XHPpEMeZVDHnWwqq1Ui2s1mD6dJExwbNMuy7gqcQBZg6oNCFwWiB0cuMbh2 Ejy6f1R1Me~vfV2KC7WmEJzaQkBEQcxB1rqNq7uuGp9WcSRT~zwbNt1Z-kcRQ__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Scroll to the relevant Coding question and then click it to open the ****Detailed Report****.
The ****Detailed Report**** includes an ****Optimality**** section for each coding question under the ****Candidate Evaluation**** tab, with an explanation of the time and space complexities.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753698827548-image.png?Expires=253370764800&Signature=H2aYw8B8tD66sDmgeOSgxoS4cjD331dKsjutuTp9HZAp3Lc4YuxXGjtGjQBVzPA2NsK5vLR264ZsdNjkVqEUc~9 pEY9hYnhKD-l07ud6GNVLxmCfuTYaqNYOGRkoM6zo~~spRuRIO3jyWXo3Cx3Dr3awcuYVX6SGZ94ApLoMFbl~ub9JvYKTL7M4Z 0pOzBBnP4KIG1NA9OOW4YxKnwkJTM5ZjZvOeAOcya6KLKCnCCHRtzG5tOyRZdQ6W6QsICqACHs1wo6UQ2FEWxqLDG4o~JI 6acZ86hqAhxb8n-PK7MfHmyjOT49qm5RjSURxnOEI-XJus6BkmzcQjrboRSA__&Key-Pair-Id=K3NV4LZ47N8M46)

Frequently Asked Questions (FAQs)

****Which question types support Optimality Evaluation?****

Optimality Evaluation currently supports only Coding questions.

****Why doesn't the report show ideal optimality for some Coding questions?****

The system shows ideal Optimality only when the question includes clearly defined ideal time and space complexities. If the question lacks this information, the report does not display Ideal Optimality.

****How do I enable Optimality Evaluation for my own questions after it is enabled in company settings?****

Add the time and space complexity to the ****Interview Guidelines**** section of your custom or existing Coding question. The system uses these values to run Optimality Evaluation.

****How does HackerRank determine the optimality?****

The system derives optimality from the values defined in the ****Interview Guidelines****. If the complexities are not defined, the system cannot evaluate candidate submissions against a benchmark.

****How does HackerRank validate the correctness of the Optimality scoring?****

HackerRank validates Optimality Evaluation using a predefined dataset that includes a wide range of complexity levels. For more information on validation or evaluation methodology, contact support@hackerrank.com.

\

\

[screen/test-reports] Candidate Benchmark Key benefits Viewing Benchmark data

title: "Candidate Benchmark Key benefits Viewing Benchmark data"
title_slug: "candidate-benchmark-key-benefits-viewing-benchmark-data"
source_url: "https://support.hackerrank.com/articles/6075450367-candidate-benchmarking"
article_slug: "6075450367-candidate-benchmarking"
last_updated_exact: "Jan 28, 2026, 9:56 AM"
last_updated_relative: "Last updated 3 months ago"
breadcrumbs:
- "Screen"
- "Test Reports"

Candidate Benchmark Key benefits Viewing Benchmark data

Last updated: Jan 28, 2026, 9:56 AM (Last updated 3 months ago)

Candidate Performance Benchmark helps you understand how candidates perform compared to others who have attempted the same questions. It calculates a candidate’s percentile based on their score compared to all other test-takers during the last calendar year. This method provides a standardized way to understand performance regardless of question difficulty or test composition.

Note:

- Benchmark applies only to tests that include questions with at least 500 attempts during last calendar year.
- Benchmark is not available for tests that used AI assistance in the the last calendar year.

Benchmark supports both Library and Custom questions. It is updated periodically (yearly) to maintain stability while incorporating new results.

Key benefits

Candidate Benchmark offers the following benefits:

- **Relative performance insights:** View candidate score with a broader pool of test-takers who attempted the same questions.
- **Percentile rankings:** Identify top performers using percentile ranks to understand where candidates stand compared to their peers.
- **Data-driven decisions:** Make informed hiring choices by combining relative performance insights with traditional scoring

Viewing Benchmark data

To view Benchmark data:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test you want to review.
4. Go to the **Candidates** tab.
5. Click a candidate's name to open the **Summary Report**. The **Benchmark** section in the Summary Report shows the candidate’s percentile ranking. For example, 85th percentile or 99th percentile.

!bBENCHMARK
(1.png)(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760034008598-bBENCHMARK%25281%2529.png?Expires=253370764800&Signature=qfmE4dF67gbDHk0T4XJbAh2n25FaiD5xIP3zfqw9yMOav7KfmFJkXYw5XFfa7IUY-xQL9aHk7dUvUb~H94Gwg55Uh~o7zz9tEFDjxTqXgW3WliUTMkno38Rmyf4363DUREJ73MxLGctDRLOfwEX9PJPbf~yIDdwzwVCe1aeiQqqtfBGAwYaVrB~1fLmwZY7kWGu5zCyoLI3G8XiKrYXca2BH2v5333nSWMJu98oEFKb7JQt-Uth~oOe9VGB1CvjudD3N0WW~MYVZLOASZira8zWncfHe9wqj3xPoT1qII-NP~htzMBfwq7mvxrfy2MQOFP6GRrLHv~3Am0AxICNwSrw__&Key-Pair-Id=K3NV4LZ47N8M46)

Note:

- Benchmark data is visible only to recruiters and hiring managers. Candidates cannot view this information.

- Raw scores remain unchanged. Benchmark provides additional insight without altering evaluation criteria.

For more information on Candidate Benchmark, contact [\[support@hackerrank.com\]](mailto:support@hackerrank.com)(mailto:support@hackerrank.com).

[screen/test-reports] Advanced Evaluation

```
---
title: "Advanced Evaluation"
title_slug: "advanced-evaluation"
source_url: "https://support.hackerrank.com/articles/7098008997-advanced-evaluation"
article_slug: "7098008997-advanced-evaluation"
last_updated_exact: "Feb 11, 2026, 11:49 AM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
  - "Screen"
  - "Test Reports"
---
```

Advanced Evaluation

Last updated: Feb 11, 2026, 11:49 AM (Last updated 2 months ago)

This feature is part of the AI Add-on. For more information, see [? HackerRank AI Add-on](/articles/5847651809).

HackerRank Advanced Evaluation provides richer signals to help you assess a candidate’s performance more comprehensively. It offers insight into code quality, efficiency, and AI fluency across the candidate journey.

As AI becomes an integral part of software development, engineering teams are redefining how they evaluate NextGen Developers. Correctness alone is no longer enough. Modern engineering teams look for developers who efficiently reach the correct solution, write clean code, and show sound judgment, especially when collaborating with AI tools.

Advanced Evaluation helps you assess the skills that matter most in today’s coding environments.

Available evaluation signals

The following evaluation signals are available:

- **Code Quality:** Evaluate how clean, maintainable, and well-structured a candidate’s code is. For more information, see [? Code Quality Evaluation](/articles/9625818007).
- **Optimality:** Evaluate how efficient a candidate’s solution is in terms of time and space complexity. For more information, see [? Optimality](/articles/4755292353).
- **AI Fluency:** Evaluate how the candidate interacts with the AI assistant during a test. For more information, see [? AI Fluency Evaluation](/articles/1773201418).
- **Automated Code Review Scoring:** Automatically evaluates a candidate’s code review comments against expert examples. For more information, see [? Automated Code Review Scoring](/articles/4740112925).

Enable advanced evaluation

To enable advanced evaluation:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to **Settings**.
3. Select **Test Settings** from the left panel under the **Company** section.
4. In the **Test Evaluation** section, toggle **Enable Advanced Evaluation** to activate all of the additional signals in your reports.

! [advanced evaluation.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753713162214-advancedevaluation.png?Expires=253370764800&Signature=qyajeKVj64iPvaXy9aY1st0PLuWGjVITV6fkRqOGZSqZHR-YVd8ufAYT71FbT5uH0G7PI~ftGbSnjPFFHOtkGDVhN9EYP1wReMiiFu96jHfFytI1DBi8h5EJsNJa98IPnC3jDX0wRC7GSyXN-5BkHCgMjtGck6Wj0FJbECrQnq97FLCJoyEUpGG02n-c54vsyxojS7Bnnpyuv4-zawoOO-9Xsr9wOTSQuAf680-8CdfjGeuD7mOW0GIISqL6fNbLNYIw8tsSveAJVKY4luROLPh9II7Izuhpo419pXFVhcqfgR3dINzRmBjdkrayL8Ze9ilb70-Znss8qkDAiq4unA__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: For more information on methodology, contact support@hackerrank.com.

[screen/test-reports] Test Insights

```
---
title: "Test Insights"
title_slug: "test-insights"
source_url: "https://support.hackerrank.com/articles/7964147006-test-insights"
article_slug: "7964147006-test-insights"
last_updated_exact: "Dec 13, 2024, 5:05 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Screen"
  - "Test Reports"
---
```

Test Insights

Last updated: Dec 13, 2024, 5:05 AM (Last updated 1 year ago)

HackerRank Insights, powered by Highcharts, provides powerful analytics to evaluate candidate performance across tests. The interactive graphs enable you to explore trends in scores, assess question difficulty, and monitor overall test completion rates.

Key Features:

- **Score Distribution Graphs**: Analyze candidate performance by viewing score distributions across a test
- **Question-Level Insights**: Compare the time taken per question with accuracy rates to optimize question quality.
- **Candidate Performance Graphs**: Track individual candidate scores and pacing relative to the average performance of all test-takers.

Viewing Test Insights

1. Navigate to **Tests** and select a test.
2. Click on **Insights** to view the test insights page.

![[2024-10-23_15-04-03.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046533349-?Expires=253370764800&Signature=ZXgu3E2qpVkwUC5~K0JLBRL2blzywAeQXap0urJET7jmgE6StE7pt-L~YRkPqWQow8pkqh8xerT2IsxJz4KO~8DjbKvsjuwn70m0ceSsqgU7FV4~wHUX5--hcnrDJVyZaH57aMdnOU4osxg-WEkFfLuI5SAorjZgQVd1GWk0h3oP4HlrmJq79XBqrAuNBymRNrrbzcQLutk2E4pl0qGQf-z4WlQznJngTcGyS3gDYdgWgTOA8~PGrwLbBzFKQxYBwpVcFgeyQ2viUgxF2scPxE6WfzYJv6O9B3pcK75WrFuA8cxxQ1ULPhEAAzL7Vtv~t0DY5Vi-OVL~9PP8RJqYGQw__&Key-Pair-Id=K3NV4LZ47N8M46)

Basic Functionality of Insights

The insights are displayed as interactive graphs, allowing you to gain detailed information by hovering over specific areas.

- **Reload Insights**: Click the **reload** icon in the top-right corner of the dashboard to refresh the data.
- **Menu Options**: Access additional actions by clicking the **menu** icon (three lines) next to each section. Options include:
 - Viewing the widget in full-screen
 - Downloading the widget as a CSV, JPG, PNG, or PDF
 - Clearing the cache and refreshing the widget

Test Details

The **Test Details** section provides essential information, including details like test name, test ID, test creation, last updated dates, test owner name and email, and allotted duration. These details offer insights into the test's development history and structure.

Test Activities

Candidate Status: The **Candidate Status** pie chart shows the distribution of candidates who have passed, failed, or are yet to be evaluated.

Additional Widgets: On the right side, the following widgets are available:

- ****Total Invited****: Displays the total number of candidates invited to take the test.
- ****Total Attempted****: Shows the total number of candidates who have submitted the test.
- ****Attempt Rate****: Indicates the percentage of candidates who attempted the test out of the total invited.

Test Level Insights

!2024-10-23_15-32-50.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046533743-?Expires=253370764800&Signature=YsC~ElKYhUGtw1Pr-avgk-IdE~JWmAzVT07sfhVu-nh3U6v~YO4ixH5RAIp5rZe5OI1GW4ZLekd9CBQFS9MSEf7KcG-9sDNCTrx5FXyxp5pqiyq0j2voEWSzU5U5y-uKd4~pA6CV0blhuq0WAmwMdlejM-oBe0AijLlgFs8C2ps~fZokAu3ZsPpL6lG2kfGUcWj2RIREPNWZAx699Jfl6-qbp5yANag1W-lKpgjpY2cEJVQbQ8C0vrqcmuWmGo1yOheLEYY8Hf0~mbCzbXMoL2p-Qq7OR3qwrl~27jSYbwZ2jfbwTPH8pZukZRVlaOLDDLIWTloqZ2yOJzJ3s7MFA__&Key-Pair-Id=K3NV4LZ47N8M46)

The test level insights dashboard will contain the following details:

- Distribution of Candidate Score
- Median Score
- Median Attempt Time (Minutes)
- Median Time to Full Score (Minutes)
- Test Feedback

Question Level Insights

For each question in the test, the graphs display the median and average scores achieved by candidates. Use these insights to identify which questions yielded higher or lower scores. The question level insights dashboard will contain the following details:

- Median Score per Question
- Average Score per Question
- Median Time per Question
- Average Time per Question


Performance Funnel - All Candidates

- **Test Invited:** ****The total number of candidates invited to the test, including those who may or may not have attempted it.**
- **Test Link Clicked:** ****The total number of candidates who clicked the link to take the test.**
- **Test Attempted:** ****The total number of candidates who submitted the test.**
- **Test Attempted at least One Question:** ****The total number of candidates who attempted at least one question.**

Test Attempt Insights

****Number of Attempts Over Time:** **This graph displays the number of test attempts based on the start date of each attempt.

****Attempt Duration Distribution (%):**** This graph shows the distribution of test attempts across different attempt duration percentage categories.



\

[screen/test-reports] View Candidate Test Summary Report Summary Report compar

title: "View Candidate Test Summary Report Summary Report comparison Accessing the Summary Report Old Summary Report New Summary Report"
title_slug: "view-candidate-test-summary-report-summary-report-comparison-accessing-the-summary-report-old-summary-report-new-summary-report"
source_url: "https://support.hackerrank.com/articles/8111267829-viewing-a-candidate%27s-test-summary-report"
article_slug: "8111267829-viewing-a-candidate%27s-test-summary-report"
last_updated_exact: "Jan 28, 2026, 10:00 AM"
last_updated_relative: "Last updated 3 months ago"
breadcrumbs:
- "Screen"
- "Test Reports"

View Candidate Test Summary Report Summary Report comparison Accessing the Summary Report Old Summary Report New Summary Report

Last updated: Jan 28, 2026, 10:00 AM (Last updated 3 months ago)

HackerRank provides two versions of the candidate Summary Report:

- Old Summary Report
- New Summary Report

HackerRank displays the default report version based on your company level settings.

Customer Cohort	**Default Experience**
Companies with the AI Add-on and any central Screen AI features enabled (AI Assistant, AI Evaluation, or Proctor Mode)	New Summary Report experience with an option to switch to the old Summary Report
Companies with the AI Add-on but without any central Screen AI features enabled (AI Assistant, AI Evaluation, or Proctor Mode)	Old Summary Report experience with an option to switch to the new Summary Report
Companies without the AI Add-on	Old Summary Report experience with an option to switch to the new Summary Report

Click **Try Now** to switch from the old Summary Report to the new Summary Report.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760364211429-image.png?Expires=253370764800&Signature=m0hNVOqfkD3qHcLlpGkMnWfDa2sKUW7B7RKDvsLPLjL7NCJxHHIK9DMj4p5Uhkw-H4QoalM63YUMzsABWQA DDZ6QRACxglaFh~b4tre2s5gmB5D5OtsbX8KTxOHIMGtdc2Thm0R0P7VZ526XGNaUbsem1FWC-7UJmIKLLrObUYge1RsJGu7nLct CnZgMsWl1toZ9BDxMgEcFzYpC4UsCdqrFmT-Chn9RqlfXDZOu~RgRSq-GSF87TVCQkKktvoCri0fQq9H5Vdd66GgFBwsb2YfmCwxf mM871eBLJys3H39X0DAo6rNqXusXQVNV1fYsMEbUUYE2Cs0Pmn3rEq8ag__&Key-Pair-Id=K3NV4LZ47N8M46)

To return to the old Summary Report, click the **Switch to old view** icon.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760364335801-image.png?Expires=253370764800&Signature=qbeqZ10hSqnBdzMv3r5M9M0p~KCG6tWLBpnmX1pAsoQ0Zqsc-5mzA0RA-aFCWNR4d~0wsZVVBhRF5nAQKz7 sxeD~LmoYpeD4h9tkH8byQXewNL6rnGXhpcRq9jyuOO01icGtLnd71K3~0dAHl2AqnmiTFKy8AzqRbM6jp9-A6xNi2ljZ5Ad~PbYe~~w~ NdKXQo~QrbwxNE1V0wJDGZZVPsBf1qVwjvraFva2jt6-23xiKwEqWZU9xR-je1W5K6UEfl9y1TnGZIt7EFqMI4V1lj-xEGmtglvjYkQKpS d72dOuSnPEnAjxU4rksOFh1a0UFYt29iTGh51HHSFzXKNe8XA__&Key-Pair-Id=K3NV4LZ47N8M46)

Summary Report comparison

The table below provides a comparison of the old Summary Report and the new Summary Report.

<table>
<colgroup>
<col style="width: 33%" />
<col style="width: 33%" />
<col style="width: 33%" />
</colgroup>
<tbody>
<tr>

```
<td data-cs="1" data-rs="1"><p><strong>Feature</strong></p></td>
<td data-cs="1" data-rs="1"><p><strong>Old Summary Report</strong></p>
<p><br />
</p></td>
<td data-cs="1" data-rs="1"><p><strong>New Summary Report</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Performance Summary</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>AI Usage Summary</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Code Quality</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Optimality</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Benchmark Information</p></td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>Integrity Status / Suspicious Activity</p></td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
</tr>
```

<td data-cs="1" data-kind="parent" data-rowspan="1"> Integrity Summary </td></tr>			
<td data-cs="1" data-kind="parent" data-rowspan="1">? </td></tr>			
<td data-cs="1" data-kind="parent" data-rowspan="1">? </td></tr>			
<td data-cs="1" data-kind="parent" data-rowspan="1"> Session Replay (When Proctor Mode is enabled) </td></tr>			
<td data-cs="1" data-kind="parent" data-rowspan="1">? </td></tr>			
<td data-cs="1" data-kind="parent" data-rowspan="1">? </td></tr>			
<td data-cs="1" data-kind="parent" data-rowspan="1"> Attempt Activity (For tests without Proctor Mode) </td></tr>			
<td data-cs="1" data-kind="parent" data-rowspan="1">? </td></tr>			
<td data-cs="1" data-kind="parent" data-rowspan="1">? </td></tr>			
<td data-cs="1" data-kind="parent" data-rowspan="1"> Assessment and Candidate Details </td></tr>			
<td data-cs="1" data-kind="parent" data-rowspan="1">? </td></tr>			
<td data-cs="1" data-kind="parent" data-rowspan="1">? </td></tr>			

Accessing the Summary Report

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test you want to review.
4. Go to the **Candidates** tab.




![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760453711320-image.png?Expires=253370764800&Signature=rDjxTnN3rM2nEHJU2XbieaGW4eXbNtLR-io1yiLFp6Mq-BKTU4GykzeZz2OaTs7Tu8tgcXLNjYiqbl8N6BgXGDbU0qmyJuJ7M8SbBGmzEKn5ouaW4sITfUSjvf3ImUUI0AZxwnAjHpez98ShlTWB1q9Sbcw2PPGagZQQq9x2t0Vxc5Wbo-yMi3lR0migSGaDFwU6RHkgkB-WrUnsmz42sDGTnHMQl9p9Erfd7ksMTjMjfPq1sc8dvr6Es0rSPkdRfBckLCgHcO2HDJiVA8V8rJyVYExeerFcVoAc6y3ehR7Z1Qay7ObxHZUjKrDBxxtfGo4HfZoHDGZWYyE5y-8QA__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Select a candidate's name to view the Summary Report.

Old Summary Report

The old Summary Report provides detailed insights into candidate performance and test efficiency. It helps you to assess a candidate's suitability for a role.


Situation	Symbol
The candidate's answer is correct.	
The candidate's answer is incorrect.	

The candidate?s answer is partially correct.			
			
The candidate did not attempt the question.			
			
The question requires manual evaluation.			
			

- **Comments:** Provide feedback on the candidate?s attempt. Type your comment in the text box and click **Comment** to save it.

Note: Select a question name or click **View detailed** to open the Detailed Report.


- **Attempt Activity:** Tracks a candidate?s actions during the test, including time spent on each question, recorded events, and integrity-related activity.



- **Candidate Details:** Displays the candidate?s feedback and test information, including name, email, test name, test duration, invited by, and country.



- **Candidate Status:** After reviewing the report, select a status to move the candidate?s attempt to the next stage.



Xb9glcCUsFEOb~TgyJmDOJnt-VTh0SfJU~6NNqiY-crUX-CbHanx1ilcLr74-yM3Lx15nNG95S4rA29VTYagWbyxMYJbQJ8kM91OR-Pk sqFypqTA2~PQsB~ALUdtvBDAWpopdUEhDUoVNAEKaHI9G2n-otew__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: You can:

- Download the report as a PDF.
- Share the report link with teammates.
- Open it in a new tab using the **New Tab** icon.

New Summary Report

The New Summary Report provides enhanced performance analytics, AI insights, and improved integrity tracking. It offers deeper visibility into candidate behavior, performance, and code quality, helping you make informed, data-driven hiring decisions.

Key components

The new Summary Report includes the following components:

- **Performance overview**

[report enhance.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769353724636-reportenhance.gif?Expires=253370764800&Signature=bVsWXOA28iyKwqJymU4zcyeToeXSP3wTXNlxbpkCEhtvULTxMIVAvVFCfSveuRaX559HmVEgQITmvPABUAh1YwQIO2Q5jLr~5zn6VxF5cEdwwsNaGTM99NRFuWqSBHevlvs98RjHGZg9YJppd0-SEzZ4LUpqeZ5earLg1kRQol4EVhsWZI9YSrBClLpMgNAumFzixn9B7i4jyqbbpHtl10qcpEYi~n9JAIEt4Fg-cUHnAPHHUfGkIDtowzLO3YVWCfla-KMWKYmBP5d1BboYAf4NJqYHeghYfGOSJkItSwYfe41igBOO6eglkH~AygA1pvm8pmiH0sVN08y2iVKjqQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Score:** Displays the candidate's overall score for the assessment.
- **Benchmark:** Shows how the candidate's performance compares with others who attempted the same questions. This comparison enables data-driven and objective evaluation of candidate performance.
- **Integrity Issues:** Displays the severity of integrity issues detected during the assessment. Detailed information appears in the **Integrity Summary** section
- **Performance Summary:** Displays an overview of the candidate's test performance, including:
 - Overall score
 - Code quality
 - Completion time
 - AI usage summary (how the candidate interacted with the AI assistant)

Note: Click **View detailed** to open the Detailed Report.

- **AI Fluency:** Provides recruiters with a holistic view of how candidates interact with the AI assistant during a test. For more information, see [? AI Fluency](/articles/1773201418).
- **Integrity Summary:** Provides a consolidated view of all detected integrity signals for a candidate. It lets you preview issues and drill down into supporting evidence within the same section.

[test with webcam.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769513833607-testwithwebcam.gif?Expires=253370764800&Signature=nQWckGnGQTKVPW7qvbB~jRs1f5ilejPwwff~GKRcqnRVkyREVmEYTR1MFekqLHRV0Rnajvu-t-CyL31dmgeIsmkeS5BJbsGWDGELOx8IhNpIGpOYIRut7GLpE7VMdO57IpJPO-e3u0ZEW5ctS14VjO7m02PXMf40HNvZMOiblf11mSx3abNz~QIO1KdyZS9~MID7tmSbhSOZxoUgRhT2U-zdDXIOEV5Ar~cQoDjChzfW9VLak~VF7Z64cOSITEx0-1eYDGiJKfIN0~gv0yCsf2shld5y dWH~XijuqrCy7jeT31Q3fQTrOKOgRIVKPaxXLGRejuWMG29QCfYu~vs8A__&Key-Pair-Id=K3NV4LZ47N8M46)

The Integrity summary shows previews of detected integrity signals, such as:

- **Screenshot and image analysis:** View previews of flagged screenshots and images, with the option to open full set for detailed review.
- **Tab switches and fullscreen exits:** View exact timestamps and durations that show when a candidate leaves the active tab or

window.

- **Code similarity:** Preview and compare the most similar code instance for each question.





Click ****View Session Replay**** to review the full test session and investigate any integrity signal in detail.

- **Questions:** Displays each question in a table format with the following details:

- Question type
- Associated skills
- Candidate score
- Code quality
- Optimality
- Status symbol

Each status appears with a distinct symbol that indicates the candidate's response.

<table> <colgroup> <col style="width: 50%" /> <col style="width: 50%" /> </colgroup> <tbody> <tr> <td data-colspan="1" data-rowspan="1" data-colwidth="309" style="width: 309px"> Situation </td> <td data-colspan="1" data-rowspan="1" data-colwidth="259" style="width: 259px"> Symbol </td> </tr> <tr> <td data-colspan="1" data-rowspan="1" data-colwidth="309" style="width: 309px"> The candidate?s answer is correct. </td> <td data-colspan="1" data-rowspan="1" data-colwidth="259" style="width: 259px">!f[21.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F032db0cc-3a95-440a-a9e6-a9413c87a3 c2-1760367505368-21.png-f7f7710f-e6d1-4ef2-9b9d-9787061c04c1?Expires=253370764800&Signature=g50PQiKYBvDCPhxm4MK- XgmxwqC6Nos3iPdciZDTW0PhSPtwX-sqqQXkUprb1Af21h2wYMBK6x6RpfmMoC~KepyPmV5x141v-603Ucg9Wn-zkBVTqETbPvXp7 QZPrIj-BCJrwMeyMFgjMIWH8QiU-enD2NMhEBW9magebkouRS9hmGldVPJPGfm9rMLKm8Bu4D7r68cydv~QsN8FUUp6aNx8qUrR8 WtQ5JsNt~6~MiIPPHIWzeLBogsgCXVjPNBgOsyEq5Bp56Ozuavj10hatSIUp1t6NOd-kAh~CVD1n00CtL8ZofZSik-IXONBDdB2av20jOK TuvJJBWLUL-GfRrQ__&Key-Pair-Id=K3NV4LZ47N8M46)</td> </tr> <tr> <td data-colspan="1" data-rowspan="1" data-colwidth="309" style="width: 309px"> The candidate?s answer is incorrect. </td> <td data-colspan="1" data-rowspan="1" data-colwidth="259" style="width: 259px">!f[22.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F4b5d6489-190b-4408-b86e-8322fcdd98 5b-1760367517554-22.png-cb248434-287c-4790-9b11-eea2ec75d5cf?Expires=253370764800&Signature=iNYjk3wmTKZ5zDNmIV26 eQojoiIU-U-qj5-OkNyUV8hLAzsKpRNIDNP5tEcXosvtHAsy2FmZzsjojbF4SCx4pbxtaPMFAILO5LKkq5FlNZQ8QCxoZpwRmbubVdB 3YGxUjNhx7e0hyLCOfFE3uzTcQ3B9KLE~xSnNvi1fboo3ieE0YDtN-zuqnPHixD-UCO-fvfVUI4RGZNplS56fJti6FXjtT94ra5OpX-yUFi-oYA OnvzLnklJOvgGTxuDu2MLtlFjmQc-QQITHSnnRTU9mH8VaehZIOUWAWxGtmWT6s9wg4URLmFz3J9aurMcSBak67-h73VVVSgTJD4~7 aRRudc88pw__&Key-Pair-Id=K3NV4LZ47N8M46)</td> </tr> <tr> <td data-colspan="1" data-rowspan="1" data-colwidth="309" style="width: 309px"> The candidate?s answer is partially correct. </td> <td data-colspan="1" data-rowspan="1" data-colwidth="259" style="width: 259px">!f[23.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Ff90c0926-7f29-4299-99e1-dfa07add5e5 d-1760367526028-23.png-8ae324c4-aac5-4cab-a16d-ffc178ba3f7e?Expires=253370764800&Signature=XXFcsc5FdgoR8FD3pnNsLQ ORKJQ2jsfERMCBWaeQxBpSApqBY~yqtQN0jMU6UIEMhDQsWaQzWJSqDzYVVer0yudRWpzAdSMlkys0TiasUkazzy7baXerDd-n3jC fnvpplfxXBnytxbol32mpVeDxb4LSdDCjBidBveTqrRx63UZo-L7ky99hfYlaK1svjuugHOu3JoduZiru~bOPthpdGdKqw6zbcdjlj-byY56fwP viSv-f4ScENbpU1htKOddQPQLaVn2YOvPu1WoHDHts7S-zHO3bohSbTL PouP28zat6L7xwcYCNoAP56G90yFjiQr46lcEUD1B7cThJT so9jZg__&Key-Pair-Id=K3NV4LZ47N8M46)</td> </tr> <tr> <td data-colspan="1" data-rowspan="1" data-colwidth="309" style="width: 309px"> The candidate did not attempt the question. </td>		

					
--	--	--	---	--	--

[illegible]

- **Candidate Details:** Displays candidate information, including full name, email address, city. Click the expand icon to view candidate ratings and feedback.
 - **Assessment Details:** Displays details of the assessment, including test name, test date, total time spent
 - **Candidate Status:** After reviewing the report, select the candidate's status as **Passed** or **Failed**. Select **To Evaluate** to move the attempt to the next stage.
- Note:** You can also create an interview directly from the **Summary Report** by clicking **Create Interview** in the lower-right corner.

- **Attempt Activity:** Tracks a candidate's actions during the test, including time spent on each question, recorded events, and integrity-related activity.



- Note:** You can:
- Download the report as a PDF.
 - Share the report link with teammates.
 - Open it in a new tab using the **New Tab** icon.

Override integrity flags in summary reports

You can manually override integrity flags in a candidate's **Summary Report** if you determine that the flagged activity is not valid.

To override the integrity flags in summary report:

![override.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769353321716-override.gif?Expires=253370764800&Signature=f3~3SvJKE466xzp5QAMCTqZsYBk39XpGjSgMj95dulzywN1xv67UNo94Dk5uZwqC5lQeBV5cGgFgMc3edcCd14G1LbLv9lf7cbRt7t8Wl4qxGlaqf0OMdqJvRBXaW7FZJzL4Kvg7tgXciHGjkhT6DOhfxJEGOZl8pqj8S-xsFfou28MKpRsGPoTGfjuhur~~zDXb0i~w~pvLvlU2bJr3CskhNA5y3rGBwzz9VfKU8ktluAMOOIngzU5~kH89l7QEpnHEGqknDDsK0PJ084dzJlSi7lwgt2tvQzDTW3edc tTC2PijYP5TXKBCRRpmK2WXYzjOIMi8wi-IOoN9GHksKg &Key-Pair-Id=K3NV4LZ47N8M46)

1. Open the candidate's ****Summary Report****.

2. Select the edit icon next to **Integrity Issues**.

3. In the **Override Integrity Signal** dialog:

1. Select the integrity signal you disagree with.
2. Enter the reason in the comments field.

4. Click **Override**.

After you override the integrity flag:

- The **Integrity Issues** status updates to **No issues detected**.

- The **Integrity Summary** shows that the integrity issues were overridden, including who performed the override and the reason provided.

\

[screen/test-reports] Viewing a Candidate's Detailed Test Report Prerequisite Viewing

title: "Viewing a Candidate's Detailed Test Report Prerequisite Viewing Detailed Reports Key Features of a Detailed Report"
title_slug: "viewing-a-candidates-detailed-test-report-prerequisite-viewing-detailed-reports-key-features-of-a-detailed-report"
source_url: "https://support.hackerrank.com/articles/8263794320-viewing-a-candidate%27s-detailed-test-report"
article_slug: "8263794320-viewing-a-candidate%27s-detailed-test-report"
last_updated_exact: "Jan 28, 2026, 9:50 AM"
last_updated_relative: "Last updated 3 months ago"
breadcrumbs:
- "Screen"
- "Test Reports"

Viewing a Candidate's Detailed Test Report Prerequisite Viewing Detailed Reports Key Features of a Detailed Report

Last updated: Jan 28, 2026, 9:50 AM (Last updated 3 months ago)

HackerRank for Work provides Detailed Test reports that help you review your candidate's performance in a test. These test reports are generated once the candidate submits their test, their answers are evaluated, and the scores are assigned based on the scoring mechanism.

Based on the Question type, the Detailed test report includes specific options to view, playback, compile, render, compare, and download the candidate's answer or solution. With these capabilities in the report, you can conduct a detailed evaluation of the answers, change scores, and record your feedback.

Prerequisite

- You must have at least one test attempt by the candidate.

Viewing Detailed Reports

1. Navigate to **Tests** and select the required Test.
2. Click the **Candidates** tab and select a candidate entry.
3. Click **View detailed** from the **Questions** section on the Candidate's Summary tab to open the detailed reports. You can also click on the individual questions to open a detailed report for that specific question.

Key Features of a Detailed Report

- Upon clicking on **View Detailed**, you will be taken to the **Detailed Report** page, where your selected question from the candidate's test will be loaded along with their answer in full-screen mode.
- On the right pane of the page, you can see the **Problem Statement**, which is closed by default. You can open it by clicking on the **Problem Statement** dropdown.
- You can toggle between the questions using the **Previous/Next** arrows at the top of the page.

[detailed report new enhancement.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769342205075-detailedreportnewenhancement.gif?Expires=253370764800&Signature=tyXdE4DgdEBR1~nF-Mpx0r-1GB-hz84crPuxCDUnAWjH7GB0KD4a3QWyydTGVZ7e7~kJgLQu~K557wk7GhNbeMFBfxHuy1DqlAGfw0LRwHOBSTdJPIM7uOetdqUcpJ4riR1JjNdj8AFL1r5RoTwHhIE3FN8E16ExFH84fXJwoCZXXBEutDC99wkD0foaa4g7ljfcROK~YP5Szvs5Iif93WrvF9kVSILfCpVMUImEGOOMyvUHCNXIrw0VPAO8sribSpiVz8BTN5BML-3zl~gyelsP-eT6e-E10hCPTL4ESvHNu5fYaGPvfiB5BTQRDJ864uPqkvOFHmsmusUPHMMg__&Key-Pair-Id=K3NV4LZ47N8M46)

- The **All Questions** dropdown allows you to access all the questions from the candidate's test.
- You can see the Evaluation Status on the top left corner of the page. The candidate's preferred language used to answer the question is also displayed.
- In the center, you can find the **Review Code** option, which will take you to the candidate's Interview experience, where you can review the code submitted by the candidate.

Note: In a scenario where a test question is modified after a candidate has attempted it, the **Review Code** option from the detailed reports is removed, and recruiters cannot use this option.

- Within the **Score** field, you can assign or modify a question's score based on your assessment.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1742366305530-image.png?Expires=253370764800&Signature=YVq3L3kLqRfuTb5eEQs2m1UAVGYUkX7tFlhJ28vLx3uMZbqM6ikOGEE30s2bLQAe1eAFm-dXoMEpStYlKhLOSqvegJb7iGGwE4iEFzWRXgCE7CxlzRmxdCQABaOQs-KrvFKS-5cr9twKhMeolPPPPQQkRSgc6FUC04uNBOTG-hYXR4szDsl1~flvtrlSwgkphp7QGyyMb8a4i9STppcU2BNOZUWNIIGMKN-17pqGx3MDAYr7o5wdAB-fB2T33KIGn2-nT5xw0iKY411xBmtRCO2sxe0dCDShzGgcpW2Vy~sbUDLXxjgAxpVYDlaGYTcc3sWBv~5dmPzSAiqv6-f~A__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- On the bottom of the page, you can see the **Test Cases**. Here, you can see the Test case type, its result, the score the candidate attained for a particular test case, the time the candidate took for the test case, the memory used, and the option to check the **Output Diff**.

Note: This tab is only for those question types that consist of Test Cases.

- On the **Suspicious Activity** tab, you can view plagiarism match among the candidates or code copied from external sources. For plagiarism, the report shows the match percentage and the source. Select **View diff** to compare the two code submissions.

enhancement2.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769342457822-detailedreportnewenhancement2.gif?Expires=253370764800&Signature=M~gMW2iXaf8nrgGKE8AvmFboiv9FwNjUg1CCRfkWjiTKyRIN~WXvYiluWoRhCwWhoRWY8MAS07-ct-xF1~wnrpXhAU3vJ31H592dZZRTSH2rjDwUQl2yUN6Jaj5kAhlaKV0HeCdmFREa4zs5VKgPg3mohKK7hWJLU6ipnjK42nQzdoLVF5sHKXQ0Gbkp~CM0IJ7gKcDXKoV0dbZltconiMoftFXP1SAgqMNNHf2dwKm6w1t1aCqi7MKPih9NngnL~rBhLxlgB5qRPTpyUjKL33qy6Q~2l0RPQVtFstiqmLauB~7JWAJqGJhA4wOsThlHWdzyYgJpqjTvE-k42S3Q__&Key-Pair-Id=K3NV4LZ47N8M46)

<!-- -->

- On the comments tab, you can find the comments by all the recruiters who have evaluated the candidate's attempt. You can also write a comment in the given placeholder and publish it by clicking **Comment**.

Code Playback

Using the detailed reports, you can check the candidate's test activity using the **Keystroke Code Playback**.

- The entire candidate answering a question activity will be screen recorded and presented to you in a video format, enabling you to evaluate the candidate more effectively.

- The code playback option automatically highlights the active timeline, making it easy to navigate through the playback without wasting time.

- The **Skip Inactivity** option is enabled by default, which helps you play the code without dead air moments when the candidate has not been active.

- You can also control the playback speed by clicking on the 1x button.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1742366681426-image.png?Expires=253370764800&Signature=aGS0Jo4emYU-jvs6TEZoVWtM38nJH4gAZxPtIgeS0xjToStwT9FsN9zZkT4BIATqFU-H8~YRXFSVa11xxOrWnL7Kpylsnc5bth5DPj7D9XZ4TcVL-i5QQXRO9bNeKVEh9rn6FCACtOiywA-2zmjO~Aw96B5Y1Jl9fLDA3bxJGooWrnsZvxxZW3F~J-JjDX0ZfOXYHYElfCGr9kaubcsRj5ySotW-Y2v5cPRlkcnIOG17tOptMyUvOFUI3H5v-RX6LvyUiT3CFQOWBI~jXNlhRjpS5HaqMzVsDPWzOa drdZ4ZBDHzjg5olh~D0eCH8x76gXEv9YF3c7-ZTgYFwzWg__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: The Code Playback feature is available only for Coding questions.

The detailed report for each question type (multiple-choice, Coding, Whiteboard, Projects, etc.) will differ slightly depending on whether the questions are auto-scored or manually evaluated.

[screen/test-reports] View Candidates List for a Test Viewing the candidates list

title: "View Candidates List for a Test Viewing the candidates list"
title_slug: "view-candidates-list-for-a-test-viewing-the-candidates-list"
source_url: "https://support.hackerrank.com/articles/9135272973-candidates-list-in-hackerrank-tests"
article_slug: "9135272973-candidates-list-in-hackerrank-tests"
last_updated_exact: "Oct 14, 2025, 7:34 PM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
- "Screen"
- "Test Reports"

View Candidates List for a Test Viewing the candidates list

Last updated: Oct 14, 2025, 7:34 PM (Last updated 6 months ago)

The candidates list in the test interface provides a centralized view of all invited candidates and their test statuses. It helps you track candidate progress, review reports, and manage invitations in one place.

Viewing the candidates list

To view the list of invited candidates for a specific test:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test from which you want to view or manage candidate invitations.
4. Go to the **Candidates** tab to view the list of all candidates who have been invited or have participated in the test.

!q2.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760440535866-q2.png?Expires=253370764800&Signature=IctdFVI9jnK0m0ajvJ0jsA2XiqaOpq6k-sRMsiuemQfJ3jaiJeSZMYjA4uXjNptzRLY~IzWA7S9zMv13B0VMjHUN18Q0s0Y-irXhr1xuU1E3jESQ2x~YILhBCghUHSO1mxSeEHtQADpbB~qVjKxwK0IEqLLdOX-ZGMOsGsjhhaIQ-aDitYeAcNtK-u6IjOfEHB0TRb8cuP54AyeYNO6uu1xPWqbKd4rUQ5ovNOvCIRhW3xWF0ddc2ZvOBcBRJnOX3wQ69flkPVJtK4aEITnNLFPPQXon7w32TyJVfQTPdY7bj~INm~tHlwHj~n9BtsVDIaNXJF9SIQgk~FiKgyjDpw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Use the search bar to find candidates by their name or email address.
6. Apply filters from the left pane using the default options, or click **Add Filter** to create a custom filter.

!q.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760440527815-q.png?Expires=253370764800&Signature=Pd1SZxolrYsZK42iW~BJTnoLMuchRcCPCkGE0w8mflLqXQAxmDMPC6UWhXi83FOVus5VRDyYUj3H6~ZJ9QBICMfXTrL1NcuHqY7st4SN~7KA4-0mDampaMNMkzTCgDdt~K2HxIVsLW7G8jd-pGubdlyuTF76fcV7BlqjF23A3fPiazvugS753qLxwxm5~JkwD70ryBq-V1DELtyZ4ep8LqBor30lp~Nxep6H5Szi0U2NXUPNwovkX6DuZoXfNNmQZFJWcHp0FWu2mkbH4LgYZ5gYdXW7eZfdk5Mt5NMAV~p1f7CsaYf04eEIKFIAH91xyDb5AEctIGCRGS~A__&Key-Pair-Id=K3NV4LZ47N8M46)

\

[screen/test-reports] Code Quality Evaluation Key benefits Evaluation method Enabli

```
---
title: "Code Quality Evaluation Key benefits Evaluation method Enabling code quality evaluation Reviewing candidate results"
title_slug: "code-quality-evaluation-key-benefits-evaluation-method-enabling-code-quality-evaluation-reviewing-candidate-results"
source_url: "https://support.hackerrank.com/articles/9625818007-code-quality-evaluation"
article_slug: "9625818007-code-quality-evaluation"
last_updated_exact: "Dec 1, 2025, 2:13 PM"
last_updated_relative: "Last updated 5 months ago"
breadcrumbs:
  - "Screen"
  - "Test Reports"
---
```

Code Quality Evaluation Key benefits Evaluation method Enabling code quality evaluation Reviewing candidate results

Last updated: Dec 1, 2025, 2:13 PM (Last updated 5 months ago)

This feature is part of the AI Add-on. For more information, see [? Advanced Evaluation](/articles/7098008997).

Code quality evaluation assesses how well the written code adheres to best practices for readability, maintainability, efficiency, and security. This evaluation often takes place through processes such as:

- **Peer reviews**: Developers review each other's code to ensure compliance with coding standards and identify areas for improvement.
- **Automated tools**: Static analysis tools automatically highlight code smells, formatting issues, or potential errors.
- **Test cases and unit tests**: These validate the functional correctness of the code.
- **Quality metrics**: Metrics include cyclomatic complexity, code coverage, duplication rates, and adherence to coding conventions.

In HackerRank tests, correctness is evaluated through automated test cases and quality assurance checks for functional specifications. Code quality evaluation may also involve highlighting potential issues in specific areas. Adding comments on issues or metrics can enhance assessments by providing insights into maintainability, efficiency, and overall code quality.

Key benefits

Code quality evaluation highlights how advancements in AI are reshaping the role of engineering. Specifically, it highlights:

- **AI's problem-solving capabilities**: AI efficiently solves a significant portion of logical and coding problems, prompting hiring teams to evaluate skills beyond accuracy metrics.
- **Need for additional evaluation signals**: As AI enhances problem-solving, hiring teams require extra indicators to differentiate between candidates. This ensures hiring decisions align with the demands of enterprise-level development.
- **Code quality as a differentiator**: For candidates with similar scores, the ability to write clean, maintainable, and high-standard code becomes a decisive factor in assessing competency.
- **Enterprise relevance**: Writing scalable, resilient code is essential for enterprise applications. This reflects a candidate's readiness to tackle real-world challenges and contribute effectively to organizational goals.

Evaluation method

HackerRank provides a prompt listing specific rules and issues to the AI model along with the candidate's code. The AI generates feedback on the code and organizes comments into different categories. Based on this feedback, the system uses a straightforward method to evaluate code quality.

HackerRank uses the time-debt method to create a grading system for code quality. This evaluates how long it takes to fix a mistake compared to how long it took to write the code. If fixing the mistake takes much longer, the code quality is considered poor. This helps quantify the impact of low-quality code and enables consistent grading across different solutions and programming languages.

Note: This feature is currently supported only for Coding and React questions.

Grades based on tech debt

- **Grade A**: Tech debt is low; code quality is good.

- **Grade B**: Tech debt is medium; code quality is average.
- **Grade C**: Tech debt is high; code quality is poor and would require significant fixes.
- **Not Generated**: System does not generate a code quality grade for candidates who score below 50%.
- **Not Available**: Grade is not provided for questions that are not supported for code quality grading.

Enabling code quality evaluation

Turn on **Advanced Evaluation** to enable code quality evaluation for all tests. For more information, see [Enable Advanced Evaluation](https://support.hackerrank.com/articles/7098008997-advanced-evaluation#enable-advanced-evaluation-6).

Reviewing candidate results

You can view each candidate's code quality grade in the **Candidate List**. You can filter candidates by their code quality grade.

The **Summary Report** also displays the code quality grade in a dedicated **Code Quality** column.

![[New Report exp.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760040826242-NewReportexp.gif?Expires=253370764800&Signature=QihWgb0UTKo0p~NC4~xGBgaot1eC7GpKHgxHog02TKgRyY5sjQJGfRLrXAAzDeM2RVve9BjqfVCQC5r4WmaAB6AYLEEbeHCKbAQomAwgANnZHfo3xyO5GPHOYsDfwjQih~u5dC60b3RYQSsco0TceqaMZnstldNaevrz6Ezzx3nA30nqZ4DfZ75QjIwq6-ErhiGD0-ZKRVLdm5skDAWI0uEt26NAB2ME9DD3qZQWoa1owouBctMjPM-cjJ5Zkx1rGccjidWe~FkvJM461cGftO9jfbNwsXLJK-ZWJk9kmmql1UitgSdMyoWOE9-lAhUYDvrryVw9fN8yjqvYLoC7Q__&Key-Pair-Id=K3NV4LZ47N8M46)]

You can evaluate a candidate's code quality directly in the **Detailed Report**. The report provides a code quality grade alongside the candidate's score, offering deeper insight into their coding abilities.

Key components

- **Code quality grade**: A quick indicator of the candidate's code quality. This requires the question to have a recommended time set.
- **Code comments**: Inline comments in the diff view highlight specific areas for improvement.

If you disagree with a comment, you can choose to ignore it. The grade is automatically updated to reflect this action.

Reading grade

- **A**: Good quality code; very few issues.
- **B**: Medium quality code; some issues.
- **C**: Poor quality code; significant issues.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753775152427-image.png?Expires=253370764800&Signature=kUbAz2b8Or660AqRayRIYqUNAX29m3aEEemGpPu5W5tshba2Ohq5ivbmN3ecTbZnDMWYrl3NK4yImAY399wrEl ovcGwtUCWYNFYs3LkrJM-QQ1PMTY-iC5Nha6CwrmgXweuzy4A2ULeLSTCSO5Z2~vbdpVz3GEoZ4dBqi2dAPWC92FNKCeWjsW yKqUH3~2O7Jm3JPSxqbs6axe0goJr8JlxZsMUPZgNDMQDGuYuCkLpoTRb44Yax4X3F8dBHE-Pf1GchMZ9LdknxdJtaKN66Z-Tf-LjG px~A92SSqXwt-6SFzxze7t7Tuvynm0evvfvXPVCNzXN47Q9wkaEhB8HaQ__&Key-Pair-Id=K3NV4LZ47N8M46)]

Note: If a user ignores a violation, the code quality grade is recalculated in real time to reflect the updated assessment.

\

[screen/test-reports] What is Code Quality

```
---
title: "What is Code Quality"
title_slug: "what-is-code-quality"
source_url: "https://support.hackerrank.com/articles/9722863972-what-is-code-quality"
article_slug: "9722863972-what-is-code-quality"
last_updated_exact: "Aug 13, 2025, 6:48 PM"
last_updated_relative: "Last updated 8 months ago"
breadcrumbs:
  - "Screen"
  - "Test Reports"
---
```

What is Code Quality

Last updated: Aug 13, 2025, 6:48 PM (Last updated 8 months ago)

Code Quality is an approximation of the usefulness and maintainability of the code in the long term. Code Quality provides insights to the hiring managers about the coding practices and style of the candidate. This enables the hiring managers to make better hiring decisions that are not just based on the accuracy of the code written by the candidate.

* **Note**: Currently, we do not provide an overall rating or score for the code quality. Also, we do not evaluate the time complexity of the candidate's code submission. Only the issues in the code are highlighted and described.

The key attributes used to evaluate the code quality of the candidate are as follows:

- **Duplications**: The more the number of duplicate blocks of code, the worse is the quality of the code.
- **Documentation**: A large number of irrelevant comments in the code adversely impacts the code quality.
- **Issues**: The number of issues with the following three levels of severity:
 - **Blocker**: The blocker issues have operational or security risks. These issues might make the whole application unstable in production.
 - ***Examples**: Calling a garbage collector, not closing a socket, and so on.
 - **Critical**: The critical issues have operational or security risks. These issues might lead to unexpected behavior in production without impacting the integrity of the whole application.
 - ***Examples**: NullPointerException, badly caught exceptions, lack of unit tests, and so on.
 - **Major**: These issues might have a substantial impact on productivity.
 - ***Examples**: Too complex methods, package cycles, and so on.
- **Maintainability**: When candidates use code that is easy to implement in the short run instead of applying the best overall solution, it might require extra development work in the long run. This is referred to as long-term technical debt. The more this debt, the worse is the code quality.
- **Security**: Code quality is also determined by the security vulnerabilities present in the code. Many security vulnerabilities involve coding errors that allow attackers easy access to the system. The more vulnerable the system, the poorer the code quality.

Refer to the [View code quality in a report](https://hackerrank-knowledge-base.help.usepylon.com/articles/5965153034-view-code-quality-in-a-report) topic to understand the steps involved to enable this option.

[screen/test-settings] Hide Question Title Enabling Hide Question Title Candidate exp

```
---
title: "Hide Question Title Enabling Hide Question Title Candidate experience"
title_slug: "hide-question-title-enabling-hide-question-title-candidate-experience"
source_url: "https://support.hackerrank.com/articles/2274056414-hiding-question-title"
article_slug: "2274056414-hiding-question-title"
last_updated_exact: "Oct 14, 2025, 8:09 PM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
  - "Screen"
  - "Test Settings"
---
```

Hide Question Title Enabling Hide Question Title Candidate experience

Last updated: Oct 14, 2025, 8:09 PM (Last updated 6 months ago)


You can enhance test integrity by hiding question titles from candidates during an assessment. When you enable this feature, candidates cannot view the original titles of questions in a test. This reduces the risk of online answer searches.

Note: The Hide Question Title feature is disabled by default. You must manually enable it for each test.

Enabling Hide Question Title

To enable Hide Question Title:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test you want to hide the question title.
4. Go to **Settings > Questions**.
5. Turn on the **Hide Question Title** toggle.



6. Click **Save Changes**.

Note: The changes apply to all questions in the test.

Candidate experience

When you hide question titles:



- Candidates do not see the original titles for any questions.
- Questions appear with generic labels such as Question 1, Question 2, and so on.

\

[screen/test-settings] Watermarking the Tests

```
---
title: "Watermarking the Tests"
title_slug: "watermarking-the-tests"
source_url: "https://support.hackerrank.com/articles/2519766322-watermarking-the-tests"
article_slug: "2519766322-watermarking-the-tests"
last_updated_exact: "Dec 13, 2024, 4:59 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Screen"
  - "Test Settings"
---
```

Watermarking the Tests

Last updated: Dec 13, 2024, 4:59 AM (Last updated 1 year ago)

Objective

The problem of leaking questions by taking pictures of the test screen is prevalent. It is more aggravated in the case of large campus events. This leads to many of HackerRank library/custom questions getting leaked.


To prevent that, HackerRank is launching the capability to add Watermarks on the questions inside a test. Enabling this feature would add the logged-in user's email ID as a watermark on the question section of the assessment page. This would act as a nudge to deter candidates from taking pictures of HackerRank's question content and sharing it on social channels like Telegram, which would lead to their identity being leaked.

Enabling Watermarking in Tests

- You can open the test for which you want to enable the watermark feature, click on **Settings**, and select **Test Integrity** from the side menu.

![[Test]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046195193-?Expires=253370764800&Signature=Sc46wocvsp1ueUZuB3~LkkOx2LENGMncYHo~9oUxnwv1KPncFmosrywL6rSfQ78SNsBURXO6W8hMzFLGiYsPeRc6zLFhPpQuEkXLYpZrW60-zIN5BeiETIbmNmbTY0ctZXBbIY-1H7-TSRRddLVFGfByozom48Xt3armQAj6fo0MUB~rJRZU9I8ewAN0VrYSLOjMS6Qh1joBy3xZHf10mpHd7fWh~77KjzRIQXhjuVPGCOgbSYrVNf7SL8fmLrMv32XF~8plu~zKbo8ZUere~OS~tzOmNOwZaQ6ehyM0xBxUKCPZSZml1bdaXula0Ov4vLL5q0iqqummtvhk9mw__&Key-Pair-Id=K3NV4LZ47N8M46)

- In test Integrity settings, scroll down to find the **Watermarking** option. Enable it by switching on the toggle.



Note: For now, the watermark feature is only available for Coding, Database, Approximate Solution, and MCQ question types.

Watermark Inside a Test

The arrow markings in the below image highlight the Watermarks placed over the question pane inside a test.

Watermark in Light Mode

Watermark in Dark Mode

Note: This feature intends to ensure that we deter candidates from cheating. This is not a detection mechanism yet.

[screen/test-settings] Modify Sections Settings for Tests

```
---
title: "Modify Sections Settings for Tests"
title_slug: "modify-sections-settings-for-tests"
source_url: "https://support.hackerrank.com/articles/2528926257-modify-sections-settings-for-tests"
article_slug: "2528926257-modify-sections-settings-for-tests"
last_updated_exact: "Jul 30, 2025, 9:50 AM"
last_updated_relative: "Last updated 9 months ago"
breadcrumbs:
  - "Screen"
  - "Test Settings"
---
```

Modify Sections Settings for Tests

Last updated: Jul 30, 2025, 9:50 AM (Last updated 9 months ago)

You can control how test sections are displayed, ordered, and navigated to create a structured test-taking experience for candidates.

Prerequisites

You must have already created a test.

Modifying section settings

To modify section-level behavior for a test:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test you want to update.
4. Go to **Settings > Sections**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753694072302-image.png?Expires=253370764800&Signature=Cxrisxi-v0EHKkkqv5W1FY0wfpekpqlXK66m3QU~AHeog0O4wolxWsyP73FI16OF0u-GUFoq2sr3KxqH~rxBTYDkSZ7vU~DKRYWodGs6yOU~30OOMFodH8D-cgU1TK-cXhk3~RZJKjB52GgF6T0j3iiX201pM2sVaVKCGGSMv9KlvuQdjWondaAz7XfEk-N2nkLii7tirnGq2vIhWHtOjjSFhATkNbo0YDyXa7Pju~boJutC8ptfGWzKYc2bP3bj-48qZ87IXp2bSNEUbjnoHtjf813VnHm6ICYobZqnv71jw6XDCrcmsji8VO45WwW2sykqXk4pj6ro2-wOKEEmg__&Key-Pair-Id=K3NV4LZ47N8M46)

In the **Sections** settings panel, you can update the following:

- **Show sections to candidates:** Enable this option to display section names before the test begins. Disable it to hide section names and preserve test structure surprise.
- **Shuffle sections:** Enable this option to randomly assign the order of sections across candidates. Disable this option to maintain the same section order for all candidates.
- **Revisit earlier sections:** Enable this option for candidates to return to previous sections. Each section must have a defined time limit to enable this option. Disable it to restrict candidates to forward-only navigation.
- **Time rollover:** Enable this option to carry over unused time from one section to the next. This option requires section-level time settings. Disable it to enforce fixed time limits per section.

5. Click **Save Changes** to apply your changes.

[screen/test-settings] Configure Email Settings for Tests

```
---
title: "Configure Email Settings for Tests"
title_slug: "configure-email-settings-for-tests"
source_url: "https://support.hackerrank.com/articles/2564162886-modifying-email-settings-for-tests"
article_slug: "2564162886-modifying-email-settings-for-tests"
last_updated_exact: "Oct 15, 2025, 6:12 PM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
  - "Screen"
  - "Test Settings"
---
```

Configure Email Settings for Tests

Last updated: Oct 15, 2025, 6:12 PM (Last updated 6 months ago)

You can manage the emails sent before, during, and after a test. HackerRank lets you configure the following types of test emails:

- Test Reports Email
- Leakage Alert Emails
- Reminder Emails
- Invite Email
- Confirmation Email


Prerequisites

You must have already created a test.

Configuring email settings

To configure email settings:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test you want to configure.
4. Go to **Settings > Emails**.



In the **Emails** section, you can:

- | | | | |
|---------|---|----------|---------|
| - | [Configure | Test | Reports |
| Email] | (https://support.hackerrank.com/articles/2564162886-modifying-email-settings-for-tests#configure-test-reports-emails-7) | | |
| - | [Configure | Leakage | Alert |
| Emails] | (https://support.hackerrank.com/articles/2564162886-modifying-email-settings-for-tests#configure-leakage-alert-emails-14) | | |
| - | [Configure | Reminder | |
| Emails] | (https://support.hackerrank.com/articles/2564162886-modifying-email-settings-for-tests#configure-reminder-emails-20) | | |
| - | [Configure | Invite | |
| Email] | (https://support.hackerrank.com/articles/2564162886-modifying-email-settings-for-tests#configure-invite-email-24) | | |

5. Click **Save** **Changes** to apply your changes.

Note: When multiple levels of email templates exist, the system applies them in the following order of priority.

1. If the email template in **Centralized Test Settings** is locked, it takes the highest priority. This configuration overrides all other template settings.
2. If the **Centralized Test Settings** are unlocked but include a default message:
 1. The test-level template takes precedence, even if a user has set a personal default template.
 2. If no test-level template is defined, the system uses the user's default email template.
3. If no **Centralized Test Settings** are locked, and neither test-level nor user-level templates are defined, the system uses the default language template from the **Centralized Test Settings**.

Configure Test Reports Emails

You can add team members to receive candidate test reports in addition to the test owner.

By default, the recruiter who invites a candidate receives the test report. If a candidate takes the test through a public link, the system treats the test owner as the inviting recruiter.

To add additional recipients:

!image.png(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759740196746-image.png?Expires=253370764800&Signature=bBnJStcH7CBJFW2my5synNPqx0hdxMqWcDE9L46A79AEIfHLs0dYE2iMxR81D2ihBYL9-s1V6M~PCOrA6Xgo3yostGGOVKEb2gTsxk9UnAudD9zppyp50ds~~XPN-tXyFBRCoKfzYyUPFQJQ2nm0h92IPDV~2g1sTzsShcEo4I~EGMRfK763W-uCsGgzOSV5mArRV3GZhbY9X4huX9x6VTuITDF16LleVgrxLCVd-f-bxaAR4k6HKAfFp6DrElKpuqBLUnpmLL-WRnFWE3JNbfxksWhuXNiHHGH7G28dSWTsSd-NTIJIAsBoYmsrku5I3XiMy9AYbVqzr8E7j-KrQ__&Key-Pair-Id=K3NV4LZ47N8M46)

1. In the **Test Reports Email** section, enter the email address in the input field
2. Click **+ Add**.

Note: All added recipients receive reports for every candidate attempt, regardless of who invited the candidate.

Configure Leakage Alert Emails

You can add users to receive notifications when HackerRank detects a leaked test question.

To enable leakage alerts for specific team members:

!image.png(https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759740500199-image.png?Expires=253370764800&Signature=r-hUOFQI-w8Slo~zyuBEVdRiQWYKSeZ9ihqLUI-OsB2IPvibugJDkJZkeS4-qufLYoirDmTwxb6SPVtiM-IJw6jmWeu9cqChbvIsVXdz4ECJxiiFnZMGifsKxjz5Cs29pm2rM5xkPWqHHyfO6aChCB3B0LtYdo4EvoroG0H~tG0JE6ecGqXIAKSGYbl8QzLI-Y58Mtrm5jaWfijzNkkTIA-EDUWioF94NifDSEuXJmlh5OzmS2mnoIHEnOuOvfHhk0~U-jQuIR4eMvBJExjHYn7G15A6f6ecvS2wcfzG9gHgl-S2bKIkdnk8ywfmK1aeNsxg9hWGDxUCD-pcGjH-Q__&Key-Pair-Id=K3NV4LZ47N8M46)

1. In the **Leakage Alert Emails** section, select the **Enable** drop-down menu.
2. Select the checkbox to add users from the list or use the search bar to filter by name or email.

Note:

- By default, only users with edit access to the test can receive leakage alerts.
- HackerRank automatically sends an email notification to these users when a potential content leak is detected.

Configure Reminder Emails

Send reminder emails to candidates who have not attempted the test. By default, reminder emails are disabled, and each candidate receives only one reminder.

To enable and customize reminder emails:

1. Turn on the **Reminder Emails** toggle.

2. Select one of the following options:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759740620117-image.png?Expires=253370764800&Signature=hFTZH0LwzO7CvE5xHn9OTnqHv3RhOI12MBaUwSjGrMtB6yaEiekWcFqMG0ZzxD1duAFkif2YFX6NhKIk--oKvH7-fBQkepfz-CdPd1gM8YB3bWYuOpThmxCiKoogRf-U3EjXiOrSGcKMYcF9AZu733NS~7SiZ0koZ7REI8p-8~Vdx1uNKRkBA1PE6so9Ip5Gsh~~IDUfagsKWuJkuEnDGHb7UEU78V-DZgsluiFJt4yZI21g3vdP~~Tel~9N3Zfls5ICgF6f68IJbv9zXDxh5waakDvxBd7hczdUFzfi~3lfcxFCZ-Ddk~IZtwb-U6Z2onQemwqPcF1QpEOBBCX1w__&Key-Pair-Id=K3NV4LZ47N8M46)

- If the test has an expiration date, select how many days before the expiration date to send the reminder.

- If the test has no expiration date, select how many days after the invite to send the reminder.

3. Customize the message in the **Reminder Email Contents** section\

Or\

Click **Use Default Message** to apply the default content instead.

Configure Invite Email

You can configure a custom invite email template at the test level. This option allows you to tailor the invitation message to match the context of each test, ensuring candidates always receive accurate and relevant information.

To enable and customize the invite email at the test level:

![[EnhancedInviteswithTemplates.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F377a3ecf-0c0e-4676-9b27-d7ba98e58f29-1759736569691-EnhancedInviteswithTemplates.gif-304b229f-f726-4e42-9811-2fbd162b3a1c?Expires=253370764800&Signature=HJyLurRw5lp0Z2EXxgoWMIxvGg4BN1IjubmQVDPac8zs60ulkv41g6QhIIBXr3rhOSRloSI6bpmb82t4V0b7roljlt5xdnT-uGoZsgUBTtzqClZqGVZU1eAjSe~wiPWcvj1eEA5ED2qOJ1RgKvP8z-iGWcYP37gufSFTj~1K7pH~clXsflnH-Z3-luQMfoif3eMRJG6R5orW3r9ykQa7p9k1KJad1wPJ6GKEYym14M2bBx-UG9Xe43j-1mZyyWLCwjd8p2-h-VDZJZDdk1ddi1iU0b2lb5S1~0gukwUkU9TLaGEolZSZdF70-DQ~Z2USffnjSqoCi~TXAIZDjfw__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Turn on the **Invite Email** toggle.

2. Edit the **Invite Email Subject** and **Invite Email Content** text boxes as needed.

Note:

- When Centralized Test Settings lock the invite message, that message takes priority.

- When centralized settings are unlocked, the system applies the test-level template.

- When no test-level template exists, the system applies the user-level template.

- When no templates exist, the system uses the default message in the centralized settings.

Configure Confirmation Emails

Send confirmation emails to candidates after they complete a test. By default, this setting is enabled.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759740745664-image.png?Expires=253370764800&Signature=iEEAvGWrdXMIxG-Krj0do9wNvyt4Xp02hdb0Lsav0fvPRz3Wc5KvWSv7bGRQ6yg5hf55xddumBwEYmMrEhEunLTg3MoQ3LYN7peiZ5UePY7a9rG7pbaSv866W8HRpciktMEceUJ-PF5FK1UFv-hPbbqdZB6d4rj3SbAdPENyAPDJL4BuxLt1YBAJBA1tFbgOXvuRxtEozxDzvtJLhy2UYL8sXAqEvcVcaJpGSRFqXn6YtZLiPKA9mGfxO3EW~L8P1mNPxJMUmA2OVI~3RzlxALqhMipL0f7v2diLY7DXpSSZFxdhO9IKJPSjrScq53Zi-lwa-j49M~WjtGntxJQ__&Key-Pair-Id=K3NV4LZ47N8M46)

To enable and customize confirmation emails:

1. Turn on the **Confirmation Email** toggle.

2. Edit the confirmation email content in the text box to include next steps or additional links.\

\

\

[screen/test-settings] Modify Question Settings for Tests Prerequisites Modifying question settings

title: "Modify Question Settings for Tests Prerequisites Modifying question settings"
title_slug: "modify-question-settings-for-tests-prerequisites-modifying-question-settings"
source_url: "https://support.hackerrank.com/articles/5424328799-modifying-question-settings-for-tests"
article_slug: "5424328799-modifying-question-settings-for-tests"
last_updated_exact: "Mar 6, 2026, 6:51 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
- "Screen"
- "Test Settings"

Modify Question Settings for Tests Prerequisites Modifying question settings

Last updated: Mar 6, 2026, 6:51 PM (Last updated 2 months ago)

You can customize question settings in a test to manage programming language access, question display options, and candidate experience for test cases and project questions.

Prerequisites

You must have already created a test.

Modifying question settings

To modify the question settings of a test:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test you want to update.
4. Go to **Settings > Questions**.

![TestSettingsQuestions.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760339391511-TestSettingsQuestions.gif?Expires=253370764800&Signature=Og78FtscDyODOzpjBwaJIhUqStiq2dUArVkmSiY1yoVmCQ6SRteoU2AIdnud7NhkF9xWW6~Qk5KNRY2TH2xotjk8pAnm6UePnXV9zjkQLDBK1SVQTMq~cSBBQeM-ansY-g6EfIV4BI0zo12psMO2e92PjGzI2ukUZTi2qse2~aPc1jFiv6L3UtGrBfy2Ven3CTHFpt-anqTg-f96-APWTVJ~Ism~ALlxvVpLvYeXklUx~aDzDJAv3XcbJrdwLDnowblcVIYA~~WYfWnwFzgNZe-KbK6RTirCTpaqq1~Ka~5bH9IRP8Sqrw1WOOhMVepn9wy-70mJhs8d3S-Qb8Pg__&Key-Pair-Id=K3NV4LZ47N8M46)

In the **Question** section, you can update the following:

- **Allowed Languages:** Select the programming languages that candidates can use during the test. Only the selected languages are available for coding questions.
- **Configuration for Coding Question:**
 - **Show Status of Hidden Test Cases:** Select this option to show candidates whether they pass or fail hidden test cases after submission.
 - **Show Output of Hidden Test Cases:** Select this option to display the actual output of hidden test cases and provide detailed feedback for the candidates.
 - **Question Points:** Turn on this option to display the point value for each question. Disabling it may encourage candidates to focus on problem-solving rather than maximizing scores.
 - **Shuffle Questions:** Turn on this option to randomize the order of questions for each candidate and reduce the risk of copying among candidates taking the test simultaneously.
 - **Hide Question Title:** Turn on this option to hide the original titles of questions in a test. For more information, see [? Hide Question Title](/articles/2274056414).
 - **Enable Watermarking:** Turn on this feature to deter unauthorized sharing of questions. When this feature is enabled, the

logged-in candidate's email address appears as a watermark on the question section of the test page.

This discourages candidates from capturing and sharing test content on public platforms such as Telegram, as the watermark exposes their identity.

Example:

- Light mode

- Dark mode

- **Project Question Configuration:** Choose how candidates complete project questions:

- **Use the online IDE or download via Git:** Allow candidates to choose between using the online IDE or downloading the project using Git.

- **Only use the online IDE:** Candidates must complete the project in the online IDE. Git download is not available.

- **Download via Git and work offline:** Require candidates to download the project using Git and complete it locally. The online IDE is disabled.

5. Click **Save** **Changes** to apply your changes.

\

[screen/test-settings] Configure Onboarding Settings for Tests Prerequisites Configur

```
---
title: "Configure Onboarding Settings for Tests Prerequisites Configuring onboarding settings"
title_slug: "configure-onboarding-settings-for-tests-prerequisites-configuring-onboarding-settings"
source_url: "https://support.hackerrank.com/articles/5956879724-configure-onboarding-settings-for-tests"
article_slug: "5956879724-configure-onboarding-settings-for-tests"
last_updated_exact: "Apr 22, 2026, 10:20 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
  - "Screen"
  - "Test Settings"
---
```

Configure Onboarding Settings for Tests Prerequisites Configuring onboarding settings

Last updated: Apr 22, 2026, 10:20 AM (Last updated 4 days ago)

HackerRank allows you to configure the onboarding settings for a test to collect candidate details and display test instructions before the test begins. Most settings are optional and customizable to fit your hiring needs.


Prerequisites

You must have already created a test.

Configuring onboarding settings

To configure onboarding settings:

- 1. Log in to your **HackerRank for Work** account using your credentials.
- 2. Go to the **Tests** tab.
- 3. Open the test you want to configure.
- 4. Go to **Settings > Onboarding**.



In the **Onboarding** section, you can:


- [Configure Candidate Details](https://support.hackerrank.com/articles/5956879724-configure-onboarding-settings-for-tests#configure-candidate-details-6)
- [Enable Disclaimer](https://support.hackerrank.com/articles/5956879724-configure-onboarding-settings-for-tests#enable-disclaimer-11)
- [Configure Test Instructions](https://support.hackerrank.com/articles/5956879724-configure-onboarding-settings-for-tests#configure-test-instructions-16)

5. Click **Save Changes** to apply your changes.

Configure Candidate Details

You can choose the candidate information fields you want to collect before the test begins. This helps you capture relevant data such as full name, work experience, gender, and more. By default, only essential fields are enabled.

To configure candidate details:



stoCandidateInputListandTestSettings.gif?Expires=253370764800&Signature=Qxzva48vx5t3~uokTXnFep~G8dkxnCiLKxpL1UKz1RuGCPvUofoIYefQHcsQ58FerQXnOYqjRebc-S049lszYHtdBBhklpAYk8BBRZToRtnKFDrS9A3xZqkCaGL8ZCJlgWctpjwcuczie9OyKvkdfIaGCKcS9qlfowwUHNANvKDcJF30QM8t0y1~mmVdhuARlo2bz5jTjOY6P1BZzpjU5hDtiwukzzHzzDhndYmcVfb7Aw-7g2n-EQM1-8ytfoCTgzclLn4yT0uNtHj25uCXo~6OB9wjTEqChmu4F3ElqW7jJ5IVmwy8iqQRzdg7~vOmssy9IUftLtBmGqPpRJl5w__&Key-Pair-Id=K3NV4LZ47N8M46)

1. In the **Candidate Details** section, select the default fields you want to collect.

2. Click **Add a custom field** to include custom fields.

- In the **Add Custom Field** dialog box:

- Enter the **Field name**.

- Select a **Type** from the dropdown list. Available types include Text Field, Radio Button, Checkbox, Dropdown, and File.

- If you select Radio Button, Checkbox, or Dropdown, define the options. Click **Add Option** to include more choices.

- Select **Mark as optional** if the field is not required.

- Click **Add** to save the field.

Note: If the field you are adding is predefined in your company's central test settings, it appears in the field drop-down as you type the field name. Select the existing field to avoid duplication. You cannot change the field type for a predefined field.

!onboarding add
fields.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769349726214-onboardingadddfields.gif?Expires=253370764800&Signature=OJcd~Sxvr4PJfYtxvqdDWtBhQEMla8Xuk1aW26WQDwGxDrxQkBgM309wkreE9yq8SOoJKR9qb8Gb aLbV4xSeRjmZ4ZxnNBd6kv74tDvBe7ilenmqf3B-VgoHuARjrjDgemVR12ysfvvgJ0rn2BdKWxFkkPzg~fVVF9CZGmn1QPMtahieUPfNP~BMlfxWdXrU-5wY-Gkf8pS4leSm4U3tFIUM5IzUTE7dHvc3AfqApEnQy6dssAbM63PnWqRKPgqHXz5~zrfXMeEodoix9Wb4kuHA1ZqgwhpexU5hEe~iBuPDuth7HRG5fwPsdj6aqCF0NOJU6ogZxqJMI9o6hQ__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Drag and drop fields to change the order in which they appear to candidates.

4. Click **Try Test** to see how the onboarding form appears to candidates.

Enable Disclaimer

You can enable a disclaimer to ensure candidates acknowledge test integrity requirements before starting a test. When enabled, a declaration with a checkbox appears on the test login page. Candidates must select the checkbox to proceed.

The editor supports rich text formatting such as bold, italic, underline, and hyperlinks.

To enable the disclaimer:

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1775458827993-image.png?Expires=253370764800&Signature=rd53Wm3BcYWrP~xydD7uNnAfCwaVEUuwCwDZFhkZAEJlu-R5p1xHm54J~Xryv0EV35pVYDdBAFmMkXnoF1M3h~Jmx02K785wKslA3rF3RUMTZ3MsaeEvXJllw-fzfr5UDBNS1CewFGx~4JAHlbnhJt0v06Dcd5lp5LHcGegQjVEUwRcuK9OrZ3O2VVxt5H4Zft2Sk4A1n8Rzi6BNtoXKOxr6cfGAbEOLXrFfp4s1XiPhGMx5JT9L5OW4a1M7Ah4xe2DBURRf9hvZqPk2kXx6jipWyAsEG8aQAHGNCI3S5raS9PjglxO9v-1gbtdlI0cJrZb1Uf1h5Ps0lbSc2IA__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Turn on the **Disclaimer** toggle.

2. Edit the disclaimer text in the text box.

Configure Test Instructions

You can add custom instructions to guide candidates before they begin the test. This helps set expectations and ensures a smooth test experience.

You can either add test-specific instructions or use global templates. Include details such as test expectations, platform tips, and best practices.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1759741308256-image.png?Expires=253370764800&Signature=WZ8s7h-awkdUNSuu-7YaEDTO112xjxSVjpxCaSAC8k78Edp-oJutEJj5bxnf-iDhjYr9K9yFc0E1AO~yH8CXC0l627li9IPDUuVB0SB3nWfCQ3vsUzGmjT26DxW2RHiWjD2pzZUSynRfNIDOR3~JzL9oA8tPB~tDH5-h83cYKkMXh~Kabc9tdpuJH77Z8T0P~bQ~S1RFaVaieYJSuAu4aHzdCS57DMLa~0wKfPUy8N0NjqnLYiVvNveIz4F0MBoA-AojSV3-45-XzBoSj48Z-JhjksOmZRMai5HsTp36ltevMy4ng8nOVssAzpI3anEv6vWkb3gQxFfGFHK08isAw__&Key-Pair-Id=K3NV4LZ47N8M46)

[screen/test-settings] Assess Candidates in Canadian French Language Enabling Ca

```
---
title: "Assess Candidates in Canadian French Language Enabling Canadian French for a test Candidate experience"
title_slug: "assess-candidates-in-canadian-french-language-enabling-canadian-french-for-a-test-candidate-experience"
source_url: "https://support.hackerrank.com/articles/6201558176-assess-candidates-in-canadian-french-language"
article_slug: "6201558176-assess-candidates-in-canadian-french-language"
last_updated_exact: "Sep 3, 2025, 11:15 AM"
last_updated_relative: "Last updated 8 months ago"
breadcrumbs:
  - "Screen"
  - "Test Settings"
---
```

Assess Candidates in Canadian French Language Enabling Canadian French for a test Candidate experience

Last updated: Sep 3, 2025, 11:15 AM (Last updated 8 months ago)

HackerRank enables test administrators to configure the candidate-facing language for assessments. This setting determines the language displayed in the candidate's emails, login screen, and test environment. You can select **English** or **Canadian French** when sending tests.


Enabling Canadian French for a test

To enable Canadian French as the candidate-facing language for a test:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test you want to update the candidate-facing language.
4. Go to **Settings > General**.
 1. In the **Candidate facing language** section, select **Canadian French (fr-CA)** from the drop-down list.



2. Click **Save Changes**.
5. Go to **Test Administration > Onboarding**.
 1. Verify that all candidate detail fields display in Canadian French.
 2. Update custom fields manually, if required.



3. Click **Save Changes** if you updated any fields
6. Go to **Test Administration > Emails**.
 1. Review the **Confirmation Email** section.
 2. Update custom or non-translated text to Canadian French, if required.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756829064629-image.png?Expires=253370764800&Signature=ewWHRdHpSScN-o1NogBIAkxgkCfJyM~QEHRlV~l7ZCpDCXbwd0GhXfqE~REUXurABF0Fu3SNf4EPv3XWurjiJO1D33oolUoFotqRk0Ryl2O-ESDWAYvRJQ9fq9tlARCHmuoL2g3hzxwSKAAci3kf2WI-EYINSC-SrGK7hRk9Tt6ocCt5gZiNWT-BtLVgjjwRDdbM8CQBukZjORTTwVEgBaV-7MUGO6Zh792gkSFgvDoCB9VFXiTOH8RMFIZix6fyiKIDhFKwtdMvKnOgBvnMdsIh3qMvRotgLqIKUKOHSm8UQ12zJRf8SGYoyqGFQeERVe7IAwz8P-IoNYk7mpU0g__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Click ****Save Changes**** if you updated any fields.

7. Click ****Invite.****

1. Review the subject and body of the invite email.

2. Update any untranslated custom text, if required.

![[fr-CAEmails.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756829331179-fr-CAEmails.gif?Expires=253370764800&Signature=f8Sg3LPB0kz270V8Qd9lFkrykv9d9KpLXxe5cKI7cSjg4itjiXYj-Dts7zP6cKi17LsbGxOkpheAfXO9S7eXXKhV7ZPmTEyBcaDz9xnm3r4IDKVxwwnuiB-7JWabE6CCtam~K8gnEwXdcrdNm4Ma2K08FgvTfetoTdZOGjCCempfrhtOPAgF9J6go-JzaTorxkP1t0odgPzHMgXU2ObyKBIRNnfVSAWrWi0mg7UU20CV1zgAFVjddCrm-uSudrLz9LXfZuTmhGQAMA47D2QyGx7~3id9~jenoXvCnMXvVla6onXsp3T-zj2TEaSZJhNkwRzy6tqLch1xR5ZpSxkVsg__&Key-Pair-Id=K3NV4LZ47N8M46)

For more information about inviting candidates to a test, see [? Invite Candidates to a Test]([/articles/6027855406]).

Candidate experience

- ****Invite email:**** The subject line, body text, call-to-action button, and footer displayed in Canadian French.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756829389317-image.png?Expires=253370764800&Signature=ln4KRmrvIEZpT8ZOvGYZmL35dTef7DbMY2USPxTtDupvzMar09BpQTHOxbPlwXUx-gJxQpYjFd-eUvEO9WBriqT~D~Ec3LsIGE62Pu24ihOwBvwRNidjvZTQrmUdZW4zwiVMLqVrkfYqSQB6l5Cd~TiBe2lUbhKtRz2dSIdAGx0Uc3gJdRGp1R-XcSp8KpGbgRYJJ~mhuTjZxeNrEHxZfqEpdilC0yPHHAb2SZ5~kFQ8uesiuz1QVxpY1k08rE~Eccau5l3gluRbxmQNXBLT5cbcxh2JVgfk~kgwYmXDCoqdK~gMLvuO6g53iRZHfhsV7490JE~w5kku07EpBIRA__&Key-Pair-Id=K3NV4LZ47N8M46)

- ****Candidate site:**** The login screen, test environment, and related options display in Canadian French.

![[fr-CACandidateEXp.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1756829444840-fr-CACandidateEXp.gif?Expires=253370764800&Signature=L63ra59lfX6XeA8qplIE8y-MjzRoqZD30TuJ28bCmO8XuTZxqPO~mi2eYsGw6TawShLNpigSTu3dYkr2RmITM3xwa908nnwXPW8~h9Ovbyhxtcn95iXi~4zBjhBtbr~Y~NgIPxCGWBiSIMlnOkO6iic2EA9jRSYM3TpaTe3orBdvOazPW3unwsNXfyWJs5CsSTJ~6Q6QM596qSBxaZ6hxnP~nZxS7nA8UjnUjbmimUTflbnjXEILabsS8m1ML8Rg5XY1jnILlbfUxE3ZaP5fEkWc3sBV0~q5DUATcO-Faj6GjMT4DzA~9LLuQlgLLWqY9Zy2mFFSfJpTLOgP1Uv7w__&Key-Pair-Id=K3NV4LZ47N8M46)

****Note: ****

- Once a test is published in a specific candidate-facing language and candidates are invited, it is recommended not to change the language for that test.

- The system translates only the default text. It does not translate custom text, even if you change the language.

\

[screen/test-settings] Modify Evaluation Settings for Tests

```
---
title: "Modify Evaluation Settings for Tests"
title_slug: "modify-evaluation-settings-for-tests"
source_url: "https://support.hackerrank.com/articles/8294988738-modifying-score-settings-for-tests"
article_slug: "8294988738-modifying-score-settings-for-tests"
last_updated_exact: "Jul 30, 2025, 9:50 AM"
last_updated_relative: "Last updated 9 months ago"
breadcrumbs:
  - "Screen"
  - "Test Settings"
---
```

Modify Evaluation Settings for Tests

Last updated: Jul 30, 2025, 9:50 AM (Last updated 9 months ago)

You can set scoring thresholds and apply uniform scoring logic for multiple-choice questions (MCQs) to ensure consistent evaluation across all candidates.

Prerequisites

You must have already created a test.

Modifying evaluation settings

To modify evaluation settings:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test you want to update.
4. Go to **Settings > Evaluation**.



- In the **Evaluation** section, you can update the following:
- **Test Cutoff Percentage:** Enter the minimum percentage score required to qualify. Candidates who score higher than this value will be marked as qualified in a random order. The system calculates the equivalent raw score automatically.
 - **MCQ Score:** Set a common score for all multiple-choice questions (MCQs) in the test. This value overrides the scores assigned at the individual question level.
 - **Correct Answer Score:** Enter the number of points awarded for each correct answer.
 - **Incorrect Answer Score (Negative):** Enter a negative value to penalize incorrect answers and discourage guessing.
- Note:** If you leave this field blank, the system applies no penalty for wrong answers.
5. Click **Save** **Changes** to apply your changes.

[screen/test-settings] Configure Test Invites Settings for Tests

title: "Configure Test Invites Settings for Tests"
title_slug: "configure-test-invites-settings-for-tests"
source_url: "https://support.hackerrank.com/articles/9544354489-configure-test-invites-settings-for-tests"
article_slug: "9544354489-configure-test-invites-settings-for-tests"
last_updated_exact: "Jul 30, 2025, 9:53 AM"
last_updated_relative: "Last updated 9 months ago"
breadcrumbs:
- "Screen"
- "Test Settings"

Configure Test Invites Settings for Tests

Last updated: Jul 30, 2025, 9:53 AM (Last updated 9 months ago)

You can manage how test invites are generated, shared, and secured. HackerRank lets you configure the following test invite settings:

- Invite expiry
- Public test URL
- Private test URL
- Master password

Prerequisites

You must have already created a test.

Configuring test invites settings

To configure test invite settings for a test:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test you want to configure.
4. Go to **Settings > Test Invites**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753694090305-image.png?Expires=253370764800&Signature=Vl6CO00x4UGJDfUDBJTwm9ADVeGsxLkfTnfcIf0wohFWyIC1k3gPfGqkeF-RFb1vEqAhsmtE8JbTdMqMAo4mMdSYxlPbp83MOWViFx-qsx9V0TNoeQ2s5KjSa72m2MK0cHuwxF-26Uf37peTG0fsCHi5c3VUBtshA6skRhJSaDtmczeArBst6QCCf2epSOWTg6ZdJ2~4poQ0xlQ7AEhqZCu61q2cr5UdH3c0NpJlJXICR7VWm2-GD3e9BeVmSzuvMFtLbqlOpK5M6K~7d-7AKnt2ICi6tIABOgzt10ZdBFyem3g2dvLOxvJV55geC0626qlkBDqXE-ZJU1CIVKTRA__&Key-Pair-Id=K3NV4LZ47N8M46)

\nIn the **Test Invites** section, you can configure the following:

- [Invite Expiry](https://support.hackerrank.com/articles/9544354489-configure-test-invites-settings-for-tests#invite-expiry-7)
- [Public Test URL](https://support.hackerrank.com/articles/9544354489-configure-test-invites-settings-for-tests#public-test-url-11)
- [Private URL](https://support.hackerrank.com/articles/9544354489-configure-test-invites-settings-for-tests#private-url-19)

- [Master Password](https://support.hackerrank.com/articles/9544354489-configure-test-invites-settings-for-tests#master-password-28)

5. Click **Save** **Changes** to apply your changes.

Invite Expiry

Set how long a test invite remains valid. Choose either a duration after the invite is sent or a fixed expiry date. By default, this setting is disabled

To enable invite expiry:

1. Turn on the **Invite Expiry** toggle.
2. Choose one of the following options:

- **Set time period**:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753694131684-image.png?Expires=253370764800&Signature=nGYIYx9eLGEEN4kATsGcAHZ6E2rRx2RJKwuXydyPH68-JFYsWUwRbgpHr6ed6-OvIcCTqSF1nKzrQvYLHXW5Zn3q6peWJ9TucRhTeF6xrO0gBrfocxvrDcl3rriLyJWRNyS863HhlgfkQhcBaW6ObFcef3hIGCdUSshx2~sjFhByA68YHHQ-Ef7NR9M3g gdsGji5j-GEkbAg01xUk~f23NPzC1u~ICsmvtHdJgSv2FkBoOsgjNMUrNK0HnWM8pOKL3TICVdVBLUonVklRxRE4Tcrmb7jay0juuu2xOPYn9ov82WtmRbTwwdNfoEiAGH59bWrXk5kpO0HkUyCJoQyW__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Select **Set time period**.
2. Enter the number of days the invite remains valid.

- **Set end date**:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753694147851-image.png?Expires=253370764800&Signature=uNyNQOUTdTofkst8Go4bHK0mztq4NVqGCawBBC8Dr-u-j-NIZhkMMikea00JCwFC1tC5dyWCo7-fc1Z2YaFefaJb glrAKwJdpKx0kwbBf~gZRRHR6AAJtPAabtXYeCcyN~sQVtFwZxFlg2l1po3UWPsu6Dtavjt0jUL9YTKRaJHnRAWJop4LRhIhELDGStC MBBccoQOBLAQEKiEWxbmyMogqFRho2dmxsOq~LwwJfX52AYp5ZbeiaZa3mINSzagnkj6wXdMQxVsdgQIVrSVWOY1JeKqA--PZZli g7~VxBTd3ToWDgh5lypgcAwnmiQhZRh~EbSr6v8i4rp4A5E2lvw__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Select **Set end date**.
2. Choose the specific date on which the invite expires.

Public Test URL

Generate a shareable test URL for bulk invitations without requiring a password. This option is suitable for large-scale hiring drives. Recruiters can share the public URL with candidates, who can access the test directly without entering a password.

Note: You must publish the test before creating a public URL.

To generate a public test URL:

![[PublicURL.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753694263632-PublicURL.gif?Expires=253370764800&Signature=BJk0qfzEOhNi00VsL~D5Ynv9qUSRjpn2RzzSfB-A1sz~USDau8lZkpgnyaM-IWZuR6yBCzg2unYpFlifRKwiR rNAwBm9mJ5Dd922stG8V6XCTswnda3AQdb2cSXnOjHecmzx4Du0Y1fQSLZGirrC9xJDUNS7QtM5nLIGV6RZZpMsdy08PwQoeTjN DfrP0aUQtTPtNVKc9AIYPGUL1V60-z1LCVI4uS0h-1SSMa56tcAs13p4V232iiLJLpRsGBh3rwVvHKCEZtWzUFU4HOhSp4hDFwouZi Yh1GFmTQzCM1PDwaEKy-DefxooOchkvJe~~it8AJGldm79zVjbklNsXA__&Key-Pair-Id=K3NV4LZ47N8M46)

1. In the **Public Test URL** section, select the expected number of participants from the **Expected participants** drop-down menu.
2. Enter your custom URL in the text field.

- If the URL is already in use, the system prompts you to enter a different one.

3. Click **Create link**.

Note:

- Click **Remove** to delete an existing public test URL.
- Click **Copy** to copy the public test URL to your clipboard.

Private URL

Generate a restricted access test link secured with a master password. This option is useful for controlled candidate groups.

****Note:****

- You must publish the test before creating a private URL.

- You must also set and share a ****Master Password**** with the candidates. For more information on the master password, see [Master Password](https://support.hackerrank.com/articles/9544354489-configure-test-invites-settings-for-tests#master-password-28).

To generate a private test URL:

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753694326664-image.png?Expires=253370764800&Signature=o~Gr-fq1Plsf7GeHCi8EnCgPjirYnstsZr-mbTmEuqz-6gF7ML66bKI9UwXHhmziGCANB52TfYN4TQOz7o342ezGcBqjqIzaYLaADWS1VUu~B4pK9U20mMRG-HYcnID7OhtvWgQFIGfZg0U8zZKCD3ea9jEHKglmhkM6MdEhd9i0gjE0IxiC1pfqVttImvDc8XHknTVak6Pkcqcow0EaQWdmXeE7qC7T1LbA6kyOGIsOG6P2OQJm9mxPVQax-hPIo395XH~LtkMr0UTBK~GJagCmMEBF3JnTzJnqcWTB5xUeZFTjNb1cQkaGZlh-ow0CakgcpNfie4ZfS9x96Ug__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Enter your custom URL in the text field under the ****Private URL**** section.

- If the URL is already in use, the system prompts you to enter a different one.

2. Click ****Create link****.

****Note: ****

- Click ****Remove**** to delete an existing private test URL.

- Click ****Copy**** to copy the private test URL to your clipboard.

Master Password

Set a password in the ****Master Password**** section that candidates must enter to access the test through the private URL. Share this password with candidates along with the private link.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753694348636-image.png?Expires=253370764800&Signature=L7XcM-qE7ekIQKmf0UK5~TyytDhqwlArh2ITcGjd6FC-gLDQ6tJGOXEaBbfe0oFE2yiLknD57EXwLSMJialfnwEcET OzHLnv0Vg-Lnx92xHFMIGjkA0XOYa3mLpWgNNuJgVSPXi5vE0VHCJep3FgBO0Q54g42offJ2TLM6zQ5rIOA1Vio8u~aWZbdJs2ujRaPE0dt~l0tvE6-QgLbS5teApf31Xk1zNlzR488vdxhQhnXfiYDRr40krYifZuhA~ingqUFSfd~ce15A4k3-46O1quU0EUKYMQNIETYEnoj5hy7QhHnpgeu96l1NsYZiXNdK4x6eiuDTWJksP2ZkArUA__&Key-Pair-Id=K3NV4LZ47N8M46)

\

[screen/test-settings] Modify General Settings for Tests

```
---
title: "Modify General Settings for Tests"
title_slug: "modify-general-settings-for-tests"
source_url: "https://support.hackerrank.com/articles/9672590042-modifying-general-settings-for-tests"
article_slug: "9672590042-modifying-general-settings-for-tests"
last_updated_exact: "Jul 30, 2025, 9:49 AM"
last_updated_relative: "Last updated 9 months ago"
breadcrumbs:
  - "Screen"
  - "Test Settings"
---
```

Modify General Settings for Tests

Last updated: Jul 30, 2025, 9:49 AM (Last updated 9 months ago)

HackerRank allows you to modify the general settings of a test such as key metadata and scheduling options. Most of these settings are defined when you initially create the test.

Prerequisites

You must have already created a test.

Modifying general settings

To modify the general settings of a test:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to the **Tests** tab.
3. Open the test you want to update.
4. Go to **Settings > General**.



In the **General** section, you can update the following:

- **Job description link**: Add a link to the job description. This helps hiring stakeholders and reviewers contextualize the test.
- **Role association**: Select the role associated with the test (for example, Software Engineer). This helps categorize tests by job function.
- **Work experience**: Tag the test to an experience level (for example, 0-2 years). This helps align the test with candidate seniority.
- **Test label**: Enter a custom label. This label appears in the test listing view and helps you identify tests easily.
- **Candidate-facing language**: Select the language in which the test interface appears to candidates. The available options are English and Canadian French. For more information on changing to Canadian French, see [Assess Candidates in Canadian French Language](/articles/6201558176).
- **Test expiration time**: Define a start and end time (including time zone) for when the test remains active. Candidates can only take the test during this window.

1. Click **Save** **Changes** to apply your changes.

[settings/company-level-admin-settings] Update Company Name and Sender Name P

```
---
title: "Update Company Name and Sender Name Prerequisite Updating the company name and sender name"
title_slug: "update-company-name-and-sender-name-prerequisite-updating-the-company-name-and-sender-name"
source_url: "https://support.hackerrank.com/articles/1019487408-changing-the-company-name"
article_slug: "1019487408-changing-the-company-name"
last_updated_exact: "Dec 15, 2025, 4:22 PM"
last_updated_relative: "Last updated 4 months ago"
breadcrumbs:
  - "Settings"
  - "Company Level Admin Settings"
---
```

Update Company Name and Sender Name Prerequisite Updating the company name and sender name

Last updated: Dec 15, 2025, 4:22 PM (Last updated 4 months ago)

You can update the company name and the sender name that appear in candidate invitation emails.

Prerequisite

You must have Company Admin access.

Updating the company name and sender name

To update the company name and sender name:

1. Log in to **HackerRank for Work** using your credentials.
2. Select your profile icon in the upper-right corner.
3. Select **Settings** from the drop-down menu.
4. In the left panel, select **Company Settings** under the **Company** section.
5. In the **Company Details** section:

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1764239664536-image.png?Expires=253370764800&Signature=Lw0jo2~B~uGOoDbFttHvZ03fS2OxKdLF7f106G4kR3YlLw0T7L3cbmsfkCJ3hGjLRAYpAZFnLb3yWhfNruZPAPeAEUUMt2-RHsGPoummxapW76vlnBT4utrY5DIuCPXKMCWMyJU9pEV9fcmCdY6PoCnmDvc5Gd~2fRH1ec8g65J3kJn3BIDvBlf-ex~Qlv2nMeEQFabpvz~2x~yqgSaBx-PvLwtwPdE5Ej0r9ZP3LnlSFixWjH2CTY1lIM5ydsp1uB-SzUW6PNdKAZg4Z4JYSnJIGfwl9qOLiRFFSQBslV3VseuFiFAQ-ogBfcg85KclqA1iCGsJEETixEf-X2GSw__&Key-Pair-Id=K3NV4LZ47N8M46)

- Enter the updated company name in the **Company Name** field.
 - Enter the sender name you want candidates to see in the **Send Invites As** field.
6. Click **Save**.

Note: If the user who sends the invitation belongs to a single team and that team has a **Send Invites as** value set, HackerRank uses the team-level sender name for all invitations. For more information, see [? Set Team Logo and Sender Name](/articles/5319929416).

\

\

[settings/company-level-admin-settings] Set a Reply-to Email Address

```
---
title: "Set a Reply-to Email Address"
title_slug: "set-a-reply-to-email-address"
source_url: "https://support.hackerrank.com/articles/1231466817-set-a-reply-to-email-address"
article_slug: "1231466817-set-a-reply-to-email-address"
last_updated_exact: "May 2, 2025, 5:55 PM"
last_updated_relative: "Last updated 12 months ago"
breadcrumbs:
  - "Settings"
  - "Company Level Admin Settings"
---
```

Set a Reply-to Email Address

Last updated: May 2, 2025, 5:55 PM (Last updated 12 months ago)

You can configure a universal reply-to email address in HackerRank for Work to streamline candidate communication. Candidate responses to test invitations and other communications will be sent to a shared inbox instead of individual recruiter email addresses.

Prerequisites

- You must have permission to access **Company Settings**.
- You must have a valid and active company email address to use as the reply-to address.

Configuring reply-to email address

To configure a reply-to email address:

1. Log in to **HackerRank for Work** using your credentials.
2. Select your profile icon in the upper-right corner.
3. Select **Settings** from the drop-down menu.
4. In the left panel, select **Company Settings** under the **Company** section.



5. Scroll to the **Set a Reply-to Email Address** section.
6. Select the **Configure a universal reply-to email address** checkbox.
7. Enter a valid email address (for example, hiring@company.com) in the input field.
8. Click **Verify**.

A verification email is sent to the provided address. Open the email and select the verification link to confirm the address. Once verified, all candidate replies will be directed to the configured email address.

Note:

- If you do not receive the verification email, click **Resend Email** to send another verification link.
- If a reply-to email address is not configured, candidate responses are sent to the respective individual recruiter's email address.

[settings/company-level-admin-settings] Disabling Implicit Sharing

```
---
title: "Disabling Implicit Sharing"
title_slug: "disabling-implicit-sharing"
source_url: "https://support.hackerrank.com/articles/2553508615-disabling-implicit-sharing"
article_slug: "2553508615-disabling-implicit-sharing"
last_updated_exact: "Mar 11, 2026, 3:41 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
  - "Settings"
  - "Company Level Admin Settings"
---
```

Disabling Implicit Sharing

Last updated: Mar 11, 2026, 3:41 PM (Last updated 2 months ago)

The updated sharing controls enable you to disable automated team-based sharing for tests and questions. By activating this feature, newly created tests and questions are shared only with their creators and company administrators. Owners can manually share these resources with specific teams or users as needed.

This feature provides enhanced control over access management. It allows creators to selectively share tests and questions with individuals or teams rather than relying on automatic team-based sharing, ensuring greater precision and flexibility in managing permissions.

****Important****: Enabling this feature is irreversible. Use this option carefully to avoid unintended access changes.

For additional details, refer to:

- [Test and Question Sharing (Explicit Sharing)]([https://hackerrank-knowledge-base.help.usepython.com/articles/6697457900-question-and-test-sharing-\(explicit-sharing\)\)](https://hackerrank-knowledge-base.help.usepython.com/articles/6697457900-question-and-test-sharing-(explicit-sharing))))
- [Sharing a Test](<https://hackerrank-knowledge-base.help.usepython.com/articles/9398245856-sharing-a-test->)


Steps to Disable Automated Team-Based Sharing

Prerequisites


- You must have a ****Company Admin**** license to perform this action.

Steps

1. Click the ****profile icon**** in the top-right corner of the HackerRank for Work interface.
2. From the dropdown menu, select ****Settings****.
3. On the ****Company Settings**** page, scroll to the ****Sharing System**** section



1. Click the ****Disable Automated Team-Based Sharing**** button.



1. A dialog box with migration details will appear.
 - ****Check the box**** to convert implicit access to explicit access and retain user permissions.

- ****Leave the box unchecked**** to remove implicit access. Users without explicit sharing will lose access to the tests and questions.
- Carefully review the notice before proceeding.

2. Confirm your selection to finalize the migration.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735023632230-image.png?Expires=253370764800&Signature=G~HOapQiWKJzVDTDvOWfU1-cN-SzMEoyOLSLJlc6d0-mbH1owsGVvc2np1IQ5LTUAWa7UGZwLKMhLCthcNP OXP SaD3~8Y9F5NTW-Si4ifBBJUsd8qkGX6fay2WnC99uZS4Bleksi n lGSXs5DrX26eRPbviTCQWtQcofprVm5VZPd~TEdYoXWmIFd GnmMj8EusDGpn6bxoTlomLzxYhS-gJq-ATdE2QWusi22AjUpYOq9bguUP615HQOGAgXKj68Zi91XqSXEFr4EO~-l3kL54Q3H3Ko0y HjGxlHpl5fCQg6EHAEQH3FE5nPE0hoC8-UkVs45HkXAwWk3WJLBckXx7g__&Key-Pair-Id=K3NV4LZ47N8M46)

\

[settings/company-level-admin-settings] Update Company Logo Prerequisite Updating the company logo

```
---
title: "Update Company Logo Prerequisite Updating the company logo"
title_slug: "update-company-logo-prerequisite-updating-the-company-logo"
source_url: "https://support.hackerrank.com/articles/6195679465-adding-a-custom-logo-to-your-account"
article_slug: "6195679465-adding-a-custom-logo-to-your-account"
last_updated_exact: "Dec 15, 2025, 3:30 PM"
last_updated_relative: "Last updated 4 months ago"
breadcrumbs:
  - "Settings"
  - "Company Level Admin Settings"
---
```

Update Company Logo Prerequisite Updating the company logo

Last updated: Dec 15, 2025, 3:30 PM (Last updated 4 months ago)

You can update the company logo that appears in candidate invitation emails and across your HackerRank for Work account.

Prerequisite

You must have Company Admin access.

Updating the company logo

To update the logo for your company account:

1. Log in to **HackerRank for Work** using your credentials.
2. Select your profile icon in the upper-right corner.
3. Select **Settings** from the drop-down menu.
4. In the left panel, select **Company Settings** under the **Company** section.
5. In the **Company Logo** section, select **Change**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1765792534516-image.png?Expires=253370764800&Signature=oVCbpBldn0LIGlamU9hVP-yd0mkC-eCiZ2wG4JcQzH0ublGSsH-OAf-z~zC6xA41pm3t4YEMxNj1cXkw1d2Ph9FMHcSbzeRvBStsP1B8~hKadDi4ORiS7o-pnWt7QsDiokHzWyX0hNNe6VnYbt2Rg1BA9irEIN4-vOITzBY4KP5soBxkfguPXwcFlwwRFT~ZAc64Ifmp9IRmHhj4RFTjrpRXn-Z1Vd4GADGPfda5njLROg1-tCA2E7x-cddkja-pAgL7cft~sYN5aiciApSQUsbRQN3wDAK5iggvIJGLhaQRTzHrmL6sf-N2vQunMIVom8TzDs0kDNr8e2xAIYzw__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Upload a new logo in **SVG or PNG** format (maximum size: **800 KB**).
7. Review the preview and confirm your changes. Your new company logo updates immediately.

Note: If the user who sends the invitation belongs to a single team and that team has a logo set, HackerRank uses the team logo for all invitations. For more information, see [? Set Team Logo and Sender Name](/articles/5319929416).

\

[settings/company-level-admin-settings] Centralized Test Settings

```
---
title: "Centralized Test Settings"
title_slug: "centralized-test-settings"
source_url: "https://support.hackerrank.com/articles/6271327319-centralized-test-settings"
article_slug: "6271327319-centralized-test-settings"
last_updated_exact: "Dec 26, 2024, 12:34 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Settings"
  - "Company Level Admin Settings"
---
```

Centralized Test Settings

Last updated: Dec 26, 2024, 12:34 PM (Last updated 1 year ago)

The **Centralized Test Settings** page enables Company Admins to configure default test settings for the entire organization. By standardizing test rules and experiences upfront, you can save time and ensure consistency across all tests.


Tip: For more details, refer to [Test Settings and Configuration](https://hackerrank-knowledge-base.help.usepylon.com/articles/6629491991-test-settings-and-configuration).

Prerequisites

- **Company Admin** license

Accessing Centralized Test Settings

1. Click your **profile icon** and select **Settings** from the dropdown menu.
2. In the left-hand menu, navigate to **Test Settings**.



Applying Centralized Settings

As a Company Admin, you can manage test settings in two ways:

1. Change Default Settings

- Toggle switches to enable or disable default settings for newly created tests.
- Users can still override these defaults at the individual test level.

2. Lock Default Settings

- Use the **lock icon** to enforce specific settings across all tests.
- Other users cannot modify locked settings, which will apply to every test in your organization.

Note:

- 1. Unlocked defaults** apply only to new tests and do not retroactively affect existing ones.
- 2. Locked defaults** override all test settings, ensuring organization-wide consistency.

Configuring Test Settings

Test Email Settings

Manage the default settings for email communication with candidates during the screening process:

- ****Confirmation Email****: Customize content and subject.
- ****Invite Email****: Define content and expiry.
- ****Reminder Emails****: Set conditions for reminders with or without expiration dates.



- Refer to the table below for conditions:

[illegible]

```
<tr>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
<td data-cs="1" data-rs="1"><span data-name="cross_mark" data-type="emoji" contenteditable="false">?</span>
<br />
</td>
<td data-cs="1" data-rs="1"><p>Valid</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
<td data-cs="1" data-rs="1"><span data-name="check_mark_button" data-type="emoji"
contenteditable="false">?</span>
<br />
</td>
<td data-cs="1" data-rs="1"><p>Invalid</p></td>
</tr>
</tbody>
</table>
```

Additional Settings

Control if individual users can configure test cutoff scores.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735196598426-image.png?Expires=253370764800&Signature=KjknIhkyQLVf2npHJ0Ms1rc9bp6yr5bBUR9J5eUPhJVUpMhXz6WascVAgx-S7-iu--ngrOTfJoDGoE4c7czwtzhI8-oBwcpVzqDCN6f~MxthrQB9gSsGrE2MpRPFawggAYEI6WVylqhl4kBg-lulFtC1uzpPSvdfUagUI4732xHjoyUEKVKbVP-l4LrBalsuo85pjXNjEP~Rnn2KU6BmUrYKk4eGbXQpAXb3apDZC9w6UbqMLL9emzZ4JrRhxAriZgBuuR6~CtSHnRkOCkGMed988vFcq38C3s0s6yJEZg59eFPUIE8h4rGOKsGJuK2zt7C~KgbcfG6rpnq~U~QQbw__&Key-Pair-Id=K3NV4LZ47N8M46)

Saving Your Settings

After making changes, click **Save Changes** to apply the new default settings.

\

[settings/company-level-admin-settings] Enhancing your Account Security on Hackerrank for Work

title: "Enhancing your Account Security on Hackerrank for Work"
title_slug: "enhancing-your-account-security-on-hackerrank-for-work"
source_url: "https://support.hackerrank.com/articles/7425207053-enhancing-your-account-security-on-hackerrank-for-work"
article_slug: "7425207053-enhancing-your-account-security-on-hackerrank-for-work"
last_updated_exact: "Jan 29, 2025, 11:19 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Settings"
- "Company Level Admin Settings"

Enhancing your Account Security on Hackerrank for Work

Last updated: Jan 29, 2025, 11:19 PM (Last updated 1 year ago)

Best Practices for Securing Your HackerRank for Work Account

Ensuring the security of your account and protecting your data is critical in today's environment. To enhance your experience with HackerRank, follow these best practices to safeguard your account.

Why Security Compliance Matters

Maintaining IT security compliance is essential for organizations to:

- **Enhance Security**: Mitigate risks associated with unauthorized access.
- **Reduce Data Loss**: Prevent accidental or malicious breaches.
- **Build Trust**: Establish confidence among stakeholders by demonstrating robust data protection.

In line with organizational security measures, HackerRank provides best practices to help secure your HackerRank for Work account. This guide outlines the key steps to protect your account.

Key Practices for Keeping Your Account Secure

1. Create a Strong Password

A robust password is your first line of defense. Follow these recommendations when setting up your HackerRank account password:

- Use a combination of **alphanumeric characters**.
- Ensure the password is at least **eight characters long**.
- Include at least one **uppercase letter**, one **lowercase letter**, and one **digit**.

2. Keep Your Account Credentials Private

Do not share your login credentials with others. HackerRank provides an additional layer of security to prevent unauthorized access:

- You will receive a warning message if you attempt to log in on multiple devices or browsers simultaneously.
- Choose to either cancel the new login or log out of existing sessions.
- Proceeding with the new login will automatically log you out of all other active sessions.

![Error_version_2.1-New.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735194931171-1734046614912--75b764d9-5b04-4d3f-82d9-54ef2c01160b?Expires=253370764800&Signature=nEBz6bvcN-vtq~62J03Yq09OTOlvx6zEtveDsehUzDhjh9DsVAJKhvs7SN64pws8b3u3lXIRzOpN1KIE-BVbUioRsdFnZFW2XHBeAq936v-N7miYztXuGtVk7qyQ5altPC5ceLrOqRWrvE3Bc4-6fjQTGasbj3ikN3mY2Ts6E0tyZl89S2MWqcLqQxixk8TExtegXHgndI9hP2j3K3ASgivJ6aJwbdMcCXhpgOnTfol3lI9hnTnui9LNvx E8MPvvqRVcBQsOvnP2sPmerjFJl5HoXZ4cfTs6fiJptQmB1r6zRZHYcy~1i-Aqlg0TEWdY-SxcVbCndRAgt4kY-waT0g__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: This feature includes a mandatory authentication check. If you encounter repeated warning messages, consider updating your password.

3. Set a Timeout for Inactive Sessions

Company Admins can configure a session inactivity timeout to enhance security and ensure compliance. Inactive sessions will automatically log out after the set threshold.

****Steps to Configure Timeout for Inactive Sessions****:

1. Log in to your ****HackerRank for Work**** account.
2. Click the ****Settings**** option in the top-right dropdown menu.
3. Select ****Compliance & Security**** from the left-hand panel on the ****Settings**** page.
4. Scroll to the ****Timeout for Inactive Sessions**** section.
5. Check the box to ****enable timeout for inactive sessions**** and set a timeout limit (30 minutes to 24 hours).

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735194891809-image.png?Expires=253370764800&Signature=Eqcinaelj5norW41N4Ju2CSIABbsl4OdO1RRf2AWLI62xUdHS89OKcFijkazyNRtqyr2u0pD7A5szPms1OnPFEHyxW1n5uU3qgbW7a7nnwa96nL65X7Vf4Omfv0HGTblb-l3KLSUxsWbbpRhvBT7a8GDePHi8x38-Z2ti~y8YJL52KxloZsgBQi6DHFk3HpoCZ5owp881vYJlyyKRZLSVXGKqavXNYj2voqPbznq4lzMkGU3aXhY7ElfpMzcDBSpfZdzowN65qK1cJueNqRqF4zHUBx61sTw1JXhqlsF0idXzqsaCRt0ne8hEIYPGnFFC6qWwJqx3KYJU~3ilGMESA__&Key-Pair-Id=K3NV4LZ47N8M46)

****Note****: The default timeout for inactive sessions is 24 hours if no custom limit is set.

When users remain inactive beyond the threshold:

- A warning message will appear, prompting them to log in again.
- Users will be redirected to the login page. ****Unsaved progress will be lost**** if the session expires.

****Recommendation****: A 30-minute timeout provides a balance between usability and security.

4. Close Your Account After Use

Always log out of your account once your work is complete. This minimizes the risk of unauthorized access and prevents data loss. Save any changes before logging out to ensure your progress is not lost.

[settings/company-level-admin-settings] Diversity and Inclusion Settings Page

title: "Diversity and Inclusion Settings Page"
title_slug: "diversity-and-inclusion-settings-page"
source_url: "https://support.hackerrank.com/articles/8847622491-diversity-and-inclusion-settings-page"
article_slug: "8847622491-diversity-and-inclusion-settings-page"
last_updated_exact: "Dec 26, 2024, 12:50 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Settings"
- "Company Level Admin Settings"

Diversity and Inclusion Settings Page

Last updated: Dec 26, 2024, 12:50 PM (Last updated 1 year ago)

The **Diversity and Inclusion Center** offers features to support hiring teams in making fair, inclusive, and unbiased hiring decisions. These features help create an inclusive interview experience by reducing unconscious bias.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735197194008-image.png?Expires=253370764800&Signature=i1KNbwWyyQfT6mWbJtxJpOYjQbSiJJ4Q40FA5qLJrpWu4hEABZB968h6Xa8Mkxa3bmfged9Xqs2RX-LhjTGs~jpPDp7l1cPLhrGWTtYOm44FNFWKIC0F~OIMphis1U5g6-k~tGUFZsoUH6tb0Gc8Ce-qD6ZusN8KbwrPoFRKPZ-0ofsnhd52EgBM-DPn9khS-CdxML9oCy9USsZ~EAKtE1UoCq2uJ7ZjEoaAh-Zru4A5rpE0ST7jDyCuskSrOV7AW8wfa-7Xxw0eznwhrr~vBG1yCX3gPxY61V9J9KZXe4K1qCdCuumbB19BsMuFkee1IkXyjRglqrrQs6qJf0An8HA__&Key-Pair-Id=K3NV4LZ47N8M46)

Key Features of the Diversity and Inclusion Center

- **Identity Anonymization**: Hide candidate identities and personal details in test and interview reports.
- **Anonymized Interview Experience**: Conduct interviews without revealing candidate or interviewer identities.
- **Special Needs Accommodations**: Provide time accommodations for candidates with specific requirements.

Note:

- 1\ Only **Company Admins** can enable or disable identity anonymization settings.
- 2. Time accommodations** are enabled by default. For details, see Adding Extra Time for Candidates.

Identity Anonymization Features

1. Hiding Candidate's Personally Identifiable Information (PII) in Test Reports

This feature enables recruiters and hiring teams to download anonymized test reports. Developers can access only the anonymized versions of these reports through the UI.

Steps to Download an Anonymized Report:

1. Click the **Download Report** button.
2. In the pop-up window, select the option to download the **Anonymized Report**.

- Candidate PII has been removed from both the PDF report and the UI.
- This setting can be applied separately to tests and interviews.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735197609223-1735197506453-image.png-6efa673e-ed3a-4e7d-a7c1-85f249507fd2?Expires=253370764800&Signature=sKqfqjYxnxxticeSMM6mJsFM~uu4R3QKJkmWd63JwULHmeHI-D6Up3IsNaqgrZf2SjUEet-t9GophOg6KBu8sx91sCS9dNSzlw8VpbhpHiowuC6TW8GAQAJtGQHYHHb0B26uj36hfUqdc-19NVJJ0obaYZKSSiW4TwpkB9ZJjcSfrkQmB8pqRpdNOVhummmrFGWJL1LEgjK54mWw6b9tb4zgY6XUk2ZMj-GSmtTZJofVmVND52LA9sQk-hsrKZ9qvN7MdR25MhP49X8xgrwe7EDSVIGMdL1vIAY9HpjzBSxw6HpmezyltR28eR0fZ8KvCiFqUuPg5hAFKELWI-tQ__&Key-Pair-Id=K3NV4LZ47N8M46)

When enabled:

- Candidate identity will also be hidden on the **Candidates** page.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735197619273-image.png?Expires=253370764800&Signature=IQ7BJWdsHglXPF-6ZL5oql3ON4YSj~LTs2nGT6NssTnT2RSxB~WwQM9L3GzxXNr2SA~eC4OdnxDzg3NtnVFbiWlzPNLYfWimeQcEWdDTB1Yr3pVPkpTv8qyxBejqGFPEE4lt5zg71ICbjMcy5c-kRwJ6nH88OT1Plp3GVCYCtQl8SUEVXZEECWpjtusBkFYyNGSflJsPOSZuXD5o0r1U-HNa3F5~leWBfCzBHIYNXBvJh6F0KvdNp46kEiegFu7mm8FNCUZzITYkAST9TPmCUvuK7T6~shcg6rCRioZ78~l1dbJn6KnxbvO3wsltdeFO6VrSK68SK-A~vjYgCyvg__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Hiding Candidate's Identity in Interviews

When this feature is activated:

- The candidate's name is hidden from the interviewer during the interview.
- The interviewer's name is also hidden from the candidate.
- **Video chat functionality** is disabled for the interview session.
- Candidate information is anonymized in the interview report visible to developers.

\

\

[settings/company-level-admin-settings] Accessing Audit Logs

```
---
title: "Accessing Audit Logs"
title_slug: "accessing-audit-logs"
source_url: "https://support.hackerrank.com/articles/8979783963-accessing-audit-logs"
article_slug: "8979783963-accessing-audit-logs"
last_updated_exact: "Feb 13, 2025, 4:42 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Settings"
  - "Company Level Admin Settings"
---
```

Accessing Audit Logs

Last updated: Feb 13, 2025, 4:42 PM (Last updated 1 year ago)

HackerRank provides a comprehensive audit trail for all user events, allowing admins to quickly identify who made changes, what the changes were, and when they occurred. This feature ensures efficient and transparent data investigation.

Accessing Audit Logs

Prerequisite

- **Company Admin** user access.

Steps

1\ In the top right-hand corner of the homepage, click on the arrow next to the user icon. Then, select the **Settings** option from the drop-down menu.

2\ From the left pane, click on the **Audit Logs** option under the **Company** section.

3\ Select details such as **Company**, **Test**, **Attempt**, etc. from the drop-down under **Filter by Object** for which you would like to view the audit trail. Each object selected will have details such as:

- **User** - The name of the user who made the change.

- **Action** - The kind of change done to the particular object. There are three kinds of actions:

- **Create** is when a specific object or an attribute in it is created

1. **Update** is when a specific object or an attribute is updated

2. **Delete** is when a specific object or attribute is deleted

- **Object** - Indicates the source that is modified. For example, interviews, tests, questions, library, etc.

- **Object Id** - A unique ID allotted to each object.

- **Timestamp** - The exact date and time when the changes were made.

- **Modified Fields** - List of the fields that are modified.

- **View** - Modified field information and IP address.


Notes:

- HackerRank retains only the last three years of audit logs.


- Seeing **HackerRank** in the audit log means that HackerRank's customer support team acted on the customer's behalf.

Examples of Retrieving Object IDs for Tests, Interviews, and Questions


Tests: Click on the required test from the **Tests** tab and note the 7-digit number in the URL, which is the test ID.


src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046672363-?Expires=253370764800&Signature=t20rbMg6UVc17petqOujiDDGTR9wuriCMN~G1OuUg49YaPXEdnYmMwJMt3L2PeETu7e7iuJh6wRpQ2zOWDY4aYnZnMEk3MBi-vetCBuI9d-Tqk4XBQkxIFZZVXA31LnMTqjedmu6zhdbNA9-VHU5aefjQlftijuzQwOXwLlZ9FaQtOIhWbGEnYJuDsKrATITD~jtBN8-JEY4mfHw457o3U-glA8JntCNZRKNKKG7UqiAJENKueLbdBW~guJtZqwJTwZ9Bo47Wu-v91utiNDDQGllpQFz8HG~oXgDh2iOAbgS~s9b-i-YEEU7dAn1PLnc1UX9JpLTkoBXsrgOPJGkA__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />


Interviews: Click on the required interview from the **Interviews** tab and note the 7-digit number in the URL, the interview ID.


src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046672842-?Expires=253370764800&Signature=MADo5Ifelfg0Kwa~U8odOQPdveSYnQ7nqLjGR07Pjx4wgcS0K3O1weEu~qxqS7VAYeAVj~MqC84LOihFZoN4bMFs5-ZBXn-H0j02AVy4h78tPWMJsrtHu0Qcn79ahdaaEcNjoLxmd9Lyt4nQ6FULF4NB23wcdJaqobci9hWvSVwmk3qefEqeWJBOO4jba2HJUN3IIVUm2c~cPSeUfUZSBg56QVxV8UH2DL-nlnH~ev6Tn9X9Pa~qJ-BYHmcWmWXRw-U0zutgoxxKFFsaySciLVGygdF9i2TZ~LuetXZqfKq0FT7qrk~EC~szFOLtCcoSZGIWxTL~wvi4cL0FJHLBA__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

Question: Click on the required question from the **Library** tab and note the 7-digit number in the URL, which is the question ID.


src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046673451-?Expires=253370764800&Signature=Qj9PbfryeNXC7mSuTrPTJWsDFIJCXsd3qFlmp6MEEoYbp-f6-11XE0TvV58xumxvq~9TevR~PHjKAwopB8Dix0kZ52uLn71COG8HRmSL87CphQa7qqMrDp~7TBk-4rdnnsVKZoWaqUQUWHBf216sAArhlM5LGfO7FgekSS8qAFJ5ahl3M2qiysVGzR5o0HqJXZYxf aQrRBcDCEggsTHdsnfVP5KLCoIMPthGnWjpK8XYHJHo79Q4cz19i2dOQ4pRIHhrCx6vGZ1Wjh-Q4x8udyAmwlXKaOGKv6DoDdGBv7ubFrtn-wxVKFudLaLgJrJsjet6~RPiCCzz5biD3bgjA__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

Question ID can also be retrieved from a test. In the **Questions** tab of a test, click on the three dots icon for a particular question and select **Try Question**. The question will open in a new tab, and you can find the question ID in the URL. The test ID comes first in the URL, followed by the question ID.


src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046673900-?Expires=253370764800&Signature=TNtXqB-anvwn08d2rRhGPnJmgaesIL6gqP1uKbtIGu7iPUdTqC9gicwW8QPXfHluPAJrZ4SXAG52IHB1t45cnQ6a16cYz4y1BXvFcoctk83tM~HPNCGTj29-YYYL3cc~4vRSGl3JOWbd5ij5WSkP9FRg3WJPuxYqlKnGbLf-ZZTzutlCiAnRt6I4Wn1QWdu24qZasNrKVkJ~XGzQiqMvTa~3GQqdxWnxhKZtQnzCLplsSyo8n4FrtSOADSariHWMdsGQvPosTZAQKAPKgL6agQaRCMdaSIXAGvx140Lrv3AvJwsRKCyywl7z6Mkjgb3U9KY0V~S2Krne-WC8PQw__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

\

[settings/company-level-admin-settings] Centralized Interview Settings Prerequisite A

title: "Centralized Interview Settings Prerequisite Accessing centralized interview settings Available interview settings"
title_slug: "centralized-interview-settings-prerequisite-accessing-centralized-interview-settings-available-interview-settings"
source_url: "https://support.hackerrank.com/articles/9244658640-configure-interview-settings"
article_slug: "9244658640-configure-interview-settings"
last_updated_exact: "Apr 22, 2026, 10:22 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
- "Settings"
- "Company Level Admin Settings"

Centralized Interview Settings Prerequisite Accessing centralized interview settings Available interview settings

Last updated: Apr 22, 2026, 10:22 AM (Last updated 4 days ago)

The Centralized **Interview Settings** page allows Company Admins to define and manage default settings for all interviews in the organization.

Prerequisite

You must have **Admin** access to configure centralized interview settings..

Accessing centralized interview settings

To access centralized interview settings:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Click your profile icon in the upper-right corner.
3. Select **Settings** from the drop-down menu.
4. Go to **Interview Settings** under the **Company** section.

Available interview settings

You can configure the following options in the **Interview Settings** section:

- **Filter Interview Questions Library:** Use tag selection to control which questions appear during interviews. If you leave the selection empty, all questions appear.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760087516147-image.png?Expires=253370764800&Signature=qTLtASaP1DUxi-DnQdELFY9HriF36XdDkBHycRxlfp0nT5B4jfsoki05bX2RBxxLGJLC~ryXBdvkofS5ZbzmoXbQ~dXxjD~iEtyJJD9PR9MaIVedicgQsBi11reDQVgBexuOJdwtUXL2Wnx9Qc~MUFlz93-9bJKKB0yye2miE8lf6Mf8nERCSQBB79I5gc-rifztlf-sDObo2G7Spvk0HmBNP3L8IFMFZSRAnKSY7DCkwjXcVIEnmT7wVLXBxerjzBKKfDsAl8mBOpmj5hwn5~WfrF47zyRs~T0-c0ob2YUIVoQPvzM~Y1r6aFZXrCOcfkWyK9lq0~CabATMtiz0A__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Interview Guidelines:** Customize or replace HackerRank's standard interview guidelines that candidates view before an interview.

Admins can configure company-specific guidelines with rich text formatting options such as bold, bullets, and hyperlinks. Updated guidelines appear instantly on the candidate's onboarding page.

![Interview Guidelines.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760087178551-InterviewGuidelines.gif?Expires=253370764800&Signature=PT6SEMIYEK-Av8RVPCT1bjVXpXqPP5BjdIMJXbcGLEOpBE7dw47IkL1zzYflaqQm7S6bimteAxOtkwYucxCH1kIQ~GI8NtWwA30XoPS4~vxMliPhCbd7ErwpV5bBtczhBqH5GY79iJoW37buW0q0Ae6LCOrhuo-FGEyQWcyxoAxvn57RNGHCKDNW~jGhA~Tt0aDkuaRJJTSsIATollx6PZxVT4mfWN8FQUHzWAhZEXQibpgQJtek5ylTok7bsQTHpjuZLoygQvDZxABofSSlibiFv5DTyXdqIhEYHVq2xRtWA1kl7xLbYr95FBDWjwz8vNmFZWwMV63xeN-noauw__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Self-Signup for Interviewers:** Allow interviewers without an account to sign up before starting an interview. For more information, see [? Self-Signup for Interviewers](/articles/6028726783).

- **Virtual Lobby:** Enable a virtual lobby to create a waiting room for interviews. The virtual lobby allows you to:

- Restrict candidates from entering until the interviewer permits.
- Conduct multiple interviews with a candidate using a single link.
- View the real-time status of attendees without joining the interview.

To enable the virtual lobby, select the ****Enable virtual lobby**** checkbox.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776344134676-image.png?Expires=253370764800&Signature=N82RqXmZeyvwYkcqXNB54G4b7smnLCREkwVXFLivC5zYo5AoL0DmyWScIFVcoVTiJOM49dRjjWuIT7X~j007EE0MvdXKC5ccee-vOkt84xH4hB7VBZRBZqRrTxyF2x3nLPkdeDNcfYWWWhW~w7Mlu5~gZQ594FZwNhyJSRqrNNyNk-SiqV7AIJ56~32jlvOtc-h8lliHEihj4LoXVKBinDWScGRqCgllOmetPPn2uMj9OO4bjpfKuWxOFS2-J7ksT5poHPbEHOCzXioPQqE6AllcxhmOBvcnG-dALFlpH1TS0HEGCKeBPTvdFpl4XTB9STRPaWWbzG2IPHqfQnlg__&Key-Pair-Id=K3NV4LZ47N8M46)

****Note**:** By default, the virtual lobby will not be enabled for your account.

<!-- -->

- ****HackerRank Built-in A/V**** Interviewers and candidates can use HackerRank's built-in audio and video during interviews. This option is enabled by default. You can disable this option if you use external communication tools such as Zoom or Microsoft Teams.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776344219150-image.png?Expires=253370764800&Signature=bFZoqZyOWI4avT5xvQgaFHN0Wh63D2quNX0ioAN3SO4Y6tany00h9V9QCc6Blk0HGgydBG6KmaqAbgE1sB5OhMTiN~3ujoLzuoyNw-WHg4uWaKxhyR9IRYRbZESwM10dC6wEuK8w2uFsDqqz63t9uhmu1N~GjQIMGN6o9DE2VCRJ6PipvjIMsG1UiCgEe4oS4REaJnO3EXcNwNz-bhhQlujBFkEC1K8my6qoDbdreFRD7sYriXgfAjkBzmE7kkFWaOYyFiQKc4h4aBEAR0D4nzYVrwS9DMgsgWsNed~AKECrOwEEWhwP2uKfQ8xKivzu-marTXWT~35KYtJPOLt-aQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- ****Automatic Tab Locking and Hiding**** Automatically locks tabs that interviewers add to the interview and hides them from candidates until unlocked. For more information, see [? Hide Locked Tabs in Interviews](/articles/2284202564).

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776345401653-image.png?Expires=253370764800&Signature=s6cS1r-YNyFLWpX~UruHgfJtzoYgshMbGgOLK1xlpZ62BTURUEUxXe5dlH4bQgmFv8I-NFM7DrxM0Ekky3CYRr0xwWkbzE8~2Gtiav0qpNdzxNnZVJAuqcusptFOTqdbkKLpiBVwXOC5~vbHt4Y8VLsH7eITlwAE5e3Q0j~2P79althsKUQ3DY6CiZH34IQ0MrQ7jPFrynYCrzetxK2WdhFIV-37vJl8wdmeMkye4lv4N-fVu4eYYVFsxAo6s4sBLNuN6TlPncWX7lqiOwOHCICBoGpPfOTFlp36ZnuhDim1y7kh7sl8vV6eOhgFBtIkjY5D-t93PBPjUPk0exv7w__&Key-Pair-Id=K3NV4LZ47N8M46)

- ****Interview Integrity Signals**** The ****Interview Integrity Signals**** feature provides real-time alerts for suspicious activity during interviews. The Screen-to-Interview Identity Match verifies that the candidate who completed the screening test is the same individual attending the interview. For more information, see [? Interview Integrity Signals](/articles/5161582600) and [? Screen-to-Interview Identity Match](/articles/8605077096).

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776345322393-image.png?Expires=253370764800&Signature=so4-q53SLNGujaWKW25yNyNHZmrP7IdmiPA2BJuoJRto-8Cv8QQRWTiXy9873H8W29K6wnNd0WgN4Wbl3iXSh74Unym3Ddk1U6jKngchcnhFAOt62P8EMY6FZRuFnI0JN~4x6j0dhJuShyezX5lp02LJax~ZUjZqJiDw3cJVjJa5ffvIS~WW3cBbNReY~XLsA3zFWlwZbcaoieLzheJkV9aGZKIJRQ4Vz4utLEOYKAEPZiJliUB4IG2h8Lbp40u8OpYY-5ajWg17qqRnDiFofKJS2miaDHdJcQbL334TL5DEuoFpf5vWGHkINcyldXJHpoacRsVzPPDYSDbuJxK2VA__&Key-Pair-Id=K3NV4LZ47N8M46)

****Note**:** Screen-to-Interview Identity Match feature is part of the AI Add-on.

- ****AI Assistant for Candidates**** Allow candidates to use AI-powered features such as Chat, Autocomplete, and Agent mode within the IDE. For more information, see [? AI-Assisted Interviews](/articles/5821380141).

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776345249605-image.png?Expires=253370764800&Signature=OBVHsyjQDU1T~Xn3YigvTMGCsP36S~uQ9muy5Tv4H-hHUg6hCvrfbWYzc7BTTPuMPq~iymA87ivk3vBfbJUoQIlheoiz2fm~FAq6kOe47~mf-DS083~D0VN6yZLNiYySEobj2FDMmvpKNYpA-GR~pqkrzuADVMbODvJmOFdCJSYbQSVrs~JG~REoYTdRQ7WdnKNp23lh5bAG53tPWABsPhdB6WByEerkbhDYdaZMNILOlObrSFCgegiHLbmLNxuqUjQ3dAi5leMe8PJj4W3bn7UpWpNhLJ8VFB-2tu1iQNBt48QXi8Fxr5d06yEX~RfDp2hfOb8M5HSDfhUVgaNw__&Key-Pair-Id=K3NV4LZ47N8M46)

****Note**:** This feature is part of the AI Add-on.

- ****Scorecard Assist**** Enable AI-generated interview scorecards that summarize candidate performance. Interviewers can edit these scorecards as needed. For more information, refer to [? Scorecard Assist](/articles/5847159594).

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776345183257-image.png?Expires=253370764800&Signature=OmpWJ7kdlcBFpHADhnIUDmPzxqqbJDicyXa1x3UzGX6Ooviui5j-ANeDyFqvNb7GvaF8f3NXAeyojKREvn9KRbDU4K7NXYFrtRH-4AKm8u8FIG-Ydje2Gx-FNMxxsdqS8myWXfVXS9y3ORHE55IY4ZXvBT7nSrfUvl4yDxGkRR7Yjyg65HBVdOKxpM2-MQUZPOqHZTJqfX0F8aFA03gQYnHou2rzZD3ZCoNysUmn9dfc88~-655NA2d-OiT9LYLuSiHdQi0Y9NgCier-1rS8nxL1TZ0PL3xnw5TrNVF62wIR54RcEYGalfJaXLXx-VbbBCCV~E2UodeOSrunfxSARA__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: This feature is part of the AI Add-on.

\\

\\
\\

\\

\\

\\

[settings/gdpr-and-nyc-ai-laws] GDPR FAQs for HackerRank for Work

title: "GDPR FAQs for HackerRank for Work"
title_slug: "gdpr-faqs-for-hackerrank-for-work"
source_url: "https://support.hackerrank.com/articles/2634495557-gdpr-faqs-for-hackerrank-for-work"
article_slug: "2634495557-gdpr-faqs-for-hackerrank-for-work"
last_updated_exact: "Mar 23, 2026, 4:29 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
- "Settings"
- "GDPR and NYC AI Laws"

GDPR FAQs for HackerRank for Work

Last updated: Mar 23, 2026, 4:29 PM (Last updated 1 month ago)

The **General Data Protection Regulation** (**GDPR**) is a new EU regulation that aims to improve privacy and provide greater control to customers over their personal information and how it is used.

We have brought together a collection of frequently asked questions on the new General Data Protection Regulation (GDPR)

GDPR FAQs

What is HackerRank's role in GDPR?

HackerRank for Work is a **Data Processor** as HRW processes data in the direction of customers, who are Data Controllers

What Types of Personal Information does HackerRank collect?

Among the types of Personal Data that the HackerRank for Work collects, by itself or through third parties, there are Cookies, Usage Data, geographic position, email address, first name, last name, username, password, company name, and so on.

Certain data elements requested from customers could be mandatory without which it could be impossible for HackerRank to provide service to you while for non-mandatory data elements, you may choose not to provide the requested data without any consequences to the availability or the functioning of the Services.

What is HackerRank's privacy policy?

We, at HackerRank, take Privacy issues seriously and want you to be familiar with things like the collection of data, data usage, disclosure of information, and so on. You can access HackerRank's detailed privacy policy over [here](https://www.hackerrank.com/privacy).

How can I delete the data of a particular candidate?

Follow the below steps to delete a Candidate's profile.

- Log in as a **Company Admin**.
- Access the **Candidates** Page in HackerRank.
- Search to find the candidate.
- Click the delete option.

[Delete](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046510726-?Expires=253370764800&Signature=TxFEptuHrnH38zdwztzVVTOzNML7VY0WzgGvqgX6vFPdBTp5Ux9B9BJFsXF0DjPHvQIhi9GgE8XldZWzyka89jwBTZpSj6kWiOgVLYUVK0F2B-zV4HHwp9wfiGCUxOWzANozuYeYeAJrBiEtKLP--TcWIGgO5y9gzkolwnpQNDv7LNqnQ69z1e6za8tOZ~p3-KFXPgPKHgTUQh9D2s8x6I4cn3dnLly9hY1Vyr0PhaJ7S8v9jNlaY637qgFV6Nr1j1GbWkE0oqG3~yjCHvWI2Hld9xyobYlqkqhS4fx9qesCgndxZu2maB4VQmHMIbGG0v5BRhXPJLvLFGskWxTL1iQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- On clicking the **Delete Profile** option, you will get a warning message mentioning that the deletion of the profile of any candidate is an irreversible action. Click **Yes** to continue.

- Once a candidate's profile is deleted, you get the confirmation message on the screen, mentioning the same.

****Note****: Only company admins have the access to delete a candidate's profile.

****How can I delete candidate data in bulk?****

For the deletion of candidate data in bulk, you need to raise a request to support@hackerrank.com. You'll need to log in to the HackerRank platform in order to [Submit a Request](https://portal.usepylon.com/hackerrank-support/forms/customer-request-form) to our support team.

Alternatively, if you have a Customer Success Manager or Account Manager assigned to you, you may route the request through them. Once your request and the list of candidates to be deleted are received, HackerRank will anonymize the data within 14 days. You will be notified once the deletion is complete.

****Can deleted data be reinstated?****

No. Once candidate data is deleted, it cannot be reinstated.

****How can I download candidate data?****

HackerRank for Work offers three primary ways to download candidates' data.

- Download candidate data from a ****Test****
- Download candidate data from a ****CodePair ****interview
- Download / Export ****candidate timeline****

Learn more about downloading reports of candidate's ****test ****performance from our support articles: [Downloading PDF and Excel Test reports](https://support.hackerrank.com/hc/en-us/articles/360012776753-Downloading-PDF-and-Excel-Test-Reports) and [Viewing a Candidate's detailed Test report](https://support.hackerrank.com/articles/8263794320-viewing-a-candidate-s-detailed-test-report)[.](https://support.hackerrank.com/hc/en-us/articles/360012556773-Viewing-a-Candidate-s-detailed-Test-report)

Learn more on how to download ****candidate ****data from a ****CodePair ****interview from our support article: [Viewing a CodePair report](https://support.hackerrank.com/articles/6788713830-viewing-interview-reports)[.](https://support.hackerrank.com/hc/en-us/articles/115007328727-Viewing-a-CodePair-report)

You can export or download the candidate's data following the below steps.

- Go to the ****Candidates**** tab inside a ****Test****.
- Click on the vertical ellipsis menu on the right side of a candidate's attempt and click on ****Visit Profile.****

![Candidate_Profile.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046511210-?Expires=253370764800&Signature=PKYxBWqLYNRUHDHT3W12f2YbRkGOwhxNa11u6qmYss-vic667nypWga5aLhOn7HsWoYkV8f7T4NJewOprO ffKgQpslWnshITicC2a0J1RHA9Gk9PS6cN9I3CYzkaLNgQMhDlwQPmyfqbT~YexpeuXQMnjLpWnQViNb-mf47aP5jj61wPf3KSsYpa GPBNhMVhly1-tOrYX-csEPSQ~GIUV-5mIjH07~AoCo5qfEChCR3Mzd0fPMdfSGhhP6TLPe8HZtY0n3DIfZdF8TnMEKkQPojBSaakyd xL7PHGklX4gPb3c4B-P4~fqVIEtgjkb-W87F4Kyw7MhIcesj1296I6g__&Key-Pair-Id=K3NV4LZ47N8M46)

- From the candidate's profile page, click on the vertical ellipsis and select option ****Export Profile.****

![Export_Candidate_Data.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046511523-?Expires=253370764800&Signature=TOW9d3vvh16IM7IK64q6Hz3abgY0hqGDw6rBBreKMjCFXcGZSQp7HPPrQllwZlzdDtRYkj5FIYnzsYcC4H HpFbskKYrU57-nQ66GhjxpiHWj3B4zwgY1ZQr1MT1ICoJh3kHpo4ENoQ5UEjnHSDjA31A6dpEiTDnliGQBd5xdjmrPC31wyVBLGE5 MDyxaD5EQ7juMaksFv~28D8Dqs8MVUikAakLJdhVN6ddTJzq365xRzLADFn1vbc2dDd2AgLj0IFaaej2awoFh720flHwhy5COqJgmllP Gs-nGHY~yVb-dKS4ZsAbEKwrDzRWIWIPIGUDX7JqBv0FQNUDrbn7v2ZQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- Once you click on ****Export Profile**, the ****candidate's** data will get downloaded in a portable format.

****Does HackerRank share candidate data with other third-party services?****

HackerRank for Work does not share or distribute customer data except as provided in the contractual agreement between HackerRank and customer or as may be required by law. For more detail on our data sharing policy please refer to our [Privacy Policy](https://www.hackerrank.com/privacy)

****Does HackerRank maintain an audit trail of events?****

HackerRank maintains an audit trail of all user events. You can retrieve the audit logs using our [API](https://www.hackerrank.com/work/apidocs). You can also raise a request to

support@hackerrank.com or submit the same using our [Support Request form](https://portal.usepylon.com/hackerrank-support/forms/customer-request-form). If you have a Customer Success Manager or Account Manager assigned to you, you can also route the request through them.

****Does HackerRank allow a candidate who took a HackerRank test, to edit or delete their personal data or test attempt?****

HackerRank for Work is a recruiting platform where recruiters conduct tests and coding challenges to hire developers. Companies or recruiters directly own the tests and HackerRank does not have any control over the same. For deletion or update of personal data or test attempts, the candidate needs to contact the company that administered the test directly.

****Can a candidate who took a HackerRank test download their test data?****

HackerRank for Work does not allow a candidate to download their test data directly. As a recruiting platform, we let companies administer coding challenges and help them with their interview process. Candidates need to contact the company that administered the test if they want to download their test data.

\

[settings/gdpr-and-nyc-ai-laws] HackerRank Services and AI Laws FAQs

title: "HackerRank Services and AI Laws FAQs"
title_slug: "hackerrank-services-and-ai-laws-faqs"
source_url: "https://support.hackerrank.com/articles/3067349942-faqs%3A--hackerrank-services-and-ai-laws"
article_slug: "3067349942-faqs%3A--hackerrank-services-and-ai-laws"
last_updated_exact: "Aug 12, 2025, 12:26 PM"
last_updated_relative: "Last updated 8 months ago"
breadcrumbs:
- "Settings"
- "GDPR and NYC AI Laws"

HackerRank Services and AI Laws FAQs

Last updated: Aug 12, 2025, 12:26 PM (Last updated 8 months ago)

These FAQs provide some background on HackerRank’s approach to the [New York City Local Law](https://legistar.council.nyc.gov/LegislationDetail.aspx?ID=4344524&GUID=B051915D-A9AC-451E-81F8-6596032FA3F9) related to employer usage of the Automated Employment Decision Tool (AEDT) as it relates to HackerRank customers using HackerRank services that use artificial intelligence or machine learning.

What is an AEDT?

The NYC Law defines an AEDT as any computational process, derived from machine learning, statistical modeling, data analytics, or artificial intelligence that issues simplified output, including a score, classification, or recommendation, that is used to substantially assist or replace discretionary decision making for making employment decisions that impact natural persons.

Does the NYC Law cover HackerRank services AEDTs?

Screen/Interview

HackerRank’s **Screen** and **Interview** services are not classified as AEDTs. These services do not involve artificial intelligence (AI), machine learning (ML), or similar technologies, nor do they generate outputs through any AI-based processing. As such, these tools fall outside the scope of the AEDT law.

Plagiarism Detection/Image Analysis

HackerRank’s **Plagiarism Detection** and **Image Analysis** functionalities, collectively referred to as AI Tools, use AI-based methods and produce simplified scoring outputs. These tools are optional features that customers can enable as part of their test integrity setup.

Whether these AI Tools are deemed AEDTs under the NYC Law depends on how the customer uses them, whether the customer uses HackerRank’s AI Tools to assist or replace discretionary decision-making substantially.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1754387300134-image.png?Expires=253370764800&Signature=c1I4kiSIzOly~pvnwqMeAMNoHFSQbV7LebTt9ZbZhSOrkP9IzMLEN8BH2ZdiIBba7gOWX8X4xESvLm5ceOiS0zPvPSLAL9nq2iuhbUdebK--fmDRZrq9a9oNsgT1J5VJyYTFB6fdLwIRyo7ogML~M6VWVcIEqkE7dpl~tHXeNVK6zldm9VYLFCuTty61ch2ZkCEXceRppPDJ9J1-NgQHa8gdBt0OoaZLgr14WHw87dbxUgB2Hw3laTgnKwUP8foyHQUlPNQPk6t5-BVYpULZghJ5c45EimnjX5R9ZVtnmEmngScFm3Q5cv8svADRKZFsq2BXZIDRGFUCYSXe4qLVg__&Key-Pair-Id=K3NV4LZ47N8M46)

Access your Test Integrity settings to make appropriate changes based on your requirements.

The option is available under the Proctoring settings in the **Test Integrity** tab of a Test.\

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1754387364573-image.png?Expires=253370764800&Signature=AGCgG1tiPoLfWv~xSeZxrGQvee2i~N3cfvPr12EBH1cTHIy-JqXpPsDg3RQqbEcT9ikHX-IDss3GFrbl-yb67HMhvyu8nji7pWXjJBgoCXc~JnMFqwXWPFJoKL1LnUwClwyxo~vi7QhSKWg~hrY1DBVgynuaUDUIIZgtVDeIz8PXIf8jfWBMPdKShaPnbj0xA1yZ~J1fEibqKVkaCvPI8nxSqkLDmIflyn2znfojwND9UCxjwczi6towQLpsThOveGb9d~FiTdCd655nyzali~ljMbRbDAISESzfySzBoZ4~v0ahqg5urZ8rTiUqI6qj2kRs3qb6srK7mW147fMog__&Key-Pair-Id=K3NV4LZ47N8M46)

If a HackerRank customer uses the results of our Automated Tools to ?substantially assist or replace? human decision-making by, for example, automatically rejecting candidates for whom plagiarism or image anomalies are flagged, then our Automated Tools will likely be considered AEDTs. But, if the customer uses the results as one of many factors in determining a candidate's fitness, they likely won't be considered AEDTs.

****What does the NYC Law require when using AEDTs?****

If a HackerRank customer uses our AI Tools as AEDTs, the NYC Law requires the customer to provide New York City candidates subject to the AEDT with certain notices and the option to request an alternative selection process or accommodation.

The NYC Law also requires that our AI Tools undergo a bias audit and that the customer make that bias audit available to its candidates.

A bias audit of such a tool was conducted no more than one year before its use, and a summary of the results of the most recent bias audit of such a tool, as well as the distribution date of the tool to which such audit applies, was made publicly available on the employer or employment agency's website prior to its use.

****How does HackerRank assist customers with their NYC Law compliance obligations?****

If a customer uses our Automated Tools as AEDTs, HackerRank is taking multiple steps to help them comply with their obligations under NYC Law.

1. ****Defaulted Off:**** Within the HackerRank product, our automated tools are defaulted to off. They will not be enabled unless the customer turns them on. This gives the customer a choice as to whether they want to use our tools that could qualify for AEDTs.
2. ****Customer Reminder:**** When a customer user turns on our Automated Tools, the user will receive a pop-up reminding the user that these automated tools use automated processing based on AI and that the customer may need to comply with applicable laws related to automated processing.
3. ****Consent:**** If the customer enables an Automated Tool, HackerRank will secure the candidate's consent prior to using it. If the candidate does not give consent, the candidate will not be able to participate in the feature using the Automated Tool. This consent is not intended to replace the 10-day advanced notice and alternative method request the customer must offer the candidate. Still, it is an added precaution (based on GDPR, not necessarily the NYC Law).
4. ****Bias Audit:**** Our Automated Tools have undergone a bias audit. For this first year, we are using test data for our bias audit. Customers will likely need to provide us with their historical data to conduct the bias audit in future years.

- HackerRank's AI-powered plagiarism solutions have undergone an independent bias audit that is consistent with NYC AI Law.

- [Summary of Bias Audit Results of the HackerRank's Plagiarism Detection System for New York City's Local Law 144](<https://support.hackerrank.com/hc/en-us/articles/18060171781523-Summary-of-Bias-Audit-Results-of-the-HackerRank-s-Plagiarism-Detection-System-for-New-York-City-s-Local-Law-144>)

- [Summary of Bias Audit Results (HackerRank's Image Analysis System)]([https://support.hackerrank.com/articles/8514725302-summary-of-bias-audit-results-\(hackerrank's-image-analysis-system\)\)](https://support.hackerrank.com/articles/8514725302-summary-of-bias-audit-results-(hackerrank's-image-analysis-system))))


\

[settings/gdpr-and-nyc-ai-laws] Summary of Bias Audit Results (HackerRank's Image Analysis System)

title: "Summary of Bias Audit Results (HackerRank's Image Analysis System)"
title_slug: "summary-of-bias-audit-results-hackerranks-image-analysis-system"
source_url: "https://support.hackerrank.com/articles/8514725302-summary-of-bias-audit-results-%28hackerrank%27s-image-analysis-system%29"
article_slug: "8514725302-summary-of-bias-audit-results-%28hackerrank%27s-image-analysis-system%29"
last_updated_exact: "Dec 13, 2024, 5:03 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Settings"
- "GDPR and NYC AI Laws"

Summary of Bias Audit Results (HackerRank's Image Analysis System)

Last updated: Dec 13, 2024, 5:03 AM (Last updated 1 year ago)



Letter from the Lead Auditor

From: **Shea Brown**

Lead Auditor\
BABL AI Inc.\
sheabrown@babl.ai

To: **Interviewstreet Incorporation (HackerRank)**

PO Box 1660\
211 Hope Street\
Mountain View, California 94041

Re: **Audit Opinion on HackerRank's Image Analysis System 07/22/2024**

We have independently audited the bias testing assertions and related documentary evidence of HackerRank (the "Company") as of 07/22/2024, presented to BABL AI in relation to Company's Image Analysis System in accordance with the criteria and audit methodology set forth in this report. The goals of this audit are to:

- 1. **Determine whether the bias testing** methodologies, controls, and procedures performed by Company satisfy the audit criteria (see Findings)
- 2. **Obtain reasonable assurance** as to whether the statements made by the Company, including the summary of bias testing results presented in this report, are free from material misstatement, whether due to fraud or error.

Note that the criteria presented in this report were constructed specifically to address the requirements of a ?bias audit? outlined in NYC Local Law No. 144 of 2021. The model was audited as though it were an automated employment decision tool (AEDT) under NYC Local Law No. 144 of 2021, but we do not make any determination whether the model is, in fact, an AEDT under this law.

Company Responsibilities

It is the responsibility of Company representatives to ensure that bias testing and related procedures comply with the criteria outlined in this report. The Company representatives are responsible for ensuring that the documents submitted are fairly presented and free of misrepresentations, providing all resources and personnel needed to ensure an effective and efficient audit process, and providing access to evidential material as requested by the auditors.

BABL AI Responsibilities

It is the responsibility of the lead auditor to express an opinion on the Company's assertions related to the bias testing of the model. In light of the current absence of generally accepted standards for the auditing of algorithms and autonomous systems, our examination was conducted in accordance with the standards and normative references outlined in this report.

Those standards require that we plan and perform audit procedures to obtain reasonable assurance about whether the assertions referred to above 1) satisfy the audit criteria and 2) are free of material misstatement, whether due to error or fraud. Within the scope of our engagement, we performed amongst others the following procedures:

- Inspection of submitted documents and external documentation
- Interviewing Company employees to gain an understanding of the process for determining the disparate impact and risk assessment results
- Observation of selected analytical procedures used in Company's bias testing
- Inspection of the select samples of the bias testing data
- Inquiry of personnel responsible for governance and oversight of the bias testing and risk assessment

We believe that the procedures performed provide a reasonable basis for our opinion.

Independence

Our role as an independent auditor conforms to ForHumanity and Sarbanes-Oxley definitions of Independence. Fees associated with this contract are for the provision of the service to assess compliance. The payment of fees is unrelated to the decision rendered. Our decision is grounded solely in the criteria presented below.

Opinion

In our opinion, based on the procedures performed and the evidence received to obtain assurance, the bias testing and results presented by Company, as of 07/22/2024, is prepared, in all material respects, in accordance with the criteria outlined below.

Sincerely,

Shea Brown, Ph.D.
Lead Auditor, BABL AI Inc.

Emphasis of Matter

We emphasize several matters related to the dataset sourced by HackerRank to test for disparate impact: 1) self-declared demographic labels were not available from the historical use of the system, so publicly available "Test Data", (see [§ 5-300](<https://rules.cityofnewyork.us/wp-content/uploads/2023/04/DCWP-NOA-for-Use-of-Automated-Employment-Decisionmaking-Tools-2.pdf>)), was used to assess the system for bias, and 2) the amount and quality of the testing dataset (see Findings) were limited. Consequently, the conclusions drawn from the disparate impact quantification are subject to the limitations arising from the dataset and should be interpreted in light of this constraint. Our opinion is not modified with respect to this matter.

System Description

BABL AI was engaged to audit "HackerRank"s Image Analysis System (the system). The system periodically captures a number of webcam images of job candidates throughout an assessment, and processes them to reportedly detect the presence of suspicious activities from the candidates, such as by hiding themselves, or getting unauthorized help from others. For an assessment session, the system has three modes of detection:

1. No-face: zero face is detected in a 90% of the total captured images;
2. Multi-face: two or more faces are detected in at least one of the captured images; and
3. Secondary-face: two or more "unique" faces are detected at various times during the session.

The system provides a report from these modes of detection and displays it to the users. Recruiters and hiring managers can then review the captured images to verify the presence of cheating, and decide whether to move a candidate forward.

The rates of candidates not being "aggregated" by the system are to be used as selection rates for candidates that belong to various demographic groups. Note that the selection rates of only the no-face detection mode are displayed on p. 14 in the [Findings](<https://docs.google.com/document/d/152psYI9nKAYDpPdf7Ix7DmqGUHNjYk7xhSpGNvm6ogU/edit?pli=1#heading=h.lnxbz>)

9) section, as no-face is the primary detection mode of the system and its non-?agging rate is equivalent to that at the system level.

Audit Summary

Background

New York City Local Law No. 144 of 2021 requires yearly ?bias audits? for automated employment decision tools (AEDTs) used to substantially assist or replace decisions in hiring or promotion. Specifically, the law states that (1) the bias audit must ?assess the \[AEDTs?\] disparate impact? on certain persons, (2) the audit must be conducted by an ?independent auditor ... no more than one year prior to the use?, and (3) a ?summary of the results of the most recent bias audit ... \[must be\] made publicly available on the website of the employer or employment agency.? The audit outlined in this document has been conducted to satisfy the law?s requirement for a bias audit only, and does not include other requirements such as candidate notifications. This report does not make any determination whether the model under this audit is, in fact, an automated employment decision tool as defined under NYC Local Law 144, or not.

Auditor Responsibilities

It is the responsibility of BABL AI auditors to:

1. Obtain reasonable assurance as to whether the statements made by the auditee are free from material misstatement, whether due to fraud or error,
2. Determine whether the statements made by the auditee provide sufficient evidence that the audit criteria (see Findings) have been satisfied, and
3. Issue an auditor?s report that includes an opinion.

As part of an audit in accordance with good auditing practice, BABL AI exercises professional judgment and maintains professional skepticism throughout the audit. Specifically, BABL AI auditors identify and assess the risks of material misstatement in documents provided by the auditee, perform audit procedures responsive to those risks, and obtain audit evidence that is sufficient and appropriate to provide a basis for our opinion, per Public Company Accounting Oversight Board (PCAOB)?s Auditing Standard 1105 on Audit Evidence,¹ where applicable. In addition, this audit report follows International Standard on Assurance Engagements (ISAE) 3000?s guidelines on Assurance Report, where applicable.²

BABL AI is also responsible for maintaining auditors? independence and objectivity to ensure the integrity of the opinion and certification provided. BABL AI as an organization, and all employee and contract auditors, adhere to strict independence as codified by the Sarbanes?Oxley Act of 2002³ and the ForHumanity?s Code of Ethics.⁴ In addition, BABL AI Lead Auditors are ForHumanity Certified Auditors under NYC AEDT Bias Audit.⁵ For more details about our methodology and process, see Appendix ? Audit Methodology.

-
<https://pcaobus.org/oversight/standards/auditing-standards/details/AS1105>

-
<https://www.iaasb.org/publications/international-standard-assurance-engagements-isa-3000-revised-assurance-engagements-other-audits-or-0>

Scope & Objective

---- ----	
Audit Section **Audit Objective**	
Disparate Impact Quantification	To ensure that the auditee has conducted sufficient testing of their model to ?assess the tool?s disparate impact on persons of any component 1 category,? ? i.e., race and gender ? as the minimal requirement for a bias audit under Local Law 144 of 2021.
Governance	To ensure that effective internal governance exists to own, manage, and monitor risks related to bias and fairness.
Risk Assessment	To ensure that risks of the model that potentially contribute to bias have been rigorously identified, acknowledged, and assessed.

Out of Scope

1. The audit did not ensure sufficient testing of the tool?s disparate impact on any other protected class beyond race/ethnicity and gender

3. The audit is not intended for compliance purposes for any legislation other than the NYC Local Law No. 144

- <https://forhumanity.center/code-of-ethics/>

- <https://forhumanity.center/nyc-bias-audit/>

Conclusions

Our opinions for the bias audit of HackerRanks Image Analysis System are as follows:

Audit Section	**Opinion**
Disparate impact quantification	**PASS**
Governance	**PASS**
Risk assessment	**PASS**
Overall	**PASS**

Findings

Note: The information disclosed under each criterion is not documentary evidence.

Disparate Impact Quantification

<table> <colgroup> <col style="width: 50%" /> <col style="width: 50%" /> </colgroup> <tbody> <tr> <td data-cs="1" data-kind="parent" data-rowspans="1" style="width: 69.6413%; background-color: #6fa8dc"><p>Audit Section</p></td> <td data-cs="1" data-kind="parent" data-rowspans="1" style="width: 89.6447%; background-color: #6fa8dc"><p>Opinion</p></td> </tr> <tr> <td data-cs="1" data-kind="parent" data-rowspans="1" style="width: 69.6413%"><p>Q.A. Components: The model to be tested for disparate impact shall be defined.</p> <p>Q.A.1. Where the model comprises more than one automated component, evidence shall show appropriate definition of the model.</p> </td> <td data-cs="1" data-kind="parent" data-rowspans="1" style="width: 89.6447%"><p>PASS</p></td> </tr> </tbody> </table>	
--	--

Components or combinations of components that were tested: N/A

<table> <colgroup> <col style="width: 50%" /> <col style="width: 50%" /> </colgroup> <tbody> <tr> <td data-cs="1" data-rs="1" style="width: 69.7373%; height: 311px"> Q.B. Testing dataset: The dataset on which disparate impact was quantified shall be defined and characterized. Q.B.1. Evidence shall show justification for why the selected dataset was appropriate for disparate impact testing. Q.B.2. Where test data as defined in § 5-300 was used, evidence shall show 	

```
<li><p>a. justification for not using historical data,</p></li>
<li><p>b. that historical data is not sufficient to perform a statistically significant disparate impact testing, and</p></li>
<li><p>c. the methodology by which test data was collected</p></li>
</ul></li>
</ul>
<li><p>Q.B.3. Where disparate impact testing was not completed by BABL, evidence shall show</p></li>
</ul>
<ol>
<li><p>a. that the most recent testing was conducted less than one year prior to the start date of this audit, or after a major update to the model, unless the update was more than one year prior to the start date of this audit, in which case, evidence shall show</p>
<ol>
<li><p>b. justification for why such testing was still appropriate.</p></li>
</ol></li>
</ol>
<ul>
<li><p>Q.B.4. Evidence shall show that the data used in the testing was within one year of the start date of the disparate impact testing.</p></li>
</ul></td>
<td data-cs="1" data-kind="parent" data-rs="1" style="text-align: center; width: 89.5484%; vertical-align: middle; height: 311px;"><p><strong>PASS</strong></p></td>
</tr>
</tbody>
</table>
```

Note: **Minor Qualification** indicates minimally sufficient, which is enough to pass this criterion but involves significant limitations. We recommend improvements.

Testing conducted by: HackerRank

Date of last testing: Jun 2024\

Time span of data: N/A, ?Test Data? was used for the analysis.

Justification for the use of Test Data: From HackerRank: ?[We used\] public datasets for disparate impact testing, as HackerRank has insufficient data to build an unbiased dataset.?

Description of the dataset: From HackerRank: ?... \[we used\] a public dataset, the FairFace dataset. FairFace is a face image dataset which is race balanced. It contains 108,501 images from 7 different race groups. Images were collected from the YFCC-100M Flickr dataset and labeled with race, gender. This dataset defines 7 race groups: White, Black, Indian, East Asian, Southeast Asian, Middle Eastern, and Latino, and 2 genders: Male and Female. We selected this dataset because: a) it?s balanced on race, b) it achieved the highest accuracy among many other dataset, c) it?s manually labeled from 3 different people for each image.

We have used 100 images per category which we randomly sampled for testing this case. The assumption behind random sampling is that every individual or element in the population has

an equal and independent chance of being selected for the sample. In other words, no systematic bias or preference is applied when selecting the sample.?

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-kind="parent" data-rs="1" style="width: 69.2825%"><p><strong>Q.C. Disparate-impact quantifiable PCVs:</strong>
PCVs that can be quantified using the testing dataset shall be defined.</p>
<ul>
<li><p>Q.C.1. Evidence shall identify PCVs that were quantifiable in regard to disparate impact.</p></li>
<li><p>Q.C.2. Evidence shall show that the PCVs that can be quantified include at the least: race, and gender.</p></li>
<li><p>Q.C.3. Evidence shall disclose the method by which PCV data was collected.</p></li>
<li><p>Q.C.4. Evidence shall identify and disclose PCVs that were not quantified in regard to disparate impact.</p></li>
<li><p>Q.C.5. Where PCV data was inferred, evidence shall</p>
<ul>
<li><p>a. identify the method by which PCV data was inferred, and</p></li>
<li><p>b. show justification for why the selected method of PCV inference was appropriate.</p></li>
</ul></li>
</ul></td>
```

PASS

****PCVs for which disparate impact was quantified:****

1. Gender
2. Race/ethnicity

****PCVs for which disparate impact was not quantified:****

****Note**:** Italicized are indicated as potential future demographics for quantification.

1. Age
2. Immigration or citizenship status
3. Disability status
4. Marital status and partnership status
5. National origin
6. Pregnancy and lactation accommodations
7. Religion/creed
8. Sexual orientation
9. Veteran or Active Military Service Member status

Due to limitations in the testing dataset, the race/ethnicity categories are White, Black, Indian, East Asian, Southeast Asian, Middle Eastern, and Latino..

<table> <colgroup> <col style="width: 50%" /> <col style="width: 50%" /> </colgroup> <tbody> <tr> <td data-cs="1" data-rs="1" style="width: 69.2825%"> Q.D. Positive vs. negative outcome: Where the selection rate method was used, positive and negative outcomes of the model shall be clearly defined. Q.D.1. Evidence shall show justification for why the selected definition of positive outcome was appropriate. Q.D.2. Where thresholding is used, evidence shall show justification for why the level/levels of threshold to determine positive vs. negative outcomes was/were appropriate. Q.D.3. Evidence shall identify and disclose a. all user-configurable settings, b. whether each setting affects positive outcomes, and for all settings that affect outcomes, c. their extents of user configurability, d. their default values, and e. justification for why such default values were appropriate. Q.D.4. Evidence shall disclose the user-configurable settings and combinations of settings on which disparate impact was tested. </td> <td data-cs="1" data-rs="1" style="text-align: center; width: 90.0035%; vertical-align: middle;"> PASS </td> </tr> </tbody> </table>	

****Positive outcome****: A candidate not being ?agged by the system.


```
disadvantaged.</p>
<p>Q.G.2. Evidence shall show results of uncertainty analysis (e.g., standard error for the mean) or error propagation of impact ratios
in the form of errors or error bars.</p>
<p>Q.G.3. Where PCV data was inferred, evidence shall show that systematic errors due to PCV inference were properly propagated
in impact ratio calculations.</p>
<p>Q.G.4. Where a gender, race/ethnicity, or intersectional group was excluded from impact ratio calculation due to its size being
below 2% of the total sample size of each analysis, evidence shall show</p>
<ol>
<li><p>justification for the exclusion of such group</p></li>
<li><p>the sample size of such group, and</p></li>
<li><p>the selection rate or scoring rate of such group</p></li>
</ol></td>
<td data-cs="1" data-rowsp="1" style="text-align: center; width: 90.0035%; vertical-align:
middle;"><p><strong>PASS</strong></p></td>
</tr>
</tbody>
</table>
```

****Non-intersectional, Gender, sorted by Impact ratio****

	N samples	Selection rate	Impact ratio
Male	14000	1.000	1.000
Female	14000	1.000	1.000

****Non-intersectional, Race/ethnicity, sorted by Impact ratio****

	N samples	Selection rate	Impact ratio
Black or African American	4,000	1.000	1.000
Asian	16,000	1.000	1.000
Hispanic or Latino	4,000	1.000	1.000
White	4,000	1.000	1.000

****Intersectionals****

```
<table style="width:100%;">
<colgroup>
<col style="width: 16%" />
<col style="width: 16%" />
<col style="width: 16%" />
<col style="width: 16%" />
<col style="width: 16%" />
<col style="width: 16%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rowsp="1" style="width: 11.7384%; height: 22px; background-color: #6fa8dc"><p> </p></td>
<td data-cs="1" data-rowsp="1" style="width: 10.2151%; height: 22px; background-color: #6fa8dc"><p> </p></td>
<td data-cs="1" data-rowsp="1" style="width: 12.0968%; height: 22px; background-color: #6fa8dc"><p> </p></td>
<td data-cs="1" data-rowsp="1" style="width: 22.2321%; height: 22px; background-color: #6fa8dc"><p>N samples</p></td>
<td data-cs="1" data-rowsp="1" style="width: 22.7562%; height: 22px; background-color: #6fa8dc"><p>Selection
rate</p></td>
<td data-cs="1" data-rowsp="1" style="width: 70.8224%; height: 22px; background-color: #6fa8dc"><p>Impact ratio</p></td>
</tr>
<tr>
<td data-cs="1" data-rowsp="1" style="width: 11.7384%; height: 44px"><p>Hispanic or Latino</p></td>
<td data-cs="1" data-rowsp="1" style="width: 22.3119%; height: 22px"><p>Male</p></td>
<td data-cs="1" data-rowsp="1" style="width: 22.2321%; height: 22px"><p>2000</p></td>
<td data-cs="1" data-rowsp="1" style="width: 22.7562%; height: 22px"><p>1.000</p></td>
<td data-cs="1" data-rowsp="1" style="width: 70.8224%; height: 22px"><p>1.000</p></td>
<td data-cs="1" data-rowsp="1"><p><br />
</p></td>
</tr>
```

[illegible]

```
<td data-cs="1" data-rs="1" style="width: 22.2321%; height: 44px"><p>2000</p></td>
<td data-cs="1" data-rs="1" style="width: 22.7562%; height: 44px"><p>1.000</p></td>
<td data-cs="1" data-rs="1" style="width: 70.8224%; height: 44px"><p>1.000</p></td>
<td data-cs="1" data-rs="1"><p><br />
</p></td>
<td data-cs="1" data-rs="1"><p><br />
</p></td>
</tr>
</tbody>
</table>
```

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="width: 69.2825%"><p><strong>Q.H. Statistical significance</strong>: Where the
selection rate method was used, statistical significance calculation shall satisfy UGESP guidelines.</p>
<p>Q.H.1. Evidence shall show that statistical significance was calculated using the Two Independent-Sample Binomial Z-Test for
sample sizes of 30 or more, and using the Fisher?s Exact Test for sample sizes of fewer than 30.</p></td>
<td data-cs="1" data-rs="1" style="text-align: center; width: 90.0035%; vertical-align:
middle;"><p><strong>PASS</strong></p></td>
</tr>
</tbody>
</table>
```

Governance

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="width: 69.6413%; background-color: #6fa8dc"><p><strong>Audit
Criteria</strong></p></td>
<td data-cs="1" data-rs="1" style="width: 89.6447%; background-color: #6fa8dc"><p><strong>Opinion</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 69.6413%"><p><strong>G.A. Accountable party for disparate impact
risks</strong>: The auditee shall have a party who is accountable for risks related to disparate impact.</p>
<ul>
<li><p>G.A.1. Evidence should show that the accountable party is a committee, but may also show that the accountable party is a
single individual.</p></li>
<li><p>G.A.2. Evidence shall clearly show that risks related to disparate impact are owned and managed by the accountable
party.</p></li>
</ul></td>
<td data-cs="1" data-rs="1" style="width: 89.6447%"><p><strong>PASS</strong></p></td>
</tr>
</tbody>
</table>
```

****Accountable party****: Committee on Automated Decision Making Tools\
****Contact information****: abhilash@hackerrank.com\
****Role in the auditee organization****: Governance group/committee

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
```

<td data-cs="2" data-kind="parent" data-rs="2" style="width: 69.2825%"><p>G.B. Defined duties of the accountable party: Duties of the party accountable for disparate impact risks shall be clearly defined.</p><p>G.B.1. Evidence shall show that such duties pertain to the ownership, management, and monitoring of disparate impact risks.</p><p>G.B.2. Evidence shall show that the accountable party has influence over product changes per effective challenge in Federal Guidance on Model Risk Management.</p></td data-kind="ghost"><td data-cs="2" data-kind="parent" data-rs="2" style="width: 90.0035%; vertical-align: middle;"><p>PASS</p></td data-kind="ghost"></tr><tr><td data-kind="ghost"></td data-kind="ghost"><td data-kind="ghost"></td data-kind="ghost"></tr></table>
--

<table><colgroup><col style="width: 50%" /><col style="width: 50%" /></colgroup><tbody><tr><td data-cs="2" data-kind="parent" data-rs="2" style="width: 69.2825%"><p>G.C. Documentation pertaining to duties carried out: The auditee shall provide evidence that the defined duties of the party accountable for disparate impact risks are carried out.</p><p>G.C.1. Evidence shall show that the defined duties were carried out prior to the start date of this audit.</p></td data-kind="ghost"><td data-cs="2" data-kind="parent" data-rs="2" style="width: 90.0035%; vertical-align: middle;"><p>PASS</p></td data-kind="ghost"></tr><tr><td data-kind="ghost"></td data-kind="ghost"><td data-kind="ghost"></td data-kind="ghost"></tr></tbody></table>			
--	--	--	--

Risk Assessment

<table><colgroup><col style="width: 50%" /><col style="width: 50%" /></colgroup><tbody><tr><td data-cs="2" data-kind="parent" data-rs="2" style="width: 69.6413%; background-color: #6fa8dc"><p>Audit Criteria</p><td data-cs="2" data-kind="parent" data-rs="2" style="width: 89.6447%; background-color: #6fa8dc"><p>Opinion</p></td data-kind="ghost"></tr><tr><td data-kind="ghost"></td data-kind="ghost"><td data-kind="ghost"></td data-kind="ghost"></tr><tr><td data-cs="2" data-kind="parent" data-rs="2" style="width: 69.6413%"><p>R.A. Completion: The auditee shall have completed a risk assessment of the model.</p><p>R.A.1. Evidence shall show that a risk assessment or an equivalent analysis was completed less than one year prior to the issuance date of this audit.</p></td data-kind="ghost"><td data-cs="2" data-kind="parent" data-rs="2" style="width: 89.6447%"><p>PASS</p></td data-kind="ghost"></tr><tr><td data-kind="ghost"></td data-kind="ghost"><td data-kind="ghost"></td data-kind="ghost"></tr></tbody></table>			
--	--	--	--

Evidence of Risk Assessment completion: Risk Assessment Documents (risk assessment spreadsheet and narrative notes), and verbal testimony from Risk Assessment participants.

<table><colgroup><col style="width: 50%" /><col style="width: 50%" /></colgroup><tbody><tr>			

<td data-cs="2" data-kind="parent" data-rs="2" style="width: 69.2825%"><p>R.B. Identification of risks: Risk assessment shall show identification of relevant risks related to bias.</p><p>R.B.1. Evidence shall show identification of risks related to various biases along all stages of the AI life cycle as listed in NIST Standard for Identifying and Managing Bias in Artificial Intelligence.</p><p>R.B.2. Evidence shall show awareness of the parties potentially affected by the decisions made along all stages of the AI life cycle.</p></td data-kind="ghost"><td data-cs="2" data-kind="parent" data-rs="2" style="text-align: center; width: 90.0035%; vertical-align: middle;"><p>PASS</p></td data-kind="ghost"></tr><tr><td data-kind="ghost"></td data-kind="ghost"><td data-kind="ghost"></td data-kind="ghost"></tr></table>
<table><colgroup><col style="width: 50%" /><col style="width: 50%" /></colgroup><tbody><tr><td data-cs="2" data-kind="parent" data-rs="2" style="width: 69.2825%"><p>R.C. Evaluation of risks: Risk assessment shall demonstrate appropriate evaluation of relevant risks.</p><p>R.C.1. Evidence shall show that the identified risks are assessed from the perspectives of multiple affected external and internal stakeholders, with justifications for the extent of and mechanism by which such risks affect these stakeholders.</p><p>R.C.2. Evidence shall show that the identified risks are assessed in a sufficiently rigorous manner, using a quantitative and/or qualitative evaluation scheme, and along multiple dimensions, such as but not limited to likelihood of harm and severity of harm.</p><p>R.C.3. Evidence shall show justification for the provided evaluation of risks.</p></td data-kind="ghost"><td data-cs="2" data-kind="parent" data-rs="2" style="text-align: center; width: 90.0035%; vertical-align: middle;"><p>PASS</p></td data-kind="ghost"></tr><tr><td data-kind="ghost"></td data-kind="ghost"><td data-kind="ghost"></td data-kind="ghost"></tr></table>
Appendix ## Audit Methodology ### The Process Audit The BABL AI audit framework is the Process Audit, defined as "an impartial verification and evaluation process conducted by an independent auditor to determine whether sufficient evidence exists to warrant the judgment that AI risks have been prevented, detected, mitigated, or otherwise managed." A process audit is modeled after the financial auditing practice as a cooperative third-party audit, and is distinguished from other commonly used forms of assessment of algorithms, such as first- or second-party assessments, and assurance.⁷ The audit framework contains three phases: 1. Scoping ? The auditor conducts a preliminary survey of the auditee's algorithm to gain a full understanding to contextualize documentary evidence 2. Evaluation & Verification ? The auditee submits documentation containing evidence demonstrating satisfaction of the audit criteria which the auditors evaluate and verify. 3. Certification ? If the auditee is determined to pass the audit criteria, the auditor drafts the auditor's report and certifies the auditee's algorithm. ### Evaluation & Verification The procedure for all BABL AI auditors in conducting a process audit follows the guidelines set forth in the Public Company Accounting Oversight Board (PCAOB)'s Auditing Standard 1105 on Audit Evidence, where applicable. Specifically, the auditors: 1. Obtain audit claims and statements from the auditee's submitted documentation which either support or contradict the criteria and sub-criteria, 2. Evaluate the claims and statements in regard to satisfying the criteria and sub-criteria, based on the sufficiency and appropriateness of the evidence, and
<td data-cs="2" data-kind="parent" data-rs="2" style="width: 69.2825%"><p>R.B. Identification of risks: Risk assessment shall show identification of relevant risks related to bias.</p><p>R.B.1. Evidence shall show identification of risks related to various biases along all stages of the AI life cycle as listed in NIST Standard for Identifying and Managing Bias in Artificial Intelligence.</p><p>R.B.2. Evidence shall show awareness of the parties potentially affected by the decisions made along all stages of the AI life cycle.</p></td data-kind="ghost"><td data-cs="2" data-kind="parent" data-rs="2" style="text-align: center; width: 90.0035%; vertical-align: middle;"><p>PASS</p></td data-kind="ghost"></tr><tr><td data-kind="ghost"></td data-kind="ghost"><td data-kind="ghost"></td data-kind="ghost"></tr></table>
<table><colgroup><col style="width: 50%" /><col style="width: 50%" /></colgroup><tbody><tr><td data-cs="2" data-kind="parent" data-rs="2" style="width: 69.2825%"><p>R.C. Evaluation of risks: Risk assessment shall demonstrate appropriate evaluation of relevant risks.</p><p>R.C.1. Evidence shall show that the identified risks are assessed from the perspectives of multiple affected external and internal stakeholders, with justifications for the extent of and mechanism by which such risks affect these stakeholders.</p><p>R.C.2. Evidence shall show that the identified risks are assessed in a sufficiently rigorous manner, using a quantitative and/or qualitative evaluation scheme, and along multiple dimensions, such as but not limited to likelihood of harm and severity of harm.</p><p>R.C.3. Evidence shall show justification for the provided evaluation of risks.</p></td data-kind="ghost"><td data-cs="2" data-kind="parent" data-rs="2" style="text-align: center; width: 90.0035%; vertical-align: middle;"><p>PASS</p></td data-kind="ghost"></tr><tr><td data-kind="ghost"></td data-kind="ghost"><td data-kind="ghost"></td data-kind="ghost"></tr></table>
Appendix ## Audit Methodology ### The Process Audit The BABL AI audit framework is the Process Audit, defined as "an impartial verification and evaluation process conducted by an independent auditor to determine whether sufficient evidence exists to warrant the judgment that AI risks have been prevented, detected, mitigated, or otherwise managed." A process audit is modeled after the financial auditing practice as a cooperative third-party audit, and is distinguished from other commonly used forms of assessment of algorithms, such as first- or second-party assessments, and assurance.⁷ The audit framework contains three phases: 1. Scoping ? The auditor conducts a preliminary survey of the auditee's algorithm to gain a full understanding to contextualize documentary evidence 2. Evaluation & Verification ? The auditee submits documentation containing evidence demonstrating satisfaction of the audit criteria which the auditors evaluate and verify. 3. Certification ? If the auditee is determined to pass the audit criteria, the auditor drafts the auditor's report and certifies the auditee's algorithm. ### Evaluation & Verification The procedure for all BABL AI auditors in conducting a process audit follows the guidelines set forth in the Public Company Accounting Oversight Board (PCAOB)'s Auditing Standard 1105 on Audit Evidence, where applicable. Specifically, the auditors: 1. Obtain audit claims and statements from the auditee's submitted documentation which either support or contradict the criteria and sub-criteria, 2. Evaluate the claims and statements in regard to satisfying the criteria and sub-criteria, based on the sufficiency and appropriateness of the evidence, and
<td data-cs="2" data-kind="parent" data-rs="2" style="width: 69.2825%"><p>R.B. Identification of risks: Risk assessment shall show identification of relevant risks related to bias.</p><p>R.B.1. Evidence shall show identification of risks related to various biases along all stages of the AI life cycle as listed in NIST Standard for Identifying and Managing Bias in Artificial Intelligence.</p><p>R.B.2. Evidence shall show awareness of the parties potentially affected by the decisions made along all stages of the AI life cycle.</p></td data-kind="ghost"><td data-cs="2" data-kind="parent" data-rs="2" style="text-align: center; width: 90.0035%; vertical-align: middle;"><p>PASS</p></td data-kind="ghost"></tr><tr><td data-kind="ghost"></td data-kind="ghost"><td data-kind="ghost"></td data-kind="ghost"></tr></table>
<table><colgroup><col style="width: 50%" /><col style="width: 50%" /></colgroup><tbody><tr><td data-cs="2" data-kind="parent" data-rs="2" style="width: 69.2825%"><p>R.C. Evaluation of risks: Risk assessment shall demonstrate appropriate evaluation of relevant risks.</p><p>R.C.1. Evidence shall show that the identified risks are assessed from the perspectives of multiple affected external and internal stakeholders, with justifications for the extent of and mechanism by which such risks affect these stakeholders.</p><p>R.C.2. Evidence shall show that the identified risks are assessed in a sufficiently rigorous manner, using a quantitative and/or qualitative evaluation scheme, and along multiple dimensions, such as but not limited to likelihood of harm and severity of harm.</p><p>R.C.3. Evidence shall show justification for the provided evaluation of risks.</p></td data-kind="ghost"><td data-cs="2" data-kind="parent" data-rs="2" style="text-align: center; width: 90.0035%; vertical-align: middle;"><p>PASS</p></td data-kind="ghost"></tr><tr><td data-kind="ghost"></td data-kind="ghost"><td data-kind="ghost"></td data-kind="ghost"></tr></table>

3. ****Verify that the claims and statements**** made by the auditee are free from material misstatement, whether due to fraud or error.⁸

7 Carrier, R., & Brown, S. (2021). Taxonomy: AI Audit, Assurance & Assessment. ForHumanity.

(<https://forhumanity.center/blog/taxonomy-ai-audit-assurance-assessment/>)(<https://forhumanity.center/blog/taxonomy-ai-audit-assurance-assessment/>)

⁸ Reasonable assurance is a high level of assurance but is not a guarantee that an audit conducted in accordance with good auditing practice always detects a material misstatement when it exists. Misstatements can arise from fraud or error and are considered material if, individually or in aggregate, they could reasonably be expected to influence the decisions of stakeholders taken based on these statements.

In addition, evaluation and verification of claims and statements may involve requesting additional supporting documentary evidence, and/or interviewing those responsible for the governance of the algorithm, other relevant employees of the auditee organization, or other third parties referenced in the submitted documentation.

At the end, the auditors reach an audit opinion based on:

1. The sufficiency and appropriateness of the audit evidence, and
2. The risk of material misstatement of the audit evidence.

Terminologies & Definitions

Term	**Abbrev**	**Definition**
automated employment decision tool	AEDT	?any computational process, derived from machine learning, statistical modeling, data analytics, or artificial intelligence, that issues simplified output, including a score, classification, or recommendation, that is used to substantially assist or replace discretionary decision making for making employment decisions that impact natural persons.? ? see § 20-870 of the Code and § 5-300 of the adopted rule for full definition
disfavored group		any gender or race/ethnicity group not having the highest selection rate or average score
disparate impact or adverse impact		?a selection rate for any race, sex, or ethnic group which is less than four-fifths (?) (or 80%) of the rate for the group with the highest rate will generally be regarded by the Federal enforcement agencies as evidence of adverse impact? ? see § 60-3.4.D of UGESP (1978) for full definition
error propagation		calculation or computation of a variable's uncertainty that is dependent on another variable's uncertainty
favored group		the gender or race/ethnicity group having the higher selection rate or average score compared to the other groups
impact ratio		?either (1) the selection rate for a category divided by the selection rate of the most selected category or (2) the scoring rate for a category divided by the scoring rate for the highest scoring category. ? ? see § 5-300 of the adopted rule for full definition
scoring rate		?the rate at which individuals in a category receive a score above the sample's median score, where the score has been calculated by an AEDT?
justification		a compelling reason that illuminates the issue and carries normative force, as opposed to solely explanatory power
positive outcome		the basis for selection rate, the favorable outcome for a candidate from the use of the model, such as being selected to move forward in the hiring process or assigned a classification by an model
protected category variables	PCV	defined per jurisdiction, equivalent to protected class, including but not limited to: race/ethnicity, age, gender, religion, ability or disability, sexual orientation, color, nation of origin, socioeconomic class
risk assessment		an assessment of the risk that the use of the algorithm negatively impacts the rights and interests of stakeholders, with a corresponding identification of situations of the context and/or features of the algorithm which give rise or contribute to these negative impacts ⁹
selection rate		?the rate at which individuals in a category are either selected to move forward in the hiring process or assigned a classification by an AEDT? ? see § 5-300 of the adopted rule for full definition
testing dataset		the dataset used to test for or quantify disparate impact
uncertainty analysis		calculation or computation to quantify the uncertainty of a variable, outputting errors or error bars

⁹ Hasan, A., Brown, S., Davidovic, J., Lange, B., & Regan, M. (2022). Algorithmic Bias and Risk Assessments: Lessons from Practice. Digital Society, 1(1). <https://doi.org/10.1007/s44206-022-00017-z>

[settings/gdpr-and-nyc-ai-laws] Summary of Bias Audit Results of the HackerRank's Plagiarism Detection System for New York City's Local Law 144

title: "Summary of Bias Audit Results of the HackerRank's Plagiarism Detection System for New York City's Local Law 144"
title_slug: "summary-of-bias-audit-results-of-the-hackerranks-plagiarism-detection-system-for-new-york-citys-local-law-144"
source_url: "https://support.hackerrank.com/articles/9355824728-summary-of-bias-audit-results-of-the-hackerrank%27s-plagiarism-detection-system-for-new-york-city%27s-local-law-144"
article_slug: "9355824728-summary-of-bias-audit-results-of-the-hackerrank%27s-plagiarism-detection-system-for-new-york-city%27s-local-law-144"
last_updated_exact: "Dec 13, 2024, 5:03 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Settings"
- "GDPR and NYC AI Laws"

Summary of Bias Audit Results of the HackerRank's Plagiarism Detection System for New York City's Local Law 144

Last updated: Dec 13, 2024, 5:03 AM (Last updated 1 year ago)

Letter from the Lead Auditor

From: **Shea Brown**\
Lead Auditor\
BABL AI Inc.\
sheabrown@babl.ai

To: **Interviewstreet Incorporation (HackerRank)**\
PO Box 1660\
211 Hope Street\
Mountain View, California 94041

Re: **Audit Opinion on HackerRank's Plagiarism Detection System**

07/22/2024

We have independently audited the bias testing assertions and related documentary evidence of HackerRank (the "Company") as of 07/22/2024, presented to BABL AI in relation to Company's Plagiarism Detection System (the "system") in accordance with the criteria and audit methodology set forth in this report. The goals of this audit are to:

1. **Determine whether the bias testing** methodologies, controls, and procedures performed by Company satisfy the audit criteria (see Findings)
2. **Obtain reasonable assurance** as to whether the statements made by the Company, including the summary of bias testing results presented in this report, are free from material misstatement, whether due to fraud or error.

Note that the criteria presented in this report were constructed specifically to address the requirements of a "bias audit" outlined in NYC Local Law No. 144 of 2021. The system was audited as though it were an automated employment decision tool (AEDT) under NYC Local Law No. 144 of 2021, but we do not make any determination whether the system is, in fact, an AEDT under this law.

Company Responsibilities

It is the responsibility of Company representatives to ensure that bias testing and related procedures comply with the criteria outlined in this report. The Company representatives are responsible for ensuring that the documents submitted are fairly presented and free of misrepresentations, providing all resources and personnel needed to ensure an effective and efficient audit process, and providing access to evidential material as requested by the auditors.

BABL AI Responsibilities

It is the responsibility of the lead auditor to express an opinion on the Company's assertions related to the bias testing of the system. In light of the current absence of generally accepted standards for the auditing of algorithms and autonomous systems, our examination was conducted in accordance with the standards and normative references outlined in this report.

Those standards require that we plan and perform audit procedures to obtain reasonable assurance about whether the assertions referred to above 1) satisfy the audit criteria and 2) are free of material misstatement, whether due to error or fraud. Within the scope of our engagement, we performed amongst others the following procedures:

- Inspection of submitted documents and external documentation
- Interviewing Company employees to gain an understanding of the process for determining the disparate impact and risk assessment results
- Observation of selected analytical procedures used in Company's bias testing
- Inspection of the select samples of the bias testing data
- Inquiry of personnel responsible for governance and oversight of the bias testing and risk assessment

We believe that the procedures performed provide a reasonable basis for our opinion.

Independence

Our role as an independent auditor conforms to ForHumanity and Sarbanes-Oxley definitions of Independence. Fees associated with this contract are for the provision of the service to assess compliance. The payment of fees is unrelated to the decision rendered. Our decision is grounded solely in the criteria presented below.

Opinion

In our opinion, based on the procedures performed and the evidence received to obtain assurance, the bias testing and results presented by Company, as of 07/22/2024, is prepared, in all material respects, in accordance with the criteria outlined below.

Sincerely,

Shea Brown, Ph.D.
Lead Auditor, BABL AI Inc.

Emphasis of Matter

We emphasize several matters related to the dataset sourced by HackerRank to test for disparate impact: 1) self-declared demographic labels were not available for the system, so sex and race/ethnicity labels were inferred, 2) the use of inferred demographic labels means that the data is likely to be considered "Test Data" under § 5-3001, and 3) the amount and quality of the testing dataset (see Findings) were limited due the lack of historical data. Consequently, the conclusions drawn from the disparate impact quantification are subject to the limitations arising from the dataset and should be interpreted in light of this constraint. Our opinion is not modified with respect to this matter.

1 This is at the discretion of the NYC Department of Consumer and Worker Protection. 4

System Description

BABL AI was engaged to audit HackerRank's testing of its Plagiarism Detection System.

From HackerRank: "Plagiarism detection system uses user-generated signals into an advanced machine-learning algorithm to flag suspicious behavior during an assessment. By understanding code iterations made by the candidate, the model can predict if they had major external help."

It's important to note, ... [that HackerRank] made the following efforts to prevent potential bias from PII or coding habits or question difficulty related bias:

- No race, gender or PII information in its training or at the time of inference.
- No typing speed data is used in the model since we consider typing speed is more like a

personal habit instead of plagiarism indicators.

- Features are normalized in respect of the same question to minimize the bias from different question difficulties.

- Human-in-the-loop decision making: ML coding plagiarism \[system\] will never automatically drop candidates from the model prediction. Instead, we provide a comprehensive report of the suspicious attempt\[s\]... Our customers can review the detailed report and check the code replay by themselves to decide whether to move a candidate forward.?

Audit Summary

Background

New York City Local Law No. 144 of 2021 requires yearly ?bias audits? for automated employment decision tools (AEDTs) used to substantially assist or replace decisions in hiring or promotion. Specifically, the law states that (1) the bias audit must ?assess the \[AEDTs?\] disparate impact? on certain persons, (2) the audit must be conducted by an ?independent auditor ... no more than one year prior to the use?, and (3) a ?summary of the results of the most recent bias audit ... \[must be\] made publicly available on the website of the employer or employment agency.? The audit outlined in this document has been conducted to satisfy the law?s requirement for a bias audit only, and does not include other requirements such as candidate notifications. This report does not make any determination whether the system under this audit is, in fact, an automated employment decision tool as defined under NYC Local Law 144, or not.

Auditor Responsibilities

It is the responsibility of BABL AI auditors to:

1. ****Obtain reasonable assurance**** as to whether the statements made by the auditee are free from material misstatement, whether due to fraud or error,
2. ****Determine whether the statements**** made by the auditee provide sufficient evidence that the audit criteria (see [Findings](https://docs.google.com/document/d/1_cel6RdRjdXBqr-E8pOOxcGasVvA3sSFOBeXbTv9uR8/edit#heading=h.lnxbz9)) have been satisfied, and
3. ****Issue an auditor?s report**** that includes an opinion.

As part of an audit in accordance with good auditing practice, BABL AI exercises professional judgment and maintains professional skepticism throughout the audit. Specifically, BABL AI auditors identify and assess the risks of material misstatement in documents provided by the auditee, perform audit procedures responsive to those risks, and obtain audit evidence that is sufficient and appropriate to provide a basis for our opinion, per Public Company Accounting Oversight Board (PCAOB)?s Auditing Standard 1105 on Audit Evidence,² where applicable. In addition, this audit report follows International Standard on Assurance Engagements (ISAE) 3000?s guidelines on Assurance Report, where applicable.³

BABL AI is also responsible for maintaining auditors? independence and objectivity to ensure the integrity of the opinion and certification provided. BABL AI as an organization, and all employee and contract auditors, adhere to strict independence as codified by the Sarbanes?Oxley Act of 2002⁴ and the ForHumanity?s Code of Ethics.⁵ In addition, BABL AI Lead Auditors are ForHumanity Certified Auditors under NYC AEDT Bias Audit.⁶ For more details about our methodology and process, see Appendix ? Audit Methodology.

² https://pcaobus.org/oversight/standards/auditing-standards/details/AS1105 [https://pcaobus.org/oversight/standards/auditing-standards/details/AS1105]
³ https://www.iaasb.org/publications/international-standard-assurance-engagements-isa-3000-revised-assurance-engagements-other-audits-or-0 [https://www.iaasb.org/publications/international-standard-assurance-engagements-isa-3000-revised-assurance-engagements-other-audits-or-0]

Scope & Objective

--- ---	
Audit Section **Audit Objective**	
Disparate Impact Quantification	To ensure that the auditee has conducted sufficient testing of their model to ?assess the tool?s disparate impact on persons of any component 1 category,? ? i.e., race and gender ? as the minimal requirement for a bias audit under Local Law 144 of 2021.
Governance	To ensure that effective internal governance exists to own, manage, and monitor risks related to bias and fairness.
Risk Assessment	To ensure that risks of the model that potentially contribute to bias have been rigorously identified, acknowledged, and assessed.

**\
Out of Scope**

1. The audit did not ensure sufficient testing of the tool's disparate impact on any other protected class beyond race/ethnicity and gender
2. The audit did not certify that the system is "bias-free"
3. The audit is not intended for compliance purposes for any legislation other than the NYC Local Law No. 144

Conclusions

Criteria	Rating
Audit Section	**Opinion**
Disparate impact quantification	**PASS**
Governance	**PASS**
Risk assessment	**PASS**
Overall	**PASS**

Note: The information disclosed under each criterion is not documentary evidence.

Audit Criteria	
Opinion	
Q.A. Components: The system to be tested for disparate impact shall be defined. Q.A.1. Where the system comprises more than one automated component, evidence shall show appropriate definition of the system.	
PASS	

Q.B. Testing dataset: The dataset on which disparate impact was quantified shall be defined and characterized.	
--	--

```
<li><p>Q.B.1. Evidence shall show justification for why the selected dataset was appropriate for disparate impact testing.</p></li>
<li><p>Q.B.2. Where test data as defined in § 5-300 was used, evidence shall show</p>
<ul>
<li><p>a. justification for not using historical data.</p></li>
<li><p>b. that historical data is not sufficient to perform a statistically significant disparate impact testing,<br />
and</p></li>
<li><p>c. the methodology by which test data was collected</p></li>
</ul></li>
<li><p>Q.B.3. Where disparate impact testing was not completed by BABL, evidence shall show</p>
<ul>
<li><p>a. that the most recent testing was conducted less than one year prior to the start date of this audit, or after a major update to
the system, unless the update was more than one year prior to the start date of this audit, in which case, evidence shall show</p></li>
<li><p>b. justification for why such testing was still appropriate.</p></li>
</ul></li>
<li><p>Q.B.4. Evidence shall show that the data used in the testing was within one year of the start date of the disparate impact
testing.</p></li>
</ul></td>
<td data-cs="1" data-rs="1" data-kind="parent" style="text-align: center; width: 89.5484%; vertical-align: middle; height:
299px;"><p><strong>PASS</strong></p></td>
</tr>
</tbody>
</table>
```

****Testing conducted by**:** HackerRank\
****Date of last testing**:** 05/10/2023\
****Time span of data**:** Nov 2022 ? Feb 2023

****Justification for the use of Test Data**:** From HackerRank: ?Given the data protection contract with our customers, open source libraries are selected for name to race and name to gender estimation since no data transfer is required to a different vendor.?

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="width: 69.2825%"><p><strong>Q.C. Disparate-impact quantifiable PCVs:</strong>
PCVs that can be quantified using the testing dataset shall be defined.</p>
<ul>
<li><p>Q.C.1. Evidence shall identify PCVs that were quantifiable in regard to disparate impact.</p></li>
<li><p>Q.C.2. Evidence shall show that the PCVs that can be quantified include at the least: race, and gender.</p></li>
<li><p>Q.C.3. Evidence shall disclose the method by which PCV data was collected.</p></li>
<li><p>Q.C.4. Evidence shall identify and disclose PCVs that were not quantified in regard to disparate impact.</p></li>
<li><p>Q.C.5. Where PCV data was inferred, evidence shall</p>
<ul>
<li><p>a. identify the method by which PCV data was inferred, and</p></li>
<li><p>b. show justification for why the selected method of PCV inference was appropriate.</p></li>
</ul></li>
</ul></td>
<td data-cs="1" data-rs="1" style="text-align: center; width: 90.0035%; vertical-align:
middle;"><p><strong>PASS</strong></p></td>
</tr>
</tbody>
</table>
```

****PCVs for which disparate impact was quantified:****

- 1\ Gender\
- 2. Race/ethnicity

****PCVs for which disparate impact was not quantified:****

- 1. Age
- 2. Immigration or citizenship status
- 3. Disability status

- 4. Marital status and partnership status
- 5. National origin
- 6. Pregnancy and lactation accommodations
- 7. Religion/creed
- 8. Sexual orientation
- 9. Veteran or Active Military Service Member status

Q.D. Positive vs. negative outcome: Where the selection rate method was used, positive and negative outcomes of the model shall be clearly defined. Q.D.1. Evidence shall show justification for why the selected definition of positive outcome was appropriate. Q.D.2. Where thresholding is used, evidence shall show justification for why the level/levels of threshold to determine positive vs. negative outcomes was/were appropriate. Q.D.3. Evidence shall identify and disclose a. all user-configurable settings, b. whether each setting affects positive outcomes, and for all settings that affect outcomes, c. their extents of user configurability, d. their default values, and e. justification for why such default values were appropriate. Q.D.4. Evidence shall disclose the user-configurable settings and combinations of settings on which disparate impact was tested.	
PASS	

Positive outcome: not being flagged by the system

User-configurable settings that can affect positive outcome: N/A

Settings on which disparate impact was tested: N/A

Q.E. Selection rate or scoring rate: A metric corresponding to selection rate or scoring rate shall be defined. Q.E.1. Where the selection rate method was used, evidence shall show that the selection rate of a group was defined as the ratio of positive outcome to all outcomes for that group. Q.E.2. Where the scoring rate method was used, evidence shall show that the scoring rate of a group was defined as the rate at which that group receives a score from the AEDT above the median score of the sample	
PASS	

Method of quantifying disparate impact: selection rate defined as the rate at which candidates in a demographic group are not flagged by the system

<table> <colgroup> <col style="width: 50%" /> <col style="width: 50%" /> </colgroup> <tbody> <tr> <td data-cs="2" data-kind="parent"> Q.F. Favored, disfavored groups: Favored and disfavored groups shall be defined, for all PCVs. Q.F.1. Evidence shall show that favored and disfavored groups were defined according to selection rates or scoring rates ordered by PCV. Q.F.2. Evidence shall show that the groups pertaining to race and ethnicity satisfy § [60-3.4 B in the EEO guidelines.](https://www.ecfr.gov/current/title-41/subtitle-B/chapter-60/part-60-3/subject-group-ECFRf5bdb68c4f63a08/section-60-3.4) Q.F.3. Where the groups pertaining to race and ethnicity do not satisfy EEO guidelines, evidence shall show justification for why EEO grouping was not used, and the appropriateness of any substituted groupings. Q.F.4. Evidence shall show that the groups pertaining to gender contain at least ?Male? and ?Female?. Q.F.5. Evidence shall show intersectional groups containing all permutations of gender and race/ethnicity group combinations. Q.F.6. Where race/ethnicities and genders are not known for a sample of candidates assessed by the AEDT, evidence shall disclose its sample size. </td> <td data-cs="2" data-kind="parent" style="text-align: center; width: 90.0035%; vertical-align: middle;"> PASS </td> </tr> </tbody> </table>	

<table> <colgroup> <col style="width: 50%" /> <col style="width: 50%" /> </colgroup> <tbody> <tr> <td data-cs="1" data-rs="1" style="width: 69.2825%"><p>Q.G. Impact ratio: Impact ratios shall be disclosed for all disfavored groups, for all PCVs.</p> <p>Q.G.1. Where an impact ratio for a disfavored group is below 0.8, evidence shall show justification for why the disfavored group is disadvantaged.</p> <p>Q.G.2. Evidence shall show results of uncertainty analysis (e.g., standard error for the mean) or error propagation of impact ratios in the form of errors or error bars.</p> <p>Q.G.3. Where PCV data was inferred, evidence shall show that systematic errors due to PCV inference were properly propagated in impact ratio calculations.</p> <p>Q.G.4. Where a gender, race/ethnicity, or intersectional group was excluded from impact ratio calculation due to its size being below 2% of the total sample size of each analysis, evidence shall show</p> <p>justification for the exclusion of such group</p> <p>the sample size of such group, and</p> <p>the selection rate or scoring rate of such group</p> </td> <td data-cs="1" data-rs="1" style="text-align: center; width: 90.0035%; vertical-align: middle;"><p>PASS</p></td> </tr> </tbody> </table>	
--	--

****Non-intersectional, Gender, sorted by Impact ratio****

	N applicants	Selection rate	Impact ratio
Male	3,732	0.798	1.000
Female	2,112	0.784	0.982

****Non-intersectional, Race/ethnicity, sorted by Impact ratio****

	N applicants	Selection rate	Impact ratio
Hispanic or Latino	1,127	0.860	1.000
Asian	1,184	0.835	0.971
White	1,797	0.774	0.900
Black or African American	1,070	0.762	0.866
Native American or Alaskan Native	3	0.667	N/A

Intersectionals

	N applicants	Selection rate	Impact ratio
Hispanic or Latino	1,127	0.860	1.000
Asian	1,184	0.835	0.971
White	1,797	0.774	0.900
Black or African American	1,070	0.762	0.866
Native American or Alaskan Native	3	0.667	N/A

Intersectionals

	N applicants	Selection rate	Impact ratio
Hispanic or Latino	1,127	0.860	1.000
Asian	1,184	0.835	0.971
White	1,797	0.774	0.900
Black or African American	1,070	0.762	0.866
Native American or Alaskan Native	3	0.667	N/A

Non- Hispanic or Latino

White	711	0.839	0.974
-------	-----	-------	-------

Asian	
924	
0.774	
0.899	
Black or African American	
807	
0.756	
0.878	
Native American or Alaskan Native	
2	
0.500	
N/A	
Female	
Asian	
697	
0.772	
0.897	
White	
389	
0.833	
0.967	
Black or African American	
807	
0.756	
0.878	

[illegible]

****Note**:** Data on these applicants was not included in the calculations above:

1. 123 applicants with an unknown gender category
2. 1053 applicants with an unknown race/ethnicity category, and
3. 1176 applicants with at least an unknown gender or an unknown race/ethnicity

7 N/A refers to the demographic group representing less than 2% of the total N applications in the table

	<table> <colgroup> <col style="width: 50%" /> <col style="width: 50%" /> </colgroup> <tbody> <tr> <td data-cs="2" data-kind="parent" data-rs="2"><p>Q.H. Statistical significance: Where the selection rate method was used, statistical significance calculation shall satisfy [UGESP](https://www.dol.gov/agencies/ofccp/faqs/employee-selection-procedures) guidelines.</p> <p>Q.H.1. Evidence shall show that statistical significance was calculated using the Two Independent-Sample Binomial Z-Test for sample sizes of 30 or more, and using the Fisher's Exact Test for sample sizes of fewer than 30.</p></td><td data-kind="ghost"></td></tr> <tr> <td data-cs="2" data-kind="parent" data-rs="2"><p>PASS</p></td><td data-kind="ghost"></td></tr> </tbody> </table>

Governance

	Audit Criteria
	Opinion
G.A. Accountable party for disparate impact risks	The auditee shall have a party who is accountable for risks related to disparate impact.
G.A.1. Evidence should show that the accountable party is a committee, but may also show that the accountable party is a single individual.	
G.A.2. Evidence shall clearly show that risks related to disparate impact are owned and managed by the accountable	

```
party.</p></li>
</ul></td>
<td data-cs="1" data-rs="1" style="width: 89.6447%"><p><strong>PASS</strong></p></td>
</tr>
</tbody>
</table>
```

****Accountable party****: Committee on Automated Decision Making Tools\

****Contact information****: rohan.raman@hackerrank.com\

****Role in the auditee organization****: Governance group/committee

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="width: 69.2825%"><p><strong>G.B. Defined duties of the accountable party</strong>:
Duties of the party accountable for disparate impact risks shall be clearly defined.</p>
<ul>
<li><p>G.B.1. Evidence shall show that such duties pertain to the ownership, management, and monitoring of disparate impact
risks.</p></li>
<li><p>G.B.2. Evidence shall show that the accountable party has influence over product changes per effective challenge in Federal
Guidance on Model Risk Management.</p></li>
</ul></td>
<td data-cs="1" data-rs="1" style="text-align: center; width: 90.0035%; vertical-align:
middle;"><p><strong>PASS</strong></p></td>
</tr>
</tbody>
</table>
```

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="width: 69.2825%"><p><strong>G.C. Documentation pertaining to duties carried
out</strong>: The auditee shall provide evidence that the defined duties of the party accountable for disparate impact risks are carried
out.</p>
<ul>
<li><p>G.C.1. Evidence shall show that the defined duties were carried out prior to the start date of this audit.</p></li>
</ul></td>
<td data-cs="1" data-rs="1" style="text-align: center; width: 90.0035%; vertical-align:
middle;"><p><strong>PASS</strong></p></td>
</tr>
</tbody>
</table>
```

Risk Assessment

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="width: 69.6413%; background-color: #6fa8dc"><p><strong>Audit
Criteria</strong></p></td>
<td data-cs="1" data-rs="1" style="width: 89.6447%; background-color: #6fa8dc"><p><strong>Opinion</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 69.6413%"><p><strong>R.A. Completion</strong>: The auditee shall have
completed a risk assessment of the model.</p>
<ul>
```

```
<li><p>R.A.1. Evidence shall show that a risk assessment or an equivalent analysis was completed less than one year prior to the issuance date of this audit.</p></li>
</ul></td>
<td data-cs="1" data-rs="1" style="width: 89.6447%"><p><strong>PASS</strong></p></td>
</tr>
</tbody>
</table>
```

****Evidence of Risk Assessment completion**:** Risk Assessment Documents (risk assessment spreadsheet and narrative notes), and verbal testimony from Risk Assessment participants.

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="width: 69.2825%"><p><strong>R.B. Identification of risks</strong>: Risk assessment shall show identification of relevant risks related to bias.</p>
<ul>
<li><p>R.B.1. Evidence shall show identification of risks related to various biases along all stages of the AI life cycle as listed in NIST Standard for Identifying and Managing Bias in Artificial Intelligence.</p></li>
<li><p>R.B.2. Evidence shall show awareness of the parties potentially affected by the decisions made along all stages of the AI life cycle.</p></li>
</ul></td>
<td data-cs="1" data-rs="1" style="text-align: center; width: 90.0035%; vertical-align: middle;"><p><strong>PASS</strong></p></td>
</tr>
</tbody>
</table>
```

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="width: 69.2825%"><p><strong>R.C. Evaluation of risks</strong>: Risk assessment shall demonstrate appropriate evaluation of relevant risks.</p>
<ul>
<li><p>R.C.1. Evidence shall show that the identified risks are assessed from the perspectives of multiple affected external and internal stakeholders, with justifications for the extent of and mechanism by which such risks affect these stakeholders.</p></li>
<li><p>R.C.2. Evidence shall show that the identified risks are assessed in a sufficiently rigorous manner, using a quantitative and/or qualitative evaluation scheme, and along multiple dimensions, such as but not limited to likelihood of harm and severity of harm.</p></li>
<li><p>R.C.3. Evidence shall show justification for the provided evaluation of risks.</p></li>
</ul></td>
<td data-cs="1" data-rs="1" style="text-align: center; width: 90.0035%; vertical-align: middle;"><p><strong>PASS</strong></p></td>
</tr>
</tbody>
</table>
```

Appendix

Audit Methodology

The Process Audit

The BABL AI audit framework is the Process Audit, defined as “an impartial verification and evaluation process conducted by an independent auditor to determine whether sufficient evidence exists to warrant the judgment that AI risks have been prevented, detected, mitigated, or otherwise managed.” A process audit is modeled after the financial auditing practice as a cooperative third-party audit, and is distinguished from other commonly used forms of assessment of algorithms, such as first- or second-party assessments, and assurance.⁸ The audit framework contains three phases:

1. ****Scoping**** ? The auditor conducts a preliminary survey of the auditee’s algorithm to gain a full understanding to contextualize

documentary evidence

2. **Evaluation & Verification** ? The auditee submits documentation containing evidence demonstrating satisfaction of the audit criteria which the auditors evaluate and verify.
3. **Certification** ? If the auditee is determined to pass the audit criteria, the auditor drafts the auditor's report and certifies the auditee's algorithm.

Evaluation & Verification

The procedure for all BABL AI auditors in conducting a process audit follows the guidelines set forth in the Public Company Accounting Oversight Board (PCAOB)'s Auditing Standard 1105 on Audit Evidence, where applicable. Specifically, the auditors:

1. **Obtain audit claims and statements** from the auditee's submitted documentation which either support or contradict the criteria and sub-criteria,
2. **Evaluate the claims and statements** in regard to satisfying the criteria and sub-criteria, based on the sufficiency and appropriateness of the evidence, and
3. **Verify that the claims and statements** made by the auditee are free from material misstatement, whether due to fraud or error.

8 Carrier, R., & Brown, S. (2021). Taxonomy: AI Audit, Assurance & Assessment. ForHumanity.

(<https://forhumanity.center/blog/taxonomy-ai-audit-assurance-assessment/>)(<https://forhumanity.center/blog/taxonomy-ai-audit-assurance-assessment/>)

9 Reasonable assurance is a high level of assurance but is not a guarantee that an audit conducted in accordance with good auditing practice always detects a material misstatement when it exists. Misstatements can arise from fraud or error and are considered material if, individually or in aggregate, they could reasonably be expected to influence the decisions of stakeholders taken based on these statements.

In addition, evaluation and verification of claims and statements may involve requesting additional supporting documentary evidence, and/or interviewing those responsible for the governance of the algorithm, other relevant employees of the auditee organization, or other third parties referenced in the submitted documentation.

At the end, the auditors reach an audit opinion based on:

1. The sufficiency and appropriateness of the audit evidence, and
2. The risk of material misstatement of the audit evidence.

Terminologies & Definitions

Term	Abbrev	Definition
automated employment decision tool	AEDT	any computational process, derived from machine learning, statistical modeling, data analytics, or artificial intelligence, that issues simplified output, including a score, classification, or recommendation, that is used to substantially assist or replace discretionary decision making for making employment decisions that impact natural persons. see § 20-870 of the Code and § 5-300 of the adopted rule for full definition
disfavored group		any gender or race/ethnicity group not having the highest selection rate or average score
disparate impact or adverse impact		a selection rate for any race, sex, or ethnic group which is less than four-fifths (80%) of the rate for the group with the highest rate will generally be regarded by the Federal enforcement agencies as evidence of adverse impact. see § 60-3.4.D of UGESP (1978) for full definition
error propagation		calculation or computation of a variable's uncertainty that is dependent on another variable's uncertainty
favored group		the gender or race/ethnicity group having the higher selection rate or average score compared to the other groups
impact ratio		either (1) the selection rate for a category divided by the selection rate of the most selected category or (2) the scoring rate for a category divided by the scoring rate for the highest scoring category. see § 5-300 of the [adopted rule](https://rules.cityofnewyork.us/wp-content/uploads/2023/04/DCWP-NOA-for-Use-of-Automated-Employment-Decisionmaking-Tools-2.pdf) for full definition
scoring rate		the rate at which individuals in a category receive a score above the sample's median score, where the score has been calculated by an AEDT
justification		a compelling reason that illuminates the issue and carries normative force, as opposed to solely explanatory power
positive outcome		the basis for selection rate, the favorable outcome for a candidate from the use of the model, such as being selected to move forward in the hiring process or assigned a classification by an model
protected category variables	PCV	defined per jurisdiction, equivalent to protected class, including but not limited to: race/ethnicity, age, gender, religion, ability or disability, sexual orientation, color, nation of origin, socioeconomic class

| risk assessment | | an assessment of the risk that the use of the algorithm negatively impacts the rights and interests of stakeholders, with a corresponding identification of situations of the context and/or features of the algorithm which give rise or contribute to these negative impacts⁹ |

| selection rate | | ?the rate at which individuals in a category are either selected to move forward in the hiring process or assigned a classification by an AEDT? ? see § 5-300 of the adopted rule for full definition |

| testing dataset | | the dataset used to test for or quantify disparate impact |

| uncertainty analysis | | calculation or computation to quantify the uncertainty of a variable, outputting errors or error bars |

10 Hasan, A., Brown, S., Davidovic, J., Lange, B., & Regan, M. (2022). Algorithmic Bias and Risk Assessments: Lessons from Practice. *Digital Society*, 1(1). <https://doi.org/10.1007/s44206-022-00017-z>

[settings/insights] Account Insights

```
---
title: "Account Insights"
title_slug: "account-insights"
source_url: "https://support.hackerrank.com/articles/4945003466-account-insights"
article_slug: "4945003466-account-insights"
last_updated_exact: "Dec 13, 2024, 5:14 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Settings"
  - "Insights"
---
```

Account Insights

Last updated: Dec 13, 2024, 5:14 AM (Last updated 1 year ago)

The Insights tab on the HackerRank platform provides statistical dashboards from your company's utilization of the HackerRank account by your recruiting and technical staff. As a company admin, you can access the Insights page to gain an analytical knowledge of how your hiring teams are using HackerRank in promoting your organization to hire the best talents while being able to save revenues. These data visualization tools and dashboards allow you to drill down into your data while maintaining a secure, birds-eye view of operations.

You can also download Candidate performance reports and reports specific to utilizing your HackerRank company account.

Accessing Insights

Prerequisites

- You must log in as a Company Admin user

On the Home page, click on the Insights tab to view the various analysis in the following categorical sections:

- Test Usage
- Interview Usage
- Interview Questions

```

```

Test Usage Dashboard

The Test Usage dashboard gives you deeper insights into the various activities related to Tests that are performed from your HackerRank account.

A team-wise classification of the trends is also displayed to help you analyze which of your company's recruitment teams are being efficient and effective with conducting Tests and the Candidates? responses to them.

The Test Usage dashboard offers a number of tiles that show the overall candidate?s experience in the tests. You can view the following charts under the Test Usage dashboard:

- Total Test invites and its Trend
- Total Test Attempts and its Trend

```


- Average Test Rating and its Trend
- Invitation Methods used



- Total Active Teams and their List
- Total Active Users and their List

!1.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047072414-?Expires=253370764800&Signature=KzeqTLhMb33DPD6qLvnjgJAGldz0Lil~t7HvwxleiQ8rUHe9xRJ6jzZ52hiGCsG5~k4StQ6XWgO0-ISZqhanJuFABJffTlyb7f1dEOjqLLYtDcEJulbLvPgIYKj4xir9UOibPNuMCRf2nYR-Jzk9TK6m~28hsb7XAXvKr86rn~RhmeKmFNpgGwKqJDMZRYEwQvd-Hbr3nknDO92neduBQdt1U1IMrkxVpav9OVBEgcHQDh7yWVrvksbFX52s5~nKBlfOKhEV9qRj5b96Z5JSOQHjmqPeEWxiDWDtDluG07ZXJhmJIMl2-9PI~LyEvPgvs-RAwAYdRhMhDphzEzYEQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- Total Roles Powered by HackerRank and the list of Roles used by organization.



### Interview Usage Dashboard

The Interview Usage dashboard gives you deeper insights into the various activities of interviews that are performed from your HackerRank account.

A team-wise classification of trends is also displayed to help you analyze which of your company's recruitment teams are efficient and effective in conducting interviews and the duration of interviewing the candidates.

The Interview Usage dashboard offers a number of tiles that display an overall interviewer's experience in conducting the interview and the following are the charts available on this page:


- Total number of interviews created and completed along with their trends
- Average Interview rating by candidate and interviewer and their trends



- Total number of top interviewers by session usage and rating and list of interviews by session usage and rating

!2.jpg](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734047073660-?Expires=253370764800&Signature=c8iKvW52XICQkhQG3VXNhq~n4NHMKGOsWslpKDOufSd4tEJeNlruRlfrKfnmUe62obTzMgR80DbvMhObLkhv1g2qXyIDUdsZo5uvrfC9-D1qZCgS8bQuqHLD9XBlgx8Qm5dhK7BVZ969QQObtkRwlqceeyCucn1FL~68HYe2zcJotQiOa6nzKnhZgV3M6b-0iyGA7FNVuPRp8LuBsgR-141OQKMA6QZc2sBEw8u8YhZK-R~~oQJzreA-1MoFM3Kvi~xXPcp3XkNoSh8MJcS9iYWxo-R1~4Dpiz1mR7gkH4-RFr3zRFmX8k4sWdf-TtYFUnA6YCNUPLcNazfX3mPw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- Total interview duration and trends of interview duration
- Total interviewing teams and interview team statistics
- The total number of unique candidates interviewed




The Interview URL is available in the detailed report in each of the charts for the respective candidate.

### Interview Questions Dashboard


The charts display trends of HackerRank questions and the custom questions that are used in your interviews.

The Interview Question charts display the overall statistics, usage of HackerRank, and custom questions. Here are the details of the charts and total count available on this page:

- Total number of HackerRank questions and custom questions
- List of interview questions and list of interviewers for a particular question



- List of question usage in interviews
- Types of questions



## Additional Features

Here are some of the key features that you can use to make the most use of the dashboards. These features let you modify a report to your requirements to see more detail and drill down to gain deeper insights into your reports.


There are additional features that let you schedule and automate the distribution of reports, insights, data sets, and query results.

### Data Download

You can download the entire data for dashboards, or an option is available to download each of the reports that are available inside these dashboards. Data can be downloaded in the form of PDFs or CSVs.

### Download Test Data

To download the complete dashboard information, \*click on the Download Test Data button under each of these dashboards. You can select a date range from the available options or set a custom date range when you click on the Download button.



### ### Download Individual Reports

To download any particular report, you can click on the hamburger icon that appears in the top right corner of each of these reports. You can view that data on full screen, or select the available file formats to download.



### ### Drill-Down Capabilities

Click on the numbers in any of the widgets to drill down and check the detailed information. For example, click on the count/number in the Total Test Invites widget from the Test Usage dashboard. This would open a dialog where you can see detailed data for the widget. This dialog also gives you the option to download displayed data by clicking the "download" option on the top right corner. Data would be downloaded in ".csv" format in your computer.

### ### Filtering

You can limit the data you see on your dashboard by adding filters. Use the filter icon to expand the filter section and select the desired date range.



### ### Refreshing the Data

The dashboard gets updated with the latest result based on your filter criteria once you click the refresh button.



\

# [settings/insights] Create Custom Reports Key features Creating a custom report Available functional objects

```

title: "Create Custom Reports Key features Creating a custom report Available functional objects"
title_slug: "create-custom-reports-key-features-creating-a-custom-report-available-functional-objects"
source_url: "https://support.hackerrank.com/articles/7355624862-create-custom-reports"
article_slug: "7355624862-create-custom-reports"
last_updated_exact: "Apr 20, 2026, 11:58 PM"
last_updated_relative: "Last updated 6 days ago"
breadcrumbs:
 - "Settings"
 - "Insights"

```

## # Create Custom Reports Key features Creating a custom report Available functional objects

\_Last updated: Apr 20, 2026, 11:58 PM (Last updated 6 days ago)\_

The Custom Reports feature provides on-demand access to data across both **Screen** and **Interview**. Use this feature to create, preview, save, and export tailored reports based on your organization's reporting needs.

The Custom Reports feature is available to:

- All admin users by default.
- Any user with access to the **Insights** tab on the HackerRank platform.

## # Key features

Custom Reports offer the following features:

- **Create, preview, and save reports:**
  - Select only the columns that align with your reporting goals.
  - Hover over tooltips to understand what each column represents.
  - Preview the results before saving the report.
- **Combine business objects:**
  - Combine data from multiple objects (for example, Tests, Candidate Test Attempts & Invites).
  - View unified insights in a single report.

<!-- -->

- **Export as Excel:**
  - Export reports instantly in Excel format.
  - Access saved reports anytime that is available to all admin users.

<!-- -->

- **Copy and share reports:**
  - Modify or duplicate existing reports without starting from scratch.
  - Share reports via email to collaborate across teams or departments.

<!-- -->

- **Filter by columns:** Apply filters (for example, Test Name, Attempt Start Time) to refine report content and focus on relevant data.
- **Shared admin access:** All admin users can view, edit, and re-download saved reports, which helps streamline collaboration.

# Creating a custom report

To create a custom report:

![[custom reportsnew.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769068330381-customreportsnew.gif?Expires=253370764800&Signature=JkaG59UiuJKZlMnMT5LMO8s-L6DAnhoJMmBGvxggvQ8c3~ZgANtcRCLV7wZUgMRPcrOEFD8yTASQalwAOA6PtZYDgMrYdUbibjKBos4ih251DHNFrG-KseS2ybBhftLr5jAYKR~irZ~nZl9v1WRlrmES4d4OPxk-Qw~tWl8vDqTTbEE4lwzw7yrS3X2vDWpGA-V~wz3tCyVzo7l0PYbihxH6NVOTslazizZivOyQA82teFBhIH9RwW0w2lgVQq5qXQNIMwTrhBTyEHMH04jTucXa-aFXK0i8B7E2m5lhb-pzcdGHV2~KtmsvQ2jZGPlss2AWV8tZyorPBd~6vWr5GA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Log in to **HackerRank for Work** using your credentials.
2. Go to the **Insights** tab.
3. In the left panel, select **My Reports** under **Reports** section
4. Click **Create Report**
5. Select the required fields for your report:
  1. Use the search bar or expand categories (for example, Tests, Candidate Test Attempts & Invites) to find relevant columns.
  2. Click the **plus (+)** icon next to the relevant field to add it to the report.

**Note:** Use the tooltips (?) beside each field to view its description, or refer to the Available Functional Objects section below to see all fields and their descriptions.

1. Preview the data in the right-hand panel. The preview table displays up to 20 rows.
2. (Optional) Apply filters to refine the data.

![[ARTICLE REPORT 1.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769066824357-ARTICLEREPORT1.gif?Expires=253370764800&Signature=cCbiyRsFgtgHRu~zvvyEmBXEoNSWjN49PYEo5vGwMzH~GYHsEPjflX5qZMmYfVaP8eN~ILU5lkiIzvjTwjZVFisSTmMYtY52CW1VHy80N1ksFly5k3Y-4JOyRxSeELdGelW~B~4uW~xjyE~rG3j~3l486dyADvRCVTO~wba5YEWBt8QEUARPvAsXqqHC4c76Z8wOApWd1dl1AAIGY2JXz1zA~T9DWbl~H0a64Cu1PfRHdCNn5YzBBjjsNjdODqqU6smHk3PxIVe~l1WJGxCp4F~28yJ460hWEcoTB5nD-0VXj3PX40lgVWZJxmMCYfAAkT7itlJBOR3bfaVvXw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. Click **Filter Data**.
  2. Select a field to filter on (for example, Test ID).
  3. Choose a condition:
    - Is equal to
    - Is not equal to
    - Contains
    - Does not contain
    - Is N/A
    - Is not N/A
  4. Enter the value.
  5. Click **Apply**.
  6. (Optional) Click **Add Condition** to apply multiple filters.
  7. (Optional) Click **Clear All** to remove all filters.
3. (Optional) Apply aggregation to group or summarize numeric data.

2.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769066859727-ARTICLEREPORT2.gif?Expires=253370764800&Signature=loGC~4vMcqR215bNdEfGm3UTOJPK5e2j4esN6hba0bw8qJ-JDqresEp~T53JQXr3BjIHnRozwsQjOBpalU12jteBiyWrgo4sPrHFQwr7uOXhflz2HtWhrKaMV3BaV1k5iyXqaLxzHqeVGAcR7d7AjnXkBhr8vSxnsszqzG7w1BrJ4vKO4ClxKocBd6tM8hJke8~1Z0Eoa-xloLnTU3MKOba9TaNQ-W0VleCM~fvn2lEtTosZJZO7ZazsMj84GtmvW3-eX4ltNp7ZI6l5GH4LymmLp89Lv1tQfHnUFSD5j087~LOCpoUnizS6dkT-60VxUjxJ6MJsebV5l8su0itQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

- 1. Click **Aggregate**.
- 2. Select a field (for example, Test Score)
- 3. Choose one or more aggregation functions.
- 4. Click **Save** to store the report for future access.
- 5. Click **Export** to download the complete report as an Excel file.

# Available functional objects

When creating a custom report, you can choose from the following objects:

- Tests
- Candidate Test Attempts and Invites
- Candidate Question Attempt
- Interviews
- Questions
- Users

These objects allow you to include data such as candidate names, test scores, question attempts, and other relevant metrics?all in one report.

The following sections provide tables that list the fields and their descriptions for each functional object.

## Tests

| Field                              | Description                                                                                                                            |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Test ID                            | Unique identifier for the test.                                                                                                        |
| Test Name                          | Name assigned to the test.                                                                                                             |
| Target Role                        | Specifies the job role or position the test is designed to evaluate (for example, Cloud Engineer, Data Engineer, Full-Stack Engineer). |
| Test Status                        | Current state of the test (for example, Published, Draft).                                                                             |
| Test Duration (min)                | Total duration allowed for the test in minutes.                                                                                        |
| Current Test Version               | Indicates version number of the test.                                                                                                  |
| Latest Version Number              | Most recent version number of the test.                                                                                                |
| Test Created At                    | Date and time when the test was created.                                                                                               |
| Test Updated At                    | Date and time when the test was last updated.                                                                                          |
| Test Cut-Off Score                 | Shows minimum passing score.                                                                                                           |
| Test Section Count                 | Number of unique segments in the test.                                                                                                 |
| Questions per Section              | Number of questions per test section.                                                                                                  |
| Test Maximum Score                 | Shows highest possible score.                                                                                                          |
| Test Owner Name                    | Full name of the test owner.                                                                                                           |
| Test Owner Email                   | Email address of the test owner.                                                                                                       |
| Test Owner ID                      | Unique identifier of the test owner.                                                                                                   |
| Admin Email                        | Email address of the administrator.                                                                                                    |
| Is Confirmation Email Enabled      | Indicates if confirmation emails are sent to candidates.                                                                               |
| Is Reminder Email Enabled          | Indicates if reminder emails are sent to candidates.                                                                                   |
| Is Copy-Paste Tracked              | Shows status of copy-paste monitoring.                                                                                                 |
| Is Tab Proctoring Enabled          | Indicates if tab proctoring is active.                                                                                                 |
| Is Photo Capture Enabled           | Indicates need for photo ID.                                                                                                           |
| Is Image Proctoring Enabled        | Indicates if image proctoring is active.                                                                                               |
| Is Watermark Enabled               | Indicates if watermarking is active.                                                                                                   |
| Is Multi-Monitor Detection Enabled | Detects use of multiple monitors.                                                                                                      |

| Is AI Plagiarism Detection Enabled | Checks for AI plagiarism detection. |  
| Are Questions Shuffled | Shows if question shuffling is enabled. |  
| Are Sections Shuffled | Shows if section shuffling is enabled. |  
| Are Question Titles Hidden | Shows if question titles are concealed. |  
| Are Question Points Shown | Shows if question points are displayed. |  
| Test Link | URL link to access the test. |  
| Test Label | Label or category assigned to the test. |  
| Required Experience | Experience requirement for candidates. |  
| Is Certified Assessment | Indicates official test certification status. |  
| Test State | Indicates if the test is active or inactive. |  
| Dynamic Section Count | Number of dynamic sections in the test. |  
| Test History Created At | Date and time when the test history entry was created. |

## ## Candidates Test Attempts and Invites

| | |  
|----|----|  
| **\*\*Field\*\*** | **\*\*Description\*\*** |  
| Candidate Name | Name of the candidate. |  
| Candidate Email | Email address of the candidate. |  
| Test ID (Attempt) | Identifier of the test linked to the attempt. |  
| Inviter Email | Email address of the person who sent the invite. |  
| Inviter Name | Full name of the person who sent the invite. |  
| Invite Sent At | Date and time when the invite was sent. |  
| Invite Method | Method used to send the invite (for example, invited via email, public link). |  
| Invite Valid From | Start date and time when the invite becomes valid. |  
| Invite Valid To | End date and time when the invite expires. |  
| Is Invite Valid | Indicates if the invite is valid (1 = valid, 0 = invalid). |  
| Attempt ID (Question Attempt) | Unique identifier for the candidate?s attempt at a question. |  
| Test Score | Candidate?s raw score on the test. |  
| Score (%) | Candidate?s score as a percentage. |  
| Attempt Started At | Date and time when the candidate started the attempt. |  
| Attempt Ended At | Date and time when the candidate ended the attempt. |  
| Attempt Duration (s) | Duration of the attempt in seconds. |  
| Test Severity Level (Candidate Rated) | Overall severity score for the test. |  
| Suspicious Activity Level (Proctor) | Severity for proctor-identified activities. |  
| Suspicious Activity Score (Proctor) | Score reflecting proctor suspicion level. |  
| Suspicious Activity Reasons (Proctor) | Reasons flagged by the proctor. |  
| Plagiarism Suspicion Level (Attempt) | Severity level of plagiarism suspicion. |  
| Plagiarism Suspicion Score (Attempt) | Suspicion score for plagiarism. |  
| Plagiarism Suspicion Reasons (Attempt) | Reasons for flagging the attempt |  
| Out-of-Window Duration (s) | Time spent outside test window. |  
| Out-of-Window Events | Candidate window leave events. |  
| Disconnected Time (s) | Total network disconnection time. |  
| Monitors Detected Count (Max) | Max number of monitors detected. |  
| Webcam Count | Number of webcams detected. |  
| Paste Count | Number of pastes events in the editor. |  
| Is Attempt Plagiarised | Indicates plagiarism detection status. |  
| Candidate Full Name | Full name of the candidate. |  
| Work Experience | Candidate?s work experience in years. |  
| Candidate City | Candidate?s city of residence. |  
| Student Roll Number | Candidate?s student roll number. |  
| Personal Email | Personal email address of the candidate. |  
| Graduation Year | Year the candidate graduated. |  
| CGPA | Candidate?s Cumulative Grade Point Average. |  
| GPA | Candidate?s Grade Point Average. |  
| University/College Name | Name of the candidate?s university or college. |  
| Contact Number | Candidate?s contact phone number. |  
| Stream / Branch | Candidate?s academic stream or branch. |  
| Recruiter Contact | Contact information of the recruiter. |  
| Major | Candidate?s academic major. |  
| Degree | Degree pursued or obtained by the candidate. |  
| Gender | Candidate?s gender. |  
| Job Role | Job role applied for. |  
| Resume | Candidate?s uploaded resume. |  
| Postgraduate Degree | Postgraduate qualification of the candidate. |  
| Graduation City | City where the candidate graduated. |  
| Country | Candidate?s country of residence. |



| Custom Question Answers | Responses provided to custom questions. |  
 | Candidate Feedback Comments | Candidate?s feedback about the test. |  
 | Product Rating | Candidate?s rating of the product experience. |  
 | Team | Name of the team associated with the test. |  
 | Team Owner | Person who owns or manages the team. |  
 | Team Region | Geographic region assigned to the team. |  
 | Team Department | Department the team belongs to. |  
 | Candidate Tags | Labels or tags assigned to the candidate. |  
 | ATS Status | Candidate?s status in the applicant tracking system. |  
 | Candidate Status | Current status of the candidate in the test workflow. |  
 | Candidate Record Created At | Date and time when the candidate record was created. |  
 | Detailed Report URL | Link to the candidate?s detailed report. |  
 | Test Max Score | Maximum possible score for the test. |  
 | Is GDPR Deleted | Indicates if candidate data has been deleted for GDPR compliance. |  
 | IP Address | IP address of the candidate. |  
 | Recency Status (Invite / Attempt) | Indicates latest invite/attempt. |  
 | Fullscreen Exit Count | Number of times the candidate exited fullscreen mode. |  
 | Plagiarism Report URL | URL of the plagiarism report. |  
 | Fullscreen Exit Duration (s) | Total time spent outside fullscreen. |  
 | Suspicion Category | Category of suspicious activity detected. |

## ## Candidate Question Attempt

| | |  
 |---|---|  
 | **\*\*Field\*\*** | **\*\*Description\*\*** |  
 | Question ID (Attempt) | Unique identifier of the question attempt. |  
 | Test ID (Question Attempt) | Unique identifier of the test linked to the question attempt. |  
 | Candidate ID (Question Attempt) | Unique identifier of the candidate for the question attempt. |  
 | Attempt ID (Question Attempt) | Unique identifier for the attempt of the question. |  
 | Section Name | Name of the section containing the question. |  
 | Time per Question (s) | Time spent on the question in seconds. |  
 | Question Score | Candidate?s score for the question. |  
 | Question Max Score | Maximum score possible for the question. |  
 | Is Question Answered | Indicates if the question was answered. |  
 | Lines of Code | Number of lines of code submitted. |  
 | Compile and Test Count | Number of times the candidate compiled or tested the code. |  
 | Code Language | Programming language used in the solution. |  
 | Test Case(s) Pass Results | Results of passing test cases. |  
 | Test Case Memory (KB) | Memory usage of test cases in KB. |  
 | Test Case Execution Time (s) | Execution time of test cases in seconds. |  
 | Submitted Response (Question) | Candidate?s submitted response. |  
 | Is Plagiarism Detected (Question) | Indicates if the question is flagged for plagiarism. |  
 | Max Plagiarism Probability (Question) | Maximum probability of plagiarism. |  
 | Solution Status | Status of the submitted solution. |  
 | Total Test Cases | Total number of test cases for the question. |  
 | Passed Test Cases | Number of test cases the candidate passed. |

## ## Interviews

| | |  
 |---|---|  
 | **\*\*Field\*\*** | **\*\*Description\*\*** |  
 | Interview ID | Unique identifier of the interview. |  
 | Interview Title | Title of the interview session. |  
 | Interview Created At | Date and time when the interview was created. |  
 | Interview Updated At | Date and time when the interview was last updated. |  
 | Interview Started At | Date and time when the interview started. |  
 | Interview Ended At | Date and time when the interview ended. |  
 | Interviewer URL | URL link for interviewers to join. |  
 | Thumbs Feedback | Thumbs-up or thumbs-down feedback on the interview. |  
 | Interview Status | Current status of the interview (for example, ready, finished). |  
 | Interview Source System | Source system from which the interview was scheduled. |  
 | Interview Questions | Questions asked during the interview. |  
 | Interviewer(s) Email | Email addresses of interviewers. |  
 | Interviewer(s) Name | Names of interviewers. |  
 | Interviewer(s) Feedback | Feedback provided by interviewers. |  
 | Interviewer(s) Rating | Ratings given by interviewers. |

| Interview Candidate Name | Candidate?s name in the interview. |  
| Interview Candidate Email | Candidate?s email in the interview. |  
| Candidate Phone | Candidate?s phone number. |  
| Candidate Rating | Rating given to the candidate. |  
| Candidate Feedback | Candidate?s feedback about the interview. |  
| Template Name | Name of the template used. |  
| Imported Template Names | Names of templates imported into the interview. |  
| Zoom Recording Status | Status of the Zoom recording. |  
| Result URL | URL of the interview result. |  
| Interview Tags | Tags associated with the interview. |  
| Archived By | User who archived the interview. |  
| Is Virtual Lobby Enabled | Indicates if a virtual lobby was enabled. |  
| Candidate IP Address | Candidate?s IP address during the interview. |  
| Interviewer(s) IP Address | Interviewers? IP addresses. |

## ## Questions

| | |  
|----|----|  
| **\*\*Field\*\*** | **\*\*Description\*\*** |  
| Question ID | Unique identifier of the question. |  
| Question Title | Title of the question. |  
| Question Source | Question origin or source. |  
| Question Author Name | Name of the author who created the question. |  
| Question Status | Current status of the question. |  
| Is Question Leaked | Indicates if the question is leaked. |  
| Questions Created At | Date and time when the question was created. |  
| Question Author Email | Email address of the question author. |  
| Question Author Team | Team of the author who created the question. |  
| Question Type | Type of the question (for example, Coding, Multiple Choice). |  
| Question Sub-Type | Sub-type of the question. |  
| Question Difficulty | Difficulty level of the question. |  
| Question Tags | Tags associated with the question. |  
| Question Skills | Skills evaluated by the question, including associated proficiency levels. |  
| Available Languages (Question) | Programming languages available for the question. |  
| Is Question Cloned | Indicates if the question is a clone. |  
| Cloned Question ID | Unique Identifier of the original cloned question. |  
| Question Max Score | Maximum score for the question. |  
| Recommended Time (min) | Recommended time to solve the question in minutes, |

## ## Users

| | |  
|----|----|  
| **\*\*Field\*\*** | **\*\*Description\*\*** |  
| User ID | Unique identifier for the user. |  
| Full Name | Full name of the user. |  
| Email | Email address of the user. |  
| Is Email Activated | Indicates if the user?s email is activated. |  
| Company ID (User) | Unique identifier for the company the user belongs to. |  
| User Role | Role of the user in the system (For example, interviewer, recruiter, company admin). |  
| Is Company Admin | Indicates if the user is a company administrator. |  
| Last Sign-In At | Date and time when the user last signed in. |  
| Sign-In Count | Total number of times the user has signed in. |  
| Last Active At | Date and time when the user was last active. |  
| Admin Teams Count | Total number of teams where the user has admin rights. |  
| Locked At | Date and time when the account was locked. |  
| User Created At | Date and time when the user account was created. |  
| User Updated At | Date and time when the user account was last updated. |  
| Created At | Date and time when the user account was created. |  
| Department | Department the user belongs to. |  
| Teams | Teams associated with the user. |

\

[settings/insights] Schedule a Custom Report Prerequisite Scheduling a custom report

```

title: "Schedule a Custom Report Prerequisite Scheduling a custom report Editing a custom report schedule Deleting a custom report schedule"
title_slug:
"schedule-a-custom-report-prerequisite-scheduling-a-custom-report-editing-a-custom-report-schedule-deleting-a-custom-report-schedule"
source_url: "https://support.hackerrank.com/articles/8981360888-schedule-a-custom-report"
article_slug: "8981360888-schedule-a-custom-report"
last_updated_exact: "Apr 22, 2026, 10:09 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
- "Settings"
- "Insights"

```

# Schedule a Custom Report Prerequisite Scheduling a custom report Editing a custom report schedule Deleting a custom report schedule

\_Last updated: Apr 22, 2026, 10:09 AM (Last updated 4 days ago)\_

HackerRank allows you to schedule custom reports to run automatically at defined intervals. The system generates the report and sends it to selected recipients by email.


# Prerequisite

- A custom report is created in HackerRank for Work.
- You have access to the report (created by you or shared within your company).


# Scheduling a custom report

To schedule a custom report:


1. Log in to your **HackerRank for Work** account using your credentials.
2. Go to **More > Insights**.



3. Select **My Reports** under the **Reports** section.



4. Locate the report you want to schedule.
5. Click the more option menu next to the report.
6. Select **Schedule**.



7. In the **Schedule Insights** dialog:



1. Enter a name for the report.
2. Select the frequency (Once, Hourly, Daily, Weekly, Monthly, or Yearly), and set the schedule accordingly.
3. Enter the recipients who will receive the report.

**Note:** You can add only admin users (including yourself) as recipients.

8. Click **Save Schedule**.

The platform saves the schedule and sends the report to the selected recipients based on the defined frequency.

**Note:** You can create only one schedule per report.

#### # Editing a custom report schedule

To edit a custom report schedule:

1. Go to **My Reports**.
2. Locate the report you want to edit.
3. Click the more option menu next to the report.
4. Select **Edit** **Schedule**.



5. In the **Edit** **Schedule** dialog, make the required changes.



6. Click **Save Schedule**.

#### # Deleting a custom report schedule

To delete a custom report schedule:

1. Go to **My Reports**.
2. Locate the report you want to delete.
3. Click the more option menu next to the report.
4. Select **Edit** **Schedule**.



764800&Signature=ivvoWt0vBs5crxBhrhmpMu-Fe1t84l--BONdZOn9KS2MGU7nMr9AhTR~ghq2p56UWSLNSGiCeeXuAhXsu8dsAAd  
HUANFMtwjclRDzP~l~luNi4wwXaIJEDKn352U78CNZeekwOF4CP13RclEkT3qSc9Z48jh-3RftSjJIL38VxEIJcRIqzzDbkdEHlEXYZj~lm  
LHnf~lr0FqxqJ~uuPZdtB6AhPaVBXiCFJ-rPEKq5rGCoQCIWZ3DPIchSjtV73VS5TBxMrPwupARAKDgbYofPQqd64YG9q1Sy-ie1A3EE  
RUTn21cYmw991tzWbvTb6r-AnS8PEdKCgfMdl9UAp1zw\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

5. In the **Edit** **Schedule** dialog, click **Delete**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776765056613-image.png?Expires=253370  
764800&Signature=DtZPh0Eqpe76kU~81nzDSBqFEeBZ6r326-VRsBvyY2t8FeCY2hgDCS3gqNdk~Uo508qyQGuzGJFKthS6gQC3s  
4DriNRT5u81kmCu8rz9ybx8XchBPyVc156ILOOTdyfxJSdLraXSxufi~K2Nel-2DmynXPM2~aWhNBofLUY-hEeXIA4EGWfKXGLWZB  
7wA8CXcen-f~nMDI8gxoeS0RyjWgEnA2DneSB-Mc6lQ~x-BG5QTWMRQLZZmv~4upgiTw7J0YIYwfxDm6HE2rdm-ifKbMCMQMKy8e  
GfcxouHhUaRN-bc-EkOFYRK98IH2DxKM8SOPQushj7zOp82DMnZtsaLQ\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

The platform deletes the schedule and displays a success message.

# [settings/open-api] API Overview

```

title: "API Overview"
title_slug: "api-overview"
source_url: "https://support.hackerrank.com/articles/2067417637-api-overview"
article_slug: "2067417637-api-overview"
last_updated_exact: "Nov 22, 2025, 1:33 AM"
last_updated_relative: "Last updated 5 months ago"
breadcrumbs:
 - "Settings"
 - "Open API"

```

## # API Overview

\_Last updated: Nov 22, 2025, 1:33 AM (Last updated 5 months ago)\_

HackerRank offers robust APIs to automate test administration and result retrieval. Seamlessly integrate these APIs with your HR systems or create custom dashboards to streamline workflows. Additionally, explore our pre-built integrations with leading Applicant Tracking Systems (ATS). Refer to our [? Integrations Overview](/articles/1847021717) article for more details.

## ## Generating my API Token

Each enterprise user with a **HackerRank for Work** account can use our APIs to generate a personal access token. These APIs help automate repetitive tasks, such as administering tests and fetching results.

**Note:** This token is not intended to support ATS integrations. To obtain API keys for integrations with ATS platforms like Breezy, Lever, Greenhouse, or Jobvite, refer to the **ATS Integration** section in our knowledge base.

## #### Steps to Generate an Access Token

- Click the **arrow** next to the user icon in the top-right corner of the **Home** page and then click on **Settings**.



- On the **API** page, click **New Token**.

- In the **New Token** dialog box:

- Enter a label for the token.

- Click **Generate Token**.



- The newly generated token will be displayed. You can use the options provided to copy, edit, or delete it.

**Tip:** Refer to our detailed [API Documentation](https://www.hackerrank.com/work/apidocs#!/Introduction/options\_intro\_api) for more information about API usage and capabilities.

## ## Rate limits

HackerRank recommends sending up to 10 API requests per second. If you exceed this rate, the API returns a 429 (Too Many Requests) error. Monitor these errors and retry failed requests when necessary.

If you need to send more than 10 API requests per second, contact [support@hackerrank.com](mailto:support@hackerrank.com).

## ## Available APIs

Here's an overview of our APIs and their capabilities:

```
API Name	**Notes on Use Cases**
[Test API](https://www.hackerrank.com/work/apidocs#!/Tests/options_tests)	Most popular with our existing customers. The calls in this API allow you to perform repetitive tasks about the Tests module - like inviting candidates for a test, fetching candidate status, including detailed reports, viewing details about tests and the contained questions, etc.
[Interviews API](https://www.hackerrank.com/work/apidocs#!/Interviews/get_x_api_v3_interviews_limit_limit_offset_offset)	Allow such actions as creating a new QuickPad, scheduling an interview, viewing all interviews, fetching reports, etc.
[Users API](https://www.hackerrank.com/work/apidocs#!/Users/options_users)	Users endpoint is useful for creating new users programmatically, such as when integrating HackerRank with other systems or applications.
[Teams API](https://www.hackerrank.com/work/apidocs#!/Teams/options_teams)	Teams endpoint allows you to create new teams automatically, which is helpful when organizing coding competitions or collaborative projects on HackerRank.
[User Membership API](https://www.hackerrank.com/work/apidocs#!/UserMembership/get_x_api_v3_teams_team_id_users_limit_limit_offset_offset)	This endpoint helps you get a list of team members, which is handy when creating tools to manage teams or connecting HackerRank with other services.
[Test Candidates API](https://www.hackerrank.com/work/apidocs#!/TestCandidate/options_candidates)	Similar to Tests API, this endpoint provides a flexible and efficient way to access candidate data, with options to limit and offset results for easy pagination and customization.
[Questions API](https://www.hackerrank.com/work/apidocs#!/Questions/options_questions)	With this powerful resource, you can tap into a vast repository of questions and challenges to drive your organization's growth, improvement, and innovation.
```

\

# [settings/open-api] Candidate Status in API Results Status ATS state

```

title: "Candidate Status in API Results Status ATS state"
title_slug: "candidate-status-in-api-results-status-ats-state"
source_url: "https://support.hackerrank.com/articles/3094540490-candidate-status-in-api-results"
article_slug: "3094540490-candidate-status-in-api-results"
last_updated_exact: "Feb 23, 2026, 12:46 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
 - "Settings"
 - "Open API"

```

## # Candidate Status in API Results Status ATS state

\_Last updated: Feb 23, 2026, 12:46 PM (Last updated 2 months ago)\_

When you retrieve candidate data using the HackerRank API, the JSON response includes two integer fields:

- `status`
- `ats\_state`

### # Status

The `status` field represents the state of the candidate's test attempt.

#### ## Stable values

The table below lists the stable values and their descriptions.

| Value | Description                                     |
|-------|-------------------------------------------------|
| -1    | Candidate invited                               |
| 0     | Candidate session in progress                   |
| 1     | Candidate completed the test; reports not ready |
| 7     | Reports ready for consumption                   |

**Note:** You can build downstream logic only on the stable values.

#### ## Transient values

The API may return values such as -2 or other negative numbers.

These values represent intermediate processing stages, such as:

- Evaluation
- Integrity checks
- Report generation

Transient values are not part of the API contract and may change without notice. Do not build downstream logic that depends on them.

### # ATS state

The `ats\_state` field represents the candidate's stage in the recruitment workflow.

After a candidate completes a test:

- The system updates the state automatically if you configure a cut-off score.
- A recruiter can manually update the state to move the candidate forward in the hiring process.



## ATS state values

The table below lists the `ats\_state` values and their corresponding recruitment stages:

| Value | ATS State                            |
|-------|--------------------------------------|
| 0     | ATS state not set                    |
| 1     | Test Completed ? Evaluation Required |
| 2     | Test Completed ? Qualified           |
| 3     | Test Completed ? Failed              |
| 4     | Phone Interview ? I                  |
| 5     | Phone Interview ? II                 |
| 6     | Phone Interview ? III                |
| 7     | Offer Sent                           |
| 8     | Offer Negotiation                    |
| 9     | Offer Accepted                       |
| 10    | Offer Declined                       |
| 11    | On Hold                              |
| 12    | Phone Interview ? Cleared            |
| 13    | Phone Interview ? Failed             |
| 14    | Technical Interview ? Cleared        |
| 15    | Technical Interview ? Failed         |
| 16    | HR Interview ? Cleared               |
| 17    | HR Interview ? Failed                |
| 18    | Phone Interview                      |
| 19    | Technical Interview                  |
| 20    | HR Interview                         |
| 21    | Hired                                |
| 22    | Rejected                             |

\

# [settings/roles-management] Skills on HackerRank

```

title: "Skills on HackerRank"
title_slug: "skills-on-hackerrank"
source_url: "https://support.hackerrank.com/articles/3872148153-skills-on-hackerrank"
article_slug: "3872148153-skills-on-hackerrank"
last_updated_exact: "Aug 23, 2025, 11:34 AM"
last_updated_relative: "Last updated 8 months ago"
breadcrumbs:
 - "Settings"
 - "Roles Management"

```

## # Skills on HackerRank

\_Last updated: Aug 23, 2025, 11:34 AM (Last updated 8 months ago)\_

HackerRank helps customers standardize their hiring process by providing them with specifically curated skill-based content to test candidates. Additionally, interviewers and evaluators can add their feedback on specific skills through scorecards.

### ## How Can Skills Help Companies?

With skills, users on HackerRank can now use [Roles](https://support.hackerrank.com/articles/9675847328-getting-started-with-roles-management) to create Tests and Interviews. Each Role, in turn, has one or more skills mapped to it. Based on skills captured inside a role, the platform offers a seamless way to create tests using standard content and capture interviewers' feedback on a structured scorecard.

See [HackerRank's Skills Directory](https://www.hackerrank.com/skills-directory) to know more about the list of available skills on our platform.

### ## Skill-Based Insights on Candidates

To get started with skill-based insights, you need to have two things in place.


1. Create tests using skill-based questions. Click [here](https://support.hackerrank.com/articles/7429771072-creating-a-test-based-on-a-specific-role) to know more.
2. Capture skill-based interviewer's feedback through Interview scorecard. Click [here](https://support.hackerrank.com/hc/en-us/articles/360048405234-Interview-Scorecards) to know more.

### ## Purpose of Skill-Based Insights

When HackerRank generates skill-based insights from a candidate's test or interview performance, it aggregates them into a skill summary report inside the candidate packet.

The candidate packet serves as a single source of truth for a candidate's skills within HackerRank. It includes reports and scorecards from all assessments and interviews the candidate completes for a specific role.

The screenshot below shows a sample candidate packet.



# [settings/roles-management] Getting Started with Roles Management

```

title: "Getting Started with Roles Management"
title_slug: "getting-started-with-roles-management"
source_url: "https://support.hackerrank.com/articles/9675847328-getting-started-with-roles-management"
article_slug: "9675847328-getting-started-with-roles-management"
last_updated_exact: "Mar 5, 2025, 11:10 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
 - "Settings"
 - "Roles Management"

```

## # Getting Started with Roles Management

\_Last updated: Mar 5, 2025, 11:10 AM (Last updated 1 year ago)\_

### ## Roles on HackerRank

A **Role** represents a job position at an organization that is a collection of skills aligned with industry standards. HackerRank, guided by its **Skills Directory**, has curated high-quality questions mapped to these skills to assess candidates accurately.

### ### Roles Management

The HackerRank for Work platform's Roles Management module provides a structured and customizable process for managing roles and streamlining the overall hiring workflow.

### ### Accessing Roles Management

On the HackerRank platform, click the profile icon and select **Roles Management** from the dropdown.

```

```

### ### Default Roles

HackerRank includes default roles pre-configured with essential skills based on market trends, user data, and subject matter expertise.

```

```

### ### Custom Roles

Custom roles allow organizations to tailor roles according to specific hiring needs. Only company admins can create roles within their accounts. Once created, these roles are available for all users in the organization.

#### **Steps to Create a Custom Role:**

- Click **Create Role**.
- In the popup, provide a role name associate relevant skills, and save or
- Use **Save to Draft button** to save the role without publishing it.

```


Note: Published roles cannot be edited. To make changes, archive the role and create a new one with the same name.

Managing Roles

Accessing and Using Roles

- View all available roles (default and custom) when creating a test or scheduling an interview.
- Select a role from the list or search using the **search bar** at the top.

Duplicating Roles

- Click on the three dots button associated with a role and select the **Duplicate Role** option to make a copy of it and make changes.

Archiving Roles

- The Archive option allows you to remove irrelevant roles. To reuse and restore an archived role, click on the **Archived Roles** section.

Mapping Roles to Tests and Interviews

- When creating a test, use the specific role from the list.

- Map interview sessions to roles during scheduling by selecting a role from the dropdown.

hRUXOU7r4Q9TsqztSDUWpVC9RJEyDZuFCSdleHNn9qmaGXTx6~QOCh6Y-lzVFtUeCs5w1QAZEVzz9M1UGW83Uw85MMgdOm
BtjZBg2CYiVYi3pUA~PJmmpQH0ARuZodBFLXibHXW7ZOmdo-l6iizeQD8esYnocQov~Yg-AUhx5Yl-iz~MKKzwXhMaWF5dzSCjPV5
JqnJq2Y8QVwgVwlp4m7g4v6-rbKCr4Wisxccj4lTOF4NpdTTnnVCQ__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block"
data-drag-handle="false" />

For detailed instructions, refer to[(https://support.hackerrank.com/articles/8606775858-scoring-certified-assessments)](creating a
test[(https://support.hackerrank.com/articles/1649328687-hackerrank-certified-assessments)]** and **[(creating an
interview.](https://support.hackerrank.com/articles/8404005945-creating-an-interview)

[settings/teams-management] Getting Started with Teams Management

```
---
title: "Getting Started with Teams Management"
title_slug: "getting-started-with-teams-management"
source_url: "https://support.hackerrank.com/articles/1508181842-teams-management"
article_slug: "1508181842-teams-management"
last_updated_exact: "Apr 29, 2025, 3:03 PM"
last_updated_relative: "Last updated 12 months ago"
breadcrumbs:
  - "Settings"
  - "Teams Management"
---
```


Getting Started with Teams Management

Last updated: Apr 29, 2025, 3:03 PM (Last updated 12 months ago)

HackerRank?s **Teams Management** feature simplifies user organization and administration by enabling you to group employees (HackerRank users) into teams. This centralized approach helps manage operations, roles, and resources effectively.

Prerequisites and Access

1. **Company Admin Access**\nYou must have a **Company Admin** role to access the **Teams Management** section.
2. **Navigating to Teams Management**\n
 - Click the **profile icon** in the top-right corner of the page.
 - Select **Teams Management** from the dropdown menu.



Teams Management Features

The **Teams Management** page provides three tabs to manage **Users**, **Teams**, and **User Roles**.

User Management

This section allows admins to manage individual users within the organization.

Search and Filter Users

- Use the **Search** feature to locate users by name, email, or team.
 - Apply **User Role**, **Status**, and **Last Active** filters for refined searches.
- Tip**: Use the **Last Active** filter to identify and assess inactive users within a specific time range.

Add Users

Admins can add new users using the **Add New User** button with the following options:

1. **Email Invite**\n
 - Enter the user?s name and email address.
 - Assign a **User Role** and team.
 - Click **Add** to send an invitation email.



8dec84d-1496-466f-890d-6ebc21d6dd72-ad9162df-0c95-4c8e-8811-7b1aacd22f7a?Expires=253370764800&Signature=nm0W hu8EWwhn6-sELiM9sqQCa5j~y1JfremLRK6RYC82ZK~7WhG90z2Gs1GNCjv7TWwntAwQGsJNWGfSH3ojleqxQcQ28sRerpxzJFzU dRyVPZ-5b2~iyKu26LZhjK3IzomFkXI1F~kNTVFyXwu81~v8K~z6O~ua1jshO6fwfvDDsjX3ZVmJZuUfZ8EYTP7cpqOLc7M0aaw1BGH DLWlrV2CXi8nJytoOdvCPF1uQfoS3IYHMFtm7bTvnd4S7VdL5xPC8Pt1E9ATBbAwTWGH5K9lq9CoUJHGfbJzivFLWq8ZXW7CjGXaf finaep7JnB1762V~gV0OC7EhAIE28Ukg__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

1. ****Link Invite****

- Assign a ****User Role**** and team.
- Generate and share a link that users can use to join the selected team.

1. ****Bulk Invite****

- Upload a CSV file with user details such as names and email addresses.
- Users will receive invitations based on the uploaded data.
- Download a sample CSV file for format reference.

****Transfer Ownership****

- Transfer resources like tests from one user to another.
- Click the ****three-dot icon**** next to the user's name, select ****Remove from Teams****, and confirm the new owner.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735274401458-image.png?Expires=253370 764800&Signature=tnb7eaRQdtdbqGpIO4Ym35up2BqvKINZXbeCy14n9fUUBcLailvtswpNzr1sjymQ1hR7gZ25zD-Qgd6gMFxmsgWg oryY3U3OombpolkTTpqesPDHAp2FFGR6l6JK1ollgvQMCoxyiliDEZjMy7kHLaPgYeqQea7WpTs8U1ilNoozMXyN9i3QD1qS0kESOMC EMppDAK9v42N0h6UAgB7IR6fJ5nDIENm9l1EZKwpeAGoLCP3hUXddnCpxyJq-muWxVpz2EKlu~HV-QMFsIYhyXp23iEzh0MzvY-F- lrxgmgq6KeXXZJrecxPpRlkQTmfmmKwXocSJReNaa3LF6VvdFg__&Key-Pair-Id=K3NV4LZ47N8M46)

****Bulk User Management****

Admins can perform bulk actions on multiple users, such as:

- Locking or unlocking accounts.
- Adding or removing users from teams.

Export User Data

Using the ****Export**** option, you can select the users in bulk and export their data in a CSV file.

****Tip****: Use the ****Select All**** checkbox to efficiently manage all users across multiple pages.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735274763443-image.png?Expires=253370 764800&Signature=IR5R3F20EA6ZtxKxLfR0om9YvR5rFbfm9qJ5NfJeFZF5CXReoO2LkOuWXx844eJ3GWx-BmcaqJRI4uWUOAD5 OcP9PRLkkj~Pm4hgrFkCJhiBDOHOax5s7g6KaWa3g5E4plZoxNrc7xiCgkJP1lfJ6USjqQ0h9EUNA0OSp2KGHE78UOsQN3K0WdKtll VevedtXxCLAIGsmLIKgwFYnlkbwC5IsQj~LpSNqTwjmH6su4Tj8bK5D6yTyQ6Gcc9~ycY1mHi-B63BESdiuvv0o77rEMuXu75kl0fyjDTe RntPnNXbgVXyseV3rH4tPfQuYVRynf1dXVRwLJr88azRC2MSBA__&Key-Pair-Id=K3NV4LZ47N8M46)

****Allow Bulk Export ****

Admins can now manage which user roles can export data using the new ****Allow Bulk Exports**** entitlement. This setting is available in ****Team Management \> User Roles****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1745185775256-image.png?Expires=253370764800&Signature=ltHJ6cLc0gu4vSgoO3-l31Tnn4GhTuF7jrdM5YEQlq7OS~2T2nmDMq4XT~iKzICAv1xPU1JOciJqZru0LU4vek-wOCUK0Z7q9RthBMhovzS0zilKN~14AEprnjUTJEoWPv04EHZJ6UVqlAp5HWsm316WZBDQG5let-0thHvNua3cUr5FKtkgb-NCuWnFkSC7i53BubYYmfZAZeYEFuvklWVTOe7PlfeoEhehjr6z0nurToIBSiB0Pm2WbulNLTgD0m~Jw1bl-WE6Vm1Yn8wCqMhls7E-DO~YJNyUt~n~HCbouqcjLPaFpJoPDI3n~8w9tNFDILqWqlbQMd86Fkmo1gw__&Key-Pair-Id=K3NV4LZ47N8M46)

This entitlement is enabled by default and applies to all roles, including custom roles. When the entitlement is disabled, the ****Export**** button is hidden for users assigned to that role.

To access export functionality, users must also meet the one of following conditions:

- Have ****View**** or ****Edit**** entitlement for the relevant functional area
- Have base-level access to the object being exported

For example, to export content from ****My Library****, the user must also have the ****View Question Library**** entitlement.

The ****Allow Bulk Exports**** entitlement applies to the following areas:

- **Test Exports: **

- Go to ****Tests**** \> ****Export****.

- **Test Candidate Attempt Exports:**

- Go to ****Tests**** \> ****[Test Name]**** \> ****Filter by Candidate Status**** \> ****Export****.

- **User Exports:**

- Go to ****Profile**** \> ****Teams Management**** \> ****Export****.


- **Interview Exports:**

- Go to ****Interviews**** \> ****Export****.

The screenshot shows a web browser address bar with a URL that includes a long query string and a signature. The URL is: https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Ffc4bfd198-3f92-4e2d-9352-72f0d54e6110-AD_4nXce nLFwa-GPhqZ0IH4bwyW9ihaCZSeU7ovAY9vp2B_0uaSxaGwP2XYS7cl2OYxOqNPbj6-8clouOunuYBfaZI4lhyNXrJSqjaqbXlrf91RZE aLnhKBzBfVJU3UU3-f8X8ApmqJJbg-dcebc92-de20-4059-b7eb-b28a703592b4?Expires=253370764800&Signature=TBQz8cX DZJzwB9KUWYkfcE8M5SG-K2nBLwOt7Et3iMM2Ti9gmhxiAO9bHecoANTZq3DTvkbDxObcN504d934GMSU0vITKOYx-qXQZUcQ oo9CrHqLNLiCrt0ajekXmVLcul-dB7ASVSLPtyNk2GhuPt7ELLtFQkt-v2FM-kTSAJ73lx6jzSDdQ-OmWAFmJ2jqeMAD42WCf2kYwyi8n nT-6JNZergVZtNVChm9J10uiUuVW9jYRI21pnHzGgpows2okeXaPmQFCZEuzsrPh8ow2~POmWz-L7dVz8fBhyK7uZxrKYgCXG9dhX C6ltMeh5vwZZw7Qj3xj~NlgsfcoPQ__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />


- **My Library Exports:**

- Go to **Library** \> **Filter by My Company** \> **Export.**

The screenshot shows a web browser address bar with a URL that includes a long query string and a signature. The URL is: https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fff1d8eae-4518-4d75-a931-7e8f27ad6f51-AD_4nXdyu s0GYF7C2tzSjw1apTmkssCp2T8g8n5UJQtuWbXOBKOlyxs1cU8ynL53ewZLSuexu9ca9Nqgy0dY-2WrrjQzlliydPmZg40vaRUA_DXz1 9Gh1giMhnGP1j8C3TX6G4zgfgopuIA-6ef1c4f3-a718-4d98-9e2b-f3425532f851?Expires=253370764800&Signature=q7-Sqj37S bF39pPY9BNA6suQ2CTBTftuMPsAI9S6rik0RQj4VJZLFU-f9EasYT115BzLNuzM2malBxvjku-88zP3uoFA199rfwSVRM4ox1B8M4sD ODCchwRRUvECKVWJ-bVIWryyTR2roLx5D-oH6R0uSHxCLUSV4q5Enh2oUWEvei0EI~XNqBAZbuxgHDMCIJPoOmGGBehOrZ4W0nA GjdzTJ1CK3JJVqx4TnZEGvm~~Hctde-FtHpAlhbWUHK8YO~2mrbJD3bjLYfYy8nUQFLaPyaJKTId5h3JwIVMcqou17cBjdgu2JxNcz u4XVLLR5OZfaUOguz0tdD837Sfr-1A__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

- **Export All Data** (Admins only):

- Go to **Insights** \> **Download Test Data.**

The screenshot shows a web browser address bar with a URL that includes a long query string and a signature. The URL is: https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F90a79e56-4a92-4c90-bc93-c2fc19298756-AD_4nXf8 yrC7W_suh0-KsNHAiqzhmIcUr3dkv-3q7rvadA_Vf6exaR6Lg0ZbpmfddYuRpHDMCUjsGyCODE45_acL_ZAQXQ2UwZYaem9PQThJ o_yT3bObcRslrmTOVpHjQt8fZsDKmoQ-9c7c27a7-0f60-4f1d-9ac3-6aad79baa720?Expires=253370764800&Signature=qRqEKy Q6BU2huBjLaAe31qxaqF7HH04vsxmrtIqG2sZZWsYN2ep47QwARYiv5T0uFBq1UWqtUo~8O5~tEqSHiYL9vYXU8AhVZL4XOqlgk eic6jLzfOPPTv82IQHejJCvWqBf~647QG8~bLvU8FkDlx4Xims-SjE88om5MovLJN6~2g5qKuAiVD~6ISIVzOKz0UsMCNrAR7w5pQX 2yynsE1gdFN6ht5bqOtL5z05t2g~HovRPgD3sDUYy60Wnfne-AWkEplwukpR9nJM6Kmeel8BXGny-KvorZlyVcllkCNAyd0ii3WB2ZMT MUBlXGatclje5A-d9vJyGYENOQFg__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

- **Custom Reports** (Admins only):

- Go to **Insights** \> **My Report** \> **Create Report** \> Add Columns \> Export.

The screenshot shows a web browser address bar with a URL that includes a long query string and a signature. The URL is: https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F2Fe23d8b0a-46f1-49b6-a162-729d139d1f95-AD_4nXes QVke4HkVsLz1K5741tVE1LGOTB9eZ_bC1sMjAzVQcNhWpURYB278jlcwshFVJYh85tsYnycD9s0yFDJmrJ-_OtbbXxHpCDN7fP7pD P8te4Sq4_26icN-0uriSgTWrm2q9JSBzQ-a3119fdd-4b9f-46cd-87c7-31fdd2e5617d?Expires=253370764800&Signature=YYHMF DVbvXET6FdQl7vWYHF5UwCj2Rz1MGxYdokyMfU9kAtbEHfHfweUi~sxEdz5NrQecVLW0JXhVwtCq1~ybUt9UBHSkbJtnYa9LVITs Mof2KL08i3Xrd5q1yn2vGzoVtlyqTBw-0z2AFMTkgYDLcNDj0nPP02bbW4t2~XQnX04JRy-V--MuURbLX7RIBTVjbZrahiBKZodExhKE1 b2Ojk5tQ3o4wjvBM97XczFIMHXiJoNjlzWyEW7AR5MTYrF2zYrk~dpCunzRb45DNU~A1H6fxb5AXyMR9Ccv~PogSMDppazETxF~Q 6MMbwjYvFiMUEn2Rp4YjdjhEDlucQ__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

Access Individual User Information\

Click on a user's name to open a collapsible panel, allowing you to:

- Update their **User Role**.

- Manage their **Entitlements**.

- Control access to their **Resources**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735274537946-image.png?Expires=253370 764800&Signature=HK8TClK4Ej2tMcowjoTYjnst4AgF~gtHuN45U1LWfzp1K7LEAJEJnz6qON0VFzPEW9XmjJNIVm1d5a9GiwKvLzFl phDbgztJtaDdctez-HZ4KPJ7DETJCBViGIH9Jkchw0XTYXXKPyGZYBLJAQTbgV~Y1Kik2wKWaGhinSvCR-HHJletOWzw6TCKKG8 ViLlql-Bja4SH-MzDbyH-ukISBHUMchNEnokz4GydO52GhBYJhiD0mWh1hTbZgU9-KE90mXYWL4LNJikr-Mf-bUb7nA83ucvjKlZVvVe Mglk1cV8vddotHpmfUaxU-EWeXvNXB9pLQEQxnpdb0suKd-2wjA__&Key-Pair-Id=K3NV4LZ47N8M46)

Team Level Management

This section focuses on organizing and managing teams.

Search and Filter Teams\

Use the **Search** bar and filters such as **Region** and **Department** to find specific teams.

Create a Team

1. Click **Create Team**.
2. Enter the team's details, including name, region, and department. The **Region** and **Department** fields are optional.
3. Select team members and click **Add**.

Set Default Invitation Settings

Hover over a team name and click the **three-dot icon** to:

- Configure **Send Invite As** to customize the sender name for team invitations.
- Set a default logo for the team to appear in all communications.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735275060446-1735275028328-image.png-8ba3b8ad-5b91-4304-84d3-8542c0150071?Expires=253370764800&Signature=JFtcRUm~qZPMYNqe2aS3wt9OetUr~yC1TZ0fTdJclMtx9SCSxKE4P3csNrJNFdVBqEzzJdNVeOF8D5LnUQ2ddrsaSps8CsRZjCe4wto61REIT8qCiug0mcAySYeEFVEq77DiaHJnQ9mWXln0LmpgMPKXCT9DPwjePKZzz5bEGJsyjCFyMIhTW7Y7whVLYzxFjxQxTs0jq9c~AEvEn-RE-54vSNj3dq3tLexMuD88yqh0frp7jqUXeuoenmXwxHYHfl944w8pLdQw3RjF~K5Q-ZafDxGgCnNr1Cj7pv0VJjOoEPTBHos1CGCSHFk0ZhV0RdkKRN31489H5t5gYkOCw__&Key-Pair-Id=K3NV4LZ47N8M46)

Manage Teams

- Open a team to update its membership and roles.
- Add or remove members and change their roles to **Team Admin** or **Member**.

Delete a Team

- Remove all members from the team before deletion.
- Select the team and click the **delete icon** to finalize the process.

![[Screenshot 2024-12-27 at 10.21.39?AM.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735275230724-Screenshot2024-12-27at10.21.39AM.png?Expires=253370764800&Signature=QhMW4vUebEx5qvhmCw-e6VgvNEaCkqmx9vzFkurlfrHkk8cSXsm0LU~SolrevLczcFUMZiCiMTsVixX0VIM17GBsLLwGzH3eJryH3SGnT3cLy83Ld6ZGfev298jZ0uGqbG2GYLotf7kWDtqfTC8cAWA1BT0TqCFr4uRTAU1G4hhrfldDq7WjwehVbZqKG79XfXkuDpplaTwxZulYAMyz9CpsUv9sXVkhJunvLqYyqy2b0Zln4hmtNckUhlJL47xRqVRm4BcF8VsFKjzJKQDX8PXIK08yZY1q93Q7XxepnKdXNK3FBzpO7QMRiOqU6AQWFKHwW0RwizKCzu5yU2rUw__&Key-Pair-Id=K3NV4LZ47N8M46)

User Roles

Manage the default entitlements assigned to each user role in your company.
For more information, refer to the [Flexible User Roles](https://support.hackerrank.com/articles/3929488044-flexible-user-roles) article.

\

[settings/teams-management] Modify Entitlements for Interviewers Prerequisite Mod

title: "Modify Entitlements for Interviewers Prerequisite Modifying entitlements for interviewers Available interviewer entitlements"
title_slug:
"modify-entitlements-for-interviewers-prerequisite-modifying-entitlements-for-interviewers-available-interviewer-entitlements"
source_url: "https://support.hackerrank.com/articles/2072399562-modify-entitlements-for-interviewers"
article_slug: "2072399562-modify-entitlements-for-interviewers"
last_updated_exact: "Mar 12, 2026, 2:43 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
- "Settings"
- "Teams Management"

Modify Entitlements for Interviewers Prerequisite Modifying entitlements for interviewers Available interviewer entitlements

Last updated: Mar 12, 2026, 2:43 PM (Last updated 1 month ago)

You can modify interviewer entitlements to control access to tests, interviews, questions, and candidates.

Prerequisite

You must have created a team.

Modifying entitlements for interviewers

To modify entitlements for interviewers in a team:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Select your profile icon in the upper-right corner.
3. Select **Teams Management** from the drop-down menu.

![[team
manage.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1773208948896-teammanage.png?Expires
=253370764800&Signature=kxcmoblnAPAfzZvgl~7U9sX8xf~02aOTjop5JQHUny1ruVBKLokYjmlLYSaCSSMZjdho9C0Zs5v0MmT0W
WGOwi0GiOenbiolJH3L62dPvZtr6i1PWhRBXUn7NJCWSHsF2Y9Yo7P1ZxcoS2N~tMIJz6Y3Hk~Vtc0cMAs2EH0v5FUcqrPTMS3fK-
ublsV747-a-Oh2oiCpkulQ9e8~ulbN3qpiglkzOeqgCTnUa5zyYH7DcXawbO9Gi2VrRqdE6iLOWmHqZk8xfo0tY8EuFVmzsztLvX~hG~k
FEpY7ayUL5UYfu8aR3vWQKwJ~uKJNcrUNggX8oPf9kWWWE7ZUVfnPXYQ__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Go to **User Roles \> Interviewer**.

![[interview
entitlement.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1773209163006-interviewentitlement.png
?Expires=253370764800&Signature=irYJGvOMZfMxkypULqDxP~BExNo~k6vDPQEboIYcOLNReldDsCj3Szb-E0UY531ktraW4RqXM
KXMMjbnfsQqzO42DI28ZaujHM6Nwl3ZHDZ7c6FqIIrjqrmqebi38aD6~ZmDYD0c8--F0XFCNxKbKg1AjuthUlxapk~QSMh4hJV1d4i-rR
SJ~THazBqoVITgQHjAWMqniVI8PWWmkWwzvfngs0tKlzYEGdOsM4WApbfZrX20Jq3nd5vYgbsjjfrYSeJtUt39cf9mbyo6nJtPu04hTonl~
YOIPaViTGCGDIQrj2T-PGPaEd~W8emJpCFObZwvbr-FLINJXGAEm4Yn5kw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Review and update the entitlements as needed.

Available interviewer entitlements

You can manage the following entitlement categories for interviewers:

- Tests
- Interviews
- Questions
- Interview templates
- Interview scorecards

- Exports

Tests entitlements

![[testentitlementforinterviewer.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1773295436841-testentitlementforinterviewer.png?Expires=253370764800&Signature=ZfohzCYwS5lrNjXBMBVFwjVX1WiJM1yNy6k1jZJXN-fp73PRNJKDcjfd358rjZhP6LMoJly~kDpvaXGP0BZ161zBbYIXreT-oJ7rezcJyoTlPkFC2mjdWGJvstEecgO4kHtuzd4NI-3NyJ3x4nAyhyRQg-E8vTrxLx6JGKcMXNRMX0Rwh7nY0g52TcNsEcG09kN1mcm7muOfx8BrZm90fM1C8BXm9ViLKrWqLupzy9vuF9vUD~ptGYRcvy5NexypjHyCM6ht2nKRqk7xiKakselSVMrgFWksn6PoP-0GvJ3z3BOWLL1RKp1zEOzaxPLY3z8ABlgxx77TaqLcsaZJdw__&Key-Pair-Id=K3NV4LZ47N8M46)

- View Tests Reports: If toggled on, interviewers can:

- Download PDF Test Reports

<!-- -->

- Access to Shared Tests (within teams): You can select the access you wish to provide:

- No Access

- View Access

- Edit Access

Interviews entitlements

![[interviewentitlementforinterviewer.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1773211101870-interviewentitlementforinterviewer.png?Expires=253370764800&Signature=DXYOAAkUp1PDSxvKMrWQEipm8i2czKa5hLiB~4s58n-YIPNSfZduwN2hbwf6~n6R5XSWglDfBMd4sV-vrS2WIMe9uNiILyNA1UvArM6EsJeRNWoxzV8PC7UXAm35ktR9tALSrama7aF49Ie9156z8GZ34wNGhpLU5iE4QP8J5OQiCuxKBeXFDKm4uTkLv2Qpq5Dsv-uuUgRnYpVKiq0WBdh~u8x5m0TSIVJV3kgsVo3DH72ywGo3fDyhah1FwwftzJvZ-u8eEDcE2Q-0HcnEMPmPC8r-jaQZkKvoL-VwsW3CNAU3mgLstlLaNDFKObnwO2xknAToXfKIWgRPIMz8gg__&Key-Pair-Id=K3NV4LZ47N8M46)

- View Interviews: If toggled on, interviewers can:

- Create and Edit Interviews

- Delete Interviews

- Conduct Interviews

- Leave Feedback on Interviews

- Add and Remove Questions Outside Assigned Template

- View Full Interview Reports

- Access to Shared Interviews (within teams): You can select the access you wish to provide:

- No Access

- View Access

- Edit Access

Question entitlements

![[questionsentitlementforinterviewer.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1773215044925-questionsentitlementforinterviewer.png?Expires=253370764800&Signature=YCa6p7zUAgm3oT-eVZ3osJprUh4D4KVcTs9R2tEKWigZ4fjnH6ef-9M5-DdJirt4Sg0fp1evM99h8BBGrfg26jh-1VWNNXr-XNs2L5PUKHiqmGNWtwfWuu3idGofXhDd~4Xv9xemY0IO0YpBUu0zg~HySlpoVyHibmHKsXzKeBH~tw2DBOqWnx7M-gG0m4iA~AZuD3-rnLLdNdckin8EEy96MBEMxg6l3KuGkjeXxwEeCbaf1Xol-LtGQl5bh6S7bNGm43BXijzVnJUknfE023TsmfqpPJUCBlgZCH-SGTJcc3ZlfUgqWBo2mDIQ0bXQRH~PPtxtoTE~Trxwtq8HQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- View Question Library: If toggled on, interviewers can:

- Edit Company Questions
- Create Company Questions
- View Question Insights
- Access to shared questions (within teams): You can select the access you wish to provide:
 - No Access
 - View Access
 - Edit Access

Interview Templates entitlements

![[interviewer tests.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1773215109750-interviewertests.png?Expires=253370764800&Signature=KXz4vEnGfiGXPxPU3dTtXF2KWxv4bl5x28Mn5N21grESmyCjgK1MG9LhCA0NcXTpLZl2oMa4x3u9uxU~I2t-bKF2SD4g6yUBNoDw4uXm05tOYPskAZvjGosa8Gd8Xu8pd-HZeLEMas-6sH1~3T~Leuqr3yNt-lqzFHN3QOTglHPDa3C5WYw3EEZNWoPAUIAcGUbcQsrXQ0wOToyB~uyGaRN11oT6k1Ey6TI2lwVUiW~IacTQyOPRKOhtllyQpv7FAxMI3P82IR8OmDrl9viaBjmRCvclDnnMVgR0e-ID2meAAij5ImTqu-AB8GZTN4cYzLlymRI8xhLbJFPhSkLg__&Key-Pair-Id=K3NV4LZ47N8M46)

- View Interview Templates: If toggled on, interviewers can:
 - Create and Edit Interview Templates

Interview Scorecards entitlements

![[exports.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1773295352802-exports.png?Expires=253370764800&Signature=nSeGxi9yHKG8cOLcBpHgXqQooZbDx07uP-XxgGCLW56SpAJSIBGqM~WaNq23quD2ttaTOPhUpyNodFnxQVDpafXMCN5L7M-gpLu3CFK1ljxNK7uO-11I0bVJKMeVA0Nn9IEBaexQmbXP8PR9IXB5gKhgODLjLNcMJRJ8R7W~usMY5rXOwQetwpy4Fu-l642b2juzg6heOVJwVNsqqecmm39dm1nzWpDWITZkbOSIZFUUwj6xV8kY-HCJdrNqXCJTOiPSoXZExZWk4YzhNqeVsf0aDPRGsrelMv7pdwH9PvxN~Q8lQeX3BiBnnTSv~9ZM4iSfiZUmiR55BQdiRDLx1w__&Key-Pair-Id=K3NV4LZ47N8M46)

- View Interview Scorecards: If toggled on, interviewers can:
 - Assign Scorecard to Interviews
 - Create and Edit Interview Scorecards

Exports entitlements

![[exports.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1773215134866-exports.png?Expires=253370764800&Signature=YtAXDSzIFXNUpjKuvqO4UoF-00MFBjfAGmlQo8IOFsae8FEEEQ8LKqDARfHbq5MBaIMLvMSlhJ3fw8Gi5wdEcizzNyP4cwz~px3HWDtK1TLA4tvBTRxRI~9XI0xvhxreMJmhXzvrHbUpiGMgdNxrV~ZHWoEQyizGT275s7o007Mfx9WYaggqhkP3HwyGzZ276UBRkURt9BZPn5tOHfdJlZbsMHut~Ylcm~kxv0XSFCuA-q6vjCdQoDf2ipjkkLNBrESKvGS-ubiw5AF0FG72Fe4j~RM60nb-BsXuM8hNh3lq0-lollfy5fPnp35~PUklKLipfhL2qheKJvz~Xt3KA__&Key-Pair-Id=K3NV4LZ47N8M46)

- Allow Bulk Exports

****Note: ****

- All sub-fields can be toggled on and off based on your requirements

- To learn more about the entitlements, see [Available entitlements](https://support.hackerrank.com/articles/3929488044-flexible-user-roles#available-entitlements).

\

[settings/teams-management] Delete a Team Prerequisite Deleting a team

title: "Delete a Team Prerequisite Deleting a team"
title_slug: "delete-a-team-prerequisite-deleting-a-team"
source_url: "https://support.hackerrank.com/articles/2181136239-deleting-a-team"
article_slug: "2181136239-deleting-a-team"
last_updated_exact: "Mar 31, 2026, 3:11 PM"
last_updated_relative: "Last updated 4 weeks ago"
breadcrumbs:
- "Settings"
- "Teams Management"

Delete a Team Prerequisite Deleting a team

Last updated: Mar 31, 2026, 3:11 PM (Last updated 4 weeks ago)

HackerRank allows you to delete an existing team.

Prerequisite

You must have Company Admin or Team Admin access.

Deleting a team

To delete a team:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Select your profile icon in the upper-right corner.
3. Select **Teams Management** from the drop-down menu.
4. Go to the **Teams** tab.

!teams.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771855347626-teams.png?Expires=253370764800&Signature=aRIQMr-hPeNv5o2Pcr43l~oNNloQK8svzCyzvDI6Kyig1vi29y~deSHuuRAws33356CeMSASjyXG-1Rg0X6diuAfgyt-7B5MRO5Kc6zmj~cbQnoGsnraRYFd6H8XlwJTHla-lllRV276x74Dzg7atnwZqGHoCYcbqQw8Eex52~Nq1IEL4RQI837wxumhCKv2lt5o~be3H4adwLMPJQLuWzx3XUvbtTt1ZxgzUKDyz29ljUZ5Nzjrcif-1n8jW~hajrPZw4nDdc66~deuWGWZlilj3xGd5cbfpFqw5P~yelKRnB3lpmAkHRBEB8haw3vHTud2HJOiIL7vUL3p0Fa3QZw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Select the team you want to delete.

6. Click the delete icon.

!delete1.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771856386803-delete1.png?Expires=253370764800&Signature=XnPvFz506GbFYI5Ur--gXTLO8zAllynUd0aKbn2DWG9wcBn8wDlxha1e5zn9Mtl0TzKtMmVeijL8z3GYikYru-db62iaYlCcfKNvoTCI4slHrq6dce9DC4Z8VFRGYxzUhSSSrPL-kHsmmjBu8d3m01DyU6bOzCC6bQJvZlZ6KL0LSx7lkMMxaOAdMS9h~0pBzDaE8eNaP4nFd3hklhuTTc4ijw2tyTvTwV6kujJKtvLEimrwELQgz5XeGeW15tGDxcX2bQonCNYFMCzwo4Z5R3Rcb5Pr7Y27KUgFrpyMLPGLcj1BdEMyTeqSbRd4ydREA-CCrXNSlJ9aXGdR5y9ebA__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: Remove all users before deleting the team. For more information, see [Removing a team member](https://support.hackerrank.com/articles/2203617737-manage-team-members#removing-a-team-member).

7. In the confirmation dialog, click **Delete Team**. A success message appears.

!delete2.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771856593022-delete2.png?Expires=253370764800&Signature=MWRnu7P8QIGCpd6x5AkdT5CSSBdlS~tGi0Jj68Ckh4GnO8M0shU-eQtgEBCLGfGQ9e1x7xPK5jYMzbzF4SvGZQfK5n1iN2la33zLkF2leUI4T-gimrWHCjmRFN3rN6Wpftjahp5Be52cxK~AzKzP-HAWC6NDXH7JIBWhqdk5ODWbNGtTzcmki4jbaGjFfQPmT6q9wni4NrfCxEja8LpkR~PvbjiNR325PZwSivCmJa3R2AB3L-sXi~Wri7QZVM7pvD0GKH7y7Bd-ne-JLOsXreYQ0Xadf70XH1IUT9m8cl2mn9HxuYuMvyX-beBEMtCnOF~EGfeoBG~iqV7BS5yg__&Key-Pair-Id=K3NV4LZ47N8M46)

\

[settings/teams-management] Manage Team Members Prerequisite Managing team members

```
---
title: "Manage Team Members Prerequisite Managing team members"
title_slug: "manage-team-members-prerequisite-managing-team-members"
source_url: "https://support.hackerrank.com/articles/2203617737-manage-team-members"
article_slug: "2203617737-manage-team-members"
last_updated_exact: "Mar 3, 2026, 3:30 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
  - "Settings"
  - "Teams Management"
---
```

Manage Team Members Prerequisite Managing team members

Last updated: Mar 3, 2026, 3:30 PM (Last updated 2 months ago)

HackerRank allows you to manage team members to control access and permissions. You can add or remove team members and update team member roles.

Prerequisite

You must have Company Admin or Team Admin access.

Managing team members

To manage team members:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Select your profile icon in the upper-right corner.
3. Select **Teams Management** from the drop-down menu.
4. Go to the **Teams** tab.

!teams.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F7b0c9788-c811-4d97-987d-7e607f46ca89-1772517693085-teams.png-70dc7657-9b94-48de-8e7f-24e0015183e4?Expires=253370764800&Signature=DkvZsAGtgjZaTkjcFaKFW57odm16QTRy06Y0AAU0kb~6s41NgKqLkhozQzdyPTZSetJJ-s4W0T11KT5I5P3SZO7DaOfciGf6D-zjxtT6QZ0LgUxijyEeUTNpIA7zdh6jobsWG5fhMBjC5mCxS4~GRQu5izwm5SNphXjgM874ejlRbqLEDNwV4NiePSdBjVOjGnf9pcZbHnfP9sdvS~ijy~vbRI~zCsLPi64L68bDclRH6Fz41p~sDZKrdsgAavp6iG5jFi1LyZl7fPq~5~6f5No8jUq1g-3YQEgT57n6U7IAkJMnVOpx0EkdmfNLfNcTKfY~xrQtQ4PPzrlcZJgCw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Select the team you want to update.
6. Select the **Users** tab to add team members, update their roles, or remove team members.

Adding an existing user to a team

To add an existing user to a team:

1. Type or select users from the **Add Users** drop-down menu
2. Click **Add**.

!add users.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Ff9d2fcc0-73f7-4cd3-b5ed-79c9f7e12c86-1772518280057-addusers.png-037aa9e0-45aa-4978-8048-04be06054a59?Expires=253370764800&Signature=LIT-XsZTZXceXG0y~I5JX6os33KyeOQ7~H-i6yMb8mIWTKscQB9e8aj2XEAZ3TcrFpbGX3RbenjJCFJxR1MCreXGue2j706MV1JsXbcTFvdBDLnsikxoyXbK~edBg~Hp2K12Ls8opWclAmgX2DSGlP9cPqdHwzRyLO-ICJbjdSRetFDulyQOhQrtsytiazTeiKTKl~mTQTZpZWu8X~FA56ufe85FZCpAJfxhSdH-bYsHwFIQPPXDBwkyKWnDjqlTMEeA4mluIWnGnJ~Pah6UxWAKvxXucPAC-Q2bj0EhIWov~ARo-soVQoPqOO6KBTHkLMwwwJRtCnr75jslErnbkg__&Key-Pair-Id=K3NV4LZ47N8M46)

Updating team member role

To modify the role of a team member:

- 1. Locate the user in the list.
- 2. Select the **Team Role** dropdown.
- 3. Choose **Team Admin** or **Member**.

[team role update.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F11800322-647f-4227-99a3-821f943cddf5-1772518239711-teamroleupdate.png-c990113b-fa2b-4398-aa7b-aa7367565fc3?Expires=253370764800&Signature=bmfzFBUD4vmgsXFMQZwEs~m6SdB8Wj2cxjL15PEpIUkwnS~r~OrVOHntgC7dZ5CrEF28PSj3hLQ3uBk9UY-4YYtpJ~NNW19jrVq87RJNYC6JuAandPgKQZZO3dfkovcJehVHS0iSohVVJFCAdGyXyg5DBbZSjTRMQctpv0H7jpPC1fmNRneCoVVal~74WmOiVMusQhdE0H6qFtDAMGkJ~jeawBnGvfXxDAGbYDs2ShRKA7wMs8UaKWuvFvBiwg4W0g18mNkTgYgstyuUfDWU16RJoVZzc6bBE03XAMbVaPJx5CYey4Ggw4dne8KTppetjUECrIxZJv19485qp7IRQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Removing a team member

To remove a team member from the team:

- 1. Locate the user in the list.
- 2. Select the **delete** icon in the **Action** column.

[delete team member.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fbcbdb56db-b067-4ae5-ae43-e5806fa06742-1772518418701-deleteteammember.png-4bfa9117-f1f4-447d-bde8-e1bd08163c6b?Expires=253370764800&Signature=DeOy4vQU~3zIXEfYmxq4GtEJ4DmlzHxPqgiiSI6NXLBqK3li7vdO9imwIjINn2s75jbgddKn4A0u5BjHXjgxVW5l8T86FAGU105W3ZEXcd0Dtm9NLW-oS3o7rhu3KG4tQZ201Ta6L0CTOyJPhKp90dAjucK80dvib1uEEqBLJe4YN9MHqZZ~hGYrg35pNEkHltR5O6btEm7M4QpKzngse-AD~MhzAkKOzGfB85M0uX5AgWfMWyrtK9Oyo8IDGUed~spn-MRJ~kEMg9FV7zbMpAqkxagbj2NSOwQAOKmwtmi3DTM2hg24a9DaPB2cEiXfHIPFGy9vE4Zy~Ai7PDY22w__&Key-Pair-Id=K3NV4LZ47N8M46)

Note:

- To update the team role allocation limit, see [? Update Team Role Allocation Limit](/articles/5385128303).
- To update the team settings, see [? Update Team Settings](/articles/3481284381).

\

[settings/teams-management] Update Team Role Allocation Limit Prerequisite Updati

```
---
title: "Update Team Role Allocation Limit Prerequisite Updating a team role allocation limit"
title_slug: "update-team-role-allocation-limit-prerequisite-updating-a-team-role-allocation-limit"
source_url: "https://support.hackerrank.com/articles/2788636010-update-team-role-allocation-limit"
article_slug: "2788636010-update-team-role-allocation-limit"
last_updated_exact: "Mar 3, 2026, 3:35 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
  - "Settings"
  - "Teams Management"
---
```

Update Team Role Allocation Limit Prerequisite Updating a team role allocation limit

Last updated: Mar 3, 2026, 3:35 PM (Last updated 2 months ago)

HackerRank allows you to configure role allocation limits for an existing team to control how many users you assign to each role.

Prerequisite

You must have Company Admin or Team Admin access.

Updating a team role allocation limit

To update a team role allocation limit:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Select your profile icon in the upper-right corner.
3. Select **Teams Management** from the drop-down menu.
4. Go to the **Teams** tab.

!teams.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2Fd6a873fc-6815-49b2-9e30-50dcf811312-1772519093706-teams.png-6e28ff9f-e4b8-4a15-b901-769a259ac908?Expires=253370764800&Signature=hH49aERcAqBgLham81k9kyYSS~YKlpNI-riPdaxn1iArfQ37QL0jCXWJgbwE4nGYHYa61hQxQRR0sW1w7DgeUwUjQJaKPw4fkGzWczMIHuSaY~ZmvYi5yCNA CMNxLQ2U6qzJasKihU1fc3FJtnrMk7aD2Yq-bE3rRI6xn7~4Oum~n~JtUdFETOMxPxTBSqpnYOCPPqFxyzwqQfCZTJkCL5Ua~Pt2WEJ6S~fR-efXsrBzwb26XfV4SHcRephio-MUH-aZPQ0kL3ldZ4S3Q0fBRbUYT6wEoorlhOdwTgiUD2Y8RM41zqyE-V4~fCrEfrJkgAakTP9cwc4RA7By8CR9Jw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Select the team you want to update.
6. Select the **Allocation** tab.

!update_team2.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F46c1e05e-89a4-464f-ad28-841c6290d0f1-1772519270719-update_team2.png-6fc53fdc-8607-4915-9844-48285792bd6f?Expires=253370764800&Signature=YPPWWJxfinNg7Uffh4vvjVJYxd06DDrRSg-wWrMBUUKtP4KGNkiglDaGoJJxu3DPYNB3DtgnZZwjDbECz8keYbz-nNwbUOoxWPQerg6fxN81JGK4d5bq9GGemUDvHWHegsAluMDX3oeLuxaA060dFgtnBSf8UgVTZW6EwSsL3Jw655iELCMAtcXWEku6JdHUMnvtHnW3j-5vmGqfkxN3JJX8JT~ROt61xk~WNK-u1LWPtT0FhafAuCEUjBrqvqfA3Ee00vO2w0F0gmN5US6nsUOd9VkkUgZWj7Jmz4gw2X8SyZ0cNKsgmAdmbt48Vn36INI3e5MDCATOPv4AJ-IA__&Key-Pair-Id=K3NV4LZ47N8M46)

7. Select **No limit** or choose a numeric limit value from the dropdown for each of the following roles:
 - **Recruiter Limit**
 - **Developer Limit**
 - **Company Admin Limit**
 - **Interviewer Limit**

For more information about roles, see [? Types of User Roles](/articles/9603546665).

The system automatically saves all changes.

****Note:****

- To manage team members, see [[? Manage team members](/articles/2203617737)](/articles/2203617737).
- To update the team settings, see [[? Update Team Settings](/articles/3481284381)](/articles/3481284381).

\

\

[settings/teams-management] Update Team Settings Prerequisite Updating team settings

title: "Update Team Settings Prerequisite Updating team settings"
title_slug: "update-team-settings-prerequisite-updating-team-settings"
source_url: "https://support.hackerrank.com/articles/3481284381-update-team-settings"
article_slug: "3481284381-update-team-settings"
last_updated_exact: "Mar 3, 2026, 3:27 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
- "Settings"
- "Teams Management"

Update Team Settings Prerequisite Updating team settings

Last updated: Mar 3, 2026, 3:27 PM (Last updated 2 months ago)

HackerRank allows you to modify team settings for an existing team, such as the team name, region, and department.

Prerequisite

You must have Company Admin or Team Admin access.

Updating team settings

To update team settings:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Select your profile icon in the upper-right corner.
3. Select **Teams Management** from the drop-down menu.
4. Go to the **Teams** tab.

!teams.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772519528971-teams.png?Expires=253370764800&Signature=AVFn9-Dd5I64moLcEc0jK0pamD9--7VWqqsS-3K3gne6RcW4er4CzWVz4iq5ZKbQdzQkCh9cktXf8dXV-fYSm9cl1jRkZsHeo43-6lVN5hw2lhUSsPOY3b6E2eC-bgXioKEA-Wuuy~OvtPHYzIBqgMnBaFPJbqPUUG1Jnig1J11hhEpnGFNEGXvMJzAiORJboaVpcbwvTqSPROkVjUNIS0JlesWjyod7OcMsY6qNf44FxKZP06O4W3sLn27yy-NNnkQ-3SeSdUDpsk6jupxe00krmCobjsfYFQpHZkAT4MSQ0-pmV3tNded3La0laRHaZiPnt-AZsF0zT~3jF0TuNAA__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Select the team you want to update.
6. Select the **Settings** tab.
7. Update the **Name**, **Region**, or **Department** fields as needed.

!update_team3.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772519660312-update_team3.png?Expires=253370764800&Signature=Ltd0fSqV9zrZPTIBc3OPrFglqbbr9OOgBdBFIs0j~EfYbKZiiP2E~I9xkUBliAMb40dUcqFdiOeQTnpSsdZQPXk3JVW~e6BrA8Kr5GK~Ku1PNVyhOgRnlef-ggK64vwjD5z0T9PwWfXwDSflz12t6rXELuAzAZfl3Y~TXbftsAbVYoHw718~Y0Bcdx3TDorplHdJO5YguY0Lzl8e-AUIhEHwQzzbM3NreFusBI0J70trEYYHhZsLiqsCgLnwd6wL5fSg8-B4RyeACjmNVKRYOFRYL7vyBbbLZ4E5tlgPbtSMmz55oSuyTopLnCmCmGBMGwWiKDdDaLewYQelmHlrcA__&Key-Pair-Id=K3NV4LZ47N8M46)

The system automatically saves all changes.

Note:

- To manage team members, see [? Manage team members](/articles/5960489939).
- To update the team role allocation limit, see [? Update Team Role Allocation Limit](/articles/5385128303).

\

[settings/teams-management] Flexible User Roles Key features Entitlements Accessing flexible roles Available entitlements

```
---
title: "Flexible User Roles Key features Entitlements Accessing flexible roles Available entitlements"
title_slug: "flexible-user-roles-key-features-entitlements-accessing-flexible-roles-available-entitlements"
source_url: "https://support.hackerrank.com/articles/3929488044-flexible-user-roles"
article_slug: "3929488044-flexible-user-roles"
last_updated_exact: "Mar 6, 2026, 12:16 AM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
  - "Settings"
  - "Teams Management"
---
```

Flexible User Roles Key features Entitlements Accessing flexible roles Available entitlements

Last updated: Mar 6, 2026, 12:16 AM (Last updated 2 months ago)

HackerRank for Work enables administrators to manage user-level access using the Flexible User Roles feature. This feature provides granular control, allowing administrators to customize user entitlements based on organizational requirements. Flexible user roles help organizations improve productivity and efficiency while maintaining secure administrative oversight.

Key features

The flexible user roles offer the following features:

- **Align user roles with workflows**: Customize user roles to match specific responsibilities and processes, ensuring each user has the appropriate level of access and capabilities.
- **Granular access control**: Manage user permissions precisely to protect sensitive data and maintain compliance with security policies.
- **Adapt to change**: Adjust user entitlements easily as business processes evolve, allowing your organization to accommodate new requirements or role changes without operational disruption.

Entitlements

Entitlements define the actions that users can perform within the platform. They control activities such as viewing, creating, updating, and deleting tests, interviews, and questions.

Note: HackerRank offers four types of user roles. For more information about these roles and their default entitlements, see [Types of User Roles](https://support.hackerrank.com/articles/9603546665).

Accessing flexible roles

To access flexible roles:

1. Log in to **HackerRank for Work** using your credentials.
2. Select your profile icon in the upper-right corner.
3. Select **Team Management** from the drop-down menu.
4. Go to the **User Roles** tab.



Customizing user roles

To customize a user role:

- 1. Select the role you want to customize.


![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1772736319695-image.png?Expires=253370764800&Signature=UE-hzVzu2XhuYKisSPxYTxxfYFexSXTGjp51TnlsfUYTR-3bdExOq0rbROIzLB2~WICTEeweytPiCHerqQ7OubeUVX73CrfeYaTKj8zcfiZDIks9xX2zV1y9hH4dePHXxMBs~DLgf0uQ41tTMBXvVeVJelXQQVJJzZDwP6iiD--1tCRLVOWY0vvDPLECOSt9mxv9zzC5doAh3YIXX6y7i4lumxrmXbcPFVRIA~ugcn8VZGFRmbwS5Nmegd5GUfflqT0dojpejaS5AbOFN13t9h33Y9Nh0kBoLGxNBG3~pOPfn7utGXx91-brRz1FidtrrJGIMjqnrpl1JunOljw__&Key-Pair-Id=K3NV4LZ47N8M46)

- 2. Turn on or off each entitlement using the toggle switch next to it.
- 3. Scroll to the bottom of the page and click **Save Changes**.

Customizing entitlements for individual users

To customize entitlements for an individual user:

- 1. Log in to **HackerRank for Work** using your credentials.
- 2. Select your profile icon in the upper-right corner.
- 3. Select **Team Management** from the drop-down menu.
- 4. Go to the **Users** tab.

The screenshot shows the 'Users' tab in the 'Team Management' section. It displays a list of users with columns for Name, Role, and Entitlements. The 'Entitlements' column for a selected user is expanded, showing a list of entitlements with toggle switches. The entitlements include 'View Tests', 'Send Test Invites', 'Edit Tests', 'Create Tests', 'Clone Tests', 'Delete Tests', 'View Test Insights', and 'View Test Settings'. The 'View Tests' entitlement is currently turned on.

- 5. Select the individual user whose entitlements you want to customize. The user's entitlement details side panel opens.
- 6. Turn on or off each entitlement using the toggle switch next to it.

The screenshot shows the 'Users' tab in the 'Team Management' section. It displays a list of users with columns for Name, Role, and Entitlements. The 'Entitlements' column for a selected user is expanded, showing a list of entitlements with toggle switches. The entitlements include 'View Tests', 'Send Test Invites', 'Edit Tests', 'Create Tests', 'Clone Tests', 'Delete Tests', 'View Test Insights', and 'View Test Settings'. The 'View Tests' entitlement is currently turned on.

Note: A user's entitlements are restricted by the maximum entitlements granted to their assigned user role. Users cannot exceed the limitations set for their role.

Available entitlements

The table below lists the entitlements available in HackerRank for Work, regardless of the user role.

Category	Entitlement	Definition
Tests	View Tests	View a test and all associated questions.
Tests	Send Test Invites	Send invitations to candidates for a test.
Tests	Edit Tests	Edit and share a test. Add or replace questions only if you also have the View Question Library entitlement.
Tests	Create Tests	Create a test. Add or replace questions only if you also have the View Question Library entitlement.
Tests	Clone Tests	Create a clone of an existing test.
Tests	Delete Tests	Delete an existing test.
Tests	View Test Insights	View the Test Insights page.
Tests	View Test Settings	View the settings configured for a test.

****Tests****	View Test Invites Settings	View the invite configuration for a test, including invite expiry and public and private URLs.
****Tests****	View Test General Settings	View the general configuration for a test, including role, work experience, test label, language, and test expiration time.
****Tests****	View Test Access	View the test access details from within the test settings.
****Tests****	Access All Tests	Perform any action on any test in the account.
****Tests****	View Test Reports	View detailed test reports. View candidate details from the Tests tab if you also have the ****View and Edit Candidates**** entitlement.
****Interviews****	View Interviews	View interview details, including the report, excluding scorecards.
****Interviews****	Create and Edit Interviews	Create an interview and add interviewers, tags, and candidates. Add templates only if you also have the ****View Interview Templates**** entitlement.
****Interviews****	Delete Interviews	Delete interviews that are shared with you.
****Interviews****	Conduct Interviews	Join an interview if you are added as an assigned interviewer. View assigned templates only if you also have the ****View Interview Templates**** entitlement.
****Interviews****	Leave Feedback on Interviews	Add or edit your feedback for interviews you conducted. View only your own scorecard in the report.
****Interviews****	Add and Remove Questions Outside Assigned Template	Add or remove questions not included in the assigned template. If disabled, use only questions from the template.
****Interviews****	View Full Interview Reports	View the complete report, including feedback from all interviewers.
****Interviews****	Access All Interviews	Perform any action on any interview in the account.
****Questions****	View Question Library	View all questions in the HackerRank and Company Library.
****Questions****	Edit Company Questions	Edit and share company questions.
****Questions****	Create Company Questions	Create company questions.
****Questions****	View Question Insights	View the ****Question Insights**** page for company and HackerRank Library questions.
****Questions****	Access All Company Questions	Perform any action on any company question in the account.
****Interview Templates****	View Interview Templates	View interview templates and all associated questions. Add templates to interviews only if you also have the ****Create and Edit Interviews**** entitlement.
****Interview Templates****	Create and Edit Interview Templates	Create, edit, and share templates. Add or replace questions only if you also have the ****View Question Library**** entitlement.
****Interview Templates****	Access All Interview Templates	Perform any action on any template in the account.
****Interview Scorecards****	View Interview Scorecards	View interview scorecards that are shared with you.
****Interview Scorecards****	Assign Scorecard to Interviews	Assign scorecards to interviews. Assign scorecards to templates only if you also have the ****Create and Edit Interview Templates**** entitlement.
****Interview Scorecards****	Create and Edit Interview Scorecards	Create and edit interview scorecards.
****Interview Scorecards****	Set Default Scorecard for All Interviews	Edit and set the company-wide default scorecard.
****Interview Scorecards****	Access All Interview Scorecards	View, edit, assign, and manage all interview scorecards created by any team member.
****Candidates****	View and Edit Candidates	View candidates on the ****Candidates**** page and within Tests, including their candidate packet.
****Candidates****	Delete Test Candidates	Delete a candidate from a test where you have Edit Test access.
****Candidates****	View and Edit All Candidates	View and update the status of all candidates at the account level.
****Candidates****	Delete Any Candidate	Delete any candidate information across the account.
****Company****	Create and Edit Teams	Create, edit, or delete teams; manage members; set team admins; toggle library access; and set user allocation limits.
****Company****	Modify Users	Lock users, change user roles, override entitlements, and view quota limits. Add or unlock users only if you also have the ****Create and Edit Teams**** entitlement.
****Company****	Modify User Role Entitlements	Toggle the entitlements of any user role.
****Company****	Modify Company Settings	View and edit all company settings, including audit logs and integrations. Create, duplicate, and archive job roles.
****Company****	View Company Insights	View all company-level Insights dashboards.
****Exports****	Allow Bulk Exports	Export the data of multiple users. Requires the ****View or Edit**** entitlement for the relevant functional area and base-level access to the object being exported.

\

[settings/teams-management] Modify Entitlements for Recruiters Prerequisite Modify

title: "Modify Entitlements for Recruiters Prerequisite Modify entitlements for recruiters Available recruiter entitlements"
title_slug: "modify-entitlements-for-recruiters-prerequisite-modify-entitlements-for-recruiters-available-recruiter-entitlements"
source_url: "https://support.hackerrank.com/articles/4851183051-modifying-entitlements-for-recruiters"
article_slug: "4851183051-modifying-entitlements-for-recruiters"
last_updated_exact: "Jan 28, 2026, 11:00 AM"
last_updated_relative: "Last updated 3 months ago"
breadcrumbs:
- "Settings"
- "Teams Management"

Modify Entitlements for Recruiters Prerequisite Modify entitlements for recruiters Available recruiter entitlements

Last updated: Jan 28, 2026, 11:00 AM (Last updated 3 months ago)

You can modify recruiter entitlements to control access to tests, interviews, questions, and candidates.

Prerequisite

You must have created a team.

Modify entitlements for recruiters

To modify entitlements for recruiters in a team:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Select your profile icon in the upper-right corner.
3. Select **Teams Management** from the drop-down menu.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769504088890-image.png?Expires=253370764800&Signature=ivpCbCcW4OonXMt7RRNy0DiARkTRHLsDIHwkl6W2cED~fAmzJtZg-wVuj~-xIUZ1vU5WIXInBsh5X26tw6G0wubSUfzczwhcQ2~i7MbNujqQ80FUPjD-CWTIPYT-Rue34e3ixd7x70cHRWLQ~HnfJ5-DGcy7LRQmbVftnMfqXoG4GsEB10K~UR0Tlit~4A5s8dg33Rt3NAwMdLVibqss1TxfYtdMHF9IJrMBB91fO02UfZoBGSZMKGaKE7NRQZUp-qhu~14~bEsN281Tw-KCDmOCzFVK4pk3gkitIPydgZTRmaljyHd0SKZFwvpmnz3MSvTRGo7hm7oLndKCYSM2XjA__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Go to **User Roles > Recruiters**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769504100912-image.png?Expires=253370764800&Signature=D9mGEfqiCY0fEO9PNg6zaTFK5lUpxZe0ei7P3s~9nQxEWb6RqWT050iEq0X-4CaavI5bgL3FiFAM11GIgFqYebj0jOaClfTyPOMYlPnWINvuw7cpwDV7gL8fJE1Hqnqgv8bTJI5ixpt6TtBz4XjCOet~BBysQVobil~Fhb6vpFuzvxdqJdg3w87jzwrJ2WHzGN7cl-n~HvM6SjoGLHKBzAhYVOUjdtYsJiSpgy-KHzRxaRc6SpFgX7DqlEj9oZ97BQJaV~obG-n5DBLBW8TKW3~gzetrlDLA-y6w9C9dYK~b60WVXb76cApLgl8-5yEnWZfx0IMqGMEjTALeCu7zQQ__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Review and update the entitlements as needed.

Available recruiter entitlements

You can manage the following entitlement categories for recruiters:

- Tests
- Interviews
- Questions
- Interview templates
- Interview scorecards
- Candidates

- Exports

Tests entitlements

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769503977270-image.png?Expires=253370764800&Signature=bHTTPHVe7mkJCIFdJvjK1ZS0dq3qQEWCHbZrROURq6O09IKLDNNJsXyVawQeHuEIACWI7Sse~Xjgr8KycgJmCg9eFvWYtddyE4NPaa~LHtRAhtlcpkqiUm8Fng7a7N8az9AHk8RDCw9BZTH6nOoTITP-hMRSoY1BFOxWMZ6PZ0bLSmPpCiQM~bZjFnomxZP82WAUslgavEmVIW4kTzW1JnRAwqXhP3X2z4kdaM1fobr3x7U5lb~Ma-zJU1eNwFmMxMTuOZXi4Td4g-jdMp55OLvGmwGLG5gFdfSakDTgOcmY8PR47Zk2UgW5PPOijPdYlJhms2qi0nzmB-gUQBb5Q__&Key-Pair-Id=K3NV4LZ47N8M46)

- View Tests: If toggled on, recruiters can:

- Send Test Invites
- Edit Tests
 - Create Tests
 - Clone Tests
 - Delete Tests
- View Test Insights
- View Test Settings
 - View Test Invites Settings
 - View Test General Settings
- View Test Reports: If toggled on developer can:
 - Download PDF Test Reports

<!-- -->

- Access to Shared Tests (within teams): You can select the access you wish to provide:

- No Access
- View Access
- Edit Access

Interviews entitlements

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769504004889-image.png?Expires=253370764800&Signature=VyabYEd5i90mrTZNhw1ATerQ2N~l63L8hSy7N8H5-DPKN7vjKfxii16BLn4wLVx7tscBUfe2FPxyFndEM9MJd98V7hPgbdpMVjhobAI4~NJRuWY1~DLK23S5cpaHv5OeFpxGoIRgUUd71JF6sUjRtEq2oRPEjsxN6AsgHAY8xhaaXL5B5x~j83lINm6E-uX1QIYyOI2FNLuEENuE7I0Xs4gtEXWOa5wntrwlbXMaRWVifQ147woRonsiMSzqEICc7oAGfoPfkFs2bPZjyBDbueirrqSQ2uSPNW1vYHvzCFFNXlc6Ynl0sPlv3k3iDgrceagCGIWs51GAGXyiQpFg__&Key-Pair-Id=K3NV4LZ47N8M46)

- View Interviews: If toggled on, recruiters can:

- Create and Edit Interviews
 - Delete Interviews
- Conduct Interviews
 - Leave Feedback on Interviews
 - Add and Remove Questions Outside Assigned Template
- View Full Interview Reports
- Access to Shared Interviews (within teams): You can select the access you wish to provide:

- No Access
- View Access
- Edit Access

Question entitlements

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769504018133-image.png?Expires=253370764800&Signature=D2SyDFjPZz1W~73ldeJ9n8hrsC8i7u3LCnsb3-KOW3Xzdyybj1evEL5l5xL5lruAJDfGYpLZagsaQziWPYvJiHjfB3s1mucYPkNQEjHSYXKO-56Ba2UOVApH9L2ok6QWrNtkPU0LDgJT-K5YEVwyGvsppjEfrp78gjKviFl6VGUNGQaVBk~sphK3LAFQKV3k2re0rhVaphY662-l6XtgWEDo7bUfTc6gddwJZEWsmmGWGjp4O2BzU-FdIDndRUe~R7iA4hckCfNFbTBqVeyb-b8ZoSErtZiOZtMXTJJkf6hVotjV7cmG~wQvaBWqRJd-7Qfakd9D6A1AV8Ou5Js~GA__&Key-Pair-Id=K3NV4LZ47N8M46)

- View Question Library: If toggled on, recruiters can:
 - Edit Company Questions
 - Create Company Questions
 - View Question Insights
- Access to shared questions (within teams): You can select the access you wish to provide:
 - No Access
 - View Access
 - Edit Access

Interview Template entitlements

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769504030629-image.png?Expires=253370764800&Signature=pTVZn2Wr~x3Bn4AOgTTWXJNG1kYFKSzjDWzRPnuTpw6-qyNe0hCx6nJrImO0kUin7~xmbSiQ~u3fLSHfBHQz1Y2DdLwi4OqnuMoCAcdlcQzRJSfE9NSvqWlIFtVUaQJaox8jBJJxvpRYSMNklwH14j5pjxaiRdljhix79gXZAcFuXhKDgg7JuB9CD36rL7P3n7iLKe1V7QUrRzW5NXO9qiAv5rJ2a5y~fZfDe5v9T9fROp2bKt5oDTwqGMdgaKPN08T4~mfABq88ZUKRt-UWHoygKO3S6aDRGZpYoE2aY25wwwJTX3RXRxqLBXE87vWnPplkmovMXZ4PXLni7xIryOQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- View Interview Templates: If toggled on, the recruiters can:
 - Create and Edit Interview Templates

Interview Scorecards entitlements

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769504037004-image.png?Expires=253370764800&Signature=P9aW6iGtW85xonyt1EzI9YvFWJMGz3GWvbL-C8sR6c4lItLrhyVxwFU9JxKTOJ2uS7d3sof032Pq2xCQER9SnYLB7ZfRkkMLEEurEDZcBbVsi3Oq8VatPkvzyAaMn8lrTSf1nJ5xnnnyEjR31MAMduK5kvHwzG4JRli-oPyEQmsQCr19qBpKAobxRy6vZIOAEm19GBnW3ggirDXrMnwE7SJHut4D22PijfnBS3Rc3cHo7SIHGbp~dEoTzMFOYofETMedJl5MebZmjYw-8A~DYYkT~eQl1XEt3DPv~id7L3LrPEv2CpHEwxTsYiFcPr8XqwsMnpN2IG~bRSJE0nBKpbzQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- View Interview Scorecards: If toggled on, recruiters can:
 - Assign Scorecard to Interviews
 - Create and Edit Interview Scorecards

Candidate entitlements

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769504043955-image.png?Expires=253370764800&Signature=Mz6vDOUY7pqd4YEinwXMBKnbjS~on7jybJkeVYP92hdlkCoFklQWU860-t2~O1VpJl1ePL2bdqw~K1y6CzvTJ5nWEqu6Sfkqc~lxFfiAnpAYKTQJ1yNuxK-Q~H3tmhST83lofalmD1lI1CcwiL9gJw9lO8tLHJxj5V8zKAKciT068QYSul3T-XUtEuTBXFHkAPnmACjTJG2emJzjT9dpkyZ6kbBT8hYhMvbjzA1C4Q18DV8ecaaJ~lbe1V0QRRojWbV9cC8sjcKYKgh-JcxkwUw46NC2izwjTA-KmtGajjF-XAwA9LyM33XWE2jT-dqj4deY6-TCNKN01U-s2dn6ew__&Key-Pair-Id=K3NV4LZ47N8M46)

- View and Edit Candidates
 - Delete Test Candidates

- Access to Shared Candidate Reports (within teams): You can select the access you wish to provide:

- No Access
- View Access
- Edit Access

Exports entitlements

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769504052978-image.png?Expires=253370764800&Signature=nkVzeDEjpNiw91poeo2KRc7XrJCexEFBG7ieA~0r6vKljab9doEuo0-7KKTScgTOg3~WZx1XQmgcuEDGzj6wV-tKx4gYDM6oT6bU7-02fkZsDRhPCCsPyk09VH2GQnOg9uqIrVNUNDOiewQICzcoMEJV95RH1qMFbHLLfUYs6docbZS3UkeoZn77E8hiPq3CoGfku0tzmw9ifxyn-NH-bHpoWjrDU6f3KHnsfYtiD-ujVcsp-YWjydryaeDhbgKiO6hYY-idYZcUWUtZTFbW-fKRxUjohFkSiFsTVPskTfmv1LxeAmAV-D81VdZemsmiq-ZprHp9hygoSxEVmqbRSA__&Key-Pair-Id=K3NV4LZ47N8M46))

- Allow Bulk Exports

****Note: ****

- All sub-fields can be toggled on and off based on your requirements

- To learn more about the entitlements, see [Available entitlements](<https://support.hackerrank.com/articles/3929488044-flexible-user-roles#available-entitlements>).

\

[settings/teams-management] Set Team Logo and Sender Name Prerequisites Set a l

title: "Set Team Logo and Sender Name Prerequisites Set a logo at the team Level Set a sender name at the team level"
title_slug: "set-team-logo-and-sender-name-prerequisites-set-a-logo-at-the-team-level-set-a-sender-name-at-the-team-level"
source_url: "https://support.hackerrank.com/articles/5319929416-setting-logo-at-the-team-level"
article_slug: "5319929416-setting-logo-at-the-team-level"
last_updated_exact: "Mar 11, 2026, 3:49 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
- "Settings"
- "Teams Management"

Set Team Logo and Sender Name Prerequisites Set a logo at the team Level Set a sender name at the team level

Last updated: Mar 11, 2026, 3:49 PM (Last updated 2 months ago)

You can set the logo and sender name for each team. The logo and sender name appear in all candidate invitation emails sent by users in that team.

Prerequisites

- You must have created a team.
- You must have admin access to manage teams.

Set a logo at the team Level

To set a logo at the team level:

1. Log in to **HackerRank for Work** using your credentials.
 2. Select your profile icon in the upper-right corner.
 3. Select **Teams Management** from the drop-down menu.
 4. Select the **Teams** tab.
 5. Locate the team you want to update and click the three-dot menu next to it.
 6. Select **Set logo at team level**.
- ![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1764235962422-image.png?Expires=253370764800&Signature=dyYqSPMtKlvjCeqxlcdeTeOgyhGtAH5iMHjnCPeXzwSr2W3YcfYwUdcM2DAFUhu-m6f~WEzliabyvZyj0n2IVtEbV07BGJKiN4DGKwEUIKOct-MC3hWPza19dPF-TTMDDT3iB3cTYE6l~20oyMAOQjAymGefAhW-Q5BetIE1W21scfG88nbV2plx-RM5Uy89N8SSoFtziHfFmVOCN1SkFihLHFJk1~9M3kwrSCqvoy0Z94TVok6y-Uh3dnP2TauitYY23MGd2XJY~puWsw469iZRL8tP4SpWawuepA7ECVvyvPhA~YfhVVvDPuPdeeNIFAyWmR2hKe2VgQNCiyvmnw__&Key-Pair-Id=K3NV4LZ47N8M46)
7. In the **Set team logo** dialog box, choose an existing logo or upload a new one.
 8. Click **Set Logo**.

Your changes apply immediately.

Set a sender name at the team level

To set a sender name at the team level:

1. Log in to **HackerRank for Work** using your credentials.
2. Select your profile icon in the upper-right corner.
3. Select **Teams Management** from the drop-down menu.
4. Select the **Teams** tab.

5. Locate the team you want to update and click the three-dot menu next to it.
6. Select ****Send Invite as****.
7. In the ****Send Invite as**** dialog box, enter the sender name you want candidates to see.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1764237109921-image.png?Expires=253370764800&Signature=q5SSmGeQjLg-whs3amw1rkXCCEle3UkJZs6Z-Q-Inpu0T71efqJufA~oCNgUhPIGHcKFAErwZrEsWFt1fn8zp5wLQ5k9C8e8oOLWRHXwHFKFEMvKRyeUI~zyixQX-cl0bHpj3BHOvdfYxsUaUKt1DV9JKVYY~WdbrhDzf-jCSWoAeRy~lsgdJIUNw5gsbXEf7DpYNdyNU957SVi6~-xTjXzFhWyPSVD5CrscnHLh8FleJzbPBhx-CU3EIdlSzCWB9SEjk-ocFKUg0AqHZFD8ZulEhHtmBIUZdW4NZSV4-ExOBxRLrt6wpLc7uK9-wlr6JmLvXHfZagbsql4iR5fOg__&Key-Pair-Id=K3NV4LZ47N8M46)

8. Click ****Confirm****. All invitations sent from this team will display this sender name.

****Important Note:**** If a user belongs to multiple teams, the sender name set at the team level does not apply.

\

[settings/teams-management] Lock User Access Prerequisite Locking user access Unlocking user access

title: "Lock User Access Prerequisite Locking user access Unlocking user access"
title_slug: "lock-user-access-prerequisite-locking-user-access-unlocking-user-access"
source_url: "https://support.hackerrank.com/articles/6534774997-locking-user-access-from-hackerrank"
article_slug: "6534774997-locking-user-access-from-hackerrank"
last_updated_exact: "Apr 23, 2026, 1:21 PM"
last_updated_relative: "Last updated 3 days ago"
breadcrumbs:
- "Settings"
- "Teams Management"

Lock User Access Prerequisite Locking user access Unlocking user access

Last updated: Apr 23, 2026, 1:21 PM (Last updated 3 days ago)

HackerRank for Work lets you lock user access to prevent users from accessing the platform. You can lock individual users or multiple users.

Prerequisite

You have **Team Admin** or **Company Admin** access.


Locking user access

To lock user access:


1. Log in to your **HackerRank for Work** account using your credentials.
2. Select your profile icon in the upper-right corner.
3. Select **Teams Management** from the drop-down menu.

[teams management.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776060310825-teamsmanagement.png?Expires=253370764800&Signature=oA~aCKTk13h~0FKkMz7TCgjY3UQqEcbQGnRqWlz1hWzbfvSOV6G2bT3HHVNTPQ-QYKExjXm69KAQQNUeOr4sSXzUM0KYYGs-j4uQsZHK7EXmQviUEXu2vhs9gehkwvhEEo4Pv~aTMFUXw~hu9YFtRkxVzVJ8odAqGMQCjyv x4PdvJgef3EAnkMkRHZUd-WJpHloKe3FI~R0oEUun52GuIThHQ2HYFFf5513MJBx~-6jsfEY2CDJglag6QCbsgBJNrnPKR8SaEb60VletCUWu1XTH8THBRzkqFurPLw9S6MKB7mun1wZ3o8N3JwHJWz2aqkrQ~JYLNSOcYk3cd9AqQ__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Go to the **Users** tab.
5. Select one or more users.
6. Click **More** and select **Lock**.

[image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776060550901-image.png?Expires=253370764800&Signature=Sg8ulJQHBAiYKXzGWLdfc4LtlfUN9nlGUEaesuDWpDM~4-s2fmVpZRUBZR-ltxZ0K4qrOORcsGtMnWoh-eoLmrg~XvMxXg2JYt4-6O9RUGbGeVaxQE6MiLYsXnBDsBJLb7NL6XU6jw4ZqRdafUlnWdhS~-ISXeu0tSCkczQ4ZFIXQkJjStoSdMB7Fqwb2BKeCrVlpblmdtVMuw3aArG9MJdn3RtuUf0gFEU7Gf3kwz633wxy4quLXJypA3cdcFgLIH6E9kxjZTPLRzksMsB7zCkKHSN5tonw4oX-5hMYvAHQdZFOUZLjZAE5NLTJQXc3RTribOydcPIS50YkAq1tg__&Key-Pair-Id=K3NV4LZ47N8M46)

7. In the **Lock Users** dialog:

[image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776060571759-image.png?Expires=253370764800&Signature=XZGFib~kdy6e-UUYsj17HXyQZ7wVSUx-acfP31~OFFkGWjRzNHNr7cAN4DcJO8qqUMeh3-L2SPFO1R8~GgJpqvu3W6Xl2gtgjIGm~c2sy4Vxs9X4eFQdvOVEXEebkJeKMNT5YJhueZOHNBQhqpIRnxHNKHwsBpZinHKawV6UHEqfljxYPg~LI3VXCJ JMF7xHAXXC6~9MFXGBHay6PCjAPltbbEc3SUB~noXCltkRSBQtDEdLUZZKTWdfv4rZNVWZAqKZYZKslWqBkXkrjMIGkyGZu9nebuFLWcW4e2YD3~7jvlo0oBfclq~aGfhsDD2mRyLZUo2FLehwAbzx05xnvg__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Select a user under **Transfer to** to transfer resource ownership. For more information, see [? Transfer Resource Ownership](/articles/8845665482).

2. Click **Confirm**.

The platform transfers resources and locks the selected users. The account remains available for reuse. Locked users cannot log in and see an error message if they attempt to access the platform.

Note: If a user belongs to only one team, [removing the user](https://support.hackerrank.com/articles/2203617737-manage-team-members#removing-a-team-member) from that team or [deleting the team](https://support.hackerrank.com/articles/2181136239-deleting-a-team) locks the user.

Unlocking user access

You can unlock a user account to restore access to the platform at any time.

To unlock user access:

1. Go to the **Users** tab.
2. Locate the user you want to unlock.
3. Click the more options menu under **Actions**.
4. Select **Unlock User**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776064881773-image.png?Expires=253370764800&Signature=AeQM~7ijNbFz26MdJkpisp6-oVBOCOOPQDfa02vfZ9w1UOmsZs3PPNfCeG3ITeB6fMRqU15s2SPhYlc1tnYF4ptqKD1JuGz6Th~eUkW71fxxZb8lBfcU~SIRfS~hbMlxkQYII1EDN9IVyOiz5OCQNBACKQcmF~ftNOwePVARKPLTtv7~r2~l8h1fN-V2Str1iDjf07e~16tgdsEtBcA~1pSKA5KXh-f5dh0HcU7SzMTInzrThomcKyIH9w3bBI3rEa529eR8GWD01NJJTiSt7lj1VUZAz4R4qZVHu90owe9ABkGbwKOSDUqmpIAPpeLEB-JYgnys39byQuBC1bEazA__&Key-Pair-Id=K3NV4LZ47N8M46)

5. In the **Unlock Users** dialog:

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776065150664-image.png?Expires=253370764800&Signature=fJCrtMjZI44TeRYq0bqozaN3Yu4hxpVV5QRdBfpmJENAI65W6WfpR~1IA1WkdX-ov0GzrYbVLNBC9PtlvDXcxJoSWj4l0NmmQMrl8Mm84g3VVAnoxNyh-1tB1YBrCM0vJHAERmp6c3XKyteM1Woxz70-sT95-zwLoXYi8bRaNcf9R3xH-rWi0t12WCqEadv284wMQODBB-0YosT-R0RCiLnrRtkDyC18oxEre~mIUT5garrykjYdIKU8qtMW~AM4~N9fPmolAmGov9mKHd1AUAMt-kxcvRRhk0e7JhkV9Es1mS749hHCBOSTdoZQunXL6mbvBmMJW7Hp2bJUZsVvOw__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Select the team to assign the user.
2. Select a license. For more information, see [? Types of User Roles](/articles/9603546665).
3. Click **Confirm**.

The user is unlocked and can access the platform.

[settings/teams-management] Team Member Status

```
---
title: "Team Member Status"
title_slug: "team-member-status"
source_url: "https://support.hackerrank.com/articles/6857846818-team-member-status-"
article_slug: "6857846818-team-member-status-"
last_updated_exact: "Dec 27, 2024, 11:15 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Settings"
  - "Teams Management"
---
```

Team Member Status

Last updated: Dec 27, 2024, 11:15 AM (Last updated 1 year ago)

HackerRank for Work allows you to categorize team members based on their current status, such as **Activated**, **Not Activated**, or **Locked**. A team member's status indicates their position within the organization. You can search for team members by status, review their status, and take relevant actions as needed.

Steps to Identify Team Member Status

- Access Teams Management**
 - Log in to your **HackerRank for Work** account.
 - Click the **arrow** next to the user icon in the top-right corner of the homepage.
 - Select **Teams Management** from the dropdown menu.
- Navigate to the Users Tab**
 - On the **Teams Management** page, click the **Users** tab.
 - The page displays a list of all users and details such as team, region, and department.
- Filter by Status**
 - Use the **Status** filter at the top of the page to refine the user list.
 - Select one of the following options from the dropdown:
 - **Activated**: Indicates that the user has activated their account using the activation email and is part of one or more teams.
 - **Not Activated**: Indicates that the user belongs to one or more teams but has not yet activated their account.
 - **Locked**: Indicates that the user is not part of any team and has no resources allocated.
- View Users by Status**
 - Selecting any status option displays a list of users categorized under the chosen status.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735278304642-1735278044781-image.png-9f016528-7852-4966-8f08-abdd05dcd800?Expires=253370764800&Signature=mKvSIXzsMtkTEo96ePTHgdmKsxEat6caSN~2jK0bl2plKmdRzwGDblDVYNqOTZG6pUNCv4dPIIWZzJmHvac9DgqBESLvmVNmCiHq1rQPsyM5aMche~TevoB28bNAAatRU0sXBFFjtZbNeZheKddkXAhp2qluBFBiEnlWOXM66wOv-j2DAvPnpryFUBPBVAdvIZmyhQlbqGSoH4GEPvPPOhe1nd2KTy2A~C~HgTHrg2mk6FVfJC5GFIMDwxxpCgY87wcmquDy8QZWIM0wk1i92KjDLzhm4viYAu8wGLWLLI-gksg5Uu3xUFa7oS5PCM1-KsUkGPFRHKQThrsFDi~pA__&Key-Pair-Id=K3NV4LZ47N8M46)

\

[settings/teams-management] Modify Entitlements for Developers Prerequisite Modif

title: "Modify Entitlements for Developers Prerequisite Modifying entitlements for developers Available developer entitlements"
title_slug: "modify-entitlements-for-developers-prerequisite-modifying-entitlements-for-developers-available-developer-entitlements"
source_url: "https://support.hackerrank.com/articles/8127960820-modifying-entitlements-for-developers"
article_slug: "8127960820-modifying-entitlements-for-developers"
last_updated_exact: "Jan 28, 2026, 11:00 AM"
last_updated_relative: "Last updated 3 months ago"
breadcrumbs:
- "Settings"
- "Teams Management"

Modify Entitlements for Developers Prerequisite Modifying entitlements for developers Available developer entitlements

Last updated: Jan 28, 2026, 11:00 AM (Last updated 3 months ago)

You can modify developer entitlements to control access to tests, interviews, questions, and candidates.

Prerequisite

You must have created a team.

Modifying entitlements for developers

To modify entitlements for developers in a team:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Select your profile icon in the upper-right corner.
3. Select **Teams Management** from the drop-down menu.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769504715345-image.png?Expires=253370764800&Signature=eOCKV0RUhQLdFBu-sXEolIfNrpgle7F0Ee9y4GQ5KpvGio~wgPiMAJxrBG-RbrdYQiAcvAnhhgNmQFGdGlsQbE1KOdmD8q37SgQlFBxZX7XzdljAB3xWQJL376AO7ux8R-e6lqMhIDo0qTilw7lLscOWRKNKV1gqjtuL0zIRLIHTot29DQYUmmP02R04tA6UM0kg~uJvrpbDc~I6ZLZLGW2rxFWQtKBsDhIHnhsG0-QeeiiYr4PVLIL42QKpnEjIBNjRKkH-qztlyQKif3CjAWbUbMI6QXvNAUPcp5veXN09saAO0Cn18k5j0F9IdvFXAu31koll2TcLr50Qo52nKg__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Go to **User Roles \> Developer**.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769504726488-image.png?Expires=253370764800&Signature=TbCj5Hcu~1I2TITpY~ho3uJidRj~SDIFfbFQVQ8laFsiWAxebtkan1W0Jcp6v67uM4grEoC~IN2S4lY5htd9neO25lBsKwWurAp8~AmaGrYRVGtVtcqq2n4XJly7l9wdYc8AH-5aDJnNcdR7dt-jRn3y7EoyQ5-L6yXBUSoUCHDLmqgis2vKEV-zrJIX73vWc7LT AauKG-MNe80Kux12rBTh2kJ3lrdxIAtaKTOSdSIK59-c-ybhBVz9KbqlUd1zB5O-cS7~DyhCT2tTqp5vBMDp-5X7n9LwCa9XziP0mBycGYiasTMPWWjPL7ehKkG3YZTRv12Z2sjWhVTTkOe-Hg__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Review and update the entitlements as needed.

Available developer entitlements

You can manage the following entitlement categories for developers:

- Tests
- Interviews
- Questions
- Interview templates
- Interview scorecards
- Candidates

- Exports

Test entitlements

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769504743888-image.png?Expires=253370764800&Signature=f8ex48rQCBFt02ioDaoNfJkJ85xbu8xCqrNR4tv~jfjiORt533UxlUGn7uxKj9xkO5uM~EGpRW0Qrzo-4-0DltBO9~IGJ-ByAknVaBqNhe622cw5Zg~GRmW7Qy7AOy5MG1dQsiAs7sbXurCkDoYyG0Ft-aj4PCnHvhqaYE1WfUErcPhpuVftu96mvDYt-MIQL3QmbTfj~IQBvQrUyuGprLREoSAK8q4CDqdpyt8MVnaSYDwrzPEaYFeR4HBXTruDMEBCXguYhESWotkTyneMBYvMMQyDrUY7EhSJsKA1qKprzv9keJtpVu-lrPU516Unm4-NiM6JNDabVz~4~DD9w__&Key-Pair-Id=K3NV4LZ47N8M46)

- View Tests: If toggled on, developers can:

- Edit Tests

- Create Tests

- Clone Tests

- Delete Tests

- View Test Insights

- View Test Settings

- View Test Invites Settings

- View Test General Settings

- View Test Reports: If toggled on developers can:

- Download PDF Test Reports

- Access to Shared Tests (within teams): You can select the access you wish to provide:

- No Access

- View Access

- Edit Access

Interviews entitlements

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769504756483-image.png?Expires=253370764800&Signature=iAxP0lgJoiVkb~DMwgNDMMrOEsNsGFzyfAHkUmRe5dWbXTRIISH0FQvePRqwInmKYnP-BGz9gFZ6zO~TkXj2vrCr1oc2HIRJIngobp84ohz0xwephjxDp7E3J5SY-NIACLWzs5bWGSrPAe5xBZV63DaXom-mzjxLfnfH9etGAru7ps6pJq7WAApDMj6viTybMok1CeNRZ2lrupDqura9AsrtAxsL3kXYEcMKu-ite5M2PU7atfGpKOp2u91dQS7pZ-gX20zZDDJl3tvGehZ-PbUPX1OEvbhB86qS-A MsOfCv6G7OmtcgKO6EAXY506Pf3NYynf2ikriHieVEkHRQrA__&Key-Pair-Id=K3NV4LZ47N8M46)

- View Interviews: If toggled on, developers can:

- Create and Edit Interviews

- Delete Interviews

- Conduct Interviews

- Leave Feedback on Interviews

- Add and Remove Questions Outside Assigned Template

- View Full Interview Reports

- Access to Shared Interviews (within teams): You can select the access you wish to provide:

- No Access

- View Access

- Edit Access

Question entitlements

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769504763950-image.png?Expires=253370764800&Signature=pEFPrZppyYIPAHIFY7hXcT72YqM4-KzwLsMpOsTidh0Ths75XDlG0rWkzELPinbzZtHa-yxBXflznw9wEA2PffrhdH9yLOgTnM4ZGAaYERYOLqIQC5iTtmukKNSSo0PI5od0E4ma2t1pXa-CMVcxJ5-CQakk1BjxZ8ZzmZY04qL42P9-Hbv5tPk9cPBZeWFGyKod7hAl9j0aTjeePI0YexWEiXige1IK-ilyijHKglWWe1jHZpX-yRsp0WActae3MWFUUnWs13y7h0ZE0XxdPDFnTenwMn85VI3AIFdFvBUwVvy-FcAtk9SfjoFzbtul2~ggyA~DMrOAlA2GBfwq8A__&Key-Pair-Id=K3NV4LZ47N8M46)

- View Question Library: If toggled on, developers can:
 - Edit Company Questions
 - Create Company Questions
 - View Question Insights
- Access to shared questions (within teams): You can select the access you wish to provide:
 - No Access
 - View Access
 - Edit Access

Interview Templates entitlements

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769504772139-image.png?Expires=253370764800&Signature=oYfnwNpnoZ93liVukVyPm9i36wPnHqcTQFN~bODcCHYX2jvoRRWHpEyV43nbgzW9NBCg5CDUDQoEuPOKFErOpld82uAYfk318gZ0HfbkPXOdOBFW5jOCdjF62JqkIPNZcKEYOZ7o-DFi1sn70boGflL44VISW9CT1yE6HAdqoA3pC0VSfhLBQibJmPBtkkYVWv-2bOwlX-G4x2aKqfwrDsH-Co-9rn0biB1Jpr6ooavjBIZISx1RNbg36Dv4qrHs-JwM3WE9I0MuOOYh75XNQLOODk6j6wwRUM9MATq9Vcmq6LGK9h0fF6Mz92lvRVKDxcS7uG4HIEO~~UheWh14qA__&Key-Pair-Id=K3NV4LZ47N8M46)

- View Interview Templates: If toggled on, developers can:
 - Create and Edit Interview Templates

Interview Scorecards entitlements

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769504780430-image.png?Expires=253370764800&Signature=QgisfX7xlm-s9YG1LkmmzHISNQ31eoTA-HmkqDMv0X8CY8LJQ-BjzSmWLA3H7M8ONFQML1jxoED03WYkydtZielcuCnh-Q782-LXRS-MYVGBXNZbqgMaSXyc4IHdNhXc0nWy0RsV9j10bWsymD6ZZMNHScDcyQG-ou9Q9tJWwbF2oPHwogPeig~JKziS9PDqc8kECk4JcZLpddWWkhl4gX4WkpK5Np5NxK5yu8XS9KWvKFDFvR5kAg3mgHZOfjRh91Exki3944OfYlxd6~b6rJpHWVqu08wMg0AMWXVYOBjUyEaabm2LjC4rvRLNix4Lpd-OQmCbt3uDEemdvfseg__&Key-Pair-Id=K3NV4LZ47N8M46)

- View Interview Scorecards: If toggled on, developers can:
 - Assign Scorecard to Interviews
 - Create and Edit Interview Scorecards

Candidates entitlements

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769504797809-image.png?Expires=253370764800&Signature=eSADYDMiiWvYd0LL1u2jiNp12MqLnjteC0C8vJLMMeim2~CPR9bzfwhAwKoHFUdGteFBfm5DDvXvvAGYCBjYp7~VwaBq-tyXF3Rv3UQj5WTkiVAqzSqOUxxOTNIR1ljGseDEoiTpO9-6lwBge2Dt~FbyUBhl7DmQwaxlQCyjZsrcqldHZsrcMUJQmoW-P-zOv6lmapN0zw-YD8x0ADMe2yCFBzvlvqgTcKOkcpfXkeciVw~U1m9Tq67D7AIR1-PsfgDelUeDS0Ksi99ISSSwavhmBbdLyKBpAZmfPox-LiS8HW0313q~qknJg4ianKcmKbFfXypgQsbpiw7nPXn-Q__&Key-Pair-Id=K3NV4LZ47N8M46)

- View and Edit Candidates
 - Delete Test Candidates
- Access to Shared Candidate Reports (within teams): You can select the access you wish to provide:
 - No Access

- View Access
- Edit Access

Exports entitlements

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769504807698-image.png?Expires=253370764800&Signature=IK7LKOYrNk9PfbJ1VugrSqMjAoexqXuWL1Nf-g6TM3BG5ks3L5AAp9vK43bfjjVNBkisQtvB4aSbwLNBfTAL2zI6HxLovNcOtTYRJxNdWLAgG3qp9Nfmak2QrewfXJSBqgDnxKrlv6HxbzWvmgwRgub7XFE~wYzLf8L3wF4dNIPZYtlgYQH5L1Mj5aNqGq1N1OKG0jmQtToPaADJhM8khDqzWzQxzx2HpXMoyDk1~Pc2C5gLvf8ICACx83pQzTXgkVClfhoO5Lvfhcybj7RCP9W0O7LO2bpwK5jtAIYCKht8F2W1ZE8P2PF-yGeJB6yFivX2g3JaAkRmi2kR~9JIQA__&Key-Pair-Id=K3NV4LZ47N8M46)

- Allow Bulk Exports

****Note: ****

- All sub-fields can be toggled on and off based on your requirements

- To learn more about the entitlements, see [Available entitlements](https://support.hackerrank.com/articles/3929488044-flexible-user-roles#available-entitlements).

\

[settings/teams-management] Searching for a Team

```
---
title: "Searching for a Team"
title_slug: "searching-for-a-team"
source_url: "https://support.hackerrank.com/articles/8843222800-searching-for-a-team"
article_slug: "8843222800-searching-for-a-team"
last_updated_exact: "Dec 13, 2024, 5:11 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Settings"
  - "Teams Management"
---
```

Searching for a Team

Last updated: Dec 13, 2024, 5:11 AM (Last updated 1 year ago)

Overview

HackerRank for Work enables you to search for a particular team for easy access to shared resources in the team. This article will walk you through the steps involved in searching for a team.


Steps to Search a Team

Prerequisites

- You must be logged in to your HackerRank for Work account.

Steps


1. On successfully logging into your HackerRank for Work account, click on the arrow next to the user icon on the top right corner of the homepage. This leads you to the **Teams Management** page.



2. On the displayed page, you can see the entire list of all teams in your company, along with the region, department, and so on of every team on the **Teams** tab.

3. On the search bar, type the name of the team you are searching for.

4. The team(s) that match the searched word(s) will appear on the right pane.



5. Click on the team name to view or edit team details.

Similarly, on the 'users' tab, you can easily search and view a particular user's details.

[settings/teams-management] Transfer Resource Ownership Prerequisite Transferring resource ownership

title: "Transfer Resource Ownership Prerequisite Transferring resource ownership"
title_slug: "transfer-resource-ownership-prerequisite-transferring-resource-ownership"
source_url: "https://support.hackerrank.com/articles/8845665482-transferring-ownership-of-all-resources"
article_slug: "8845665482-transferring-ownership-of-all-resources"
last_updated_exact: "Mar 12, 2026, 2:44 PM"
last_updated_relative: "Last updated 1 month ago"
breadcrumbs:
- "Settings"
- "Teams Management"

Transfer Resource Ownership Prerequisite Transferring resource ownership

Last updated: Mar 12, 2026, 2:44 PM (Last updated 1 month ago)

HackerRank allows you to transfer ownership of all resources, such as tests and questions, from one user to another. Transferring ownership ensures that no critical content is lost during user transitions.

Prerequisite

You must have Company Admin access.

Transferring resource ownership

To transfer ownership of all resources:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Select your profile icon in the upper-right corner.
3. Select **Teams Management** from the drop-down menu.

!team manage.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1773296082634-teammanage.png?Expires=253370764800&Signature=D96UmGxJM1eXMMO-HO5QX7ohleB9kgsDjknK03ehajE1ggRjzdVtbvLj-vqDp3mcaJ4yBv8mUpgMreGAsqz3jwzbvH2t-QRF22QD7ztz9DZGYgluEs5D5T-t9qvMSnhVJMGnB9DSFfV-G1e5rVRaTYr86xliallo6JGuZRI8MA5KiUGyEt6CmkMJHb-Z2REMJ8lhqEvkrdlr3Y-GkCvE3Ooyup1fY5jtmdFlxNn1-4sEchKZ8mWcSo5ZK-gVaQju1VlmyD9rC-W-WHytxYR9vKmOuR-C0k3MZoYHqzA-gaQ6FZ4fUGE-O-Anc-FubkufGDxNZd38M3-36d4b8xLxw__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Locate the user whose resources you want to transfer in the **Users** tab.
5. Click the more options menu under the **Actions** column.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1773296443065-image.png?Expires=253370764800&Signature=cqPVkozyW-JC3ng4nrEi-4MUh7yygcgGnlTkJM6mgjPcAVAAW5Kd4VhXkomrLIL-OK3Tu82lna4akk-aQUIfEgtXijG3I56sGlvlyPMiXCLn-qaqJLoGP290v3PlrGnCv-VmuTleZ8dp6fuzU6CysQxEoFfg5xN-bNd345n5X4jEfc8INcEzZqlt6qcQCva3s90-akaSZpVGamezamngVU8lZgzj1L5Hv4W9eUfODWbJPee2Dr8Fx1QMczVJpgkLaGU5fc33pYTGA-RJruowdCXvLIjKlwjmm-fgsqoDUjBTvukvM4ru38n3MlxIhoHKEP1w72GIK0uXAkmbfMBqA__&Key-Pair-Id=K3NV4LZ47N8M46)

6. Select **Transfer Ownership**.
7. In the **Transfer Resource Ownership** dialog:

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1773296519445-image.png?Expires=253370764800&Signature=fjSyFUZfMEFtQt-GWl1IPB6bzR0YQkCip2aDtpgmV46RigOBqQ49r9ovV2SJdSHoqOs1zwRusSLHH505WVw4-FItiY5FhCKZvZlwmocqAv6B5QhT7ZNNHRPDzDk2GgeW6nPHNmHVQJ-KmtFb3C2WTQaZ213LZF35ORA607jlmQQRLiCWqSw-7BttPB6Wm9xCfC1DcBn-ZBDSBhVbd4UT4FebGg48BIHbjb18nnW5OMmfE9QIL4Gz-a3LpA0tga0Yr0pVts3Qs68tkgEtIC-H9-NeXTXJFdpJYmKZZY9iQ5gWDGEXod52Z9ZqUOO399ReWfNDIh-TRI9NbSV4g3QaQ__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Select the user to whom you want to transfer all resources.
2. Click **Confirm**. A success message appears.

Note: You can transfer ownership of test resources to a **Developer** or **Recruiter**, but not to an **Interviewer**, as Interviewers do not have access to test resources.

\

[settings/teams-management] Create a Team Prerequisite Creating a team

```
---
title: "Create a Team Prerequisite Creating a team"
title_slug: "create-a-team-prerequisite-creating-a-team"
source_url: "https://support.hackerrank.com/articles/9032143729-creating-a-team"
article_slug: "9032143729-creating-a-team"
last_updated_exact: "Feb 23, 2026, 12:38 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
  - "Settings"
  - "Teams Management"
---
```

Create a Team Prerequisite Creating a team

Last updated: Feb 23, 2026, 12:38 PM (Last updated 2 months ago)

You can create teams in HackerRank to match your company structure. Members of a team can view all tests, interviews, and other resources created within that team.

Prerequisite

You must have Company Admin access.

Creating a team

To create a team:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Select your profile icon in the upper-right corner.
3. Select **Teams Management** from the drop-down menu.

!teams management.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771823794326-teamsmanagement.png?Expires=253370764800&Signature=E342qB9r9eK7k~EP~4H5oQViduEi2G~Qq7o1~mq5frBebnDNdc9ihcuBDgbWd-S6987mQy-U0cyOSJP3-kTUfqX7P-P37H8k~m~pQUtqblXjl8FX5fvoVH0MTY7LLST~Xl6eXDBFf8jNljkDKT8ZO~H2QX~6MojUf9DbcQc0MFhtAPe2PRtsHycAqi~9n-sd7l7qfmKW68s9Dmy1H9t1Gp6ju2edLzo6~8KMFB9g~0DDtnh0dTFrxqNY2VSL4XxH8cu0G~StVTz7FPeGsgTd2qOlR20xfEFewQNXJY0NYA0yrtOLH7u~5OveloXRjkzTI~h8KkUp1j9CjQA55~gDw__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Go to the **Teams** tab.

!teams.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771823914511-teams.png?Expires=253370764800&Signature=tlsepimu-AG7N0RpiENa3j3TyYGTl-0s5~WSnTxCSPT7EH2OGXmrSRbBt~pqpQmv4GRL9mppvZHA7JACFO~RXLfgLM6rFnkC1vg6bIYosDmE3YesG1em6KDc0Djrh5RbrSsthfHEcuHgU0tnDUSWg2bsEoRuhzhzibdyES7GrzyXl03bmntsncybdExz4F8lo35F4KXAo0sweQGlsxy4vkiV6PNou5nnLZToGtGI0zE~Z6~Enp-q8l43iLbqhG6zpBSnatdQM-DLNGz3jfdbd~69X~m4rdlUiKttGjgCQ4wXrZtA2E83jbmY67pngF05KOJzA8ipRtKkm11XtHu2xQ__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click **Create Team**.

!create_teammmm.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771824099832-create_teammmm.png?Expires=253370764800&Signature=LDsFvrtwDcY15DN1aHMgxtw8Qm6x6O7~WvKnCYhyojRQXYCoW4K3tVvpzaNZx0i6ZJ uunp4j1cRgeHjYQbwUQcG~uAr1ocXkE7JiZDDzoVxlqL261tV-ZSRy8v2f7fSlvpFZPktQEo1bMM50~lIfJrui8g0GCungk4Xc1tPtWXXh0haX3kPpP2LCIZvEOAURtQSRa3jAzu~dc7olhfmcURGRUdjDooXDqUF~QciShVpPt4ZP0fAPW6okIKrnAZUtH3BeHwfH1rz~74uv91d5Ru3baGZkW5GaibYKnJMwq3nMhQAGleEULIdub01hegvAJGlfVEP5FVvnCQzm9PQw__&Key-Pair-Id=K3NV4LZ47N8M46)

6. In the **Create Team** dialog, enter the following details:

!create_a_team_dialog.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771824120626-create_a_team_dialog.png?Expires=253370764800&Signature=IOZlmdvrKgptie5YwllvDJwPcEailtCdrDMzXJ6CSLdlzaWW6Qxq9HMUCn7-1dqqd88B0CMOyLovTtVAMhSujCC0n~vsJHs1MyLm~NtvswX5LBGDYe6fnY0prRQyJM8ADim0ETqIAT4fvNujZDJv~MCTgOUVL5NgDYNLm88~STKFscJKubwSkBzCbyYfSpu4Rb6N~BjuuD69sqqcl7qx7vHLU0QKebseoSjjQvV~98Alu4E4dfcdalYL7afBJSWjJ7Nfd5K93Rgh

ZLkBMaDfPF774I7txBk36ME0TkAiHHC9AC7FpCTg5vXttzrwl~x1hlt3b-2-qnezvx48KzrEg__&Key-Pair-Id=K3NV4LZ47N8M46)

- **Team Name:** Name of the team you want to create.

- (Optional) **Region:** Indicates where the team operates, such as a city, country, or geographic area (for example, APAC or EMEA).

- (Optional) **Department:** Indicates the company division the team belongs to, such as Sales, Engineering, or Human Resources.

- (Optional) **Add users:** Type or select the users from the drop-down menu.

Note: The **Add users** drop-down list displays only existing users. To add a new user, see [[Invite a New User](#)](/articles/9482219268).

7. Click **Add**.

HackerRank creates the team and displays it under **Team Management** \> **Teams**.

Each team can have one or more **Team Admins**. For more information, see [[Grant Team Admin Access](#)](/articles/9611303302).

Note: To update team details, see [[Updating a Team](#)](/articles/6568033805).

\

[settings/teams-management] Invite a New User Prerequisite Inviting a new user

title: "Invite a New User Prerequisite Inviting a new user"
title_slug: "invite-a-new-user-prerequisite-inviting-a-new-user"
source_url: "https://support.hackerrank.com/articles/9482219268-invite-a-new-user"
article_slug: "9482219268-invite-a-new-user"
last_updated_exact: "Feb 13, 2026, 3:36 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
- "Settings"
- "Teams Management"

Invite a New User Prerequisite Inviting a new user

Last updated: Feb 13, 2026, 3:36 PM (Last updated 2 months ago)

You can invite new users to HackerRank for Work account and assign roles and team access.

Note: To add an existing user to a team, see [? Inviting an Existing User to a Team](/articles/2203617737).

Prerequisite

You must have Company Admin access.

Inviting a new user

To invite a new user:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Select your profile icon in the upper-right corner.
3. Select **Teams Management** from the drop-down menu.
4. Click **Add New User** under the **Users** tab.

![invite_new.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770893430318-invite_new.png?Expires=253370764800&Signature=D7FgGLLInvSrR17SgVjvAQAsHJvB7U1pPDik9TtWwp4mCJYfuQUmGFU2K-DhUnLPbYwglqugOBqnX3IP4LdHHqGZdD1psoP7OYE4kfYCH4psK8DiPzwj180Srl3D2hOykYxw3hR7lvexmCulgC3UkUL0khBri-ZYEG~yzLDQ0RmQELgML5MjsUaqyZG4YKiVJYK8J0UbUjUB9khKaq7JNERF0V9YynzDF4hNFPF71SvT8-kUum3sRYxzLyBqA7IAhOj-z0fXejZk9H3Ct4Xf7YUX4ShveJLyQnwu1~jdlcM7ZNBvg94tGy00TLNy8y6V9Hm5VyBIYum2NPGW6I8jw__&Key-Pair-Id=K3NV4LZ47N8M46)

5. In the **Add New User** dialog, select one of the following options:

- **Email Invite**: Invite a single user by email.

![email2.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770975144634-email2.png?Expires=253370764800&Signature=JbrbVQEAYrBb7U7O5JPJYI5VaWc6coNkR6VrT4~gnxz6p~xZrMGIh6ZRpZp-K6pGmg3Mpf1yk5ojX2Q6RH8f565cTwxFaSZ2WST15FKEHHA777J8BQ4gVpl4F2jbWvRRhirLsBBya3geueMGBC-0CcHrOsIJ2D13tT56w~C5-6tBpF-rSgM6Xo3hPUoUFVWuirGK5cuSk3FJH0CrPYKYKN3F3NCyrhxRRQNr2oHL~k7qIP9tszSWFirOnPH0B9379UUkQ91RgDrF0BmLR7vjOGLupKKVp-2rpDBTKRBuABXxMrZZNIIYdkmtcBvbyOeK6wIFuxNfS6SNAm9kZ46evGg__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Select a user role from the **User Role** drop-down list. For more information about user roles, see [? Types of User Roles](/articles/9603546665).

2. Enter the user's name and email address.
3. Select one or more teams from the **Teams** drop-down list.
4. Click **Add**.

HackerRank sends an invitation email to the user.

- **Link Invite:** Generate an invitation link and manually share it.

![[link2.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770975166793-link2.png?Expires=253370764800&Signature=ebr7ni5qdd~ZIShXfMoxaMGw~IRUwpOD3DMGnt1JKBMhcEBSCu7OUwGVcic7OMWh3Ba8C1IS3oipTtTG4tH-6w~mhhHsmuKXasRBY92GXjr96nfdlcRHTr-LOHJIUldvmsU4CjPM69szXO~ol-dWBnDwqlzCaHGEqy9SB~cl77KKbtCGRTedOcMwEol7cSfKYzw3FkLoyNXatNKM0azvi2G0dqNjzRyE53c0C62JRptsOmUT36ikh0EdRd4w4FO7eQS4ydtfJnN1CKYAgYFP8lhpWn20XPouVP Pxj0J0VKCL4xVvHf6r73ITyvB6STvK~RKWBSbATjKQC~via5CfAw__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Select a user role from the **User Role** drop-down list. For more information, see [? Types of User Roles](/articles/9603546665).

2. Select one or more teams from the **Teams** drop-down list.

3. Click **Copy Link** and share the link with the user.

- **Bulk Invite:** Invite multiple users at once using a CSV file.

![[bulk.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1770975180983-bulk.png?Expires=253370764800&Signature=Oq00wZsbLHrC8SVguuypxO1YknkrHb1vCqzw7Q9fQJDYyv9uARE29T7Hqp7K9DfMhKaQJDc4~qWnXysKhT7enBRafcGXSQF6FQuJ~kvh07~m0AdRVOpXdNN86deyDrJiCi7aOcGafJFsLMP3BeEo9MWuaOJphuHIGyy8m~P~HHSSf8x3AEAs0ypZnQnGRww5SgKf4dIU0ouLrrPx~DDCvHA7RD-f1tSTmng0Y-gAC7L7~57SCsFmN7cMOxz9NA50~vKxezszSy3bekLPIBscAC6tgIAbfZ0jsQjNWogKVzj472YbvK2yemOagyfugwHEWweCZqf1vGUaCZ~XEu0-Zw__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Click **Download Sample CSV file** to view the required format and create your CSV file.

2. Click **Select a file** to upload the CSV file, or drag and drop the file.

3. Click **Add**.

HackerRank sends invitation emails to all users listed in the CSV file.

\

[settings/teams-management] Types of User Roles

```
---
title: "Types of User Roles"
title_slug: "types-of-user-roles"
source_url: "https://support.hackerrank.com/articles/9603546665-types-of-user-roles"
article_slug: "9603546665-types-of-user-roles"
last_updated_exact: "Mar 26, 2025, 11:45 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Settings"
  - "Teams Management"
---
```

Types of User Roles

Last updated: Mar 26, 2025, 11:45 AM (Last updated 1 year ago)

HackerRank for Work offers four types of user roles, each granting different capabilities.

- Company Admin
- Developer
- Interviewer
- Recruiter

Company Admin

Company admins hold the highest level of access and control within the HackerRank platform. They oversee all company account aspects, including user management, billing, and settings.

Key Responsibilities and Permissions

- **User Management:** Company Admins have the authority to manage every user within the company's HackerRank account. This includes [inviting new users, assigning roles to the users](https://support.hackerrank.com/hc/en-us/articles/22181635545875-Teams-Management), modifying entitlements, and [locking/unlocking users](https://support.hackerrank.com/hc/en-us/articles/360001392787-Locking-User-Access-from-HackerRank) when necessary.

- **Team Management:** As a Company Admin, you can create, modify, and delete teams. You also have the power to assign Team Admins and manage team-specific settings.

- **Access:** Company Admins can access all tests and interviews across the platform, regardless of which team created them. They also have complete access to questions, Interview templates, and candidate details on the platform.

- **Setting Configuration:** Company Admins can configure all [company-wide settings](https://support.hackerrank.com/hc/en-us/sections/19074972214675-Company-Level-Admin-Settings), such as company name, brand settings, etc., within the HackerRank platform to align with the organization's needs and preferences.

Developer

A developer role is intended for software developers or technical managers, allowing them to:

- Create and edit questions, tests, and reports.
- Use HackerRank Interview to conduct interviews (if on an enterprise plan).

However, developers cannot send test invitations.

Interviewer

The interviewer role provides limited access and focuses on the interview process. Interviewers can:

- Create and edit questions in the library.

- Conduct technical interviews via HackerRank Interview.
- View candidate reports shared with them.

Note: Interviewers do not have access to tests.

Recruiter

A recruiter role grants full access to the platform, including the ability to:

- Create and edit tests, questions, and reports.
- Send invitations to candidates.
- Recruiters on an enterprise plan can also use HackerRank Interview to create and conduct interviews.
- Create events on Engage if you have Engage platform subscription.

As a company admin, you can assign and modify the entitlements for the above user roles using the [Flexible User Roles](<https://support.hackerrank.com/hc/en-us/articles/28560536309395-Flexible-User-Roles>)** **functionality.

\

[settings/teams-management] Grant Team Admin Access Prerequisites Granting Tea

title: "Grant Team Admin Access Prerequisites Granting Team Admin access"
title_slug: "grant-team-admin-access-prerequisites-granting-team-admin-access"
source_url: "https://support.hackerrank.com/articles/9611303302-grant-team-admin-access"
article_slug: "9611303302-grant-team-admin-access"
last_updated_exact: "Feb 19, 2026, 1:56 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
- "Settings"
- "Teams Management"

Grant Team Admin Access Prerequisites Granting Team Admin access

Last updated: Feb 19, 2026, 1:56 PM (Last updated 2 months ago)

Team Admin access allows a user to manage specific teams within your company.

A Team Admin can:

- Add existing users to the team and assign roles.
- Remove team members from the team.
- Configure team-level settings, such as changing department, region, or team name.

Note: Only Company Admins can add new users to the platform. For more information, see [? Invite a New User](/articles/9482219268).

Prerequisites

Before you begin, ensure you meet the following requirements:

- You have Company Admin or Team Admin access.
- The user is already a member of the team. For more information, see [? Inviting an Existing User to a Team](/articles/2203617737).

Granting Team Admin access

To grant Team Admin access:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Select your profile icon in the upper-right corner.
3. Select **Teams Management** from the drop-down menu.
4. Choose one of the following methods to grant Team Admin access:
 - From the **Users** tab:
 1. Go to the **Users** tab.

[invite_new.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771312534203-invite_new.png?Expires=253370764800&Signature=nTTbdLilAzZS9or2rq1jXzOOUP-zY0OBEbk1m~sTaFWeU4gS1ro4drUH6hBSsai4ltDfEE-QqEVfQEu1w35ZBG4UgLjiD6FIRf29IJGnmz~GplHyY1kNpHG4HtiSjCD63EG~2MIh~aCoPY5-8veLsyw1XsOMmkQpYJere42aD8-y0vJ~EcyG38dx8FLJMWAYAQ~nFoICW8UX3tP6qiXptCO6gHU2f3Mbs6p7DdmJ~1vdtfCXKiF~41782R2Ge7KNjKAGFZEhisSaeOwDdHDfi36sLMNMXTxYPKKKmNfhrZKjXLDpmTyWLYAIW4dwVYUdCegbpwiH1Q4HoPqWQJJA__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Select a user.
3. In the **Teams** section under **Entitlements**, locate the team.
4. Select **Team Admin** from the **Role** drop-down list.

![[intro_entitlements.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771313008872-intro_entitlements.png?Expires=253370764800&Signature=ZoGyIPCbJd8rmUiUhusoznPUf1qKtUERcQYq8aKIV~2m1jzupISjib9QmEkh~sK4Nn96PTQF1X5SLOkaF1q4oHCgbBGBVO0Bldl1k3Ui8NfeyivHprpOVERnEFOxr2E-WjcRd8yDqIS6p1wxIN9wLdtgdXRh~-r4asnI4-D4nfQBwkOJEBqMtsXMIJa6NrGG8gzJZh17bnG-UekcXOsoG0-1UaZ64IaEJfwrFSCs~-XjWpT7cvvtqsmal74ZQryywpLuVMgkvAwM4MZjFBnSKZ7WT4ACDljcHHbTyylaQrSyXYjIWbQ6QcG7Qnxx2nTxZku-EEG9HI-KA4R1cQ__&Key-Pair-Id=K3NV4LZ47N8M46)]

- From the **Teams** tab:

1. Go to the **Teams** tab.

![[create_team2.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771313094124-create_team2.png?Expires=253370764800&Signature=Sd-g1xzbwC~zo1EBTP3EJ1whYUTEaIVQvWd7~7szoCfMVmcSgkwzVJ0wFzxv2sVmgA54nJscG5RgQO~Rp4wR4D1dg2roSgJKjXkyjpg7ybLeJmoR2oCri2v8dHOcAEhLBK0mdpvY2xQzfl8oXtwmEKiT~cCN9DoCG3f6FmGtJ6cyAcGnJUeonJRCImKs-zCgbe0uCVwnhyR7RBdj1MqQNYwnq8IQ8ZgRRUcwcerotYBu7qaNoyEL7tEq9V4YRd87grIUqlvD64r0sjf0ayR0jkqVMXiURk0dq6~9P2PvcnObB1HvIAEy~gZ0EotDOF04Uo7--TfH7LI1NK93kig0w__&Key-Pair-Id=K3NV4LZ47N8M46)]

2. Select a team.
3. Locate the user under the **Users** tab.
4. Select **Team Admin** from the **Team** **Role** drop-down list.

![[intro2.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1771313121122-intro2.png?Expires=253370764800&Signature=GMtga1VXt65U44OuTRsQSucuA4fKYrCQcfkjn6GTT75BZ8cMx1bKt1SQAwo4RqJ2KmuQyXnqDlbbqBmoaRmdB3chlhmw3AauCTXByIjGMRHN8oAPRTFGx3c880jRty~GPO7kUB8vnCtKRG5wbf8ZQAgD23ZMQs96iAHB4ZI7eVwN9AskNyKMhbkTa1Bp9YYsGHuB~GWJD8ayZI9cHvjxj66XYSeYV0~0tv818kVVUcVIPqtGqzRH4~5SFsOAr3Ex~SE6bqqTIBXwfOKaptdxl6hBqxFDTvZPxmBcYVM10LNkkNLcHBSu2lHZ3CacPVHVVKtQzDuLg1HiPjf3SU1qg__&Key-Pair-Id=K3NV4LZ47N8M46)]

\

[settings/user-account-settings-and-preferences] Cancel Subscription Cancelling subscription

```
---
title: "Cancel Subscription Cancelling subscription"
title_slug: "cancel-subscription-cancelling-subscription"
source_url: "https://support.hackerrank.com/articles/3131912618-cancel-subscription"
article_slug: "3131912618-cancel-subscription"
last_updated_exact: "Mar 10, 2026, 12:16 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
  - "Settings"
  - "User Account Settings and Preferences"
---
```

Cancel Subscription Cancelling subscription


Last updated: Mar 10, 2026, 12:16 PM (Last updated 2 months ago)

You can cancel your subscription if you no longer wish to use HackerRank for Work.

Cancelling subscription

To cancel your subscription:

1. Log in to **HackerRank for Work** using your credentials.
2. Go to **Manage Subscription** from the profile dropdown.
3. Click **Cancel Plan** under the **Current Plan** section. A confirmation window appears.



4. Click **Cancel Subscription** to confirm.

Note: You will retain access to your subscription until the end of the active billing cycle.

\

[settings/user-account-settings-and-preferences] Manage Billing Updating credit card

```
---
title: "Manage Billing Updating credit card information Updating billing address Downloading an invoice"
title_slug: "manage-billing-updating-credit-card-information-updating-billing-address-downloading-an-invoice"
source_url: "https://support.hackerrank.com/articles/4255542979-manage-subscriptions"
article_slug: "4255542979-manage-subscriptions"
last_updated_exact: "Mar 10, 2026, 12:20 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
  - "Settings"
  - "User Account Settings and Preferences"
---
```

Manage Billing Updating credit card information Updating billing address Downloading an invoice

Last updated: Mar 10, 2026, 12:20 PM (Last updated 2 months ago)

The **Billing** section in HackerRank for Work allows administrators to update payment methods and billing information, and download invoices.

Updating credit card information

You can update your payment method to prevent service disruptions caused by expired or outdated card details.

To update your credit card:

- 1. Log in to **HackerRank for Work** using your credentials.
- 2. Go to **Manage Subscription** from the profile drop-down.
- 3. Click **Update** under the **Payment Method** section.



- 4. Enter your updated card information:



- Card number
- Expiration date
- Security code
- Country

- 5. Click **Add** to save your changes.


Note: All payment information is securely processed via Stripe.

Updating billing address


Ensure your billing address is accurate to maintain proper invoicing and tax records.

To update your billing address:

1. Log in to **HackerRank for Work** using your credentials.
2. Go to **Manage Subscription** from the profile drop-down.
3. Click **Update Billing** under the **Billing Address** section.



4. Enter your new address:



- Street Address
 - City
 - State/Region/Province
 - Postal Code
 - Country
5. (Optional) Select the checkbox to apply the same address as your shipping address.
 6. Click **Save** to confirm.

Downloading an invoice

You can download invoices for accounting and recordkeeping purposes.

To download an invoice:

1. Log in to **HackerRank for Work** using your credentials.
2. Go to **Manage Subscription** from the profile drop-down.
3. Scroll to the **Order History** section.



4. Locate the invoice you want to download.

5. Click the download icon (?) in the **Receipt** column.


src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F0e1696b8-f892-4d40-917b-a144fcd383b2-AD_4nXe3-1eYKz3L1e3EkzFlv5sx5gelqms6_s75C7avLC3KZnFMryPoZAYAJ5G-YTWlytRCc6uWxLfE7NhFqVR9d8Eejv3OTqSttbSzzaFyInD4u7GU4qF-F3cTsDWn4wcF0WVBi6cZ-9ae3e241-5558-40b6-908d-c7c36ca2abf7?Expires=253370764800&Signature=nySm5S37YsXsmJ6SluYj9QWlxz-cEf~sYllaPo02BGSpBCZgkYpE6kslhzt2xjpKTPjdGBLtaeLNhW2NmKpAISlIfU2pcAOoJWIY3J19kIIIUI6Q2ukSEWu2Sqw8rwPKAPCJvNMgjLCsuZK~OiwG4U~kcwzSJ5XBRzmtl4R7wdDEi-c-KSkSuQGDbqw9G8sMr3ab35Osro3FM8ttWI5WnKqmnM6Kg-Tf3i0ucKYg9Wo4~Eoxg4E0UI7tHCpnb0jLiRoyR5nE3plzFSHVauSwead1Mk9gn8S1xVXv7vdbVMle3Wzu0vdKJ06L8U4ZY~1cFQ8hnkM5qQZtoZeLuNJGA__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

Note: If an invoice is missing, contact support@hackerrank.com.

\

[settings/user-account-settings-and-preferences] Pause Subscription

title: "Pause Subscription"
title_slug: "pause-subscription"
source_url: "https://support.hackerrank.com/articles/5157311476-pause-subscription"
article_slug: "5157311476-pause-subscription"
last_updated_exact: "Mar 6, 2026, 12:18 AM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
- "Settings"
- "User Account Settings and Preferences"

Pause Subscription

Last updated: Mar 6, 2026, 12:18 AM (Last updated 2 months ago)

The **Pause Subscription** feature allows individual self-serve plan subscribers to temporarily pause their HackerRank subscription instead of canceling it. This feature enables you to resume your subscription whenever needed, ensuring flexibility and uninterrupted access when required.

Prerequisites

To use the **Pause Subscription** feature, ensure the following conditions are met:

1. You must have an active subscription that started at least 30 days ago.
 - This includes accounts in a renewal grace period (7 days) due to a late recurring payment.
2. You must have a **monthly subscription** for one of the following plans:
 - Individual Monthly - Basic
 - Interview Monthly

How to Pause Your Subscription

Follow these steps to pause your subscription:

- **Access Subscription Settings**
 - Click on the **profile icon** in the top-right corner of the page and select **Settings** from the dropdown menu.
 - Navigate to the **Billing** section under **Subscription**.
- **Initiate Pause Subscription**
 - Click the **Cancel Plan** button. The UI will display a prompt about the new **Pause Subscription** feature.

![mceclip1.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735204594500-1734046451310--866c5ba7-ff6f-4caa-b988-81a10f550230?Expires=253370764800&Signature=as8xLYCyLext-DKmtcvXP3fxuBK6gS-TIQMHekaPZosGYBpL OLdxbRYCzOk9r~SGEhDprqoog92YOrSQscK2UsbBfLEHJbHjSQJES31t4AWWh63Npp2JSEtpgqI3f2Si2VYZFVDZtumPBqW6NFz6 GJg75fOAIQ1Qp0TyLzwX2WV1SMGEbPAyLY3nRH2NcMf7Q8rSQAfP93hJmVc27L~NNXZcTiBsh8GCaucAiriy99HN08jeKsBzgbBbtNh4NVJksXcpt28L-6yy9HPbKghLo7qyB7SXhSEWk8g4JT0qqnlqMjQbD12nB13GZDDKM8nvl4DlxVavuTUhyReRySDaw__&Key-Pair-Id=K3NV4LZ47N8M46)

- Select the desired pause duration:

- Minimum: ****1 month****
- Maximum: ****12 months****

![mceclip2.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735204607902-1734046451740--a352e7b2-dee6-4e9d-8d00-d14cff821580?Expires=253370764800&Signature=QWxwujBCaWzp6SnvJtn76OfIxBcHuRW24LhnnF29J2lQ-2W0RtMuKqfiApOBmd2wcqml7Ko5uKNuoV5kwojytPjLfvXPz6~~nt7GXEbkj61WobxMUI3hRnii~c37IC86j3lYIDqWy9y9rSZksEoRHx8g6DepxgK-K-PaMr4tuJ~2UmgU-Yv5NhPbDj8LMOeuSZ-IXuJKS4QZ0ml-ZdvL7bYCIq8HTdmlB0wvR60SohsKpXiilgM5PFW9tD1s70fPEmC4mtWofU3ELYf-z3eF~iuacaz6ajsFiCN4hzg~IWCpQrkb0zjxZTwPcDYMNctC2Jrp3BKpUV2-Z1Ofq9QQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- ****Confirm Pause****

- Click ****Confirm Pause****. A confirmation message will appear, displaying the pause duration and the automatic resume date.

Resuming Your Subscription

If you attempt to log in during the paused period, you cannot access your HackerRank account. A popup notification will inform you of the status of the pause.

![mceclip3.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735204625356-1734046452141--20fd5b6f-27d9-473f-954d-5bb6cf56ad5f?Expires=253370764800&Signature=clxTpe0aiLvY5Q5VoR-m-Glf4sSgZTSACnblpmtXUMS~7yHejs8LvGUIU8xUQOrQnKQZcHnVbCVHECJnxkgDalG-qKZM03Hbf08tQV1-mE4pJXnlLvRnJTGO9F00FB8K4WvPTMEPFwmDywWB92DUNAT2G~3PXBA~CoxKSY4j-isQlhwjSrtxu9mywzBp8JztSD5SLS-Lp~JG65dq14tO99qYJQaujeHq1MWguj10VraX4rVFHS7q9cmC~gnxwvU8TSQ1VmWJOklnaouDLsGPuCCxT8S9o1W5bhdysVqOUTrRghhiuqBopH~FcV6dQV~Y9PY6wpnRWjVeTHI8SpbCg__&Key-Pair-Id=K3NV4LZ47N8M46)

To resume your subscription:

- Click ****Resume Early**** to visit the ****Billing**** page.

![mceclip6.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735204643123-1734046452537--50bcabfc-4467-4253-b16e-fbffb72d60?Expires=253370764800&Signature=Qz3JVsuSbhyyJpJaOI0EJp1KWmUVKdumwwssP3STSnGyyHm6A7XIHobET-Uxtlr-E1nMI0gl0MDxq5bRhr6Fps6e3aMUgpgpNQWo5ujRBnZ2E4ZcjWno~fAl-v-Ya06C1nXwB1UpYaPLUBYZQYp aTk936uBJCvUjyTboYtt2xntqb4NvJmQkVp8yfs3VkJPFikCN2Dexdo-z5yl3OHinQ9I4hOtvgt-Jw75~1GYQK1vPoMRYLqyNT3lnRfOaJDPhul3nMEM584Tn4JCU2D3umGw-gY6U6sMvSF8RosZjrO0ABmEOoyORwLnl0HYyUq6H20JtE83DBcXm5ISLAmRSLQ__&Key-Pair-Id=K3NV4LZ47N8M46)

- On the billing page, click ****Resume Plan****.

![mceclip8.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735204654279-1734046452967--95a9a1bf-d33d-4a18-bdd4-e8d831ba0126?Expires=253370764800&Signature=nw43KsqTY2772oKqr7UTQoVWwF-AgDoGEh0vYeL--UUSgdYqqv0ZwYunkK9ml~Nfuk3F4Bup9qH2EK75UKXZzCPGPBaQirqlLqkFC82OVRtwZjZLqTJhHmzAG4hMnKgAw-w0Wljl6zekHsYd34QodDcopsxZB6yzsSXUX1maZqLsHmoUrl3aNI0XnjRGwxnwQlgamBpdoJ1w4WX4-Nz-nRN2qaJYIA-9bfkNWVfFuZuk9NYkyTK7thl-3bhiLRUpg3DuRRLPYxSijun6TgFOGFv14gFyDa091OIRq8vblC8tj0gczp642fd6UKfXuXmHJ71x9kgnUxg-bXp8HoDs~Zw__&Key-Pair-Id=K3NV4LZ47N8M46)

- Confirm your selection in the popup by clicking ****Confirm****.

![mceclip7.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735204685018-1734046453519--e068c371-a36e-4648-a381-a722d8f7aab6?Expires=253370764800&Signature=GuZAa662b1jMt44J4bFA-W0AG9Pi86tRzIFSSjfkzHaMo0IGwOBjuqijlZc1HpiWZiH7T~8gKBrtg3VwjuA7EFiWnNBwaOoP4Z53tuVO-iD7p3hwregkxujMsVBxc7JvWZaSVvOduvj0do--xZ5OE3n7ejOebgmD6iFsHkgsOamC7Fs4ldqRHS6hsbNt1jL8H6CK9UaTjULo3p4qNFMNePFUhfwrshQNopBv-lu3oMnkvPljHjvB5oRtlEMEE6qAJQp2DpHRCD2C-w54v4-luqhtotdqCHF5vcg7E5ctzjs046ORTP4d-URkUugl~yiTx~Sl1W1YoeBZD3fsB3q3g__&Key-Pair-Id=K3NV4LZ47N8M46)

- You will receive a notification confirming that your subscription has resumed and your account is active.

![mceclip11.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735204706297-1734046453872--24d36f01-5207-4fec-bfdc-01308acf9a91?Expires=253370764800&Signature=iHLbBxLV532Q4gCk7toycY2jguMjfkxinTmqV-plpZ-9RrnYVSnMc9gFYuf4Zv64tSXCh8GsgLE6iRMM3aVdPFEKxM5E4RL6RB0giPGslyDOxb~gL411ukuVebpWrFO-jwrB1p1TMgiyXZftOBoV24TF3y~F84F2zgTTbfOigmkPJhy0l8riPGJDL~9ztvDlv9jNDKpQ6GefpDf-l8Fddfo~n3j7-DeXSa7HwrOkO7YBRK8sW-INsD5Ub~Gn8e6wOswtRLkp8w5yYpbRoieKCKjwStvRLQDEHekN0lyCFG4HdMQlqy-n8FY4YwJm6n3okDe6yqkKFSG941U7iRv13Q__&Key-Pair-Id=K3NV4LZ47N8M46)

Extending the Pause Period

You can extend the pause period even during an active pause.

- Navigate to the **Billing** page and click the **Cancel Subscription** button.

![mceclip9.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735204725125-1734046454221--78707721-ef4c-45e3-be69-14924f22dcff?Expires=253370764800&Signature=DwtbVSiiM2fUn8xOkCeMwlfDkvlnNPRh2ulZJTNb2DmSPneK Cc3wx2gIKN~J3152jKUmCtj1fS4Y203j-VbkxS-dmqIWb0zuOB4c3NyvIXWYtLbrMuTAfUTmo6T77uZei1byiexl7R998D9E3DspFwsQq OtGZNB0YUU~egDGwjBi7wa7E6GA~eKajoX7jpb4Mx6C~cB1Z6M-c41KEG4bZQkRdtnjftpqUZsQ2LSa0EKv~wu~gEd7S7xp8XQXtU 6OWrdb~K0KObanx8cJ4GC4gN3DYnp1gTMaeB2rwkCS1T9ZbUXHfdwFCzu623pzyuoBELTz2hPKILQquxkrjWEwQ__&Key-Pair-Id= K3NV4LZ47N8M46)

- In the popup, select **Extend Pause**.

- Choose the new pause duration and click **Confirm Extension**.

![mceclip10.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735204751076-1734046454676--63224f3e-f423-4069-b261-83636b81ecfe?Expires=253370764800&Signature=omWzol2HyuwUQaeL2gB7q7LGjeeqIXbdv3M8A5Lr7MZZct 6mAwF5dWS2-8hILASe2L4p36OCmr2stPM38Fkqt5G6pBJtWu9yF4RNQ38BBxP6E4P7GOWxqlMcHXOckMagXRCM5nG1gDB1NR iq3KkUpYugZkDx2C6Tq~ApTGF3JWLTv4kyzSd6sqswaby6hFE~OtyKBbP590JUJJ0M-5LYj5XiHqL56BgaCAkPlqx4YkiAhe~Ta5u3np UIEYeg-D0Rn4sjy-7Ltx5anioxLW5dl~B1xLwiB8kjc3p~UEBMHa3HLKXpAP3bm32jN1nnotRwRWf~NStz6-CJL~1DOVF5yQ__&Key-P air-Id=K3NV4LZ47N8M46)

\

[settings/user-account-settings-and-preferences] Report Settings

```
---
title: "Report Settings"
title_slug: "report-settings"
source_url: "https://support.hackerrank.com/articles/5213013268-report-settings"
article_slug: "5213013268-report-settings"
last_updated_exact: "Dec 26, 2024, 3:19 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Settings"
  - "User Account Settings and Preferences"
---
```


Report Settings

Last updated: Dec 26, 2024, 3:19 PM (Last updated 1 year ago)

You can set up or change your preferences for the Microsoft Excel CSV reports generated for the candidates. These reports can be downloaded from the Test Reports page. The preferences you set here are reflected in the Microsoft Excel CSV reports you downloaded from the HackerRank platform.

Accessing Report Settings

- On the top right corner of your HackerRank account home page, you can access Settings.
- You can find the Report Settings placed on the left pane under User settings on the settings page.



Components of Report Settings

Report settings are divided into six sections, each with fields you can select or unselect by ticking the check box attached to it.

Candidate

In this section, you can select the candidate fields you want to include in your report sheets, such as their Email, ID, Name, Tag, and IP Address.

Company

This section allows you to include your Company ID and Company Name in your reports.

Test

There are several fields in the Test section. The definitions of each field are given in the table below to help you better understand when choosing an option.

Term	Definition
Invite ID	Invitation ID is generated while inviting a Candidate.
Invite Method	Method of Invitation
Invite Valid From	The date and time from which the Invitation allowed the candidate to take part in a test.
Invite Valid To	The date and time when the Invitation gets invalid.
Invited At	Time of the Invitation
Invited By Email	Email of the recruiter who invited the Candidate.
Invited By Name	Name of the recruiter who invited the Candidate.
Role	the test is created for.
Test Duration	The duration set for the Test.
Test ID	The ID of the particular Test.

Test Name	Name given to the Test
Test Owner Email	Email of the Test creator.
Test Owner Name	Creator of the Test.
Test Tags	Tags given for the Test.

Attempt Settings

The definition of each field related to a candidate's attempt has been given in the table below.

---	---
Term	**Definition**
Attempt Count	The number of attempts made by the candidate.
Attempt Endtime	Ending time of the candidate's attempt.
Attempt ID	The ID of the candidate's attempt
Attempt Plagiarism	Plagiarism in Attempt
Attempt Start time	Start time of the Candidate's attempt.
Attempt Time Taken	Time taken to finish a test.
Cutoff Score	The cutoff score of the test taken by the candidate.
Detailed Report Url	Url to access the detailed report of the candidate's attempt.
Feedback Comments	Feedback comments given by the candidate at the end of the test.
Last Attempt Date And Time	Candidate's last attempt date and time.
Max Score	The maximum score attained by the candidate
Network Disconnected Duration	Duration of the time when candidate lost their network
Number Of Window Exits	The number of times the candidate moved away from the test window.
Out Of Window Duration	Duration the candidate spent away from the test window.
Percentage Score	Percentage of the score attained by the candidate.
Proctor Flag	Flags raised by the HackerRank proctoring system.
Proctor Flag Reasons	Reasons behind a candidate getting the proctoring flags.
Product Rating	Rating given by the candidate at the end of the test.
Score	The final score attained by the candidate.
Status	Status of the candidate's attempt

Team

-----	-----
Term **	**Definition
Department	Department of the hiring team.
Region	Region of the hiring team.
Team	Hiring team.
Owner	Owner of the hiring team.

Attempt Result

---	---
Term	**Definition**
Candidate Detail Answer	Detailed Answers given by the candidate in their attempt.
Code Language	Code language the candidate used to answer the question.
Compile And Test	Compilation and Test of the code written by the candidate.
Copy Paste Frequency	The number of times the candidate copy-pasted something in the code editor.
Lines Of Code	The number of code lines written by the candidate.
Mcq Answer	Multiple choice question answer
Plagiarism Link	Link to the webpage from where the candidate plagiarised the answer
Plagiarism Percent	Percentage of the plagiarised answer in the candidate's attempt.
Question Answered	Status of the question in a test, whether answered or not.
Question Plagiarism	If a question is plagiarized in the test.
Question Score	The score attained for a question in the test.
Question Type Score	The score attained by the candidate for each question type.
Section Score	The score attained by the candidate for a particular section in a test.
Skill Score	The score attained by the candidate for a particular skill in the test.
Subjective Answer	The answer of the subjective questions.
Tag Score	The score attained by the candidate for a tag attached to the test.
Test Case Is Passed	The candidate's answer passes the test case attached to a question.
Test Case Memory	Versions of the test case results were saved in the attempt.
Test Case Time	Time is taken by the candidate to pass a test case.
Time Taken Per Question	Time taken by the candidate to answer each question.

[settings/user-account-settings-and-preferences] Safelist/Allowlist URLs and IP Addresses

title: "Safelist/Allowlist URLs and IP Addresses for HackerRank Affected areas Allowlist URLs Allowlist IP addresses"
title_slug: "safelistallowlist-urls-and-ip-addresses-for-hackerrank-affected-areas-allowlist-urls-allowlist-ip-addresses"
source_url: "https://support.hackerrank.com/articles/6769658535-safelist-or-allowlist-urls-for-hackerrank"
article_slug: "6769658535-safelist-or-allowlist-urls-for-hackerrank"
last_updated_exact: "Nov 19, 2025, 7:52 PM"
last_updated_relative: "Last updated 5 months ago"
breadcrumbs:
- "Settings"
- "User Account Settings and Preferences"

Safelist/Allowlist URLs and IP Addresses for HackerRank Affected areas Allowlist URLs Allowlist IP addresses

Last updated: Nov 19, 2025, 7:52 PM (Last updated 5 months ago)

When you create questions or answer tests, you may encounter errors caused by blocked domains. The HackerRank platform notifies you of blocked domains in the IDE and identifies the ones you must safelist to ensure seamless interaction across various features.

Affected areas

The IDE displays the notification for the blocked domains in the following areas:

Screen

When you access blocked domains through the screen functionality in the IDE, you receive a notification that specifies the domain you need to safelist.

Question creation

When you create questions and attempt to include content from a blocked domain, a notification appears to alert you to the domain that requires safelisting.

Reports

When you generate or access reports in the IDE, any blocked domains referenced in the report content trigger a notification. The notification displays the blocked domains, making it easy to determine which ones you must safelist for uninterrupted access and functionality in the IDE.

The notification displays the blocked domains, making it easy to determine which ones you must safelist for uninterrupted access and functionality in the IDE.

Allowlist URLs

The table below lists the URLs and endpoints you must safelist to ensure proper connection with HackerRank for Work.

Component	
URL's to be safelisted	
Screen and Library	
*.hackerrank.com, *.hackerrank.com, *.amazonaws.com, *.amazonaws.com, *.hrcdn.net (HTML/CSS/JS question), hr.gs, *.googleapis.com, *.firebaseio.com (Keystroke tracking), unpkg.com (Whiteboard), hr-code-generator.appspot.com	
Interviews	
zoom.us, *.zoom.us, *.zoom.us, [twilio.com](http://static.twilio.com), [twiliocdn.com](http://media.twiliocdn.com), *.twilio.com](http://twilio.com), *.twilio.com](http://twilio.com), *.twiliocdn.com](http://twiliocdn.com) (Audio/Video call), firebaseio.com, firebaseio.com, googleapis.com, hr.gs, *.hackerrank.com, *.hackerrank.com, *.projects.hackerrank.net (REPL), *.sudorank.hackerrank.net (DevOps Terminal), *.hrcdn.net (HTML/CSS/JS question), unpkg.com (Whiteboard)	
Projects	
*.hackerrank.net, *.hackerrank.net](http://hackerrank.net) (Online IDE) [*s3.amazonaws.com](https://hr-projects-assets-prod.s3.amazonaws.com/) (File upload) *.amazonaws.com](http://amazonaws.com), *.amazonaws.com](http://amazonaws.com) (Report download), *.hackerrank.io](http://hackerrank.io)com, *.hackerrank.io](http://hackerrank.io)com, *.projects.hrcdn.net](http://projects.hackerrank.net), Workspaces	
*.[in-vmprovider.projects.hrcdn.net](http://projects.hrcdn.net), *.us-vmprovider.projects.hrcdn.net](http://projects.hrcdn.net) *.sudorank.hackerrank.net (DevOps Interviews) *.vscode-web.hrcdn.net (Containerless IDE)	
Cloud-based question	
Allowlist all URLs referenced in the official documentation for your cloud provider:	
[Microsoft documentation](https://learn.microsoft.com/en-us/azure/azure-portal/azure-portal-safelist-urls?tabs=public-cloud) (Azure) [Amazon Web Services documentation](https://docs.aws.amazon.com/signin/latest/userguide/allowlist-domains.html) (AWS)	
Platform and editors	
https://cdn.jsdelivr.net/gh/interviewstreet/theia-assets/, *.projects.hackerrank.net](http://projects.hackerrank.net), *.hackerrank.io](http://hackerrank.io)com, *.hackerrank.io](http://hackerrank.io)com, *.hackerrank.net](http://hackerrank.net),	

```

*.*[hackerrank.net](http://hackerrank.net)<br />
*.*[hackerrank.io](http://hackerrank.io), *.*[hackerrank.io](http://hackerrank.io), *.*[dev.hackerrank.io](http://dev.hackerrank.io), *.*[eu.hackerrank.io](http://eu.hackerrank.io),
*.*[projects.hrcdn.net](http://projects.hackerrank.net),
*.*[vmprovider.hackerrank.com](http://vmprovider.hackerrank.com), *.*[vmprovider.hrcdn.net](http://vmprovider.hrcdn.net)</p>
<p><strong>Workspaces</strong></p>
<ul>
<li><p>*.*[in-vmprovider.projects.hrcdn.net](http://projects.hrcdn.net),
*.*[us-vmprovider.projects.hrcdn.net](http://projects.hrcdn.net)</p></li>
<li><p>*.*[sudorank.hackerrank.net](http://sudorank.hackerrank.net) (DevOps Interviews)</p></li>
<li><p>*.*[vscode-web.hrcdn.net] (Containerless IDE)</p></li>
</ul></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="231" style="width: 231px"><p><strong>Self-serve</strong></p></td>
<td data-cs="1" data-rs="1" data-colwidth="568" style="width: 568px"><p>*.*[hrcdn.net](http://hrcdn.net/),
[cdn.ravenjs.com](http://cdn.ravenjs.com/),
*.*[hackerrank.com](http://hackerrank.com/),
*.*[jquery.com](http://jquery.com/),
*.*[cloudfront.net](http://cloudfront.net/),
*.*[stripe.com](http://stripe.com/),
*.*[stripe.network](http://stripe.network/),
*.*[googletagmanager.com](http://googletagmanager.com/) (pages currently break if this is blocked.),
*.*[gstatic.com](http://gstatic.com/)</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="231" style="width: 231px"><p><strong>Teams management</strong></p></td>
<td data-cs="1" data-rs="1" data-colwidth="568" style="width: 568px"><p>*.*[hrcdn.net](http://hrcdn.net/),
*.*[fullstory.com](http://rs.fullstory.com/rec/bundle),
*.*[nr-data.net](http://bam.nr-data.net/events),
[cdn.ravenjs.com](http://cdn.ravenjs.com/),
[fonts.googleapis.com](http://fonts.googleapis.com/),
[www.googletagmanager.com](http://www.googletagmanager.com/),
*.*[licdn.com](http://licdn.com/),
[px.ads.linkedin.com](http://px.ads.linkedin.com/),
[p.adsymptotic.com](http://p.adsymptotic.com/),
[www.google-analytics.com](http://www.google-analytics.com/),
*.*[newrelic.com](http://js-agent.newrelic.com/),
*.*[pendo.io](http://pendo.io),
*.*[googleapis.com](http://googleapis.com),
*.*[doubleclick.net](http://doubleclick.net)</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="231" style="width: 231px"><p><strong>Insights</strong></p></td>
<td data-cs="1" data-rs="1" data-colwidth="568" style="width: 568px"><p>*.*[looker.hackerrank.com]</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="231" style="width: 231px"><p><strong>Services</strong></p></td>
<td data-cs="1" data-rs="1" data-colwidth="568" style="width: 568px"><p>*.*[pusher.com](http://pusher.com),
*.*[pusherapp.com](http://pusherapp.com),
*.*[hackerrank.dev],
<em>.*[fullstory.com](http://fullstory.com)</em>,
*.*[usepylon.com](http://usepylon.com)<u>,</u>
*.*[zopim.com](http://zopim.com),
*.*[zopim.io](http://zopim.io),
*.*[zdassets.com](http://zdassets.com),<br />
[metrics.hackerrank.com](http://metrics.hackerrank.com),
[cloud.typography.com](http://cloud.typography.com),
[click.pstmrk.it](http://click.pstmrk.it),
*.*[pendo.io](http://pendo.io),
[cdn.ravenjs.com](http://cdn.ravenjs.com),<br />
*.*[google-analytics.com],<br />
*.*[googleapis.com](http://googleapis.com),<br />
*.*[hrcdn.net](http://hrcdn.net),<br />
[cdn.mxpnl.com](http://cdn.mxpnl.com),<br />
[sentry.io](http://sentry.io),
*.*[sentry-cdn.com](http://sentry-cdn.com),<br />
[hr.gs](http://hr.gs),<br />
[https://d3keuzeb2crhkn.cloudfront.net](https://d3keuzeb2crhkn.cloudfront.net),<br />
*.*[nr-data.net],
*.*[newrelic.com]<br />
[www.googletagmanager.com](http://www.googletagmanager.com)<br />
[www.googletagmanager.com](http://www.googletagmanager.com)</p></td>
</tr>
</tbody>
</table>

```

Allowlist IP addresses

Add the following IP addresses to your allowlist:

- `54.208.181.131`
- `52.45.142.226`
- `3.210.87.173`
- `100.25.76.193`

- `3.233.184.164`

- `34.193.128.94`

- `52.73.33.136`

- `98.83.17.111`

- `52.22.20.80`

- `44.219.119.87`

- `44.208.240.181`

****Note:**** These IP addresses are subject to change. For assistance, contact [\[support@hackerrank.com\]\(mailto:support@hackerrank.com\)](mailto:support@hackerrank.com).

\

\

\

[settings/user-account-settings-and-preferences] Time Zone Settings

```
---
title: "Time Zone Settings"
title_slug: "time-zone-settings"
source_url: "https://support.hackerrank.com/articles/6839245613-time-zone-settings"
article_slug: "6839245613-time-zone-settings"
last_updated_exact: "Dec 13, 2024, 5:06 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Settings"
  - "User Account Settings and Preferences"
---
```

Time Zone Settings

Last updated: Dec 13, 2024, 5:06 AM (Last updated 1 year ago)

Overview

You can change your time zone settings to reflect the time zone in which you are located. By default, HackerRank selects the time zone based on your location while creating the account. This article will walk you through the steps in modifying the Time Zone settings.

Modifying the Time Zone Settings

1. Click on the arrow next to the user icon on the top right corner of the home page.
2. Click on the **Settings** option from the drop-down menu that appears.

![[Settings]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046605066-?Expires=253370764800&Signature=nllQCBZFm2B9RLCtYAePWshMp2QBamv269Yj32n6P-kd~i36VCojGQLkTUX9YzQw72OilQiWkAaWkROZPsrhVi~eeV~eR6mGHOMq8Xeln-hPH1EQKW4GlnOz9DoHGt8MYS8p9SwEhyaThP3Yy6ATbvsPKh0KfldPfvmvJohlfcqTRWIZHBaPFpVlrXJ9V9GTkA1KEFbm8MSPX6zQUcNvZbR67rlzu6R3FACFF4eEsP-lhbYEEUE1gADDIGXMu3HLQ6ZiEj1PtKp3EDrvb9LTgBIT4o3gq-LS6RQGIHCZ6dOsCe-WSBd93fTOLAWgfSkeBI17kDPI2DcdO-e0jv4Xw__&Key-Pair-Id=K3NV4LZ47N8M46)

Accessing HackerRank account settings

1. Under the **User** settings click on the **Profile** option, scroll down to **Your Time Zone** section and select the required time zone.

![[Time]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046605492-?Expires=253370764800&Signature=YYhfqFZICqM8iwPrTFOPq~91~XseruLwon5mbsU3F6FtK93sOjevVGazFtraz50Rx3rYSaKfWaQ-UqygPV2afCxfWN-tGpV679pMZZylmRVqF6WEEEPpCHWf33SAjs4ryqYg6TwNJ0hfmna6bMdjycuu08IMyu3U6pPbuKCDUNoxtPROlaowba~V11qw7MK72waddr7L7ubZNbjnm13NBelYcawAFzUuWQNVKe4Hz5U9F6NuHLELIldagzF6d0gPx88frUOYyWIBqSOcv7RltVJaNY7UF3E7iMtNkEMF206t-XL8jEX5lxVZOI2NQfkDDDPt~Kb-zDN3-l3kmFo1qg__&Key-Pair-Id=K3NV4LZ47N8M46)

Setting a time-zone

1. Click on the **Save** button to save the time zone you have selected.

\

[settings/user-account-settings-and-preferences] Update or Reset Password Updating

```
---
title: "Update or Reset Password Updating password Resetting password"
title_slug: "update-or-reset-password-updating-password-resetting-password"
source_url: "https://support.hackerrank.com/articles/7046498277-update-or-reset-password"
article_slug: "7046498277-update-or-reset-password"
last_updated_exact: "Feb 23, 2026, 12:33 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
  - "Settings"
  - "User Account Settings and Preferences"
---
```

Update or Reset Password Updating password Resetting password

Last updated: Feb 23, 2026, 12:33 PM (Last updated 2 months ago)

You can change your password at any time to keep your account secure. Use a combination of letters, numbers, and special characters for added security.

Updating password

To update a password:

- 1. Log in to **HackerRank for Work** using your credentials.
- 2. Select your profile icon in the upper-right corner.
- 3. Select **Settings** from the drop-down menu.
- 4. In the **Change Password** section, enter your current password, new password, and retype your new password to confirm.




5. Click **Save**.

Note: If you forget your current password, use the **Forgot Password** option on the login page to reset it.

Resetting password

To reset a forgotten password:

- 1. Go to the [HackerRank for Work](https://www.hackerrank.com/work/login) login page.
- 2. Click **Forgot Password?** under the password field.



3. Enter the work email address associated with your account.

4. Click **Next**.

5. Check your email for a password reset link from HackerRank.

6. Follow the instructions in the email to create a new password.

\

[settings/user-account-settings-and-preferences] Email Notifications

```
---
title: "Email Notifications"
title_slug: "email-notifications"
source_url: "https://support.hackerrank.com/articles/7318805499-email-notifications"
article_slug: "7318805499-email-notifications"
last_updated_exact: "Dec 26, 2024, 3:12 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Settings"
  - "User Account Settings and Preferences"
---
```


Email Notifications

Last updated: Dec 26, 2024, 3:12 PM (Last updated 1 year ago)

You can adjust email notification preferences for your HackerRank account by following these steps:

Accessing Email Notification Settings

1. Click the **arrow** next to the user icon in the top-right corner of the home page.
2. From the drop-down menu, select **Settings**, and then choose **Email Notifications** in the left navigation pane.



Configuring Test Notifications

- **Default Setting**: You will receive an email notification after a candidate completes a test.
 - **Custom Options**:
 - Disable notifications for test completions.
 - Enable notifications only if a candidate's score exceeds the cutoff score.
- Tip**: Specify the cutoff score in a test's **Advanced Setting**. For details, refer to the [Modifying Score Settings for Tests](#) article.

Configuring Interview Notifications

- Enable or disable the option to send an email when an interview ends automatically.
 - Default**: Disabled.
- Enable or disable the option to send an email if you provide feedback indicating a poor interview experience.
 - Default**: Enabled. This email helps collect additional details to improve your experience.

Configuring Product Update Notifications

- Enable or disable the option to receive product update emails.
 - Default**: Enabled.

Finalizing Your Changes

- Click **Save** to apply your preferences.

\

[settings/user-account-settings-and-preferences] Upgrade Plan Upgrading plan

```
---
title: "Upgrade Plan Upgrading plan"
title_slug: "upgrade-plan-upgrading-plan"
source_url: "https://support.hackerrank.com/articles/7542858084-upgrade-plan"
article_slug: "7542858084-upgrade-plan"
last_updated_exact: "Mar 10, 2026, 12:19 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
  - "Settings"
  - "User Account Settings and Preferences"
---
```

Upgrade Plan Upgrading plan

Last updated: Mar 10, 2026, 12:19 PM (Last updated 2 months ago)

You can upgrade your plan if your current subscription no longer meets your needs.

Upgrading plan

To upgrade plan:

- 1. Log in to **HackerRank for Work** using your credentials.
- 2. Go to **Settings** from the profile drop-down.
- 3. Select **Change Plan** in the **Subscription** section.



- 4. Browse the available plans and select the one that fits your requirements.
- 5. Follow the prompts to complete the upgrade.

Note: Plan upgrades take effect immediately, and charges are prorated accordingly.

You can also upgrade your plan from the **Billing** page by clicking **View Other Plans** under **Current Plan**.



[settings/user-account-settings-and-preferences] HackerRank's Approach to Accessibility

```
---
title: "HackerRank's Approach to Accessibility"
title_slug: "hackerranks-approach-to-accessibility"
source_url: "https://support.hackerrank.com/articles/8440817776-hackerrank%27s-approach-to-accessibility"
article_slug: "8440817776-hackerrank%27s-approach-to-accessibility"
last_updated_exact: "Jan 3, 2025, 4:46 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Settings"
  - "User Account Settings and Preferences"
---
```

HackerRank's Approach to Accessibility

Last updated: Jan 3, 2025, 4:46 PM (Last updated 1 year ago)

At HackerRank, accessibility is an integral part of our software development process. We are committed to creating inclusive experiences that empower everyone to access and use our platform effortlessly. From the earliest design decisions to final testing, we ensure our products meet accessibility standards and provide a seamless user experience. We create products that work for everyone by identifying and addressing barriers early.

Proactive Testing and Audits

- **Regular Audits**: We conduct internal and external audits, ensuring alignment with accessibility standards.
- **Tools and Technology**: We leverage tools like **Axe** for automated testing & **NVDA** and **Voiceover** for manual testing.

**Prioritizing and Addressing Issues

Accessibility is an ongoing process. Issues are prioritized based on their impact, ensuring critical challenges are resolved first.

- **Critical**: Block access to core functionality. This is resolved with the highest urgency.
- **Serious**: Significantly hinder access but allow alternative paths. These are prioritized right after critical issues.
- **Moderate and Low**: These cause minor inconveniences or fail technical criteria without affecting usability. We address these as part of our long-term roadmap.

This approach ensures we address the most pressing needs while steadily improving our platform.

**Third-Party Components

While we strive to address accessibility challenges proactively, we rely on certain third-party components for specific functionalities. Fixes for third-party components are often beyond our direct control, and hence, third-party components are excluded from our accessibility scope unless an accessible alternative is available.

**Accommodation options

Limitations posed by third-party components or intricate technical constraints may prevent immediate resolution. In such cases, we provide [in-product \[accommodation options\]\(https://support.hackerrank.com/hc/en-us/articles/360032485533-Adding-Extra-Time-for-Candidates#:~:text=The%20Time%20Accommodation%20button%20is,reflected%20in%20the%20invite%20template\)](https://support.hackerrank.com/hc/en-us/articles/360032485533-Adding-Extra-Time-for-Candidates#:~:text=The%20Time%20Accommodation%20button%20is,reflected%20in%20the%20invite%20template) and dedicated support to ensure users can effectively achieve their objectives.

**Commitment to Continuous Improvement

We continuously evaluate and refine our processes to align with evolving accessibility standards and user needs.

- Through each audit and review cycle, we identify areas for improvement, address potential gaps, and enhance usability.
- By investing in tools, training, and internal processes, we prioritize accessibility in our continuously evolving products.

For inquiries or to access our latest Accessibility Conformance Reports, please contact us at [\[accessibility@hackerrank.com\]\(mailto:accessibility@hackerrank.com\)](mailto:accessibility@hackerrank.com).

[settings/user-account-settings-and-preferences] Changing the Account Email

title: "Changing the Account Email"
title_slug: "changing-the-account-email"
source_url: "https://support.hackerrank.com/articles/9181791010-changing-the-account-email"
article_slug: "9181791010-changing-the-account-email"
last_updated_exact: "Dec 13, 2024, 5:06 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "Settings"
- "User Account Settings and Preferences"

Changing the Account Email

Last updated: Dec 13, 2024, 5:06 AM (Last updated 1 year ago)

It is not possible for a user to change their account email. However, you can email support@hackerrank.com from the account that you want to change to request the primary email change. Once we verify that you have access to the email account, we can change the email address for you.

[settings/user-account-settings-and-preferences] Advanced Account Settings

```
---
title: "Advanced Account Settings"
title_slug: "advanced-account-settings"
source_url: "https://support.hackerrank.com/articles/9526242649-advanced-account-settings"
article_slug: "9526242649-advanced-account-settings"
last_updated_exact: "Dec 26, 2024, 12:54 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Settings"
  - "User Account Settings and Preferences"
---
```

Advanced Account Settings

Last updated: Dec 26, 2024, 12:54 PM (Last updated 1 year ago)

Customize all default settings for your test setup by following these steps.


****Prerequisites****

- Recruiter license access

****Steps****

Accessing ****Advanced Settings****:

- 1\ Click on the user icon in the top-right corner.
- 2\ Select ****Settings**** from the dropdown menu.
- 3\ Click on ****Advanced Settings**** in the left navigation pane.



****Adjusting the Advanced Setting Options:****

- 1\ ****Default Candidate Tags (Tests):**** Specify candidate tags to identify candidates you invited. You can add more than one tag.
- 2\ ****Default Template for Test Invites**:** Add a default template for test invites. This template will be used for all invites you sent.
- 3\ ****Default Invite Expiration Time:**** Set the default invite expiration time for all your tests (applies to invites sent via the website or API key).
- 5\ ****Default Test Reminder Time:**** Check the box to set a default reminder time for all candidates across all your tests. Only one reminder email will be sent per candidate.
- 6\ ****Default Test Reminder Time**:** Checking this box will unlock three options
 - ****Invite with an expiration date:**** If you have selected a valid expiry date for your test, you must specify this field.
 - ****Invite without an expiration:**** You must specify this field if your test has no expiry date.
 - ****Reminder Email Contents:**** Customize the text you would like the candidate to see

****Note**:** If you configure the email settings on the ****Advanced Settings**** page and the ****Invite Candidates**** page differently for a particular test, the settings configured on the ****Invite Candidates**** page will take precedence.

[settings/user-account-settings-and-preferences] Updating Personal Information of y

```
---
title: "Updating Personal Information of your Account"
title_slug: "updating-personal-information-of-your-account"
source_url: "https://support.hackerrank.com/articles/9551418346-updating-personal-information-of-your-account"
article_slug: "9551418346-updating-personal-information-of-your-account"
last_updated_exact: "Jan 23, 2025, 11:12 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "Settings"
  - "User Account Settings and Preferences"
---
```

Updating Personal Information of your Account

Last updated: Jan 23, 2025, 11:12 AM (Last updated 1 year ago)

You can change the basic information about your HackerRank for Work account, including your name, contact number, country, time zone, and display name.

Follow the steps below to understand how to update the basic information on your HackerRank for Work account.

Steps to Update Personal Information

1. Click on the arrow next to the user icon on the top right corner of the home page and select ****Settings****.
2. Click on ****Profile**** to update your ****Personal Info****.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1735202490000-image.png?Expires=253370764800&Signature=jBjIWfGzXehctVFDgkTAm-yUtG1iOPSUhIUvtDsG5cTJ7zDf0jxupzli39ukhkWyHDvRCm9ouF15ym~5Qu4hj7YRzCuVwZ5dkeohTgYl0BK~Wp5OkvJ6CyhCmCB7lQl9a7oFawbeWfIOX64F7ncZ43dAO1-DRfQ7TQ0ZKB3Rmll5yK5drE52QZwFEzvJGAPkP52hzyqiPafcwQC-qpr-8Akpyj9bCxmbk5-zgfDBDbvWccGjWB54uSfbj97b2jMAAMyPRijwj-jfg0Fal5EFmJGo6H2l74dY3QlJSpUlr9NtnlCSr~~7vlUDkGR6SKC9BnRQhsgU~H3tkSZhSwsvQQ__&Key-Pair-Id=K3NV4LZ47N8M46)

****Note:**** If you must update your email address, contact support at support@hackerrank.com.

\

[skillup/getting-started] HackerRank SkillUp Licenses

title: "HackerRank SkillUp Licenses"
title_slug: "hackerrank-skillup-licenses"
source_url: "https://support.hackerrank.com/articles/1238999371-hackerrank-skillup-licenses"
article_slug: "1238999371-hackerrank-skillup-licenses"
last_updated_exact: "Dec 13, 2024, 5:06 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "SkillUp"
- "Getting Started"

HackerRank SkillUp Licenses

Last updated: Dec 13, 2024, 5:06 AM (Last updated 1 year ago)

SkillUp

SkillUp is a comprehensive platform designed to help organizations manage and develop their technical talent effectively. It offers a range of features and tools to support developers and employers in their growth, workforce planning, and talent mobility efforts.

Licenses For SkillUp

HackerRank SkillUp offers the following user license types:

- Platform License
- Org License
- Individual License

Each license type provides access to specified features and functionality within SkillUp. All licenses must be assigned to individual named users within your organization.

Platform License

The Platform License provides access to all the SkillUp features and functionality included with both an Org License and an Individual License. Access to functionality is granted through SkillUp Org and SkillUp Individual licenses.

Org License

The Org License provides users with access to the following features:

- View company overview
- View company talent directory
- Export Individual User details from the talent directory
- Assign goals to Individual Users
- View the Skill Profile of all individual users
- Add users
- Export the list of individual users in user management
- View and store certification assessments for use in connection with SkillUp
- View raw reports on certification assessments

Org Licenses are intended for use by Admin, Managers, and Executives. Admin users are granted access to a corresponding Recruiter license in the HackerRank platform to facilitate their use of SkillUp.

Individual License

The Individual License provides users with access to the following features:

- Explore the role directory and skills directory
- Execute learning plans
- Take skill badging assessments and role certification assessments
- Download Role Certificates
- Manage their Skill Profile

Individual Licenses are generally intended for use by individual developers within your organization who will access the skills development features of SkillUp.

[skillup/getting-started] Roles and Skills in SkillUp

```
---
title: "Roles and Skills in SkillUp"
title_slug: "roles-and-skills-in-skillup"
source_url: "https://support.hackerrank.com/articles/1506621765-roles-and-skills-in-skillup"
article_slug: "1506621765-roles-and-skills-in-skillup"
last_updated_exact: "Nov 20, 2025, 1:13 PM"
last_updated_relative: "Last updated 5 months ago"
breadcrumbs:
  - "SkillUp"
  - "Getting Started"
---
```

Roles and Skills in SkillUp

Last updated: Nov 20, 2025, 1:13 PM (Last updated 5 months ago)

This article describes the roles and skills available in SkillUp.

Roles

SkillUp supports job roles across various technical domains. Each role is mapped to a defined set of core skills with associated proficiency levels.

Artificial Intelligence (AI) and Machine Learning (ML)

The table below lists job roles in the AI and ML domain with corresponding skills and proficiency levels.

Job Roles		Skills and Proficiency Levels
AI Engineer	- Machine Learning and Language Models (Expert) - Prompt Engineering (Expert) - RAG and Vector Databases (Expert)	
Machine Learning Engineer (Computer Vision)	- Computer Vision (Foundational) - Machine Learning (Expert) - Python (Foundational)	
Machine Learning Engineer (NLP)		

	- Machine Learning (Expert) - NLP (Foundational) - Python (Foundational)
	- Computer Vision (Intermediate) - Machine Learning (Expert) - Python (Intermediate)
	- Machine Learning (Expert) - NLP (Intermediate) - Python (Intermediate)

Cloud

The table below lists job roles in the Cloud domain with corresponding skills and proficiency levels.

Job Roles	Skills and Proficiency Levels
Cloud Engineer (AWS)	- AWS (Foundational) - Docker (Foundational) - Kubernetes (Foundational) - Terraform (Foundational)
Sr. Cloud Engineer (AWS)	- AWS (Intermediate) - Docker (Intermediate) - Kubernetes (Intermediate) - Terraform (Intermediate)

</table>

Data Engineering

The table below lists job roles in the Data Engineering domain with corresponding skills and proficiency levels.

Job Roles	Skills and Proficiency Levels
Data Engineer (PySpark)	- PySpark (Foundational) - Python (Foundational) - SQL (Intermediate)

Data Science and Analytics

The table below lists job roles in the Data Science and Analytics domain with corresponding skills and proficiency levels.

Job Roles	Skills and Proficiency Levels
Data Scientist (Python)	- Data Modeling (Expert) - Python (Foundational) - SQL (Intermediate)
Sr. Data Scientist (Python)	- Data Modeling (Expert) - Python (Intermediate) - SQL (Expert)

Mobile

The table below lists job roles in the Mobile application development domain with corresponding skills and proficiency levels.


```
<td data-cs="1" data-rs="1" data-bg-color="green" style="background-color: #D1FAE5"><p><strong>Skills and Proficiency Levels</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="317" style="width: 317px"><p>QA Engineer (Selenium)</p></td>
<td data-cs="1" data-rs="1"><ul>
<li><p>Java (Foundational)</p></li>
<li><p>Problem Solving (Foundational)</p></li>
<li><p>Selenium (Foundational)</p></li>
</ul></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="317" style="width: 317px"><p>Sr. QA Engineer (Selenium)</p></td>
<td data-cs="1" data-rs="1"><ul>
<li><p>Java (Intermediate)</p></li>
<li><p>Problem Solving (Intermediate)</p></li>
<li><p>Selenium (Intermediate)</p></li>
</ul></td>
</tr>
</tbody>
</table>
```

Software Engineering

The table below lists job roles in the Software Engineering domain with corresponding skills and proficiency levels.

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="318" data-bg-color="green" style="width: 318px; background-color: #D1FAE5"><p><strong>Job Roles</strong></p></td>
<td data-cs="1" data-rs="1" data-bg-color="green" style="background-color: #D1FAE5"><p><strong>Skills and Proficiency Levels</strong></p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="318" style="width: 318px"><p>Software Engineer</p></td>
<td data-cs="1" data-rs="1"><ul>
<li><p>Problem Solving (Foundational)</p></li>
<li><p>REST API (Intermediate)</p></li>
<li><p>SQL (Foundational)</p></li>
</ul></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="318" style="width: 318px"><p>Sr. Software Engineer</p></td>
<td data-cs="1" data-rs="1"><ul>
<li><p>Problem Solving (Intermediate)</p></li>
<li><p>REST API (Intermediate)</p></li>
<li><p>SQL (Intermediate)</p></li>
</ul></td>
</tr>
</tbody>
</table>
```

Web Development

The table below lists job roles in the Web Development domain with corresponding skills and proficiency levels.

```
<table>
<colgroup>
<col style="width: 50%" />
<col style="width: 50%" />
</colgroup>
<tbody>
<tr>
```

<td data-cs="2" data-kind="parent"><p>Job Roles</p></td><td data-cs="2" data-kind="parent"><p>Skills and Proficiency Levels</p></td></tr>			
<td data-cs="2" data-kind="parent"><p>Back-End Developer (Django)</p></td><td data-cs="2" data-kind="parent"><p>Django (Foundational)</p><p>Problem Solving (Foundational)</p><p>Python (Foundational)</p><p>REST API (Intermediate)</p><p>SQL (Foundational)</p></td></tr>			
<td data-cs="2" data-kind="parent"><p>Back-End Developer (Laravel)</p></td><td data-cs="2" data-kind="parent"><p>Laravel (Foundational)</p><p>PHP (Foundational)</p><p>Problem Solving (Foundational)</p><p>REST API (Intermediate)</p><p>SQL (Foundational)</p></td></tr>			
<td data-cs="2" data-kind="parent"><p>Back-End Developer (.NET)</p></td><td data-cs="2" data-kind="parent"><p>C# (Foundational)</p><p>.NET (Foundational)</p><p>Problem Solving (Foundational)</p><p>REST API (Intermediate)</p><p>SQL (Foundational)</p></td></tr>			
<td data-cs="2" data-kind="parent"><p>Back-End Developer (Node)</p></td><td data-cs="2" data-kind="parent"><p>JavaScript (Foundational)</p><p>Node.js (Foundational)</p><p>Problem Solving (Foundational)</p><p>REST API (Intermediate)</p><p>SQL (Foundational)</p></td></tr>			
<td data-cs="2" data-kind="parent"><p>Back-End Developer (Rails)</p></td><td data-cs="2" data-kind="parent"><p>Problem Solving (Foundational)</p><p>REST API (Intermediate)</p><p>RoR (Foundational)</p><p>SQL (Foundational)</p></td></tr>			
<td data-cs="2" data-kind="parent"><p>Back-End Developer (Spring Boot)</p></td><td data-cs="2" data-kind="parent"><p>Java (Foundational)</p><p>Problem Solving (Foundational)</p><p>REST API (Intermediate)</p><p>Spring Boot (Foundational)</p><p>SQL (Foundational)</p></td></tr>			
<td data-cs="2" data-kind="parent"><p>Front-End Developer (Angular)</p></td><td data-cs="2" data-kind="parent"><p>Angular (Foundational)</p></td></tr>			

```
</li><p>CSS (Expert)</p></li>
</li><p>JavaScript (Foundational)</p></li>
</li><p>Problem Solving (Foundational)</p></li>
</ul></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="318" style="width: 318px"><p>Front-End Developer (React)</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><ul>
</li><p>CSS (Expert)</p></li>
</li><p>JavaScript (Foundational)</p></li>
</li><p>Problem Solving (Foundational)</p></li>
</li><p>React (Foundational)</p></li>
</ul></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" data-colwidth="318" style="width: 318px"><p>Full-Stack Engineer (Angular and Node)</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><ul>
</li><p>Angular (Foundational)</p></li>
</li><p>CSS (Expert)</p></li>
</li><p>JavaScript (Foundational)</p></li>
</li><p>Node.js (Foundational)</p></li>
</li><p>Problem Solving (Foundational)</p></li>
</li><p>REST API (Intermediate)</p></li>
</ul></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" data-colwidth="318" style="width: 318px"><p>Full-Stack Engineer (React and Node)</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><ul>
</li><p>CSS (Expert)</p></li>
</li><p>JavaScript (Foundational)</p></li>
</li><p>Node.js (Foundational)</p></li>
</li><p>Problem Solving (Foundational)</p></li>
</li><p>React (Foundational)</p></li>
</li><p>REST API (Intermediate)</p></li>
</ul></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" data-colwidth="318" style="width: 318px"><p>Sr. Back-End Developer (Django)</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><ul>
</li><p>Django (Intermediate)</p></li>
</li><p>Problem Solving (Intermediate)</p></li>
</li><p>Python (Intermediate)</p></li>
</li><p>REST API (Intermediate)</p></li>
</li><p>SQL (Intermediate)</p></li>
</ul></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" data-colwidth="318" style="width: 318px"><p>Sr. Back-End Developer (Laravel)</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><ul>
</li><p>Laravel (Intermediate)</p></li>
</li><p>PHP (Intermediate)</p></li>
</li><p>Problem Solving (Intermediate)</p></li>
</li><p>REST API (Intermediate)</p></li>
</li><p>SQL (Intermediate)</p></li>
</ul></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-rowspan="1" data-colwidth="318" style="width: 318px"><p>Sr. Back-End Developer (.NET)</p></td>
<td data-cs="1" data-rs="1" data-rowspan="1"><ul>
</li><p>C# (Intermediate)</p></li>
</li><p>.NET (Intermediate)</p></li>
</li><p>Problem Solving</p>
<p>(Intermediate)</p></li>
</li><p>REST API (Intermediate)</p></li>
</li><p>SQL (Intermediate)</p></li>
</ul></td>
```

```
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="318" style="width: 318px"><p>Sr. Back-End Developer (Node)</p></td>
<td data-cs="1" data-rs="1" data-rs="1"><ul>
<li><p>JavaScript (Intermediate)</p></li>
<li><p>Node.js (Intermediate)</p></li>
<li><p>Problem Solving (Intermediate)</p></li>
<li><p>REST API (Intermediate)</p></li>
<li><p>SQL (Intermediate)</p></li>
</ul></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="318" style="width: 318px"><p>Sr. Back-End Developer (Rails)</p></td>
<td data-cs="1" data-rs="1" data-rs="1"><ul>
<li><p>Problem Solving (Intermediate)</p></li>
<li><p>REST API (Intermediate)</p></li>
<li><p>RoR (Intermediate)</p></li>
<li><p>SQL (Intermediate)</p></li>
</ul></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="318" style="width: 318px"><p>Sr. Back-End Developer (Spring Boot)</p></td>
<td data-cs="1" data-rs="1" data-rs="1"><ul>
<li><p>Java (Intermediate)</p></li>
<li><p>Problem Solving (intermediate)</p></li>
<li><p>REST API (Intermediate)</p></li>
<li><p>Spring Boot (Intermediate)</p></li>
<li><p>SQL (Intermediate)</p></li>
</ul></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="318" style="width: 318px"><p>Sr. Front-End Developer (Angular)</p></td>
<td data-cs="1" data-rs="1" data-rs="1"><ul>
<li><p>Angular</p>
<p>(Intermediate)</p></li>
<li><p>CSS (Expert)</p></li>
<li><p>JavaScript (Intermediate)</p></li>
<li><p>Problem Solving (Intermediate)</p></li>
</ul></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="318" style="width: 318px"><p>Sr. Front-End Developer (React)</p></td>
<td data-cs="1" data-rs="1" data-rs="1"><ul>
<li><p>CSS (Expert)</p></li>
<li><p>JavaScript (Intermediate)</p></li>
<li><p>Problem Solving (Intermediate)</p></li>
<li><p>React (Intermediate)</p></li>
</ul></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="318" style="width: 318px"><p>Sr. Full-Stack Engineer (Angular and Node)</p></td>
<td data-cs="1" data-rs="1" data-rs="1"><ul>
<li><p>Angular</p>
<p>(Intermediate)</p></li>
<li><p>CSS (Expert)</p></li>
<li><p>JavaScript (Intermediate)</p></li>
<li><p>Node.js (Intermediate)</p></li>
<li><p>Problem Solving (Intermediate)</p></li>
<li><p>REST API (Intermediate)</p></li>
</ul></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-cw="318" style="width: 318px"><p>Sr. Full-Stack Engineer (React and Node)</p></td>
<td data-cs="1" data-rs="1" data-rs="1"><ul>
<li><p>CSS (Expert)</p></li>
```

```
<li><p>JavaScript (Intermediate)</p></li>
<li><p>Node.js (Intermediate)</p></li>
<li><p>Problem Solving (Intermediate)</p></li>
<li><p>React (Intermediate)</p></li>
<li><p>REST API (Intermediate)</p></li>
</ul></td>
</tr>
</tbody>
</table>
```

Skills

The following skills are available in SkillUp:

- Agent Building
- Android
- Angular
- AWS
- Bash
- C#
- Computer Vision
- CSS
- Data Modeling
- Django
- Docker
- DynamoDB
- Flutter
- Git
- Go
- Java
- JavaScript
- Kubernetes
- Laravel
- Linux
- Machine Learning
- .NET
- NLP
- Node.js
- PHP
- Problem Solving
- Prompt Engineering

<!-- -->

- PySpark
- Python
- RAG
- React
- React Native
- REST API
- RoR
- Selenium
- Spring Boot
- SQL
- Terraform
- TypeScript

****Note**:** HackerRank supports several skills across all products. The [Skills Directory](<https://www.hackerrank.com/skills-directory>) lists the skills and definitions of proficiency levels.

\

[skillup/getting-started] Audit Logs in SkillUp How to request audit logs

```
---
title: "Audit Logs in SkillUp How to request audit logs"
title_slug: "audit-logs-in-skillup-how-to-request-audit-logs"
source_url: "https://support.hackerrank.com/articles/2103106582-audit-logs-in-skillup"
article_slug: "2103106582-audit-logs-in-skillup"
last_updated_exact: "Jan 28, 2026, 10:13 AM"
last_updated_relative: "Last updated 3 months ago"
breadcrumbs:
  - "SkillUp"
  - "Getting Started"
---
```

Audit Logs in SkillUp How to request audit logs

Last updated: Jan 28, 2026, 10:13 AM (Last updated 3 months ago)

Audit Logs provide a detailed record of organizational activity in SkillUp. Organizations can use audit logs to support governance, security monitoring, and compliance requirements.

Audit logs capture key events performed within SkillUp, including:

- User additions, removals, and role changes
- Badge, certification, and assignment-related actions
- Administrative configuration changes

The information included in an audit log varies based on the request and the selected time period.

How to request audit logs

To request audit logs, contact the SkillUp Support team at skillup-support@hackerrank.com(mailto:skillup-support@hackerrank.com).

****Note:**** Only administrators can request audit logs for a SkillUp account. This restriction ensures that only authorized users can access organization-wide data.

Sample template

You can use the following template to request audit logs:

*****Subject:*** *Request for SkillUp audit logs***

\

Hello SkillUp Support Team,

I am requesting Audit Logs for our organization?s SkillUp account to support internal audit and compliance requirements.

Request details:

- ***Organization name: \[Your organization name]***

- ***Requested time period: \[start date ? end date]***

- ***Relevant event types (if applicable): \[Categories of events to include. For example, user authentication, administrative actions, or assignments]***

Thank you for your assistance.

***Kind regards,**
\[Your full name]
\[Your role/title]
\[Your organization]
\[Work email address]*

****Note:**** If you have questions about audit logs or are unsure what information to provide, contact [\[skillup-support@hackerrank.com\]](mailto:skillup-support@hackerrank.com)(mailto:skillup-support@hackerrank.com).

\

\

[skillup/getting-started] Get Started with Certify

```
---
title: "Get Started with Certify"
title_slug: "get-started-with-certify"
source_url: "https://support.hackerrank.com/articles/2960935422-get-started-with-certify"
article_slug: "2960935422-get-started-with-certify"
last_updated_exact: "Apr 23, 2025, 11:51 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "SkillUp"
  - "Getting Started"
---
```

Get Started with Certify

Last updated: Apr 23, 2025, 11:51 AM (Last updated 1 year ago)

The Certify experience in SkillUp enables developers to confidently work toward and earn certifications in key roles. It provides a clear, guided path through practical, untimed challenges that build the skills needed for success.

Intended audience

The Certify experience is designed for:

- Individual developers who want to demonstrate their capabilities through hands-on certifications.
- Organizations that aim to validate internal skill development and promote talent readiness.

Using Certify

To begin using the Certify experience:

1. Log in to **SkillUp** using your credentials.
2. Go to the **Certify** tab.

![image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1745153743788-image.png?Expires=253370764800&Signature=Qe8dQsYz5YIRV8OvlzO0DM82sEs7KPWN8IDeOX7SLI0TPrVAwqUkGjlpZetH1-sx60bwO3-Yri4GS-eUzw4S8e5Uln14SGmk82H4JJmfSGVc~VAEmkHwFfB5Y64flNw1RhZtOYHEEiJXvFbd3bMAAKXrOTN5a6clv0SSZpDFBwxFO-RiJej39CJpZNMXwV0ZDqEaqJygoNam2JamwR7KWpDb1scoDGfxBPJ5K6kMfF8dLHWyVPMVSBQU~j5zP9gl0s-XRqRT8M48k8e7-F-qO8yhAJf5CA8jRqnJhliQK1SApLBV~hSxx0S1S3gljEET23KEtbUNRUxYIm2esZjSsw__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Select a role certification track (for example, ***Frontend Developer - React***).
4. Review the list of required practice challenges.
5. Solve each practice challenge at your own pace. The AI tutor is available for support during practice.
6. Complete all required practice challenges to unlock the certification assessment.
7. Attempt the certification when you are ready.

Note: Certification is a timed assessment conducted on the HackerRank platform.

Common use cases

- A developer preparing to transition into a specialized frontend role, such as Angular development, wants to demonstrate their capabilities.
- An employee aiming for internal mobility uses certifications to validate readiness for a new role.
- A manager encourages team members to earn certifications that align with organizational skill goals.

Best practices

To get the most out of the Certify experience:

- Take your time with practice challenges. Use the AI tutor to fully understand the problems.
- Practice in short, consistent sessions instead of completing everything at once.
- Use the sample environment to get familiar with the certification test format.
- Track your progress to ensure all required practice challenges are completed before attempting certification.

Known limitations

The following limitations apply to the current experience:

- The AI tutor is not available during the certification assessment.
- Certifications are time-bound and can only be reattempted after a cooldown period.

FAQs

****Can I attempt the certification directly?****

No. You must complete the required practice challenges before unlocking the certification.

****What happens if I fail the certification?****

You can reattempt the certification after the cooldown period ends.

****Is the AI tutor available during the certification test?****

No. The AI tutor is only available during practice challenges.

****Can I download or share my certificate?****

Yes. After passing the certification, you can download and share your certificate from your SkillUp profile.

\

[skillup/getting-started] ?Reporting APIs Available endpoints Configuring reporting APIs

title: "?Reporting APIs Available endpoints Configuring reporting APIs? Error handling Best practices Rate limits"
title_slug: "reporting-apis-available-endpoints-configuring-reporting-apis-error-handling-best-practices-rate-limits"
source_url: "https://support.hackerrank.com/articles/3081122402-reporting-apis"
article_slug: "3081122402-reporting-apis"
last_updated_exact: "Oct 14, 2025, 9:05 PM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
- "SkillUp"
- "Getting Started"

?Reporting APIs Available endpoints Configuring reporting APIs? Error handling Best practices Rate limits

Last updated: Oct 14, 2025, 9:05 PM (Last updated 6 months ago)

SkillUp?s Reporting APIs allow you to programmatically extract skill signals, badges, and certification data from your organization. These APIs enable you to integrate learning insights with HR systems, build customized reports, and connect learning outcomes to business impact.

Note: Only administrators can generate credentials to access these APIs.

Available endpoints

Endpoint	Description
Credentials API	Returns a list of all available badges and certifications in SkillUp.
Users API	Returns user data, including learning progress, badges, and certifications achieved.

Configuring reporting APIs?

SkillUp APIs use the **OAuth 2.0 Client Credentials** flow for secure access. Only authorized systems can request and retrieve reporting information.

To configure reporting APIs:

?Step 1: Generate OAuth Credentials?

![[ReportingAPIs
(2).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760426646769-ReportingAPIs%25282%2529.gif?Expires=253370764800&Signature=avWPKb67QURKfzp-9Nd3HGyLRI9LsjwsKxojUbqSWczAMTa6SQ9xa1MZff3QdRXUd--A3fKLJCqmBCB1Y3a1fsaUM0WTjSgMC9NbONDRfBsmSLKxfg6WVOZtsL-5lnvt-N7lWahSQ~uncnPmFRdswrMbJ8ou21TU58J4x-T~~zhNWKazWx8xv21NjYkEXfLVAUfppmSW3-IKsnk2IG3TMymLMVH-10-AuO2icwH0JuzXKzbhSqamF5KgEJSRqtpdhEVyGXOwgQUfR4Nx6FqOc8-KRnt1E1pQDPpvVTyUngYmh81nlbkWnXol-SdVucX3RtcYcAUwITz-pB~1TZl7Hw__&Key-Pair-Id=K3NV4LZ47N8M46)

1. ?Log in to **SkillUp** using an administrator account.
2. Click your profile icon in the upper-right corner and select **Settings**.
3. Click **Register New Application**.
4. Enter a name for your application.
5. Click **Register Application**.
6. Copy the **Client ID** and **Client Secret** to the clipboard or click **Download JSON** to save the credentials as a file.

Important Note: The client secret is displayed only once during generation. You must store it securely before closing the dialog because you cannot retrieve it again.

Your application is now successfully registered, and you can start making API requests.

?Step 2: Request Access Token?

?As a security measure, you must first obtain an access token by making a POST request to the` /v1/oauth2/token` endpoint.

The Authorization header must include your client credentials encoded in Base64 format.

- 1. Combine your client ID and client secret using a colon (:).\nExample: `client\_id:client\_secret`
- 2. Encode the string using Base64.
- 3. Add the prefix `Basic`to the encoded string to create the Authorization header.\nExample: `Basic <base64\_encoded\_string>`.

Note: The access token (JWT) is valid for **10 minutes**. When it expires, repeat these steps to request a new token.

Example

Plain Text

...

If client_id = "abc123" and client_secret = "def456"
Combined: ?abc123:def456?

Base64 encoded: ?YWJjMTIzOmRlZjQ1Ng==?

Final header: ?Basic YWJjMTIzOmRlZjQ1Ng==?

...

Request

Shell

...

curl -X POST https://www.hackerrank.com/skillup/api/v1/oauth2/token \n-H "Authorization: Basic <base64_encoded_credentials>" \n-H "Content-Type: application/x-www-form-urlencoded" \n-d "grant_type=client_credentials"

Headers

-----	-----	-----	
Header	Required	Value	
Authorization	Yes	Basic `<base64_encoded_credentials>`	
Content-Type	Yes	application/x-www-form-urlencoded	

Body parameters

-----	-----	-----	
Parameter	Required	Value	
grant_type	Yes	client_credentials	

Response

JSON

...

```
{
  "access_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...",
  "expires_in": 600
}
```

-----	-----	-----	
Field	Type	Description	
access_token	string	The access token for API authentication	

| expires_in | integer | Token validity period in seconds (600 seconds) |

?Step 3: Access SkillUp APIs?

?After you obtain a valid access token, use it to call the SkillUp Reporting APIs.

Include the token in the Authorization header of your request.

Example Request

Shell

...

```
curl -X GET https://www.hackerrank.com/skillup/api/v2/credentials \
-H "Authorization: Bearer <access_token>"
```

...

Error handling

-----	-----	-----	
Status Code	**Error**	**Description**	
400	Bad Request	Missing or invalid parameters	
401	Unauthorized	Access token is invalid or expired	
403	Forbidden	Token lacks required permissions	
429	Too Many Requests	Too many requests made in a short time	

Best practices

- Store credentials securely. Never expose client credentials in client-side code.
- Tokens remain valid for 10 minutes. Cache and reuse access tokens instead of generating new ones for every request
- Request a new token before the current one expires.

Rate limits

-----	-----	
Request Type	**Limit**	
Token requests	1 request per second	
API requests	1 request per second	

For more information, contact skillup-support@hackerrank.com.?

[skillup/getting-started] Custom Certifications

```
---
title: "Custom Certifications"
title_slug: "custom-certifications"
source_url: "https://support.hackerrank.com/articles/3726813028-custom-certifications"
article_slug: "3726813028-custom-certifications"
last_updated_exact: "Jul 30, 2025, 9:55 AM"
last_updated_relative: "Last updated 9 months ago"
breadcrumbs:
  - "SkillUp"
  - "Getting Started"
---
```

Custom Certifications

Last updated: Jul 30, 2025, 9:55 AM (Last updated 9 months ago)

Custom Certifications let you convert any test created in HackerRank for Work into a SkillUp certification experience. These certifications mirror the experience of standard SkillUp assessments, but your team fully owns the content.

Standard Certifications may not align with your tech stack or internal standards. With Custom Certifications, you can build assessments that reflect your team’s real-world challenges and complement existing SkillUp content.

![[Custom Certification.gif]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1753767345737-CustomCertification.gif?Expires=253370764800&Signature=f-t3HYPu~hGVh1T6YVzwNFPggZSPu4U6X4udbtbXwTItE-RybfozAY9jyNgx2Lfoz0a9rUC-HWduAyTdLooLC0UFVZJT~8wZxEf3jXdCNQOsZ4XGs7ZatqqFwEsoumW~9aoFmlu-k5l7mcnuDqKiSQ-bxqcsiucUbBjgF5sQrhDyuu6f0u23qB66pBvLe~BL0Z9WqUBY7YcCZYAYAJzr~XPxYZe0~Z3s3J8JFmfe3u6phre0FNLCOH9YDBbSuTdS2vjwzsjavr6eDLhFsiLrT4H08y2nwC~IdQw0wzrldqBy3vuS0lje2TuU8LM7dwtwIEi530HTD0K~UXpxVaQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Companies increasingly build skills-based mobility programs and invest in internal talent development. Whether you prepare junior developers for advancement or reskill engineers in new domains such as cloud, AI, or full-stack development, Certifications help you measure progress with clarity and rigor.

Intended audience

The Custom Certification is designed for:

- Engineering leaders or learning and development (L&D) teams who design structured learning and certification paths
- Platform owners or HackerRank for Work administrators who manage test content and track outcomes
- Developers and employees who participate in internal upskilling or mobility programs
- Enterprise customers who build custom skill frameworks and signals alongside SkillUp’s standard certifications

Best practices

To get the most out of Custom Certification:

- Use hands-on, real-world problems to measure skills objectively
- Pair the certification with a recommended SkillUp Learn track so developers can practice in advance.

Known limitations

- You need support from HackerRank to activate a test for a SkillUp certification. After you prepare the test in HackerRank for Work, contact your account manager or support@hackerrank.com.
- Library content restrictions apply. You can only use questions available in your HackerRank library, or you can create custom questions.

\

\

\

[skillup/getting-started] Manage Users Accessing User Management Adding a new user

title: "Manage Users Accessing User Management Adding a new user Edit user details Deactivating a user Reactivating a user"
title_slug: "manage-users-accessing-user-management-adding-a-new-user-edit-user-details-deactivating-a-user-reactivating-a-user"
source_url: "https://support.hackerrank.com/articles/3868789028-user-management"
article_slug: "3868789028-user-management"
last_updated_exact: "Feb 23, 2026, 12:23 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
- "SkillUp"
- "Getting Started"

Manage Users Accessing User Management Adding a new user Edit user details Deactivating a user Reactivating a user

Last updated: Feb 23, 2026, 12:23 PM (Last updated 2 months ago)

The **User Management** section provides access to all users within your organization. You can view, add, and manage user accounts based on assigned roles and permissions.

Accessing User Management

To access user management:

1. Log in to your **HackerRank for Work** account using your credentials.
2. Click your profile icon in the upper-right corner and select **Admin Panel**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760452109066-image.png?Expires=253370764800&Signature=Sbe0OF76QFT0reyeOR5CEKUujVHWgJ0hxpMYP0wbV9hRZ9kn6XP5udyYome~a-T3XXkCzYGML~60iGMpYrHK6OMB-EniXnR0J-Ykmvh2qbDPcZ0YSEd6PHdAXN9DHuN5Ukl3M4f0LJLqGJ4h0TzIR8P6HSU5oBAPGIk6p-R68znnhga2pRNNGiudm-A5e~Jy2UZ9AiMy~CmHYHUE3KegjaRBCKTnnrZeVvrZnDu0ASmfNwBII7HBu5H7FkX0QaHkzXxnorfpg-IRCVKxLOPKsY76VmZN4HJc9ivvyavfbxkg0u8qK~eB8wlZoZpaKam8GE58xq2015XSHIGXE1oJBw__&Key-Pair-Id=K3NV4LZ47N8M46)

The **Admin Panel** interface appears.

3. Click your profile icon in the admin panel and select **User Management**.
4. Use the search bar or filters to locate users.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760452291658-image.png?Expires=253370764800&Signature=Kl1IKizuJU7dkUQDcZ1ww8rIKm2h9uC6rFafopru7zkT1B9Gd6up1KI9FhUPUH7H5~j9rkCQjERPvyCaBINrpBZFqkxq34Jz-sjkVL0mErDovcnep6d8qSGpKeeyP8gETdNACpUF5d2UMWBYQV34LyEVg8kVGvKYwJWPwgdInonJ5vJjzsX6fUS0IXe0bnVaTnPRYbh4AIF1PKC422SPc1~MbkGGRkX5DnvvS6yt3tAPX8GEa9ZcD4REkmbTOjFbi~wGH7b-JHZ22JkpisJcTzruAYr~n1h8OtSvOWxI7yMDpdOMIoN5PbX-Fq6BCvIQgLztgDzVhlxzD2LXIM6A__&Key-Pair-Id=K3NV4LZ47N8M46)

Adding a new user

To add a new user:

1. Click **Add New Users**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760452180280-image.png?Expires=253370764800&Signature=HbMJ7X3rATY4ssHToXjUV4iM9g9S0dHC~UNA2qRUqtokfcYlv-JLALH3tv6cWtHh84hbPBLy3d4HJ8iBRENcsn9YIITXRqawcILXlvpRKv-g~QpjEkwKrNQhWTAeMReLiFdyzm~jcUAB0NdOyPznBslU8k8uOldkHUV3x3pz6rzgM0ts1LZnRaPmJV-gj1Es5qsWVs08gbuo9ndUdizMmGriHh~3syYJxgYjPz-FoLC~K36CwklPe8OWg8dMV37UB1VyqzQAAkvjcrDkoNDyttEc7h7g1G4fTOLU0iu6pOnuBibLEaCURVDdS3kzk3i52-ttl4fVDORhuFIiHKjXiw__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Choose an option:

- **Invite user**:

1. Select a role:

- Individual License:

- **Individual**: Explore skills and roles, earn badges and certifications, and create a skill profile.

- Organization License:

- **Manager**: Access all individual features, assign tasks to team members, view insights, and export reports.

- **Admin**: Access company-wide insights, reports, and user management tools.

2. Click **Next**.

3. Update the following fields:

- First Name

- Last Name(Optional)

- Email

- Job Title

- Manager

4. Click **Next**.

5. Select certification:

- **Allow users to select**: Let users choose their first certification.

- **Assign a specific certification**: Choose a certification from the drop-down menu.

6. Click **Add User**.

- **Upload CSV**: Upload a CSV file to add users in bulk.

Edit user details

To edit user details:

1. Click the **ellipsis (?)** icon next to the user's name.

2. Select **Edit Details**.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760452319001-image.png?Expires=253370764800&Signature=Irtldl5Nj7lGtLCG~7rvMyaoUQn30oedNdljx5UAPwaB0uxFlInjabU~mcw4BKDibOOSQhD~e~~d2a5IHJ0uLEL9K9LrIqK-5XoD0ofpugY2glBz1Mb~VAqx~yi9thfDL9ukYNj5XvGeljzoasBZQ47t1aeFyp7jp8JQngD9NOcHpAtM7uqgbDI8JmEof7EsflrZfQG A2FJlit-UXa32fbZ1uwWlxITt07VkZFu-Wst3YdZYgQhOm-9x~qVz1a6ScLLPQjeKPi7sRublxTiX44BDmpa0W3qExowIFz0mpZ-BBI99tg CvgS5GyCzWqsLKsFWMkj1aDU8lokXvo-Nlczg__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Update the required fields.

!image (3).png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760452421510-image%25283%2529.png?Expires=253370764800&Signature=A0nlLFK6-XEZGvkyuHB5568eLfE83WHnLjpjSWmivLP0reG01TfiHZ-03gvXNHuX8N3blfiQy2cnRipDX NicyFittWaylobK~iFn2sTWJvOCDZPlD8ujAJRqvAROaKUGmoVdfXs-ZhcgNceSI22QD4LFrwTUifuzvQA8xhhzQ3yM6zw3tHY2ETKUFX0W0VGfc2gfcAK5NJB6PTfbxEjJYDTcADLdZgF-WJwH6Kpl2iRHQ9UCTqGM6pqUFEnVajlCizL4iHsDn7v08vq0r~HF0UtpTxIWRURa RcX4U8rJO5BQ51qcNGziBqu5-O~20wVE~3kMnWNoJ0VOqUIn35pn5Q__&Key-Pair-Id=K3NV4LZ47N8M46)

4. Click **Save**.

Deactivating a user

To deactivate a user:

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760452463054-image.png?Expires=253370

764800&Signature=iije3pV~dQtus7cAacLJkjVp7pMc-VXsGW7BLwMn2IKY1Pryc56nEIMbGrT-0Cuys5LT~Nq7xY8VATyskTjmkF7v0t
w7ON66Lh9TxzdKnxkDxYDP83q1mgp5JMRQe~EFyrED3qTvEwo50UwbAjkMGTFyO2A6cbdo7Cv7cLL74iSeQp~4ZGo-AWo-MnwIM
5dwS083ATdEu8Er0QgCN6jiWQXgdK~oTxoJiSugx86h1TzTur8uzO1yJr5Z1vhrdvldw2UQ1Lbf1JTtGF1XbFUL2VjFVBav6~VibM5z9V
ezKdJ6bFVvyEQYu4alXRYbx78~FRwoH2QxTu0kYww5ysjnPQ__&Key-Pair-Id=K3NV4LZ47N8M46)

1. Click the ****ellipsis (?)**** icon next to the user's name.
2. Select ****Deactivate User****.
3. Click ****Deactivate**** in the dialog box to confirm.

![[image
(4).png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760452492020-image%25284%2529.png?Expires=253370764800&Signature=gv1-uhgp0itb35iO46dnQ6CWU4HWGeINhNm9KXNDjpL9mVEh4bmYB3o5BDXsn5hNgmZ5wQj4X-Q
Pjs3VEiCJDRWGN4efbg12TVW1HEpG1Txx2NYIUKE0E9ggq6MHZOMXUF~ZQDI3NpJQjldcFpT6HIEHQDulGe8QNs-WThg0gDFSIA
u75fBx5r1fee4sGaNBZ77TRmhq0ss5-jUPK3s7kuDKSqM0OccxUjsqS0Lgc7MaWspL8rr7avp6hcQKfjVfVGNL7AVTahjyErouJf6orKjn
RiHtlpEO6-SX32j93-6gDwAE3JSTye4l0QS3rmDqXiF4HoTLqajywpH9Ay5Xg__&Key-Pair-Id=K3NV4LZ47N8M46)

A confirmation pop-up appears, and the user's status changes to ****Deactivated****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760452534090-image.png?Expires=253370
764800&Signature=UIXYsZM3X-wfJ245bS~v991M22pIglx1ubwlpPako6~es0sPleEONK25J1kwFxdgOBXBlql8awzmRXEnhiNIRWJH
9eE3G6khgauMSRQBC9MKN7XrAAhOwJ2E3LaMDeSIPliaVopJTzjKnBFJcN3VevD5xm6RlcoFadMSgMwxKKdKCKGqRkhyPTVytfxj
YDQIFKI6lp8VDW0NrxRjGIHAieJRMVzuw4fcGyBaxAajofzszOvEKovPiQWhlWRdEKCKJbNv~a~uZyjQROzee9MsULkIWCjYpqqUxD
q6NsYA2IHdy9btW2dsRcVi-hflLrOQ9sMXy5vgrmy81RKylx8E5A__&Key-Pair-Id=K3NV4LZ47N8M46)

Reactivating a user

To reactivate a user:

1. Click the ****ellipsis (?)**** icon next to the user's name.
2. Select ****Reactivate User****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760452589252-image.png?Expires=253370
764800&Signature=SGj3LIO45FkJu00Kw62KNXZRTlcaVhJx8a30au~PfV4dJOeH5vFPIUL5i8xp86m52pHttusQqUGaNw1BC~g1pkAx
yGoEF8LLEUuuKikJBusvaYoWZz8WgdFCPslOT7OOLmw6BzAKSVYD5hTCYcVQXNfwDjOiUHTSkVyfo3zPQZUgV9gVYE4ZtrCI9m
GeuxU2AP9PhKlqTpFHHUFjXlfzZ4OAT8ri9-zNqEZ3jUVvxjwLGxZMbu1aX~3jxvY4S8INYoo57aXNbaVy1nALT8HTduUSVUKQIYxga
rr3ac9ug5hsv3ePWenurtyx5W~VuiO1-TAjm1E3Z-JQcip6PyOt4g__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Review the user's details and click ****Reactivate****.

![[image
(5).png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760452830552-image%25285%2529.png?Expires=253370764800&Signature=MVLaQyz2zhhtXB1yeGTjFSXjUqQJFbx9~ryouhfPS6gzKkNahMzsF-QlfqqKEIbSHPcGxkM3jJOQ03eA
ANyfevBcNLXTppXYI0-NNLvmQobqOCaa8LH3jaNwjmgSvXqtGPacXHMnlWxwKW9nJ8kXunNfVH72W3TBIqYlxA4INbfj6UWLQx9h
m859FzAu9Ybq1cPcF4HAfO8qfXM5PZere88hIO-9a2RVzVLeIXH2C8EPfsgdSrdBFGuGtG8zSNFKMngyJUa1Q0ywrjq9ebETyvxCj6
Rf~~Jc3T1~YgQ8tDjA9jhTrl8LGK7WSpv6biHhwSP~RGPvD3FolSLAe8sNQ__&Key-Pair-Id=K3NV4LZ47N8M46)

A pop-up message confirms reactivation, and the user's status changes to ****Invited****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1760452915279-image.png?Expires=253370
764800&Signature=GNwLEnmwcvlvrJVBKr4JW69jQhasbfsVZwE6aTjGMSl5ORzQk826uZI1b3SJvqvIbdz2fRuPc1PZ1DqC~vCn86N
PcEwbsyL8hObZvLHVtvmhcuHdtK4YzAIYApXvNRsav20dJAukCSJGPSvrtn9axxLOPp8KM0Aa2Sb1POwyPSUZyR4JiT2-IN-GQopt
Tlprq5X7cQmXnFmPdH86HnqvDABTgyFCII9H~JirZiEXndcx6eOrrVjd1H-mMw4xwZH-SYkqqKTBSJoplo~x7PuEx7SNiMW8EK9UpT8
ep6lO-455ytUaHyyYADjYn1Z2QiMdlpEjHpt8eQk3nQ1-Ulzzg__&Key-Pair-Id=K3NV4LZ47N8M46)

\

\

[skillup/getting-started] Accessing SkillUp Employer Platform

```
---
title: "Accessing SkillUp Employer Platform"
title_slug: "accessing-skillup-employer-platform"
source_url: "https://support.hackerrank.com/articles/4329363164-accessing-skillup-employer-platform"
article_slug: "4329363164-accessing-skillup-employer-platform"
last_updated_exact: "Apr 3, 2025, 12:33 PM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "SkillUp"
  - "Getting Started"
---
```

Accessing SkillUp Employer Platform

Last updated: Apr 3, 2025, 12:33 PM (Last updated 1 year ago)

The SkillUp platform for employers consolidates skill-level data in a single portal.

To access:

1. Log in to your HackerRank account.
2. Navigate to the top menu and click on **Hire**.
3. Select **SkillUp** from the dropdown menu.

The platform consists of two main pages: **Overview** and **Talent**.

Overview Page

This section provides a graphical representation of your organization's certified roles and skills.

Key Components

- **Company Overview**: Displays metrics for certified developers, assessed developers, and onboarded managers. It also tracks certifications and skill badges earned within your organization.
- **Role Certification Funnel**: Click on a role to see a detailed breakdown of employee certifications with the ability to download the data.
- **Certification Trends**: View certification trends over time, filtered by specific roles or periods.
- **Engagement and Assessment Trends**: View engagement and Assessment trends over time, filtered by certifications and badges.
- **Track Developer Actions**: On the Developers Onboarded dashboard, you can track the details such as:
 - Number of developers invited
 - Number of developers signed up
 - Number of developers attempted to get a badge or certification
 - Number of developers who completed a badge or certification

![Overview SkillUp.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1742288486731-OverviewPageSkillUp.gif?Expires=253370764800&Signature=CZofqdvPDD7UCB2rl38mBkw4VsXzKOg8lINPiMhFEJBhiJVwzFASOrOcsrtBvn~XJ-3Rrg11dsIYTtFHqgFili9vvFvFclw15-ZSO4cl2UtJcHjz0k43zKHc-jKJkE5v~fH6BnyCSGVvd9TLPczArJHxhD5A5XZq74ybvVY7JgZMGJxj~tzilv2EjaJGghptztvqLtXUWYi4VJBrt42JWayUlX80HlwQzOTEB2uccWSF6Xgpw7mMzbs0Jv3izwiOqVb2b37RI0Xjfr4PpMswO0y47sXm65ayst~LhIK7VJ5doZ3v1x3TVkv60jSmNixAayngtEQt3OIxlNMkMEuA__&Key-Pair-Id=K3NV4LZ47N8M46)

Talent Directory

The Talent directory helps organize your developers based on **Designation**, **Certifications**, and **Skills Proficiency**.

Features

- Use filters to narrow down employees by **Job Titles**, **Certifications**, **Skills**, or **Managers**.

- Click the **Export** button to export the data. The exported reports have clear formatting, helping you quickly find the assigned and overdue assignments.

!image.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1742554533126-image.png?Expires=253370764800&Signature=ssCqxr34t1iQTIIsNKj2fZsC9FsT95wo9Rklhyk7OeuXEIW9Agl6hmAGkl4HydPbraFCF1Wcgj7r7zP-gr~Ec0-S6fEulAcg2ywtZenNoh45TpQSSDNwhZ18TBk2MVCQBFAjHp11dKE9BQ56AZHoRa5CXGXsfSQjVDvLVhHeZes~frCpgyc2Wr1K7~aK74OKogOSALUrrHvle2bV62pod8Qar6DTgiPCXOU312PuDMew3XHOYwKp8guvCF14nxp0MPxp7jO-MAHYqxwsB79XEMjMJEVcZi~5gq4fl2Le5rwEtwvjKPyIqXukHYQ1ghK83z-Z3~HCisQjTR4TjxW6jw__&Key-Pair-Id=K3NV4LZ47N8M46)

- Select any employee to invite them to a certification or skill badge test.

My Team Dashboard

Managers can access the **My Team** dashboard to review their team's progress.

The dashboard consists of two tabs:

- **Direct Reports**: Displays data of team members who directly report to you.

- **All Reports**: Displays data of all employees within your department beyond your direct reports.

Search and Export Data

- Use the search bar to find employees. The filters will help refine the search based on skills, activities, and managers.

- To download all of the employee data, click on the **Export** option.

Track Employee Progress

Click on the employee's name to view their progress. The slider highlights all the certifications self-assigned or assigned by the employer. You can click on the certification name to expand the timeline of events. Further, you can send reminders and a due date for the certification.

Note: You cannot send reminders or set a due date for the self-assigned certifications.

User Management

The User Management section provides access to all users within your organization.

To access:

1. Click the profile icon.
2. Select ****User Management****.

You can filter users and add new ones by clicking ****Add New Users****. There are two types of users:

- ****Individual Users****: Developers in your organization with SkillUp accounts. They can access the platform to earn skill badges and certifications.

- ****Organizational Users****: Admins or managers who oversee teams of developers.

You can modify user roles by clicking the three dots next to a user's name and selecting ****Modify User Role****.

Inviting Employees for Certification or Badge

You can invite the employees/team members to take new certifications or badges.

To invite an Employee:

1. Select an Employee from the dashboard.
2. Click ****Invite to Badge/Certification****.

3. Choose the certification or badge in the pop-up window and set the due date.

4. Customize the email content if needed and send it to the selected Employees.

[skillup/getting-started] HackerRank SkillUp

```
---
title: "HackerRank SkillUp"
title_slug: "hackerrank-skillup"
source_url: "https://support.hackerrank.com/articles/4624433684-hackerrank-skillup"
article_slug: "4624433684-hackerrank-skillup"
last_updated_exact: "Dec 13, 2024, 4:58 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "SkillUp"
  - "Getting Started"
---
```

HackerRank SkillUp

Last updated: Dec 13, 2024, 4:58 AM (Last updated 1 year ago)

Introduction to SkillUp

SkillUp is a solution to support internal upskilling and mobility within your organization. It allows individuals to assess their skill proficiency and receive personalized learning plans for developing skills relevant to their current or future roles.

Skill development is validated through badges and role certifications, ensuring employees and organizations can track growth. For employers, SkillUp offers a comprehensive view of the skill inventory within the organization, aiding in workforce planning by identifying strengths and skill gaps.

SkillUp Use Cases

SkillUp creates value for employers and employees by providing visibility into your workforce's current and future state, enabling data-driven development.

For Employers

- **Workforce Planning**: Gain insight into your organization's skills distribution. Use this data to understand workforce strengths and gaps, supporting effective upskilling initiatives.
- **Talent Certification**: Accurately certify current skill levels, eliminating assumptions and guesswork. Use this data to make informed decisions about workforce development.
- **Learning and Development Tracking**: Monitor the progress and effectiveness of learning programs using comprehensive reporting tools to ensure continuous improvement.
- **Internal Mobility**: Identify potential Employees for internal job roles by reviewing verified skill profiles and progress in development. This feature can support career advancement and reduce employee turnover.

For Developers

Upskilling Resources

- **Vast Learning Library**: Access a comprehensive library of learning materials, including courses, tutorials, and hands-on projects. These resources are tailored to enhance your skills across various roles and technologies, helping you upskill and benchmark your proficiency.
- **Verified Skill Profiles**: Create and maintain a verified skill profile on **SkillUp**. This profile highlights your proficiencies, achievements, and technical expertise, giving a comprehensive overview of your skills.
- **Curated Learning Paths**: SkillUp provides customized learning paths based on your current skill level, career goals, and organizational needs. These pathways ensure efficient, targeted skill development aligned with your growth and organizational objectives.

By leveraging **SkillUp**, developers can take charge of their skill development, earn credentials, and explore internal mobility opportunities. Employers can make informed decisions about technical talent, drive upskilling initiatives, and ensure a skilled, productive workforce aligned with business objectives.

Related Articles:

- [SkillUp Employer Platform](https://support.hackerrank.com/hc/en-us/articles/34700406393747-Accessing-SkillUp-Employer-Platform)
- [SkillUP Employee Platform](https://support.hackerrank.com/hc/en-us/articles/34903825259795-SkillUp-Employee-Platform)
- [SkillUp Manager Overview](https://support.hackerrank.com/hc/en-us/articles/34761067761555-SkillUp-Manager-Experience)
- [SkillUp Skills and Roles Overview](https://support.hackerrank.com/hc/en-us/articles/34867781944339-Skills-Available-in-SkillUp)
- [SkillUP Licences](https://support.hackerrank.com/hc/en-us/articles/27412354898579-HackerRank-SkillUp-Licenses)

Frequently Asked Questions

****How is a proficiency level determined?****

Skill Ratings determine the proficiency level. HackerRank determines the cut-offs for each proficiency in a skill-based on inputs from SMEs and how the top 10% of the employees have scored in a particular assessment that determines the skill proficiency.

In the case of custom assessments (tailored to meet the organization's requirements), the organizations set the cut-offs.

****What if I take multiple assessments that assess the same skill?****

The Skill Rating would be based on the results from the most recent assessment taken. This will help us keep the Skill Rating accurate and up-to-date to enable your decision-making process.

****How can I access past Skill Ratings?****

In the profile of an employee, you can go to the Skill Details section to see the progress of Skill Ratings over a period of time.

****How many retakes are allowed for an assessment?****

The employer will determine the number of retakes for each assessment based on their policies.

The cool-down period is determined as the days to pass before taking the next retake.

****What is the difference between Skill Ratings and Badges?****

Skill Rating is a quantitative indicator of an individual's proficiency in technical skills.

Badges, on the other hand, are a way of acknowledging an achievement or a skill acquisition at a skill proficiency level. You can receive a badge when you have taken an assessment and reached proficiency level.

For example, If you take a Java assessment and achieve the required Skill Rating for expert proficiency, you will receive the Java (Expert) ^ badge.

****What happens to my skill rating if the assessment is retired or updated?****

If an assessment is deleted from HRW, it is considered retired. You will continue to see the assessment scores in the Assessment History, but your Skill Rating will reflect the most recent Rating before the retired assessment.

If the content of an assessment changes, it is considered updated. However, your skill rating will not be affected if an assessment is updated.

****How can I add custom learning resources to SkillUp?****

You must provide an Excel sheet with the links to custom learning resources like Pluralsight videos or Udacity courses. Within two business days, the HackerRank team will manually add these links to the relevant skills. In the future, you can add custom resources through the admin dashboard.

****Can I influence the content in certification assessments? ****

No, you cannot influence or customize the content in the certification assessments. Hackerrank is taking a strategic bet on AI-first learning and will invest in providing guided, immersive AI tutors for each skill and role. The certification content will be HackerRank's proprietary AI-powered assessments.

****What is the difference between a badge and a certification? ****

A badge is earned for demonstrating proficiency in a skill after passing a skill assessment. Certification is earned for a role that

combines multiple skills after passing a comprehensive role assessment that includes prerequisites of earning the relevant skill badges.

****Can I transfer skill badges earned outside the company (e.g., on the HackerRank community) to my employer's SkillUp account?****

You cannot transfer external skill badges into your organization's SkillUp account. SkillUp treats personal community certifications separately from professional employer certifications to maintain data privacy and boundaries.

****How often are the global in-demand skills updated on the SkillUp platform?****

The global in-demand skills showcased on SkillUp are updated annually based on HackerRank's skills report research. However, the company is exploring increasing the frequency of these updates.

[skillup/getting-started] Track Developer Progress Using Overview Dashboard

```
---
title: "Track Developer Progress Using Overview Dashboard"
title_slug: "track-developer-progress-using-overview-dashboard"
source_url: "https://support.hackerrank.com/articles/5272020175-track-developer-progress-using-overview-dashboard"
article_slug: "5272020175-track-developer-progress-using-overview-dashboard"
last_updated_exact: "Apr 23, 2025, 11:47 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "SkillUp"
  - "Getting Started"
---
```

Track Developer Progress Using Overview Dashboard

Last updated: Apr 23, 2025, 11:47 AM (Last updated 1 year ago)

The **Overview** tab provides SkillUp administrators with a clear, actionable view of developer progress throughout the upskilling journey. With insights into onboarding, engagement, and certification trends, the dashboard helps administrators track skill development at scale.

Intended audience


This feature is intended for the following users with **SkillUp administrator** access:

- Learning and development (L&D) professionals
- HR and talent leaders
- Team managers responsible for internal upskilling initiatives

Tracking developer progress


To track developer progress:

1. Log in to **SkillUp** using your administrator credentials.
2. Go to the **Overview** tab in the left navigation panel.
3. Review the top-level funnel metrics for each stage:



- Invited Developers
- Activated Developers
- Engaged Developers
- Certified Developers

4. Use the date filter in the top-right corner to view progress by time periods (For example, Last week, Last month, or Last quarter).



5. Explore certification and skill-specific breakdowns to understand where developers are making progress in their upskilling journey.
6. Scroll down to view:
 - Manager-level tracking
 - Onboarding trends
 - Certification trends
7. Click the export button to download dashboard data for reporting or deeper analysis.

Common use cases

- A SkillUp administrator tracks weekly or monthly engagement across teams and identifies roles with the highest certification rates.
- A people leader uses the funnel view to monitor how many invited developers have become engaged.
- An L&D professional downloads engagement and certification data to measure internal mobility aligned with upskilling goals.

Best practices

To get the most of the **Overview** tab:

- Use the time filters to monitor activity trends across different time periods and align them with internal initiatives or campaigns.
- Monitor funnel drop-offs to identify friction points where additional support or communication may improve engagement.

Known limitations

- Funnel card drill-downs are only available when the **All Time** filter is applied.

FAQs

What counts as an Engaged developer?

An engaged developer is someone who has run code at least once and made progress on a challenge.

Can I track progress by manager or team?

Yes. The dashboard includes manager-specific views that show associated developers and their certification activity.

\

\

[skillup/getting-started] Get Started with Learn

```
---
title: "Get Started with Learn"
title_slug: "get-started-with-learn"
source_url: "https://support.hackerrank.com/articles/6047728972-get-started-with-learn"
article_slug: "6047728972-get-started-with-learn"
last_updated_exact: "Apr 23, 2025, 11:40 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "SkillUp"
  - "Getting Started"
---
```

Get Started with Learn

Last updated: Apr 23, 2025, 11:40 AM (Last updated 1 year ago)

The Learn experience in SkillUp offers a structured, flexible, and hands-on learning environment. It helps developers improve their technical skills through guided practice and AI-powered support.

It includes the following features:

- Self-paced, contextual learning with guided examples and interactive challenges.
- Real-time AI tutor to support coding practice and concept reinforcement.
- Skill badges that validate proficiency and progress.

Intended audience

The Learn experience is designed for:

- Individual developers seeking to upskill in specific technologies.
- Organizations aiming to promote talent growth by helping employees gain and demonstrate new skills.

Using Learn

To begin using the Learn experience:

1. Log in to **SkillUp** using your credentials.
2. Go to the **Learn** tab.



3. Select a skill (for example, Python, Angular).
4. Select a concept from the **Foundational**, **Intermediate**, or **Expert** track.
5. Read the lesson material with examples, explanations, and guidance from the AI tutor.
6. Use the built-in AI tutor to ask questions or get help as needed.
7. Start the associated coding challenge when you are ready. The AI tutor remains available for support.
8. Submit your completed solution.
9. Complete all challenges in a track to earn a Skill badge.

Common use cases

- A developer preparing for a new backend role wants to refresh their Python fundamentals.
- A backend engineer transitioning to a full stack position uses the React learning path to build frontend skills.
- A manager encourages the employee to upskill and earn a badge to demonstrate readiness for an internal opportunity.

Best practices

To get the most out of the Learn experience:

- Use the AI tutor to deepen your understanding instead of skipping directly to the challenge.
- Set aside short, regular time blocks to complete modules at your own pace.

Known limitations

The following limitations apply to the current experience:

- The AI tutor is available only during Learn and Badge experiences. It is not accessible during timed certification assessments.
- Badges are skill-specific and currently available only for certain learning paths.

FAQs

****Do I need to complete a badge before taking a certification?****

No. Completing a badge is helpful but not a prerequisite for certification

****Are challenges timed?****

No. Learn and badge-related challenges are untimed. Only certification assessments are timed.

****Can I retake a module if I make a mistake?****

Yes. You can reattempt modules as needed and take the time required to master the content.

****Where can I find my badge after I earn it?****

Badges will appear in your ****SkillUp profile**** upon completion of the Learn track.

\

[skillup/getting-started] Weekly Challenges Accessing weekly challenges Leaderboard

```
---
title: "Weekly Challenges Accessing weekly challenges Leaderboard Evaluating weekly challenges Available weekly challenges"
title_slug: "weekly-challenges-accessing-weekly-challenges-leaderboard-evaluating-weekly-challenges-available-weekly-challenges"
source_url: "https://support.hackerrank.com/articles/7992263058-weekly-challenges"
article_slug: "7992263058-weekly-challenges"
last_updated_exact: "Jan 28, 2026, 10:08 AM"
last_updated_relative: "Last updated 3 months ago"
breadcrumbs:
  - "SkillUp"
  - "Getting Started"
---
```

Weekly Challenges Accessing weekly challenges Leaderboard Evaluating weekly challenges Available weekly challenges

Last updated: Jan 28, 2026, 10:08 AM (Last updated 3 months ago)

Weekly Challenges are short, repeatable activities that enable users to apply skills in a focused and time-efficient manner. They complement SkillUp learning paths and certifications by offering ongoing practice rather than long-form coursework.

Weekly Challenges support the following objectives:


- Provide structured opportunities for continued learning after completing badges or certifications
- Encourage consistent participation through a predictable weekly cadence
- Introduce a controlled competitive element within an organization

Note: A new challenge releases every week. Challenges and leaderboards reset every Tuesday at 6:00 PM UTC.

Accessing weekly challenges

To access the weekly challenge:

1. Log in to your **SkillUp** account using your credentials.
2. Locate the weekly challenge banner on the right side of the homepage.



The banner displays the remaining time to attempt the challenge, along with the current and previous week leaderboards.


Leaderboard

Each weekly challenge includes a leaderboard that ranks participants within the same organization.

Leaderboards allow users to:

- Compare their submissions with peers
- Learn from top-performing solutions
- Track progress across multiple challenges

Note: Users can view the previous week's challenge and winning submissions to learn from them.



Evaluating weekly challenges

Weekly Challenges use token efficiency to evaluate submissions.

Total score = Input tokens (prompt) + Output tokens (generated code)

- Lower scores rank higher
- If scores tie, earlier submissions rank higher
- Each user can submit once per weekly challenge

Available weekly challenges

HackerRank currently offers the Weekly Prompt Engineering Challenge.

Weekly Prompt Engineering challenge

The Weekly Prompt Engineering Challenge helps users improve their ability to write effective prompts for large language models (LLMs).

Prompting is a critical skill in modern development workflows. Developers interact with LLMs, agents, and AI-assisted development tools through prompts. Inefficient prompting increases cost by consuming unnecessary tokens or requiring repeated attempts.

This challenge reinforces the importance of clear, precise prompts for generating efficient and accurate results.

Attempting weekly Prompt Engineering challenge

To attempt the weekly Prompt Engineering challenge:

1. Click ****Start Challenge**** in the weekly Prompt Engineering challenge banner.
2. Read the instructions, then click ****Done****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769525946553-image.png?Expires=253370764800&Signature=XuTtHZHKGYXL-OpmAgD5l4oNLcS0kSZSsaH2EomUxnW2eHjb1Qygn2EOECha6DijLovl-cWS8lbpTne7lkefBHx0nR61bv6qvYCbSTKgjG7EKEK3VO-Sv6cWfCWT7nzPt4mxl68l2hRin40oVcDxnHzm6YUNdgDR5vsTwY0W3a2tJSMxAd~UXLLHQorLdJ1PSHmt9kqiLFazYvPovEYN91il43YhcnBW7-rL4PbTVQR~Xqe8jwO9PPeN1cpHmjC-162AFBhN8SHW9dt63wxMkMJb9XE8oSvRvYpdpCwkEU333q-KvGs93LT44ald3GzCfaEWHNMGQDoMrCpLwSy3lQ__&Key-Pair-Id=K3NV4LZ47N8M46)

3. Review the high-level problem statement.
4. Write a single prompt in the ****Prompt**** field that instructs the LLM to generate the solution.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769525969876-image.png?Expires=253370764800&Signature=QIFkAn8CvdewR8FeqZofewoBN5r-NyWJ6W65owBUwFChsna~~tsLsaY2oX6ma5DB4NHQZSBTzke4ZnsfghHaxQH4OG7I12uB5mRr~PQBxheonCJ65RXLWO6vO3VuqTmBZ7bMPagWxexw9BaFBX3~VG4DtHQ52cHgbHfAICg4VJdXDS9XP5A7wW6Z55IfBv3HEhv~ql0GZC39oxjfnbXE299LE2lFF6l4-BxhX7nD5Q6s9fxlJt-1y6AZPace-Wdeq9IH0Zk3RPHKg9Y53f1uF7pcgvQgS9K9r5XfC5-u~takNaWflmoW7Gju2bZXkkg8A4kJVZ3XcIFNndhFz2LdPg__&Key-Pair-Id=K3NV4LZ47N8M46)

5. Click ****Generate Code****.
6. Review the generated code and ensure that all test cases pass.
7. Click ****Submit****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769525994434-image.png?Expires=253370764800&Signature=dumMpeczvXaCIQ27Ql3nrO48Ts6N-lZRNz8WEi46932vI9TbmksHwOm9bVrWN-crciUGuY09rwtuxnsO4995jNhoY-DLZ41SAhy~~JU9mAMfEe8XzWqgTFKaGzxKwoUV~OHxsnaQRGuP~T4oW22HBP7DVkeG48GPYBd64f1lYY3tZsjVgw5Fqge1mw8Tyl2Ysp2UYUlyTBbLN7IH-fQIVrKrj5CpDN7O1vuuUmQiPrDh4DM8gV5-oCN92jqMMZt0qXUgl0dedPxs5myBpcPlfP6J-ODJAJEZNOOeBwH3~vAZeZ1Q~RpJ6OrCkY77RvrhRh29gOp-rvLu2CuaG81m6A__&Key-Pair-Id=K3NV4LZ47N8M46)

8. In the confirmation dialog, click ****Yes, Submit****.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1769526010328-image.png?Expires=253370764800&Signature=Eocz604fgzfibuZJfEFsMk6KHxfkvgwj4LETNUmn9C1VmK50NVfnsY8R0xkcn-1I7tHcJrF5JNY0Ij6FeDF8zeZW-ox48pNI-4p~Qulw-xtn1R9-eotALw-bBFECI-yoZNIplshMJAIY9Mw00g4X5kO8DI~yZrr~R-r-bUWb9Jcu4wuFpMYvYycKejRcxNm3et6ZhlZKUZnn7pogSk3Aa3mAPL7F4bLvTK66o1fMDIUVVxYOsSEv4Y67VC7VL2LFanV9-qLbxMWNbOMJiaJUMpZJVEN2r8vZEU-2mek5iKkfUKErEmII9clygdPRr2CTJuJGP5tMf1pHFJIpHy8slw__&Key-Pair-Id=K3NV4LZ47N8M46)

****Note: ****

- You can submit the challenge only after all test cases pass.
- If the test cases fail, edit the prompt and regenerate the code.

\

[skillup/getting-started] SkillUp Employee Platform

```
---
title: "SkillUp Employee Platform"
title_slug: "skillup-employee-platform"
source_url: "https://support.hackerrank.com/articles/8522032191-skillup-employee-platform"
article_slug: "8522032191-skillup-employee-platform"
last_updated_exact: "Mar 6, 2025, 11:50 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
  - "SkillUp"
  - "Getting Started"
---
```

SkillUp Employee Platform

Last updated: Mar 6, 2025, 11:50 AM (Last updated 1 year ago)

The employee platform is segregated into three tabs:

Home

On the home page, you can see two sections:

My Career

This section shows you the certificates you have earned and tracks your progress toward your next certification goal. To view each role's certificate and progress details, utilize the slider component to scroll through them. Monitoring this section empowers you to take ownership of your learning path.

```

```

Assigned to Me

This section shows the additional certifications your leadership team suggested for you. Utilize this tailored guidance to open up new skills-development opportunities aligned with organizational needs. Tracking these recommendations allows you to see areas where growing your capabilities can stretch your impact.

```

```

Skills Directory

This directory enables you to explore in-demand skills to acquire. You can view globally trending abilities and all the skills available in HackerRank's library, organized by categories such as AI & ML, Software Engineering, Cloud Engineering, Data Engineering, and more. Tracking skills here provide visibility into those that align with organizational needs and can grow your impact.

```

```

SkillUp categorizes each skill into one of three primary proficiency levels to provide clear insights into your expertise and mastery.

Here is an overview of each level:

1. **Foundational:** The Foundational level represents a basic understanding of the skill.
2. **Intermediate:** The Intermediate level reflects a deeper understanding and practical application of the skill.
3. **Expert:** The Expert level signifies mastery and advanced proficiency in the skill.

In addition to the three primary levels, a **Beginner** designation is assigned when a developer attempts a proficiency-level test but does not meet the passing criteria.

This level:

- Indicates an opportunity for growth and learning in the skill.
- Encourages further practice and study to achieve the Foundational level.
- Acts as a starting point for tracking improvement over time.

The recommended learning resources cover the concepts needed to attain the proficiency badge.

Practice Assessment

- To test your skills, you can use the Practice Assessments. These untimed tests provide a safe environment to hone your coding skills without consequences. Only you can access the results of these assessments.
- These assessments are unlimited; you can keep practicing until you can take one.


src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734720871349-34903825252371-305d9077-f222-46fe-8cac-71f054422063?Expires=253370764800&Signature=fLbvYTZQMgQW9j8fglJfEYUq~cdEuepj-nYU6zgaONK5UKOeb9WqvDaR5bhSUQm04QKhXcxm~JgBjPJPCutvhfsWojrUrgR82HSJ1zjr81a8QRC~EdAEI2wTutH1iynZp8u400oJIEQibawUG3~X8H-1VD28Y0T-PxwVx8YmU5OAU4LW7TAcixjcluv4yKHRCU8p2-tfQB2i2YAVDvHLkOrj9OIH4o-UHuzAaB1xvkfoypSeVKGneQYQc1a-YYm8vxHWW2K4V4TydX-pNh~6UWIQOSws~EzX-oMondwYV-dp6yQV2q3YkhjX2wUqLUM9nspjNvopNur0TdnASN-paA__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

\

- In your practice assessments, you'll have access to an AI Tutor Bot in the form of a Socratic tutor. This assistant is designed to help you learn and understand new skills as you work through real-world coding challenges. The AI assistant can:

- Explain the problem statement and requirements
- Debug your code and point out errors or inefficiencies
- Suggest alternative solutions or approaches
- Answer questions and guide the way


src="https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734720927793-34903806088211-63ff658c-b9a5-414c-a2b8-ad0c8786f72e?Expires=253370764800&Signature=cYdrI9X3bX5kOY4av26GoOA5cYtzZaxB8y5XmOM73gBn3YmGUSRIhI5lr4nlQ8tIUMtVt2cdR1L1VfGfmSFJX~oBHrI~e9uO4RBH~f8gHLr5XukqQTHPRfhcAHl3wjUrK2Mvj64uAYGikI~3aX57w6y3AZpKJDV1vemBpU~qRxu4d8zXzWEs5Yt9EAuqsx6mjZU06PI5Nsc139wCVKiDsJU7JZ0WogD9SglN-zV6bvjGIIAuGxCx~zMsf7PyPAw1YChWDdb7YGO5UmQ2ZzA-77dB-MARAPdODVA8DVBQsW-MrfA0pLslZhAgvtojPlpBqelM69PMTCYI3IOUJynnQ__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

Earning Proficiency Badge


You can take the skill proficiency assessment once you are ready to assess your skills. These assessments help you evaluate your expertise in a specific area.

Select the proficiency level and click on the **Earn Badge**. This will take you to the test environment.


Roles Directory

This directory empowers you to explore organizational roles that match your skills. View roles organized by category where you can

earn certifications based on your capabilities. Assess your readiness for each role while understanding the required skills and certification details. Tracking this directory provides visibility into areas where focused development can strengthen your impact and eligibility for new responsibilities over time.



You can click on the desired role to look for the required skill proficiency. The graph at the bottom of the page compares your current and required skill levels to help you understand the areas to focus on. If you have all the necessary skills for a role, you can take the certification test and add it to your profile.



Earning Certification


Role certification assessments lead to professional credentials certified by SkillUp, validating your knowledge and competency in a particular role. Earning these certifications showcases your readiness for specific job roles and responsibilities. When all the prerequisites are unlocked, you can take the assessment by clicking the Take the Certification button.

Transparent Certification Results

Employees can access a comprehensive overview of their certification performance, including a breakdown of each assessed skill, individual scores, the number of test cases passed, and the time spent on each section. Once employees achieve certification, you can download their certificate directly from the results panel.




Once you have earned the certification, it will show up on your profile with the date you earned it.



My Profile

Your profile is the equivalent of a resume. You can write your bio here and provide social links, such as LinkedIn, Github, Stack Overflow, Twitter, or a personal website. The certifications you have completed and skill badges you have attained will appear here.

To access your profile, click on the name in the top right corner and select My Profile.



[skillup/getting-started] Create Custom Certifications Prerequisite Creating custom c

```
---
title: "Create Custom Certifications Prerequisite Creating custom certifications"
title_slug: "create-custom-certifications-prerequisite-creating-custom-certifications"
source_url: "https://support.hackerrank.com/articles/9232804257-create-custom-certifications"
article_slug: "9232804257-create-custom-certifications"
last_updated_exact: "Apr 22, 2026, 10:22 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
  - "SkillUp"
  - "Getting Started"
---
```

Create Custom Certifications Prerequisite Creating custom certifications

Last updated: Apr 22, 2026, 10:22 AM (Last updated 4 days ago)

Custom Certifications let you convert a HackerRank for Work test into a SkillUp certification experience. This allows you to create certifications that align with your organization?s learning and skill validation requirements.

Prerequisite

You have created a test in your HackerRank for Work account.


Creating custom certifications

To create custom certifications:

1. Log in to your **SkillUp** account using your credentials.
2. Go to **Certify \> Manage Custom Certifications**.




3. Click **New Custom Certification**.



The custom certification creation workflow opens with the following three steps.

Step 1: Certification details



1. Enter a name for the certification.
2. Enter a description that explains what the certification covers.
3. Click **Continue**.

Step 2: Import HackerRank for Work test

1. Search and select a test under the **Linked HackerRank for Work test** field.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776693200334-image.png?Expires=253370764800&Signature=ntvc1E~0gKRvC6v0LhWsb2EpitQyQOZOS-CluVhtCXDqWiDJU-larN3NpS69m7U7JpweOSQ4caK3cP3EhKKqI~xKFeJUqGa7tRk-YrHfZS0fYHB9oaAmqbWtK-1h2KDetbycaqZHwI59-ssltyKT6BIWWaSc7ezQp~lwkeY-mJE2Nmzymcuq0GzKEcZW WmIK9NKRFCxFLKI9cmnh2C9R8gKBdeGq9Bq7k4v3q8yL3g9hpxT5O3e93r-lAOtu3fYV2Mq2xD697GPrJF001OCYU8oFlgDY19Nzxq XhXCdOhKdNhp5bQYwXUI2kQGNBxVCnhI9ajrpEXmi3ksee87wX2g__&Key-Pair-Id=K3NV4LZ47N8M46)

Note:

- You can link only one test to a certification.
- You cannot change the linked test after you create the custom certification.

1. Enter the minimum score required to pass the certification in the **Overall cutoff percentage** field.

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776693219377-image.png?Expires=253370764800&Signature=sDd2A0l17LqAHjx5a73svWvD1gsvRXCpACKhyCSibT4OS48dmYAonZTmtqVMA4D1SsTVPiG~05kib0his0dizWX wr-ztasCV3JgughrEHJUvN-kdPyqJwu5HxRnl-hAw94~wkTy1m9LxOp~KCxTeNmlyUpNbDQJ6J-ACucIgCnWYUIPlwUgyEmdEslwLO dnPylhulHx9c1le5lITZtL1kzqoGLvHuM4yrCnH8xnM1WJhrGL0LRDGNdg9-oNfk2UzMQ6RogsuWTUFAkpXtWCOhqDwHZUCAapyE 1rUhAfpLKwhHYgA~NMKPxNgDJRnZM0k-jB9mJjukg~wg8QFhjTAW__&Key-Pair-Id=K3NV4LZ47N8M46)

2. Click **Continue**.

Step 3: Review

![[image.png]](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776693055619-pasted-image-4.png?Expires=253370764800&Signature=CZpjqaHUbq4pgl5O~6lTcciAxrcLiwQLMy72GbqyyQ051Z8BV9Xvuld~Ko7zLVbhIDAj-TEVKX2BF469nHJ DGnERuvZRdGlZO~gR04rqJWH2zKjh1Oi07fs5jtWul1N~zHlllcew7vUD~ZhHU-rsGQwyQARv2An0NwaN24flmaq1vXcPGvXgZw9-P~o78lr5yBFnVI~76UkYd8VoUtmLG-40jMcR8ruT6Y2I4eHmkBWF3oU6WRVeN6Okwy4gOU78xXmx-NNhRqayYhpYe11h3ff86zcxC9ell OB~-x9KmtWMe9ZSE6TOtIUGXshy26b7dV91KF~iyy9efWAn6GU80A__&Key-Pair-Id=K3NV4LZ47N8M46" class="kb-image block" data-drag-handle="false" />

1. Review the certification details, linked test, and cutoff score.
2. Click **Create custom certification**.
3. Click **Create custom certification** in the confirmation dialog. A success message appears.

\

\

[skillup/getting-started] SkillUp Manager Experience Manager Learning Tracking Team Progress

```
---
title: "SkillUp Manager Experience Manager Learning Tracking Team Progress"
title_slug: "skillup-manager-experience-manager-learning-tracking-team-progress"
source_url: "https://support.hackerrank.com/articles/9473085715-skillup-manager-experience"
article_slug: "9473085715-skillup-manager-experience"
last_updated_exact: "Apr 22, 2026, 10:16 AM"
last_updated_relative: "Last updated 4 days ago"
breadcrumbs:
  - "SkillUp"
  - "Getting Started"
---
```

SkillUp Manager Experience Manager Learning Tracking Team Progress


Last updated: Apr 22, 2026, 10:16 AM (Last updated 4 days ago)

Managers in your organization can use the SkillUp platform to upskill themselves and their teams. With a manager license, they can access the **SkillUp Manager Portal** to develop new skills, earn certifications, and track their team's progress simultaneously.

Manager Learning

Home


The home tab provides an organized overview of your learning progress. You can track your skills development, discover recommended roles, and view certifications to keep you aligned with your goals. The **Assigned to Me** tab provides an overview of the courses that your managers have assigned to you.



Skills


The **Skills Directory** allows you to explore in-demand skills. View globally trending skills and those available in HackerRank's library, organized by categories such as **AI & ML**, **Software Engineering**, **Cloud Engineering**, **Data Engineering**, and more. Tracking skills here helps align your learning with organizational needs, increasing your impact.

On the **Skills** tab, you can either explore new skill areas or continue your learning journey by resuming courses where you left off.



Roles

Based on your skills, the **Roles Directory** recommends career paths such as Angular Developer or Full Stack Engineer. Every career path would be a combination of multiple skills. You can unlock new roles and progress in your career by meeting the required learning milestones.



Certifications & Badges

Completing learning paths can earn you industry-recognized certifications. Display your new skills with badges and certifications to highlight your achievements within your organization.

![Figma 2024-10-25 17.15.37.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1734046483485-?Expires=253370764800&Signature=VGHnWMCPTMvBrCiVH0Zd9ZhMdiCtwJh4RujxzhpUFezPIG7kNfLSRr61v8bX3ftubBoJkByjsebXdd02FZ9pzHRzzQyuccYbZQDojiCdnSwzbT-CwnrhgXfk3ODJMWQrdU44Vaex3ZSgGQgP2jo252ledNo52-hkEScWJSnkui22e9lJ~z7~PCdsjwrSQJ-No3Xg-qHQM11MxTh3Zr40wnAocs3TjQOIz~e4b9Qsm8O1LPRe6pSQk5zfMATKGdGw1nHnEqeynBKL~VAOmcpuXHbANKdiT07xLVqc03ljzA5LZzNYD7xjHwCGxyQFnixsbZq-KUWbeL63FiVgoUQ__&Key-Pair-Id=K3NV4LZ47N8M46)

Tracking Team Progress

My Team Dashboard

Managers can access the **My Team** dashboard to review their team's progress.

The dashboard consists of two tabs:

- **Direct Reports**: Displays data of team members who directly report to you.
- **All Reports**: Displays data of all employees within your department beyond your direct reports.

Search and Export Data

- Use the search bar to find employees. The filters will help refine the search based on skills, activities, and managers.
- To download all of the employee data, click on the **Export** option.

Viewing Employee Progress

Click on an employee's name to view their progress. The **slider** displays all certifications, whether self-assigned or assigned by the employer. You can click on the certification name to expand the timeline of events. Additionally, you can send reminders and set a due date for the certification.

Certification Attempt History

Admins can view a candidate's certification attempt history to track performance across attempts. You can use this information to:

- Review the number of attempts
- Compare score changes across attempts

![Certification Attempt History.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1776346507713-CertificationAttemptHistory.gif?Expires=253370764800&Signature=CODRQHS7-omM3QPTnNAnEwaGsJ6Je93DMSBV1KlbbmGMU80JBt7qWkMTdhKWs64cw3cOfzPyC~mhJz1kWrqY-2NJC7Z5Qx5i57fJO6l4Cj21e2J9V42lk8YFUcLtzcnbOFAfqkloCPUxtYweVzugi3iFtIFA5iwnCagL35Odm0RNT R-VYqSKrPsMWuWKqh84JxJ1QqvJS921Zlc1EEBxbJ6PPJyqIWU-48AVxH7f3VF7KoNtmJDJCP7tVNDI6i2ZG2iyNAVE0pzb1J4JSqUSoOQrRabHE8WFQ92SHNAmDMR~jG~86okZ33k3tdZuZzqEH48R3cA4~NLfkUvAcC0JxA__&Key-Pair-Id=K3NV4LZ47N8M46)

[skillup/getting-started] HackerRank Role Certifications Guidelines

title: "HackerRank Role Certifications Guidelines"
title_slug: "hackerrank-role-certifications-guidelines"
source_url: "https://support.hackerrank.com/articles/9866041175-hackerrank-role-certifications-guidelines"
article_slug: "9866041175-hackerrank-role-certifications-guidelines"
last_updated_exact: "Dec 21, 2024, 12:30 AM"
last_updated_relative: "Last updated 1 year ago"
breadcrumbs:
- "SkillUp"
- "Getting Started"

HackerRank Role Certifications Guidelines

Last updated: Dec 21, 2024, 12:30 AM (Last updated 1 year ago)

HackerRank's Role Certifications use technical assessments to evaluate a developer's proficiency in a set of technical skills associated with a specific role (i.e., Front-End Developer, Software Engineer). Role Certifications use HackerRank's Skills Taxonomy as the basis for determining the specific skills associated with each role. HackerRank Role Certifications provide verification of skills proficiency associated with a specific role, they do not imply a guarantee or endorsement of a developer for employment decisions.

Role Certifications details

- Role Certifications consist of a specific set of skill assessments using valid HackerRank assessments.
 - Learn more about the process we've used to develop valid, fair and reliable HackerRank's skills assessments [here](https://support.hackerrank.com/hc/en-us/articles/26279861944979-Manual-for-Fair-Hiring)
- HackerRank identifies the skills associated with specific roles based on our Skill Taxonomy. HackerRank can support those who wish to map skills to their own taxonomy through our Professional Services team (additional fees may apply)
- HackerRank's Skill Taxonomy combines internal data, external job description analysis and SME review to develop our comprehensive Roles Directory. This directory is the foundation for identifying the skills assessed in Role Certifications.
- Assessments rigorously test developer proficiency in key languages, frameworks, tools and concepts required for a given role
- Within the Role Certification assessment, dedicated sections provide assessment questions for important skills.
- Passing cut-scores are set by default to a score generated by HackerRank that is based on our benchmarking data. This threshold is an approximation of the 75th percentile score for a sampling of questions assessing the same skill at the same difficulty level.

Additional insights

- HackerRank assessments are developed based on HackerRank's research and audited for bias to create tests that are valid and fair. If you choose to use custom assessments and want to achieve similar validity evidence, work with your HackerRank I/O Psychologist to create an action plan (additional fees may apply).
- Set Clear Internal Standards:
 - Determine the specific Role Certifications that align with your organization's existing roles.
 - Clearly define the skills required for each role.
 - Document and communicate these standards & requirements to all dev managers for consistency and fairness in your assessment process.
- Be transparent regarding your expectations with employees. Create clear, consistent communication on how Role Certifications are used at your company.

Disclaimers

- HackerRank Role Certifications provide skills proficiency insights but do not imply a guarantee or endorsement of a developer. Any employment decisions made based on this data is at the sole discretion of the employer organization.
- HackerRank Role Certifications may not be available for all developer roles at your organization. HackerRank Roles Directory

currently supports 77 roles. SkillUp provides Role Certifications for 19 roles as of March 14, 2024. Work with your HackerRank Customer Account Manager to discuss role certification details and requirements for your company.

- HackerRank Role Certifications consist of a specific set of skill assessments, using valid HackerRank assessments. No guarantee is made that HackerRank Assessments will align exactly with your proprietary skills taxonomy and may require modification to match the skills requirements for roles at your organization.

- Passing cut-scores are set by default to a score generated by HackerRank that is based on our benchmarking data. This threshold is an approximation of the 75th percentile score for a sampling of questions assessing the same skill at the same difficulty level.

- Cut-scores may require adjustments by company based on organizational requirements, employee knowledge levels, and other company-specific differences.

- Role Certifications do not holistically evaluate non-technical skills and are set by default to assess technical skills identified by HackerRank's research. Therefore, other non-technical assessments for employees may be required for a holistic view of candidate skills.

- Role Certifications are intended to enhance, not replace, your current learning & development (L&D), and internal mobility practices.

****Note:**** As you use Role Certifications, please provide ongoing feedback to HackerRank directly with your HackerRank Customer Account Manager. Your input helps HackerRank continuously improve our solutions and ensure we meet your evolving needs.

\

[skillup/integrations] Configure Single Sign-On (SSO) for SkillUp Prerequisites Config

title: "Configure Single Sign-On (SSO) for SkillUp Prerequisites Configuring SSO for SkillUp"
title_slug: "configure-single-sign-on-sso-for-skillup-prerequisites-configuring-sso-for-skillup"
source_url: "https://support.hackerrank.com/articles/7581923631-configure-single-sign-on-sso-for-skillup"
article_slug: "7581923631-configure-single-sign-on-sso-for-skillup"
last_updated_exact: "Nov 6, 2025, 1:02 AM"
last_updated_relative: "Last updated 6 months ago"
breadcrumbs:
- "SkillUp"
- "Integrations"

Configure Single Sign-On (SSO) for SkillUp Prerequisites Configuring SSO for SkillUp

Last updated: Nov 6, 2025, 1:02 AM (Last updated 6 months ago)

SSO allows members of your organization to securely access SkillUp using their existing corporate credentials, eliminating the need for separate login details.

Prerequisites

- You must have Company Admin access in your HackerRank for Work account.
- Your organization must use a SAML 2.0-compliant Identity Provider (IdP), such as Okta, Azure AD, or OneLogin.

Configuring SSO for SkillUp

SkillUp uses the same SSO configuration as HackerRank for Work. To enable SSO for SkillUp, you must first configure it in your HackerRank for Work account.

****Note:**** If your organization already uses SSO for HackerRank for Work, skip ****Step 1**** and proceed to [Step 2: Provision users for SkillUp](https://support.hackerrank.com/articles/7581923631-configure-single-sign-on-sso-for-skillup#step-2-provision-users-for-skillup-11).

To configure SSO for SkillUp:

Step 1: Configure SSO in HackerRank for Work

To configure SSO in HackerRank for Work:

1. Follow the [Getting Started with Single Sign-On (HackerRank for Work)](https://support.hackerrank.com/articles/4264962721-getting-started-with-single-sign-on) article to complete the initial configuration.
2. Follow the appropriate SSO setup article based on your organization's IdP:
 - [Okta](https://support.hackerrank.com/articles/2841246365-setting-up-hackerrank-single-sign-on-with-okta)
 - [Azure AD](https://support.hackerrank.com/articles/3007497492-setting-up-hackerrank-single-sign-on-with-azure-ad)
 - [OneLogin](https://support.hackerrank.com/articles/6114369280-setting-up-hackerrank-sso-with-onelogin)

Once you complete the SSO configuration, all users under the same verified domain automatically authenticate to SkillUp using SSO.

Step 2: Provision users for SkillUp

You can provision users for SkillUp in two ways:

Manual provisioning

Admins can manually invite users directly from the SkillUp Admin Panel. For more information, see [User Management](https://support.hackerrank.com/articles/3868789028-user-management) [? User Management](https://support.hackerrank.com/articles/3868789028).

Automated provisioning with SCIM

You can automate user provisioning in SkillUp using the System for Cross-domain Identity Management (SCIM) protocol. SCIM automatically creates, updates, and deactivates SkillUp user accounts based on changes in your organization's directory.

This method is recommended for organizations that use SCIM 2.0 compliant IdPs such as Okta, Azure AD, or OneLogin.

To set up SCIM, use one of the following options based on your organization's configuration:

- **First-time setup:** If you are setting up SCIM with HackerRank for the first time, follow the [Setting Up SCIM Provisioning for SkillUp](https://support.hackerrank.com/articles/9005750838-setting-up-scim-provisioning-for-skillup?lang=en) article.

- **Existing SCIM setup for HackerRank for Work:** If your organization already uses SCIM for HackerRank for Work, you can reuse the same SCIM endpoint and authentication token for SkillUp. This setup automatically synchronizes both platforms.

If your existing SCIM configuration uses Okta, follow the instructions in the [Extend SCIM Provisioning with Okta to SkillUp](https://support.hackerrank.com/articles/9570265682-extend-scim-provisioning-with-okta-to-skillup?lang=en) article to ensure the correct functioning of SCIM for SkillUp.

Step 3: Access SkillUp

Users can access SkillUp either via their IDP tool or by visiting hackerrank.com/skillup/home and logging in.

If a user has access to both SkillUp and HackerRank for Work, logging in through the IdP redirects them to the HackerRank for Work home page. They can access SkillUp from the **App Switcher** in the top navigation bar.

![HRWtoSkillUp.gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1762353738568-HRWtoSkillUp.gif?Expires=253370764800&Signature=uqGiLFsMUMEMtxv5gDlj4-85E5C7qj3t27KpoYTiCpLyHYdHR5VnA9289fIWkbQx95vQLJQGfmb0vWqDYy0mIij6Uis1OHYPsEZGMFwqX1cddfzfpC0YNFjUgY00PcKKsFqHA2vNw8V-pl~FvSI3hpULEgxbIBjjEzd8pnpPiXRPbBKDu9-qk tlqZQGdoNDWS2W9nHUYsnDp3mCUT4ccWrxlt7Ub5NgowQg6KsnSVIXA8-wQtg0P5udZ~dc8zg-JJppYz1ASUEVr9HSJgoalSXjVFcOzzoVomZbDawby1TU4N~5BXjEiT30JKXiH6HOyb~vPGBTNMhkn~H77WLAeg__&Key-Pair-Id=K3NV4LZ47N8M46)

Note: Users may temporarily lose access for up to 2 hours during the transition from regular login to SSO.

For assistance in configuring SSO, contact your HackerRank Account Manager or email skillup-support@hackerrank.com.

\

\

[skillup/integrations] Setting Up SCIM Provisioning for SkillUp Prerequisites SCIM en

title: "Setting Up SCIM Provisioning for SkillUp Prerequisites SCIM endpoint and authentication details Supported SCIM operations SCIM user schema SkillUp-specific attributes"
title_slug:
"setting-up-scim-provisioning-for-skillup-prerequisites-scim-endpoint-and-authentication-details-supported-scim-operations-scim-user-schema-skillup-specific-attributes"
source_url: "https://support.hackerrank.com/articles/9005750838-setting-up-scim-provisioning-for-skillup"
article_slug: "9005750838-setting-up-scim-provisioning-for-skillup"
last_updated_exact: "Mar 11, 2026, 3:29 PM"
last_updated_relative: "Last updated 2 months ago"
breadcrumbs:
- "SkillUp"
- "Integrations"

Setting Up SCIM Provisioning for SkillUp Prerequisites SCIM endpoint and authentication details Supported SCIM operations SCIM user schema SkillUp-specific attributes

Last updated: Mar 11, 2026, 3:29 PM (Last updated 2 months ago)

SkillUp supports automated user provisioning through SCIM. This integration allows your organization to manage SkillUp users directly from any SCIM 2.0 compliant IdP, such as Azure AD, Ping, or OneLogin.

With SCIM, user accounts in SkillUp are automatically synced with your organization’s directory, ensuring user data remains current and consistent.

Prerequisites

Before you configure SCIM provisioning, ensure that:

- SAML-based SSO is configured for your organization. For more information, see [? Configure Single Sign-On (SSO) for SkillUp](/articles/7581923631).
- You have generated a **SCIM Access Key** in your HackerRank for Work account. For more information, see [Generating an API Key from HackerRank](https://support.hackerrank.com/articles/3939437783-setting-up-scim-provisioning-with-okta#generating-an-api-key-from-hackerrank-18) section.

SCIM endpoint and authentication details

----- -----	
Item	**Value**
Base URL	<code>`https://services.hackerrank.com/scim/v2`</code>
Users Resource Path	<code>`/Users`</code>

Supported SCIM operations

---- ---- ----				
Operation	**HTTP Method**	**Endpoint**	**Description**	
Create User	<code>`POST`</code>	<code>`/Users`</code>	Creates a new user record in SkillUp	
Retrieve Users	<code>`GET`</code>	<code>`/Users`</code>	Lists all users provisioned in SkillUp	
Retrieve Single User	<code>`GET`</code>	<code>`/Users/{id}`</code>	Retrieves details of a specific user	
Update User	<code>`PUT`</code> or <code>`PATCH`</code>	<code>`/Users/{id}`</code>	Updates user attributes	
Deactivate User	<code>`DELETE`</code>	<code>`/Users/{id}`</code>	Deactivates a user in SkillUp	

SCIM user schema

Sample SCIM user object:

JSON

...
{

```

"schemas": ["urn:ietf:params:scim:schemas:core:2.0:User"],
"userName": "runscope757dsftiqzde471@atko.com",
"name": {
  "givenName": "Joe",
  "familyName": "Doe"
},
"emails": [
  {
    "primary": true,
    "value": "runscope757dsftiqzde471@atko.com",
    "type": "work"
  }
],
"skillup_role": "developer",
"manager_email": "",
"job_title": "",
"active": true
}
```

```

# SkillUp-specific attributes

| Attribute     | Type          | Required    | Description                                                                                                |
|---------------|---------------|-------------|------------------------------------------------------------------------------------------------------------|
| job_title     | string        | Yes         | The user's job title.                                                                                      |
| skillup_role  | string (enum) | Yes         | Defines the user's access level in SkillUp. Allowed values: `individual`, `manager`, `admin`, `developer`. |
| manager_email | string        | Conditional | Required only for users with the `individual` SkillUp role. Leave blank for others.                        |
| active        | boolean       | Yes         | Indicates if the user account is active.                                                                   |

All SkillUp-specific attributes use the following namespace:  
 `urn:ietf:params:scim:schemas:core:2.0:User`

\



# [skillup/integrations] Extend SCIM Provisioning with Okta to SkillUp Prerequisites Up

---  
title: "Extend SCIM Provisioning with Okta to SkillUp Prerequisites Updating attribute mappings for SkillUp How SCIM provisioning works"  
title\_slug: "extend-scim-provisioning-with-okta-to-skillup-prerequisites-updating-attribute-mappings-for-skillup-how-scim-provisioning-works"  
source\_url: "https://support.hackerrank.com/articles/9570265682-extend-scim-provisioning-with-okta-to-skillup"  
article\_slug: "9570265682-extend-scim-provisioning-with-okta-to-skillup"  
last\_updated\_exact: "Nov 5, 2025, 9:52 PM"  
last\_updated\_relative: "Last updated 6 months ago"  
breadcrumbs:  
- "SkillUp"  
- "Integrations"  
---

# Extend SCIM Provisioning with Okta to SkillUp Prerequisites Updating attribute mappings for SkillUp How SCIM provisioning works

\_Last updated: Nov 5, 2025, 9:52 PM (Last updated 6 months ago)\_

SkillUp supports SCIM-based provisioning with Okta to automatically synchronize users, roles, and profile attributes. SkillUp and HackerRank for Work share the same SCIM endpoint and authentication mechanism.

If you have not configured SCIM provisioning with Okta for HackerRank for Work, follow the [Setting Up SCIM Provisioning with Okta for HackerRank for Work](https://support.hackerrank.com/articles/3939437783-setting-up-scim-provisioning-with-okta) article first.

If your organization already uses [SCIM provisioning with Okta for HackerRank for Work](https://support.hackerrank.com/articles/3939437783-setting-up-scim-provisioning-with-okta), you can extend the existing integration to include SkillUp users. You only need to update the attribute mappings in Okta to enable provisioning for SkillUp.

This article explains how to extend your HackerRank for Work?Okta integration to manage SkillUp users.

## # Prerequisites

Ensure that **SAML-based SSO** is already configured in HackerRank for Work. For more information, see [? Configure Single Sign-On (SSO) for SkillUp](/articles/7581923631).

## # Updating attribute mappings for SkillUp

To extend your existing HackerRank for Work?Okta integration to manage SkillUp users:

1. Log in to the **Okta Admin Console**.
2. Go to **Applications \> HackerRank for Work**.

![skillup.1.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1762352880856-skillup.1.png?Expires=253370764800&Signature=BtRq6c8bA9V3s92DBv~KupNs05GCiLO82XSezijTP6tXemL0~NPBA225T2KH3HUmIwdi9bkS85giV8bBdyw-RtCbOFIN4ZblXUBocjs9ccgQHNd4KTzbt2M~xgHnU~LgvoNoUuayYHQPIIKM6nOUc~UpJdSqsR2uPDMfAj5ITvKUAJNzKmxz7JsXaTyh0WQPcg9yiNEq~dff1JYUFJK2Gzk9kl3QL~uSgs1l1AHf2nL9j9bMymtKv7jn6WvCbfiYvyceXtCkKsWzUeH8zN32Jzre7rWWoldBs3pQSnJDrmn8Z0A2WgFDDO9eQU0UXzsw94LeIjst8-AYYefUT3A\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

3. Select the **Provisioning** tab.
4. Update the mappings to include SkillUp-specific attributes.

![skillup1.png](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1762352905245-skillup1.png?Expires=253370764800&Signature=F6NeMV7n1Ddf3ppjENQJo0fhn3uuOLumeEBD4BOQYMZulMntrTHTx8-Y~ESFC1I94TiKArHyUkpRED3f-sk04WIOMBKsiO4PzjfiN7GsocH1Mu6uJNIU~uTa6u1tCN2XURp9QMn1Tc7pd08MdCEeE6S74hA626~LVzJ65zVwRpoUqEP0H8IXtb~ymhi4UFhlyJ5DpcxHi8awKM38SK5KL0eFduwAb0k5i7eCY01HUxhKG9q~qsa-8JC~3vBkC0gevQcpE2Z~smUA6Om~VESm0WftubeH9CNGkLr3Acx0MO4JTAGkEAsW6trdomwKGn5GqXPenPc9CXLrFA1D97r-Q\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

1. **Modify existing attributes:** Mark the following attributes as **Not Required**:  
- `Role`

- `Company Admin`

- `Team Admin`

2. \*\*Add SkillUp attributes:\*\* Use the following table to add new SkillUp attributes.

```
<table style="width:100%;">
<colgroup>
<col style="width: 16%" />
<col style="width: 16%" />
<col style="width: 16%" />
<col style="width: 16%" />
<col style="width: 16%" />
<col style="width: 16%" />
</colgroup>
<tbody>
<tr>
 #D1FAE5"><p>Display Name</p> <p>
 </p></td> | | | | <td data-cs="1" data-kind="parent" data-rowspan="1" data-background-color="green" style="background-color: #D1FAE5"><p>Variable Name</p> <p>
 </p></td> | <td data-cs="1" data-kind="parent" data-rowspan="1" data-background-color="green" style="background-color: #D1FAE5"><p>Data Type</p> <p>
 </p></td> | <td data-cs="1" data-kind="parent" data-rowspan="1" data-background-color="green" style="background-color: #D1FAE5"><p>Required</p> <p>
 </p></td> | <td data-cs="1" data-kind="parent" data-rowspan="1" data-background-color="green" style="background-color: #D1FAE5"><p>Attribute Type</p> <p>
 </p></td> | <td data-cs="1" data-kind="parent" data-rowspan="1" data-background-color="green" style="background-color: #D1FAE5"><p>Description</p> <p>
 </p></td> | <tr> | | | | | <td data-cs="1" data-kind="parent" data-rowspan="1"><p>Job Title</p> <p>
 </p></td> | <td data-cs="1" data-kind="parent" data-rowspan="1"><p><code>job_title</code></p> <p>
 </p></td> | <td data-cs="1" data-kind="parent" data-rowspan="1"><p>string</p> <p>
 </p></td> | <td data-cs="1" data-kind="parent" data-rowspan="1"><p>Yes</p> <p>
 </p></td> | <td data-cs="1" data-kind="parent" data-rowspan="1"><p>Personal</p> <p>
 </p></td> | <td data-cs="1" data-kind="parent" data-rowspan="1"><p>Maps to the user?s job title in Okta</p></td> | <tr> <td data-cs="1" data-kind="parent" data-rowspan="1"><p>Manager Email</p> <p>
 </p></td> | | | | <td data-cs="1" data-kind="parent" data-rowspan="1"><p><code>manager_email</code></p> <p>
 </p></td> | <td data-cs="1" data-kind="parent" data-rowspan="1"><p>string</p> | | | | | | | | | | | | | | |
```

```

<p>

</p></td>
<td data-cs="1" data-rs="1"><p>Conditional</p>
<p>

</p></td>
<td data-cs="1" data-rs="1"><p>Personal</p>
<p>

</p></td>
<td data-cs="1" data-rs="1"><p>Maps to the manager?s email in Okta</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1"><p>SkillUp Role</p>
<p>

</p></td>
<td data-cs="1" data-rs="1"><p><code>skillup_role</code></p>
<p>

</p></td>
<td data-cs="1" data-rs="1"><p>string (enum)</p>
<p>

</p></td>
<td data-cs="1" data-rs="1"><p>Yes</p>
<p>

</p></td>
<td data-cs="1" data-rs="1"><p>Group</p>
<p>

</p></td>
<td data-cs="1" data-rs="1"><p>Defines the user?s access level in SkillUp</p></td>
</tr>
</tbody>
</table>

```

Use the namespace `urn:ietf:params:scim:schemas:core:2.0:User` for all new attributes.

## Allowed values for SkillUp role

Display Name	Value
Individual	`individual`
Manager	`manager`
Admin	`admin`

**Note:**

- `job\_title` and `skillup\_role` are mandatory for all SkillUp users.
- `manager\_email` is mandatory for users with the `Individual` role.
- To exclude a user from SkillUp provisioning, leave all SkillUp-specific attributes (`manager\_email`, `job\_title`, `skillup\_role`) blank.

# How SCIM provisioning works

After you update the attribute mappings, Okta automatically provisions SkillUp users using the same SCIM configuration as HackerRank for Work.

- When you assign a user to the HackerRank for Work application in Okta, SkillUp automatically creates or updates their profile based on the assigned SkillUp Role.
- Attribute updates, such as job title, manager email, or skill-up role, synchronize in real-time.
- When you deprovision a user in Okta, SkillUp automatically deactivates their account.

For more information on supported provisioning actions such as Push New Users, Push Profile Updates, and Import Users, see [? Setting Up SCIM Provisioning with Okta](/articles/3939437783).

**Note:**

- Use Okta as the system of record for user data and roles.

- Verify that required attributes ( `email`, `givenName`, `familyName`) are mapped correctly.
- If provisioning fails:
  - Confirm that the API key is valid.
  - Check that attribute names and namespaces match exactly.
  - Ensure that the HRW SCIM integration is active.

\

# [uncategorized] Assessing Candidates on Prompt Engineering Skills

---  
title: "Assessing Candidates on Prompt Engineering Skills"  
title\_slug: "assessing-candidates-on-prompt-engineering-skills"  
source\_url: "https://support.hackerrank.com/articles/1231590424-assessing-candidates-on-prompt-engineering-skills"  
article\_slug: "1231590424-assessing-candidates-on-prompt-engineering-skills"  
last\_updated\_exact: "Jan 20, 2025, 3:47 PM"  
last\_updated\_relative: "Last updated 1 year ago"  
---

## # Assessing Candidates on Prompt Engineering Skills

\_Last updated: Jan 20, 2025, 3:47 PM (Last updated 1 year ago)\_

Prompt engineering is a valuable skill to assess in today's AI-driven world. These questions are a powerful tool for evaluating candidates' ability to craft effective prompts. Follow these steps to add these questions to a test:

### \*\*Step 1: Accessing the Question\*\*

#### 1. \*\*Navigate to the Library:\*\*

- Go to the **Library** and use the filter options to search for **Prompt Engineering**.

#### 2. \*\*Select a Question:\*\*

- Select a prompt engineering question from the available list and click on the title to view the details, such as description, expected outputs, and evaluation criteria.

![[Prompt Engineering  
(1).gif](https://assets.usepylon.com/e6a58e21-be80-4777-9eaf-f73beeee94d9%2F1737368187051-PromptEngineering%25281%2529.gif?Expires=253370764800&Signature=nmlm4PJdZwdlUrV20Pkkp6taMblKOWN2jb13d2zhgewkLMxMwUKOPi1X4KFmbCeaJ91AWxY915WfhySSr8Ef3R-T4CNOfm8cFZ5INl6RA92ypcO2HI0GY9LZjz8lIheg66zIkhBL9RbNXP7E48WSmy1acOTroa0GLhoPgP1kvpj61jJSEYNo9k8laDVmJz0QR9LfdPd6DIjwvLFs95rKD5IPvJD2m32mbXGvk0BWeSjQYv6HSfWqP6DeKe6aKvQnvbEjp5azni5WvJZCO3DG-lidiXFWLZa8xcDzREEopc7w2JaRTOJyC8TFMZ13A0wRpA2xqCvJtLvEe~WJ64CNCA\_\_&Key-Pair-Id=K3NV4LZ47N8M46)

### \*\*Step 2: Adding the Question to a Test\*\*

#### 1. \*\*Create or Open a Test:\*\*

- Navigate to the **Tests** section and create a new test or open an existing one.

#### 2. \*\*Add the Question:\*\*

- Click on **Add Questions** and search for the desired prompt engineering question.
- Alternatively, click on the three dots icon and select **Add to Test**.

**\*\*Tip\*\*:** You can add or combine multiple questions with other types, such as coding or multiple-choice questions.

### \*\*Step 3: Reviewing Candidate Results\*\*

1. **\*\*Summary Report:\*\*** Once the test is completed, view the **Summary Report** to see the candidate's overall score, including their performance on prompt engineering questions.

2. **\*\*Detailed Report:\*\*** For a deeper analysis, open the **Detailed Report**, where you can:

- Play back the candidate's activity during the prompt engineering question.
- Review the prompts they crafted and how they iterated on their solutions.

### ### \*\*FAQs\*\*

Can I create my question?

To do so, you can contact our support team at [support@hackerrank.com](mailto:support@hackerrank.com).

If you have any suggestions or feedback about using prompt engineering questions or the platform in general, feel free to contact our support team.

# [uncategorized] Browser Recommendations

```

title: "Browser Recommendations"
title_slug: "browser-recommendations"
source_url: "https://support.hackerrank.com/articles/5897755717-browser-recommendations"
article_slug: "5897755717-browser-recommendations"
last_updated_exact: "Nov 13, 2025, 2:11 PM"
last_updated_relative: "Last updated 5 months ago"

```

## # Browser Recommendations

\_Last updated: Nov 13, 2025, 2:11 PM (Last updated 5 months ago)\_

The table below lists the supported browsers and operating systems to access the HackerRank for Work platform.

Browser	Supported Operating Systems
Google Chrome	Windows, macOS
Microsoft Edge	Windows, macOS
Mozilla Firefox	Windows, macOS
Safari	macOS

For the best performance, use the latest version of [Microsoft Edge](https://www.microsoft.com/en-us/edge?ep=313&form=MA13M0&es=40), [Mozilla Firefox](https://www.mozilla.org/en-US/firefox/new/), [Google Chrome](https://www.google.com/chrome/?brand=CHBD&gclid=EAlaIQobChMI0NfL0Pna3wIVwQ0rCh26QAfcEAAAYASAAEglg2fD\_BwE&gclsrc=aw.ds), or [Safari](https://www.apple.com/in/safari/). Using an outdated browser may affect platform performance or prevent some features from loading correctly.

For browser compatibility details specific to HackerRank Test and Interview, see:

- [Browser Recommendations for HackerRank Tests](https://candidatesupport.hackerrank.com/articles/3310749702-browser-recommendations-for-hackerrank-tests)
- [Browser Recommendations for HackerRank Interviews](https://candidatesupport.hackerrank.com/articles/8455316478-browser-recommendations-for-hackerrank-interviews)

\

[uncategorized] Execution Environment Coding and Database Front-End, Back-End, Full Stack, Mobile, Data Science and DevOps

---  
title: "Execution Environment Coding and Database Front-End, Back-End, Full Stack, Mobile, Data Science and DevOps"  
title\_slug: "execution-environment-coding-and-database-front-end-back-end-full-stack-mobile-data-science-and-devops"  
source\_url: "https://support.hackerrank.com/articles/6693750503-execution-environment"  
article\_slug: "6693750503-execution-environment"  
last\_updated\_exact: "Apr 22, 2026, 10:28 AM"  
last\_updated\_relative: "Last updated 4 days ago"  
---

# Execution Environment Coding and Database Front-End, Back-End, Full Stack, Mobile, Data Science and DevOps

\_Last updated: Apr 22, 2026, 10:28 AM (Last updated 4 days ago)\_

HackerRank provides a comprehensive execution environment that supports multiple programming languages and frameworks, allowing you to run and evaluate your code efficiently.

# Coding and Database

HackerRank supports multithreading in major programming languages. The total CPU time includes execution across all threads. The maximum allowed size for a code submission is **50 KB**.

The table below lists the supported programming languages, versions, execution time limits, memory limits, and available libraries.

Language	Version	Time Limits(Sec)	Memory Limits (MB)	Standard Libraries	ML Libraries
Ada	GNU Ada compiler 4.9	3	512	N/A	N/A
BASH	Version 5.2.32	1	512	N/A	N/A
C					



&lt;td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"&gt;&lt;p&gt;GCC 8.3.0, C11 standard&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"&gt;&lt;p&gt;2&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"&gt;&lt;p&gt;512&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" data-colwidth="131" style="width: 131px"&gt;&lt;p&gt;[Newtonsoft json library](http://nuget.org/packages/newtonsoft.json/)&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" data-colwidth="112" style="width: 112px"&gt;&lt;p&gt;[liblinear@2.21](https://web.archive.org/web/20210411062841/http://www.csie.ntu.edu.tw/~cjlin/liblinear/), [libsvm@3.23](https://web.archive.org/web/20210411062841/http://www.csie.ntu.edu.tw/~cjlin/libsvmtools/),&lt;br&gt;[libcurl](https://curl.se/libcurl/c/)&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" style="width: 94.6172px"&gt;&lt;p&gt;&lt;strong&gt;Clojure&lt;/strong&gt;&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"&gt;&lt;p&gt;clojure 1.9.0&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" style="width: 90.6875px"&gt;&lt;p&gt;8&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"&gt;&lt;p&gt;512&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" data-colwidth="131" style="width: 131px"&gt;&lt;p&gt;algo.generic@0.1.3, alog.monads@0.1.6, core.logic@0.8.11, core.specs.alpha@0.1.10, tools.macro@0.1.2, data.avl@0.1.0, data.int-map@0.2.4, data.json@0.2.6, data.priority-map@0.0.10, data.xml@0.0.8, spec.alpha@0.2.176&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" data-colwidth="112" style="width: 112px"&gt;&lt;p&gt;[stanford-nlp@3.2.0](https://web.archive.org/web/20210411062841/http://nlp.stanford.edu/software/corenlp.shtml), [weka@3-6-10](https://web.archive.org/web/20210411062841/http://www.cs.waikato.ac.nz/ml/weka/), [java-ml@0.1.7](https://web.archive.org/web/20210411062841/http://java-ml.sourceforge.net/), [Jama@1.0.3](https://web.archive.org/web/20210411062841/https://math.nist.gov/javanumerics/jama/)&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" style="width: 94.6172px"&gt;&lt;p&gt;&lt;strong&gt;C#&lt;/strong&gt;&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"&gt;&lt;p&gt;[.NET 8.0.2, C# 12](https://learn.microsoft.com/en-us/dotnet/core/whats-new/dotnet-8/overview)&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" style="width: 90.6875px"&gt;&lt;p&gt;3&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"&gt;&lt;p&gt;512&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" data-colwidth="131" style="width: 131px"&gt;&lt;p&gt;Newtonsoft.Json@13.0.1, System.Reactive@5.0.0&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" data-colwidth="112" style="width: 112px"&gt;&lt;p&gt;Newtonsoft.Json@13.0.1, System.Reactive@5.0.0&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" style="width: 94.6172px"&gt;&lt;p&gt;&lt;strong&gt;C++&lt;/strong&gt;&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"&gt;&lt;p&gt;G++ 8.3.0, C++11 standard&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" style="width: 90.6875px"&gt;&lt;p&gt;2&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"&gt;&lt;p&gt;512&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" data-colwidth="131" style="width: 131px"&gt;&lt;p&gt;Math library&lt;/p&gt;&lt;p&gt;-lm&lt;/p&gt;&lt;p&gt;[json library](https://github.com/open-source-parsers/jsoncpp)&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" data-colwidth="112" style="width: 112px"&gt;&lt;p&gt;[liblinear@2.21](https://web.archive.org/web/20210411062841/http://www.csie.ntu.edu.tw/~cjlin/liblinear/), [libsvm@3.23](https://web.archive.org/web/20210411062841/http://www.csie.ntu.edu.tw/~cjlin/libsvmtools/), Boost C++ Libraries&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" style="width: 94.6172px"&gt;&lt;p&gt;&lt;strong&gt;C++14&lt;/strong&gt;&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"&gt;&lt;p&gt;G++ 8.3.0, C++14 standard&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" style="width: 90.6875px"&gt;&lt;p&gt;2&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"&gt;&lt;p&gt;512&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" data-colwidth="131" style="width: 131px"&gt;&lt;p&gt;Math library&lt;/p&gt;&lt;p&gt;-lm&lt;/p&gt;&lt;p&gt;[json library](https://github.com/open-source-parsers/jsoncpp)&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" data-colwidth="112" style="width: 112px"&gt;&lt;p&gt;[liblinear@2.21](https://web.archive.org/web/20210411062841/http://www.csie.ntu.edu.tw/~cjlin/liblinear/), [libsvm@3.23](https://web.archive.org/web/20210411062841/http://www.csie.ntu.edu.tw/~cjlin/libsvmtools/), Boost C++ Libraries, [libcurl](https://curl.se/libcurl/c/)&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" style="width: 94.6172px"&gt;&lt;p&gt;&lt;strong&gt;C++20&lt;/strong&gt;&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"&gt;&lt;p&gt;G++ 8.3.0, C++20 standard&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" style="width: 90.6875px"&gt;&lt;p&gt;2&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"&gt;&lt;p&gt;512&lt;/p&gt;&lt;/td&gt;	
&lt;td data-cs="1" data-rs="1" data-colwidth="131" style="width: 131px"&gt;&lt;p&gt;[Math library-lm json library](https://github.com/open-source-parsers/jsoncpp)&lt;/p&gt;&lt;/td&gt;	

&lt;td data-cs="4" data-kind="parent"&gt;&lt;p&gt;[liblinear@2.21](https://web.archive.org/web/20210411062841/http://www.csie.ntu.edu.tw/~cjlin/liblinear/), [libsvm@3.23](https://web.archive.org/web/20210411062841/http://www.csie.ntu.edu.tw/~cjlin/libsvmtools/), Boost C++ Libraries, [libcurl](https://curl.se/libcurl/c/)&lt;/p&gt;&lt;/td&gt;&lt;/tr&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td data-cs="4" data-kind="parent"&gt;&lt;p&gt;&lt;strong&gt;C++23&lt;/strong&gt;&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="3" data-kind="parent"&gt;&lt;p&gt;G++ 14.2.0, C++23 standard&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="2" data-kind="parent"&gt;&lt;p&gt;2&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="2" data-kind="parent"&gt;&lt;p&gt;512&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="3" data-kind="parent"&gt;&lt;p&gt;[Math, library-lm ,json library](https://github.com/open-source-parsers/jsoncpp)&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="3" data-kind="parent"&gt;&lt;p&gt;[liblinear@2.21](https://web.archive.org/web/20210411062841/http://www.csie.ntu.edu.tw/~cjlin/liblinear/), [libsvm@3.23](https://web.archive.org/web/20210411062841/http://www.csie.ntu.edu.tw/~cjlin/libsvmtools/), Boost C++ Libraries, [libcurl](https://curl.se/libcurl/c/)&lt;/p&gt;&lt;/td&gt;&lt;/tr&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td data-cs="4" data-kind="parent"&gt;&lt;p&gt;&lt;strong&gt;COBOL&lt;/strong&gt;&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="3" data-kind="parent"&gt;&lt;p&gt;(OpenCOBOL) 2.2.0&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="2" data-kind="parent"&gt;&lt;p&gt;3&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="2" data-kind="parent"&gt;&lt;p&gt;512&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="3" data-kind="parent"&gt;&lt;p&gt;N/A&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="3" data-kind="parent"&gt;&lt;p&gt;N/A &lt;/p&gt;&lt;/td&gt;&lt;/tr&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td data-cs="4" data-kind="parent"&gt;&lt;p&gt;&lt;strong&gt;Coffeescript&lt;/strong&gt;&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="3" data-kind="parent"&gt;&lt;p&gt;Node.js v14.15.4&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="2" data-kind="parent"&gt;&lt;p&gt;10&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="2" data-kind="parent"&gt;&lt;p&gt;1024&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="3" data-kind="parent"&gt;&lt;p&gt;axios, babel-cli,&lt;/p&gt;&lt;p&gt;babel-preset-latest, bignumber.js,&lt;/p&gt;&lt;p&gt;jquery, lodash,&lt;/p&gt;&lt;p&gt;request, typescript,&lt;/p&gt;&lt;p&gt;underscore&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="3" data-kind="parent"&gt;&lt;p&gt;N/A &lt;/p&gt;&lt;/td&gt;&lt;/tr&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td data-cs="4" data-kind="parent"&gt;&lt;p&gt;&lt;strong&gt;Common Lisp (SBCL)&lt;/strong&gt;&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="3" data-kind="parent"&gt;&lt;p&gt;SBCL 1.4.2&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="2" data-kind="parent"&gt;&lt;p&gt;12&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="2" data-kind="parent"&gt;&lt;p&gt;512&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="3" data-kind="parent"&gt;&lt;p&gt;N/A&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="3" data-kind="parent"&gt;&lt;p&gt;N/A &lt;/p&gt;&lt;/td&gt;&lt;/tr&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td data-cs="4" data-kind="parent"&gt;&lt;p&gt;&lt;strong&gt;D&lt;/strong&gt;&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="3" data-kind="parent"&gt;&lt;p&gt;Version 2.084.0&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="2" data-kind="parent"&gt;&lt;p&gt;3&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="2" data-kind="parent"&gt;&lt;p&gt;512&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="3" data-kind="parent"&gt;&lt;p&gt;N/A&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="3" data-kind="parent"&gt;&lt;p&gt;N/A &lt;/p&gt;&lt;/td&gt;&lt;/tr&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td data-cs="4" data-kind="parent"&gt;&lt;p&gt;&lt;strong&gt;DB2&lt;/strong&gt;&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="3" data-kind="parent"&gt;&lt;p&gt;DB2 v10.5.0.1&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="2" data-kind="parent"&gt;&lt;p&gt;60&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="2" data-kind="parent"&gt;&lt;p&gt;512&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="3" data-kind="parent"&gt;&lt;p&gt;N/A&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="3" data-kind="parent"&gt;&lt;p&gt;N/A &lt;/p&gt;&lt;/td&gt;&lt;/tr&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td data-cs="4" data-kind="parent"&gt;&lt;p&gt;&lt;strong&gt;Elixir&lt;/strong&gt;&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="3" data-kind="parent"&gt;&lt;p&gt;Version 1.8.2 (compiled with Erlang/OTP 21)&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="2" data-kind="parent"&gt;&lt;p&gt;12&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="2" data-kind="parent"&gt;&lt;p&gt;512&lt;/p&gt;&lt;/td&gt;&lt;td data-cs="3" data-kind="parent"&gt;&lt;p&gt;N/A&lt;/p&gt;&lt;/td&gt;&lt;/tr&gt;&lt;/table&gt;
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

```
<td data-cs="1" data-rs="1" data-cw="112" style="width: 112px"><p>N/A </p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 94.6172px"><p>Erlang</p></td>
<td data-cs="1" data-rs="1" data-cw="100" style="width: 100px"><p>Erlang/OTP 21 [erts-10.4.4]</p></td>
<td data-cs="1" data-rs="1" style="width: 90.6875px"><p>12</p></td>
<td data-cs="1" data-rs="1" data-cw="100" style="width: 100px"><p>1024</p></td>
<td data-cs="1" data-rs="1" data-cw="131" style="width: 131px"><p>Have your </p>
<p>main </p>
<p>function in module </p>
<p>solution</p></td>
<td data-cs="1" data-rs="1" data-cw="112" style="width: 112px"><p> N/A</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 94.6172px"><p>F#</p></td>
<td data-cs="1" data-rs="1" data-cw="100" style="width: 100px"><p>F# Compiler for F# 4.1, Mono compiler
v5.2</p></td>
<td data-cs="1" data-rs="1" style="width: 90.6875px"><p>4</p></td>
<td data-cs="1" data-rs="1" data-cw="100" style="width: 100px"><p>512</p></td>
<td data-cs="1" data-rs="1" data-cw="131" style="width: 131px"><p> N/A</p></td>
<td data-cs="1" data-rs="1" data-cw="112" style="width: 112px"><p> N/A</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 94.6172px"><p>Fortran</p></td>
<td data-cs="1" data-rs="1" data-cw="100" style="width: 100px"><p>GNU Fortran 5.5</p></td>
<td data-cs="1" data-rs="1" style="width: 90.6875px"><p>5</p></td>
<td data-cs="1" data-rs="1" data-cw="100" style="width: 100px"><p>512</p></td>
<td data-cs="1" data-rs="1" data-cw="131" style="width: 131px"><p> N/A</p></td>
<td data-cs="1" data-rs="1" data-cw="112" style="width: 112px"><p>N/A </p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 94.6172px"><p>GNU Octave</p></td>
<td data-cs="1" data-rs="1" data-cw="100" style="width: 100px"><p>Version 4.4.1</p></td>
<td data-cs="1" data-rs="1" style="width: 90.6875px"><p>5</p></td>
<td data-cs="1" data-rs="1" data-cw="100" style="width: 100px"><p>512</p></td>
<td data-cs="1" data-rs="1" data-cw="131" style="width: 131px"><p> N/A</p></td>
<td data-cs="1" data-rs="1" data-cw="112" style="width: 112px"><p>N/A </p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 94.6172px"><p>Go</p></td>
<td data-cs="1" data-rs="1" data-cw="100" style="width: 100px"><p>v1.22.5</p></td>
<td data-cs="1" data-rs="1" style="width: 90.6875px"><p>4</p></td>
<td data-cs="1" data-rs="1" data-cw="100" style="width: 100px"><p>1920</p></td>
<td data-cs="1" data-rs="1" data-cw="131" style="width: 131px"><p>encoding/json,</p>
<p>encoding/csv,</p>
<p>encoding/xml,</p>
<p>strings, math,</p>
<p>container/heap,</p>
<p>container/list</p></td>
<td data-cs="1" data-rs="1" data-cw="112" style="width: 112px"><p> N/A</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 94.6172px"><p>Groovy</p></td>
<td data-cs="1" data-rs="1" data-cw="100" style="width: 100px"><p>v2.5.5</p></td>
<td data-cs="1" data-rs="1" style="width: 90.6875px"><p>5</p></td>
<td data-cs="1" data-rs="1" data-cw="100" style="width: 100px"><p>512</p></td>
<td data-cs="1" data-rs="1" data-cw="131" style="width: 131px"><p>JVM: 1.8.0_121

Have your entry</p>
<p>point inside an</p>
<p>object named </p>
<p>solution</p></td>
<td data-cs="1" data-rs="1" data-cw="112" style="width: 112px"><p> N/A</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 94.6172px"><p>Hack</p></td>
<td data-cs="1" data-rs="1" data-cw="100" style="width: 100px"><p>HipHop VM 6.33.0-dev</p></td>
<td data-cs="1" data-rs="1" style="width: 90.6875px"><p>9</p></td>
<td data-cs="1" data-rs="1" data-cw="100" style="width: 100px"><p>2048</p></td>
```

N/A		
<strong>Haskell</strong>   ghc 8.6.5, lts-14.7   5   512   base-prelude,   logict, pipes,   hashtables,   random, text,   vector, aeson,   lens, lens-aeson,   split, bytestring,   array, arrow-list,   regex-applicative,   regex-base,   regex-compat,   regex-pcre-builtin,   regex-posix,   regex-tdfa, parsec,   unordered-containers, attoparsec, comonad,   deepseq, dlist, either,   matrix, MemoTrie,   threads,   monad-memo,   memoize,   base-unicode-symbols,   basic-prelude,   bifunctors		
<strong>Java</strong>   Sun Java 1.7.0_80   4   50(ML)   512   2048(ML)   TestNG@6.14.3, JSON Simple@1.1.1, Tagsoup@1.2.1, Google/Gson@2.8.5, HTTPCore@4.4.12, HTTPCore5@5.0-beta8, HTTPAsyncClient@4.1.4, HTTPClient@4.5.10, HTTPClient5@5.0-beta5, XMLResolver@1.2, Jing@20091111, JUnit@4.13-beta-1, Hamcrest@2.1-rc3, Commons Lang3@3.9, Commons Logging@1.2   [stanford-nlp](https://web.archive.org/web/20210411062841/http://nlp.stanford.edu/software/corenlp.shtml)@3.2.0, [weka@3-6-10](https://web.archive.org/web/20210411062841/http://www.cs.waikato.ac.nz/ml/weka/), [java-ml@0.1.7](https://web.archive.org/web/20210411062841/http://java-ml.sourceforge.net/), [Jama@1.0.3](https://web.archive.org/web/20210411062841/https://math.nist.gov/javanumerics/jama/), [ajit@2.11](https://sourceforge.net/projects/ajit)		
<strong>Java 8</strong>   OpenJDK 8u472   4   512   TestNG@7.9.0, JSON Simple@1.1.1, Tagsoup@1.2.1, Google/Gson@2.8.5, HTTPCore@4.4.16, HTTPCore5@5.2.5, HTTPAsyncClient@4.1.5, HTTPClient@4.5.14, HTTPClient5@5.3.1, XMLResolver@1.2, Jing@20091111, JUnit@4.13.2, Hamcrest@3.0, Commons Lang3@3.9, Commons Logging@1.3.4   stanford-nlp@3.2.0, weka@3-6-10, java-ml@0.1.7, Jama@1.0.3, ajit@2.11		
<strong>Java 15</strong>   OpenJDK 15.0.2		

4			
50(ML)			
512			
2048(ML)			
TestNG@6.14.3, JSON Simple@1.1.1, Tagsoup@1.2.1, Google/Gson@2.13.1, HTTPCore@4.4.12, HTTPCore5@5.0-beta8, HTTPAsyncClient@4.1.4, HTTPClient@4.5.10, HTTPClient5@5.0-beta5, XMLResolver@1.2, Jing@20091111, JUnit@4.13-beta-1, Hamcrest@2.1-rc3, Commons Lang3@3.9, Commons Logging@1.2, JavaFX Base@15-linux			
[stanford-nlp@3.2.0](https://web.archive.org/web/20210411062841/http://nlp.stanford.edu/software/corenlp.shtml), [weka@3-6-10](https://web.archive.org/web/20210411062841/http://www.cs.waikato.ac.nz/ml/weka/), [java-ml@0.1.7](https://web.archive.org/web/20210411062841/http://java-ml.sourceforge.net/), [Jama@1.0.3](https://web.archive.org/web/20210411062841/https://math.nist.gov/javanumerics/jama/), [ajit@2.11](https://sourceforge.net/projects/ajit/)			
Java 17			
OpenJDK 17.0.10			
4			
2048			
Commons Lang3@3.12.0 Commons Logging@1.2 Google/Gson@2.13.1 Guava@30.1-jre Hamcrest@2.2 HTTPAsyncClient@4.1.4 HTTPClient@4.5.13 HTTPClient5@5.0-beta5 HTTPCore@4.4.15 HTTPCore5@5.0-beta8 JavaFX Base@17-linux Jing@20091111 JSON Simple@1.1.1 JUnit@4.13-beta-1 Tagsoup@1.2.1 TestNG@7.4.0 XMLResolver@1.2			
[stanford-nlp@3.2.0, weka@3-6-10, java-ml@0.1.7, ajit@2.9](https://web.archive.org/web/20210411062841/http://nlp.stanford.edu/software/corenlp.shtml)			
Java 21			
OpenJDK 21.0.4			
4			
2048			
Commons Lang3@3.12.0 Commons Logging@1.2 Google/Gson@2.13.1			
Guava@30.1-jre Hamcrest@2.2 HTTPAsyncClient@4.1.4 HTTPClient@4.5.13 HTTPClient5@5.0-beta5 HTTPCore@4.4.15 HTTPCore5@5.0-beta8 JavaFX Base@17-linux Jing@20091111 JSON Simple@1.1.1 JUnit@4.13-beta-1 Tagsoup@1.2.1 TestNG@7.4.0 XMLResolver@1.2			
[stanford-nlp@3.2.0](https://web.archive.org/web/20210411062841/http://nlp.stanford.edu/software/corenlp.shtml), [weka@3-6-10](https://web.archive.org/web/20210411062841/http://www.cs.waikato.ac.nz/ml/weka/), [java-ml@0.1.7](https://web.archive.org/web/20210411062841/http://java-ml.sourceforge.net/), [Jama@1.0.3](https://web.archive.org/web/20210411062841/https://math.nist.gov/javanumerics/jama/), [ajit@2.9](https://sourceforge.net/projects/ajit/)			
Javascript			
node.js v20.15.1			
N/A			
512			
axios@1.4.0, babel-cli@6.26.0, babel-preset-latest@6.24.1, bignumber.js@9.1.1, coffeescript@2.7.0, node-fetch@2.6.11, jquery@3.7.0, lodash@4.17.21, request@2.88.2, typescript@5.1.3, underscore@1.13.6			
N/A			
Julia			
Version 1.2.0			
10			
512			
N/A			
N/A			
Kotlin			
Kotlin 1.9.0			

			4
			512
		kotlinx-coroutines-core-jvm-1.6.4	
			N/A

			Version 1.2 with ICI v0.10.5
			5
			512
			N/A
			N/A

			Lua 5.3.3
			12
			512
			N/A
			N/A

			Microsoft SQL Server 2022 - 16.0.4025.1 (X64)
			60
			2048
			N/A
			N/A

			MySQL 8.0.33
			60
			3072
			N/A
			N/A

			Nim 0.20.2
			5
			512
			N/A
			N/A

			Objective-C Clang/LLVM 21.1.8 (GNUstep libobjc2 v2.3, GNUstep Base 1.31.1)
			2
			512
			Foundation Framework (GNUstep), libdispatch
			N/A

			OCaml 4.09
			3
			512
			Jane Street OCaml core libraries async@0.11.0, cohttp@2.4.0, cohttp-async@2.4.0, core@0.11.3, core_extended@0.11.0, xlm@1.3.0, yojson@1.7.0
			N/A

			ORACLE (PL/SQL Supported)

11g Express, Release 11.2.0.2.0 - 64bit		
60		
3072		
N/A		
N/A		
PASCAL		
Version 3.0.4		
2		
512		
N/A		
N/A		
Perl		
Perl (v5.26.3)		
9		
10(ML)		
512		
JSON::XS@4.02, XML::Parser@2.44, Set::Scalar@1.29, Math::SparseVector@0.03 &amp; Math::SparseMatrix@0.03		
PDL &amp; Text::NSP		
PHP		
PHP 8.2.6		
9		
512		
N/A		
N/A		
PostgreSQL		
Version 14.3		
60		
2048		
N/A		
N/A		
PyPy		
PyPy2.7 v6.0.0		
3		
4(ML)		
512		
1024(ML)		
requests[security]@2.22.0, beautifulsoup4@4.8.1, pycryptodome@3.9.4, cryptography@2.8, pyyaml@5.2		
numpy@1.16.5, sympy@1.4, nltk@3.4.5		
PyPy 3		
PyPy3.6 v6.0.0		
4		
512		
1024(ML)		
requests[security]@2.22.0, beautifulsoup4@4.8.1, pycryptodome@3.9.4, cryptography@2.8, pyyaml@5.2		
numpy@1.16.5, sympy@1.4, nltk@3.4.5		
Python		
Python 2.7.15		

1024(ML)		
requests[security]@2.22.0, beautifulsoup4@4.8.1, pycrypto@2.6.1, cryptography@2.8, python-dateutil@2.8.1, urllib3@1.25.7, pyyaml@5.2		
requests[security]@2.22.0, beautifulsoup4@4.8.1, pycrypto@2.6.1, cryptography@2.8, python-dateutil@2.8.1, urllib3@1.25.7, pyyaml@5.2, numpy@1.16.5, scipy@1.2.2, sympy@1.4, scikit-learn@0.20.4, nltk@3.4.5, pandas@0.24.2, statsmodels@0.10.2		
Python 3		
Python 3.14.2		
10		
100px		
requests[security]@2.25.1, beautifulsoup4@4.9.3, pycrypto@2.6.1, cryptography@3.4.7, python-dateutil@2.8.1, urllib3@1.26.4, pyyaml@6.0.1,		
faker@37.4.0		
requests[security]@2.25.1, beautifulsoup4@4.9.3, pycrypto@2.6.1, cryptography@3.4.7, python-dateutil@2.8.1, urllib3@1.26.4, pyyaml@5.4.1, numpy@1.26.0, scipy@1.14.0, sympy@1.31.1, scikit-learn@0.24.2, nltk@3.6.2, pandas@2.2.2, statsmodels@0.14.1, pyspark@3.4.0, matplotlib@3.9.1,		
faker@37.4.0		
R		
Version 4.4.1		
10		
512		
foreach, base64enc,		
bayesm, Formula,		
class, g.data,		
cluster, numDeriv,		
scales, codetools,		
permute, date,		
spatial, psy,		
digest, pwt, statmod,		
stringr, iterators,		
lattice, latticeExtra,		
timeDate, evaluate,		
tseries, fastcluster,		
fBasics, XML, Matrix,		
rjson, zoo, car,		
plyr, sqldf, dplyr,		
lubridate, randomForest, survival, data.table,		
parallel, xts, neuralnet,		
e1071, caret, deepnet,		
tm, bit64, glmnet,		
forecast, reshape2,		
xgboost, readr		
N/A		
RACKET		
Version 7.2		
10		
512		
N/A		
N/A		
Ruby		
Ruby 3.2.2		
10		
512		
xml-simple, http, faraday, rest-client, httpclient, httparty		
N/A		



```
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 94.6172px"><p>RUST</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p>Version 1.59.0</p></td>
<td data-cs="1" data-rs="1" style="width: 90.6875px"><p>5</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p>512</p></td>
<td data-cs="1" data-rs="1" data-colwidth="131" style="width: 131px"><p>num, serde,</p>
<p>serde_json,</p>
<p>serde_derive,</p>
<p>rustc-serialize,</p>
<p>regex, time, text_io,</p>
<p>rand</p></td>
<td data-cs="1" data-rs="1" data-colwidth="112" style="width: 112px"><p>N/A</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 94.6172px"><p>Scala</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p>scala 2.13.11</p></td>
<td data-cs="1" data-rs="1" style="width: 90.6875px"><p>7</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p>512</p></td>
<td data-cs="1" data-rs="1" data-colwidth="131" style="width: 131px"><p>Same as java8 packages

scalaz-core_2.12@7.3.0-M27, cats-macros_2.12@2.0.0, cats-kernel_2.12@2.0.0, cats-core_2.12@2.0.0, cats-free_2.12@2.0.0,
ajt@2.11, jama@1.0.3</p></td>
<td data-cs="1" data-rs="1" data-colwidth="112" style="width: 112px"><p>[stanford-nlp@3.2.0](https://web.archive.org/web/20210411062841/http://nlp.stanford.edu/software/corenlp.shtml),
[weka@3-6-10](https://web.archive.org/web/20210411062841/http://www.cs.waikato.ac.nz/ml/weka/),
[java-ml@0.1.7](https://web.archive.org/web/20210411062841/http://java-ml.sourceforge.net/),
[Jama@1.0.3](https://web.archive.org/web/20210411062841/https://math.nist.gov/javanumerics/jama/) </p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 94.6172px"><p>Smalltalk</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p>GNU Smalltalk 3.2.5</p></td>
<td data-cs="1" data-rs="1" style="width: 90.6875px"><p>5</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p>512</p></td>
<td data-cs="1" data-rs="1" data-colwidth="131" style="width: 131px"><p>N/A</p></td>
<td data-cs="1" data-rs="1" data-colwidth="112" style="width: 112px"><p>N/A</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 94.6172px"><p>Swift</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p>Swift version 5.10.1</p></td>
<td data-cs="1" data-rs="1" style="width: 90.6875px"><p>2</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p>512</p></td>
<td data-cs="1" data-rs="1" data-colwidth="131" style="width: 131px"><p>Foundation Framework</p></td>
<td data-cs="1" data-rs="1" data-colwidth="112" style="width: 112px"><p>N/A</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 94.6172px"><p>Tcl</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p>Version 8.6 with tclsh</p></td>
<td data-cs="1" data-rs="1" style="width: 90.6875px"><p>5</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p>512</p></td>
<td data-cs="1" data-rs="1" data-colwidth="131" style="width: 131px"><p>N/A</p></td>
<td data-cs="1" data-rs="1" data-colwidth="112" style="width: 112px"><p>N/A</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 94.6172px"><p>Text</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p>N/A</p></td>
<td data-cs="1" data-rs="1" style="width: 90.6875px"><p>N/A</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p>N/A</p></td>
<td data-cs="1" data-rs="1" data-colwidth="131" style="width: 131px"><p>N/A</p></td>
<td data-cs="1" data-rs="1" data-colwidth="112" style="width: 112px"><p>N/A</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="width: 94.6172px"><p>TypeScript</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p>Version: 5.6.2 Node.js v20.15.1, Target:
ES2020, Module: CommonJS</p></td>
<td data-cs="1" data-rs="1" style="width: 90.6875px"><p>10</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p>1536</p></td>
<td data-cs="1" data-rs="1" data-colwidth="131" style="width: 131px"><p>axios@1.7.7, babel-cli@6.26.0,
```

```
babel-preset-latest@6.24.1, bignumber.js@9.1.2, coffeescript@2.7.0, jquery@3.7.1, lodash@4.17.21,node-fetch@2.6.11,
readline@1.3.0, request@2.88.2, typescript@5.6.2, underscore@1.13.6, @babel/preset-typescript@7.24.7, @types/jquery@3.5.30,
@types/lodash@4.17.7, @types/node-fetch@2.6.11, @types/node@20.14.1, @types/request@2.48.12,
@types/underscore@1.11.15</p></td>
<td data-cs="1" data-rs="1" data-colwidth="112" style="width: 112px"><p> N/A</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="112" style="width: 112px"><p>VB.NET</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p>Mono compiler v6.4.0.198, .NET Framework
4.7.2</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p>5</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p>512</p></td>
<td data-cs="1" data-rs="1" data-colwidth="131" style="width: 131px"><p> N/A</p></td>
<td data-cs="1" data-rs="1" data-colwidth="112" style="width: 112px"><p> N/A</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="112" style="width: 112px"><p>Verilog</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p>Icarus Verilog 11.0</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p>4</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p>512</p></td>
<td data-cs="1" data-rs="1" data-colwidth="131" style="width: 131px"><p> N/A</p></td>
<td data-cs="1" data-rs="1" data-colwidth="112" style="width: 112px"><p> N/A</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="112" style="width: 112px"><p>Whitespace</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p> N/A</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p> N/A</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p>N/A </p></td>
<td data-cs="1" data-rs="1" data-colwidth="131" style="width: 131px"><p>N/A </p></td>
<td data-cs="1" data-rs="1" data-colwidth="112" style="width: 112px"><p>N/A </p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="112" style="width: 112px"><p>Brainf88k</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p>bf</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p> N/A</p></td>
<td data-cs="1" data-rs="1" data-colwidth="100" style="width: 100px"><p>N/A </p></td>
<td data-cs="1" data-rs="1" data-colwidth="131" style="width: 131px"><p>N/A </p></td>
<td data-cs="1" data-rs="1" data-colwidth="112" style="width: 112px"><p>N/A </p></td>
</tr>
</tbody>
</table>
```

# Front-End, Back-End, Full Stack, Mobile, Data Science and DevOps

HackerRank runs submissions on an Ubuntu LTS instance with common packages preinstalled, including `zip`,`rar`,`unrar`,`vim`,`iputils-ping` and `net-tools`(`netstat`,`ifconfig`).

The table below lists the question type, supported language or framework, OS version, and included tools.

```
<table>
<colgroup>
<col style="width: 25%" />
<col style="width: 25%" />
<col style="width: 25%" />
<col style="width: 25%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="111" style="background-color: #1ba94c; height: 44px"><p>Question
Type</p></td>
<td data-cs="1" data-rs="1" data-colwidth="111" style="background-color: #1ba94c; height: 44px"><p>Language</p></td>
<td data-cs="1" data-rs="1" data-colwidth="111" style="background-color: #1ba94c; height: 44px; width:
111px"><p>OS Version </p></td>
<td data-cs="1" data-rs="1" data-colwidth="111" style="background-color: #1ba94c; height: 44px"><p>Environment
Includes</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" data-colwidth="111" style="height: 404px"><p>Generative AI</p></td>
```

```
<td data-cs="1" data-rs="1" style="height: 404px"><p>RAG</p></td>
<td data-cs="1" data-rs="1" data-cw="111" style="height: 404px; width: 111px"><p>Ubuntu 24.04 LTS</p></td>
<td data-cs="1" data-rs="1"><p>Python 3.12, Node.js 22.12.0; Libraries: OpenAI SDK 1.12.0, LlamaIndex 0.12.6, LlamaIndex OpenAI 0.3.11, LangChain 0.3.13, LangChain OpenAI 0.2.14, Streamlit 1.41.1; Models: text-embedding-ada-002, text-embedding-3-small, gpt-5.4, gpt-5.4-mini, gpt-5-mini, gpt-4o, gpt-4o-mini</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 110px"><p>Mobile</p></td>
<td data-cs="1" data-rs="1" style="height: 110px"><p>Swift</p></td>
<td data-cs="1" data-rs="1" data-cw="111" style="width: 111px"><p>Ubuntu 24.04 LTS</p>
<p>

</p></td>
<td data-cs="1" data-rs="1" style="height: 110px"><p>Swift 6.0.3, iOS 18.2, Xcode: 16.2, macOS 15.2</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 44px"><p>QA</p></td>
<td data-cs="1" data-rs="1" style="height: 44px"><p>Cucumber with Selenium (Java)</p></td>
<td data-cs="1" data-rs="1" data-cw="111" style="width: 111px"><p>Ubuntu 24.04 LTS</p>
<p>

</p></td>
<td data-cs="1" data-rs="1" style="height: 44px"><p>Java 21, Maven v3.9.9, Cucumber v7.11.0, Selenium v4.8.1</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 44px"><p>QA</p></td>
<td data-cs="1" data-rs="1" style="height: 44px"><p>Cypress</p></td>
<td data-cs="1" data-rs="1" data-cw="111" style="width: 111px"><p>Ubuntu 24.04 LTS</p>
<p>

</p></td>
<td data-cs="1" data-rs="1" style="height: 44px"><p>Node v22.14.0, npm v10.9.2, yarn v1.22.22, Cypress v13.6.0</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 44px"><p>QA</p></td>
<td data-cs="1" data-rs="1" style="height: 44px"><p>Playwright</p></td>
<td data-cs="1" data-rs="1" data-cw="111" style="width: 111px"><p>Ubuntu 24.04 LTS</p></td>
<td data-cs="1" data-rs="1" style="height: 44px"><p>Playwright v1.55.0, Node v22.16, npm v11.4.1, yarn v1.22.22</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 44px"><p>Fullstack</p></td>
<td data-cs="1" data-rs="1" style="height: 44px"><p>PERN</p></td>
<td data-cs="1" data-rs="1" data-cw="111" style="width: 111px; vertical-align: top; padding: 5pt 5pt 5pt 5pt; overflow: hidden; overflow-wrap: break-word"><p>Ubuntu 24.04 LTS</p></td>
<td data-cs="1" data-rs="1" style="height: 44px; vertical-align: top; padding: 5pt 5pt 5pt 5pt; overflow: hidden; overflow-wrap: break-word"><p>NodeJS v22.16.0, npm v11.4.1, yarn v1.22.22, Postgres 18</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 44px"><p>Fullstack</p></td>
<td data-cs="1" data-rs="1" style="height: 44px"><p>MEAN</p></td>
<td data-cs="1" data-rs="1" data-cw="111" style="width: 111px"><p>Ubuntu 24.04 LTS</p>
<p>

</p></td>
<td data-cs="1" data-rs="1" style="height: 44px"><p>MongoDB v8.0.10, Node v22.16.0, npm v11.4.1, yarn v1.22.22</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 44px"><p>Fullstack</p></td>
<td data-cs="1" data-rs="1" style="height: 44px"><p>MERN</p></td>
<td data-cs="1" data-rs="1" data-cw="111" style="width: 111px"><p>Ubuntu 24.04 LTS</p>
<p>

</p></td>
<td data-cs="1" data-rs="1" style="height: 44px"><p>MongoDB v8.0.10, Node v22.16.0, npm v11.4.1, yarn v1.22.22</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 44px"><p>Front end</p></td>
<td data-cs="1" data-rs="1" style="height: 44px"><p>AngularJS</p></td>
<td data-cs="1" data-rs="1" data-cw="111" style="width: 111px"><p>Ubuntu 24.04 LTS</p>
<p>

</p></td>
```

NodeJS v22.16.0, npm v11.4.1, yarn v1.22.22
Front end
ReactJS
Ubuntu 24.04 LTS
NodeJS v22.16.0, npm v11.4.1, yarn v1.22.22
Front end
VueJS
Ubuntu 24.04 LTS
NodeJS v22.16.0, npm v11.4.1, yarn v1.22.22
Front end / Back end
NodeJS
Ubuntu 24.04 LTS
NodeJS v22.16.0, npm v11.4.1, yarn v1.22.22
Back end
Go
Ubuntu 24.04 LTS
Go v1.25
Back end
Django
Ubuntu 24.04 LTS
Python 3.12 with pip3 25.1.1
Back end
Spark(Scala)
Ubuntu 24.04 LTS
Scala 2.13.16, Spark 3.5.5, Hadoop 3.3.4, Coursier 2.1.25-M13, Java 21, Maven v3.9.9, Gradle v8.14
Back end
PySpark
Ubuntu 24.04 LTS
Python 3.12, pip/pip3 25.1.1, Java 21, PySpark 3.5.5
Back end
Ruby on Rails
Ubuntu 24.04 LTS
Ruby 3.4.4, Rails 8, Bundler 2.6.9, Gem 3.6.9

[illegible]

Back end	PHP Symfony	Ubuntu 24.04 LTS
PHP v8.4.7, Apache v2.4.63, Composer v2.8.9, Symfony 7.3		
Back end	Go + MongoDB	
Ubuntu 24.04 LTS		
Go v1.25, MongoDB v8.0.10		
Custom	N/A	Ubuntu 24.04
zip, rar, unrar, vim, iputils-ping, net-tools(netstat, ifconfig) as default packages.		
Custom	Flox (Nix)	Ubuntu 24.04
Flox v1.5.1, Nix v2.28.2		
Data Science	[Python](https://support.hackerrank.com/hc/en-us/articles/15829767170579-Package-Information-for-Data-Science-Questions#data-science-python)	Ubuntu 24.04 LTS
Python 3.12.9		
Data Science	[R](https://support.hackerrank.com/hc/en-us/articles/15829767170579-Package-Information-for-Data-Science-Questions#data-science-r)	Ubuntu 24.04 LTS
R 4.4.2		
Data Science	[Julia](https://support.hackerrank.com/hc/en-us/articles/15829767170579-Package-Information-for-Data-Science-Questions#data-science-julia)	Ubuntu 24.04 LTS
Julia 1.9.4		
Mobile	Android(Java)	

```
<td data-cs="1" data-rs="1" data-cw="111" style="width: 111px"><p>Ubuntu 24.04 LTS</p>
<p>

</p></td>
<td data-cs="1" data-rs="1" style="height: 67px"><p>Java 21, Gradle v8.14, Android SDK Command-Line Tools
v19.0</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 67px"><p>Mobile</p></td>
<td data-cs="1" data-rs="1" style="height: 67px"><p>Android(Kotlin)</p></td>
<td data-cs="1" data-rs="1" data-cw="111" style="width: 111px"><p>Ubuntu 24.04 LTS</p>
<p>

</p></td>
<td data-cs="1" data-rs="1" style="height: 67px"><p>Kotlin 2.3, Java 21, Gradle v8.14, Android SDK Command-Line
Tools v19.0</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 44px"><p>Mobile</p></td>
<td data-cs="1" data-rs="1" style="height: 44px"><p>React Native</p></td>
<td data-cs="1" data-rs="1" data-cw="111" style="width: 111px"><p>Ubuntu 24.04 LTS</p>
<p>

</p></td>
<td data-cs="1" data-rs="1" style="height: 44px"><p>NodeJS v22.16.0, npm v11.4.1, yarn v1.22.22, Expo SDK
53</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 67px"><p>Mobile</p></td>
<td data-cs="1" data-rs="1" style="height: 67px"><p>Flutter</p></td>
<td data-cs="1" data-rs="1" data-cw="111" style="width: 111px"><p>Ubuntu 24.04 LTS</p>
<p>

</p></td>
<td data-cs="1" data-rs="1" style="height: 67px"><p>NodeJS v22.14.0, Flutter SDK 3.32.0, Dart 3.8.0, DevTools
2.45.1</p></td>
</tr>
<tr>
<td data-cs="1" data-rs="1" style="height: 81px"><p>Cloud Skills (formerly called Sudorank)</p></td>
<td data-cs="1" data-rs="1" style="height: 81px"><p> N/A</p></td>
<td data-cs="1" data-rs="1" data-cw="111" style="width: 111px"><p>Ubuntu 24.04 LTS, RHEL 8</p>
<p>

</p></td>
<td data-cs="1" data-rs="1" style="height: 81px"><p>Choice of OS includes: Ubuntu 24.04 LTS, RHEL 8</p></td>
</tr>
</tbody>
</table>
```

\

\

\

# [uncategorized] Onboarding Candidates

---  
title: "Onboarding Candidates"  
title\_slug: "onboarding-candidates"  
source\_url: "https://support.hackerrank.com/articles/9695299159-onboarding-candidates"  
article\_slug: "9695299159-onboarding-candidates"  
last\_updated\_exact: "Feb 4, 2025, 12:15 AM"  
last\_updated\_relative: "Last updated 1 year ago"  
---

## # Onboarding Candidates

\_Last updated: Feb 4, 2025, 12:15 AM (Last updated 1 year ago)\_

HackerRank is a leading technology hiring platform that enables you to hire skilled developers by conducting online assessments. Many companies use the HackerRank platform to conduct their campus hiring programs to select the right talent among them to suit your company's business requirements. The platform allows candidates to attend the hiring company's assessments and display their coding and technical skills to potential employers.

It is a good practice to familiarize your Candidates with the HackerRank platform before your hiring process begins. Communicate with your candidates about how HackerRank assessments work, what they can expect, or how long it may take. These practices reduce any surprises for your candidates and help maintain a positive atmosphere during each step of the hiring process. This article will help you with a few important aspects to consider in making the hiring process successful.

## ## Creating Tests

You can create tests in HackerRank based on a specific role, or you can even choose to customize your tests to suit your company's hiring requirements. In role-based tests, you can generate Tests by including skill-mapped questions from the HackerRank library for HackerRank-created roles. In customized tests, you can build a Custom Test to include questions that assess candidates for a specific job role and their experience and skill level. You can also include Questions from the HackerRank built-in Library or your company library.

Refer to the following articles to understand the Test creation process.

\

[? Creating a New Test](/articles/6967597139)

\

[? Creating a Test Based on a Specific Role](/articles/7429771072)

\

[? Creating a Custom Test](/articles/2031393332)

\

\

## ## Inviting Candidates

Once you have created your tests, you can invite your candidates to take part in this assessment by sending them an email invitation containing the link to **Start Test**.

Refer to the following articles to learn how to invite candidates.

[? Inviting Candidates to a Test](/articles/6027855406)

\

[? Using a Custom Email Template](/articles/6675460135)

\

**Note:** Ensure you provide the correct Time and Date in the invitation mail. Incorrect details can cause confusion among



candidates.

## ## Invitation Templates

When numerous candidates participate in an event, it is important to keep them informed about the process. We have prepared an invitation email template comprising all the details a candidate needs to know before attempting the test. We recommend that you use this template or create your own, which reflects the idea of keeping candidates informed. Refer to [Creating Email Template](https://support.hackerrank.com/hc/en-us/articles/360010817373-Creating-an-Email-Template) to learn how to create your templates.

### #### Invitation Template 1

```
<table>
<colgroup>
<col style="width: 100%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="width: 100%"><p>Subject: <Company Name> < Test
Name > Assessment Invitation</p>
<p>Email Body:</p>
<p>Hi <Candidate Name></p>
<p>Thank you for your interest in <Company Name> We have reviewed your application and would like you
to proceed in the next step of the interview process!</p>
<p>Your next step is to complete the coding challenge administered by HackerRank. We use this coding challenge to assess
<list skills here> needed for the job. Once complete, we'll review your results <include optional
timeframe> alongside the rest of your application and let you know if we want to set up a phone call to discuss the role
further. To begin, please click on the "Start Challenge" button below. </p>
<p>Test Expiration Date: </p>
<p>The challenge consists of <list # of questions with question type> You are free to choose any coding
language from [this
list](https://candidatesupport.hackerrank.com/hc/en-us/articles/4402913877523-Execution-Environment-and-Samples) and can even
take this <insert sample test URL> to familiarize yourself with the HackerRank system before you get
started. </p>
<p>Here are a few other helpful things to know: </p>

<p>Technical Support - If you experience issues accessing or completing the code challenges, please refer to
their [FAQ](https://candidatesupport.hackerrank.com/hc/en-us/sections/4402845071635-Test) or contact HackerRank support at
support@hackerrank.com. </p>
<p>Accommodations - If you have a medical condition or disability that limits your ability to complete the code
challenge, please reach out to
email@CompanyName.com> to request an
accommodation. </p>
<p>Questions?If you have any other questions about the recruiting process, please reach out to our Recruiting
team at
recruiting@CompanyName.com.></p>

<p>We hope you enjoy the challenge and look forward to receiving your results! </p></td>
</tr>
</tbody>
</table>
```

### #### Invitation Template 2

```
<table>
<colgroup>
<col style="width: 100%" />
</colgroup>
<tbody>
<tr>
<td data-cs="1" data-rs="1" style="width: 100%"><p>Subject: <Company> <Test
Name> Assessment Invitation</p>
<p>Email Body:</p>
<p>Hi <Candidate></p>
<p>Thanks so much for your interest in joining the <Company> team! We're excited to move you forward in
our interview process.</p>
<p>For your next step, please complete our online coding challenge, administered by HackerRank. This exercise is used to evaluate
your technical skillset, and the correctness and completeness of your solution will be evaluated based on the number of passed test
```

cases.

Once complete, we'll review your results and get back to you within <strong>&lt;days/weeks>&gt; about the next steps.

A few helpful things to note before you begin the challenge:

<ol>

<li><p>Accommodations- If you have a medical condition or disability that limits your ability to complete the code challenge, please reach out to <strong>&lt;team email address>&gt; to request an accommodation.</p></li>

<li><p>Time Limit- Please note the time limit/duration below. Once started, the <strong>timer cannot be paused</strong>. After the timer ends, you will not be able to update your solution, but you're welcome to utilize the full duration.</p></li>

<li><p>Internet Connectivity- Please make sure you have a stable internet connection for the duration of your challenge.</p></li>

<li><p>Local Editor/IDE- You will submit your solution in the HackerRank code editor, but you can use your own local editor/IDE while working.</p></li>

<li><p>How to familiarize yourself with the HackerRank system- You are welcome to take this &lt;Insert [Sample Test](https://www.hackerrank.com/test/143hd7jsid6/1c1521f6f2821d9e07525fa45a2a8b27) of your choice> to familiarize yourself with the environment.</p></li>

</ol>

<p><strong>Test Expiration Date: </strong></p>

<p><br />

<br />

</p>

<p><strong>To begin, please click the ?Start Challenge? button below.</strong></p>

<p><br />

<br />

</p>

<p>We wish you the best and hope you enjoy completing our challenge!</p></td>

</tr>

</tbody>

</table>

## ## Preparation Checklist

Your Candidates' experience is a key factor in hiring. Before or as part of inviting your Candidates to take up Tests using HackerRank, you can:

- Recommend the HackerRank Sample Test to your Candidates. Candidates can find the sample test on their login page.

- Suggest that they familiarize themselves with the [HackerRank environment](https://candidatesupport.hackerrank.com/hc/en-us/articles/4402913877523-Execution-Environment)and its various capabilities for writing and executing code and solving your challenges.

- Give [Browser recommendations for the best experience.](https://candidatesupport.hackerrank.com/hc/en-us/articles/4402913886739-Browser-Recommendations-for-HackerRank-Tests-)

- Ask them to check their network coverage before taking the Test. Provide them with an Internet[compatibility check](https://www.hackerrank.com/compatibility) to check their connectivity.

- If it is a proctored test, ask them to sit in a well-lit area and face straight at the camera.

- Inform them to log in at least a few minutes before the test expiration time so that they have enough time to fill out the confirmation form.

- Show the invigilation methods you used to monitor these online assessments.

- Provide precise instructions on how to log in to the Test and give credentials if necessary.

- Explain how the Candidates will be [assessed](https://candidatesupport.hackerrank.com/hc/en-us/articles/4402921216531-Evaluation-Methods-of-your-HackerRank-Test s) on these Tests.

Familiarizing your Candidates with your HackerRank hiring platform also gives them the impression of your Company's goal to hire only the best talent, thereby making your Candidates feel excited to attend your Tests and motivated to perform better.

## ## Support

We have created a dedicated [support page](https://candidatesupport.hackerrank.com/hc/en-us) for candidates. You can inform the candidates about the page and ask them to have a look to familiarize themselves before taking the test. Also, they can go through the [FAQs](https://candidatesupport.hackerrank.com/hc/en-us/categories/4402828710675-FAQ) to clear their doubts. Candidates can

reach out to [support@hackerrank.com for technical issues](mailto:support@hackerrank.com)\*\*.\*\*