API Document

Service request submission.

Contents

1. Get all service request types– (fintech-hub-customer-requests-service) 4
1.1 Description 4
1.2 Request 4
1.2.1 Request body parameter 4
1.2.2 Sample Request 4
1.3 Response 4
1.3.1 Sample response 5
1.4 Sample curl request 7
2. Get service request type fields – (fintech-hub-customer-requests-service) 8
2.1 Description 8
2.2 Request 8
2.2.1 Request body parameter 8
2.2.2 Sample Request 8
2.3 Response 9
2.3.1 Sample response 9
2.4 Sample curl request 11
3. Submit service request– (fintech-hub-customer-requests-service) 12
3.1 Description 12
3.2 Request 12
3.2.1 Request body parameter 12
3.2.2 Sample Request 14
3.3 Response 15
3.3.1 Sample response 15
3.4 Sample curl request 19
4. Delete cache in request type fields– (fintech-hub-customer-requests-service) 20
4.1 Description 20
4.2 Request 20
4.2.1 Request body parameter 20
4.2.2 Sample Request 20
4.3 Response 20
4.3.1 Sample response 21
4.4 Sample curl request 21

5. OTP send for mobile number change – (fintech-hub-customer-requests-service) 22
5.1 Description 22
5.2 Request 22
5.2.1 Request body parameter 22
5.2.2 Sample Request 22
5.3 Response 23
5.3.1 Sample response 23
5.4 Sample curl request 24
6. OTP verify for mobile number change– (fintech-hub-customer-requests-service) 25
6.1 Description 25
6.2 Request 25
6.2.1 Request body parameter 25
6.2.2 Sample Request 25
6.3 Response 26
6.3.1 Sample response 26
6.4 Sample curl request 27
7. DB queries 28
1. fintech_hub_customer_service_db 28
2. Deployment guidance 28

1. Get all service request types– (fintech-hub-customer-requests-service)

1.1 Description

This API endpoint is used to get all service request types.

<table>
<tr><td>URL</td><td>http://<ip>:<port>/api/svc-request/request/types</td></tr>
<tr><td>Function</td><td>/request/types</td></tr>
<tr><td>Method</td><td>GET</td></tr>
<tr><td>Content Type</td><td>Application/JSON</td></tr>
<tr><td>Header</td><td><table>
<tr><td>Content-Type</td><td>String</td><td>application/json</td></tr>
<tr><td>Authorization</td><td>String</td><td>Bearer {{token}}</td></tr>
<tr><td>Language</td><td>String</td><td>English
ex; English / Tamil / Sinhala</td></tr>
</table></td></tr>
</table>

1.2 Request

1.2.1 Request body parameter

N/A

1.2.2 Sample Request

N/A

1.3 Response

Parameter	Type
MESSAGE	String
STATUS	String
DATA	String json

1.3.1 Sample response


```
{
    "MESSAGE": "SERVICE_REQUEST_TYPES_AVAILABLE",
    "STATUS": "SUCCESS",
    "DATA": [
        {
            "parentId": 1,
            "parentType": "Fixed Deposit Related",
            "subTypes": [
                {
                    "id": 1,
                    "serviceRequestType": "Fixed Deposit Related",
                    "authenticationType": null,
                    "authenticationRequired": false
                }
            ]
        },
        {
            "parentId": 2,
            "parentType": "Profile Modification",
            "subTypes": [
                {
                    "id": 2,
                    "serviceRequestType": "Address Change",
                    "authenticationType": null,
                    "authenticationRequired": false
                },
                {
                    "id": 3,
                    "serviceRequestType": "E-mail Address Change",
                    "authenticationType": null,
                    "authenticationRequired": false
```

```
            },
            {
                "id": 4,
                "serviceRequestType": "Savings Account Holder Name/Title Change",
                "authenticationType": null,
                "authenticationRequired": false
            }
        ]
    },
    {
        "parentId": 4,
        "parentType": "Mobile Number Change",
        "subTypes": [
            {
                "id": 5,
                "serviceRequestType": "Mobile Number Change",
                "authenticationType": "OTP VALIDATION",
                "authenticationRequired": true
            }
        ]
    },
    {
        "parentId": 5,
        "parentType": "Other Requests",
        "subTypes": [
            {
                "id": 6,
                "serviceRequestType": "Other Requests",
                "authenticationType": null,
                "authenticationRequired": false
            }
        ]
    },
    {
```

```
            "parentId": 3,
            "parentType": "Confirmation Letters",
            "subTypes": [
                {
                    "id": 7,
                    "serviceRequestType": "Loan Settlement Letters",
                    "authenticationType": null,
                    "authenticationRequired": false
                },
                {
                    "id": 8,
                    "serviceRequestType": "Balance Confirmation Letters",
                    "authenticationType": null,
                    "authenticationRequired": false
                }
            ]
        }
    ]
}
```


1.4 Sample curl request

curl --location 'k8s-commonse-gatewayi-daaae5c3cb-1293087458.ap-southeast-1.elb.amazonaws.com/api/svc-request/service/request/types' \

--header 'Authorization: Bearer bb3252db-8839-4198-b259-7bb922d2d5f4'

2. Get service request type fields – (fintech-hub-customer-requests-service)

2.1 Description

This API endpoint is used to get service request type fields.

URL	http://<ip>:<port>/api/svc-request/request/type/fields
Function	/request/type/fields
Method	POST
Content Type	Application/JSON
Header	Content-Type | String | application/json Authorization | String | Bearer {{token}}

2.2 Request

Parameter Name	Mandatory/ Optional	Type
typeId	mandatory	int
screenNumber	mandatory	int

2.2.1 Request body parameter

2.2.2 Sample Request

```
{
    "typeId":8,
    "screenNumber":1
}
```

2.3 Response

Parameter	Type
MESSAGE	String
STATUS	String
DATA	String json
ADDITIONAL_INFO	String json

2.3.1 Sample response


```
{
    "MESSAGE": "SERVICE_REQUEST_TYPE_FIELDS_RETRIEVE_SUCCESS",
    "STATUS": "SUCCESS",
    "DATA": [
        {
            "id": 168,
            "fieldName": "From",
            "fieldDisplaySequence": 3,
            "language": "E",
            "fieldLength": 50,
            "fieldType": "date",
            "screenNumber": 1,
            "fieldValue": null,
            "serviceRequestTypesResponse": {
                "id": 8,
                "serviceRequestType": "Balance Confirmation Letters",
                "authenticationType": null,
                "authenticationRequired": false
            },
            "readOnly": false,
            "mandatory": true
        },
        {
            "id": 167,
            "fieldName": "Savings account number",
            "fieldDisplaySequence": 2,
            "language": "E",
            "fieldLength": 50,
            "fieldType": "text",
            "screenNumber": 1,
            "fieldValue": null,
            "serviceRequestTypesResponse": {
                "id": 8,
                "serviceRequestType": "Balance Confirmation Letters",
                "authenticationType": null,
```

```
            "authenticationRequired": false
        },
        "readOnly": true,
        "mandatory": true
    },
    {
        "id": 166,
        "fieldName": "genie registered NIC",
        "fieldDisplaySequence": 1,
        "language": "E",
        "fieldLength": 50,
        "fieldType": "text",
        "screenNumber": 1,
        "fieldValue": null,
        "serviceRequestTypesResponse": {
            "id": 8,
            "serviceRequestType": "Balance Confirmation Letters",
            "authenticationType": null,
            "authenticationRequired": false
        },
        "readOnly": true,
        "mandatory": true
    },
    {
        "id": 164,
        "fieldName": "To",
        "fieldDisplaySequence": 4,
        "language": "E",
        "fieldLength": 50,
        "fieldType": "date",
        "screenNumber": 1,
        "fieldValue": null,
        "serviceRequestTypesResponse": {
            "id": 8,
            "serviceRequestType": "Balance Confirmation Letters",
            "authenticationType": null,
            "authenticationRequired": false
        },
        "readOnly": false,
        "mandatory": true
    },
    {
        "id": 165,
        "fieldName": "genie registered e-mail ",
        "fieldDisplaySequence": 5,
        "language": "E",
        "fieldLength": 50,
        "fieldType": "text",
        "screenNumber": 1,
        "fieldValue": null,
        "serviceRequestTypesResponse": {
            "id": 8,
            "serviceRequestType": "Balance Confirmation Letters",
            "authenticationType": null,
            "authenticationRequired": false
        },
```

```
            "readOnly": false,
            "mandatory": true
        }
    ],
    "ADDITIONAL_INFO": {
        "SAVINGS_ACC_NUMBER": "001020199466",
        "EMAIL": null,
        "GENIE_REGISTERED_NIC": "197733307283"
    }
}
```

```
{
    "MESSAGE": "REQUEST_FIELDS_NOT_FOUND",
    "STATUS": "FAILED",
    "DATA": null,
    "ADDITIONAL_INFO": null
}
```


2.4 Sample curl request

```
curl --location 'k8s-commonse-gatewayi-daaae5c3cb-1293087458.ap-southeast-1.elb.amazonaws.com/api/svc-request/service/request/type/fields' \
--header 'Authorization: Bearer 1eecadec-f18f-4400-b5de-bed80597401e' \
--header 'Content-Type: application/json' \
--data '{
  "typeId":9,
  "screenNumber":1
}'
```

3. Submit service request– (fintech-hub-customer-requests-service)

3.1 Description

This API endpoint is used to get service request type fields.

URL	http://<ip>:<port>/api/svc-request/service/request/v2
Function	/service/request/v2
Method	POST
Content Type	Application/JSON
Header	Content-Type | String | application/json Authorization | String | Bearer {{token}}

3.2 Request

3.2.1 Request body parameter

1. Type 1

Parameter Name	Mandatory/ Optional	Type
requestType	mandatory	int
screenNumber	mandatory	String – base 64 encoded
existingRenewalInstruction	mandatory	String – base 64 encoded
newRenewalInstruction	mandatory	String – base 64 encoded

2. Type 2

Parameter Name	Mandatory/ Optional	Type
requestType	mandatory	int
addressLine1	mandatory	String – base 64 encoded
addressLine2	mandatory	String – base 64 encoded
city	mandatory	String – base 64 encoded
district	mandatory	String – base 64 encoded
billingProofImage	mandatory	String – base 64 encoded

3. Type 3

Parameter Name	Mandatory/ Optional	Type
requestType	mandatory	int
currentEmail	mandatory	String – base 64 encoded
newEmail	mandatory	String – base 64 encoded

4. Type 4

Parameter Name	Mandatory/ Optional	Type
requestType	mandatory	int
title	mandatory	String – base 64 encoded
currentFullName	mandatory	String – base 64 encoded
newFullName	mandatory	String – base 64 encoded
nameProofImage1	mandatory	String – base 64 encoded
nameProofImage2	mandatory	String – base 64 encoded

5. Type 5

Parameter Name	Mandatory/ Optional	Type
requestType	mandatory	int
newMobileNumber	mandatory	String – base 64 encoded
genieRegisteredNic	mandatory	String – base 64 encoded

6. Type 6

Parameter Name	Mandatory/ Optional	Type
requestType	mandatory	int
subject	mandatory	String – base 64 encoded
description	mandatory	String – base 64 encoded

7. Type 7

Parameter Name	Mandatory/ Optional	Type
requestType	mandatory	int
genieRegisteredNic	mandatory	String – base 64 encoded
loanAccountNumber	mandatory	String – base 64 encoded
fromDate	mandatory	String – base 64 encoded
toDate	mandatory	String – base 64 encoded
currentEmail	mandatory	String – base 64 encoded

8. Type 8

Parameter Name	Mandatory/ Optional	Type
requestType	mandatory	int
genieRegisteredNic	mandatory	String – base 64 encoded
savingsAccountNumber	mandatory	String – base 64 encoded
fromDate	mandatory	String – base 64 encoded
toDate	mandatory	String – base 64 encoded
currentEmail	mandatory	String – base 64 encoded

3.2.2 Sample Request


```
{
    "requestType":1,
    "fdAccountNumber":"MTAyMDMwNDA5OA==",
    "existingRenewalInstruction":"Tm8gUmVuZXdhbA==",
    "newRenewalInstruction":"TWF0dXJpdHkgQW1vdW50"

}
```

3.3 Response

Parameter	Type
MESSAGE	String
STATUS	String
DATA	String json

3.3.1 Sample response


```
{
    "MESSAGE": "SERVICE_REQUEST_SUBMITTED",
    "STATUS": "SUCCESS",
    "DATA": {
        "svcRequestResponseV2": {
            "referenceId": "GSR265",
            "currentEmail": "test",
            "genieRegisteredNic": "199851001671",
            "serviceRequestType": "Balance Confirmation Letters",
            "fromDate": "2024-01-01T00:00:00.000+00:00",
            "toDate": "2024-01-01T00:00:00.000+00:00",
            "savingsAccountNumber": "001020013307"
        },
        "contentMap": [
            {
                "id": 204,
                "fieldName": "Screen Header",
                "fieldDisplaySequence": 1,
                "language": "E",
                "fieldLength": 100,
                "fieldType": "text",
                "screenNumber": 3,
                "fieldValue": "Request Submitted",
                "serviceRequestTypesResponse": {
                    "id": 8,
                    "serviceRequestType": "Balance Confirmation Letters",
                    "authenticationType": null,
                    "authenticationRequired": false
                },
                "readOnly": true,
                "mandatory": true
            },
            {
                "id": 226,
                "fieldName": "From",
                "fieldDisplaySequence": 6,
                "language": "E",
                "fieldLength": 50,
                "fieldType": "text",
                "screenNumber": 3,
```

```
            "fieldValue": null,
            "serviceRequestTypesResponse": {
                "id": 8,
                "serviceRequestType": "Balance Confirmation Letters",
                "authenticationType": null,
                "authenticationRequired": false
            },
            "readOnly": true,
            "mandatory": true
        },
        {
            "id": 222,
            "fieldName": "genie registered NIC",
            "fieldDisplaySequence": 4,
            "language": "E",
            "fieldLength": 64,
            "fieldType": "text",
            "screenNumber": 3,
            "fieldValue": null,
            "serviceRequestTypesResponse": {
                "id": 8,
                "serviceRequestType": "Balance Confirmation Letters",
                "authenticationType": null,
                "authenticationRequired": false
            },
            "readOnly": true,
            "mandatory": true
        },
        {
            "id": 225,
            "fieldName": "To",
            "fieldDisplaySequence": 7,
            "language": "E",
            "fieldLength": 500,
            "fieldType": "text",
            "screenNumber": 3,
            "fieldValue": null,
            "serviceRequestTypesResponse": {
                "id": 8,
                "serviceRequestType": "Balance Confirmation Letters",
                "authenticationType": null,
                "authenticationRequired": false
            },
            "readOnly": true,
            "mandatory": true
        },
        {
            "id": 224,
            "fieldName": "To",
            "fieldDisplaySequence": 8,
            "language": "E",
            "fieldLength": 500,
            "fieldType": "text",
            "screenNumber": 3,
            "fieldValue": null,
            "serviceRequestTypesResponse": {
```

```
                "id": 8,
                "serviceRequestType": "Balance Confirmation Letters",
                "authenticationType": null,
                "authenticationRequired": false
            },
            "readOnly": true,
            "mandatory": true
        },
        {
            "id": 243,
            "fieldName": "Screen Header",
            "fieldDisplaySequence": 1,
            "language": "E",
            "fieldLength": 100,
            "fieldType": "text",
            "screenNumber": 3,
            "fieldValue": "Request Submitted",
            "serviceRequestTypesResponse": {
                "id": 7,
                "serviceRequestType": "Loan Settlement Letters",
                "authenticationType": null,
                "authenticationRequired": false
            },
            "readOnly": true,
            "mandatory": true
        },
        {
            "id": 283,
            "fieldName": "Request type",
            "fieldDisplaySequence": 3,
            "language": "E",
            "fieldLength": 50,
            "fieldType": "text",
            "screenNumber": 3,
            "fieldValue": null,
            "serviceRequestTypesResponse": {
                "id": 8,
                "serviceRequestType": "Balance Confirmation Letters",
                "authenticationType": null,
                "authenticationRequired": false
            },
            "readOnly": true,
            "mandatory": true
        },
        {
            "id": 240,
            "fieldName": "Screen Description",
            "fieldDisplaySequence": 2,
            "language": "E",
            "fieldLength": 100,
            "fieldType": "text",
            "screenNumber": 3,
            "fieldValue": "Thank you for reaching out. Your request will be
fulfilled in 3 working days. For Genie number changes & other profile modifications,
one of our service agents will contact you for further verifications.\r\n",
            "serviceRequestTypesResponse": {
```

```
                    "id": 8,
                    "serviceRequestType": "Balance Confirmation Letters",
                    "authenticationType": null,
                    "authenticationRequired": false
                },
                "readOnly": true,
                "mandatory": true
            },
            {
                "id": 227,
                "fieldName": "Savings account number",
                "fieldDisplaySequence": 5,
                "language": "E",
                "fieldLength": 50,
                "fieldType": "text",
                "screenNumber": 3,
                "fieldValue": null,
                "serviceRequestTypesResponse": {
                    "id": 8,
                    "serviceRequestType": "Balance Confirmation Letters",
                    "authenticationType": null,
                    "authenticationRequired": false
                },
                "readOnly": true,
                "mandatory": true
            }
        ],
        "contentDisplayType": "SCREEN3"
    }
}
```

```
{
    "MESSAGE": "SERVICE_REQUEST_FAILED",
    "STATUS": "FAILED",
    "DATA": {
        "data": {
            "svcRequestResponse": null,
            "contentMap": {
                "BUTTON": "NA",
                "HEADER": "Sorry,",
                "CONTENT": "Something went wrong."
            },
            "contentDisplayType": "POPUP"
        },
        "message": null,
        "status": null
    }
}
```

3.4 Sample curl request

```
curl --location 'k8s-commonse-gatewayi-daaae5c3cb-1293087458.ap-southeast-1.elb.amazonaws.com/api/svc-request/service/request/v2' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--header 'Authorization: Bearer bb3252db-8839-4198-b259-7bb922d2d5f4' \
--data '{
  "requestType":8,
  "genieRegisteredNic":"MTk5ODUxMDAxNjcx",
  "savingsAccountNumber":"MDAxMDIwMDEzMzA3",
  "fromDate":"2024-01-01",
  "toDate":"2024-01-01",
  "currentEmail":"test"
}'
```

4. Delete cache in request type fields– (fintech-hub-customer-requests-service)

4.1 Description

This API endpoint is used to get all service request types.

URL	http://<ip>:<port>/api/svc-request/deleteCache
Function	/deleteCache
Method	DELETE
Content Type	Application/JSON
Header	Content-Type | String | application/json Authorization | String | Bearer {{token}}

4.2 Request

4.2.1 Request body parameter

N/A

4.2.2 Sample Request

N/A

4.3 Response

Type
String

4.3.1 Sample response

Successfully cache removed

4.4 Sample curl request

```
curl --location --request DELETE 'k8s-commonse-gatewayi-daaae5c3cb-1293087458.ap-southeast-1.elb.amazonaws.com/api/svc-request/deleteCache' \
--header 'Authorization: Bearer bb3252db-8839-4198-b259-7bb922d2d5f4'
```

5. OTP send for mobile number change – (fintech-hub-customer-requests-service)

5.1 Description

This API endpoint is used to get all service request types.

URL	http://<ip>:<port>/api/svc-request/otp/send
Function	/otp/send
Method	POST
Content Type	Application/JSON
Header	Content-Type | String | application/json Authorization | String | Bearer {{token}}

5.2 Request

5.2.1 Request body parameter

Parameter Name	Mandatory/ Optional	Type
mobile_number	mandatory	String
nic	mandatory	String
device_id	mandatory	String

5.2.2 Sample Request

```
{
    "mobile_number": "712524052",
    "nic":"199851001671",
    "device_id": "ED74C768-0545-4379-B04A-480231A140D5"
}
```

5.3 Response

Parameter	Type
MESSAGE	String
STATUS	String
DATA	String json

5.3.1 Sample response


```
{
    "MESSAGE": "OTP_SEND_SUCCESS",
    "STATUS": "SUCCESS",
    "DATA": {
        "maskedMobileNumber": "71* *** *52",
        "validity": 60,
        "otp_max_request_count": 5,
        "otp_max_validation_count": 3,
        "app_inactivity_time": 120000
    }
}
```

```
{
    "MESSAGE": "OTP_ALREADY_REQUESTED",
    "STATUS": "FAILED",
    "REMAINING_TIME": "58",
    "HEADER": "OTP already requested",
    "ERROR_DESCRIPTION": "You have already requested for an OTP."
}
```

```
{
    "MESSAGE": "INVALID_MOBILE_NUMBER",
    "STATUS": "FAILED",
    "ERROR_TYPE": "INLINE",
    "ERROR_DESCRIPTION": "Invalid mobile number."
}
```

```
{
    "MESSAGE": "OTP_EXPIRED",
    "STATUS": "FAILED",
    "ERROR_TYPE": "INLINE",
    "ERROR_DESCRIPTION": "OTP expired. Please resend OTP."
}
```

5.4 Sample curl request

```
curl --location 'k8s-commonse-gatewayi-daaae5c3cb-1293087458.ap-southeast-1.elb.amazonaws.com/api/svc-request/otp/send' \
--header 'Authorization: Bearer bb3252db-8839-4198-b259-7bb922d2d5f4' \
--header 'Content-Type: application/json' \
--data '{
   "mobile_number": "712524057",
   "nic":"199851001671",
   "device_id": "ED74C768-0545-4379-B04A-480231A140D5"
}'
```

6. OTP verify for mobile number change– (fintech-hub-customer-requests-service)

6.1 Description

This API endpoint is used to get all service request types.

URL	http://<ip>:<port>/api/svc-request/otp/verify
Function	/otp/verify
Method	POST
Content Type	Application/JSON
Header	Content-Type | String | application/json Authorization | String | Bearer {{token}}

6.2 Request

6.2.1 Request body parameter

Parameter Name	Mandatory/ Optional	Type
mobile_number	mandatory	String
nic	mandatory	String
device_id	mandatory	String

6.2.2 Sample Request

```
{
  "mobile_number": "712524057",
  "nic":"199851001671",
  "device_id": "ED74C768-0545-4379-B04A-480231A140D5",
  "otp_code": "730451"
}
```

6.3 Response

Parameter	Type
MESSAGE	String
STATUS	String
DATA	String json

6.3.1 Sample response


```
{
    "MESSAGE": "OTP_VERIFY_SUCCESS",
    "STATUS": "SUCCESS"
}
{
    "MESSAGE": "OTP_NOT_REQUESTED",
    "STATUS": "FAILED",
    "ERROR_TYPE": "INLINE",
    "ERROR_DESCRIPTION": "OTP not requested."
}
{
    "REMAINING_COUNT": "2",
    "MESSAGE": "OTP_INVALID",
    "STATUS": "FAILED",
    "ERROR_TYPE": "INLINE",
    "ERROR_DESCRIPTION": "Invalid OTP."
}
{
    "REMAINING_COUNT": "1",
    "MESSAGE": "OTP_INVALID",
    "STATUS": "FAILED",
    "ERROR_TYPE": "INLINE",
    "ERROR_DESCRIPTION": "Invalid OTP."
}
{
```

```
    "MESSAGE": "OTP_ATTEMPT_EXCEED",
    "STATUS": "FAILED",
    "ERROR_TYPE": "INLINE",
    "ERROR_DESCRIPTION": "OTP tries exceeded. Try again after sometime."
}
{
    "MESSAGE": "OTP_VERIFY_ATTEMPT_EXCEED",
    "STATUS": "FAILED",
    "ERROR_TYPE": "INLINE",
    "ERROR_DESCRIPTION": "OTP tries exceeded. Try again after some time."
}
{
    "MESSAGE": "OTP_EXPIRED",
    "STATUS": "FAILED",
    "ERROR_TYPE": "INLINE",
    "ERROR_DESCRIPTION": "OTP expired. Please resend OTP."
}
```


6.4 Sample curl request

```
curl --location 'k8s-commonse-gatewayi-daaae5c3cb-1293087458.ap-southeast-1.elb.amazonaws.com/api/svc-request/otp/verify' \
--header 'Authorization: Bearer bb3252db-8839-4198-b259-7bb922d2d5f4' \
--header 'Content-Type: application/json' \
--data '{
  "mobile_number": "712524052",
  "nic":"199851001671",
  "device_id": "ED74C768-0545-4379-B04A-480231A140D5",
  "otp_code": "64224"
}'
```

7. DB queries

1. fintech_hub_customer_service_db

schema: svcrequest

SQL scripts are attached with mail as SQL files.

****

2. Deployment guidance

Database Name**: fintech_hub_customer_service_db_v1**

schema: **svcrequest**

Table Name: **service_requests**

Git Repository: https://gitlabcloud.dialog.lk/fintech-hub/fintech-hub-customer-requests-service

Ex:

spring.datasource.url=jdbc:postgresql://finpal-prod01.cluster-chjbjuzeuvi7.ap-southeast-1.rds.amazonaws.com:5432/fintech_hub_customer_service_db_v1

Use below commands to checkout to the fintech-bulk-notification-service.

-→ Git clone https://gitlabcloud.dialog.lk/fintech-hub/fintech-hub-customer-requests-service.git

- Go to the relevant project folder & build the services using maven.

  Command :

Chmod +x gradlew

Sudo ./gradlew build -x test

Build and push the docker images to the relavent ECR (aws container registory)