
MGM MACAU & COTAI
RESOURCE EFFICIENCY MANAGEMENT REPORT
JANUARY 2023

Prepared For :

MGM GRAND PARADISE LIMITED
MGM MACAU, Avenida Dr. Sun Yat Sen Nape, Macau

MGM COTAI, Avenida da Nave Desportiva, Cotai, Macau





energenz
a division of NV5

Unit 5B, 5/F, 133 Wai Yip Street,
Kwun Tong, Hong Kong
Phone: +852 2161 1360

860720-0006650.00
860720-0006651.00

EXECUTIVE SUMMARY

Energenz has been working closely with MGM to implement the EMOs as well as identify additional opportunities to achieve ISO certification energy targets. Energenz appreciates the great support and trust from MGM team over the years, in particular the Facility Management and the Sustainability Teams.

Key Performance Indicators

Energenz reports both normalized and actual savings on a monthly basis for both properties. The normalized savings are determined based on a 2019 baseline, with aligned annual savings targets to meet both ISO50001 as well as Energenz's retainer contract requirements. Please note that the reported normalized savings achieved are to-date and cumulative for each month of the respective year.

Table 1. ISO and Retainer Contract Energy Performance Targets for 2025

MGM Properties	Baseline	Energy Savings	2021	2022	Normalized Savings Achieved Up to January 2023	2024	2025
MACAU	2019	Target	-4%	-8%	-12%	N/A	**-13%**
		Actual	**-5.9%**	**-10.8%**	**-1.6%**	-	**-**
COTAI	2019	Target	-4%	-8%	-12%	N/A	**-13%**
		Actual	**-6.4%**	**-16.9%**	**-8.0%**	-	**-**

The actual monthly savings are determined against the 2019 baseline consumption and cumulative for each month of 2023.

Table 2. Internal Actual Energy Performance Targets for 2025

MGM Properties	Baseline	Actual Saving Target[1]	Savings Achieved Up to January 2023
MACAU	2019	15%	**-0.7%**
COTAI	2019	15%	**-9.4%**

[1] Actual Energy Savings Target for 2025 has been established based on future CAPEX projects, following review with MGM teams.

Highlighted Changes in Operation

MACAU

1. Main LPG Boiler has been switched ON from 2 December 2022 until 6 January 2023 as the outdoor temperature has dropped significantly during this period. The main LPG boiler has been switched ON once again on 16 January 2023 until 31 January 2023
2. Two (2) 11 kW motors have been replaced for the AHUs serving the L1 Square 8 (AHU-BF-09 & AHU-L1-01) on 6 January 2023.

COTAI

1. The low voltage switchboard (no.18 200A 4P MCCB of MDB-NA01B) for MGM Cotai MDM restaurant kitchen was switched off from 22 September 2022 for power enhancement work. The MDM restaurant kitchen is temporarily being supplied by another power source from SMDB-XA01B-FUT (Meter number XAB1B-16).
2. Guo Pei shop has installed 3 dehumidifiers on 17 October 2022 for space dehumidification. It is estimated additional 4,500 kWh/month electricity will be consumed.
3. MDM kitchen exhaust fan steps speed control program and graphics were updated.

Consumption Intensity

The 2023 YTD electricity and water use intensities are tracked on a monthly basis for both properties:

Table 3. Year to Date Actual Electricity Use Intensity (EUI)

MGM Properties	YTD EUI (kWh/m²)	% Change Compared to 2022
MACAU	**22.4**	**-0.8%**
COTAI	**22.6**	**+1.6%**

Table 4. Year to Date Actual Water Use Intensity (WUI)

MGM Properties	YTD WUI (m³/ m²)	% Change Compared to 2022
MACAU	**0.19**	**+6.0%**
COTAI	**0.14**	**+21.0%**

ISO 50001 Certification Audit

MACAU

The HKQAA 2022 surveillance audit was completed on 30 March 2022. There is no nonconformity (NC) and areas for improvement (AFI) from auditors. 2023 internal audit will be scheduled in Feb 2023.

COTAI

The HKQAA 2022 recertification audit was completed on 30 September 2022. There is no nonconformity (NC) and areas for improvement (AFI) from auditors.

Target Milestones in Year 2023

The following activities are to be completed in year 2023:

Table 5. MGM MACAU Year 2023 Projects

Item	Initiatives	Status
Electricity & LPG		
TBC	TBC	TBC

Table 6. MGM COTAI Year 2023 Projects

Item	Initiatives	Status
Electricity & NG		
TBC	TBC	TBC

TABLE OF CONTENTS

EXECUTIVE SUMMARY 1

ISO 50001 Certification Audit 3
Target Milestones in Year 2023 3

1.0 PORTFOLIO PERFORMANCE SUMMARY 6

1.1 Electricity Use Intensity (EUI) 6
1.2 Water Use Intensity (WUI) 7

2.0 MGM MACAU PERFORMANCE 8

2.1 Electricity consumption 8
2.2 LPG Consumption 10
2.3 ISO50001 Energy Consumption Record 12
2.4 Water Consumption 13
2.5 Macau Year 2023 Projects 15

3.0 MGM COTAI PERFORMANCE 16

3.1 Electricity Consumption 16
3.2 Natural Gas Consumption 19
3.3 ISO50001 Energy Consumption Record 21
3.4 Water Consumption 22
3.5 Cotai Year 2023 Projects 24

APPENDIX A 25

Regression Analysis 25
MGM MACAU 25
MGM COTAI 25

ACKNOWLEDGMENT

Energenz has been working with MGM Team as the energy and sustainability manager to achieve energy savings in MGM properties and feed operational intelligence into the design.

The major goal of this project is not only to realize operation energy savings but also to extend the life of equipment, hence reducing CAPEX. MGM has demonstrated continuous commitment to be an environmentally and socially responsible business in the past years. In addition to that Energenz has assisted MGM MACAU and COTAI to achieve several other energy management and sustainability awards and certifications, such as ISO 50001, CEM Energy Savings Award, Macao Green Hotel Award and China 3 Star Green Building Operation Label.

Energenz appreciates the great support and trust from MGM Team over the years, especially the Facilities Management and the Sustainability Teams.

1.0 PORTFOLIO PERFORMANCE SUMMARY

1.1 ELECTRICITY USE INTENSITY (EUI)

MACAU's electricity use intensity (EUI) in January 2023 had decreased by 0.8% compared to the same month in 2022 and decreased by 0.8% in 2023 compared to 2022. Meanwhile, COTAI's EUI in January 2023 had increased by 1.6% compared to the same month in 2022 and increased by 1.6% in 2023 compared to 2022.

Table 7. Actual Electricity Consumption Intensity (EUI) Comparison

Monthly Period	MACAU			COTAI		
	Year 2022 Actual EUI (kWh/m²)	Year 2023 Actual EUI (kWh/m²)	% Change	Year 2022 Actual EUI (kWh/m²)	Year 2023 Actual EUI (kWh/m²)	% Change
January	22.6	22.4	-0.8%	22.3	22.6	+1.6%
February						
March						
April						
May						
June						
July						
August						
September						
October						
November						
December						
Average	**22.6**	**22.4**	**-0.8%**	**22.3**	**22.6**	**+1.6%**

1.2 WATER USE INTENSITY (WUI)

MACAU's water use intensity (WUI) in January 2023 increased by **6.0%** compared to the same month in 2022 and increased by **6.0%** in 2023 compared to 2022. Meanwhile, COTAI's WUI in January 2023 increased by **21.0%** compared to the same month in 2022 and increased by **21.0%** for 2023 compared to 2022.

Table 8. Actual Water Consumption Intensity (WUI) Comparison

Monthly Period	MACAU			COTAI		
	Year 2022 Actual WUI (m^3/m^2)	Year 2023 Actual WUI (m^3/m^2)	% Change	Year 2022 Actual WUI (m^3/m^2)	Year 2023 Actual WUI (m^3/m^2)	% Change
January	0.18	0.19	+6.0%	0.12	0.14	+21.0%
February						
March						
April						
May						
June						
July						
August						
September						
October						
November						
December						
Average	**0.18**	**0.19**	**+6.0%**	**0.12**	**0.14**	**+21.0%**

2.0 MGM MACAU PERFORMANCE

2.1 ELECTRICITY CONSUMPTION

The actual electricity consumption and cost in January 2023 decreased by 0.8% and increased by 2.7% respectively compared to the same month in 2022. To date, MGM MACAU has decreased the actual electricity consumption by 0.8% and associated cost increased by 2.7% respectively.

Table 9. MACAU Summary of Actual Monthly Electricity Consumption and Cost

Monthly Period	Actual Electricity Consumption (kWh)			Actual Electricity Cost (MOP)			% Change – CDD
	2022	2023	% Change Actual	2022	2023	% Change Actual	
January	4,784,280	4,745,400	-0.8%	5,519,350	5,668,020	+2.7%	-37.7%
February							
March							
April							
May							
June							
July							
August							
September							
October							
November							
December							
Total/Average	**4,784,280**	**4,745,400**	**-0.8%**	**5,519,350**	**5,668,020**	**+2.7%**	**-37.7%**

***Important note**: Cooling Degree Days (CDDs) is the main variable taken into consideration on electricity consumption normalization*

Energenz summarized the key items which could result in electricity consumption decrease below:

- January 2023 chiller electricity consumption has decreased by 19.0% compared to the same month in 2022 due to significant drop of CDD.

Table 10 presents the comparison of electricity rates in the years 2022 and 2023. The electricity rate in January 2023 increased by 3.5% compared to the same month in 2022.

Table 10. MACAU - Summary of Actual Monthly Electricity Rate

Monthly Period	Year 2022 – Electricity Rate (MOP/kWh)	Year 2023 – Electricity Rate (MOP/kWh)	% Change – Electricity Rate
January	1.15	1.19	+3.5%
February			
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total/Average	**1.15**	**1.19**	**+3.5%**

Table 11 summarizes the monthly normalized electricity consumption. The actual electricity consumption in January 2023 increased by 0.6% compared to 2019 normalized consumption in the same month.

Table 11. MACAU - Summary of Normalized Monthly Electricity Consumption

Monthly Period	2019 Normalized Electricity Consumption (kWh)	2023 Actual Electricity Consumption (kWh)	% Change – Normalized
January	4,715,548	4,745,400	+0.6%
February			
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total/Average	**4,715,548**	**4,745,400**	**+0.6%**

2.2 LPG CONSUMPTION

LPG consumption can be broken down into three (3) categories: boiler, hotel upper zone DHW, and kitchens/restaurants. Since the boiler and restaurants LPG utilization cover over 95% of the overall site LPG consumption, Energenz focuses the analysis on those two areas.

According to Table 12, the actual LPG consumption in January 2023 increased by 1.6% and cost decreased 18.3% respectively compared to the same month in 2022. To date, MGM MACAU has increased the actual LPG consumption by 1.6% and associated costs decreased by 18.3%.

Table 12. MACAU – Summary of Actual Monthly LPG Consumption and Cost

Monthly Period	Actual LPG Consumption (kg)			Actual LPG Cost (MOP)			% Change – Min OAT
	2022	2023	% Change Actual	2022	2023	% Change Actual	
January	121,221	123,108	+1.6%	1,327,490	1,084,579	-18.3%	-13.7%
February							
March							
April							
May							
June							
July							
August							
September							
October							
November							
December							
Total/Average	**121,221**	**123,108**	**+1.6%**	**1,327,490**	**1,084,579**	**-18.3%**	**-13.7%**

Important note: *Minimum Outdoor Air Temperature (OAT) is the main variable taken into consideration on LPG consumption normalization*

Energenz summarized the key items which could result in LPG consumption increase below:

- LPG Boiler consumption increased by 2.1% in January 2023 compared with the same month in 2022 as the main boiler has operated between 16 - 31 January 2023.

Table 13 presents the comparison of LPG rates in the years 2022 and 2023. The LPG rate in January 2023 decreased by 19.6% compared with the same month in 2022.

Table 13. MACAU - Summary of Actual Monthly LPG Rate

Monthly Period	Year 2022 – LPG Rate (MOP/kg)	Year 2023 – LPG Rate (MOP/kg)	% Change – LPG Rate
January	10.95	8.81	-19.6%
February			
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total/Average	**10.95**	**8.81**	**-19.6%**

Table 14 summarizes the monthly normalized LPG consumption. The actual LPG consumption in January 2023 increased by 18.8% compared to 2019 normalized consumption in the same month.

Table 14. MACAU - Summary of Normalized Monthly LPG Consumption

Monthly Period	2019 Normalized LPG Consumption (kg)	2023 Actual LPG Consumption (kg)	% Change – Normalized
January	103,641	123,108	18.8%
February			
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total/Average	**103,641**	**123,108**	**18.8%**

2.3 ISO50001 ENERGY CONSUMPTION RECORD

The MACAU ISO50001 energy performance target is to achieve 13% normalized energy savings by 2025 compared to the 2019 baseline. To date, normalized energy saving achieved up to January 2023 is **1.6%** as shown in Table 15. Table 16 below summarizes the site monthly energy consumption (Electricity and LPG combined) compared to the 2019 baseline.

Table 15. MACAU ISO 50001 Normalized Energy Performance Targets for 2025

MGM Property	Baseline	Energy Savings	2021	2022	Normalized Savings Achieved Up to January 2023	2024	2025
MACAU	2019	Target	-4%	-8%	-12%	N/A	**-13%**
		Actual	**-5.9%**	**-10.8%**	**-1.6%**	-	**-**

Table 16. MACAU ISO 50001 Normalized Monthly Energy Consumption

Monthly Period	2019 Normalized Energy Consumption (GJ)	2023 Actual Energy Consumption (GJ)	% Change – Normalized
January	23,023	22,660	-1.6%
February			
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total/Average	**23,023**	**22,660**	**-1.6%**

Important note: *Factors used for unit conversion: Electricity (0.0036) and LPG (0.0453)*

2.4 WATER CONSUMPTION

Based on the existing water metering system, the overall site water consumption can be broken down into four (4) categories: Kitchen and Restaurants; Hotel/Tower; Fire Services; and Chiller Plant & miscellaneous.

According to Table 17, the actual water consumption and cost in January 2023 increased by 6.0% and 6.1% compared to the same month in 2022 respectively. To date, MGM MACAU has decreased the actual water consumption and associated cost by 6.0% and 6.1% respectively.

Table 17. MACAU - Summary of Actual Monthly Water Consumption and Cost

Monthly Period	Actual Water Consumption (m^3)			Actual Water Cost (MOP)			Normalization Factors	
	2022	2023	% Change Actual	2022	2023	% Change Actual Cost	% Change – CDD	% Change – Food Covers
January	37,078	39,305	+6.0%	287,500	305,020	+6.1%	-37.7%	+52.7%
February								
March								
April								
May								
June								
July								
August								
September								
October								
November								
December								
Total/Average	**37,078**	**39,305**	**+6.0%**	**287,500**	**305,020**	**+6.1%**	**-37.7%**	**+52.7%**

Important note: *Cooling Degree Days (CDDs) and Food Covers are the main variables taken into consideration on Water consumption normalization*

Energenz summarized the key items which could result in water consumption increase below:

- Hotel Tower water consumption for January 2023 has increased by 22.4% compared to the same month in 2022.
- Podium water consumption for January 2023 has increased by 3.4% compared to the same month in 2022.

Table 18 presents the comparison of water rates in the years 2022 and 2023. The water rate in January 2023 has increased by 0.1% compared to the same month in 2022. The average utility rate of water has increased by 0.1% compared to 2022.

Table 18. MACAU - Summary of Actual Monthly Water Rates

Monthly Period	Year 2022 – Water Rate (MOP/m³)	Year 2023 – Water Rate (MOP/m³)	% Change – Water Rate
January	7.75	7.76	+0.1%
February			
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total/Average	**7.75**	**7.76**	**+0.1%**

Table 19 summarized the monthly normalized water consumption. The actual water consumption in January 2023 decreased by 9.5% compared to 2019 normalized consumption in the same month.

Table 19. MACAU - Summary of Normalized Monthly Water Consumption

Monthly Period	2019 Normalized Water Consumption (m³)	2023 Actual Water Consumption (m³)	% Change – Normalized
January	43,437	39,305	-9.5%
February			
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total/Average	**43,437**	**39,305**	**-9.5%**

2.5 MACAU YEAR 2023 PROJECTS

Energenz will continue to perform analysis and coordinate with MGM to implement the following projects in 2023 and reduce the site energy and water consumption which supports Energenz annual normalized energy savings target.

Table 20. MGM MACAU Year 2023 Projects

Item	Initiatives	Status
Electricity & LPG		
TBC	TBC	TBC

3.0 MGM COTAI PERFORMANCE

3.1 ELECTRICITY CONSUMPTION

The actual electricity consumption and cost in January 2023 increased by 1.6% and increased by 5.0% respectively compared to the same month in 2022. To date, MGM COTAI has increased the actual electricity consumption by 1.6% and associated cost increased by 5.0% respectively.

Table 21. COTAI Summary of Actual Monthly Electricity Consumption and Cost

Monthly Period	Actual Electricity Consumption (kWh)			Actual Electricity Cost (MOP)			% Change – CDD
	2022	2023	% Change Actual	2022	2023	% Change Actual	
January	8,336,400	8,471,280	+1.6%	10,013,460	10,516,100	+5.0%	-37.7%
February							
March							
April							
May							
June							
July							
August							
September							
October							
November							
December							
Total/Average	**8,336,400**	**8,471,280**	**+1.6%**	**10,013,460**	**10,516,100**	**+5.0%**	**-37.7%**

***Important note**: Cooling Degree Days (CDDs) is the main variable taken into consideration on electricity consumption normalization*

Energenz summarized the key items which could result in electricity consumption increase below:

- Heat Pump Plant electricity consumption for January 2023 has increased by 14.1% compared to the same month in 2022 due to significant drop of CDD.

- Hotel Tower and Mansion electricity consumption for January 2023 has increased by 8.8% and 18.2% compared to the same month in 2022 due to the increased of occupants with open border in Macau.

Table 22 presents the monthly e-bus electricity consumption in MGM COTAI. The e-bus electricity consumption in January 2023 has increased by 21.2% compared to the same month in 2022.

Table 22. COTAI - Summary of Monthly e-bus Electricity Consumption

Monthly Period	E-bus Electricity Consumption (kWh)		
	2022	2023	% Change – Actual
January	42,287	51,261	+21.2%
February			
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total/Average	**42,287**	**51,261**	**+21.2%**

Table 23 presents the comparison of electricity rates in the years 2022 and 2023. The electricity rate in January 2023 increased by 3.3% compared to the same month in 2022.

Table 23. COTAI - Summary of Actual Monthly Electricity Rate

Monthly Period	Year 2022 – Electricity Rate (MOP/kWh)	Year 2023 – Electricity Rate (MOP/kWh)	% Change – Electricity Rate
January	1.20	1.24	+3.3%
February			
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total/Average	**1.20**	**1.24**	**+3.3%**

Table 24 summarizes the monthly normalized electricity consumption. The actual electricity consumption in January 2023 decreased by 0.6% compared to 2019 normalized consumption in the same month.

Table 24. COTAI - Summary of Normalized Monthly Electricity Consumption

Monthly Period	2019 Normalized Electricity Consumption (kWh)	2023 Actual Electricity Consumption (kWh)	% Change – Normalized
January	8,521,687	8,471,280	-0.6%
February			
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total/Average	**8,521,687**	**8,471,280**	**-0.6%**

3.2 NATURAL GAS CONSUMPTION

The actual natural gas consumption and cost in January 2023 both increased by 7.9% compared to the same month in 2022, respectively. To date, MGM COTAI has increased both actual natural gas consumption and associated costs by 7.9%.

Table 25. COTAI - Summary of Actual Monthly Natural Gas Consumption and Cost

Monthly Period	Actual NG Consumption (m^3)			Actual NG Cost (MOP)			% Change – Min OAT	% Change – Food Covers
	2022	2023	% Change Actual	2022	2023	% Change Actual		
January	59,378	64,043	+7.9%	376,240	405,800	+7.9%	-13.7%	+67.3%
February								
March								
April								
May								
June								
July								
August								
September								
October								
November								
December								
Total/Average	**59,378**	**64,043**	**+7.9%**	**376,240**	**405,800**	**+7.9%**	**-13.7%**	**+67.3%**

Important note: *Minimum Outdoor Air Temperature (OAT is the main variable taken into consideration on natural gas consumption normalization*

Energenz summarized the key items which could result in natural gas consumption increase below:

- Kitchen natural gas consumption for January 2023 has increased by 1.9% as food covers has increased by 67.3% when compared with the same month last year.

Table 26 presents the comparison of natural gas rates in the years 2022 and 2023. The natural gas rate in January 2023 remains unchanged when compared with the same month in 2022.

Table 26. COTAI - Summary of Actual Monthly Natural Gas Rate

Monthly Period	Year 2022 – Natural Gas Rate (MOP/m³)	Year 2023 – Natural Gas Rate (MOP/m³)	% Change – LPG Rate
January	6.34	6.34	-
February			
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total/Average	**6.34**	**6.34**	**-**

Table 27 summarizes the monthly normalized natural gas consumption. The actual natural gas consumption in January 2023 decreased by 50.0% compared to 2019 normalized consumption in the same month.

Table 27. COTAI - Summary of Normalized Monthly Natural Gas Consumption

Monthly Period	2019 Normalized Natural Gas Consumption (m³)	2023 Actual Natural Gas Consumption (m³)	% Change – Normalized
January	128,174	64,043	-50.0%
February			
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total/Average	**128,174**	**64,043**	**-50.0%**

3.3 ISO50001 ENERGY CONSUMPTION RECORD

COTAI ISO50001 energy target is to achieve 13% normalized energy consumption reduction by 2025 compared to the 2019 baseline. To date, normalized energy saving achieved up to January 2023 is **8.0%** as shown in Table 28 and Table 29 below summarizes the site monthly energy consumption (Electricity and Natural Gas combined) compared to the 2019 baseline.

Table 28. COTAI ISO 50001 Normalized Energy Performance Targets for 2025

MGM Property	Baseline	Energy Savings	2021	2022	Normalized Savings Achieved Up to January 2023	2024	2025
COTAI	2019	Target	-4%	-8%	-12%	N/A	**-13%**
		Actual	**-6.4%**	**-16.9%**	**-8.0%**	-	**-**

Table 29. COTAI ISO 50001 Normalized Monthly Energy Consumption

Monthly Period	2019 Normalized Energy Consumption (GJ)	2023 Actual Energy Consumption (GJ)	% Change – Normalized
January	35,567	32,719	-8.0%
February			
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total/Average	**35,567**	**32,719**	**-8.0%**

***Important note**: Factors used for unit conversion: Electricity (0.0036) and Natural Gas (0.0347)*

3.4 WATER CONSUMPTION

According to Table 30, the actual water consumption and associated costs in January 2023 increased by 21.0% and 20.9% compared to the same month in 2021 respectively. To date, MGM COTAI has increased actual water consumption and associated costs by 21.0% and 20.9% respectively.

Table 30. COTAI - Summary of Actual Monthly Water Consumption and Cost

Monthly Period	Actual Water Consumption (m^3)			Actual Water Cost (MOP)			Normalization Factors	
	2022	2023	% Change Actual	2022	2023	% Change Actual Cost	% Change – CDD	% Change – Food Covers
January	44,658	54,018	+21.0%	347,240	419,790	+20.9%	-37.7%	+67.3%
February								
March								
April								
May								
June								
July								
August								
September								
October								
November								
December								
Total/Average	**44,658**	**54,018**	**+21.0%**	**347,240**	**419,790**	**+20.9%**	**-37.7%**	**+67.3%**

Important note: *Cooling Degree Days (CDDs) and Food Covers are the main variables taken into consideration on Water consumption normalization*

Energenz summarized the key items which could result in water consumption increased below:

- Hotel Tower water consumption for January 2023 has increased by 111.4 % as occupancy has increased by 119.2% when compared with the same month last year.

Table 31 presents the comparison of water rates in the years 2022 and 2023. The water rate in January 2023 has decreased by 0.05% compared to the same month in 2022. The average utility rate of water has decreased by 0.05% compared to 2022.

Table 31. COTAI - Summary of Actual Monthly Water Rates

Monthly Period	Year 2022 – Water Rate (MOP/m³)	Year 2023 – Water Rate (MOP/m³)	% Change – Water Rate
January	7.78	7.77	-0.05%
February			
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total/Average	**7.78**	**7.77**	**-0.05%**

Table 32 summarized the monthly normalized water consumption. The actual water consumption in January 2023 decreased by 6.7% compared to 2019 normalized consumption in the same month.

Table 32. COTAI - Summary of Normalized Monthly Water Consumption

Monthly Period	2019 Normalized Water Consumption (m³)	2023 Actual Water Consumption (m³)	% Change – Normalized
January	57,914	54,018	-6.7%
February			
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total/Average	**57,914**	**54,018**	**-6.7%**

3.5 COTAI YEAR 2023 PROJECTS

Energenz will continue to perform analysis and coordinate with MGM to implement the following projects in 2023 and reduce the site energy and water consumption which supports Energenz annual normalized energy savings target.

Table 33. MGM COTAI Year 2023 Projects

Item	Initiatives	Status
Electricity & NG		
TBC	TBC	TBC

APPENDIX A

Regression Analysis

The 2019 normalized consumption modelling is remained used for tracking the agreed normalized energy savings target for MGM MACAU and MGM COTAI. The following tables show a summary of the selected independent variables for each utility which are used for the normalized consumption modelling in 2023.

MGM MACAU


Utilities	2023	
Electricity (kWh)	CDD (Base T=17°C)	
LPG (kg)	Min OAT	
Water (m^3)	CDD (Base T=17°C)	Food Cover

MGM COTAI

Utilities	2023	
Electricity (kWh)	CDD (Base T=17°C)	
Natural Gas (m^3)	Min OAT	
Water (m^3)	CDD (Base T=17°C)	Food Cover

MGM MACAU & COTAI
Resource Efficiency Management Report
860720-0006650.00
860720-0006651.00





energenz
a division of NV5

Generating Great Returns. Improving the Environment.