
MGM MACAU & COTAI
RESOURCE EFFICIENCY MANAGEMENT REPORT
MARCH 2024

Prepared For:

MGM GRAND PARADISE LIMITED
MGM MACAU, Avenida Dr. Sun Yat Sen Nape, Macau

MGM COTAI, Avenida da Nave Desportiva, Cotai, Macau





NV5 NET ZERO

Unit 5B, 5/F, 133 Wai Yip Street,
Kwun Tong, Hong Kong
Phone: +852 2161 1360

860723-0004415.00
860723-0004367.00

EXECUTIVE SUMMARY

NV5 has been working closely with MGM to implement the EMOs as well as identify additional opportunities to achieve ISO certification energy targets. NV5 appreciates the great support and trust from MGM team over the years, in particular the Facility Management and the Sustainability Teams.

Key Performance Indicators

NV5 reports both normalized and actual savings on a monthly basis for both properties. The normalized savings are determined based on a 2019 baseline, with aligned annual savings targets to meet both ISO50001 as well as NV5's retainer contract requirements. Please note that the reported normalized savings achieved are to-date and cumulative for each month of the respective year.

Table 1. ISO and Retainer Contract Energy Performance Targets for 2025

MGM Properties	Baseline	Normalized Savings	
MACAU	2019	2025 Target	**-13%**
		Savings as of Mar 2024	**-17.8%**
COTAI	2019	2025 Target	**-13%**
		Savings as of Mar 2024	**-5.1%**

The actual monthly savings are determined against the 2019 baseline consumption and cumulative for each month of 2024.

Table 2. Internal Actual Energy Performance Targets for 2025

MGM Properties	Baseline	Actual Savings	
MACAU	2019	2025 Internal Target	**-13%**
		Savings as of Mar 2024	**+6.8%**
COTAI	2019	2025 Internal Target	**-13%**
		Savings as of Mar 2024	**-1.1%**

Highlighted Changes in Operation

MACAU

1. MGM MACAU completed the CT-10 fan & motor retrofit pilot project on Jan 2024. Measurement & Verification (M&V) works were conducted to verify the new CT fan and motor performance on Mar 2024.
2. MGM MACAU completed the Natural Gas changeover on 16 Jan 2024.
3. MGM MACAU switched ON three boilers (1 big boiler and 2 small boilers) during 1 Feb – 6 Mar 2024 due to low OAT fluctuation and final testing for NG system.
4. MGM MACAU completed the rooftop façade LED replacement on Feb 2024.
5. MGM MACAU will replace the Lion Backdrop lighting by Q2 2024.

COTAI

1. MGM COTAI completed CDP Extension Work at B2 Carpark (Phase 11 & 12).
2. MGM COTAI further adjusted the back of house AHUs for night mode low fan speed operation.
3. MGM COTAI continues to replace the back of house office lighting panel with occupancy sensor in different phases.
4. MGM COTAI has resumed the power supply of MDM Kitchen and Restaurant to their original circuits.

Consumption Intensity

The 2024 YTD electricity and water use intensities are tracked on a monthly basis for both properties:

Table 3. Year to Date Actual Electricity Use Intensity (EUI)

MGM Properties	YTD EUI (kWh/m²)	% Change Compared to 2023
MACAU	**24.2**	**+6.3%**
COTAI	**24.4**	**+7.4%**

Table 4. Year to Date Actual Water Use Intensity (WUI)

MGM Properties	YTD WUI (m³/ m²)	% Change Compared to 2023
MACAU	**0.26**	**+25.5%**
COTAI	**0.18**	**+10.9%**

ISO 50001 Certification Audit

MACAU

The HKQAA 2024 renewal audit was completed on 1 March 2024. There is no nonconformity (NC) and areas for improvement (AFI) from auditors.

COTAI

The HKQAA 2023 surveillance audit was completed on 7 December 2023. There is no nonconformity (NC) and areas for improvement (AFI) from auditors.

Milestones in Year 2024

The following activities are to be completed in year 2024:

Table 5. MGM MACAU Year 2024 Projects

Item	Initiatives	Status
Electricity		
1	Chiller Replacement (Phase 1 : 1 unit)	On-going
2	Cooling Tower Fan Retrofit (Phase 1 : 1 unit)	Completed
3	Cooling Tower Fan Retrofit (Phase 2 : 7 units)	On-going
4	Secondary Chilled Water Pump Retrofit (Phase 1 : 3 units)	On-going
5	AHU EC Fan Replacement (Phase 1)	On-going
6	Neon Light LED Replacement (Phase 3)	On-going
7	Rooftop Façade LED Replacement	Completed
8	Lion Backdrop Lighting Upgrade	On-going
LPG		
9	Natural Gas Changeover Project	Completed

Table 6. MGM COTAI Year 2024 Projects

Item	Initiatives	Status
Electricity		
1	Chiller Plant Controls Optimization (CHWP DP Setpoint Reset, CHWST Setpoint Reset…)	On-going
2	PICCV Implementation 2024 (14 Units)	On-going
3	AHU/PAU EC Fan Replacement (Phase 1)	On-going
4	Additional VSD for Exhaust Air Fan (Phase 2 : 12 units)	On-going
5	KEF Steps Speed Control Optimization 2024 (Hu Dao, Coast, Grill 58, Mansion)	On-going
6	Back of House Offices Lighting Replacement	On-going
Water		
7	Extension of B2 Carpark CDP Water Recycling (Phase 11)	Completed
8	Extension of B2 Carpark CDP Water Recycling (Phase 12)	Completed

TABLE OF CONTENTS

EXECUTIVE SUMMARY 1

ISO 50001 Certification Audit 3
Milestones in Year 2024 3

1.0 PORTFOLIO PERFORMANCE SUMMARY 7

1.1 Electricity Use Intensity (EUI) 7
1.2 Water Use Intensity (WUI) 8

2.0 MGM MACAU PERFORMANCE 9

2.1 Electricity consumption 9
2.2 Gas Consumption 11
2.3 ISO50001 Energy Consumption Record 13
2.4 Water Consumption 14
2.5 MACAU Year 2024 Projects 16

3.0 MGM COTAI PERFORMANCE 17

3.1 Electricity Consumption 17
3.2 Natural Gas Consumption 20
3.3 ISO50001 Energy Consumption Record 22
3.4 Water Consumption 23
3.5 COTAI Year 2024 Projects 25

APPENDIX A 26

Regression Analysis 26
MGM MACAU 26
MGM COTAI 26

APPENDIX B 27

MACAU Gas Consumption Raw Data 27

ACKNOWLEDGMENT

NV5 has been working with MGM Team as the energy and sustainability manager to achieve energy savings in MGM properties and feed operational intelligence into the design.

The major goal of this project is not only to realize operation energy savings but also to extend the life of equipment, hence reducing CAPEX. MGM has demonstrated continuous commitment to be an environmentally and socially responsible business in the past years. In addition to that NV5 has assisted MGM MACAU and COTAI to achieve several other energy management and sustainability awards and certifications, such as ISO 50001, CEM Energy Savings Award, Macao Green Hotel Award and China 3 Star Green Building Operation Label.

NV5 appreciates the great support and trust from MGM Team over the years, especially the Facilities Management and the Sustainability Teams.

1.0 PORTFOLIO PERFORMANCE SUMMARY

1.1 ELECTRICITY USE INTENSITY (EUI)

MACAU's electricity use intensity (EUI) in March 2024 had increased by **5.4%** compared to the same month in 2023 and increased by **6.3%** in 2024 compared to 2023. Meanwhile, COTAI's EUI in March 2024 had increased by **6.3%** compared to the same month in 2023 and increased by **7.4%** in 2024 compared to 2023.

Table 7. Actual Electricity Consumption Intensity (EUI) Comparison

Monthly Period	MACAU			COTAI		
	Year 2023 Actual EUI (kWh/m²)	Year 2024 Actual EUI (kWh/m²)	% Change	Year 2023 Actual EUI (kWh/m²)	Year 2024 Actual EUI (kWh/m²)	% Change
January	22.4	23.7	+5.4%	22.6	24.2	+6.9%
February	21.2	23.0	+8.3%	21.0	23.0	+9.2%
March	24.6	25.9	+5.4%	24.4	25.9	+6.3%
April						
May						
June						
July						
August						
September						
October						
November						
December						
Average	**22.8**	**24.2**	**+6.3%**	**22.7**	**24.4**	**+7.4%**

1.2 WATER USE INTENSITY (WUI)

MACAU's water use intensity (WUI) in March 2024 has increased by **27.8%** compared to the same month in 2023 and increased by **25.5%** in 2024 compared to 2023. Meanwhile, COTAI's WUI in March 2024 has increased by **5.7%** compared to the same month in 2023 and increased by **10.9%** in 2024 compared to 2023.

Table 8. Actual Water Consumption Intensity (WUI) Comparison

Monthly Period	MACAU			COTAI		
	Year 2023 Actual WUI (m^3/m^2)	Year 2024 Actual WUI (m^3/m^2)	% Change	Year 2023 Actual WUI (m^3/m^2)	Year 2024 Actual WUI (m^3/m^2)	% Change
January	0.19	0.24	+28.7%	0.14	0.17	+19.0%
February	0.21	0.26	+20.4%	0.16	0.18	+9.1%
March	0.21	0.27	+27.8%	0.17	0.17	+5.7%
April						
May						
June						
July						
August						
September						
October						
November						
December						
Average	**0.20**	**0.26**	**+25.5%**	**0.16**	**0.18**	**+10.9%**

2.0 MGM MACAU PERFORMANCE

2.1 ELECTRICITY CONSUMPTION

The actual electricity consumption and cost in March 2024 increased by **5.4%** and **5.2%** respectively compared to the same month in 2023. To date, MGM MACAU has increased the actual electricity consumption by **6.3%** and associated costs increased by **6.2%.**

Table 9. MACAU Summary of Actual Monthly Electricity Consumption and Cost

Monthly Period	Actual Electricity Consumption (kWh)			Actual Electricity Cost (MOP)			% Change – CDD
	2023	2024	% Change Actual	2023	2024	% Change Actual	
January	4,745,400	5,003,520	+5.4%	5,668,020	5,973,270	+5.4%	+173.7%
February	4,488,360	4,860,480	+8.3%	5,365,140	5,812,030	+8.3%	+17.2%
March	5,205,240	5,485,440	+5.4%	6,207,870	6,530,510	+5.2%	+5.6%
April							
May							
June							
July							
August							
September							
October							
November							
December							
Total	**14,439,000**	**15,349,440**	**+6.3%**	**17,241,030**	**18,315,810**	**+6.2%**	**+27.5%**

***Important note**: Cooling Degree Days (CDDs) and food cover are the main variables taken into consideration for electricity consumption normalization.*

NV5 summarized the key items that could result in an electricity consumption increase below:

- Chiller Plant electricity consumption has increased by 25.0% in March 2024 compared with the same month in 2023. The cooling degree days have increased by 5.6% respectively in March 2024.
- Heat Pump Plant electricity consumption has increased by 24.0% in March 2024 compared with the same month in 2023.

Table 10 presents the comparison of electricity rates in the years 2023 and 2024. The electricity rate in March 2024 decreased by 0.18% compared to the same month in 2023.

Table 10. MACAU - Summary of Actual Monthly Electricity Rate

Monthly Period	Year 2023 – Electricity Rate (MOP/kWh)	Year 2024 – Electricity Rate (MOP/kWh)	% Change – Electricity Rate
January	1.194	1.194	-0.05%
February	1.195	1.196	+0.04%
March	1.193	1.191	-0.18%
April			
May			
June			
July			
August			
September			
October			
November			
December			
Average	**1.194**	**1.193**	**-0.06%**

Table 11 summarizes the monthly normalized electricity consumption. The actual electricity consumption in March 2024 decreased by 20.4% compared to 2019 normalized consumption in the same month.

Table 11. MACAU - Summary of Normalized Monthly Electricity Consumption

Monthly Period	2019 Normalized Electricity Consumption (kWh)	2024 Actual Electricity Consumption (kWh)	% Change – Normalized
January	6,303,975	5,003,520	-20.6%
February	6,353,462	4,860,480	-23.5%
March	6,893,236	5,485,440	-20.4%
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total	**19,550,673**	**15,349,440**	**-21.5%**

2.2 GAS CONSUMPTION

Gas consumption can be broken down into three (3) categories: boiler, hotel upper zone DHW, and kitchens/restaurants. Since the boiler and restaurants Gas utilization cover over 95% of the overall site Gas consumption, NV5 focuses the analysis on those two areas.

As of 16 January 2024, MGM Macau has transitioned from LPG to Natural Gas for all gas-operated equipment.

According to Table 12, the actual Gas consumption in March 2024 increased by **31.4%** while the cost increased by **16.6%** respectively compared to the same month in 2023. To date, MGM MACAU has increased the actual Gas consumption by **25.5%** and associated costs increased by **20.6%.**

Table 12. MACAU – Summary of Actual Monthly Gas Consumption and Cost

Monthly Period	Actual Gas Consumption (GJ)			Actual Gas Cost (MOP)			% Change – Min OAT
	2023 (LPG)	2024 (LPG + NG)	% Change Actual	2023 (LPG)	2024 (LPG + NG)	% Change Actual	
January	5,577	5,760	+3.3%	1,084,579	1,211,135	+11.7%	-37.6%
February	3,555	5,487	+54.3%	768,347	1,052,400	+37.0%	-35.8%
March	3,515	4,619	+31.4%	759,672	885,980	+16.6%	-41.6%
April							
May							
June							
July							
August							
September							
October							
November							
December							
Total	**12,647**	**15,866**	**+25.5%**	**2,612,598**	**3,149,515**	**+20.6%**	**-38.6%**

Important note: *Minimum Outdoor Air Temperature (OAT) is the main variable taken into consideration for Gas consumption normalization.*

NV5 summarized the key items which could result in Gas consumption increase below:

- Kitchen gas consumption has increased by 14.4% due to Food Cover increased by 58.4% in March 2024 compared with the same month in 2023.
- Large boiler was operated during 1-6 Mar 2024 due to low OAT (below 15°C) which increased 31.2% the boiler NG consumption.

Table 13 presents the comparison of Gas rates in the years 2023 and 2024. The Gas rates in March 2024 decreased by 11.2% compared with the same month in 2023.

Table 13. MACAU - Summary of Actual Monthly Gas Rate

Monthly Period	Year 2023 – Gas Rate (MOP/GJ)	Year 2024 – Gas Rate (MOP/GJ)	% Change – Gas Rate
January	194.48	210.27	+8.1%
February	216.11	191.80	-11.2%
March	216.11	191.80	-11.2%
April			
May			
June			
July			
August			
September			
October			
November			
December			
Average	**208.90**	**197.96**	**-5.2%**

Table 14 summarizes the monthly normalized Gas consumption. The actual Gas consumption in March 2024 has decreased by 10.6% compared to 2019 normalized consumption in the same month.

Table 14. MACAU - Summary of Normalized Monthly Gas Consumption

Monthly Period	2019 Normalized Gas Consumption (GJ)	2024 Actual Gas Consumption (GJ)	% Change – Normalized
January	5,901	5,760	-2.4%
February	5,123	5,487	+7.1%
March	5,168	4,619	-10.6%
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total	**16,192**	**15,866**	**-2.0%**

2.3 ISO50001 ENERGY CONSUMPTION RECORD

The MACAU ISO50001 energy performance target is to achieve 13% normalized energy savings by 2025 compared to the 2019 baseline. To date, normalized energy saving achieved up to March 2024 is **17.8%** as shown in Table 15. Table 16 below summarizes the site monthly energy consumption (Electricity and LPG/NG combined) compared to the 2019 baseline.

Table 15. MACAU ISO 50001 Normalized Energy Performance Targets for 2025

MGM Properties	Baseline	Normalized Savings	
MACAU	2019	2025 Target	**-13%**
		Savings as of Mar 2024	**-17.8%**

Table 16. MACAU ISO 50001 Normalized Monthly Energy Consumption

Monthly Period	2019 Normalized Energy Consumption (GJ)	2024 Actual Energy Consumption (GJ)	% Change – Normalized
January	28,595	23,773	-16.9%
February	27,996	22,985	-17.9%
March	29,984	24,367	-18.7%
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total	**86,575**	**71,124**	**-17.8%**

Important note: *Factors used for unit conversion: Electricity (0.0036 GJ/kWh), LPG (0.0453 GJ/kg), and NG (0.0347 GJ/m³)*

2.4 WATER CONSUMPTION

Based on the existing water metering system, the overall site water consumption can be broken down into five (5) categories: Kitchen and Restaurants; Hotel Tower; Fire Services; Chiller Plant & miscellaneous.

According to Table 17, the actual water consumption and cost in March 2024 has increased by 27.8% and 27.7% respectively compared to the same month in 2023 respectively. To date, MGM MACAU has increased both the actual water consumption and associated cost by 25.5% and 25.4% respectively.

Table 17. MACAU - Summary of Actual Monthly Water Consumption and Cost

Monthly Period	Actual Water Consumption (m^3)			Actual Water Cost (MOP)			Normalization Factors	
	2023	2024	% Change Actual	2023	2024	% Change Actual Cost	% Change – CDD	% Change – Food Covers
January	39,305	50,588	+28.7%	305,020	392,330	+28.6%	+173.7%	+50.5%
February	45,112	54,323	+20.4%	350,080	421,370	+20.4%	+17.2%	+66.8%
March	44,725	57,148	+27.8%	347,050	443,270	+27.7%	+5.6%	+58.4%
April								
May								
June								
July								
August								
September								
October								
November								
December								
Total	**129,142**	**162,059**	**+25.5%**	**1,002,150**	**1,256,970**	**+25.4%**	**+27.5%**	**+58.3%**

Important note: *Cooling Degree Days (CDDs) and Food Covers are the main variables taken into consideration for water consumption normalization.*

NV5 summarized the key items that could result in a water consumption increase below:

- Kitchen water consumption has increased by 47.4% due to Food Cover increasing by 58.4% in March 2024 compared with the same month in 2023.
- CT Make Up water consumption for March 2024 has increased by 11.9% compared with the same month in 2023.

Table 18 presents the comparison of water rates in the years 2023 and 2024. The water rate in March 2024 has decreased by 0.04% compared to the same month in 2023. The average utility rate of water in 2024 has decreased by 0.05% compared to 2023.

Table 18. MACAU - Summary of Actual Monthly Water Rates

Monthly Period	Year 2023 – Water Rate (MOP/m³)	Year 2024 – Water Rate (MOP/m³)	% Change – Water Rate
January	7.760	7.755	-0.06%
February	7.760	7.757	-0.04%
March	7.760	7.757	-0.04%
April			
May			
June			
July			
August			
September			
October			
November			
December			
Average	**7.760**	**7.756**	**-0.05%**

Table 19 summarized the monthly normalized water consumption. The actual water consumption in March 2024 has increased by 14.8% compared to 2019 normalized consumption in the same month.

Table 19. MACAU - Summary of Normalized Monthly Water Consumption

Monthly Period	2019 Normalized Water Consumption (m³)	2024 Actual Water Consumption (m³)	% Change – Normalized
January	57,198	50,588	-11.6%
February	46,907	54,323	+15.8%
March	49,762	57,148	+14.8%
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total	**153,866**	**162,059**	**+5.3%**

2.5 MACAU YEAR 2024 PROJECTS

NV5 will continue to perform analysis and coordinate with MGM to implement the following projects in 2024 and reduce the site energy and water consumption which supports MGM energy and water savings target.

Table 20. MACAU Year 2024 Projects

Item	Initiatives	Status
Electricity		
1	Chiller Replacement (Phase 1 : 1 unit)	On-going
2	Cooling Tower Fan Retrofit (Phase 1 : 1 unit)	Completed
3	Cooling Tower Fan Retrofit (Phase 2 : 7 units)	On-going
4	Secondary Chilled Water Pump Retrofit (Phase 1 : 3 units)	On-going
5	AHU EC Fan Replacement (Phase 1 : 5 units)	On-going
6	Neon Light LED Replacement (Phase 3)	On-going
7	Rooftop Façade LED Replacement	Completed
8	Lion Backdrop Lighting Upgrade	On-going
LPG		
9	Natural Gas Changeover Project	Completed

3.0 MGM COTAI PERFORMANCE

3.1 ELECTRICITY CONSUMPTION

The actual electricity consumption and cost in March 2024 increased by 6.3% and 6.3% respectively compared to the same month in 2023. To date, MGM COTAI has increased the actual electricity consumption by 7.4% and associated cost increased by 7.4%.

Table 21. COTAI Summary of Actual Monthly Electricity Consumption and Cost

Monthly Period	Actual Electricity Consumption (kWh)			Actual Electricity Cost (MOP)			% Change – CDD
	2023	2024	% Change Actual	2023	2024	% Change Actual	
January	8,471,280	9,054,720	+6.9%	10,516,100	11,239,000	+6.9%	+173.7%
February	7,869,600	8,597,400	+9.2%	9,794,150	10,692,600	+9.2%	+17.2%
March	9,128,520	9,700,320	+6.3%	11,334,370	12,045,940	+6.3%	+5.6%
April							
May							
June							
July							
August							
September							
October							
November							
December							
Total	**25,469,400**	**27,352,440**	**+7.4%**	**31,644,620**	**33,977,540**	**+7.4%**	**+27.5%**

***Important note**: Cooling Degree Days (CDDs), Food Cover, Room Night and E-Bus Mileage are the main variables taken into consideration on electricity consumption normalization.*

NV5 summarized the key items which could result in an electricity consumption increase below:

- Chiller Plant electricity consumption has increased by 46.6% in March 2024 compared with the same month in 2023. The cooling degree days have increased by 5.6% respectively in March 2024.
- There were 4 days under low OAT conditions (below 15°C) in March 2024. Heat Pump Plant electricity consumption for March 2024 has increased by 18.8% compared to the same month in 2023.
- Kitchen & restaurant electricity consumption for March 2024 has increased by 8.4% compared to the same month in 2023.
- EV Charger (Guest) and E-Shuttle Bus electricity consumption for March 2024 has increased by 233% and 125.9% compared to the same month in 2023.

Table 22 presents the monthly e-bus electricity consumption in MGM COTAI. The e-bus electricity consumption in March 2024 has increased by **125.9%** compared to the same month in 2023.

Table 22. COTAI - Summary of Monthly e-bus Electricity Consumption

Monthly Period	E-bus Electricity Consumption (kWh)		
	2023	2024	% Change – Actual
January	51,261	137,030	+167.3%
February	53,640	142,468	+165.6%
March	66,865	151,047	+125.9%
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total	**171,766**	**430,545**	**+150.7%**

Table 23 presents the comparison of electricity rates in the years 2023 and 2024. The electricity rate in March 2024 remain unchanged when compared to the same month in 2023.

Table 23. COTAI - Summary of Actual Monthly Electricity Rate

Monthly Period	Year 2023 – Electricity Rate (MOP/kWh)	Year 2024 – Electricity Rate (MOP/kWh)	% Change – Electricity Rate
January	1.241	1.241	-0.01%
February	1.245	1.244	-0.07%
March	1.242	1.242	-
April			
May			
June			
July			
August			
September			
October			
November			
December			
Average	**1.243**	**1.242**	**-0.02%**

Table 24 summarizes the monthly normalized electricity consumption. The actual electricity consumption in March 2024 increased by 4.9% compared to 2019 normalized consumption in the same month.

Table 24. COTAI - Summary of Normalized Monthly Electricity Consumption

Monthly Period	2019 Normalized Electricity Consumption (kWh)	2024 Actual Electricity Consumption (kWh)	% Change – Normalized
January	9,166,278	9,054,720	-1.2%
February	9,055,928	8,597,400	-5.1%
March	9,249,268	9,700,320	+4.9%
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total	**27,471,474**	**27,352,440**	**-0.4%**

3.2 NATURAL GAS CONSUMPTION

The actual natural gas consumption and cost in March 2024 increased by 20.8% and 16.3% respectively compared to the same month in 2023, respectively. To date, MGM COTAI has increased actual natural gas consumption by 29.2% and associated costs by 32.1%.

Table 25. COTAI - Summary of Actual Monthly Natural Gas Consumption and Cost

Monthly Period	Actual NG Consumption (m^3)			Actual NG Cost (MOP)			% Change – Min OAT	% Change – Food Covers
	2023	2024	% Change Actual	2023	2024	% Change Actual		
January	64,043	88,198	+37.7%	405,800	607,700	+49.8%	-37.6%	+49.1%
February	58,053	74,893	+29.0%	378,840	498,460	+31.6%	-35.8%	+48.7%
March	63,461	76,680	+20.8%	438,660	510,350	+16.3%	-41.6%	+46.0%
April								
May								
June								
July								
August								
September								
October								
November								
December								
Total	**185,557**	**239,771**	**+29.2%**	**1,223,300**	**1,616,510**	**+32.1%**	**-38.6%**	**+47.9%**

Important note: *Minimum Outdoor Air Temperature is the main variable taken into consideration on natural gas consumption normalization*

NV5 summarized the key items which could result in natural gas consumption increase below:

- Kitchen NG consumption for March 2024 has increased by 18.8% compared to the same month in 2023. Food cover has increased by 46.0% in March 2024.

Table 26 presents the comparison of natural gas rates in the years 2023 and 2024. The natural gas rate in March 2024 decreased by **3.7%** compared to the same month in 2023.

Table 26. COTAI - Summary of Actual Monthly Natural Gas Rate

Monthly Period	Year 2023 – Natural Gas Rate (MOP/m³)	Year 2024 – Natural Gas Rate (MOP/m³)	% Change – NG Rate
January	6.34	6.89	+8.7%
February	6.53	6.66	+2.0%
March	6.91	6.66	-3.7%
April			
May			
June			
July			
August			
September			
October			
November			
December			
Average	**6.59**	**6.73**	**+2.2%**

Table 27 summarizes the monthly normalized natural gas consumption. The actual natural gas consumption in March 2024 decreased by **40.5%** compared to 2019 normalized consumption in the same month.

Table 27. COTAI - Summary of Normalized Monthly Natural Gas Consumption

Monthly Period	2019 Normalized Natural Gas Consumption (m³)	2024 Actual Natural Gas Consumption (m³)	% Change – Normalized
January	134,135	88,198	-34.2%
February	129,115	74,893	-42.0%
March	128,801	76,680	-40.5%
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total	**392,051**	**239,771**	**-38.8%**

3.3 ISO50001 ENERGY CONSUMPTION RECORD

COTAI ISO50001 energy target is to achieve 13% normalized energy consumption reduction by 2025 compared to the 2019 baseline. To date, normalized energy saving achieved up to March 2024 is **5.1%** as shown in Table 28 and Table 29 below summarizes the site monthly energy consumption (Electricity and Natural Gas combined) compared to the 2019 baseline.

Table 28. COTAI ISO 50001 Normalized Energy Performance Targets for 2025

MGM Properties	Baseline	Normalized Savings	
COTAI	2019	2025 Target	**-13%**
		Savings as of Mar 2024	**-5.1%**

Table 29. COTAI ISO 50001 Normalized Monthly Energy Consumption

Monthly Period	2019 Normalized Energy Consumption (GJ)	2024 Actual Energy Consumption (GJ)	% Change – Normalized
January	37,653	35,657	-5.3%
February	37,082	33,549	-9.5%
March	37,767	37,582	-0.5%
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total	**112,501**	**106,789**	**-5.1%**

***Important note**: Factors used for unit conversion: Electricity (0.0036 GJ/kWh) and Natural Gas (0.0347 GJ/m³)*

3.4 WATER CONSUMPTION

According to Table 30, the actual water consumption and associated costs in March 2024 has increased by 5.7% and 5.7% respectively compared to the same month in 2023 respectively. To date, MGM COTAI has increased both the actual water consumption and associated cost by 10.9% and 10.9% respectively.

Table 30. COTAI - Summary of Actual Monthly Water Consumption and Cost

Monthly Period	Actual Water Consumption (m^3)			Actual Water Cost (MOP)			Normalization Factors	
	2023	2024	% Change Actual	2023	2024	% Change Actual Cost	% Change – CDD	% Change – Food Covers
January	54,018	64,264	+19.0%	419,790	499,180	+18.9%	+173.7%	+49.1%
February	61,371	66,870	+9.1%	476,420	519,440	+9.0%	+17.2%	+48.7%
March	61,936	65,464	+5.7%	481,140	508,610	+5.7%	+5.6%	+46.0%
April								
May								
June								
July								
August								
September								
October								
November								
December								
Total	**177,271**	**196,598**	**+10.9%**	**1,377,350**	**1,527,230**	**+10.9%**	**+27.5%**	**+47.9%**

Important note: *Cooling Degree Days (CDDs) and Food Covers are the main variables taken into consideration on Water consumption normalization.*

NV5 summarized the key items which could result in a water consumption increase below:

- Spa and Swimming Pool water consumption for March 2024 has increased by 14.6% compared with the same month in 2023.
- Mansion water consumption for March 2024 has increased by 41.2% compared with the same month in 2023.

Table 31 presents the comparison of water rates in the years 2023 and 2024. The water rate in March 2024 has increased by 0.01% compared to the same month in 2023. The average utility rate of water the average utility rate of water has decreased by 0.02% compared to 2023.

Table 31. COTAI - Summary of Actual Monthly Water Rates

Monthly Period	Year 2023 – Water Rate (MOP/m³)	Year 2024 – Water Rate (MOP/m³)	% Change – Water Rate
January	7.771	7.768	-0.05%
February	7.770	7.768	-0.02%
March	7.768	7.769	+0.01%
April			
May			
June			
July			
August			
September			
October			
November			
December			
Average	**7.770**	**7.768**	**-0.02%**

Table 32 summarized the monthly normalized water consumption. The actual water consumption in March 2024 has decreased by 0.3% compared to the same month in 2019. To date, the average utility rate of water has increased by 4.5% compared to 2019.

Table 32. COTAI - Summary of Normalized Monthly Water Consumption

Monthly Period	2019 Normalized Water Consumption (m³)	2024 Actual Water Consumption (m³)	% Change – Normalized
January	61,128	64,264	+5.1%
February	61,304	66,870	+9.1%
March	65,638	65,464	-0.3%
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total	**188,070**	**196,598**	**+4.5%**

3.5 COTAI YEAR 2024 PROJECTS

NV5 will continue to perform analysis and coordinate with MGM to implement the following projects in 2024 and reduce the site energy and water consumption which supports MGM energy and water savings target.

Table 33. COTAI Year 2024 Projects

Item	Initiatives	Status
Electricity		
1	Chiller Plant Controls Optimization (CHWP DP Setpoint Reset, CHWST Setpoint Reset…)	On-going
2	PICCV Implementation 2024 (14 Units)	On-going
3	AHU/PAU EC Fan Replacement (Phase 1)	On-going
4	Additional VSD for Exhaust Air Fan (Phase 2 : 12 units)	On-going
5	KEF Steps Speed Control Optimization 2024 (Hu Dao, Coast, Grill 58, Mansion)	On-going
6	Back of House Offices Lighting Replacement	On-going
Water		
7	Extension of B2 Carpark CDP Water Recycling (Phase 11)	Completed
8	Extension of B2 Carpark CDP Water Recycling (Phase 12)	Completed

APPENDIX A

Regression Analysis

The 2019 normalized consumption modelling is remained used for tracking the agreed normalized energy savings target for MGM MACAU and MGM COTAI. The following tables show a summary of the selected independent variables for each utility which are used for the normalized consumption modelling in 2024.

MGM MACAU

Utilities	Variables	
Electricity (kWh)	CDD (Base T=17°C) & Food Cover	
LPG (kg) / Natural Gas (m^3)	Min OAT	
Water (m^3)	CDD (Base T=17°C)	Food Cover

MGM COTAI

Utilities	Variables	
Electricity (kWh)	CDD (Base T=17°C), Food Cover, Room Night, E-Bus Mileage	
Natural Gas (m^3)	Min OAT	
Water (m^3)	CDD (Base T=17°C)	Food Cover

APPENDIX B


MACAU Gas Consumption Raw Data

Table 34. MACAU Gas Consumption Raw Data

Monthly Period	2023 LPG Consumption (kg)	2024 LPG Consumption (kg)	2024 NG Consumption (m^3)
January	123,108	50,003	100,712
February	78,483	-	158,122
March	77,597	-	133,119
April	77,139	-	
May	80,383	-	
June	71,232	-	
July	67,441	-	
August	71,984	-	
September	69,953	-	
October	78,004	-	
November	77,482	-	
December	117,003	-	
Total	**989,808**	**50,003**	**391,953**

MGM MACAU & COTAI
Resource Efficiency Management Report
860723-0004415.00
860723-0004367.00





NV5 NET ZERO

Generating Great Returns. Improving the Environment.