
MGM MACAU & COTAI
RESOURCE EFFICIENCY MANAGEMENT REPORT
FEBRUARY 2025

Prepared For:

MGM GRAND PARADISE LIMITED
MGM MACAU, Avenida Dr. Sun Yat Sen Nape, Macau

MGM COTAI, Avenida da Nave Desportiva, Cotai, Macau





NV5 NET ZERO

Unit 5B, 5/F, 133 Wai Yip Street,
Kwun Tong, Hong Kong
Phone: +852 2161 1360

860723-0004415.00
860723-0004367.00

EXECUTIVE SUMMARY

NV5 has been working closely with MGM to implement the EMOs as well as identify additional opportunities to achieve ISO certification energy targets. NV5 appreciates the great support and trust from MGM team over the years, in particular the Facilities Management and the Sustainability Teams.

Key Performance Indicators

NV5 reports both normalized and actual savings on a monthly basis for both properties. The normalized savings are determined based on a 2019 baseline, with aligned annual savings targets to meet both ISO50001 as well as NV5's retainer contract requirements. Please note that the reported normalized savings achieved are to-date and cumulative for each month of the respective year.

Table 1. ISO and Retainer Contract Normalized Energy Performance for 2025

MGM Properties	Baseline	2025 Normalized Energy Target	2025 Normalized Energy Savings
MACAU	2019	-13%	-28.6%
COTAI			-12.1%
Overall			**-19.5%**

The actual monthly savings are determined against the 2019 baseline consumption and cumulative for each month of 2025.

Table 2. Internal Actual Energy Performance for 2025

MGM Properties	Baseline	2025 Internal Energy Target	2025 Actual Energy Savings
MACAU	2019	-13%	+2.7%
COTAI			-4.3%
Overall			**-1.7%**

Highlighted Changes in Operation

MACAU

1. MGM MACAU has turned on the Main Boiler and two Small Boilers on 10 – 17 Jan 2025, 26 -30 Jan 2025 and 07 – 10 Feb 2025 due to low outdoor temperature.
2. SCHWP-1 & 3 retrofit works were completed. SCHWP-6 will be completed by Q1 2025.

COTAI

1. All 13 units of PICCV installation works were completed on 23 January 2025.

Consumption Intensity

The 2025 YTD electricity and water use intensities are tracked on a monthly basis for both properties:

Table 3. Year to Date Actual Electricity Use Intensity (EUI)

MGM Properties	YTD EUI (kWh/m^2)	% Change Compared to 2025
MACAU	**23.2**	**-0.5%**
COTAI	**22.8**	**-3.5%**

Table 4. Year to Date Actual Water Use Intensity (WUI)

MGM Properties	YTD WUI (m^3/m^2)	% Change Compared to 2025
MACAU	**0.27**	**+9.6%**
COTAI	**0.19**	**+5.7%**

ISO 50001 Certification Audit

MACAU

The HKQAA 2025 surveillance audit was completed on 20 February 2025. There is no nonconformity (NC) and areas for improvement (AFI) from auditors.

COTAI

The HKQAA 2024 surveillance audit was completed on 8 December 2024. There is no nonconformity (NC) and areas for improvement (AFI) from auditors.

Milestones in Year 2025

The following activities will be completed in the year 2025:

Table 5. MGM MACAU Year 2025 Projects

Item	Initiatives	Status
Electricity		
1	Chiller Replacement (Phase 2 : 3 units)	On-going
2	Cooling Tower Fan Retrofit (Phase 3 : 3 units)	On-going
3	AHU/PAU EC Fan Replacement (Phase 2 : 15 units)	On-going
4	Secondary Chilled Water Pump Retrofit (Phase 2 : 1 unit)	On-going

Table 6. MGM COTAI Year 2025 Projects

Item	Initiatives	Status
Electricity		
1	AHU/PAU EC Fan Replacement (Phase 2 : 9 units)	On-going
2	Energy Valve Retrofit for AHU/PAU (Phase 4 : 10 units)	On-going
3	Additional VSD for Exhaust Air Fan (Phase 3 : 13 units)	On-going
4	BOF SF Axial Fan Replacement (3 units)	On-going
5	AHU/PAU Energy Saving Air Filter Replacement (5 units)	On-going
6	Solar PV Panel (3 kW Off-Grid System)	On-going

TABLE OF CONTENTS

EXECUTIVE SUMMARY 1

ISO 50001 Certification Audit 2
Milestones in Year 2025 3

1.0 PORTFOLIO PERFORMANCE SUMMARY 6

1.1 Electricity Use Intensity (EUI) 6
1.2 Water Use Intensity (WUI) 7

2.0 MGM MACAU PERFORMANCE 8

2.1 Electricity consumption 8
2.2 Gas Consumption 10
2.3 ISO50001 Energy Consumption Record 12
2.4 Water Consumption 13
2.5 MACAU Year 2025 Projects 15

3.0 MGM COTAI PERFORMANCE 16

3.1 Electricity Consumption 16
3.2 Natural Gas Consumption 19
3.3 ISO50001 Energy Consumption Record 21
3.4 Water Consumption 22
3.5 COTAI Year 2025 Projects 24

APPENDIX A 25

Regression Analysis 25
MGM MACAU 25
MGM COTAI 25

APPENDIX B 26

MACAU Gas Consumption Raw Data 26

ACKNOWLEDGMENT

NV5 has been working with MGM Team as the energy and sustainability manager to achieve energy savings in MGM properties and feed operational intelligence into the design.

The major goal of this project is not only to realize operation energy savings but also to extend the life of equipment, hence reducing CAPEX. MGM has demonstrated continuous commitment to be an environmentally and socially responsible business in the past years. In addition to that NV5 has assisted MGM MACAU and COTAI to achieve several other energy management and sustainability awards and certifications, such as ISO 50001, CEM Energy Savings Award, Macao Green Hotel Award and China 3 Star Green Building Operation Label.

NV5 appreciates the great support and trust from MGM Team over the years, especially the Facilities Management and Sustainability Teams.

1.0 PORTFOLIO PERFORMANCE SUMMARY

1.1 ELECTRICITY USE INTENSITY (EUI)

MACAU's electricity use intensity (EUI) in February 2025 decreased by 3.1% compared to the same month in 2024 and decreased by 0.5% in 2025 compared to 2024. Meanwhile, COTAI's EUI in February 2025 decreased by 5.6% compared to the same month in 2024 and decreased by 3.5% in 2025 compared to 2024.

Table 7. Actual Electricity Consumption Intensity (EUI) Comparison

Monthly Period	MACAU			COTAI		
	Year 2024 Actual EUI (kWh/m²)	Year 2025 Actual EUI (kWh/m²)	% Change	Year 2024 Actual EUI (kWh/m²)	Year 2025 Actual EUI (kWh/m²)	% Change
January	23.7	24.2	+2.1%	24.2	23.8	-1.5%
February	23.0	22.3	-3.1%	23.0	21.7	-5.6%
March						
April						
May						
June						
July						
August						
September						
October						
November						
December						
Average	**23.3**	**23.2**	**-0.5%**	**23.6**	**22.8**	**-3.5%**

1.2 WATER USE INTENSITY (WUI)

MACAU's water use intensity (WUI) in February 2025 increased by **14.1%** compared to the same month in 2024 and increased by **9.6%** in 2025 compared to 2024. Meanwhile, COTAI's WUI in February 2025 increased by **10.3%** compared to the same month in 2024 and increased by **5.7%** in 2025 compared to 2024.

Table 8. Actual Water Consumption Intensity (WUI) Comparison

Monthly Period	MACAU			COTAI		
	Year 2024 Actual WUI (m^3/m^2)	Year 2025 Actual WUI (m^3/m^2)	% Change	Year 2024 Actual WUI (m^3/m^2)	Year 2025 Actual WUI (m^3/m^2)	% Change
January	0.239	0.250	+4.7%	0.172	0.173	+0.8%
February	0.257	0.293	+14.1%	0.179	0.197	+10.3%
March						
April						
May						
June						
July						
August						
September						
October						
November						
December						
Average	**0.248**	**0.272**	**+9.6%**	**0.175**	**0.185**	**+5.7%**

2.0 MGM MACAU PERFORMANCE

2.1 ELECTRICITY CONSUMPTION

The actual electricity consumption and cost in February 2025 decreased by 3.1% and 6.2%, respectively, compared to the same month in 2024. To date, MGM MACAU has decreased the actual electricity consumption by 0.5% and associated costs decreased by 3.8%.

Table 9. MACAU Summary of Actual Monthly Electricity Consumption and Cost

Monthly Period	Actual Electricity Consumption (kWh)			Actual Electricity Cost (MOP)			% Change – CDD
	2024	2025	% Change Actual	2024	2025	% Change Actual	
January	5,003,520	5,110,080	+2.1%	5,973,270	5,893,310	-1.3%	-61.2%
February	4,860,480	4,708,680	-3.1%	5,812,030	5,448,990	-6.2%	-57.4%
March							
April							
May							
June							
July							
August							
September							
October							
November							
December							
Total	**9,864,000**	**9,818,760**	**-0.5%**	**11,785,300**	**11,342,300**	**-3.8%**	**-59.3%**

***Important note**: Cooling Degree Days (CDDs) and food cover are the main variables taken into consideration for electricity consumption normalization.*

NV5 summarized the key items that could result in an electricity consumption decrease below:

- Airside Equipment electricity consumption decreased by 7.8% in February 2025 compared with the same month in 2024.
- With the new replaced WCC-03, Chiller electricity consumption decreased by 26.3% in February 2025 compared with the same month in 2024.

Table 10 presents a comparison of electricity rates in the years 2024 and 2025. The electricity rate in February 2025 decreased by 3.2% compared to the same month in 2024.

Table 10. MACAU - Summary of Actual Monthly Electricity Rate

Monthly Period	Year 2024 – Electricity Rate (MOP/kWh)	Year 2025 – Electricity Rate (MOP/kWh)	% Change – Electricity Rate
January	1.194	1.153	-3.4%
February	1.196	1.157	-3.2%
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Average	**1.195**	**1.155**	**-3.3%**

Table 11 summarizes the monthly normalized electricity consumption. The actual electricity consumption in February 2025 decreased by 34.0% compared to 2019 normalized consumption in the same month.

Table 11. MACAU - Summary of Normalized Monthly Electricity Consumption

Monthly Period	2019 Normalized Electricity Consumption (kWh)	2025 Actual Electricity Consumption (kWh)	% Change – Normalized
January	7,507,180	5,110,080	-31.9%
February	7,133,797	4,708,680	-34.0%
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total	**14,640,978**	**9,818,760**	**-32.9%**

2.2 GAS CONSUMPTION

Gas consumption can be broken down into three (3) categories: boiler, hotel upper zone DHW, and kitchens/restaurants. Since the boiler and restaurants Gas utilization covers over 95% of the overall site Gas consumption, NV5 focuses the analysis on those two areas.

As of 16 January 2024, MGM Macau has transitioned from LPG to Natural Gas for all gas-operated equipment.

According to Table 12, the actual Gas consumption in February 2025 decreased by 19.5% while the cost decreased by 19.5% respectively compared to the same month in 2024. To date, MGM MACAU has decreased the actual Gas consumption by 16.0% and associated costs decreased by 20.0%.

Table 12. MACAU – Summary of Actual Monthly Gas Consumption and Cost

Monthly Period	Actual Gas Consumption (m^3)			Actual Gas Cost (MOP)			% Change – Min OAT	% Change – Food Covers
	2024 (LPG + NG)	2025 (NG)	% Change Actual	2024 (LPG + NG)	2025 (NG)	% Change Actual		
January	165,990*	144,889	-12.7%	1,211,135	964,330	-20.4%	+101.6%	+34.2%
February	158,122	127,213	-19.5%	1,052,400	846,670	-19.5%	+34.7%	+23.7%
March								
April								
May								
June								
July								
August								
September								
October								
November								
December								
Total	**324,112**	**272,102**	**-16.0%**	**2,263,535**	**1,811,000**	**-20.0%**	**+61.4%**	**+29.0%**

Important note: *Minimum Outdoor Air Temperature (OAT) is the main variable taken into consideration for Gas consumption normalization.*
**Jan 2024 gas consumption was combined with LPG & NG, it was converted as equivalent Gas (m^3) for comparison.*

NV5 summarized the key items which could result in Gas consumption decrease below:

- Boiler Gas consumption decreased by 40.8% in February 2025 as compared with the same month in 2024.
- L36 water heater gas consumption decreased by 59.5% in February 2025 as compared with the same month in 2024.

Table 13 presents the comparison of Gas rates in the years 2024 and 2025. The Gas rates in February 2025 remains unchanged compared to the same month in 2024.

Table 13. MACAU - Summary of Actual Monthly Gas Rate

Monthly Period	Year 2024 – Gas Rate (MOP/m³)	Year 2025 – Gas Rate (MOP/m³)	% Change – Gas Rate
January	7.30*	6.66	-8.8%
February	6.66	6.66	-
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Average	**6.98**	**6.66**	**-4.6%**

*Jan 2024 gas rate was combined with LPG & NG, it was converted as equivalent Gas (m³) for comparison

Table 14 summarizes the monthly normalized Gas consumption. The actual Gas consumption in February 2025 has decreased by 11.0% compared to 2019 normalized consumption in the same month.

Table 14. MACAU - Summary of Normalized Monthly Gas Consumption

Monthly Period	2019 Normalized Gas Consumption (m³)	2025 Actual Gas Consumption (m³)	% Change – Normalized
January	145,796	144,889	-0.6%
February	142,968	127,213	-11.0%
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total	**288,764**	**272,102**	**-5.8%**

2.3 ISO50001 ENERGY CONSUMPTION RECORD

The MACAU ISO50001 energy performance target is to achieve 13% normalized energy savings by 2025 compared to the 2019 baseline. To date, normalized energy saving achieved up to February 2025 is **28.6%** as shown in Table 15. Table 16 below summarizes the site monthly energy consumption (Electricity and NG combined) compared to the 2019 baseline.

Table 15. MACAU ISO 50001 Normalized Energy Performance Targets for 2025

MGM Properties	Baseline	Normalized Savings	
MACAU	2019	2025 Target	**-13%**
		Savings as of February 2025	**-28.6%**

Table 16. MACAU ISO 50001 Normalized Monthly Energy Consumption

Monthly Period	2019 Normalized Energy Consumption (GJ)	2025 Actual Energy Consumption (GJ)	% Change – Normalized
January	32,085	23,424	-27.0%
February	30,643	21,366	-30.3%
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total	**62,728**	**44,789**	**-28.6%**

Important note: *Factors used for unit conversion: Electricity (0.0036 GJ/kWh), NG (0.0347 GJ/m³)*

2.4 WATER CONSUMPTION

Based on the existing water metering system, the overall site water consumption can be broken down into five (5) categories: Kitchen and Restaurants; Hotel Tower; Fire Services; Chiller Plant & Miscellaneous.

According to Table 17, the actual water consumption and cost in February 2025 increased by **14.1%** and **14.1%** respectively compared to the same month in 2024 respectively. To date, MGM MACAU has increased both the actual water consumption and associated cost by **9.6%** and **9.6%** respectively.

Table 17. MACAU - Summary of Actual Monthly Water Consumption and Cost

Monthly Period	Actual Water Consumption (m^3)			Actual Water Cost (MOP)			Normalization Factors	
	2024	2025	% Change Actual	2024	2025	% Change Actual Cost	% Change – CDD	% Change – Food Covers
January	50,588	52,988	+4.7%	392,330	410,980	+4.8%	-61.2%	+34.2%
February	54,323	61,961	+14.1%	421,370	480,670	+14.1%	-57.4%	+23.7%
March								
April								
May								
June								
July								
August								
September								
October								
November								
December								
Total	**104,911**	**114,949**	**+9.6%**	**813,700**	**891,650**	**+9.6%**	**-59.3%**	**+29.0%**

Important note: *Cooling Degree Days (CDDs) and Food Covers are the main variables taken into consideration for water consumption normalization.*

NV5 summarized the key items that could result in a water consumption increase below:

- Kitchen water consumption has increased by 18.9% compared with the same month in 2024.
- Hotel water consumption has increased by 5.9% compared with the same month in 2024.

Table 18 presents the comparison of water rates in the years 2024 and 2025. The water rate in February 2025 increased by **0.01%** compared to the same month in 2024. The average utility rate of water in 2025 increased by **0.01%** compared to 2024.

Table 18. MACAU - Summary of Actual Monthly Water Rates

Monthly Period	Year 2024 – Water Rate (MOP/m³)	Year 2025 – Water Rate (MOP/m³)	% Change – Water Rate
January	7.755	7.756	+0.01%
February	7.757	7.758	+0.01%
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Average	**7.756**	**7.757**	**+0.01%**

Table 19 summarized the monthly normalized water consumption. The actual water consumption in February 2025 decreased by **4.3%** compared to 2019 normalized consumption in the same month.

Table 19. MACAU - Summary of Normalized Monthly Water Consumption

Monthly Period	2019 Normalized Water Consumption (m³)	2025 Actual Water Consumption (m³)	% Change – Normalized
January	68,054	52,988	-22.1%
February	64,760	61,961	-4.3%
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total	**132,814**	**114,949**	**-13.5%**

2.5 MACAU YEAR 2025 PROJECTS

NV5 continues to perform analysis and coordinate with MGM to implement the following projects in 2025 and reduce the site energy consumption which supports MGM energy savings target.

Table 20. MACAU Year 2025 Projects

Item	Initiatives	Status
Electricity		
1	Chiller Replacement (Phase 2 : 3 units)	On-going
2	Cooling Tower Fan Retrofit (Phase 3 : 3 units)	On-going
3	AHU/PAU EC Fan Replacement (Phase 2 : 15 units)	On-going
4	Secondary Chilled Water Pump Retrofit (Phase 2 : 1 unit)	On-going

3.0 MGM COTAI PERFORMANCE

3.1 ELECTRICITY CONSUMPTION

The actual electricity consumption and cost in February 2025 decreased by **5.6%** and **8.4%** respectively compared to the same month in 2024. To date, MGM COTAI has decreased the actual electricity consumption by **3.5%** and associated costs decreased by **6.5%**

Table 21. COTAI Summary of Actual Monthly Electricity Consumption and Cost

Monthly Period	Actual Electricity Consumption (kWh)			Actual Electricity Cost (MOP)			% Change – CDD
	2024	2025	% Change Actual	2024	2025	% Change Actual	
January	9,054,720	8,917,594	-1.5%	11,239,000	10,716,410	-4.6%	-61.2%
February	8,597,400	8,119,200	-5.6%	10,692,600	9,789,270	-8.4%	-57.4%
March							
April							
May							
June							
July							
August							
September							
October							
November							
December							
Total	**17,652,120**	**17,036,794**	**-3.5%**	**21,931,600**	**20,505,680**	**-6.5%**	**-59.3%**

***Important note**: Cooling Degree Days (CDDs), Food Cover, Room Night and E-Bus Mileage are the main variables taken into consideration on electricity consumption normalization. Starting from Jan 2025, LRT Interface electricity consumption is included.*

NV5 summarized the key items which could result in an electricity consumption decrease below:

- Chiller Plant electricity consumption decreased by 34.3% in February 2025 compared with the same month in 2024.
- Heat pump plant electricity consumption decreased by 8.7% in February 2025 compared with the same month in 2024.

Table 22 presents the monthly e-bus electricity consumption in MGM COTAI. E-bus electricity consumption in February 2025 decreased by 1.4% compared to the same month in 2024.

Table 22. COTAI - Summary of Monthly e-bus Electricity Consumption

Monthly Period	E-bus Electricity Consumption (kWh)		
	2024	2025	% Change – Actual
January	137,030	145,776	+6.4%
February	142,468	140,426	-1.4%
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total	**279,498**	**286,202**	**+2.4%**

Table 23 presents the comparison of electricity rates in the years 2024 and 2025. The electricity rate in February 2025 decreased by 3.1% compared to the same month in 2024.

Table 23. COTAI - Summary of Actual Monthly Electricity Rate

Monthly Period	Year 2024 – Electricity Rate (MOP/kWh)	Year 2025 – Electricity Rate (MOP/kWh)	% Change – Electricity Rate
January	1.241	1.202	-3.2%
February	1.244	1.206	-3.1%
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Average	**1.242**	**1.204**	**-3.1%**

Table 24 summarizes the monthly normalized electricity consumption. The actual electricity consumption in February 2025 decreased by 13.7% compared to 2019 normalized consumption in the same month.

Table 24. COTAI - Summary of Normalized Monthly Electricity Consumption

Monthly Period	2019 Normalized Electricity Consumption (kWh)	2025 Actual Electricity Consumption (kWh)	% Change – Normalized
January	9,460,497	8,917,594	-5.7%
February	9,413,041	8,119,200	-13.7%
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total	**18,873,537**	**17,036,794**	**-9.7%**

3.2 NATURAL GAS CONSUMPTION

The actual natural gas consumption in February 2025 increased by **11.3%** while the cost increased by **11.3%** compared to the same month in 2024, respectively. To date, MGM COTAI has increased actual natural gas consumption by **5.8%** and associated costs decreased by **3.8%.**

Table 25. COTAI - Summary of Actual Monthly Natural Gas Consumption and Cost

Monthly Period	Actual NG Consumption (m^3)			Actual NG Cost (MOP)			% Change – Min OAT	% Change – Food Covers
	2024	2025	% Change Actual	2024	2025	% Change Actual		
January	88,198	89,215	+1.2%	607,700	593,780	-2.3%	+101.6%	+65.0%
February	74,893	83,343	+11.3%	498,460	554,700	+11.3%	+34.7%	+91.7%
March								
April								
May								
June								
July								
August								
September								
October								
November								
December								
Total	**163,091**	**172,558**	**+5.8%**	**1,106,160**	**1,148,480**	**+3.8%**	**+61.4%**	**+77.5%**

Important note: *Minimum Outdoor Air Temperature is the main variable taken into consideration on natural gas consumption normalization*

NV5 summarized the key items which could result in natural gas consumption increase below:

- Kitchen NG consumption for February 2025 has increased by 28.3% and food cover has increased by 91.7% compared to the same month in 2024.

Table 26 presents the comparison of natural gas rates in the years 2024 and 2025. The Gas rates in February 2025 remains unchanged compared to the same month in 2024.

Table 26. COTAI - Summary of Actual Monthly Natural Gas Rate

Monthly Period	Year 2024 – Natural Gas Rate (MOP/m³)	Year 2025 – Natural Gas Rate (MOP/m³)	% Change – NG Rate
January	6.89	6.66	-3.4%
February	6.66	6.66	-
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Average	**6.77**	**6.66**	**-1.7%**

Table 27 summarizes the monthly normalized natural gas consumption. The actual natural gas consumption in February 2025 decreased by **32.8%** compared to 2019 normalized consumption in the same month.

Table 27. COTAI - Summary of Normalized Monthly Natural Gas Consumption

Monthly Period	2019 Normalized Natural Gas Consumption (m³)	2025 Actual Natural Gas Consumption (m³)	% Change – Normalized
January	124,095	89,215	-28.1%
February	123,938	83,343	-32.8%
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total	**248,034**	**172,558**	**-30.4%**

3.3 ISO50001 ENERGY CONSUMPTION RECORD

COTAI ISO50001 energy target is to achieve 13% normalized energy consumption reduction by 2025 compared to the 2019 baseline. To date, normalized energy saving achieved up to February 2025 is **12.1%** as shown in Table 28. Table 29 below summarizes the site monthly energy consumption (Electricity and Natural Gas combined) compared to the 2019 baseline.

Table 28. COTAI ISO 50001 Normalized Energy Performance Targets for 2025

MGM Properties	Baseline	Normalized Savings	
COTAI	2019	2025 Target	**-13%**
		Savings as of February 2025	**-12.1%**

Table 29. COTAI ISO 50001 Normalized Monthly Energy Consumption

Monthly Period	2019 Normalized Energy Consumption (GJ)	2025 Actual Energy Consumption (GJ)	% Change – Normalized
January	38,364	35,199	-8.2%
February	38,188	32,121	-15.9%
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total	**76,551**	**67,320**	-12.1%

***Important note**: Factors used for unit conversion: Electricity (0.0036 GJ/kWh) and Natural Gas (0.0347 GJ/m³)*

3.4 WATER CONSUMPTION

According to Table 30, the actual water consumption and associated costs in February 2025 has increased by 10.3% and 10.3% respectively compared to the same month in 2024 respectively. To date, MGM COTAI has increased both the actual water consumption and associated cost by 5.7% and 5.6% respectively.

Table 30. COTAI - Summary of Actual Monthly Water Consumption and Cost

Monthly Period	Actual Water Consumption (m^3)			Actual Water Cost (MOP)			Normalization Factors	
	2024	2025	% Change Actual	2024	2025	% Change Actual Cost	% Change – CDD	% Change – Food Covers
January	64,264	64,806	+0.8%	499,180	503,350	+0.8%	-61.2%	+65.0%
February	66,870	73,743	+10.3%	519,440	572,760	+10.3%	-57.4%	+91.7%
March								
April								
May								
June								
July								
August								
September								
October								
November								
December								
Total	**131,134**	**138,549**	**+5.7%**	**1,018,620**	**1,076,110**	**+5.6%**	**-59.3%**	**+77.5%**

Important note: *Cooling Degree Days (CDDs) and Food Covers are the main variables taken into consideration on Water consumption normalization.*

NV5 summarized the key items which could result in water consumption increase below:

- Kitchen water consumption for February 2025 increased by 26.0% compared with the same month in 2024.
- Mansion water consumption for February 2025 increased by 44.0% compared with the same month in 2024.

Table 31 presents the comparison of water rates in the years 2024 and 2025. The water rate in February 2025 has decreased by 0.01% when compared to the same month in 2024. The average utility rate of water decreased when compared to 2024.

Table 31. COTAI - Summary of Actual Monthly Water Rates

Monthly Period	Year 2024 – Water Rate (MOP/m³)	Year 2025 – Water Rate (MOP/m³)	% Change – Water Rate
January	7.768	7.767	-0.01%
February	7.768	7.767	-0.01%
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Average	**7.768**	**7.767**	**-0.01%**

Table 32 summarized the monthly normalized water consumption. The actual water consumption in February 2025 has decreased by 24.4% compared to the same month in 2019. To date, the average utility rate of water has decreased by 28.2% compared to 2019.

Table 32. COTAI - Summary of Normalized Monthly Water Consumption

Monthly Period	2019 Normalized Water Consumption (m³)	2025 Actual Water Consumption (m³)	% Change – Normalized
January	95,412	64,806	-32.1%
February	97,606	73,743	-24.4%
March			
April			
May			
June			
July			
August			
September			
October			
November			
December			
Total	**193,018**	**138,549**	**-28.2%**

3.5 COTAI YEAR 2025 PROJECTS

NV5 continues to perform analysis and coordinate with MGM to implement the following projects in 2025 and reduce the site energy consumption which supports MGM energy savings target.

Table 33. COTAI Year 2025 Projects

Item	Initiatives	Status
Electricity		
1	AHU/PAU EC Fan Replacement (Phase 2 : 9 units)	On-going
2	Energy Valve Retrofit for AHU/PAU (Phase 4 : 10 units)	On-going
3	Additional VSD for Exhaust Air Fan (Phase 3 : 13 units)	On-going
4	BOF SF Axial Fan Replacement (3 units)	On-going
5	AHU/PAU Energy Saving Air Filter Replacement (5 units)	On-going
6	Solar PV Panel (3 kW Off-Grid System)	On-going

APPENDIX A

Regression Analysis

The 2019 normalized consumption modelling has remained used for tracking the agreed normalized energy savings target for MGM MACAU and MGM COTAI. The following tables show a summary of the selected independent variables for each utility which are used for the normalized consumption modelling in 2025.

MGM MACAU

Utilities	Variables	
Electricity (kWh)	CDD (Base T=17°C) & Food Cover	
LPG (kg) / Natural Gas (m^3)	Min OAT	
Water (m^3)	CDD (Base T=17°C)	Food Cover

MGM COTAI

Utilities	Variables	
Electricity (kWh)	CDD (Base T=17°C), Food Cover, Room Night, E-Bus Mileage	
Natural Gas (m^3)	Min OAT	
Water (m^3)	CDD (Base T=17°C)	Food Cover

APPENDIX B

MACAU Gas Consumption Raw Data


Table 34. MACAU Gas Consumption Raw Data

Monthly Period	2024 LPG Consumption (kg)	2024 NG Consumption (m^3)	2025 NG Consumption (m^3)
January	50,003	100,712	144,889
February	-	158,122	127,213
March	-	133,119	
April	-	117,800	
May	-	108,947	
June	-	97,924	
July	-	99,596	
August	-	101,187	
September	-	101,015	
October	-	107,043	
November	-	108,030	
December	-	119,904	
Total	**50,003**	**1,353,399**	**272,102**

Important note: *Factors used for unit conversion: LPG (0.0453 GJ/kg), NG (0.0347 GJ/m^3)*

MGM MACAU & COTAI
Resource Efficiency Management Report
860723-0004415.00
860723-0004367.00





NV5 NET ZERO

Generating Great Returns. Improving the Environment.