


Репозиторий



DockerFile backend



DockerFile frontend



ci-cd.yml

```yaml

name: Florup CI/CD

on:
  push:
    branches: [main]
  pull_request:
    branches: [main]
  workflow_dispatch:

jobs:
  backend:
    name: Backend tests
    runs-on: ubuntu-latest
    defaults:
      run:
        working-directory: backend

    steps:
      - name: Checkout repository
        uses: actions/checkout@v4

      - name: Setup Node.js
        uses: actions/setup-node@v4
        with:
          node-version: 22
          cache: npm
          cache-dependency-path: backend/package-lock.json

      - name: Install dependencies
        run: npm ci

      - name: Generate Prisma Client
        run: npx prisma generate
        env:
          DATABASE_URL: postgresql://user:password@localhost:5432/florup
          DIRECT_URL: postgresql://user:password@localhost:5432/florup

      - name: Run tests
        run: npm test

  frontend:
    name: Frontend build
    runs-on: ubuntu-latest
    defaults:
      run:
        working-directory: frontend

    steps:
      - name: Checkout repository
        uses: actions/checkout@v4

      - name: Setup Node.js
        uses: actions/setup-node@v4
        with:
          node-version: 22
          cache: npm
          cache-dependency-path: frontend/package-lock.json

      - name: Install dependencies
        run: npm ci

      - name: Build frontend
        run: npm run build

  docker:
    name: Docker image build
    runs-on: ubuntu-latest
    needs: [backend, frontend]

    steps:
      - name: Checkout repository
        uses: actions/checkout@v4

      - name: Build backend image
        run: docker build -t florup-backend ./backend

      - name: Build frontend image
        run: docker build -t florup-frontend ./frontend
```


docker-compose.yml


```yaml
services:
  api:
    build:
      context: ./backend
    working_dir: /app
    command: sh -c "npm install && npx prisma generate && npm run dev"
    env_file:
      - .env
    environment:
      PORT: 3000
      CLIENT_ORIGIN: http://localhost:5173
    ports:
      - "3000:3000"
    volumes:
      - ./backend:/app
      - backend_node_modules:/app/node_modules
    restart: unless-stopped


  frontend:
    build:
      context: ./frontend
    working_dir: /app
    command: sh -c "npm install && npm run dev -- --host 0.0.0.0"
    environment:
      VITE_API_URL: http://localhost:3000
    ports:
      - "5173:5173"
    volumes:
      - ./frontend:/app
      - frontend_node_modules:/app/node_modules
    depends_on:
      - api
    restart: unless-stopped


volumes:
  backend_node_modules:
  frontend_node_modules:
```

Логи




Backend tests
succeeded 7 minutes ago in 17s
Set up job
Checkout repository
Setup Node.js
Install dependencies
Generate Prisma Client
Run tests
Post Setup Node.js
Post Checkout repository
Complete job


Frontend build
succeeded 8 minutes ago in 8s
Set up job
Checkout repository
Setup Node.js
Install dependencies
Build frontend
Post Setup Node.js
Post Checkout repository
Complete job


Docker image build
succeeded 7 minutes ago in 23s
Set up job
Checkout repository
Build backend image
Build frontend image
Post Checkout repository
Complete job