(VI) FIELD OPERATION: Field operation consists of two phases.

- (a) Land Utilization Survey,
- (b) Yield Estimation Survey.

a) Land Utilization Survey

Land utilization/Area enumeration is done by visiting each survey No. of each sample village/Urban ward with the help of maps & R.O.Rs during each crop season (Autumn, Winter & Summer) of an agricultural year in order to collect primary data on area under different crops and other types of land uses, pertaining to the same agricultural year.

In case of un-surveyed villages for which maps and R.O.Rs are not available, area enumerations is conducted on the basis of household enquiry methods along with their particulars on land possessed/land cultivated.

b) Yield Estimation Survey

Under Yield Estimation Survey, crop cutting experiments on paddy and 13 minor crops i.e. wheat, maize, ragi, mung, biri, kulthi, til, groundnut, mustard, nizer, jute, potato and sugarcane are conducted in only C.D.Block level under scheme EARAS.

(VII) SELECTION OF SURVEY NUMBER FOR CROP CUTTING EXPERIMENTS

- **FOR PADDY**

As regards Crop Cutting Experiments (CCEs.), 2-4 Nos. of experiments as per allocation are to be conducted on paddy in each CCEs. village of the C.D.Block for yield estimation in each season.

Block-wise allocation (2-4 No's of CCEs.) of Crop cutting experiments separately of Paddy for 3 crop seasons has been done giving due weight-age to estimated area under the crop of the block. Accordingly, 2-4 No's of CCEs are conducted in each crop cutting village in each crop season according to availability.

Selection of CCE plots is done on the basis of Simple Random Sampling without replacement method. Proportional representation of plots under Irrigated & Un-Irrigated and minimum representation from both H.Y.V. &Local varieties plots, if available, is also considered at the time of selection of plot(s).

- **FOR MINOR CROPS**

For minor crops, one crop cutting experiment for each programmed minor crop is conducted in each CCE village of the sample list during each of 3 crop seasons according to availability.

Points to be covered for Training

1) Introduction.
2) Objective of the Scheme.
3) Design of the survey.
4) Responsibility of Primary Workers.
5) Used of different Forms.
6) Use of Village Map.
7) Land Utilization Survey.
8) Use of Random numbers.
9) Concept of conduction of Crop cutting Experiments.
10) Selection of plots for Crop cutting Experiments.
11) Preparation of experimental field for C.C. Expts.
12) Procedure of harvest for Programmed Crops.
13) Procedure of driage experiment.
14) Procedure of Substitution.
15) Relation between different forms & scrutiny points.
16) Procedure for preparation of Advance Estimation.
17) Formulation of Estimation.
18) Use of codes.
19) Submission of the Advance tour programme & tour diary.
20) Supervision

****

5. USED OF DIFFERENT FORMS :

1) **Form-1 -** Field Register for collection of Land Use Survey information.
   (To prepare by Primary Workers only)
2) **Form-2(A)-** Area under paddy crop & Area irrigated from different sources of **Paddy crop** only will transcript **plot wise** from Form-1.
   (Season wise prepare by Primary Workers only)
3) **Form-2** - Area under different Minor crops & Area irrigated from different sources (separate abstract of sources of irrigation) except Paddy crop will transcript Page wise from Form-1.
   (Season wise prepared by Primary Workers only)
4) **Form-3**- 9 fold classification of Land utilisation (col-19 to 22 of Form-1) & cropped area more than once (col-16, 17 & 18 of Form-1) during the year will transcript Page wise from Form-1.
   (At the end of the Summer season, prepared by Primary Workers only).
5) **Form-4(A)** - Sample village wise Area under Paddy (Prepared from Form-2A).
   (Season wise Prepared at District headquarter by S.O./A.S.O)
6) **Form-4 –**Sample village wise Area under different (all) crops & Area irrigated from different sources (Prepared from Form-2 & 2(A) by S.O./A.S.O).
   (Season wise Prepared at District headquarter).
7) **Form-5**- Sample village wise LUS information (Prepared from Form-3 by SO/ASO).
   (Prepared at District Headquarter at end of the summer season by S.O./A.S.O.)
8) **Form-6–** Selection of plot(s) for C.C. Experiments (For Surveyed Village).
   (Season wise prepared by Primary Workers only)
9) **Form-7–** Selection of plot for C.C. Experiment (For Un-surveyed village).
   (Season wise prepared by Primary Workers only)
10) **Form-8**- Result of Crop Cutting Experiments for all programmed crops.
    (Season wise prepared by Primary Workers only)
11) **Form-10**- Particulars of Driage Results (only for Niger crop).
    (Only in Winter season prepared by Primary Worker)
12) **Form-11**-Record copy of the sample village.
    (Before commencement of survey prepared by Primary Workers only)
13) **Form-12**- Advance Tour Programme of the S.F.S., S.S.F.I, S.F.I .
14) **Form-13**-Tour diary of the S.F.S., S.S.F.I, S.F.I.
15) **Form-14**-Inspection Particulars under the scheme "EARAS" (for Supervisors).
16) **Form-15**- Cover page of Form-1 & Form-11
    (Prepared by Primary Workers & Certified by Supervisors).

2. OBJECTIVE OF THE SCHEME

(i) Estimates of Land use Statistics. (as per 9 fold classifications of Land uses)
(ii) Estimates Yield-rate & Production Statistics
(Production and Productivity of 14 Programmed crops)

- Formulation of estimates of Area , Yield rate & Production of principal crop Paddy at the Block/District/ State level and 13 Programmed Minor crops i.e. Wheat, Maize, Ragi, Mung (Greengram), Biri (Blackgram), Kulthi (Horsegram), Til, Groundnut, Mustard, Nizer, Jute, Potato and Sugarcane at District/State level.
- Formulation of estimates of Area of different Programmed crops under Irrigated, vrs. Un-Irrigated conditions and for high yielding & local varieties of crops like Paddy, Wheat & Maize.
- Formulation of estimates of Area under Land use (9-fold classifications) at Block, District & State level
- Formulation of estimates of Area of some important information like Gross cropped area Irrigated & un-irrigated, area irrigated from different sources of irrigation & Yield-rate of some ancillary information like; level of land, applied with/without fertiliser, types of soil etc.
- Estimates of Yield-rate of Paddy at G.P level & notified Minor Crops at Block level for Insurance purposes.
- Formulation of Advance estimates (1st,2nd,3rd&4th) of Area , Yield rate & Production of Paddy & programmed minor crops timely during the Agrl. Year.

3. DESIGN OF SUVERY

(i) FRAME FOR THE SURVEY;

The list of all the revenue villages/urban wards & villages in each C.D.Block/U.L.B. constitutes the Frame for the purpose of selection of Samples for the survey. Villages covered under irrigation projects or transferred to Forest Deptt. or other developmental project, area submerged under river, lakes & sea, villages completely covered under hills are excluded from the Frame. In other words, area which are exclusively meant for non-agricultural activities do not come under the scope of the survey.

(ii) SAMPLING DESIGN :

For the area estimation survey, 20% of Revenue sample villages/urban wards from each C.D.Bloks/Urban Local bodies (ULB) will be selected by the method of **Simple Random Sampling without Replacement** follows one stage stratified random sampling.

A three stage Stratified Random Sampling Design is adopted for yield estimation survey

First Stage : For yield estimation survey, 20% sample villages selected as samples from Frame (Rural) every year by the method of Simple Random Sampling without Replacement and a sub sample of 40% and 50% villages is selected out of total

A particular 'Table of Random Numbers' have been used for the scheme "EARAS" which consists of 208 columns, and each column contents 25 rows. Random will start from a particular column No. which have been allotted to each Primary Worker by the district office at the beginning of the Agricultural year for selection of survey No. & experimental field to conduct of Crop Cutting Experiment as fallows.

Example- 1

In case of Surveyed Sample Villages, the survey number will be randomly selected for Crop Cutting Experiment from the list prepared in Form-2(A) for paddy & Form-6 for Minor crops as per following procedure.

Suppose, the total number of survey numbers under a particular crop in a C.C. village is 90, which is the highest serial number .The highest serial number is a 2 digited number. A two digited random number which is equal to or less than 90 are to be selected from the table of random numbers. Random will be start from allotted column. Suppose Column No.-16 is allotted to a Primary Worker by the district headquarter. It is seen that each random number column consists of 4-digited numbers. As we require a two digited random number, we have to go through the first two digits of the numbers from the assigned column No. 16, then we will fallow downwards one after another. On verifying the first two digits, if the desired random number is not possible, then the last two digits of the numbers in the same column i.e. Column No. 16 are to be verified. If required, the next random column No. - 17 will be verified in described procedure. Now verifying the process, the random number found in the first instance is 60. & 2nd instance is 02. Hence, the survey number against the serial number 60 is 1st selected plot & 02 is 2nd selected plot for crop cutting experiments.

Similarly, if total number of plots under a particular crop is 160. It is three digited number. We have to select a three digited number which is equal to or less than 160. Let Column No.15 is allotted a primary worker. Here after verifying from Column No. 15, it is observed that 091 & 156 is selected. The survey number against the serial numbers 091 & 156 are selected as 1st and 2nd crop cutting experiment respectively.

In case of Un-surveyed Sample Villages, the plots will be selected for Crop Cutting Experiment from the list prepared in Form-2(A) for paddy & Form-7 for Minor crops as per the above procedure.

(a) Area enumeration during natural calamities:

- If a area cultivated for the first time during a season have been fully damaged and further crops have not been cultivated for the same season, area will be recorded in Form-1 and the yield of the Crop Cutting result will be "0" (zero) in Form-8 (Paddy/Minor crop) if selected for Crop Cutting Experiment.
- If a area cultivated for the first time during a season have been fully damaged and further cultivated any crop for same season, area will be recorded for 2nd time sown only and 1st time sown area will be reported in the remarks column of Form-1.
- If a area cultivated for the first time during a season have been fully damaged and further cultivated for the next season crop, area will be recorded for both season crops and the yield of the Crop Cutting result will be "0" (zero) in Form-8 (Paddy/Minor crop) during the season.
- If a area cultivated for the first time during a season have been partly damaged and could **not harvested** by cultivator, area will be recorded and the yield of the Crop Cutting result will be "0" (zero) in Form-8 (Paddy/Minor crop).
- If a area cultivated for the first time during a season have been partly damaged and **harvested** by cultivator, area will be recorded and the yield of the Crop Cutting result will be taken in Form-8 (Paddy/Minor crop).

(For details refer Oriya instruction manualPage-13-15)

(b) Area enumeration on mixed crops:

If two or more crops belonging to same crop season (harvested in same crop season) are grown in mixture in one plot, then the crops will be considered as mixed crop. The field worker has to ascertain the percentage of area covered by each crop in the plot either by eye estimation or by counting the plants. The area so ascertained is to be recorded against the plot for each crop in the field register. Crop cutting experiment in the plot having mixed crops will be conducted on the crop for which the plot is selected.

(For details refer Oriya Instruction ManualPage-16)

EXAMPLE ; **TABLE OF RANDOM NUMBERS**

Uses of Single Digit **Uses of Double Digit**

13	14	15	16	17	18
7 6 9 6	9 0 2 1	8 5 2 7	6 0 2 5	8 1 2 1	1 9 1 7
3 8 5 1	1 8 9 7	0 9 1 7	0 2 5 4	4 1 8 5	6 1 4 1
4 0 9 1	9 5 8 2	9 0 5 1	5 6 9 7	7 4 2 3	5 0 7 1
4 4 5 3	4 7 8 1	2 3 8 7	7 4 9 6	9 1 5 3	1 7 2 7
3 1 2 5	2 5 5 0	2 2 3 0	7 0 2 1	1 6 1 7	4 8 8 4
3 4 3 5	3 3 0 9	2 0 9 2	7 9 8 5	8 1 1 2	1 2 0 9
3 6 1 2	8 7 8 2	1 7 0 3	4 7 4 9	8 3 9 3	5 7 4 0
2 5 5 1	5 2 4 1	4 0 7 4	8 5 0 7	8 5 1 6	4 3 7 9
7 2 3 8	3 5 6 0	3 3 9 7	9 0 8 0	3 6 5 8	0 7 5 1
1 7 2 0	1 4 3 9	7 5 0 3	0 0 4 0	8 5 5 3	7 1 8 1
7 5 5 7	9 8 7 0	3 7 7 7	6 6 5 0	6 7 6 0	2 4 4 4
1 3 4 7	9 8 3 1	3 5 3 7	0 8 5 1	1 5 1 7	3 6 0 8
7 3 6 7	1 7 9 5	5 5 6 4	1 5 6 2	1 6 3 8	8 1 2 8
1 6 0 2	3 1 6 2	9 1 4 6	6 8 3 1	1 6 7 8	3 3 8 5
4 8 9 8	5 6 2 1	1 3 2 9	5 2 2 4	1 9 7 1	0 5 7 5
7 3 6 5	6 5 9 4	4 2 0 9	0 0 2 8	3 9 9 2	4 0 3 1
2 2 9 6	1 9 2 0	0 6 4 1	8 8 2 1	5 5 7 5	2 3 4 7
5 7 2 6	1 1 1 7	1 1 2 8	8 7 0 0	9 8 1 6	7 8 7 8
4 7 7 6	1 3 7 3	6 0 9 2	1 4 6 6	2 2 7 9	9 6 7 1
3 1 8 0	5 8 0 1	3 0 8 6	7 5 4 6	0 8 5 4	2 4 1 7
9 1 5 5	3 1 7 3	4 8 3 6	9 0 5 5	2 6 4 0	6 9 4 7
8 3 7 0	9 6 4 0	1 0 9 1	5 0 7 5	2 0 6 4	1 7 8 1
2 8 3 5	2 9 6 4	5 3 1 7	8 3 3 5	3 0 5 7	0 4 6 6
8 6 9 1	4 5 9 9	6 2 9 4	2 1 0 5	8 3 9 6	8 3 6 8
2 4 8 6	0 8 2 9	8 6 5 2	4 1 4 5	6 7 5 9	4 8 1 7

Uses of Tripple Digit **Uses of Fifth Digit**

13	14	15	16	17	18
7 6 9 6	9 0 2 1	8 5 2 7	6 0 2 5	8 1 2 1	1 9 1 7
3 8 5 1	1 8 9 7	0 9 1 7	0 2 5 4	4 1 8 5	6 1 4 1
4 0 9 1	9 5 8 2	9 0 5 1	5 6 9 7	7 4 2 3	5 0 7 1
4 4 5 3	4 7 8 1	2 3 8 7	7 4 9 6	9 1 5 3	1 7 2 7
3 1 2 5	2 5 5 0	2 2 3 0	7 0 2 1	1 6 1 7	4 8 8 4
3 4 3 5	3 3 0 9	2 0 9 2	7 9 8 5	8 1 1 2	1 2 0 9
3 6 1 2	8 7 8 2	1 7 0 3	4 7 4 9	8 3 9 3	5 7 4 0
2 5 5 1	5 2 4 1	4 0 7 4	8 5 0 7	8 5 1 6	4 3 7 9
7 2 3 8	3 5 6 0	3 3 9 7	9 0 8 0	3 6 5 8	0 7 5 1
1 7 2 0	1 4 3 9	7 5 0 3	0 0 4 0	8 5 5 3	7 1 8 1
7 5 5 7	9 8 7 0	3 7 7 7	6 6 5 0	6 7 6 0	2 4 4 4
1 3 4 7	9 8 3 1	3 5 3 7	0 8 5 1	1 5 1 7	3 6 0 8
7 3 6 7	1 7 9 5	5 5 6 4	1 5 6 2	1 6 3 8	8 1 2 8
1 6 0 2	3 3 1 6	2 9 1 4	6 6 8 3	1 6 7 8	3 3 8 5
4 8 9 8	5 6 2 1	1 3 2 9	5 2 2 4	1 9 7 1	0 5 7 5
7 3 6 5	6 5 9 4	4 2 0 9	0 0 2 8	3 9 9 2	4 0 3 1
2 2 9 6	1 9 2 0	0 6 4 1	8 8 2 1	5 5 7 5	2 3 4 7
5 7 2 6	1 1 1 7	1 1 2 8	8 7 0 0	9 8 1 6	7 8 7 8
4 7 7 6	1 3 7 3	6 0 9 2	1 4 6 6	2 2 7 9	9 6 7 1
3 1 8 0	5 8 0 1	3 0 8 6	7 5 4 6	0 8 5 4	2 4 1 7
9 1 5 5	3 1 7 3	4 8 3 6	9 0 5 5	2 6 4 0	6 9 4 7
8 3 7 0	9 6 4 0	1 0 9 1	5 0 7 5	2 0 6 4	1 7 8 1
2 8 3 5	2 9 6 4	5 3 1 7	8 3 3 5	3 0 5 7	0 4 6 6
8 6 9 1	4 5 9 9	6 2 9 4	2 1 0 5	8 3 9 6	8 3 6 8
2 4 8 6	0 8 2 9	8 6 5 2	4 1 4 5	6 7 5 9	4 8 1 7

8. TABLE OF RANDOM NUMBERS AND USES:

Introduction: Leonard Henry Caleb Tippet (L.H.C.Tippett) inventing the Random Sampling Numbers, published in 1927. He is known as the father of the 'Table of Random Numbers". He was an English Statistician. Tippett also inventing the Extreme value theory, Fisher-Tippett-Gnedenko theorem & Fisher-Tippett distribution.

Tippett was born on 8th May 1902 I London, U.K. and died on 9th November 1985 in St. Austell, U.K. after being hit by a van while walking from his home. He became known for his 'snap reading' method of observation which led to improved production efficiency and operative utilization. As a result of his work in the Textile industry he was awarded the "Shewhart Medal of the American Society for quality Control".

Definition: In statistics Random means, governed by or involving equal chances for each item, which is unexpected, unknown & unspecified.


Random sampling means, that members of a population have equal chances of being selected. To carry out this type of sampling, you will need to use table of random numbers. Random numbers can also be generated using calculator or computer.

Types of random sampling: Random sampling is a part of the sampling technique in which each sample has an equal probability of being chosen. There are 5 types of random sampling techniques i.e **1. Simple random sampling, 2. Systematic sampling, 3. Stratified random sampling, and 4. Cluster random sampling, 5. Multistage random sampling**. Simple random sampling is the most basic and well-known type of random sampling techniques.

1. Simple random Sampling: Simple random Sampling is the basic sampling technique where we select a group of subjects (a sample) for study from a larger group (a population). Each individual is chosen entirely by chance and each member of the population has an equal chance of being included in the sample.

Sample Random sampling with replacement is use to find probability with replacement. **Simple random sampling without replacement** is a way to figure out probability without replacement. In other words, you do not replace the first item you choose before you choose a second.

Experimental field for crop cutting on Potato



(Follow the Oriya Instruction Manual-Page-70 – 72)

- If the potato plants, more than 50% of which lie within the experimental field will be treated as the plant completely lying within experimental field.
- Similarly, the plants, more than 50% of which lie outside the experimental field will not be treated as the plants of the experimental field.
- In case, the ropes tied over the middle of the plants, the alternative plants will be harvested. That means first one plant will be harvested and the next one will be left out, which will be started from the 2nd peg to 4th peg, then from 3rd peg to 1st peg on continuation process.

(Follow the Oriya Instruction Manual-Page-76 – 77)

the line joining 1st & 3rd pegs and perpendicular to the line joining the 1st peg and 2nd peg and put the **4th peg** on that point as if the distance of the corner between 1st peg & 4thpeg will becomes 7.07 metres. The position of 3rdpeg and 4thpeg may be adjusted only. The area surrounded by the rope is the experimental square field from which crop will be harvested for yield estimation.

(xii) If the experimental square field will fall partly or fully outside of the plot bond, the pair of random numbers will be rejected and another pair is to be selected as per procedure. It is to be ensured that the experimental square field lie completely inside the plot.

(xiii) If the above process has to be repeated again and again and experimental square field does not fall inside the plot/sub-plot bond (in case of an irregular polygon), the selected plot/sub-plot has to be rejected and next plot/sub-plot having particular crop is to be taken for consideration as substitute plot/sub-plot for of CCE.

(xiv) If the measured length/breadth/both became less than or equal to 7 steps the selected plot shall not accommodate for CCE. In such case the selected plot is to be rejected and next substitute plot will selected.

(xv) **Partial CCE.** - If there is only Plot/sub-plot which measured length/breadth became less than or equal to 7 steps having the crop in the sample village, **Partial Crop Cutting Experiment** will be conducted in a rectangular field with one side measuring 5 metres and anther side actual length/breadth as measured in metres & centimetres will be recorded with remark. For such cases One Random No. will be used for locating 1st corner point.

(xvi) **Full CCE. -** If both length & breadth of the imaginary rectangle became less than or equal to 7 steps and no other plot having the same crop is available in the sample village, then crop cutting experiment will be conducted in entire plot. In such case length & breadth will record in meter & centimeter with remark as Full crop cutting experiment.

(xvii) **Mixed CCE.-** In case a particular crop selected for CCE from mixed crop growing survey No, crop cutting experiment will be conducted as usual in square shape of 5mX5m (25^2m) randomly located in the selected survey No. The percentage of selected crop will mentation as Mixed Crop in the top of the item 19.0 of Form-8. After that, calculation will be done to get total 100% yield from the square field and it will be indicated separately in red ink.

(For details refer Oriya instruction manualPage-61-69)

properly. The weight of the cleaned grains will be taken separately & recorded in Form-8.

- **Maize**: All the maize pods of a plant may not be found ripe enough for harvest on the date of harvest. Hence in this case only ripe pods of maize are to be plucked from the experimental field and the weight of the pods with green cover will be taken separately in respect of the plants inside the experimental field and plants on the border line. Since, all the maize pods could have not been harvested from the experimental field in one day, the SFS have to visit the plot 3 – 4 times at reasonable intervals for plucking of all the ripe pods and record the weight of the maize pods harvested each time in Form-8/Form-8(Addl.). After plucking of all the maize pods, the total weight of the pods from the plants within the experimental field and on the border line will be recorded separately.
- **Ragi, Mung, Biri, Kulthi, Til, Mustard & Nizer**: As in previous case, plants of the crops lying inside the experimental field and the plants lying in the border line will be collected separately. The plants so collected will be kept sealed in two separate bags for 3 – 4 days in the custody of the cultivator. The VAW/SFS shall once again go to the cultivator and collect the grains from the plants kept in two bags separately by local method. The weight of the grains will be taken after cleaning those properly and recorded in Form-8
- **Groundnut**: In case of groundnut crop, the plants lying completely inside the experimental field will be collected. The plants on the border line of which more than 50% of the nuts spread in to the experimental field will also be collected. The nuts will be plucked from the above plants and cleaned properly. It should be ensured that some of the nuts are not left out in the plants. Then weight of the nuts will be taken properly and recorded in Form-8

N.B. - In case of groundnut separate weight of the nuts from the border plants need not be taken.

(b) PREPARATION OF EXPERIMENTAL FIELD FOR POTATO CROP.

(i) The experimental field for Potato crop cutting is a trapezium shape of 5m X 8rows randomly (SRSWOR) located in the selected survey No./ the plots (for un-surveyed village) of household for CCEs.

(ii) Identification of the selected Survey No./the plots (for un-surveyed village) of household for CCEs by map study.

(iii) The rows of Potato crop in different directions or partitioned by water channel will be treated as different sub-plots in a survey number.

(iv) The South-West corner of Plot/sub-plot bounded by field bunds on 4 sides will be taken as the **Origin point** of the experimental plot.

(v) If it is required to shift the origin point by more than 10 steps towards the West due to larger angle on the south-west corner, the origin point will be shifted to the south-east corner. If this corner is not suitable due to above reason, the north-east/north-west corner may be taken as origin point.

(vi) If in the south-west corner of the plot, there lies a big tree/bushes/shallow dumpy land/sand denes etc. for which it is difficult to locate the origin point, then the origin point may be located on the south-east/north-east/north-west corner of the plot.

(vii) If in certain cases it is not possible to locate the origin point at the proper place, then the suitable point on the bond of the plot nearest to South-West corner will be taken as the origin point.

(viii) The selected plot/kiari is completely bounded by field bunds on 4 sides by an **imaginary rectangle**.

(ix) X-axis will be taken in the direction of length of the rows and Y-axis is taken in the direction of rows of potato. The Y-axis will also be almost perpendicular to the rows of Potato.

(x) After formation of imaginary rectangle, length in the direction of X-axis in steps and breadth is the No. of rows in the direction of Y-axis are to be measured.

(xi) Deduct 7 from both length (No. of steps) and breadth (No. of rows).

(xii) The experimental field for CCE on Potato is of the size of a **trapezium shape** of which the distance between the two parallel sides is 5 meters and each un-equal two parallel sides of 8 rows will measure in Meter & Centimeter.

(xiii) Taking number of digits in resulted length and rows together, a simultaneous pair of random numbers with same number of digits in length and rows is selected.

(xiv) The experimental field is formed with the help of random co-ordinates.

16. PROCEDURE FOR PREPARATION OF ADVANCE ESTIMATION

1st advance estimation (Cutoff date from district : 22nd August)

Autumn C.C. Village wise area under all crops(covering all crop cutting villages) along with results of crop cutting experiments(block wise & crop wise number of CCEs & green yield) conducted till **15th August**.

Winter Area under paddy & minor crops already grown & expected to be grown(on enquiry method) in the crop cutting villages for winter season & anticipated yield rate in respect of each programmed crop for winter season

2nd advance Estimation (Cutoff date from district: 22nd December)

Winter C.C. Village wise area under all crops (covering all crop cutting villages) along with results of crop cutting experiments (block wise & crop wise number of CCEs. & green yield) conducted till **15th December**.

Summer Area under paddy & minor crops already grown & expected to be grown (on enquiry method) in the crop cutting villages for winter season & anticipated yield rate in respect of each programmed crop for Summer season

3rd Advance Estimation (Cutoff date from district : 7th March)

Winter In respect of Minor crop Block wise area under all crops (covering all crop cutting villages) along with results of crop cutting experiments (block wise & crop wise) conducted till **28th February** are to be collected from SFIs/SSFIs by 5thMarch.

Summer Area under crops sown for Summer season in all sample villages at the time of visits during winter season. So block wise & crop wise area so recorded for summer season along with yield rate of those crops based on eye estimation for all available crops are to be collected from SFIs/SSFIs by 5th March.

4th Advance Estimation (Cutoff date from district : 7th June)

Summer (a)(Area under paddy & programmed minor crops (block wise & crop wise covering all sample village allotted.

(b) Results of crop cutting experiments (All sample village wise & crop wise, no of C.C & green yield) conducted on paddy & programmed minor crops till **31th May** for summer season

18. USE OF CODES:

- **District & Block Code**: Use District & Block code in appropriate box on Identification Block-1 of each prescribed Forms.

  (See Instruction Manual (Odia) Page 86-91)
- **G.P Code**: Use G.P. code in appropriate box on Identification Block-1 of each Forms as given in the Sample list.
- **Village Code**: Serial No. of the Revenue Villages under the Blocks of the EARAS FRAME is the village code. It will be used only in case of non-sample villages instead of Sample village number.
- **Sample village Code**: The sample serial No. of the Sample list of the Block is Sample village code.
- Crop code , Sources of irrigation code, Type of crop loss code, Inspection code, Level of land code, Type of land code, Type of cultivation code, Method of cultivation code, Timely cultivation code, reason for causality codes have been given in appropriate column/line of each Forms for use. (See Instruction Manual (Odia) Page 92 & 93)

19. SUBMISSION OF THE ADVANCE TOUR PROGRAMME & DIARY:

The S.F.S. shall submit the copy of their advance tour programme (**in Form-12**) to the concerned S.S.F.I/S.F.I., Dy. Director (DPMU), Agriculture Officer.

Intimate the date of CCE to the concerned Insurance Authority before conduct of CCE.

The S.S.F.I/S.F.I shall submit his advance tour programme (**in Form-12**) to the concerned D.D. (DPMU).

Details of work done on the days of tour will be incorporated in **Form-13**.

The S.F.S. shall submit his tour diary through the concerned S.S.F.I/ S.F.I. and the later shall send the diaries of all the S.F.Ss working in his circle to the concerned D.D.(DPMU) after scrutiny.

The tour diary of S.S.F.I/ S.F.I./SFS for a month should be submitted to the **Dy. Director (DPMU) by the 7th of the succeeding month**.

20. SUPERVISION

- SSFI/ SFIs posted at different circles of the Districts are the field level supervisory staff for inspection of field work.
- Statistical Officers (S.O.) and Asst. Statistical Officers (A.S.O.) of the DPMU office, Range Office & Directorate Office are supervisory staff for inspection of field work.
- Deputy Director (P&S)/Asst. Director (statistics), DPMU Office, Joint Director (Statistics) of Range, Director, Joint Director, Dy. Director & Asst. Director of the Directorate are also inspecting authorities to inspect the field work of the S.F.S.
- The field work of the S.F.S. may be supervised by the Collector of the district, Officers of the Agriculture Department and National Sample Survey Organization etc.

****