INSIGHTTRACK ANALYST BENCH

I gave 8 AI models my product's real job.

The cheap ones either invent a reason, or shrug.

480 questions. Graded by the product's own code, not by another AI.

Tool choice | Data reading | Diagnosis | SQL

8 models · 480 cases · 0 AI judges

Swipe for the results →

INSIGHTTRACK ANALYST BENCH

The job: be Pulse, InsightTrack's AI analyst

1. **Pick the right tool**
   from 23 real ones, or say "none"
2. **Read the data**
   and say "not available" instead of guessing
3. **Explain why traffic changed**
   real change or noise, and the exact cause
4. **Write the SQL**
   run it, and check the result

8 models · 480 cases · 0 AI judges

INSIGHTTRACK ANALYST BENCH

Tool calling is solved. Explaining "why" is not.

Diagnosis: why did this page's traffic change?



Every model picked the right tool 93–100% of the time.

INSIGHTTRACK ANALYST BENCH

Same model. One switch.

Grok 4.20 on diagnosis

Reasoning ON	Reasoning OFF
100%	35%

It lost all 16 multi-cause cases and 9 of 12 decoys without reasoning.

If your AI answers "why" questions, reasoning isn't optional.

Two ways to be wrong

THE ALARMIST

Grok 4.20 (no reasoning)

34 times it invented a search cause that wasn't there

Traffic rose from 437 to 538. It blamed a rank drop.

THE SHRUGGER

GPT-5.4 nano

73 times it called a real change "noise"

Traffic fell 47%. It said: not significant.

The shrugger is the dangerous one.

INSIGHTTRACK ANALYST BENCH

The final leaderboard

Average accuracy across all four tasks



BEST VALUE

Gemini 3.7 Flash: 97.7% at about half the cost of the top model.

What I'd tell anyone building an AI assistant

01 Compute thresholds in code. Let the model explain.

02 Test "nothing happened" cases, not just causes.

03 Use reasoning for "why" questions.

04 Check generated SQL against your real database.

05 A benchmark's prompt is code too.

Read the full write-up on DEV

#kagglechallenge #devchallenge