

Advisortodo Testsuite

Execution Environment

| | |
|-----------------|---------------------|
| Host name | nishit - nits-lappy |
| OS | Linux 64bit |
| Katalon version | 7.1.2.1 |
| Browser | Chrome 79.0.3945.79 |

Summary

| | | | |
|-------------|-----------------------------------|------------|---------------------|
| ID | Test Suites/Advisortodo Testsuite | | |
| Description | | | |
| Total | 5 | | |
| Passed | 4 | Failed | 1 |
| Error | 0 | Incomplete | 0 |
| Start | 2019-12-16 11:22:55 | End | 2019-12-16 11:30:08 |
| Elapsed | 7m - 13.245s | | |

| # | ID | Description | Status |
|---|----------------------------|-------------|--------|
| 1 | Test Cases/Login | | PASSED |
| 2 | Test Cases/Sign Up | | PASSED |
| 3 | Test Cases/Forgot Password | | PASSED |
| 4 | Test Cases/Task | | FAILED |
| 5 | Test Cases/Project | | PASSED |

Login

Information

| | | | |
|-------------|---------------------|-----|---------------------|
| ID | Test Cases/Login | | |
| Description | | | |
| Tag | | | |
| Start | 2019-12-16 11:22:55 | End | 2019-12-16 11:23:18 |
| Elapsed | 22.812s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 12.845s | PASSED |
| 2 | navigateToUrl("https://app.gntkwhqzn-test.advisortodo.com/#!/auth/signin") Navigate to 'https://app.gntkwhqzn-test.advisortodo.com/#!/auth/signin' successfully | 4.179s | PASSED |
| 3 | setText(findTestObject("Object Repository/Page_advisor to-do/input_Sign In_form-control"), "admin@advisortodo.com") Text 'admin@advisortodo.com' is set on object 'Object Repository/Page_advisor to-do/input_Sign In_form-control' | 1.008s | PASSED |
| 4 | setEncryptedText(findTestObject("Object Repository/Page_advisor to-do/input_Sign In_form-control_1"), "7Dxoto1EjKeORhrTDROfog==") Text ***** has been set on object 'Object Repository/Page_advisor to-do/input_Sign In_form-control_1' | 0.713s | PASSED |
| 5 | click(findTestObject("Object Repository/Page_advisor to-do/button_Sign In")) Object: 'Object Repository/Page_advisor to-do/button_Sign In' is clicked on | 0.516s | PASSED |
| 6 | closeBrowser() Browser is closed | 0.134s | PASSED |

Login

| # | Description | Elapsed | Status |
|--|-------------|---------|--------|
| 7 | Video | 0.000s | PASSED |
| Video recording for test case 'Test Cases/Login' . | | | |

Sign Up

Information

| | | | |
|-------------|---------------------|-----|---------------------|
| ID | Test Cases/Sign Up | | |
| Description | | | |
| Tag | | | |
| Start | 2019-12-16 11:23:18 | End | 2019-12-16 11:23:39 |
| Elapsed | 21.356s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 11.387s | PASSED |
| 2 | navigateToUrl("https://app.gntkwhqzn-test.advisortodo.com/#!/auth/signup") Navigate to 'https://app.gntkwhqzn-test.advisortodo.com/#!/auth/signup' successfully | 4.258s | PASSED |
| 3 | setText(findTestObject("Object Repository/Page_advisor to-do/input_Signing up is easy It only takes a fe_e93503"), "Nishit") Text 'Nishit' is set on object 'Object Repository/Page_advisor to-do/input_Signing up is easy It only takes a fe_e93503' | 0.556s | PASSED |
| 4 | setText(findTestObject("Object Repository/Page_advisor to-do/input_Signing up is easy It only takes a fe_4992b8"), "Sheth") Text 'Sheth' is set on object 'Object Repository/Page_advisor to-do/input_Signing up is easy It only takes a fe_4992b8' | 0.498s | PASSED |
| 5 | setText(findTestObject("Object Repository/Page_advisor to-do/input_Signing up is easy It only takes a fe_6bb433"), "Katalon") Text 'Katalon' is set on object 'Object Repository/Page_advisor to-do/input_Signing up is easy It only takes a fe_6bb433' | 0.489s | PASSED |
| 6 | setText(findTestObject("Object Repository/Page_advisor to-do/input_Signing up is easy It only takes a fe_336808"), "nishit7531@katalon.com") Text 'nishit7531@katalon.com' is set on object 'Object Repository/Page_advisor to-do/input_Signing up is easy It only takes a fe_336808' | 0.638s | PASSED |

Sign Up

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 7 | setEncryptedText(findTestObject("Object Repository/Page_advisor to-do/input_Signing up is easy It only takes a fe_1ac70e"), "NP9hgsAAjFyq3K+3yMdUSg==") Text ***** has been set on object 'Object Repository/Page_advisor to-do/input_Signing up is easy It only takes a fe_1ac70e' | 0.543s | PASSED |
| 8 | click(findTestObject("Object Repository/Page_advisor to-do/button_Sign Up")) Object: 'Object Repository/Page_advisor to-do/button_Sign Up' is clicked on | 0.539s | PASSED |
| 9 | closeBrowser() Browser is closed | 0.184s | PASSED |
| 10 | Video Video recording for test case 'Test Cases/Sign Up' . | 0.000s | PASSED |

Forgot Password

Information

| | | | |
|-------------|----------------------------|-----|---------------------|
| ID | Test Cases/Forgot Password | | |
| Description | | | |
| Tag | | | |
| Start | 2019-12-16 11:23:39 | End | 2019-12-16 11:24:45 |
| Elapsed | 1m - 5.884s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 11.100s | PASSED |
| 2 | navigateToUrl("https://app.gntkwhqzn-test.advisortodo.com/#/auth/Signin") Navigate to 'https://app.gntkwhqzn-test.advisortodo.com/#/auth/Signin' successfully | 4.158s | PASSED |
| 3 | click(findTestObject("Object Repository/Page_advisor to-do/a_Forgot Password")) Object: 'Object Repository/Page_advisor to-do/a_Forgot Password' is clicked on | 0.606s | PASSED |
| 4 | setText(findTestObject("Object Repository/Page_advisor to-do/input_Send Email_form-control"), "admin@advisortodo.com") Text 'admin@advisortodo.com' is set on object 'Object Repository/Page_advisor to-do/input_Send Email_form-control' | 47.216s | PASSED |
| 5 | click(findTestObject("Object Repository/Page_advisor to-do/button_Send Email")) Object: 'Object Repository/Page_advisor to-do/button_Send Email' is clicked on | 0.446s | PASSED |
| 6 | closeBrowser() Browser is closed | 0.130s | PASSED |
| 7 | Video Video recording for test case 'Test Cases/Forgot Password' . | 0.001s | PASSED |

Task

Information

| | | | |
|-------------|---------------------|-----|---------------------|
| ID | Test Cases/Task | | |
| Description | | | |
| Tag | | | |
| Start | 2019-12-16 11:24:45 | End | 2019-12-16 11:26:48 |
| Elapsed | 2m - 2.447s | | |
| Status | FAILED | | |

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | <code>openBrowser("")</code> Browser is opened with url: " | 11.347s | PASSED |
| 2 | <code>navigateToUrl("https://app.gntkwhqzn-test.advisortodo.com/#!/auth/Signin")</code> Navigate to 'https://app.gntkwhqzn-test.advisortodo.com/#!/auth/Signin' successfully | 5.577s | PASSED |
| 3 | <code>setText(findTestObject("Page_advisor to-do/input_Sign In_form-control"), "admin@advisortodo.com")</code> Text 'admin@advisortodo.com' is set on object 'Object Repository/Page_advisor to-do/input_Sign In_form-control' | 0.719s | PASSED |
| 4 | <code>setEncryptedText(findTestObject("Page_advisor to-do/input_Sign In_form-control_1"), "7Dxoto1EjKeORhrTDROfog==")</code> Text ***** has been set on object 'Object Repository/Page_advisor to-do/input_Sign In_form-control_1' | 0.559s | PASSED |
| 5 | <code>click(findTestObject("Page_advisor to-do/button_Sign In"))</code> Object: 'Object Repository/Page_advisor to-do/button_Sign In' is clicked on | 0.506s | PASSED |
| 6 | <code>click(findTestObject("Object Repository/Page_advisor to-do/a_Tasks"))</code> Object: 'Object Repository/Page_advisor to-do/a_Tasks' is clicked on | 9.422s | PASSED |

Task

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 7 | click(findTestObject("Object Repository/Page_advisor to-do/button_Archived Projects_addTask")) Object: 'Object Repository/Page_advisor to-do/button_Archived Projects_addTask' is clicked on | 3.734s | PASSED |
| 8 | setText(findTestObject("Object Repository/Page_advisor to-do/input_Priority_combobox1"), "Task2") Text 'Task2' is set on object 'Object Repository/Page_advisor to-do/input_Priority_combobox1' | 1.008s | PASSED |
| 9 | sendKeys(findTestObject("Object Repository/Page_advisor to-do/input_Priority_combobox1"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Page_advisor to-do/input_Priority_combobox1' | 0.601s | PASSED |
| 10 | setText(findTestObject("Object Repository/Page_advisor to-do/input_Priority_combobox1"), "Task3") Text 'Task3' is set on object 'Object Repository/Page_advisor to-do/input_Priority_combobox1' | 2.338s | PASSED |
| 11 | click(findTestObject("Object Repository/Page_advisor to-do/div_Project")) Object: 'Object Repository/Page_advisor to-do/div_Project' is clicked on | 0.653s | PASSED |
| 12 | click(findTestObject("Object Repository/Page_advisor to-do/div_dsfsdf")) Object: 'Object Repository/Page_advisor to-do/div_dsfsdf' is clicked on | 0.741s | PASSED |
| 13 | click(findTestObject("Object Repository/Page_advisor to-do/div_High")) Object: 'Object Repository/Page_advisor to-do/div_High' is clicked on | 1.344s | PASSED |
| 14 | click(findTestObject("Object Repository/Page_advisor to-do/div_Medium")) Object: 'Object Repository/Page_advisor to-do/div_Medium' is clicked on | 0.670s | PASSED |

Task

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 15 | click(findTestObject("Object Repository/Page_advisor to-do/input_Medium_taskDueDate")) Object: 'Object Repository/Page_advisor to-do/input_Medium_taskDueDate' is clicked on | 1.178s | PASSED |
| 16 | click(findTestObject("Object Repository/Page_advisor to-do/div_6")) Object: 'Object Repository/Page_advisor to-do/div_6' is clicked on | 0.837s | PASSED |
| 17 | click(findTestObject("Object Repository/Page_advisor to-do/input_Medium_form-control input-xs")) Object: 'Object Repository/Page_advisor to-do/input_Medium_form-control input-xs' is clicked on | 47.653s | PASSED |
| 18 | click(findTestObject("Object Repository/Page_advisor to-do/div_5")) Object: 'Object Repository/Page_advisor to-do/div_5' is clicked on | 0.538s | PASSED |
| 19 | click(findTestObject("Object Repository/Page_advisor to-do/div_00")) Object: 'Object Repository/Page_advisor to-do/div_00' is clicked on | 0.439s | PASSED |
| 20 | click(findTestObject("Object Repository/Page_advisor to-do/div_01")) Object: 'Object Repository/Page_advisor to-do/div_01' is clicked on | 0.691s | PASSED |
| 21 | click(findTestObject("Object Repository/Page_advisor to-do/div_30")) Object: 'Object Repository/Page_advisor to-do/div_30' is clicked on | 1.114s | PASSED |
| 22 | click(findTestObject("Object Repository/Page_advisor to-do/div_00_1")) Object: 'Object Repository/Page_advisor to-do/div_00_1' is clicked on | 0.637s | PASSED |
| 23 | click(findTestObject("Object Repository/Page_advisor to-do/div_Prospecting")) Object: 'Object Repository/Page_advisor to-do/div_Prospecting' is clicked on | 0.593s | PASSED |

Task

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 24 | click(findTestObject("Object Repository/Page_advisor to-do/div_New category")) Object: 'Object Repository/Page_advisor to-do/div_New category' is clicked on | 0.565s | PASSED |

Task

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 25 | <p>setText(findTestObject("Object Repository/Page_advisor to-do/input_New category_react-tagsinput-input"), "new")</p> <p>Unable to set text 'new' of object 'Object Repository/Page_advisor to-do/input_New category_react-tagsinput-input' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'new' of object 'Object Repository/Page_advisor to-do/input_New category_react-tagsinput-input' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText(SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute(SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText(WebUiBuiltInKeywords.groovy:950) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$1.call(Unknown Source) at Task.run(Task:67) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1576475571944.run(TempTestSuite1576475571944.groovy:36) Caused by: org.openqa.selenium.InvalidElementStateException: invalid element state (Session info: chrome=79.0.3945.79) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'nits-lappy', ip: '192.168.100.13', os.name: 'Linux', os.arch: 'amd64', os.version: '5.0.0-37-generic', java.version: '1.8.0_222' Driver info: com.kms.katalon.selenium.driver.CCChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 79.0.3945.79, chrome: {chromedriverVersion: 79.0.3945.36 (3582db32b3389..., userDataDir: /tmp/.com.google.Chrome.VUQxEX), goog: chromeOptions: {debuggerAddress: localhost:34893}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}</p> | 20.853s | FAILED |

Task

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| | <pre>Session ID: 6fd53ed3a3d4995c5c6031d54832838e at org.openqa.selenium.remote.http.W3CHttpResponseCodec. createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor. execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.clear (RemoteWebElement.java:124) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0 (EventFiringWebDriver.java:404) at com.sun.proxy.\$Proxy10.clear(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.clear(EventFiringWebDriver.java: 436) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:53) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword. execute(SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:950) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$setText\$1.call(Unknown Source) at Script1575627573250.run(Script1575627573250.groovy:67) ... 13 more)</pre> | | |

Task

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|---|-------------|---------|--------|

advisor
to-do

Dashboard

Daily Planner

Tasks

Projects

Templates

Categories

Contacts

Users

Archived Projects

+

Search b

All Tasks

0...

P...

Task3

New pr...

M

Task2

H

New test project task

New pr...

M

17

New test project task

New pr...

M

17

New test project task

New pr...

M

17

Task 2

H

fdjghdgdg

H

Test 1234

Project ...

H

Demo

Test123

H

Test4567

Test Pr...

M

Due Date

Reminder Date

0100

Communication

Add Tag

Admin Admin

Description

Updated a few seconds ago.

Task

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 26 | <p>sendKeys(findTestObject("Object Repository/Page_advisor to-do/input_New category_react-tagsinput-input"), Keys.chord(ENTER))</p> <p>Unable to send keys " to object 'Object Repository/Page_advisor to-do/input_New category_react-tagsinput-input' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to send keys " to object 'Object Repository/Page_advisor to-do/input_New category_react-tagsinput-input' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys(SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute(SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys(WebUiBuiltInKeywords.groovy:834) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$sendKeys\$5.call(Unknown Source) at Task.run(Task:69) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:299) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:142) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1576475571944.run(TempTestSuite1576475571944.groovy:36)</p> <p>Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=79.0.3945.79) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'nits-lappy', ip: '192.168.100.13', os.name: 'Linux', os.arch: 'amd64', os.version: '5.0.0-37-generic', java.version: '1.8.0_222' Driver info: com.kms.katalon.selenium.driver.CCChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 79.0.3945.79, chrome: {chromedriverVersion: 79.0.3945.36 (3582db32b3389..., userDataDir: /tmp/.com.google.Chrome.VUQxEX}, goog: chromeOptions: {debuggerAddress: localhost:34893}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}</p> | 0.510s | FAILED |

Task

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| | <pre>Session ID: 6fd53ed3a3d4995c5c6031d54832838e at org.openqa.selenium.remote.http.W3CHttpResponseCodec. createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor. execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.sendKeys (RemoteWebElement.java:106) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0 (EventFiringWebDriver.java:404) at com.sun.proxy.\$Proxy10.sendKeys(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.sendKeys(EventFiringWebDriver. java:429) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:53) at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.call(SendKeysKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword. sendKeys(SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword. execute(SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:72) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. sendKeys(WebUiBuiltInKeywords.groovy:834) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$sendKeys\$5.call(Unknown Source) at Script1575627573250.run(Script1575627573250.groovy:69) ... 13 more)</pre> | | |

Task

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| | | | |
| 27 | <p>click(findTestObject("Object Repository/Page_advisor to-do/i_See More_fa fa-clone"))</p> <p>Object: 'Object Repository/Page_advisor to-do/i_See More_fa fa-clone' is clicked on</p> | 0.618s | PASSED |
| 28 | <p>click(findTestObject("Object Repository/Page_advisor to-do/i_Createda few seconds ago_fa fa-trash"))</p> <p>Object: 'Object Repository/Page_advisor to-do/i_Createda few seconds ago_fa fa-trash' is clicked on</p> | 1.377s | PASSED |
| 29 | <p>click(findTestObject("Object Repository/Page_advisor to-do/a_UW"))</p> <p>Object: 'Object Repository/Page_advisor to-do/a_UW' is clicked on</p> | 2.548s | PASSED |
| 30 | <p>click(findTestObject("Object Repository/Page_advisor to-do/div_Logout"))</p> <p>Object: 'Object Repository/Page_advisor to-do/div_Logout' is clicked on</p> | 0.583s | PASSED |
| 31 | <p>closeBrowser()</p> <p>Browser is closed</p> | 0.108s | PASSED |
| 32 | <p>Video</p> <p>Video recording for test case 'Test Cases/Task' .</p> | 0.001s | PASSED |

Project

Information

| | | | |
|-------------|---------------------|-----|---------------------|
| ID | Test Cases/Project | | |
| Description | | | |
| Tag | | | |
| Start | 2019-12-16 11:26:48 | End | 2019-12-16 11:29:45 |
| Elapsed | 2m - 57.727s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | openBrowser("") Browser is opened with url: " | 10.969s | PASSED |
| 2 | navigateToUrl("https://app.gntkwhqzn-test.advisortodo.com/#!/auth/signin") Navigate to 'https://app.gntkwhqzn-test.advisortodo.com/#!/auth/signin' successfully | 4.404s | PASSED |
| 3 | setText(findTestObject("Object Repository/Project/Page_advisor to-do/input_Sign In_form-control"), "admin@advisortodo.com") Text 'admin@advisortodo.com' is set on object 'Object Repository/Project/Page_advisor to-do/input_Sign In_form-control' | 2.572s | PASSED |
| 4 | setEncryptedText(findTestObject("Object Repository/Project/Page_advisor to-do/input_Sign In_form-control_1"), "7Dxoto1EjKeORhrTDROfog==") Text ***** has been set on object 'Object Repository/Project/Page_advisor to-do/input_Sign In_form-control_1' | 1.823s | PASSED |
| 5 | click(findTestObject("Object Repository/Project/Page_advisor to-do/button_Sign In")) Object: 'Object Repository/Project/Page_advisor to-do/button_Sign In' is clicked on | 6.923s | PASSED |
| 6 | click(findTestObject("Object Repository/Project/Page_advisor to-do/a_Projects")) Object: 'Object Repository/Project/Page_advisor to-do/a_Projects' is clicked on | 16.978s | PASSED |

Project

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 7 | click(findTestObject("Object Repository/Project/Page_advisor to-do/button_Archived Projects_addProject")) Object: 'Object Repository/Project/Page_advisor to-do/button_Archived Projects_addProject' is clicked on | 8.182s | PASSED |
| 8 | setText(findTestObject("Object Repository/Project/Page_advisor to-do/input_Archived Projects_ml-2 m-0 form-contr_5e655b"), "New project test") Text 'New project test' is set on object 'Object Repository/Project/Page_advisor to-do/input_Archived Projects_ml-2 m-0 form-contr_5e655b' | 2.395s | PASSED |
| 9 | click(findTestObject("Object Repository/Project/Page_advisor to-do/div_Contact")) Object: 'Object Repository/Project/Page_advisor to-do/div_Contact' is clicked on | 6.480s | PASSED |
| 10 | click(findTestObject("Object Repository/Project/Page_advisor to-do/div_Kumar")) Object: 'Object Repository/Project/Page_advisor to-do/div_Kumar' is clicked on | 6.928s | PASSED |
| 11 | click(findTestObject("Object Repository/Project/Page_advisor to-do/input_Kumar_projectDurationStartInput")) Object: 'Object Repository/Project/Page_advisor to-do/input_Kumar_projectDurationStartInput' is clicked on | 7.116s | PASSED |
| 12 | click(findTestObject("Object Repository/Project/Page_advisor to-do/div_16")) Object: 'Object Repository/Project/Page_advisor to-do/div_16' is clicked on | 6.988s | PASSED |
| 13 | click(findTestObject("Object Repository/Project/Page_advisor to-do/input_Kumar_projectDurationEndInput")) Object: 'Object Repository/Project/Page_advisor to-do/input_Kumar_projectDurationEndInput' is clicked on | 6.955s | PASSED |
| 14 | click(findTestObject("Object Repository/Project/Page_advisor to-do/div_31")) Object: 'Object Repository/Project/Page_advisor to-do/div_31' is clicked on | 6.963s | PASSED |

Project

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 15 | click(findTestObject("Object Repository/Project/Page_advisor to-do/div_Project Owner")) Object: 'Object Repository/Project/Page_advisor to-do/div_Project Owner' is clicked on | 7.008s | PASSED |
| 16 | click(findTestObject("Object Repository/Project/Page_advisor to-do/div_Nishit Sheth")) Object: 'Object Repository/Project/Page_advisor to-do/div_Nishit Sheth' is clicked on | 7.026s | PASSED |
| 17 | setText(findTestObject("Object Repository/Project/Page_advisor to-do/textarea_test project_1"), "test project ") Text 'test project ' is set on object 'Object Repository/Project/Page_advisor to-do/textarea_test project_1' | 47.793s | PASSED |
| 18 | click(findTestObject("Object Repository/Project/Page_advisor to-do/div_New project testKKumar NSNishit Shethte_dbe608")) Object: 'Object Repository/Project/Page_advisor to-do/div_New project testKKumar NSNishit Shethte_dbe608' is clicked on | 0.574s | PASSED |
| 19 | click(findTestObject("Object Repository/Project/Page_advisor to-do/p_0")) Object: 'Object Repository/Project/Page_advisor to-do/p_0' is clicked on | 1.085s | PASSED |
| 20 | click(findTestObject("Object Repository/Project/Page_advisor to-do/button_test project_addTask")) Object: 'Object Repository/Project/Page_advisor to-do/button_test project_addTask' is clicked on | 2.512s | PASSED |
| 21 | setText(findTestObject("Object Repository/Project/Page_advisor to-do/input_test project_combobox1"), "New test project task") Text 'New test project task' is set on object 'Object Repository/Project/Page_advisor to-do/input_test project_combobox1' | 1.249s | PASSED |

Project

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 22 | sendKeys(findTestObject("Object Repository/Project/Page_advisor to-do/input_test project_combobox1"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Project/Page_advisor to-do/input_test project_combobox1' | 0.534s | PASSED |
| 23 | click(findTestObject("Object Repository/Project/Page_advisor to-do/p_New test project task")) Object: 'Object Repository/Project/Page_advisor to-do/p_New test project task' is clicked on | 1.431s | PASSED |
| 24 | click(findTestObject("Object Repository/Project/Page_advisor to-do/div_High")) Object: 'Object Repository/Project/Page_advisor to-do/div_High' is clicked on | 0.508s | PASSED |
| 25 | click(findTestObject("Object Repository/Project/Page_advisor to-do/div_Medium")) Object: 'Object Repository/Project/Page_advisor to-do/div_Medium' is clicked on | 0.596s | PASSED |
| 26 | click(findTestObject("Object Repository/Project/Page_advisor to-do/input_Medium_taskDueDate")) Object: 'Object Repository/Project/Page_advisor to-do/input_Medium_taskDueDate' is clicked on | 1.171s | PASSED |
| 27 | click(findTestObject("Object Repository/Project/Page_advisor to-do/div_17")) Object: 'Object Repository/Project/Page_advisor to-do/div_17' is clicked on | 0.632s | PASSED |
| 28 | click(findTestObject("Object Repository/Project/Page_advisor to-do/div_00")) Object: 'Object Repository/Project/Page_advisor to-do/div_00' is clicked on | 0.636s | PASSED |
| 29 | click(findTestObject("Object Repository/Project/Page_advisor to-do/div_02")) Object: 'Object Repository/Project/Page_advisor to-do/div_02' is clicked on | 0.594s | PASSED |
| 30 | click(findTestObject("Object Repository/Project/Page_advisor to-do/div_option New focused 1 of 14 14 results _33863a")) Object: 'Object Repository/Project/Page_advisor to-do/div_option New focused 1 of 14 14 results _33863a' is clicked on | 0.614s | PASSED |

Project

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 31 | <code>click(findTestObject("Object Repository/Project/Page_advisor to-do/div_Production"))</code> Object: 'Object Repository/Project/Page_advisor to-do/div_Production' is clicked on | 0.644s | PASSED |
| 32 | <code>setText(findTestObject("Object Repository/Project/Page_advisor to-do/input_Production_react-tagsinput-input"), "new")</code> Text 'new' is set on object 'Object Repository/Project/Page_advisor to-do/input_Production_react-tagsinput-input' | 0.629s | PASSED |
| 33 | <code>sendKeys(findTestObject("Object Repository/Project/Page_advisor to-do/input_Production_react-tagsinput-input"), Keys.chord(ENTER))</code> Keys 'ENTER + ' sent to object: 'Object Repository/Project/Page_advisor to-do/input_Production_react-tagsinput-input' | 0.446s | PASSED |
| 34 | <code>click(findTestObject("Object Repository/Project/Page_advisor to-do/i_test project_fa fa-clone"))</code> Object: 'Object Repository/Project/Page_advisor to-do/i_test project_fa fa-clone' is clicked on | 0.708s | PASSED |
| 35 | <code>click(findTestObject("Object Repository/Project/Page_advisor to-do/button_Createda few seconds ago_deleteTask"))</code> Object: 'Object Repository/Project/Page_advisor to-do/button_Createda few seconds ago_deleteTask' is clicked on | 1.239s | PASSED |
| 36 | <code>click(findTestObject("Object Repository/Project/Page_advisor to-do/img_No Notifications_sb-avatar__image"))</code> Object: 'Object Repository/Project/Page_advisor to-do/img_No Notifications_sb-avatar__image' is clicked on | 1.418s | PASSED |
| 37 | <code>click(findTestObject("Object Repository/Project/Page_advisor to-do/span_Logout"))</code> Object: 'Object Repository/Project/Page_advisor to-do/span_Logout' is clicked on | 0.556s | PASSED |
| 38 | <code>closeBrowser()</code> Browser is closed | 0.087s | PASSED |

Project

| # | Description | Elapsed | Status |
|--|-------------|---------|--------|
| 39 | Video | 0.001s | PASSED |
| Video recording for test case 'Test Cases/Project' . | | | |