Cucumber Report

| *Start : Sep 27, 11:29:44.303 AM*	*End : Sep 27, 11:30:19.033 AM*	*Duration : 34.730 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 4 SKIPPED - 0	PASSED - 4 FAILED - 4 SKIPPED - 8

1

4

16

Pass %

0 %

0 %

25 %

#	Feature Name	T	P	F	S	Duration
1	User checking the trip details on makeMyTrip	4	0	4	0	34.730 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User checking the trip details on makeMyTrip	Verify user is redirected to makeMyTrip Home Page	3	1	1	1	15.326 s
2	User checking the trip details on makeMyTrip	Verify user selecting a trip with specific data	3	1	1	1	4.052 s
3	User checking the trip details on makeMyTrip	Verify user booking a trip with Traveller and Class	3	1	1	1	11.131 s
4	User checking the trip details on makeMyTrip	Verify user booking a trip with updated Traveller and class	7	1	1	5	4.191 s

(F)- User checking the trip details on makeMyTrip

FAILED	DURATION - 34.730 s		Scenarios		Steps	
			Total - 4		Total - 16	
/ 11:29:44.303 AM // 11:30:19.033 AM /			Pass - 0		Pass - 4	
			Fail - 4		Fail - 4	
			Skip - 0		Skip - 8	

(S)- Verify user is redirected to makeMyTrip Home Page

FAILED	DURATION - 15.326 s		Steps	
			Total - 3	
/ 11:29:44.305 AM // 11:29:59.631 AM /			Pass - 1	
User checking the trip details on makeMyTrip			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given User is redirected to the makeMyTrip link	PASSED	3.086 s
2	And User is able access the search feature	FAILED	10.038 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/div[1]/div/div[2]/div/div"} (Session info: headless chrome=116.0.5845.188) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'NITSBOOK', ip: '192.168.0.103', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\NITSSH~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60399}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 221e723be2132e5e9479b30e199746d6 *** Element info: {Using=xpath, value=/html/body/div[1]/div/div[2]/div/div}
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at MakeMyTrip_org.Utils.isElementpresent(Utils.java:14) at MakeMyTrip_org.Page.HomePage.verifySearchFeature(HomePage.java:35) at Pages.HomeScreen.checkSearchFeature(HomeScreen.java:23) at ?.User is able access the search feature(file:///C:/Users/Nits%20Sheth/IdeaProjects/MMTBookingScriptUsingExtentReport_Jenkins/src/test/resources/features/HomePage.feature:5) * Not displayable characters are replaced by '?'.		
3	Then Verify User should be redirected to makeMyTrip Home page	SKIPPED	0.001 s

(S)- Verify user selecting a trip with specific data

FAILED	DURATION - 4.052 s
/ 11:29:59.649 AM // 11:30:03.701 AM /	
User checking the trip details on makeMyTrip	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	When User is checking the round trip	PASSED	0.239 s
2	And User entering the trip data to search	FAILED	3.046 s

	org.openqa.selenium.NoSuchFrameException: no such frame (Session info: headless chrome=116.0.5845.188) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'NITSBOOK', ip: '192.168.0.103', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\NITSSH~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60435}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c507610040d999cc5f769bd456272d92
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)		
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver$RemoteTargetLocator.frame(RemoteWebDriver.java:872)		
	at MakeMyTrip_org.Page.HomePage.enterTripData(HomePage.java:40)		
	at Pages.HomeScreen.enteringTripDetails(HomeScreen.java:40)		
	at ?.User entering the trip data to search(file:///C:/Users/Nits%20Sheth/IdeaProjects/MMTBookingScriptUsingExtentReport_Jenkins/src/test/resources/features/HomePage.feature:10)		
	* Not displayable characters are replaced by '?'.		
3	Then Verify User is able to book data with entered details	SKIPPED	0.000 s

(S)- Verify user booking a trip with Traveller and Class

FAILED	DURATION - 11.131 s
/ 11:30:03.705 AM // 11:30:14.836 AM /	
User checking the trip details on makeMyTrip	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	When User is redirected to the makeMyTrip link	PASSED	0.289 s
2	And User entering the traveller and class data	FAILED	10.065 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/div[1]/div/div[2]/div/div/div[2]/div[1]/div[5]/label/p[1]"} (Session info: headless chrome=116.0.5845.188) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'NITSBOOK', ip: '192.168.0.103', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\NITSSH~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60477}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5f51c17bb826d029fa2ed4d1c2a11e06 *** Element info:		

#	Step / Hook Details	Status	Duration

	{Using=xpath, value=/html/body/div[1]/div/div[2]/div/div/div[2]/div[1]/div[5]/label/p[1]}
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428)
	  at org.openqa.selenium.By$ByXPath.findElement(By.java:353)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)
	  at MakeMyTrip_org.Utils.clickOnElement(Utils.java:20)
	  at MakeMyTrip_org.Page.HomePage.selectTravelerAndClass(HomePage.java:63)
	  at Pages.HomeScreen.enteringTripTravellerDetails(HomeScreen.java:55)
	  at ?.User entering the traveller and class data(file:///C:/Users/Nits%20Sheth/IdeaProjects/MMTBookingScriptUsingExtentReport_Jenkins/src/test/resources/features/HomePage.feature:16)
	* Not displayable characters are replaced by '?'.		

3	Then Verify User is able to book data with entered traveller and class details	SKIPPED	0.000 s

(S)- Verify user booking a trip with updated Traveller and class

FAILED	DURATION - 4.191 s			Steps	
/ 11:30:14.842 AM // 11:30:19.033 AM /				Total - 7	
User checking the trip details on makeMyTrip				Pass - 1	
				Fail - 1	7
				Skip - 5	

#	Step / Hook Details	Status	Duration
1	When User is redirected to the makeMyTrip link	PASSED	0.418 s
2	And User entering the trip data to search	FAILED	3.033 s
	org.openqa.selenium.NoSuchFrameException: no such frame (Session info: headless chrome=116.0.5845.188) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'NITSBOOK', ip: '192.168.0.103', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts:		

#	Step / Hook Details	Status	Duration

	true, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\NITSSH~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60533}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d401e1f2c91699182cdaf2cf4b2bdae6
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	  at org.openqa.selenium.remote.RemoteWebDriver$RemoteTargetLocator.frame(RemoteWebDriver.java:872)
	  at MakeMyTrip_org.Page.HomePage.enterTripData(HomePage.java:40)
	  at Pages.HomeScreen.enteringTripDetails(HomeScreen.java:40)
	  at ?.User entering the trip data to search(file:///C:/Users/Nits%20Sheth/IdeaProjects/MMTBookingScriptUsingExtentReport_Jenkins/src/test/resources/features/HomePage.feature:21)
	* Not displayable characters are replaced by '?'.		

3	Then Verify User is able to book data with entered details	SKIPPED	0.001 s
4	And User entering the traveller and class data	SKIPPED	0.000 s
5	Then Verify User is able to book data with entered traveller and class details	SKIPPED	0.000 s
6	And User updating the traveller and class data	SKIPPED	0.000 s
7	Then Verify User is able to book trip and redirected to review page	SKIPPED	0.001 s