

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
System Users - Bank Onboarding Regression	8 m 1.617 s	23	7	16	0	26	7	15	4


FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	System Users - Bank Onboarding Regression	SystemMaker Login
2		System Maker sees Onboarding in Sidemenu
3		System Maker sees side menu items in Onboarding
4		SystemMaker clicks the bank module
5		SystemMaker clicks the Create Button
6		the "Bank Name" field should prompt to enter valid inputs in Bank
		<u>Onboarding</u>
7		the "Address" field should prompt to enter valid inputs in Bank Onboarding
8		the "GST" field should prompt to enter valid inputs in Bank Onboarding
9		the "PAN" field should prompt to enter valid inputs in Bank Onboarding
10		the "Domain" field should prompt to enter valid inputs in Bank Onboarding
11		the "NextStep" field should should be prompted to click on General Info
12		Visiting the Communication Info in Bank Onboarding

FAIL & SKIP SCENARIOS -- 4 --


#	Feature Name	Scenario Name
13	System Users - Bank Onboarding Regression	the "Name" field should prompt to enter valid inputs in Bank Onboarding
14		the "Position" field should prompt to enter valid inputs in Bank Onboarding
15		the "Mobile Number" field should prompt to enter valid inputs in Bank Onboarding
16		the "Email ID" field should prompt to enter valid inputs in Bank Onboarding

FEATURES SUMMARY -- 5 --




#	Feature Name	T	P	F	S	Duration
1	System Users - Bank Onboarding Regression	23	7	16	0	8 m 1.617 s

SCENARIOS SUMMARY -- 6 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	System Users - Bank Onboarding Regression	SystemMaker Login	2	0	0	2	1 m 39.127 s
2		System Maker sees Onboarding in Sidemenu	1	0	1	0	24.558 s
3		System Maker sees side menu items in Onboarding	1	0	1	0	5.095 s
4		SystemMaker clicks the bank module	1	0	1	0	21.449 s
5		SystemMaker clicks the Create Button	1	0	1	0	21.398 s
6		Visiting the General Info in Bank Onboarding	1	1	0	0	17.663 s
7		the "Bank Name" field should prompt to enter valid inputs in Bank Onboarding	1	0	1	0	25.109 s
8		the "Address" field should prompt to enter valid inputs in Bank Onboarding	1	0	1	0	5.467 s
9		the "Pincode" field should prompt to select valid inputs in Bank Onboarding	1	1	0	0	38.686 s


SCENARIOS SUMMARY -- 7 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
10	System Users - Bank Onboarding Regression	the "GST" field should prompt to enter valid inputs in Bank Onboarding	1	0	1	0	5.498 s
11		the "PAN" field should prompt to enter valid inputs in Bank Onboarding	1	0	1	0	5.357 s
12		the "MarsId" field should prompt to enter valid inputs in Bank Onboarding	1	1	0	0	0.167 s
13		the "Statement Frequency" field should prompt to select valid inputs in Bank Onboarding	1	1	0	0	38.508 s
14		the "Statement Type" field should prompt to select valid inputs in Bank Onboarding	1	1	0	0	38.483 s
15		the "Domain" field should prompt to enter valid inputs in Bank Onboarding	3	0	1	2	21.917 s
16		the "NextStep" field should should be prompted to click on General Info	1	0	1	0	22.910 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
17	/	Visiting the Communication Info in Bank Onboarding	1	0	1	0	7.081 s

SCENARIOS SUMMARY -- 9 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	System Users - Bank Onboarding Regression	the "Add" button should be prompted to click in Bank Onboarding	1	1	0	0	19.647 s
19		the "Name" field should prompt to enter valid inputs in Bank Onboarding	1	0	1	0	5.475 s
20		the "Position" field should prompt to enter valid inputs in Bank Onboarding	1	0	1	0	5.250 s
21		the "Mobile Number" field should prompt to enter valid inputs in Bank Onboarding	1	0	1	0	5.318 s
22		the "Email ID" field should prompt to enter valid inputs in Bank Onboarding	1	0	1	0	5.338 s
23		the "AD User" field should prompt to select Yes or No based on the given input in Bank Onboarding	1	1	0	0	38.453 s

DETAILED SECTION -- 10 --

# **System Users - Bank Onboarding Regression**

FAILED	DURATION - 8 m 1.617 s	Scenarios		Steps	
		Total - 23		Total - 26	
/ 12:53:33.087 PM /	// 1:01:34.704 PM /	Pass - 7	23	Pass - 7	26
		Fail - 16	20	Fail - 15	
		Skip - 0		Skip - 4	

### SystemMaker Login



#	Step / Hook Details	Status	Duration
	BEFORE - org.Testcases.Hooks.setUp()	FAILED	1 m 39.077 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_RESET (Session info: chrome=128.0.6613.138) Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [51bad07cb1bcd0eaf57be4ee07bfcd40, get {url=https://web.whatsapp.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.138, chrome: {chromedriverVersion: 128.0.6613.137 (fe621c5aa2d, userDataDir: C:\WINDOWS\TEMP\scoped_dir4}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62639}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62639/devtoo, se:cdpVersion: 128.0.6613.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 51bad07cb1bcd0eaf57be4ee07bfcd40		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at org.Testcases.CustomWebDriverManager.getDriver(CustomWebDriverManager.java:56) at org.Testcases.Hooks.setUp(Hooks.java:16)		
1	Given I visit the System Maker Login using sheetname "Credentials" and rownumber 1	SKIPPED	0.008 s
2	And I enter the credentials and click a login button	SKIPPED	0.001 s

### **System Maker sees Onboarding in Sidemenu**




#	Step / Hook Details	Status	Duration
1	When System Maker - Onboarding should be displayed in the side menu	FAILED	24.548 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //button[contains(@class, 'logo') and not(contains(@class, 'logo-alone'))]' (tried for 15 second(s) with 500 milliseconds interval)		
	at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)		
	at org.Locators.SystemUserLocatores.ClickOnDownArrow(SystemUserLocatores.java:195)		
	at org.Testcases.SystemUserRegressionTestcases.I_Visit_System_Maker_Onboarding(SystemUserRegressionTestcases.java:70)		
	at ?.System Maker - Onboarding should be displayed in the side menu(file:///C:/Users/DELL%207480/eclipse-workspace/MMSCredopay/src/test/resources/SystemUser-Bank.feature:30)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		
	{"method":"xpath","selector":"//button[contains(@class, 'logo') and not(contains(@class, 'logo-alone'))]"} (Session info: chrome=128.0.6613.138) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/		
	errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 11', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		
	[51bad07cb1bcd0eaf57be4ee07bfcd40, findElement {value=//button[contains(@class, 'logo') and not(contains(@class, 'logo-alone'))], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.138, chrome:		

#	Step / Hook Details	Status	Duration
	{chromedriverVersion: 128.0.6613.137 (fe621c5aa2d, userDataDir: C:\WINDOWS\TEMP\scoped_dir4}, fedcm:accounts: true,		
	goog:chromeOptions: {debuggerAddress: localhost:62639}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:		
	windows, proxy: Proxy(), se:cdp: ws://localhost:62639/devtoo, se:cdpVersion: 128.0.6613.138, setWindowRect: true, strictFileInteractability:		
	false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		
	webauthn:virtualAuthenticators: true} Session ID: 51bad07cb1bcd0eaf57be4ee07bfcd40		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy37.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at org.Locators.SystemUserLocatores.ClickOnDownArrow(SystemUserLocatores.java:195)		
	at org.Testcases.SystemUserRegressionTestcases.I_Visit_System_Maker_Onboarding(SystemUserRegressionTestcases.java:70)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.lnvoker.dolnvoke(lnvoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		

DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:757)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		

System Maker sees side menu items in Onboarding



#	Step / Hook Details	Status	Duration
1	Then the System Maker should see Bank, Aggregators, ISO,SUB ISO, Groupmerchant, Merchant, and Terminal in the side	FAILED	5.090 s
	menu of Onboarding		
	java.lang.AssertionError: Bank button Should be displayed For This Role But not found. at org.junit.Assert.fail(Assert.java:89) at org.Locators.BankLocators.DisplayedOnbank(BankLocators.java:1714) at org.Testcases.SystemUserRegressionTestcases.System_Maker_seessidemenu_itemsin_Onboarding(SystemUserRegressionTestcases.java:94)		
	at ?.the System Maker should see Bank, Aggregators, ISO,SUB ISO, Groupmerchant, Merchant, and Terminal in the side menu of Onboarding(file:///C:/Users/DELL%207480/eclipse-workspace/MMSCredopay/src/test/resources/SystemUser-Bank.feature:34)  * Not displayable characters are replaced by '?'.		

#### SystemMaker clicks the bank module



#	Step / Hook Details	Status	Duration
1	When the SystemMaker clicks the bank module	FAILED	21.439 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //a[@href='/admin/onboard/banks']' (tried for 15 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)		

#	Step / Hook Details	Status	Duration
	at org.Locators.SystemUserLocatores.ClickOnBank(SystemUserLocatores.java:294)		
	at org.Testcases.SystemUserRegressionTestcases.SystemMakerClicktheBankModule(SystemUserRegressionTestcases.java:129)		
	at ?.the SystemMaker clicks the bank module(file:///C:/Users/DELL%207480/eclipse-workspace/MMSCredopay/src/test/resources/		
	SystemUser-Bank.feature:38)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		
	{"method":"xpath","selector":"//a[@href='/admin/onboard/banks']"} (Session info: chrome=128.0.6613.138) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0',		
	revision: '866c76ca80' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.		
	selenium.chrome.ChromeDriver Command: [51bad07cb1bcd0eaf57be4ee07bfcd40, findElement {value=//a[@href='/admin/onboard/banks'],		
	using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.138, chrome:		
	{chromedriverVersion: 128.0.6613.137 (fe621c5aa2d, userDataDir: C:\WINDOWS\TEMP\scoped_dir4}, fedcm:accounts: true,		
	goog:chromeOptions: {debuggerAddress: localhost:62639}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:		
	windows, proxy: Proxy(), se:cdp: ws://localhost:62639/devtoo, se:cdpVersion: 128.0.6613.138, setWindowRect: true, strictFileInteractability:		
	false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		
	webauthn:virtualAuthenticators: true} Session ID: 51bad07cb1bcd0eaf57be4ee07bfcd40		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy37.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at org.Locators.SystemUserLocatores.ClickOnBank(SystemUserLocatores.java:294)		

#	Step / Hook Details	Status	Duration
	at org.Testcases.SystemUserRegressionTestcases.SystemMakerClicktheBankModule(SystemUserRegressionTestcases.java:129)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:757)		
	at org.eciipse.jat.internai.junit.runner.kemote i estkunner.run i ests(Remote i estkunner.java:757)		

#	Step / Hook Details	Status	Duration
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		

### **SystemMaker clicks the Create Button**



#	Step / Hook Details	Status	Duration
1	When the SystemMaker clicks the Create Button	FAILED	21.386 s
	·		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java.77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy37.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at org.Locators.SystemUserLocatores.ClickOnCreate(SystemUserLocatores.java:455)		
	at org.Testcases.SystemUserRegressionTestcases.the_SystemMaker_clicks_theCreateButton(SystemUserRegressionTestcases.java:150)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		

DETAILED SECTION -- 19 --


#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:757)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		

# **Visiting the General Info in Bank Onboarding**



#	Step / Hook Details	Status	Duration
1	When I Visit the General Info	PASSED	17.659 s


# the "Bank Name" field should prompt to enter valid inputs in Bank Onboarding



#	Step / Hook Details	Status	Duration
1	Then the "Bank Name" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0	FAILED	25.103 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":xpath","selector":"/linput[@formcontrolname='bankName]"} (Session info: chrome=128.0.6613.138) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [51bad07cb1bcd0eaf57be4ee07bfcd40, findElement {value=//input[@formcontrolname='bankName], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.138, chrome: {chromedriverVersion: 128.0.6613.137 (fe621c5aa2d, userDataDir: C:\text{VININDOWS\TEMP\scoped_dir4}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62639}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62639/devtoo, se:cdpVersion: 128.0.6613.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:minPinLength: true,		23.103 3

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy37.clear(Unknown Source)		
	at org.Locators.BankLocators.clearBankName(BankLocators.java:2193)		
	at org.Testcases.SystemUserRegressionTestcases.		
	Bank_name_field_should_prompt_to_enter_valid_inputs_within_30_characters(SystemUserRegressionTestcases.java:183)		
	at ?.the "Bank Name" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0(file:///C:/Users/		
	DELL%207480/eclipse-workspace/MMSCredopay/src/test/resources/SystemUser-Bank.feature:49)		
	* Not displayable characters are replaced by '?'.		


### the "Address" field should prompt to enter valid inputs in Bank Onboarding



#	Step / Hook Details	Status	Duration
1	Then the "Address" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0	FAILED	5.463 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@formcontrolname='address']"} (Session info: chrome=128.0.6613.138) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [51bad07cb1bcd0eaf57be4ee07bfcd40, findElement {value=//input[@formcontrolname='address'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.138, chrome: {chromedriverVersion: 128.0.6613.137 (fe621c5aa2d, userDataDir: C:\WINDOWS\TEMP\scoped_dir4}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62639}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62639/devtoo, se:cdpVersion: 128.0.6613.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 51bad07cb1bcd0eaf57be4ee07bfcd40 at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy37.sendKeys(Unknown Source)		
	at org.Locators.BankLocators.EnterOnAddress(BankLocators.java:2219)		
	at org. Testcases. SystemUserRegressionTestcases.		
	theAddress_field_shouldprompt_toenter_valid_inputs_within_230_characters(SystemUserRegressionTestcases.java:226)		
	at ?.the "Address" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0(file:///C:/Users/		
	DELL%207480/eclipse-workspace/MMSCredopay/src/test/resources/SystemUser-Bank.feature:52)		
	* Not displayable characters are replaced by '?'.		


### the "Pincode" field should prompt to select valid inputs in Bank Onboarding



#	Step / Hook Details	Status	Duration
1	Then the "Pincode" dropdown should prompt to select valid inputs using sheetname "Bank Regression" and rownumber 0	PASSED	38.680 s
	Pincode 604111		

DETAILED SECTION -- 23 --


### the "GST" field should prompt to enter valid inputs in Bank Onboarding



#	Step / Hook Details	Status	Duration
1	Then the "GST" field should prompt to enter valid inputs with GST format using sheetname "Bank Regression" and rownumber 0	FAILED	5.494 s
	Then the "GST" field should prompt to enter valid inputs with GST format using sheetname "Bank Regression" and rownumber 0 org. openqa. selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath", "selector":"/linput(@formcontrolname="gst")" (Session info: chrome=128.0.6613.138) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/ino-such-element-exception Build info: version: '4.20.0', revision: '366c76ca80' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [51bad07cb1bcddeef57be4ee07btcd40, findElement (value=/input)@formcontrolname="gst"], using=xpath)] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.138, chrome: (chromedriverVersion: 128.0.6613.137 (fe621c5aa2d, userDataDir: C:WINIDOWSTTEMPIscoped_dir4], fedcm:accounts: true, goog:chromeOptions: (debuggerAddress: localhost-62639), reworkConnectionEnabled: false, pageLoadstrategy; normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62639/idevtoo, se:cdpVersion: 128.0.6613.138, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: o, pageLoad: 300000, script: 30000), unhandledPromptibePavior: dismiss and notify, webauthn:extension:credBiob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 51bad07cb1bcd0eaf57be4ee07bfcd40 at jdk.internal.reflect.GeneratedConstructorAccessorflmpl.newInstance(Unknown Source) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java.499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java.499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java.490) at org.openqa.selenium.remote.errorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.r	FAILED	5.494 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy37.sendKeys(Unknown Source) at org.Locators.BankLocators.EnterOnGst(BankLocators.java:2326) at org.Testcases.BankOnboardingTestcases. the_GST_field_should_prompt_to_enter_valid_inputs_with_GST_format(BankOnboardingTestcases.java:865) at ?.the "GST" field should prompt to enter valid inputs with GST format using sheetname "Bank Regression" and rownumber 0(file:///C:/Users/DELL%207480/eclipse-workspace/MMSCredopay/src/test/resources/SystemUser-Bank.feature:58) * Not displayable characters are replaced by '?'.		

# the "PAN" field should prompt to enter valid inputs in Bank Onboarding



#	Step / Hook Details	Status	Duration
1	Then the "PAN" field should prompt to enter valid inputs with PAN format using sheetname "Bank Regression" and rownumber 0	FAILED	5.354 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@formcontrolname='pan']"} (Session info: chrome=128.0.6613.138) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [51bad07cb1bcd0eaf57be4ee07bfcd40, findElement {value=//input[@formcontrolname='pan'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.138, chrome: {chromedriverVersion: 128.0.6613.137 (fe621c5aa2d, userDataDir: C:\WINDOWS\TEMP\scoped_dir4}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62639}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62639/devtoo, se:cdpVersion: 128.0.6613.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true   Session ID: 51bad07cb1bcd0eaf57be4ee07bfcd40 at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		

DETAILED SECTION -- 25 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy37.sendKeys(Unknown Source)		
	at org.Locators.BankLocators.EnterOnPAN(BankLocators.java:2359)		
	at org.Testcases.BankOnboardingTestcases.		
	the_PAN_field_should_prompt_to_enter_valid_inputs_with_PAN_format(BankOnboardingTestcases.java:1006)		
	at ?.the "PAN" field should prompt to enter valid inputs with PAN format using sheetname "Bank Regression" and rownumber		
	0(file:///C:/Users/DELL%207480/eclipse-workspace/MMSCredopay/src/test/resources/SystemUser-Bank.feature:61)		
	* Not displayable characters are replaced by '?'.		


### the "MarsId" field should prompt to enter valid inputs in Bank Onboarding



#	Step / Hook Details	Status	Duration
1	Then the "MarsId" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0	PASSED	0.163 s

the "Statement Frequency" field should prompt to select valid inputs in Bank Onboarding

DETAILED SECTION -- 26 --



#	Step / Hook Details	Status	Duration
1	Then the "Statement Frequency" dropdown should prompt to select valid inputs using sheetname "Bank Regression" and	PASSED	38.504 s
	rownumber 0		
	Statement Frequency		
	Daily		


#### the "Statement Type" field should prompt to select valid inputs in Bank Onboarding



#	Step / Hook Details	Status	Duration
1	Then the "Statement Type" dropdown should prompt to select valid inputs using sheetname "Bank Regression" and rownumber 0	PASSED	38.479 s
	Statement Type Pdf		

the "Domain" field should prompt to enter valid inputs in Bank Onboarding

DETAILED SECTION -- 27 --



#	Step / Hook Details	Status	Duration
1	Then the "Domain" field should prompt to enter the valid domain name using sheetname "Bank Regression" and rownumber 0	FAILED	21.907 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"/input@oninput="this.value=this.value.toLowerCase()"]' (Session info: chrome=128.0.6613.138) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/ino-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [51bad07cb1bcd0eat57be4ee07bfcd40, findElement {value=//input@oninput="this.value=this.value.toLowerCase()", using=xpath) { Zapabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.138, chrome: {chromedriverVersion: 128.0.6613.138, chrome: {chromedriverVersion: 128.0.6613.138, chrome: {chromedriverVersion: 128.0.6613.138, estivindowRect: true, strict=flienteractability: false, timeous: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 51bad07cb1bcd0eat57be4ee07bfcd40  at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdx.lang.reflect.Constructor.newInstance(Windler(Constructor.java:490) at java.base/java.lang.reflect.Constructor.newInstance(Vinclaer(Constructor.java:490) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.Codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.HttpCommandExecutor.ava:190) at org.openqa.selenium.remote.HttpCommandExecutor.execute(DriverCommandExecutor.java:190) at org.openqa.selenium.remote.ElementLocation.SelementFinderes_findElement(LementLocation	FAILED	21.907 \$

DETAILED SECTION -- 28 --

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy37.sendKeys(Unknown Source) at org.Locators.BankLocators.EnterOnDomain(BankLocators.java:2531) at org.Testcases.SystemUserRegressionTestcases. the_Domain_field_should_prompt_to_enter_valid_inputs(SystemUserRegressionTestcases.java:267) at ?.the "Domain" field should prompt to enter the valid domain name using sheetname "Bank Regression" and rownumber 0(file:///C:/Users/DELL%207480/eclipse-workspace/MMSCredopay/src/test/resources/SystemUser-Bank.feature:73) * Not displayable characters are replaced by '?'.		
2	Then the "Domain" field should prompt to enter the valid domain name using sheetname "Bank Regression" and rownumber 1	SKIPPED	0.001 s
3	Then the "Domain" field should prompt to enter the valid domain name using sheetname "Bank Regression" and rownumber 2	SKIPPED	0.001 s


# the "NextStep" field should should be prompted to click on General Info



#	Step / Hook Details	Status	Duration
1	Then the "NextStep" button should be prompted to click on General Info	FAILED	22.898 s
	java.lang.AssertionError: Communication Info Page Should be displayed But not found. at org.junit.Assert.fail(Assert.java:89) at org.Locators.BankLocators.DisplayedOnAdminuserdetails(BankLocators.java:1129) at org.Testcases.SystemUserRegressionTestcases. the_nextstep_button_shouldbe_prompted_toClickonGeneralInfo(SystemUserRegressionTestcases.java:301) at ?.the "NextStep" button should be prompted to click on General Info(file:///C:/Users/DELL%207480/eclipse-workspace/MMSCredopay/src/test/resources/SystemUser-Bank.feature:78) * Not displayable characters are replaced by '?'.		

### **Visiting the Communication Info in Bank Onboarding**

DETAILED SECTION -- 29 --



#	Step / Hook Details	Status	Duration
1	When I visit the Communication Info	FAILED	7.077 s
	java.lang.AssertionError: Communication Info Should be displayed in BankOnboarding But not found. at org.junit.Assert.fail(Assert.java:89) at org.Locators.BankLocators.DisplayedOnCommunicationInfo(BankLocators.java:1423) at org.Testcases.BankOnboardingTestcases.I_visit_the_Communication_Info(BankOnboardingTestcases.java:1578) at ?.I visit the Communication Info(file:///C:/Users/DELL%207480/eclipse-workspace/MMSCredopay/src/test/resources/SystemUser-Bank. feature:83) * Not displayable characters are replaced by '?'.		


### the "Add" button should be prompted to click in Bank Onboarding



#	Step / Hook Details	Status	Duration
1	Then the "Add" button should be prompted to click	PASSED	19.644 s

the "Name" field should prompt to enter valid inputs in Bank Onboarding


DETAILED SECTION -- 30 --



#	Step / Hook Details	Status	Duration
1	Then the "Name" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0	FAILED	5.473 s
	Org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:  ("method:"xpath","selector:"://input[@formcontrolname='name]") (Session info: chrome=128.0.6613.138) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 11, os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [51bad07cb1bcd0eaf57be4ee07bfcd40, findElement (value=/linputt@formcontrolname=name], using=xpath]) Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.138, chrome: (chromedriverVersion: 128.0.6613.137, (fe621c5aa2d, userDataDir: C:\WINDOWS\TEMP\scoped_dir4), fedcm:accounts: true, goog:chromeOptions: (debuggerAddress: localhost:62639), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), sec.dp: ws://localhost:62639/devtoo, sec.dp/version: 128.0.6613.138, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, scrip: 30000), unhandledPromptBehavior: disses and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:vitualAuthenticators: true) Session ID: 51bad07cb1bcd0eaf57be4ee07bfcd40 at jdk.internal.reflect.GeneratedConstructorAccessorInpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.edec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(Rorwer Java:131) at org.ope	FAILED	5.473 s

#	Step / Hook Details	Status	Duration
	at org.Locators.BankLocators.EnterOnCommName(BankLocators.java:2634)		
	at org.Testcases.BankOnboardingTestcases.the_Name_field_should_prompt_to_enter_valid_inputs(BankOnboardingTestcases.java:1720)		
	at ?.the "Name" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0(file:///C:/Users/		
	DELL%207480/eclipse-workspace/MMSCredopay/src/test/resources/SystemUser-Bank.feature:89)		
	* Not displayable characters are replaced by '?'.		


# the "Position" field should prompt to enter valid inputs in Bank Onboarding



#	Step / Hook Details	Status	Duration
1	Then the "Position" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0	FAILED	5.246 s
1	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:  ["method":"xpath", "selector":"//input[@formcontrolname='position]"] (Session info: chrome=128.0.6613.138) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: "Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [51bad07cb1bcd0eaf57be4ee07bfcd40, findElement {value=//input[@formcontrolname='position'], using=xpath}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.138, chrome: {chromedriverVersion: 128.0.6613.137 (fe621c5aa2d, userDataDir: C:\WINDOWS\TEMP\scoped_clir4), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62639}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), secudp: ws://localhost:62639/devtoo, se:cdpVersion: 128.0.6613.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 51bad07cb1bcd0eaf57be4ee07bfcd40 at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.ecodec.w3c.W3CHttpResponseCodec.decode(W3CH	FAILED	5.246 S

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy37.sendKeys(Unknown Source)		
	at org.Locators.BankLocators.EnterOnCommunicationPosition(BankLocators.java:2675)		
	at org.Testcases.BankOnboardingTestcases.the_position_field_should_prompt_to_enter_valid_inputs(BankOnboardingTestcases.java:1916)		
	at ?.the "Position" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0(file:///C:/Users/		
	DELL%207480/eclipse-workspace/MMSCredopay/src/test/resources/SystemUser-Bank.feature:92)		
	* Not displayable characters are replaced by '?'.		

# the "Mobile Number" field should prompt to enter valid inputs in Bank Onboarding



#	Step / Hook Details	Status	Duration
1	Then the "Mobile Number" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0	FAILED	5.313 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@formcontrolname='mobile']"} (Session info: chrome=128.0.6613.138) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [51bad07cb1bcd0eaf57be4ee07bfcd40, findElement {value=//input[@formcontrolname='mobile'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.138, chrome: {chromedriverVersion: 128.0.6613.137 (fe621c5aa2d, userDataDir: C:\WINDOWS\TEMP\scoped_dir4}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62639}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62639/devtoo, se:cdpVersion: 128.0.6613.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 51bad07cb1bcd0eaf57be4ee07bfcd40		

#	Step / Hook Details	Status	Duration
	at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy37.sendKeys(Unknown Source)		
	at org.Locators.BankLocators.EnteronCommMobileNumber(BankLocators.java:2747)		
	at org.Testcases.BankOnboardingTestcases.the_Mobile_field_should_promptto_enter_valid_inputs(BankOnboardingTestcases.java:2383)		
	at ?.the "Mobile Number" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0(file:///C:/Users/		
	DELL%207480/eclipse-workspace/MMSCredopay/src/test/resources/SystemUser-Bank.feature:95)		
	* Not displayable characters are replaced by '?'.		

# the "Email ID" field should prompt to enter valid inputs in Bank Onboarding




#	Step / Hook Details	Status	Duration
1	Then the "Email ID" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0	FAILED	5.336 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@formcontrolname='email']"} (Session info: chrome=128.0.6613.138) For documentation on this error,		

DETAILED SECTION -- 34 --

#	Step / Hook Details	Status	Duration
	please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.		
	selenium.chrome.ChromeDriver Command: [51bad07cb1bcd0eaf57be4ee07bfcd40, findElement {value=//input[@formcontrolname='email'],		
	using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.138, chrome: {chromedriverVersion: 128.0.6613.137 (fe621c5aa2d, userDataDir: C:\WINDOWS\TEMP\scoped dir4}, fedcm:accounts: true,		
	goog:chromeOptions: {debuggerAddress: localhost:62639}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:		
	windows, proxy: Proxy(), se:cdp: ws://localhost:62639/devtoo, se:cdpVersion: 128.0.6613.138, setWindowRect: true, strictFileInteractability:		
	false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob:		
	true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		
	webauthn:virtualAuthenticators: true} Session ID: 51bad07cb1bcd0eaf57be4ee07bfcd40		
	at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy37.clear(Unknown Source)		
	at org.Locators.BankLocators.ClearCommEmailid(BankLocators.java:2805)		
	at org.Testcases.BankOnboardingTestcases.the_EmailID_field_should_prompt_to_enter_valid_inputs(BankOnboardingTestcases.java:2697)		
	at ?.the "Email ID" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0(file:///C:/Users/		
	DELL%207480/eclipse-workspace/MMSCredopay/src/test/resources/SystemUser-Bank.feature:98)		
	* Not displayable characters are replaced by '?'.		

the "AD User" field should prompt to select Yes or No based on the given input in Bank Onboarding



	#	Step / Hook Details	Status	Duration
1	L	Then the "AD User" field should prompt to select Yes or No based on the given input using sheetname "Bank Regression" and	PASSED	38.451 s
		rownumber 0		
		AD USER No		