Cucumber Report

| *Start : Sep 05, 11:39:20.518 AM*	*End : Sep 05, 11:41:04.464 AM*	*Duration : 1 m 43.946 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 3 SKIPPED - 0	PASSED - 11 FAILED - 3 SKIPPED - 13

1

8

27

Pass % 0 %

Pass % 62 %

Pass % 40 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
System Users - Bank Onboarding Regression	1 m 43.946 s	8	5	3	0	27	11	3	13

#	Feature Name	Scenario Name
1	*System Users - Bank Onboarding Regression*	*System Maker can enter mandatory fields in "General Info" of Bank Onboarding*
2		*System Maker can enter mandatory fields and click Next step in "Communication Info" of Bank Onboarding*
3		*System Maker can enter mandatory fields and click Next step in "Channel Config" of Bank Onboarding*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@run	8	5	3	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	System Users - Bank Onboarding Regression	8	5	3	0	1 m 43.946 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	System Users - Bank Onboarding Regression	SystemMaker Login	2	2	0	0	25.160 s
2		System Maker sees Onboarding in Sidemenu	1	1	0	0	4.062 s
3		System Maker sees side menu items in Onboarding	1	1	0	0	2.269 s
4		SystemMaker clicks the bank module	1	1	0	0	0.250 s
5		SystemMaker clicks the Create Button	1	1	0	0	0.629 s
6		System Maker can enter mandatory fields in "General Info" of Bank Onboarding	10	2	1	7	53.107 s
7		System Maker can enter mandatory fields and click Next step in "Communication Info" of Bank Onboarding	9	2	1	6	11.907 s
8		System Maker can enter mandatory fields and click Next step in "Channel Config" of Bank Onboarding	2	1	1	0	3.320 s

System Users - Bank Onboarding Regression

FAILED	DURATION - 1 m 43.946 s	Scenarios Total - 8 Pass - 5 Fail - 3 Skip - 0		Steps Total - 27 Pass - 11 Fail - 3 Skip - 13	
/ 11:39:20.518 AM // 11:41:04.464 AM /					

SystemMaker Login

PASSED	DURATION - 25.160 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 11:39:20.523 AM // 11:39:45.683 AM /				
System Users - Bank Onboarding Regression				
@run				

#	Step / Hook Details	Status	Duration
1	Given I visit the System Maker Login using sheetname "Credentials" and rownumber 1	PASSED	2.466 s
	UserName / Password REG.sysmaker / Nishok@1234		
2	And I enter the credentials and click a login button	PASSED	14.306 s

System Maker sees Onboarding in Sidemenu

PASSED	DURATION - 4.062 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 11:39:46.244 AM // 11:39:50.306 AM /				
System Users - Bank Onboarding Regression				
@run				

#	Step / Hook Details	Status	Duration
1	When System Maker - Onboarding should be displayed in the side menu	PASSED	4.043 s

System Maker sees side menu items in Onboarding

| PASSED	DURATION - 2.269 s		
/ 11:39:50.734 AM // 11:39:53.003 AM /		Steps	
System Users - Bank Onboarding Regression		Total - 1	
@run		Pass - 1	
		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Then the System Maker should see Bank, Aggregators, ISO,SUB ISO, Groupmerchant, Merchant, and Terminal in the side menu of Onboarding	PASSED	2.264 s

SystemMaker clicks the bank module

PASSED	DURATION - 0.250 s		
/ 11:39:53.314 AM // 11:39:53.564 AM /		Steps	
System Users - Bank Onboarding Regression		Total - 1	
@run		Pass - 1	
		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	When the SystemMaker clicks the bank module	PASSED	0.247 s

SystemMaker clicks the Create Button

PASSED	DURATION - 0.629 s

/ 11:39:53.985 AM // 11:39:54.614 AM /

System Users - Bank Onboarding Regression

@run

Steps
Total - 1
Pass - 1
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	When the SystemMaker clicks the Create Button	PASSED	0.629 s

System Maker can enter mandatory fields in "General Info" of Bank Onboarding

FAILED	DURATION - 53.107 s

/ 11:39:54.971 AM // 11:40:48.078 AM /

System Users - Bank Onboarding Regression

@run

Steps
Total - 10
Pass - 2
Fail - 1
Skip - 7

#	Step / Hook Details	Status	Duration
1	Then the "Bank Name" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0 Bank Name RegrTestBank AQE	PASSED	6.400 s
2	Then the "Address" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0 Address 3rd Floor, Tulive Helix, 100 Feet Rd, near Phoenix Mall, Indira Gandhi Nagar, Velachery, Chennai	PASSED	8.004 s
3	Then the "Pincode" dropdown should prompt to select valid inputs org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@formcontrolname='zipCode']"} (Session info: chrome=128.0.6613.84) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7ce73f59b5969d833c1702c802fdea7e, findElement {value=//input[@formcontrolname='zipCode'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.84, chrome: {chromedriverVersion:	FAILED	38.669 s

#	Step / Hook Details	Status	Duration

	128.0.6613.119 (6e439cfca4d..., userDataDir: C:\WINDOWS\TEMP\scoped_dir2...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54995}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54995/devtoo..., se:cdpVersion: 128.0.6613.84, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7ce73f59b5969d833c1702c802fdea7e
	
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at jdk.proxy2/jdk.proxy2.$Proxy37.getAttribute(Unknown Source)
	   at org.Locators.BankLocators.getPincode(BankLocators.java:2159)
	   at org.Testcases.BankOnboardingTestcases.thePincode_dropdown_should_prompt_to_select_valid_inputs(BankOnboardingTestcases.java:577)
	   at ?.the "Pincode" dropdown should prompt to select valid inputs(file:///C:/Users/DELL%207480/eclipse-workspace/MMSCredopay/src/test/resources/SystemUser-Bank.feature:48)
	* Not displayable characters are replaced by '?'.		

4	Then the "GST" field should prompt to enter valid inputs with GST format using sheetname "Bank Regression" and rownumber 0	SKIPPED	0.000 s
5	Then the "PAN" field should prompt to enter valid inputs with PAN format using sheetname "Bank Regression" and rownumber 0	SKIPPED	0.000 s
6	Then the "MarsId" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0	SKIPPED	0.000 s
7	Then the "Domain" field should prompt to enter the valid domain name using sheetname "Bank Regression" and rownumber 0	SKIPPED	0.000 s
8	Then the "Domain" field should prompt to enter the valid domain name using sheetname "Bank Regression" and rownumber 1	SKIPPED	0.000 s
9	Then the "Domain" field should prompt to enter the valid domain name using sheetname "Bank Regression" and rownumber 2	SKIPPED	0.002 s
10	Then the "NextStep" button should be prompted to click on General Info	SKIPPED	0.000 s

System Maker can enter mandatory fields and click Next step in "Communication Info" of Bank Onboarding

FAILED	DURATION - 11.907 s
/ 11:40:48.511 AM // 11:41:00.418 AM /	
System Users - Bank Onboarding Regression	
@run	

Steps
Total - 9
Pass - 2
Fail - 1
Skip - 6

#	Step / Hook Details	Status	Duration
1	When I visit the Communication Info	PASSED	2.278 s
2	Then the "Add" button should be prompted to click	PASSED	4.288 s
3	Then the "Name" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0	FAILED	5.303 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:
{"method":"xpath","selector":"//input[@formcontrolname='name']"}   (Session info: chrome=128.0.6613.84) For documentation on this error,
please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0',
revision: '866c76ca80' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.
selenium.chrome.ChromeDriver Command: [7ce73f59b5969d833c1702c802fdea7e, findElement {value=//input[@formcontrolname='name'],
using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.84, chrome: {chromedriverVersion:
128.0.6613.119 (6e439cfca4d..., userDataDir: C:\WINDOWS\TEMP\scoped_dir2...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:54995}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(),
se:cdp: ws://localhost:54995/devtoo..., se:cdpVersion: 128.0.6613.84, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,
pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,
webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:
true} Session ID: 7ce73f59b5969d833c1702c802fdea7e
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy37.sendKeys(Unknown Source)		
	at org.Locators.BankLocators.EnterOnCommName(BankLocators.java:2487)		
	at org.Testcases.BankOnboardingTestcases.the_Name_field_should_prompt_to_enter_valid_inputs(BankOnboardingTestcases.java:1329)		
	at ?.the "Name" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0(file:///C:/Users/DELL%207480/eclipse-workspace/MMSCredopay/src/test/resources/SystemUser-Bank.feature:62)		
	* Not displayable characters are replaced by '?'.		
4	Then the "Position" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0	SKIPPED	0.007 s
5	Then the "Mobile Number" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0	SKIPPED	0.008 s
6	Then the "Email ID" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0	SKIPPED	0.000 s
7	Then the "AD User" field should prompt to select Yes or No based on the given input	SKIPPED	0.002 s
8	Then the "Save" button should be prompted to click on Communication Info	SKIPPED	0.001 s
9	Then The "NextStep" button should prompt a click on Communication Info	SKIPPED	0.003 s

System Maker can enter mandatory fields and click Next step in "Channel Config" of Bank Onboarding

FAILED	DURATION - 3.320 s
/ 11:41:01.144 AM // 11:41:04.464 AM /	
System Users - Bank Onboarding Regression	
@run	

Steps
Total - 2
Pass - 1
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	When I visit the Channel Config	PASSED	3.257 s
2	Then the Channel Bank Onboarding should prompt users to enter valid inputs using the sheet name "Channel"	FAILED	0.008 s
	io.cucumber.core.exception.CucumberException: Step [the Channel Bank Onboarding should prompt users to enter valid inputs using the sheet name {string}] is defined with 2 parameters at 'org.Testcases.SystemUserRegressionTestcases.processAllData(java.lang.String,int)'. However, the gherkin step has 1 arguments: * "Channel" Step text: the Channel Bank Onboarding should prompt users to enter valid inputs using the sheet name "Channel" at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:757)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		