Cucumber Report

| Start : Sep 05, 4:00:13.984 PM	End : Sep 05, 4:02:45.435 PM	Duration : 2 m 31.451 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 2 SKIPPED - 0	PASSED - 18 FAILED - 2 SKIPPED - 7

Features: 1

Scenarios: 8

Steps: 27

Pass %: 0 %

Pass %: 75 %

Pass %: 66 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
System Users - Bank Onboarding Regression	2 m 31.451 s	8	6	2	0	27	18	2	7

#	Feature Name	Scenario Name
1	*System Users - Bank Onboarding Regression*	*System Maker can enter mandatory fields in "General Info" of Bank Onboarding*
2		*System Maker can enter mandatory fields and click Next step in "Communication Info" of Bank Onboarding*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@run	8	6	2	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	System Users - Bank Onboarding Regression	8	6	2	0	2 m 31.451 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	System Users - Bank Onboarding Regression	SystemMaker Login	2	2	0	0	22.497 s
2		System Maker sees Onboarding in Sidemenu	1	1	0	0	3.928 s
3		System Maker sees side menu items in Onboarding	1	1	0	0	2.220 s
4		SystemMaker clicks the bank module	1	1	0	0	0.193 s
5		SystemMaker clicks the Create Button	1	1	0	0	0.627 s
6		System Maker can enter mandatory fields in "General Info" of Bank Onboarding	10	7	1	2	1 m 13.725 s
7		System Maker can enter mandatory fields and click Next step in "Communication Info" of Bank Onboarding	9	3	1	5	20.854 s
8		System Maker can enter mandatory fields and click Next step in "Channel Config" of Bank Onboarding	2	2	0	0	25.445 s

System Users - Bank Onboarding Regression

FAILED	DURATION - 2 m 31.451 s	Scenarios Total - 8 Pass - 6 Fail - 2 Skip - 0	8	Steps Total - 27 Pass - 18 Fail - 2 Skip - 7	27
/ 4:00:13.984 PM // 4:02:45.435 PM /					

SystemMaker Login

PASSED	DURATION - 22.497 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	2
/ 4:00:13.988 PM // 4:00:36.485 PM /				
System Users - Bank Onboarding Regression				
@run				

#	Step / Hook Details	Status	Duration
1	Given I visit the System Maker Login using sheetname "Credentials" and rownumber 1	PASSED	1.437 s
	UserName Password REG.sysmaker Nishok@1234		
2	And I enter the credentials and click a login button	PASSED	14.162 s

System Maker sees Onboarding in Sidemenu

PASSED	DURATION - 3.928 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	1
/ 4:00:36.860 PM // 4:00:40.788 PM /				
System Users - Bank Onboarding Regression				
@run				

#	Step / Hook Details	Status	Duration
1	When System Maker - Onboarding should be displayed in the side menu	PASSED	3.920 s

System Maker sees side menu items in Onboarding

PASSED	DURATION - 2.220 s		Steps	
/ 4:00:41.049 PM // 4:00:43.269 PM /			Total - 1	
System Users - Bank Onboarding Regression			Pass - 1	
			Fail - 0	
@run			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Then the System Maker should see Bank, Aggregators, ISO,SUB ISO, Groupmerchant, Merchant, and Terminal in the side menu of Onboarding	PASSED	2.215 s

SystemMaker clicks the bank module

PASSED	DURATION - 0.193 s		Steps	
/ 4:00:43.563 PM // 4:00:43.756 PM /			Total - 1	
System Users - Bank Onboarding Regression			Pass - 1	
			Fail - 0	
@run			Skip - 0	

#	Step / Hook Details	Status	Duration
1	When the SystemMaker clicks the bank module	PASSED	0.188 s

SystemMaker clicks the Create Button

PASSED	DURATION - 0.627 s
/ 4:00:44.148 PM // 4:00:44.775 PM /	
System Users - Bank Onboarding Regression	
@run	

Steps
Total - 1
Pass - 1
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	When the SystemMaker clicks the Create Button	PASSED	0.623 s

### System Maker can enter mandatory fields in "General Info" of Bank Onboarding

FAILED	DURATION - 1 m 13.725 s
/ 4:00:45.024 PM // 4:01:58.749 PM /	
System Users - Bank Onboarding Regression	
@run	

Steps
Total - 10
Pass - 7
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Then the "Bank Name" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0 Bank Name RegrTestBank AQE	PASSED	5.796 s
2	Then the "Address" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0 Address 3rd Floor, Tulive Helix, 100 Feet Rd, near Phoenix Mall, Indira Gandhi Nagar, Velachery, Chennai	PASSED	8.026 s
3	Then the "Pincode" dropdown should prompt to select valid inputs Pincode 600341	PASSED	2.296 s
4	Then the "GST" field should prompt to enter valid inputs with GST format using sheetname "Bank Regression" and rownumber 0 GST 29GGGGG1314R9Z6	PASSED	7.394 s

#	Step / Hook Details	Status	Duration
5	Then the "PAN" field should prompt to enter valid inputs with PAN format using sheetname "Bank Regression" and rownumber 0 PAN ABCTY1234D	PASSED	7.394 s
6	Then the "MarsId" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0 Marsid 6.876868222E9	PASSED	7.425 s
7	Then the "Domain" field should prompt to enter the valid domain name using sheetname "Bank Regression" and rownumber 0 Domain credopay.com	PASSED	13.585 s

8	Then the "Domain" field should prompt to enter the valid domain name using sheetname "Bank Regression" and rownumber 1
	
	 org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@oninput='this.value=this.value.toLowerCase()']"} (Session info: chrome=128.0.6613.84) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d695c7e1036cb52de5eb30cfa38cebc5, findElement {using=xpath, value=//input[@oninput='this.value=this.value.toLowerCase()']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.84, chrome: {chromedriverVersion: 128.0.6613.119 (6e439cfca4d..., userDataDir: C:\WINDOWS\TEMP\scoped_dir2...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52007}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52007/devtoo..., se:cdpVersion: 128.0.6613.84, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d695c7e1036cb52de5eb30cfa38cebc5
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
		FAILED	21.789 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy37.sendKeys(Unknown Source) at org.Locators.BankLocators.EnterOnDomain(BankLocators.java:2443) at org.Testcases.SystemUserRegressionTestcases. the_Domain_field_should_prompt_to_enter_valid_inputs(SystemUserRegressionTestcases.java:233) at ?.the "Domain" field should prompt to enter the valid domain name using sheetname "Bank Regression" and rownumber 1(file:///C:/Users/DELL%207480/git/MMSCredopay/src/test/resources/SystemUser-Bank.feature:53) * Not displayable characters are replaced by '?'.		
9	Then the "Domain" field should prompt to enter the valid domain name using sheetname "Bank Regression" and rownumber 2	SKIPPED	0.001 s
10	Then the "NextStep" button should be prompted to click on General Info	SKIPPED	0.000 s

System Maker can enter mandatory fields and click Next step in "Communication Info" of Bank Onboarding

FAILED	DURATION - 20.854 s
/ 4:01:58.878 PM // 4:02:19.732 PM /	
System Users - Bank Onboarding Regression	
@run	

Steps
Total - 9
Pass - 3
Fail - 1
Skip - 5

9

#	Step / Hook Details	Status	Duration
1	When I visit the Communication Info	PASSED	2.194 s
2	Then the "Add" button should be prompted to click	PASSED	4.183 s
3	Then the "Name" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0	PASSED	9.349 s
	Communication Name Nishok		
4	Then the "Position" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0	FAILED	5.114 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@formcontrolname='position']"} (Session info: chrome=128.0.6613.84) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.20.0', revision: '866c76ca80' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d695c7e1036cb52de5eb30cfa38cebc5, findElement {using=xpath, value=//input[@formcontrolname='position']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 128.0.6613.84, chrome: {chromedriverVersion: 128.0.6613.119 (6e439cfca4d..., userDataDir: C:\WINDOWS\TEMP\scoped_dir2...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52007}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:		

#	Step / Hook Details	Status	Duration

	windows, proxy: Proxy(), se:cdp: ws://localhost:52007/devtoo..., se:cdpVersion: 128.0.6613.84, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d695c7e1036cb52de5eb30cfa38cebc5
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy37.sendKeys(Unknown Source)
	    at org.Locators.BankLocators.EnterOnCommunicationPosition(BankLocators.java:2558)
	    at org.Testcases.BankOnboardingTestcases.the_position_field_should_prompt_to_enter_valid_inputs(BankOnboardingTestcases.java:1487)
	    at ?.the "Position" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0(file:///C:/Users/DELL%207480/git/MMSCredopay/src/test/resources/SystemUser-Bank.feature:63)
	* Not displayable characters are replaced by '?'.		

5	Then the "Mobile Number" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0	SKIPPED	0.000 s
6	Then the "Email ID" field should prompt to enter valid inputs using sheetname "Bank Regression" and rownumber 0	SKIPPED	0.000 s
7	Then the "AD User" field should prompt to select Yes or No based on the given input	SKIPPED	0.000 s
8	Then the "Save" button should be prompted to click on Communication Info	SKIPPED	0.000 s
9	Then The "NextStep" button should prompt a click on Communication Info	SKIPPED	0.000 s

System Maker can enter mandatory fields and click Next step in "Channel Config" of Bank Onboarding

PASSED	DURATION - 25.445 s
/ 4:02:19.990 PM // 4:02:45.435 PM /	
System Users - Bank Onboarding Regression	
@run	

Steps
Total - 2
Pass - 2
Fail - 0
Skip - 0

2

#	Step / Hook Details	Status	Duration
1	When I visit the Channel Config	PASSED	3.150 s
2	Then the Channel Bank Onboarding should prompt users to enter valid inputs using the sheet name "Channel"	PASSED	22.286 s

Channel-1
UPI
Transaction Set-1
Sales
Channel-2
AEPS
Transaction Set-2
Withdrawal
Channel-3
MATM
Network-3
MasterCard
Transaction Set-3
Withdrawal
Routing-3
ONUS
Channel-4
POS
Network-4
MasterCard
Transaction Set-4
Sales
Routing-4
ONUS