

Real-World Application



Traffic Analysis



Capturing, analyzing and comparing encrypted network traffic from apps like Zoom and Slack using Wireshark and PyShark to identify protocols, traffic patterns, latency behavior, and bandwidth usage.

By: Matthew Johnston & Nishtha Ladi

Zoom Traffic Analysis

Stages:

1. 3-Way Handshake
2. Audio-Video Media Traffic
3. Audio Only Media Traffic
4. 4-way Teardown



3-Way Handshake

No.	Time	Source	Destination	Protocol	Length	Info
2316	32.605140400	10.239.243.237	206.247.56.127	TCP	66	54418 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
2317	32.618788900	206.247.56.127	10.239.243.237	TCP	66	443 → 54418 [SYN, ACK] Seq=0 Ack=1 Win=42340 Len=0 MSS=1250 SACK_PERM WS=4096
2318	32.618973700	10.239.243.237	206.247.56.127	TCP	54	54418 → 443 [ACK] Seq=1 Ack=1 Win=65280 Len=0
2319	32.619642800	10.239.243.237	206.247.56.127	TLSv1.3	571	Client Hello (SNI=zoomdca1t127mmr.dca.zoom.us)
2320	32.638064600	206.247.56.127	10.239.243.237	TCP	54	443 → 54418 [ACK] Seq=1 Ack=518 Win=45056 Len=0
2321	32.640150000	206.247.56.127	10.239.243.237	TLSv1.3	1304	Server Hello, Change Cipher Spec, Application Data
2322	32.640150000	206.247.56.127	10.239.243.237	TCP	1304	443 → 54418 [PSH, ACK] Seq=1251 Ack=518 Win=45056 Len=1250 [TCP PDU reassembled in 2325]
2323	32.640150000	206.247.56.127	10.239.243.237	TCP	1304	443 → 54418 [ACK] Seq=2501 Ack=518 Win=45056 Len=1250 [TCP PDU reassembled in 2325]
2324	32.640150000	206.247.56.127	10.239.243.237	TCP	400	443 → 54418 [PSH, ACK] Seq=3751 Ack=518 Win=45056 Len=346 [TCP PDU reassembled in 2325]
2325	32.640258500	206.247.56.127	10.239.243.237	TLSv1.3	944	Application Data, Application Data, Application Data
2326	32.640371800	10.239.243.237	206.247.56.127	TCP	54	54418 → 443 [ACK] Seq=518 Ack=2501 Win=65280 Len=0
2327	32.640468100	10.239.243.237	206.247.56.127	TCP	54	54418 → 443 [ACK] Seq=518 Ack=4097 Win=65280 Len=0
2328	32.650574000	10.239.243.237	206.247.56.127	TLSv1.3	134	Change Cipher Spec, Application Data
2329	32.650973600	10.239.243.237	206.247.56.127	TLSv1.3	210	Application Data


Audio-Video Media Traffic

No.	Time	Source	Destination	Protocol	Length	Info
3474	36.137455000	10.239.243.237	206.247.56.127	TLSv1.3	414	Application Data
3475	36.141496700	206.247.56.127	10.239.243.237	UDP	1078	8801 → 58222 Len=1036
3476	36.141496700	206.247.56.127	10.239.243.237	UDP	1078	8801 → 58222 Len=1036
3477	36.157382700	206.247.56.127	10.239.243.237	UDP	1078	8801 → 58222 Len=1036
3478	36.157382700	206.247.56.127	10.239.243.237	UDP	1078	8801 → 58222 Len=1036
3479	36.158165000	10.239.243.237	206.247.56.127	UDP	1078	58222 → 8801 Len=1036
3480	36.158270200	10.239.243.237	206.247.56.127	UDP	1078	58222 → 8801 Len=1036
3481	36.166898400	206.247.56.127	10.239.243.237	UDP	1078	8801 → 58222 Len=1036
3482	36.166898400	206.247.56.127	10.239.243.237	UDP	1078	8801 → 58222 Len=1036
3483	36.168283400	10.239.243.237	206.247.56.127	UDP	236	58226 → 8801 Len=194
3484	36.168453100	10.239.243.237	206.247.56.127	UDP	236	58229 → 8801 Len=194
3485	36.168544900	10.239.243.237	206.247.56.127	UDP	229	58231 → 8801 Len=187
3486	36.168622900	10.239.243.237	206.247.56.127	UDP	1078	58222 → 8801 Len=1036
3487	36.168815200	10.239.243.237	206.247.56.127	UDP	143	58222 → 8801 Len=101

Audio Only Media Traffic

No.	Time	Source	Destination	Protocol	Length	Info
5861	44.578717600	10.239.243.237	206.247.56.127	WireGu...	151	Transport Data, receiver=0x7F3B1B04, counter=1873780348197077060, datalen=77
5864	45.674661200	10.239.243.237	206.247.56.127	UDP	113	58225 → 8801 Len=71
5865	45.811835500	10.239.243.237	206.247.56.127	UDP	123	58225 → 8801 Len=81
5866	45.831949400	206.247.56.127	10.239.243.237	WireGu...	123	Transport Data, receiver=0x08DB1703, counter=4613095392859717816, datalen=49
5867	45.831949400	206.247.56.127	10.239.243.237	UDP	133	8801 → 58225 Len=91
5868	45.831949400	206.247.56.127	10.239.243.237	UDP	67	8801 → 58224 Len=25
5869	45.833139400	10.239.243.237	206.247.56.127	WireGu...	151	Transport Data, receiver=0x843B1B04, counter=1873780919511613478, datalen=77
5872	46.676229700	10.239.243.237	206.247.56.127	UDP	113	58225 → 8801 Len=71
5873	47.324672600	10.239.243.237	206.247.56.127	UDP	123	58226 → 8801 Len=81
5874	47.324846900	10.239.243.237	206.247.56.127	UDP	123	58229 → 8801 Len=81
5875	47.324890000	10.239.243.237	206.247.56.127	UDP	123	58231 → 8801 Len=81
5876	47.343003100	206.247.56.127	10.239.243.237	UDP	133	8801 → 58226 Len=91
5877	47.343003100	206.247.56.127	10.239.243.237	UDP	133	8801 → 58231 Len=91
5878	47.343003100	206.247.56.127	10.239.243.237	UDP	133	8801 → 58229 Len=91
5879	47.343003100	206.247.56.127	10.239.243.237	UDP	67	8801 → 58227 Len=25

Audio-Video Media Traffic



4-way Teardown

No.	Time	Source	Destination	Protocol	Length	Info
7686	162.902028600	10.239.243.237	206.247.56.127	TCP	54	54418 → 443 [ACK] Seq=145702 Ack=36722 Win=64512 Len=0
7687	162.918690200	10.239.243.237	206.247.56.127	TLSv1.3	88	Application Data
7688	162.918840000	10.239.243.237	206.247.56.127	TLSv1.3	78	Application Data
7689	162.918873600	10.239.243.237	206.247.56.127	TCP	54	54418 → 443 [FIN, ACK] Seq=145760 Ack=36722 Win=64512 Len=0
7690	162.919407700	10.239.243.237	206.247.56.127	TLSv1.3	88	Application Data
7691	162.919487800	10.239.243.237	206.247.56.127	TLSv1.3	78	Application Data
7692	162.919553100	10.239.243.237	206.247.56.127	TCP	54	54419 → 443 [FIN, ACK] Seq=4654 Ack=10409 Win=65280 Len=0
7693	162.940505800	206.247.56.127	10.239.243.237	TLSv1.3	78	Application Data
7694	162.940505800	206.247.56.127	10.239.243.237	TCP	54	443 → 54418 [FIN, ACK] Seq=36746 Ack=145736 Win=65536 Len=0
7695	162.940750700	10.239.243.237	206.247.56.127	TCP	54	54418 → 443 [RST, ACK] Seq=145761 Ack=36746 Win=0 Len=0
7696	162.944130800	206.247.56.127	10.239.243.237	TCP	54	443 → 54419 [ACK] Seq=10409 Ack=4630 Win=45056 Len=0
7697	162.944130800	206.247.56.127	10.239.243.237	TCP	54	443 → 54419 [ACK] Seq=10409 Ack=4654 Win=45056 Len=0
7698	162.944130800	206.247.56.127	10.239.243.237	TLSv1.3	78	Application Data
7699	162.944130800	206.247.56.127	10.239.243.237	TCP	54	443 → 54419 [RST, ACK] Seq=10433 Ack=4655 Win=45056 Len=0
7700	162.944338900	206.247.56.127	10.239.243.237	TCP	58	443 → 54418 [RST] Seq=36722 Win=0 Len=0
7701	162.944458900	10.239.243.237	206.247.56.127	TCP	54	54419 → 443 [RST, ACK] Seq=4655 Ack=10433 Win=0 Len=0
7702	162.947354000	206.247.56.127	10.239.243.237	TCP	58	443 → 54418 [RST] Seq=36722 Win=0 Len=0
7714	163.815747800	206.247.56.127	10.239.243.237	UDP	133	8801 → 58231 Len=91
7715	163.815747800	206.247.56.127	10.239.243.237	UDP	133	8801 → 58226 Len=91


Slack Traffic Analysis

Stages:

1. 3-Way Handshake
2. Media Traffic (Messages and Files)
3. 4-way Teardown



Traffic Over Time



3-Way Handshake

1713	18.865089	Apple_71:14:f5	ee:c7:2a:57:d8:2e	ARP	42	Who has 10.239.197.104? Tell 10.239.148.249
1714	18.865177	10.239.148.249	10.239.197.104	TCP	78	61824 → 7000 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=64 TSval=718486702 TSecr=0 SACK_PERM
1715	18.870953	ee:c7:2a:57:d8:2e	Apple_71:14:f5	ARP	42	10.239.197.104 is at ee:c7:2a:57:d8:2e
1716	18.871512	10.239.197.104	10.239.148.249	TCP	78	7000 → 61824 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1250 WS=64 TSval=2975788953 TSecr=7184...
1717	18.871664	10.239.148.249	10.239.197.104	TCP	66	61824 → 7000 [ACK] Seq=1 Ack=1 Win=131200 Len=0 TSval=718486709 TSecr=2975788953
1718	18.871854	10.239.148.249	10.239.197.104	TCP	107	61824 → 7000 [PSH, ACK] Seq=1 Ack=1 Win=131200 Len=41 TSval=718486709 TSecr=2975788953
1719	18.877005	10.239.197.104	10.239.148.249	TCP	66	[TCP Window Update] 7000 → 61824 [ACK] Seq=1 Ack=1 Win=131264 Len=0 TSval=2975788959 TSecr=718...
1720	18.878081	10.239.197.104	10.239.148.249	TCP	66	7000 → 61824 [ACK] Seq=1 Ack=42 Win=131264 Len=0 TSval=2975788961 TSecr=718486709
1721	18.895295	170.114.52.5	10.239.148.249	TCP	66	[TCP Dup ACK 378#1] 443 → 61633 [ACK] Seq=1 Ack=1 Win=17 Len=0 TSval=3428712859 TSecr=27800739...
1722	18.895467	10.239.148.249	170.114.52.5	TCP	66	[TCP Dup ACK 379#1] 61633 → 443 [ACK] Seq=1 Ack=2 Win=2047 Len=0 TSval=2780089248 TSecr=342829...
1723	18.923977	10.239.197.104	10.239.148.249	TCP	1304	7000 → 61824 [ACK] Seq=1 Ack=42 Win=131264 Len=1238 TSval=2975789006 TSecr=718486709
1724	18.923979	10.239.197.104	10.239.148.249	TCP	803	7000 → 61824 [PSH, ACK] Seq=1239 Ack=42 Win=131264 Len=737 TSval=2975789006 TSecr=718486709
1725	18.924076	10.239.148.249	10.239.197.104	TCP	66	61824 → 7000 [ACK] Seq=42 Ack=1976 Win=129216 Len=0 TSval=718486761 TSecr=2975789006
1726	18.924403	10.239.148.249	10.239.197.104	TCP	66	61824 → 7000 [FIN, ACK] Seq=42 Ack=1976 Win=131072 Len=0 TSval=718486761 TSecr=2975789006
1727	18.930665	10.239.197.104	10.239.148.249	TCP	66	7000 → 61824 [ACK] Seq=1976 Ack=43 Win=131264 Len=0 TSval=2975789013 TSecr=718486761
1728	18.931374	10.239.197.104	10.239.148.249	TCP	66	7000 → 61824 [FIN, ACK] Seq=1976 Ack=43 Win=131264 Len=0 TSval=2975789013 TSecr=718486761
1729	18.931537	10.239.148.249	10.239.197.104	TCP	66	61824 → 7000 [ACK] Seq=43 Ack=1977 Win=131072 Len=0 TSval=718486768 TSecr=2975789013



+

[illegible]

4-Way Teardown

3828	39.165043	142.251.163.94	10.239.148.249	QUIC	143	Protected Payload (KP0)
3829	39.165045	142.251.163.94	10.239.148.249	QUIC	63	Protected Payload (KP0)
3830	39.165723	10.239.148.249	142.251.163.94	QUIC	77	Protected Payload (KP0), DCID=e94e0bb5b6b8136d
3831	39.205190	142.251.163.94	10.239.148.249	QUIC	66	Protected Payload (KP0)
3832	39.410452	fe80::a559:5d95:4e... ff02::1	ICMPv6	86	Neighbor Advertisement fe80::a559:5d95:4e28:fa34 (ovr) is at e8:bf:b8:62:61:3c	
3833	39.718541	10.239.148.249	142.251.111.188	TLSv1.2	92	Application Data
3834	39.740706	142.251.111.188	10.239.148.249	TCP	66	5228 → 61561 [ACK] Seq=1 Ack=27 Win=1043 Len=0 TSval=4054616107 TSecr=857322262
3835	39.743984	142.251.111.188	10.239.148.249	TLSv1.2	92	Application Data
3836	39.744099	10.239.148.249	142.251.111.188	TCP	66	61561 → 5228 [ACK] Seq=27 Ack=27 Win=2047 Len=0 TSval=857322288 TSecr=4054616112
3837	40.013643	Apple_71:14:f5	Apple_25:89:97	ARP	42	Who has 10.239.33.224? Tell 10.239.148.249
3838	40.013788	10.239.148.249	10.239.33.224	TCP	78	61825 → 7000 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=64 TSval=801200870 TSecr=0 SACK_PERM
3839	40.022735	Apple_25:89:97	Apple_71:14:f5	ARP	42	10.239.33.224 is at 3c:06:30:25:89:97
3840	40.023137	10.239.33.224	10.239.148.249	TCP	78	7000 → 61825 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1250 WS=64 TSval=718797534 TSecr=801200...
3841	40.023284	10.239.148.249	10.239.33.224	TCP	66	61825 → 7000 [ACK] Seq=1 Ack=1 Win=131200 Len=0 TSval=801200880 TSecr=718797534
3842	40.023518	10.239.148.249	10.239.33.224	TCP	107	61825 → 7000 [PSH, ACK] Seq=1 Ack=1 Win=131200 Len=41 TSval=801200880 TSecr=718797534
3843	40.028510	10.239.33.224	10.239.148.249	TCP	66	[TCP Window Update] 7000 → 61825 [ACK] Seq=1 Ack=1 Win=131200 Len=0 TSval=718797541 TSecr=8012...
3844	40.031313	10.239.33.224	10.239.148.249	TCP	66	7000 → 61825 [ACK] Seq=1 Ack=42 Win=131136 Len=0 TSval=718797544 TSecr=801200880
3845	40.040591	10.239.33.224	10.239.148.249	TCP	1304	7000 → 61825 [ACK] Seq=1 Ack=42 Win=131136 Len=1238 TSval=718797553 TSecr=801200880
3846	40.040593	10.239.33.224	10.239.148.249	TCP	693	7000 → 61825 [PSH, ACK] Seq=1239 Ack=42 Win=131136 Len=627 TSval=718797553 TSecr=801200880
3847	40.040685	10.239.148.249	10.239.33.224	TCP	66	61825 → 7000 [ACK] Seq=42 Ack=1866 Win=129344 Len=0 TSval=801200898 TSecr=718797553
3848	40.041179	10.239.148.249	10.239.33.224	TCP	66	61825 → 7000 [FIN, ACK] Seq=42 Ack=1866 Win=131072 Len=0 TSval=801200898 TSecr=718797553
3849	40.046445	10.239.33.224	10.239.148.249	TCP	66	7000 → 61825 [ACK] Seq=1866 Ack=43 Win=131136 Len=0 TSval=718797559 TSecr=801200898
3850	40.046857	10.239.33.224	10.239.148.249	TCP	66	7000 → 61825 [FIN, ACK] Seq=1866 Ack=43 Win=131136 Len=0 TSval=718797559 TSecr=801200898
3851	40.046997	10.239.148.249	10.239.33.224	TCP	66	61825 → 7000 [ACK] Seq=43 Ack=1867 Win=131072 Len=0 TSval=801200903 TSecr=718797559
3852	40.112010	10.239.148.249	34.158.255.62	TCP	77	61596 → 4070 [PSH, ACK] Seq=1 Ack=1 Win=2048 Len=11 TSval=1359082567 TSecr=3707831934
3853	40.141662	34.158.255.62	10.239.148.249	TCP	77	4070 → 61596 [PSH, ACK] Seq=1 Ack=12 Win=11 Len=11 TSval=3707892058 TSecr=1359082567
3854	40.141735	34.158.255.62	10.239.148.249	TCP	66	61596 → 4070 [ACK] Seq=12 Ack=12 Win=2047 Len=0 TSval=1359082567 TSecr=3707831934
3855	41.244420	10.239.148.249	54.244.216.72	TCP	54	61662 → 443 [ACK] Seq=1 Ack=1 Win=2048 Len=0
3856	41.331427	54.244.216.72	10.239.148.249	TCP	66	[TCP ACKed unseen segment] 443 → 61662 [ACK] Seq=1 Ack=2 Win=425 Len=0 TSval=2456366587 TSecr=...
3857	41.441738	10.239.148.249	35.190.43.134	TCP	54	61704 → 443 [ACK] Seq=1 Ack=1 Win=2048 Len=0

3926	45.797710	10.239.148.249	57.145.1.32	TCP	66	52731 → 443 [FIN, ACK] Seq=1455 Ack=3180 Win=131072 Len=0 TSval=3706610344 TSecr=274977457
3927	45.798347	57.145.1.32	10.239.148.249	TLSv1.3	105	Application Data
3928	45.798446	10.239.148.249	57.145.1.32	TCP	54	52731 → 443 [RST] Seq=1431 Win=0 Len=0
3929	45.800235	57.145.1.32	10.239.148.249	TLSv1.3	90	Application Data
3930	45.800300	10.239.148.249	57.145.1.32	TCP	54	52731 → 443 [RST] Seq=1455 Win=0 Len=0
3931	45.800811	57.145.1.32	10.239.148.249	TCP	66	443 → 52731 [FIN, ACK] Seq=3243 Ack=1455 Win=68864 Len=0 TSval=2749774590 TSecr=3706610344
3932	45.800919	10.239.148.249	57.145.1.32	TCP	54	52731 → 443 [RST] Seq=1455 Win=0 Len=0
3933	45.801661	57.145.1.32	10.239.148.249	TCP	66	443 → 52731 [ACK] Seq=3244 Ack=1456 Win=68864 Len=0 TSval=2749774591 TSecr=3706610344
3934	45.801771	10.239.148.249	57.145.1.32	TCP	54	52731 → 443 [RST] Seq=1456 Win=0 Len=0

Bursty, Event-Driven Traffic

1894	25.368280	10.239.148.249	142.250.191.10	TCP	60 61800 → 443 [ACK] Seq=306 Ack=318 Win=2047 Len=0 TSval=4037052628 TSecr=2429782164
1895	25.368928	10.239.148.249	142.250.191.10	TLSv1.2	105 Application Data
1896	25.369116	10.239.148.249	142.251.211.202	TCP	1304 61617 → 443 [ACK] Seq=4309 Ack=1948 Win=2048 Len=1238 TSval=3067838245 TSecr=365862719 [TCP PD...
1897	25.369127	10.239.148.249	142.251.211.202	TLSv1.2	746 Application Data
1898	25.377502	142.251.211.202	10.239.148.249	TCP	66 443 → 61617 [ACK] Seq=1948 Ack=5547 Win=844 Len=0 TSval=365862742 TSecr=3067838245
1899	25.377504	142.251.211.202	10.239.148.249	TCP	66 443 → 61617 [ACK] Seq=1948 Ack=6227 Win=842 Len=0 TSval=365862742 TSecr=3067838245
1900	25.382406	142.250.191.10	10.239.148.249	TCP	66 443 → 61800 [ACK] Seq=318 Ack=545 Win=1039 Len=0 TSval=2429782164 TSecr=4037052628
1901	25.395448	142.251.211.202	10.239.148.249	TLSv1.2	1030 Application Data
1902	25.395450	142.251.211.202	10.239.148.249	TLSv1.2	172 Application Data
1903	25.395627	10.239.148.249	142.251.211.202	TCP	66 61617 → 443 [ACK] Seq=6227 Ack=3018 Win=2048 Len=0 TSval=3067838272 TSecr=365862760
1904	26.013621	10.239.148.249	224.0.0.251	MDNS	117 Standard query 0x0000 PTR _afpovertcp._tcp.local, "QM" question PTR _smb._tcp.local, "QM" ques...
1905	26.013744	fe80::1055:1b66:ea...	ff02::fb	MDNS	137 Standard query 0x0000 PTR _afpovertcp._tcp.local, "QM" question PTR _smb._tcp.local, "QM" ques...
1906	26.463664	10.239.148.249	35.186.224.9	TCP	54 61802 → 443 [ACK] Seq=1 Ack=1 Win=2048 Len=0
1907	26.480996	35.186.224.9	10.239.148.249	TCP	66 [TCP ACKed unseen segment] 443 → 61802 [ACK] Seq=1 Ack=2 Win=1043 Len=0 TSval=226590516 TSecr=...
1908	26.761081	10.239.148.249	3.95.117.96	UDP	624 64060 → 443 Len=582
1909	26.762910	10.239.148.249	3.95.117.96	UDP	241 64060 → 443 Len=199
1910	26.781876	3.95.117.96	10.239.148.249	UDP	78 443 → 64060 Len=36
1911	26.786130	10.239.148.249	3.95.117.96	UDP	75 64060 → 443 Len=33
1912	26.877580	3.95.117.96	10.239.148.249	UDP	543 443 → 64060 Len=501
1913	26.877581	3.95.117.96	10.239.148.249	UDP	1286 443 → 64060 Len=1244
1914	26.877582	3.95.117.96	10.239.148.249	UDP	282 443 → 64060 Len=240
1915	26.877582	3.95.117.96	10.239.148.249	UDP	66 443 → 64060 Len=24
1916	26.879493	10.239.148.249	128.197.253.188	DNS	80 Standard query 0x1422 HTTPS beacons.gcp.gvt2.com
1917	26.879545	10.239.148.249	128.197.253.188	DNS	80 Standard query 0xf32a A beacons.gcp.gvt2.com
1918	26.881107	10.239.148.249	3.95.117.96	UDP	82 64060 → 443 Len=40
1919	26.890022	3.95.117.96	10.239.148.249	UDP	543 443 → 64060 Len=501
1920	26.890123	10.239.148.249	3.95.117.96	UDP	76 64060 → 443 Len=34
1921	26.901957	128.197.253.188	10.239.148.249	DNS	126 Standard query response 0xf32a A beacons.gcp.gvt2.com CNAME beacons-handoff.gcp.gvt2.com A 142...
1922	26.901958	128.197.253.188	10.239.148.249	DNS	178 Standard query response 0x1422 HTTPS beacons.gcp.gvt2.com CNAME beacons-handoff.gcp.gvt2.com S...
1923	26.902845	10.239.148.249	142.251.163.94	QUIC	1292 Initial, DCID=694e0bb5b6b8136d, PKN: 1, CRYPTO, PING, PING, PADDING, PING, CRYPTO, CRYPTO, PAD...
1924	26.902865	10.239.148.249	142.251.163.94	QUIC	1292 Initial, DCID=694e0bb5b6b8136d, PKN: 2, PADDING, CRYPTO, CRYPTO, PING, CRYPTO, PADDING, CRYPTO...
1925	26.902975	10.239.148.249	142.251.163.94	QUIC	121 0-RTT, DCID=694e0bb5b6b8136d
1926	26.906038	10.239.148.249	3.95.117.96	UDP	488 64060 → 443 Len=446
1927	26.912379	3.95.117.96	10.239.148.249	UDP	68 443 → 64060 Len=26
1928	26.934557	142.251.163.94	10.239.148.249	QUIC	82 Initial, SCID=e94e0bb5b6b8136d, PKN: 1, ACK
1929	26.934558	142.251.163.94	10.239.148.249	QUIC	1292 Initial, SCID=e94e0bb5b6b8136d, PKN: 2, ACK, PADDING

Comparison

CATEGORY	SLACK	ZOOM
Primary Purpose	Messaging, collaboration, file sharing	Video meetings, voice calls, screen sharing
Traffic Pattern	Bursty, event-driven spikes	Continuous high-rate streaming
Main Protocols	QUIC / HTTP3, TLS, TCP fallback	UDP media transport, TCP control traffic
Bandwidth Usage	Low to moderate	High
Latency Priority	Fast message sync and responsiveness	Ultra-low latency real-time communication