

Cucumber Report

Dec 6, 2023, 9:18:14 PM

Start : Dec 06, 9:16:21.068 PM

End : Dec 06, 9:18:13.126 PM

Duration : 1 m 52.058 s

Features






PASSED - 6
FAILED - 4
SKIPPED - 0

Scenarios

PASSED - 224
FAILED - 28
SKIPPED - 0

Steps

PASSED - 780
FAILED - 28
SKIPPED - 29




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>To Automate Introduction page of DS_Algo</u>	6.824 s	5	5	0	0	20	20	0	0
<u>to automate Signin page of DS_Algo</u>	2.181 s	8	8	0	0	25	25	0	0
<u>To Automate the page of Data Structure</u>	1 m 41.790 s	80	78	2	0	314	308	2	4
<u>To Automate the page of Array</u>	13.793 s	28	22	6	0	84	73	6	5
<u>Automatating Linked List Module pages</u>	36.158 s	31	15	16	0	93	61	16	16
<u>To Automate the Stack page of DS_Algo</u>	7.704 s	15	15	0	0	45	45	0	0
<u>To test the Queue page</u>	9.495 s	19	19	0	0	57	57	0	0
<u>Automatating Tree Module pages</u>	27.631 s	55	55	0	0	165	165	0	0
<u>Automatating Graph Module pages</u>	3.423 s	10	6	4	0	30	22	4	4
<u>Signing out from DS Algo Portal</u>	0.828 s	1	1	0	0	4	4	0	0

Tag	Scenario	Feature							
		T	P	F	S	T	P	F	S
Name									
@Browser_page		1	1	0	0	1	1	0	0
@Start_page		1	1	0	0	1	1	0	0
@Intro_page		1	1	0	0	1	1	0	0
@Signin_page(link)		1	1	0	0	1	1	0	0
@Signin_page(allBlank)		7	7	0	0	1	1	0	0
@Signin_page(enteronlyusername)		1	1	0	0	1	1	0	0
@Signin_page(enteronlypwd)		1	1	0	0	1	1	0	0
@Signin_page(invalidusernamePwd)		1	1	0	0	1	1	0	0
@Signin_page(validUsernameinvalidPassword)		1	1	0	0	1	1	0	0
@Signin_page(validUsernameInvPwd)		1	1	0	0	1	1	0	0
@Signin_page(valid)		1	1	0	0	1	1	0	0
@HomePage		1	1	0	0	1	0	1	0
@DSPage		1	1	0	0	1	0	1	0
@ComplexityPage		1	1	0	0	1	0	1	0
@PythonEditor_Bank		37	36	1	0	7	3	4	0
@PythonEditor_Invalid		37	36	1	0	1	0	1	0
@PythonEditor_Valid		73	71	2	0	1	0	1	0


Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@PracticeQuestions		3	2	1	0	3	1	2	0
@Array_page		1	1	0	0	1	0	1	0
@ArraysInPythonPage		1	1	0	0	1	0	1	0
@PythonEditor		27	16	11	0	4	1	3	0
@ArraysUsingList_page		1	1	0	0	1	0	1	0
@ArraysBasicOperation_page		1	1	0	0	1	0	1	0
@ArraysBasicOperation_Tryhere		1	1	0	0	1	0	1	0
@AppOfArray		1	0	1	0	1	0	1	0
@AppOfArray_4Links		1	1	0	0	1	0	1	0
@PythonEdito		1	0	1	0	1	0	1	0
@backtoDSHomePage		6	6	0	0	6	3	3	0
@LinkedList_Page		1	0	1	0	1	0	1	0
@Introduction		1	0	1	0	1	0	1	0
@previousPage		29	29	0	0	5	3	2	0
@CreatingLinkedList		1	0	1	0	1	0	1	0
@TypesofLL		1	0	1	0	1	0	1	0
@ImplementLLInPython		1	0	1	0	1	0	1	0

Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@Traversal		1	0	1	0	1	0	1	0
@Insertion		1	0	1	0	1	0	1	0
@Deletion		1	0	1	0	1	0	1	0
@stack_homepage		1	1	0	0	1	1	0	0
@sp_operations		1	1	0	0	1	1	0	0
@Operationseditor		7	7	0	0	2	2	0	0
@sp_implementation		1	1	0	0	1	1	0	0
@sp_application		1	1	0	0	1	1	0	0
@sp_practiceQ		1	1	0	0	1	1	0	0
@qp_Impl_Q_py		1	1	0	0	1	1	0	0
@qp_implementation.deq		1	1	0	0	1	1	0	0
@qp_Impl_array		1	1	0	0	1	1	0	0
@qp_Qoperations		1	1	0	0	1	1	0	0
@qp_pracQues		1	1	0	0	1	1	0	0
@TreePage		1	1	0	0	1	1	0	0
@OverviewofTree		1	1	0	0	1	1	0	0
@Terminologies		1	1	0	0	1	1	0	0

Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@TypesofTrees		1	1	0	0	1	1	0	0
@TreeTraversals		1	1	0	0	1	1	0	0
@TraversalsIllustration		1	1	0	0	1	1	0	0
@BinaryTrees		1	1	0	0	1	1	0	0
@TypesofBinaryTrees		1	1	0	0	1	1	0	0
@ImplementationinPython		1	1	0	0	1	1	0	0
@binaryTreeTraversals		1	1	0	0	1	1	0	0
@ImplementationofBinaryTrees		1	1	0	0	1	1	0	0
@applicationsofBinaryTrees		1	1	0	0	1	1	0	0
@binarySearchTrees		1	1	0	0	1	1	0	0
@implementationofBST		1	1	0	0	1	1	0	0
@Graphpage		1	1	0	0	1	0	1	0
@GraphRepresentations		1	0	1	0	1	0	1	0
@GraphPracticeQuestions		1	0	1	0	1	0	1	0
@SignOut		1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>To Automate Introduction page of DS_Algo</u>	5	5	0	0	6.824 s
2	<u>to automate Signin page of DS_Algo</u>	8	8	0	0	2.181 s
3	<u>To Automate the page of Data Structure</u>	80	78	2	0	1 m 41.790 s
4	<u>To Automate the page of Array</u>	28	22	6	0	13.793 s
5	<u>Automatating Linked List Module pages</u>	31	15	16	0	36.158 s
6	<u>To Automate the Stack page of DS_Algo</u>	15	15	0	0	7.704 s
7	<u>To test the Queue page</u>	19	19	0	0	9.495 s
8	<u>Automatating Tree Module pages</u>	55	55	0	0	27.631 s
9	<u>Automatating Graph Module pages</u>	10	6	4	0	3.423 s
10	<u>Signing out from DS Algo Portal</u>	1	1	0	0	0.828 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To Automate Introduction page of DS_Algo</u>	<u>Browser page</u>	4	4	0	0	5.773 s
2	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Algo Get Started page</u>	4	4	0	0	0.490 s
3	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	4	4	0	0	0.100 s
4	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	4	4	0	0	0.232 s
5	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	4	4	0	0	0.029 s
6	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	4	4	0	0	0.228 s
7	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.107 s
8	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.182 s


#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
9	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.149 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.302 s
11	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.145 s
12	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.354 s
13	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.469 s
14	<u>To Automate the page of Data Structure</u>	<u>Home Page</u>	3	3	0	0	0.235 s
15	<u>To Automate the page of Data Structure</u>	<u>Data Structure Home page</u>	3	3	0	0	0.213 s
16	<u>To Automate the page of Data Structure</u>	<u>Time Complexity Page</u>	3	3	0	0	0.021 s
17	<u>To Automate the page of Data Structure</u>	<u>Python Editor page without data</u>	3	3	0	0	0.636 s
18	<u>To Automate the page of Data Structure</u>	<u>Python Editor page with Invalid data</u>	4	4	0	0	1.293 s
19	<u>To Automate the page of Data Structure</u>	<u>Python Editor page with Invalid data</u>	4	4	0	0	0.495 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
20	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.594 s
21	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.481 s
22	To Automate the page of Data Structure	Python Editor page with Invalid data	4	1	1	2	0.109 s
23	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.511 s
24	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.495 s
25	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.543 s
26	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.520 s
27	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.498 s
28	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	2.094 s
29	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.431 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
30	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	10.279 s
31	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.476 s
32	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.407 s
33	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.595 s
34	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.575 s
35	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.570 s
36	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.600 s
37	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.548 s
38	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.526 s
39	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.508 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
40	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.438 s
41	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.435 s
42	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.437 s
43	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.447 s
44	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.456 s
45	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.440 s
46	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.483 s
47	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.455 s
48	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.427 s
49	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.442 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
50	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.455 s
51	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.457 s
52	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.445 s
53	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.496 s
54	To Automate the page of Data Structure	Python Editor page with Invalid data	4	4	0	0	0.430 s
55	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.503 s
56	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.440 s
57	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.664 s
58	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.483 s
59	To Automate the page of Data Structure	Python Editor page with valid data	4	1	1	2	0.231 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
60	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.462 s
61	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.497 s
62	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.511 s
63	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.448 s
64	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.489 s
65	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.511 s
66	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	5.509 s
67	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	2.894 s
68	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.445 s
69	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.399 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
70	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.520 s
71	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.598 s
72	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.547 s
73	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.544 s
74	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.579 s
75	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.541 s
76	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.428 s
77	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.458 s
78	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.414 s
79	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.430 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
80	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.432 s
81	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.643 s
82	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.427 s
83	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.431 s
84	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.400 s
85	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.423 s
86	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.440 s
87	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.450 s
88	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.446 s
89	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.487 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
90	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.421 s
91	To Automate the page of Data Structure	Python Editor page with valid data	4	4	0	0	0.425 s
92	To Automate the page of Data Structure	User go back to the previous page	3	3	0	0	0.175 s
93	To Automate the page of Data Structure	Time Complexity Page	3	3	0	0	0.192 s
94	To Automate the page of Array	Home Page	3	3	0	0	0.242 s
95	To Automate the page of Array	Array Page	3	3	0	0	0.278 s
96	To Automate the page of Array	Array Page	3	3	0	0	0.191 s
97	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.387 s
98	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.145 s
99	To Automate the page of Array	Array in Python Page	3	3	0	0	0.203 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10-0	<u>To Automate the page of Array</u>	<u>Array Using List Page</u>	3	3	0	0	0.196 s
10-1	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	3	0	0	0.343 s
10-2	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	3	0	0	0.287 s
10-3	<u>To Automate the page of Array</u>	<u>Array Using List Page</u>	3	3	0	0	0.201 s
10-4	<u>To Automate the page of Array</u>	<u>Basic operations in Lists page</u>	3	3	0	0	0.207 s
10-5	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	3	0	0	0.317 s
10-6	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	3	0	0	0.147 s
10-7	<u>To Automate the page of Array</u>	<u>Basic operations in Lists page</u>	3	2	1	0	0.211 s
10-8	<u>To Automate the page of Array</u>	<u>Application of Array page</u>	3	3	0	0	0.266 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10-9	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	3	0	0	0.237 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11-0	To Automate the page of Array	Python Editor page without data	3	1	1	1	0.359 s
11-1	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.172 s
11-2	To Automate the page of Array	Practice Questions page	3	1	1	1	0.069 s
11-3	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.365 s
11-4	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.143 s
11-5	To Automate the page of Array	Practice Questions page	3	1	1	1	0.064 s
11-6	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.414 s
11-7	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.150 s
11-8	To Automate the page of Array	Practice Questions page	3	1	1	1	0.097 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11-9	<u>To Automate the page of Array</u>	<u>User is on Python editor page</u>	3	1	1	1	0.026 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
12-0	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	3	0	0	0.359 s
12-1	<u>To Automate the page of Array</u>	<u>User go back to the DSHome page</u>	3	3	0	0	0.072 s
12-2	<u>Automatating Linked List Module pages</u>	<u>Get started to Linked List from DS Algo home page</u>	3	1	1	1	0.028 s
12-3	<u>Automatating Linked List Module pages</u>	<u>Introduction link of Linked List module</u>	3	1	1	1	0.090 s
12-4	<u>Automatating Linked List Module pages</u>	<u>Introduction page</u>	3	1	1	1	0.099 s
12-5	<u>Automatating Linked List Module pages</u>	<u>Python Editor page without data</u>	3	3	0	0	0.478 s
12-6	<u>Automatating Linked List Module pages</u>	<u>User go back to the previous page</u>	3	3	0	0	0.154 s
12-7	<u>Automatating Linked List Module pages</u>	<u>Creating Linked Llist link of Linked List module</u>	3	1	1	1	0.030 s
12-8	<u>Automatating Linked List Module pages</u>	<u>Creating Linked Llist page</u>	3	1	1	1	0.019 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
12-9	<u>Automatating Linked List Module pages</u>	<u>Python Editor page without data</u>	3	3	0	0	0.383 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
13-0	Automatating Linked List Module pages	User go back to the previous page	3	3	0	0	0.146 s
13-1	Automatating Linked List Module pages	Types of Linked List link of Linked List module	3	1	1	1	0.021 s
13-2	Automatating Linked List Module pages	Types of Linked List page	3	1	1	1	0.026 s
13-3	Automatating Linked List Module pages	Python Editor page without data	3	3	0	0	0.363 s
13-4	Automatating Linked List Module pages	User go back to the previous page	3	3	0	0	0.164 s
13-5	Automatating Linked List Module pages	Implement Linked List in Python link of Linked List module	3	1	1	1	0.016 s
13-6	Automatating Linked List Module pages	Implement Linked List in Python page	3	1	1	1	0.033 s
13-7	Automatating Linked List Module pages	Python Editor page without data	3	3	0	0	0.348 s
13-8	Automatating Linked List Module pages	User go back to the previous page	3	3	0	0	0.238 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
13-9	<u>Automatating Linked List Module pages</u>	<u>Traversal link of Linked List module</u>	3	1	1	1	0.023 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
14-0	<u>Automatating Linked List Module pages</u>	<u>Traversal page</u>	3	1	1	1	0.014 s
14-1	<u>Automatating Linked List Module pages</u>	<u>Python Editor page without data</u>	3	3	0	0	5.389 s
14-2	<u>Automatating Linked List Module pages</u>	<u>User go back to the previous page</u>	3	3	0	0	0.264 s
14-3	<u>Automatating Linked List Module pages</u>	<u>Insertion link of Linked List module</u>	3	1	1	1	0.035 s
14-4	<u>Automatating Linked List Module pages</u>	<u>Insertion page</u>	3	1	1	1	0.024 s
14-5	<u>Automatating Linked List Module pages</u>	<u>Python Editor page without data</u>	3	3	0	0	0.364 s
14-6	<u>Automatating Linked List Module pages</u>	<u>User go back to the previous page</u>	3	3	0	0	0.138 s
14-7	<u>Automatating Linked List Module pages</u>	<u>Deletion link of Linked List module</u>	3	1	1	1	0.019 s
14-8	<u>Automatating Linked List Module pages</u>	<u>Deletion page</u>	3	1	1	1	0.013 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
14-9	<u>Automatating Linked List Module pages</u>	<u>Python Editor page without data</u>	3	3	0	0	0.327 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
15-0	<u>Automatating Linked List Module pages</u>	<u>User go back to the previous page</u>	3	3	0	0	0.387 s
15-1	<u>Automatating Linked List Module pages</u>	<u>Practice Questions link of Linked List module</u>	3	1	1	1	0.023 s
15-2	<u>Automatating Linked List Module pages</u>	<u>User go back to the DS Algo home page</u>	3	3	0	0	0.089 s
15-3	<u>To Automate the Stack page of DS_Algo</u>	<u>DS Algo home page</u>	3	3	0	0	0.168 s
15-4	<u>To Automate the Stack page of DS_Algo</u>	<u>User Perform Operations on Stack page</u>	3	3	0	0	0.218 s
15-5	<u>To Automate the Stack page of DS_Algo</u>	<u>check user directed to tryeditor</u>	3	3	0	0	0.197 s
15-6	<u>To Automate the Stack page of DS_Algo</u>	<u>Python Editor page without data</u>	3	3	0	0	0.357 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
15-7	<u>To Automate the Stack page of DS_Algo</u>	<u>User go back to the previous page</u>	3	3	0	0	0.176 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
15-8	<u>To Automate the Stack page of DS_Algo</u>	<u>To test the Implementation on stack page</u>	3	3	0	0	0.247 s
15-9	<u>To Automate the Stack page of DS_Algo</u>	<u>check user directed to tryeditor</u>	3	3	0	0	0.220 s
16-0	<u>To Automate the Stack page of DS_Algo</u>	<u>Python Editor page without data</u>	3	3	0	0	0.387 s
16-1	<u>To Automate the Stack page of DS_Algo</u>	<u>User go back to the previous page</u>	3	3	0	0	0.223 s
16-2	<u>To Automate the Stack page of DS_Algo</u>	<u>To test application on stack page</u>	3	3	0	0	0.247 s
16-3	<u>To Automate the Stack page of DS_Algo</u>	<u>check user directed to tryeditor</u>	3	3	0	0	0.248 s
16-4	<u>To Automate the Stack page of DS_Algo</u>	<u>Python Editor page without data</u>	3	3	0	0	0.408 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
16-5	<u>To Automate the Stack page of DS_Algo</u>	<u>User go back to the previous page</u>	3	3	0	0	0.165 s
16-6	<u>To Automate the Stack page of DS_Algo</u>	<u>To test practice questions on stack page</u>	3	3	0	0	0.172 s
16-7	<u>To Automate the Stack page of DS_Algo</u>	<u>User go back to the DS Algo home page</u>	3	3	0	0	0.122 s
16-8	<u>To test the Queue page</u>	<u>Enter into Queue page</u>	3	3	0	0	0.234 s
16-9	<u>To test the Queue page</u>	<u>User Perform Implementation in python on queue page</u>	3	3	0	0	0.242 s
17-0	<u>To test the Queue page</u>	<u>check user is directed to tryeditor</u>	3	3	0	0	0.241 s
17-1	<u>To test the Queue page</u>	<u>Python Editor page without data</u>	3	3	0	0	0.385 s
17-2	<u>To test the Queue page</u>	<u>User go back to the previous page</u>	3	3	0	0	0.161 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
17-3	<u>To test the Queue page</u>	<u>To test the Implementation.dq on queue page</u>	3	3	0	0	0.222 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
17-4	<u>To test the Queue page</u>	<u>check user directed to tryeditor</u>	3	3	0	0	0.211 s
17-5	<u>To test the Queue page</u>	<u>Python Editor page without data</u>	3	3	0	0	0.402 s
17-6	<u>To test the Queue page</u>	<u>User go back to the previous page</u>	3	3	0	0	0.155 s
17-7	<u>To test the Queue page</u>	<u>To test the Implementation using array</u>	3	3	0	0	0.244 s
17-8	<u>To test the Queue page</u>	<u>check user directed to tryeditor</u>	3	3	0	0	0.216 s
17-9	<u>To test the Queue page</u>	<u>Python Editor page without data</u>	3	3	0	0	0.383 s
18-0	<u>To test the Queue page</u>	<u>User go back to the previous page</u>	3	3	0	0	0.152 s
18-1	<u>To test the Queue page</u>	<u>To perform Queue Operations</u>	3	3	0	0	0.200 s
18-2	<u>To test the Queue page</u>	<u>check user directed to tryeditor</u>	3	3	0	0	0.205 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
18-3	<u>To test the Queue page</u>	<u>Python Editor page without data</u>	3	3	0	0	0.347 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18-4	<u>To test the Queue page</u>	<u>User go back to the previous page</u>	3	3	0	0	0.144 s
18-5	<u>To test the Queue page</u>	<u>to test practice question link</u>	3	3	0	0	0.126 s
18-6	<u>To test the Queue page</u>	<u>User go back to the DS Algo home page</u>	3	3	0	0	0.103 s
18-7	<u>Automatating Tree Module pages</u>	<u>Get started to Tree from DS Algo home page</u>	3	3	0	0	0.243 s
18-8	<u>Automatating Tree Module pages</u>	<u>Tree home page Link</u>	3	3	0	0	0.214 s
18-9	<u>Automatating Tree Module pages</u>	<u>Overview of Trees page</u>	3	3	0	0	0.355 s
19-0	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	3	0	0	0.314 s
19-1	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	3	0	0	0.154 s
19-2	<u>Automatating Tree Module pages</u>	<u>Terminologies page Link</u>	3	3	0	0	0.203 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
19-3	<u>Automatating Tree Module pages</u>	<u>Terminologies page</u>	3	3	0	0	0.317 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
19-4	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	3	0	0	0.337 s
19-5	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	3	0	0	0.145 s
19-6	<u>Automatating Tree Module pages</u>	<u>Types of Trees page Link</u>	3	3	0	0	0.185 s
19-7	<u>Automatating Tree Module pages</u>	<u>Types of Trees page</u>	3	3	0	0	0.338 s
19-8	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	3	0	0	0.320 s
19-9	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	3	0	0	0.130 s
20-0	<u>Automatating Tree Module pages</u>	<u>Tree Traversals page Link</u>	3	3	0	0	0.311 s
20-1	<u>Automatating Tree Module pages</u>	<u>Tree Traversals page</u>	3	3	0	0	0.357 s
20-2	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	3	0	0	0.320 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
20-3	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	3	0	0	0.124 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
20-4	<u>Automatating Tree Module pages</u>	<u>Traversals-Illustration page Link</u>	3	3	0	0	0.228 s
20-5	<u>Automatating Tree Module pages</u>	<u>Traversals-Illustration page</u>	3	3	0	0	0.331 s
20-6	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	3	0	0	0.305 s
20-7	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	3	0	0	0.134 s
20-8	<u>Automatating Tree Module pages</u>	<u>Binary Trees page Link</u>	3	3	0	0	0.232 s
20-9	<u>Automatating Tree Module pages</u>	<u>Binary Trees page</u>	3	3	0	0	0.321 s
21-0	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	3	0	0	0.316 s
21-1	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	3	0	0	0.139 s
21-2	<u>Automatating Tree Module pages</u>	<u>Types of Binary Trees page Link</u>	3	3	0	0	0.297 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
21-3	<u>Automatating Tree Module pages</u>	<u>Types of Binary Trees page</u>	3	3	0	0	0.332 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
21-4	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	3	0	0	0.316 s
21-5	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	3	0	0	0.135 s
21-6	<u>Automatating Tree Module pages</u>	<u>Implementation in Python page Link</u>	3	3	0	0	0.181 s
21-7	<u>Automatating Tree Module pages</u>	<u>Implementation in Python page</u>	3	3	0	0	0.327 s
21-8	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	3	0	0	0.344 s
21-9	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	3	0	0	0.181 s
22-0	<u>Automatating Tree Module pages</u>	<u>Binary Tree Traversals page Link</u>	3	3	0	0	0.229 s
22-1	<u>Automatating Tree Module pages</u>	<u>Binary Tree Traversals page</u>	3	3	0	0	0.312 s
22-2	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	3	0	0	0.310 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
22-3	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	3	0	0	0.188 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
22-4	<u>Automatating Tree Module pages</u>	<u>Implementation of Binary Trees page Link</u>	3	3	0	0	0.201 s
22-5	<u>Automatating Tree Module pages</u>	<u>Implementation of Binary Trees page</u>	3	3	0	0	0.336 s
22-6	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	3	0	0	0.309 s
22-7	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	3	0	0	0.150 s
22-8	<u>Automatating Tree Module pages</u>	<u>Applications of Binary trees page Link</u>	3	3	0	0	0.182 s
22-9	<u>Automatating Tree Module pages</u>	<u>Applications of Binary trees page</u>	3	3	0	0	0.321 s
23-0	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	3	0	0	0.325 s
23-1	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	3	0	0	0.149 s
23-2	<u>Automatating Tree Module pages</u>	<u>Binary Search Trees page Link</u>	3	3	0	0	0.335 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
23-3	<u>Automatating Tree Module pages</u>	<u>Binary Search Trees page</u>	3	3	0	0	0.349 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
23-4	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	3	0	0	0.347 s
23-5	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	3	0	0	0.133 s
23-6	<u>Automatating Tree Module pages</u>	<u>Implementation Of BST page Link</u>	3	3	0	0	0.201 s
23-7	<u>Automatating Tree Module pages</u>	<u>Implementation Of BST page</u>	3	3	0	0	0.317 s
23-8	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	3	0	0	0.318 s
23-9	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	3	0	0	0.198 s
24-0	<u>Automatating Tree Module pages</u>	<u>Tree page Practice Questions</u>	3	3	0	0	0.151 s
24-1	<u>Automatating Tree Module pages</u>	<u>User go back to the DS Algo home page</u>	3	3	0	0	0.115 s
24-2	<u>Automatating Graph Module pages</u>	<u>Get started to graph from DS Algo home page</u>	3	3	0	0	0.178 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
24-3	<u>Automatating Graph Module pages</u>	<u>Graph page</u>	3	1	1	1	0.023 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
24-4	<u>Automatating Graph Module pages</u>	<u>Python Editor page without data</u>	3	3	0	0	0.355 s
24-5	<u>Automatating Graph Module pages</u>	<u>User go back to Graph page</u>	3	3	0	0	0.134 s
24-6	<u>Automatating Graph Module pages</u>	<u>Graph page second link</u>	3	1	1	1	0.030 s
24-7	<u>Automatating Graph Module pages</u>	<u>Graph Representations page</u>	3	1	1	1	0.016 s
24-8	<u>Automatating Graph Module pages</u>	<u>Python Editor page without data</u>	3	3	0	0	0.382 s
24-9	<u>Automatating Graph Module pages</u>	<u>User go back to Graph page</u>	3	3	0	0	0.129 s
25-0	<u>Automatating Graph Module pages</u>	<u>Graph page Practice Questions</u>	3	1	1	1	0.013 s
25-1	<u>Automatating Graph Module pages</u>	<u>User go back to the DS Algo home page</u>	3	3	0	0	0.092 s
25-2	<u>Signing out from DS Algo Portal</u>	<u>Signing out and Closing the browser</u>	4	4	0	0	0.828 s

To Automate Introduction page of DS_Algo




Browser page




#	Step / Hook Details	Status	Duration
1	Given The Trio Team Challengers starts testing the Data Structure Algo portal.	PASSED	0.004 s
2	Given The user should be open the browser	PASSED	2.935 s
3	When The user enter the DS_Algo Portal https://dsportalapp.herokuapp.com/	PASSED	2.291 s
4	Then The user should landed on the DS_Algo Get Started page with message "You are at the right place"	PASSED	0.084 s

DS Algo Get Started page




#	Step / Hook Details	Status	Duration
1	Given The Trio Team Challengers starts testing the Data Structure Algo portal.	PASSED	0.001 s
2	Given The user should open the DS Algo Portal URL in any supported browser	PASSED	0.017 s
3	When The user clicks the Get Started button	PASSED	0.426 s
4	Then The user should land in Data Structure Introduction Page with "Register" and "Sign in" links	PASSED	0.044 s

DS Introduction page



#	Step / Hook Details	Status	Duration
1	Given The Trio Team Challengers starts testing the Data Structure Algo portal.	PASSED	0.000 s
2	Given The user is on the DS Introduction page	PASSED	0.009 s
3	When The user clicks the data structure dropdown arrow	PASSED	0.057 s
4	Then The user should able to see 6 options Arrays "Linked, List, Stack, Queue, Tree, Graph" in dropdown menu	PASSED	0.029 s


DS Introduction page



#	Step / Hook Details	Status	Duration
1	Given The Trio Team Challengers starts testing the Data Structure Algo portal.	PASSED	0.002 s
2	Given The user is on the DS Introduction page	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
3	When The user selects any data structures item from the drop down without Sign in.	PASSED	0.191 s
4	Then The user should able to see an warning message "You are not logged in"	PASSED	0.031 s

DS Introduction page




#	Step / Hook Details	Status	Duration
1	Given The Trio Team Challengers starts testing the Data Structure Algo portal.	PASSED	0.001 s
2	Given The user is on the DS Introduction page	PASSED	0.001 s
3	When The user clicks any "Get Started" buttons of data structures on the DS Introduction page	PASSED	0.001 s
4	Then The user should able to see an warning message "You are not logged in"	PASSED	0.021 s

to automate Signin page of DS_Algo




DS Algo Introduction Page





#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.017 s
2	When The user should click the Sign in link	PASSED	0.173 s
3	Then The user should be redirected to Sign in page	PASSED	0.009 s
4	And The user is able to see "Register!" link below the text boxes	PASSED	0.023 s

DS Algo Introduction Page





#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after leaving the "" textbox and "" textbox blank	PASSED	0.054 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.046 s

DS Algo Introduction Page

PASSED	DURATION - 0.182 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:16:28.314 PM // 9:16:28.496 PM /				
<i>to automate Signin page of DS_Algo</i>				
@Signin_page(enteronlyusername) @Signin_page(allBlank)				


#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.000 s
2	When The user clicks login button after entering the "Trioteamchallengers" and leaves "" textbox blank	PASSED	0.152 s
3	Then The error message "Please fill out this field." appears below Pwd textbox	PASSED	0.027 s

DS Algo Introduction Page

PASSED	DURATION - 0.149 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:16:28.550 PM // 9:16:28.699 PM /				
<i>to automate Signin page of DS_Algo</i>				
@Signin_page(enteronlypwd) @Signin_page(allBlank)				


#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.000 s
2	When The user clicks login button after entering the "ds@qateam334h" only.	PASSED	0.124 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.024 s

DS Algo Introduction Page





#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering invalid "teamchallengers" and invalid "ds@qateam334h"	PASSED	0.288 s
3	Then The user should able to see an error message "Invalid Username and Password".	PASSED	0.012 s

DS Algo Introduction Page





#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.000 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid ""	PASSED	0.121 s
3	Then The user should able to see an error message "Invalid Username and Password".	PASSED	0.014 s

DS Algo Introduction Page

PASSED	DURATION - 0.354 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:16:29.257 PM // 9:16:29.611 PM /				
to automate Signin page of DS_Algo				
@Signin_page(allBlank) @Signin_page(validUsernameInvPwd)				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.000 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid "ds@qateam334h"	PASSED	0.312 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.034 s

DS Algo Introduction Page


PASSED	DURATION - 0.469 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:16:29.640 PM // 9:16:30.109 PM /				
to automate Signin page of DS_Algo				
@Signin_page(allBlank) @Signin_page(valid)				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.000 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and valid "triothebest@123"	PASSED	0.409 s
3	Then The user should land in Data Structure Home Page with "You are logged in" message	PASSED	0.039 s

To Automate the page of Data Structure




Home Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page	PASSED	0.008 s
2	When The user clicks Get Started button below the Data structures-Introduction	PASSED	0.181 s
3	Then The user should land in "Data Structures-Introduction" DS page	PASSED	0.034 s


Data Structure Home page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Data Structure Introduction Page	PASSED	0.000 s
2	When The user clicks Time Complexity link	PASSED	0.177 s


#	Step / Hook Details	Status	Duration
3	Then The user should be redirected to "Time Complexity" TC page	PASSED	0.035 s

Time Complexity Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.005 s
2	When The user clicks Try Here button of Time Complexity page	PASSED	0.001 s
3	Then The user should be redirected to a page having an Python Editor	PASSED	0.010 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.382 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.246 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	1.034 s
3	When The User clicks a run button	PASSED	0.048 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.205 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.274 s
3	When The User clicks a run button	PASSED	0.041 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.179 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.277 s
3	When The User clicks a run button	PASSED	0.089 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.218 s

Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.236 s
3	When The User clicks a run button	PASSED	0.041 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.198 s


Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	<p>And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div[5]/div/pre"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element- exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java. version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981bfb338cafab19a651e, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</pre>	FAILED	0.092 s


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:171) * Not displayable characters are replaced by '?'.		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.015 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.290 s
3	When The User clicks a run button	PASSED	0.033 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.186 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.247 s
3	When The User clicks a run button	PASSED	0.048 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.199 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.303 s
3	When The User clicks a run button	PASSED	0.042 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.196 s

Python Editor page with Invalid data


**Step / Hook Details**

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.258 s
3	When The User clicks a run button	PASSED	0.054 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.203 s

Python Editor page with Invalid data**Step / Hook Details**


#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.264 s
3	When The User clicks a run button	PASSED	0.042 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.190 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.238 s
3	When The User clicks a run button	PASSED	0.058 s
4	Then The user see error msg in alert window and press ok button	PASSED	1.796 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.210 s
3	When The User clicks a run button	PASSED	0.038 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.182 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	5.118 s
3	When The User clicks a run button	PASSED	0.047 s
4	Then The user see error msg in alert window and press ok button	PASSED	5.111 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.228 s
3	When The User clicks a run button	PASSED	0.051 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.192 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.185 s
3	When The User clicks a run button	PASSED	0.047 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.174 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.286 s
3	When The User clicks a run button	PASSED	0.053 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.256 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.290 s
3	When The User clicks a run button	PASSED	0.062 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.220 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.298 s
3	When The User clicks a run button	PASSED	0.050 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.220 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.330 s
3	When The User clicks a run button	PASSED	0.058 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.208 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.281 s
3	When The User clicks a run button	PASSED	0.058 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.205 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.264 s
3	When The User clicks a run button	PASSED	0.053 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.207 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.263 s
3	When The User clicks a run button	PASSED	0.038 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.200 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.221 s
3	When The User clicks a run button	PASSED	0.043 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.170 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.236 s
3	When The User clicks a run button	PASSED	0.034 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.162 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.225 s
3	When The User clicks a run button	PASSED	0.033 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.175 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.230 s
3	When The User clicks a run button	PASSED	0.035 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.178 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.226 s
3	When The User clicks a run button	PASSED	0.036 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.193 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.237 s
3	When The User clicks a run button	PASSED	0.035 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.165 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.274 s
3	When The User clicks a run button	PASSED	0.036 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.170 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.236 s
3	When The User clicks a run button	PASSED	0.039 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.177 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.218 s
3	When The User clicks a run button	PASSED	0.033 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.175 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.229 s
3	When The User clicks a run button	PASSED	0.033 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.178 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.223 s
3	When The User clicks a run button	PASSED	0.031 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.196 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.223 s
3	When The User clicks a run button	PASSED	0.033 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.198 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.211 s
3	When The User clicks a run button	PASSED	0.032 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.199 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.224 s
3	When The User clicks a run button	PASSED	0.039 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.231 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.214 s
3	When The User clicks a run button	PASSED	0.038 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.174 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.153 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.293 s
3	When User clicks a run button	PASSED	0.036 s
4	Then output should be displayed on the console	PASSED	0.021 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.125 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.257 s
3	When User clicks a run button	PASSED	0.043 s
4	Then output should be displayed on the console	PASSED	0.013 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.157 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.411 s
3	When User clicks a run button	PASSED	0.064 s
4	Then output should be displayed on the console	PASSED	0.031 s

Python Editor page with valid data

**Step / Hook Details**


#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.138 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.274 s
3	When User clicks a run button	PASSED	0.053 s
4	Then output should be displayed on the console	PASSED	0.017 s

Python Editor page with valid data**Step / Hook Details**

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.140 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2 org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//[@id='answer_form']/div/div/div[6]/div[1]/div/div/div[5]/div/pre"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981bfb338cafab19a651e, findElement {using=xpath, value=//*[@id='answer_form']/div/div/div[6]/div[1]/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir:	FAILED	0.086 s


#	Step / Hook Details	Status	Duration
	<pre>C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterValidCode(TryEditor_PF.java:64) at stepDefinition.TryEditorPageStep. enters_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:39) at ?.enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:182) * Not displayable characters are replaced by '?'.</pre>		
3	When User clicks a run button	SKIPPED	0.001 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.126 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.271 s
3	When User clicks a run button	PASSED	0.041 s
4	Then output should be displayed on the console	PASSED	0.022 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.133 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.286 s
3	When User clicks a run button	PASSED	0.054 s
4	Then output should be displayed on the console	PASSED	0.023 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.142 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.283 s
3	When User clicks a run button	PASSED	0.060 s
4	Then output should be displayed on the console	PASSED	0.026 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.136 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.235 s
3	When User clicks a run button	PASSED	0.052 s
4	Then output should be displayed on the console	PASSED	0.023 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.121 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.282 s
3	When User clicks a run button	PASSED	0.051 s
4	Then output should be displayed on the console	PASSED	0.022 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.231 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.220 s
3	When User clicks a run button	PASSED	0.043 s
4	Then output should be displayed on the console	PASSED	0.016 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.129 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	5.290 s
3	When User clicks a run button	PASSED	0.065 s
4	Then output should be displayed on the console	PASSED	0.022 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.202 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	2.608 s
3	When User clicks a run button	PASSED	0.059 s
4	Then output should be displayed on the console	PASSED	0.021 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.132 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.248 s
3	When User clicks a run button	PASSED	0.043 s
4	Then output should be displayed on the console	PASSED	0.021 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.117 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.226 s
3	When User clicks a run button	PASSED	0.038 s
4	Then output should be displayed on the console	PASSED	0.016 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.142 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.271 s
3	When User clicks a run button	PASSED	0.073 s
4	Then output should be displayed on the console	PASSED	0.033 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.182 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.313 s
3	When User clicks a run button	PASSED	0.070 s
4	Then output should be displayed on the console	PASSED	0.032 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.158 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.297 s
3	When User clicks a run button	PASSED	0.057 s
4	Then output should be displayed on the console	PASSED	0.034 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.155 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.303 s
3	When User clicks a run button	PASSED	0.059 s
4	Then output should be displayed on the console	PASSED	0.026 s

Python Editor page with valid data


**Step / Hook Details**

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.154 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.352 s
3	When User clicks a run button	PASSED	0.053 s
4	Then output should be displayed on the console	PASSED	0.019 s

Python Editor page with valid data**Step / Hook Details**


#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.218 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.250 s
3	When User clicks a run button	PASSED	0.044 s
4	Then output should be displayed on the console	PASSED	0.018 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.121 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.249 s
3	When User clicks a run button	PASSED	0.038 s
4	Then output should be displayed on the console	PASSED	0.019 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.120 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.278 s
3	When User clicks a run button	PASSED	0.042 s
4	Then output should be displayed on the console	PASSED	0.018 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.121 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.239 s
3	When User clicks a run button	PASSED	0.038 s
4	Then output should be displayed on the console	PASSED	0.015 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.123 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.246 s
3	When User clicks a run button	PASSED	0.036 s
4	Then output should be displayed on the console	PASSED	0.021 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.128 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.251 s
3	When User clicks a run button	PASSED	0.036 s
4	Then output should be displayed on the console	PASSED	0.016 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.349 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.232 s
3	When User clicks a run button	PASSED	0.041 s
4	Then output should be displayed on the console	PASSED	0.019 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.127 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.245 s
3	When User clicks a run button	PASSED	0.038 s
4	Then output should be displayed on the console	PASSED	0.015 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.136 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.250 s
3	When User clicks a run button	PASSED	0.045 s
4	Then output should be displayed on the console	PASSED	0.000 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.113 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.242 s
3	When User clicks a run button	PASSED	0.043 s
4	Then output should be displayed on the console	PASSED	0.000 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.122 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.245 s
3	When User clicks a run button	PASSED	0.038 s
4	Then output should be displayed on the console	PASSED	0.016 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.127 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.239 s
3	When User clicks a run button	PASSED	0.045 s
4	Then output should be displayed on the console	PASSED	0.022 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.125 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.267 s
3	When User clicks a run button	PASSED	0.043 s
4	Then output should be displayed on the console	PASSED	0.013 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.128 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.257 s
3	When User clicks a run button	PASSED	0.039 s
4	Then output should be displayed on the console	PASSED	0.021 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.135 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.287 s
3	When User clicks a run button	PASSED	0.044 s
4	Then output should be displayed on the console	PASSED	0.020 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.131 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.233 s
3	When User clicks a run button	PASSED	0.037 s
4	Then output should be displayed on the console	PASSED	0.018 s

Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.121 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.249 s
3	When User clicks a run button	PASSED	0.038 s
4	Then output should be displayed on the console	PASSED	0.017 s

User go back to the previous page





#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.144 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.028 s

Time Complexity Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.001 s
2	When The user clicks Practice Questions link of DS	PASSED	0.114 s
3	Then The user does not find any practice problems and the page is null	PASSED	0.076 s

To Automate the page of Array

**Home Page**


#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page	PASSED	0.000 s
2	When The user clicks "Get Started" button below the array	PASSED	0.206 s
3	Then The user should be redirected to "Array" page	PASSED	0.034 s

Array Page

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.001 s
2	When The user clicks a Arrays in Python link	PASSED	0.251 s


#	Step / Hook Details	Status	Duration
3	Then The user should be redirected to "Arrays in Python" AP Page	PASSED	0.022 s

Array Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.000 s
2	When The user clicks Try Here button of Array in Python Page	PASSED	0.176 s
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	PASSED	0.013 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.136 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.248 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.118 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.023 s

Array in Python Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Array in Python Page	PASSED	0.002 s
2	When The user clicks a Arrays Using List link	PASSED	0.167 s
3	Then The user should be redirected to "Arrays Using List" AL page.	PASSED	0.032 s

Array Using List Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.000 s
2	When The user clicks Try Here button of Array Using List Page	PASSED	0.184 s
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	PASSED	0.010 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.135 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.208 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.252 s
2	When User able to see output in console	PASSED	0.003 s
3	Then User go back to the previous page	PASSED	0.028 s

Array Using List Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.002 s
2	When The user clicks a Basic Operations in Lists link	PASSED	0.157 s
3	Then The user should be redirected to "Basic Operations in Lists" BO page.	PASSED	0.031 s

Basic operations in Lists page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.001 s
2	When The user clicks Try Here button of Operations in Lists Page	PASSED	0.179 s
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	PASSED	0.024 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.110 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.201 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.001 s

User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.125 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.022 s


Basic operations in Lists page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.000 s
2	When The user clicks an Applications of Array link	PASSED	0.169 s
3	Then The user should be redirected to "Applications of Array" AA page. org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[text()='Applications of Array']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [0cd57bff424981bfb338cafab19a651e, findElement {using=xpath, value=//p[text()='Applications of Array']] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,	FAILED	0.039 s

#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.getText(Unknown Source) at pagefactory.Arrays_PF.getArraysAppTitle(Arrays_PF.java:82) at stepDefinition.ds_AlgoArraySteps.the_user_should_be_redirected_to_aa_page(ds_AlgoArraySteps.java:144) at ?.The user should be redirected to "Applications of Array" AA page.(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:148)</pre> <p>* Not displayable characters are replaced by '?'.</p>		


Application of Array page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Applications of Array page	PASSED	0.000 s
2	When The user clicks Practice Questions link	PASSED	0.125 s


#	Step / Hook Details	Status	Duration
3	Then The user should be redirected to practice page having links like "Search the array","Max Consecutive Ones","Find Numbers with Even Number of Digits" , "Squares of a Sorted Array"	PASSED	0.138 s

Practice Questions page



#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks search the array link	PASSED	0.193 s
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	PASSED	0.043 s


Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.137 s
2	When The user clicks the run button without entring the code in the Editor org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981bfb338cafab19a651e, clickElement {id=6DC1591C3FD1DA4A0881D1436B699E25_element_189}] Capabilities {acceptInsecureCerts: false, browserName: chrome,	FAILED	0.203 s


#	Step / Hook Details	Status	Duration
	<pre> browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Local\Google\Chrome\User Data\Default}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (0cd57bff424981fbf338cafab19a651e)] -> xpath: //button[@type='button']] Session ID: 0cd57bff424981fbf338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.TryEditor_PF.clickRun(TryEditor_PF.java:95) at stepDefinition.TryEditorPageStep.the_user_clicks_the_run_button_without_entring_the_code_in_the_editor(TryEditorPageStep.java:82) at ?.The user clicks the run button without entring the code in the Editor(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:165) * Not displayable characters are replaced by '?'. </pre>		
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.015 s

User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.124 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.039 s


Practice Questions page



#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks Max consecutive ones link org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Max Consecutive Ones"]"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981bfb338cafab19a651e, findElement {using=xpath, value=//a[text()="Max Consecutive Ones"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)	FAILED	0.063 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Arrays_PF.clickArraysMaxConsecutive((Arrays_PF.java:232) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_max_consecutive_ones_link(ds_AlgoArraySteps.java:205) at ?.The user clicks Max consecutive ones link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/ 05_dsArray.feature:198) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.003 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.143 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.214 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.111 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.028 s


Practice Questions page



#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.001 s
2	When The user clicks Find numbers with even number of digits link org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Find Numbers with Even Number of Digits"]"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981fbf338cafab19a651e, findElement {using=xpath, value=/a[text()="Find Numbers with Even Number of Digits"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}	FAILED	0.057 s

#	Step / Hook Details	Status	Duration
	<pre>true} Session ID: 0cd57bff424981fbf338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Arrays_PF.clickArraysEvennumbers(Arrays_PF.java:238) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_find_numbers_with_even_number_of_digits_link(ds_AlgoArraySteps.java:212) at ?.The user clicks Find numbers with even number of digits link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:237) * Not displayable characters are replaced by '?'.</pre>		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s


Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.163 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.248 s


#	Step / Hook Details	Status	Duration
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.001 s

User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.126 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.023 s


Practice Questions page



#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.001 s
2	When The user clicks squared of the sorted array link <code>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Squares of a Sorted Array"]"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981bfb338cafab19a651e, findElement {using=xpath, value=//a[text()="Squares of a Sorted Array"]}] Capabilities</code>	FAILED	0.089 s

#	Step / Hook Details	Status	Duration
	<pre>{ acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Arrays_PF.clickArraysSortedSquares(Arrays_PF.java:235) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_squared_of_the_sorted_array_link(ds_AlgoArraySteps.java:218) at ?.The user clicks squared of the sorted array link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:278) * Not displayable characters are replaced by '?'.</pre>		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.001 s


User is on Python editor page



#	Step / Hook Details	Status	Duration
1	Given The user is already on Python Editor page	PASSED	0.000 s
2	<p>When User clicks the submit button int try editor</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='answer_form']/input[2]"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [0cd57bff424981bfb338cafab19a651e, findElement {using=xpath, value=//*[@id='answer_form']/input[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)</pre>	FAILED	0.024 s


#	Step / Hook Details	Status	Duration
	at pagefactory.Arrays_PF.clickSubmitbtn(Arrays_PF.java:49) at stepDefinition.ds_AlgoArraySteps.user_clicks_the_submit_button_int_try_editor(ds_AlgoArraySteps.java:232) at ?.User clicks the submit button int try editor(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:283) * Not displayable characters are replaced by '?'.		
3	Then User gets an warning message " No tests were collected" in the console	SKIPPED	0.000 s

Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.136 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.221 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the DSHome page




#	Step / Hook Details	Status	Duration
1	Given The user is already on the tryEditor page	PASSED	0.000 s
2	When User can see output in the console	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then User go back to "https://dsportalapp.herokuapp.com/home" DS home page	PASSED	0.070 s

Automatating Linked List Module pages




Get started to Linked List from DS Algo home page



#	Step / Hook Details	Status	Duration
1	Given User is on the DS algo portal home page	PASSED	0.011 s
2	When User clicks Get started button from Linked List pane org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/div[2]/div[3]/div/div/a[text()='Get Started']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981bfb338cafab19a651e, findElement {using=xpath, value=/html/body/div[2]/div[3]/div/div/a[text()='Get Started']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)	FAILED	0.017 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickHomeGetStartedLinkedList(LinkedList_PF.java:46) at stepDefinition.LinkedListStep.user_clicks_get_started_button_from_linked_list_pane(LinkedListStep.java:30) at ?.User clicks Get started button from Linked List pane(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	Then User should be redirected to "Linked List" Linked List home page	SKIPPED	0.000 s


Introduction link of Linked List module



#	Step / Hook Details	Status	Duration
1	Given User is on Linked List page in Linked List module	PASSED	0.000 s
2	<p>When User clicks Introduction link</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Introduction']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: </pre>	FAILED	0.084 s

#	Step / Hook Details	Status	Duration
	<pre>'1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981bfb338cafab19a651e, findElement {using=xpath, value=//a[text()='Introduction']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickIntroduction(LinkedList_PF.java:50) at stepDefinition.LinkedListStep.user_clicks_introduction_link(LinkedListStep.java:55) at ?.User clicks Introduction link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:13) * Not displayable characters are replaced by '?'.</pre>		
3	Then User should be redirected to "Introduction" Introduction of Linked List page	SKIPPED	0.002 s


Introduction page



#	Step / Hook Details	Status	Duration
1	Given User is on Introduction page	PASSED	0.000 s
2	When User clicks a Try Here link on Introduction of Linked List page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Try here>>']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981bfb338cafab19a651e, findElement {using=xpath, value=/a[text()='Try here>>']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)	FAILED	0.099 s


#	Step / Hook Details	Status	Duration
	at pagefactory.LinkedList_PF.clickLinkedListTryHere(LinkedList_PF.java:84) at stepDefinition.LinkedListStep.user_clicks_a_try_here_link_on_introduction_of_linked_list_page(LinkedListStep.java:81) at ?.User clicks a Try Here link on Introduction of Linked List page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:19) * Not displayable characters are replaced by '?'.		
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s

Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.243 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.235 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s


User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.133 s
2	When User able to see output in console	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
3	Then User go back to the previous page	PASSED	0.020 s


Creating Linked Llist link of Linked List module



#	Step / Hook Details	Status	Duration
1	Given User is on Introduction page	PASSED	0.000 s
2	When User clicks Creating Llist link org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Creating Linked Llist']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981bfb338cafab19a651e, findElement {using=xpath, value=/a[text()='Creating Linked Llist']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickCreatingLinkedList(LinkedList_PF.java:54) at stepDefinition.LinkedListStep.user_clicks_creating_linked_l_ist_link(LinkedListStep.java:89) at ?.User clicks Creating Linked Llist link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:60) * Not displayable characters are replaced by '?'. </pre>		
3	Then User should be redirected to "Creating Linked Llist" Creating Linked Llist of Linked List page	SKIPPED	0.000 s


Creating Linked Llist page



#	Step / Hook Details	Status	Duration
1	Given User is on Creating Linked Llist page	PASSED	0.000 s
2	<p>When User clicks a Try Here link on Creating Linked Llist of Linked List page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Try here>>>']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981bfb338cafab19a651e, findElement {using=xpath, value=/a[text()='Try here>>>']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre>	FAILED	0.015 s


#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickLinkedListTryHere(LinkedList_PF.java:84) at stepDefinition.LinkedListStep.user_clicks_a_try_here_link_on_creating_linked_l_ist_of_linked_list_page(LinkedListStep.java:115) at ?.User clicks a Try Here link on Creating Linked Llist of Linked List page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:66) * Not displayable characters are replaced by '?'. </pre>		
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.140 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.234 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.111 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.018 s


Types of Linked List link of Linked List module



#	Step / Hook Details	Status	Duration
1	Given User is on Creating Linked Llist page	PASSED	0.001 s
2	When User clicks Types of Linked List link org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Types of Linked List']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981fbf338cafab19a651e, findElement {using=xpath, value=/a[text()='Types of Linked List']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},	FAILED	0.017 s


#	Step / Hook Details	Status	Duration
	<pre> unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickTypesofLinkedList(LinkedList_PF.java:58) at stepDefinition.LinkedListStep.user_clicks_types_of_linked_list_link(LinkedListStep.java:123) at ?.User clicks Types of Linked List link(file:///C:/Users/enggn/eclipse-workspace/DSAgo_Cucumber/src/test/resources/Features/ 06_dsLinkedList.feature:107) * Not displayable characters are replaced by '?'. </pre>		
3	Then User should be redirected to "Types of Linked List" Types of Linked List of Linked List page	SKIPPED	0.000 s

Types of Linked List page




#	Step / Hook Details	Status	Duration
1	Given User is on Types of Linked List page	PASSED	0.000 s
2	When User clicks a Try Here link on Types of Linked List of Linked List page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Try here>>>']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981bfb338cafab19a651e, findElement {using=xpath, value=/a[text()='Try here>>>']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickLinkedListTryHere(LinkedList_PF.java:84) at stepDefinition.LinkedListStep.user_clicks_a_try_here_link_on_types_of_linked_list_of_linked_list_page(LinkedListStep.java:149) at ?.User clicks a Try Here link on Types of Linked List of Linked List page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:113) * Not displayable characters are replaced by '?'.	FAILED	0.025 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.135 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.226 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.108 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.052 s


Implement Linked List in Python link of Linked List module



#	Step / Hook Details	Status	Duration
1	Given User is on Types of Linked List page	PASSED	0.000 s
2	<p>When User clicks Implement Linked List in Python link</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Implement Linked List in Python']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981bfb338cafab19a651e, findElement {using=xpath, value=/a[text()='Implement Linked List in Python']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)</p>	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	at pagefactory.LinkedList_PF.clickImplementLinkedListinPython(LinkedList_PF.java:62) at stepDefinition.LinkedListStep.user_clicks_implement_linked_list_in_python_link(LinkedListStep.java:157) at ?.User clicks Implement Linked List in Python link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:154) * Not displayable characters are replaced by '?'.		
3	Then User should be redirected to "Implement Linked List in Python" Implement Linked List in Python of Linked List page	SKIPPED	0.000 s


Implement Linked List in Python page



#	Step / Hook Details	Status	Duration
1	Given User is on Implement Linked List in Python page	PASSED	0.002 s
2	When User clicks a Try Here link on Implement Linked List in Python of Linked List page <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Try here>>']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981bfb338cafab19a651e, findElement {using=xpath, value=/a[text()='Try here>>']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</pre>	FAILED	0.016 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickLinkedListTryHere(LinkedList_PF.java:84) at stepDefinition.LinkedListStep.user_clicks_a_try_here_link_on_implement_linked_list_in_python_of_linked_list_page(LinkedListStep.java:183) at ?.User clicks a Try Here link on Implement Linked List in Python of Linked List page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:160) * Not displayable characters are replaced by '?'. </pre>		
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.132 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.216 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.220 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.017 s


Traversal link of Linked List module



#	Step / Hook Details	Status	Duration
1	Given User is on Implement Linked List in Python page	PASSED	0.001 s
2	When User clicks Traversal link org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Traversal']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981fbf338caf19a651e, findElement {using>xpath, value=//a[text()='Traversal']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}	FAILED	0.019 s

#	Step / Hook Details	Status	Duration
	<pre>true} Session ID: 0cd57bff424981fbf338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickTraversal(LinkedList_PF.java:66) at stepDefinition.LinkedListStep.user_clicks_traversal_link(LinkedListStep.java:191) at ?.User clicks Traversal link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:201) * Not displayable characters are replaced by '?'.</pre>		
3	Then User should be redirected to "Traversal" Traversal of Linked List page	SKIPPED	0.000 s


Traversal page



#	Step / Hook Details	Status	Duration
1	Given User is on Traversal page	PASSED	0.001 s
2	When User clicks a Try Here link on Traversal of Linked List page	FAILED	0.012 s


#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Try here>>']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981bfb338cafab19a651e, findElement {using=xpath, value=/a[text()='Try here>>']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickLinkedListTryHere(LinkedList_PF.java:84) at stepDefinition.LinkedListStep.user_clicks_a_try_here_link_on_traversal_of_linked_list_page(LinkedListStep.java:217) at ?.User clicks a Try Here link on Traversal of Linked List page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:207) * Not displayable characters are replaced by '?'.</pre>		
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.001 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.164 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	5.222 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.223 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.037 s


Insertion link of Linked List module



#	Step / Hook Details	Status	Duration
1	Given User is on Traversal page	PASSED	0.001 s
2	<p>When User clicks Insertion link</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Insertion']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [0cd57bff424981bfb338cafab19a651e, findElement {using=xpath, value=/a[text()='Insertion']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)</pre>	FAILED	0.031 s

#	Step / Hook Details	Status	Duration
	<pre>at pagefactory.LinkedList_PF.clickInsertion(LinkedList_PF.java:70) at stepDefinition.LinkedListStep.user_clicks_insertion_link(LinkedListStep.java:225) at ?.User clicks Insertion link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:248) * Not displayable characters are replaced by '?'.</pre>		
3	Then User should be redirected to "Insertion" Insertion of Linked List page	SKIPPED	0.001 s


Insertion page



#	Step / Hook Details	Status	Duration
1	Given User is on Insertion page	PASSED	0.001 s
2	<p>When User clicks a Try Here link on Insertion of Linked List page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Try here>>']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981bfb338cafab19a651e, findElement {using=xpath, value=/a[text()='Try here>>']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</pre>	FAILED	0.020 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickLinkedListTryHere(LinkedList_PF.java:84) at stepDefinition.LinkedListStep.user_clicks_a_try_here_link_on_insertion_of_linked_list_page(LinkedListStep.java:251) at ?.User clicks a Try Here link on Insertion of Linked List page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:254) * Not displayable characters are replaced by '?'. </pre>		
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.142 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.213 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.002 s

User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.114 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.024 s


Deletion link of Linked List module



#	Step / Hook Details	Status	Duration
1	Given User is on Insertion page	PASSED	0.000 s
2	When User clicks Deletion link org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Deletion']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981fbf338cafab19a651e, findElement {using=xpath, value=/a[text()='Deletion']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	<pre>Ocd57bff424981fb338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickDeletion(LinkedList_PF.java:74) at stepDefinition.LinkedListStep.user_clicks_deletion_link(LinkedListStep.java:259) at ?.User clicks Deletion link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:295) * Not displayable characters are replaced by '?'.</pre>		
3	Then User should be redirected to "Deletion" Deletion of Linked List page	SKIPPED	0.000 s


Deletion page



#	Step / Hook Details	Status	Duration
1	Given User is on Deletion page	PASSED	0.000 s
2	When User clicks a Try Here link on Deletion of Linked List page	FAILED	0.011 s


#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Try here>>']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981bfb338cafab19a651e, findElement {using=xpath, value=/a[text()='Try here>>']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickLinkedListTryHere(LinkedList_PF.java:84) at stepDefinition.LinkedListStep.user_clicks_a_try_here_link_on_deletion_of_linked_list_page(LinkedListStep.java:285) at ?.User clicks a Try Here link on Deletion of Linked List page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:301)</p> <p>* Not displayable characters are replaced by '?'.</p>		
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.137 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.188 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.363 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.021 s


Practice Questions link of Linked List module



#	Step / Hook Details	Status	Duration
1	Given User is on Deletion page	PASSED	0.001 s
2	When User clicks Practice Questions link org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='container']/div/div/div/a[text()='Practice Questions']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981bfb338cafab19a651e, findElement {using>xpath, value=/div[@class='container']/div/div/div/a[text()='Practice Questions']] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:pref: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)	FAILED	0.019 s

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickPracticeQuestion(LinkedList_PF.java:79) at stepDefinition.LinkedListStep.user_clicks_practice_questions_link(LinkedListStep.java:293) at ?.User clicks Practice Questions link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:342) * Not displayable characters are replaced by '?'.		
3	Then User should be redirected to " Practice Questions " Practice Questions of Linked List page	SKIPPED	0.000 s

User go back to the DS Algo home page





#	Step / Hook Details	Status	Duration
1	Given The user is already on Practice Questions page	PASSED	0.004 s
2	When Nothing is displayed on the page	PASSED	0.000 s
3	Then User go back to the "https://dsportalapp.herokuapp.com/home" DS Algo home page	PASSED	0.084 s

To Automate the Stack page of DS_Algo





DS Algo home page

PASSED	DURATION - 0.168 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:17:23.824 PM // 9:17:23.992 PM /				
To Automate the Stack page of DS_Algo				
@stack_homepage				


#	Step / Hook Details	Status	Duration
1	Given The user is in the DS Home page after logged in	PASSED	0.003 s
2	When The user clicks the Get Started in Stack Panel or select Stack item from the drop down menu	PASSED	0.149 s
3	Then The user should be directed to "Stack" Stack Page	PASSED	0.015 s

User Perform Operations on Stack page

PASSED	DURATION - 0.218 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:17:24.008 PM // 9:17:24.226 PM /				
To Automate the Stack page of DS_Algo				
@sp_operations				


#	Step / Hook Details	Status	Duration
1	Given The user is in the after logged in	PASSED	0.000 s
2	When The user clicks Operations in Stack button	PASSED	0.190 s
3	Then The user should be directed to the "Operations in Stack" Operations in Stack Page	PASSED	0.025 s

check user directed to tryeditor





#	Step / Hook Details	Status	Duration
1	Given The user is in the Operations in Stack page	PASSED	0.006 s
2	When The user clicks Try Here button	PASSED	0.178 s
3	Then The user should be redirected to a page having an tryEditor with a "Run" button to test	PASSED	0.012 s

Python Editor page without data





#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.135 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.220 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page

PASSED	DURATION - 0.176 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:17:26.025 PM // 9:17:26.201 PM /				
To Automate the Stack page of DS_Algo				
@previousPage				


#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.140 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.033 s

To test the Implementation on stack page

PASSED	DURATION - 0.247 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:17:26.235 PM // 9:17:26.482 PM /				
To Automate the Stack page of DS_Algo				
@sp_implementation				


#	Step / Hook Details	Status	Duration
1	Given The user is in the Stack page after logged in	PASSED	0.000 s
2	When The user clicks Implementation button	PASSED	0.199 s
3	Then The user should be directed to "Implementation" Implementation Page2	PASSED	0.048 s

check user directed to tryeditor




#	Step / Hook Details	Status	Duration
1	Given The user is in the Operations in Stack page	PASSED	0.001 s
2	When The user clicks Try Here button	PASSED	0.198 s
3	Then The user should be redirected to a page having an tryEditor with a "Run" button to test	PASSED	0.012 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.141 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.244 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.001 s

User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.181 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.041 s

To test application on stack page




#	Step / Hook Details	Status	Duration
1	Given The user is in the Stack page1 after logged in	PASSED	0.001 s
2	When The user clicks Application button	PASSED	0.199 s
3	Then The user should be directed to "Applications" Applications Page3	PASSED	0.045 s

check user directed to tryeditor





#	Step / Hook Details	Status	Duration
1	Given The user is in the Operations in Stack page	PASSED	0.000 s
2	When The user clicks Try Here button	PASSED	0.236 s
3	Then The user should be redirected to a page having an tryEditor with a "Run" button to test	PASSED	0.007 s

Python Editor page without data





#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.145 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.256 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.001 s

User go back to the previous page

PASSED	DURATION - 0.165 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:17:30.971 PM // 9:17:31.136 PM /				
To Automate the Stack page of DS_Algo				
@previousPage				



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.129 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.032 s

To test practice questions on stack page

PASSED	DURATION - 0.172 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:17:31.175 PM // 9:17:31.347 PM /				
To Automate the Stack page of DS_Algo				
@sp_practiceQ				


#	Step / Hook Details	Status	Duration
1	Given The user is in the Stack page2 after logged in	PASSED	0.000 s
2	When The user clicks Practice Questions button in Stack	PASSED	0.164 s
3	Then The user should be redirected to "Practice Questions" P Questions page	PASSED	0.005 s

User go back to the DS Algo home page



PASSED	DURATION - 0.122 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:17:31.406 PM // 9:17:31.528 PM /				
To Automate the Stack page of DS_Algo				
@backtoDSHomePage				

#	Step / Hook Details	Status	Duration
1	Given The user is already on Practice Questions page	PASSED	0.000 s
2	When Nothing is displayed on the page	PASSED	0.000 s
3	Then User go back to the "https://dsportalapp.herokuapp.com/home" DS Algo home page	PASSED	0.120 s

To test the Queue page

PASSED	DURATION - 9.495 s		Scenarios Total - 19 Pass - 19 Fail - 0 Skip - 0		Steps Total - 57 Pass - 57 Fail - 0 Skip - 0	
/ 9:17:31.609 PM // 9:17:41.104 PM /						


Enter into Queue page

PASSED	DURATION - 0.234 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:17:31.609 PM // 9:17:31.843 PM /				
To test the Queue page				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Home page after logged in	PASSED	0.005 s
2	When The user clicks the GetStarted in Queue Panel or select QueueDS item from the drop down menu	PASSED	0.214 s


#	Step / Hook Details	Status	Duration
3	Then The user should be directed to "Queue" queue Page	PASSED	0.013 s

User Perform Implementation in python on queue page




#	Step / Hook Details	Status	Duration
1	Given The user is in the Queue page after logged in	PASSED	0.000 s
2	When The user clicks Implementation of Queue in Python button	PASSED	0.198 s
3	Then The user should be directed to "Implementation of Queue in Python" Pageq1	PASSED	0.041 s

check user is directed to tryeditor




#	Step / Hook Details	Status	Duration
1	Given The user is in the Implementation of Queue in Python in Queue page	PASSED	0.000 s
2	When The user clicks Try Here button	PASSED	0.222 s
3	Then The user should be redirected to a page having an tryEditor with a "Run" button to test	PASSED	0.018 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.152 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.232 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.131 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.028 s

To test the Implementation.dq on queue page




#	Step / Hook Details	Status	Duration
1	Given The user is in the Implementation of Queue in Python in Queue page	PASSED	0.000 s
2	When The user clicks Implementation using Collections.dequeue button	PASSED	0.184 s
3	Then The user should be directed to "Implementation using collections.dequeue" collections deque Pageq2	PASSED	0.036 s

check user directed to tryeditor




#	Step / Hook Details	Status	Duration
1	Given The user is in the Operations in Stack page	PASSED	0.000 s
2	When The user clicks Try Here button	PASSED	0.195 s
3	Then The user should be redirected to a page having an tryEditor with a "Run" button to test	PASSED	0.013 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.144 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.258 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.132 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.022 s

To test the Implementation using array




#	Step / Hook Details	Status	Duration
1	Given The user is in the Queue page after logged in	PASSED	0.000 s
2	When The user clicks Implementation using Array button	PASSED	0.216 s
3	Then The user should be directed to "Implementation using array" Implementation using Array Pageq3	PASSED	0.028 s

check user directed to tryeditor




#	Step / Hook Details	Status	Duration
1	Given The user is in the Operations in Stack page	PASSED	0.001 s
2	When The user clicks Try Here button	PASSED	0.196 s
3	Then The user should be redirected to a page having an tryEditor with a "Run" button to test	PASSED	0.016 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.145 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.235 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.001 s

User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.115 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.020 s

To perform Queue Operations




#	Step / Hook Details	Status	Duration
1	Given The user is in Implementation using Array Page	PASSED	0.001 s
2	When The user clicks Queue Operations button	PASSED	0.143 s
3	Then The user should be directed to "Queue Operations" Queue Operations Pageq33	PASSED	0.042 s

check user directed to tryeditor




#	Step / Hook Details	Status	Duration
1	Given The user is in the Operations in Stack page	PASSED	0.001 s
2	When The user clicks Try Here button	PASSED	0.189 s
3	Then The user should be redirected to a page having an tryEditor with a "Run" button to test	PASSED	0.012 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.123 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.222 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.124 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.017 s

[to test practice question link](#)




#	Step / Hook Details	Status	Duration
1	Given The user is in the Queue page	PASSED	0.001 s
2	When The user clicks Practice Questions on queue	PASSED	0.119 s
3	Then The user should be redirected to "Practice Questions" Practice Questions page of queue	PASSED	0.003 s

User go back to the DS Algo home page




#	Step / Hook Details	Status	Duration
1	Given The user is already on Practice Questions page	PASSED	0.000 s
2	When Nothing is displayed on the page	PASSED	0.000 s
3	Then User go back to the "https://dsportalapp.herokuapp.com/home" DS Algo home page	PASSED	0.103 s

Automatating Tree Module pages




Get started to Tree from DS Algo home page



#	Step / Hook Details	Status	Duration
1	Given User is on the DS algo home page	PASSED	0.000 s
2	When User clicks Get started button from Tree pane	PASSED	0.194 s
3	Then User should be redirected to "Tree" Tree home page	PASSED	0.032 s


Tree home page Link



#	Step / Hook Details	Status	Duration
1	Given User is on Tree home page	PASSED	0.000 s
2	When User clicks Overview of Trees link	PASSED	0.176 s


#	Step / Hook Details	Status	Duration
3	Then User should be redirected to "Overview of Trees" Tree OT page	PASSED	0.037 s

Overview of Trees page





#	Step / Hook Details	Status	Duration
1	Given User is on Overview of Trees page	PASSED	0.001 s
2	When User clicks a Try Here link on Overview of Trees page	PASSED	0.174 s
3	Then User should be redirected to " https://dsportalapp.herokuapp.com/tryEditor " tryEditor page having Editor and run button	PASSED	0.175 s

Python Editor page without data





#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.110 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.203 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page

PASSED	DURATION - 0.154 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:17:43.330 PM // 9:17:43.484 PM /				
Automatating Tree Module pages				
@previousPage				


#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.122 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.024 s

Terminologies page Link

PASSED	DURATION - 0.203 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:17:43.516 PM // 9:17:43.719 PM /				
Automatating Tree Module pages				
@Terminologies				


#	Step / Hook Details	Status	Duration
1	Given User is on Overview of Trees page	PASSED	0.000 s
2	When User clicks Terminologies link	PASSED	0.162 s
3	Then User should be redirected to "Terminologies" Tree Terminologies page	PASSED	0.038 s

Terminologies page




#	Step / Hook Details	Status	Duration
1	Given User is on Terminologies page	PASSED	0.001 s
2	When User clicks a Try Here link on Terminologies page	PASSED	0.156 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	PASSED	0.157 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.129 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.208 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.124 s
2	When User able to see output in console	PASSED	0.002 s
3	Then User go back to the previous page	PASSED	0.018 s

Types of Trees page Link




#	Step / Hook Details	Status	Duration
1	Given User is on Terminologies page	PASSED	0.000 s
2	When User clicks Types of Trees link	PASSED	0.153 s
3	Then User should be redirected to "Types of Trees" Types of Trees page	PASSED	0.032 s

Types of Trees page




#	Step / Hook Details	Status	Duration
1	Given User is on Types of Trees page	PASSED	0.000 s
2	When User clicks a Try Here link on Types of Trees page	PASSED	0.158 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	PASSED	0.179 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.121 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.199 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.104 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.024 s

Tree Traversals page Link




#	Step / Hook Details	Status	Duration
1	Given User is on Types of Trees page	PASSED	0.000 s
2	When User clicks Tree Traversals link	PASSED	0.257 s
3	Then User should be redirected to "Tree Traversals" Tree Traversals of Tree page	PASSED	0.054 s

Tree Traversals page





#	Step / Hook Details	Status	Duration
1	Given User is on Tree Traversals page	PASSED	0.000 s
2	When User clicks a Try Here link on Tree Traversals page	PASSED	0.178 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	PASSED	0.177 s

Python Editor page without data





#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.113 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.207 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page

PASSED	DURATION - 0.124 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:17:49.494 PM // 9:17:49.618 PM /				
Automatating Tree Module pages				
@previousPage				


#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.106 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.015 s

Traversals-Illustration page Link

PASSED	DURATION - 0.228 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:17:49.646 PM // 9:17:49.874 PM /				
Automatating Tree Module pages				
@TraversalsIllustration				


#	Step / Hook Details	Status	Duration
1	Given User is on Tree Traversals page	PASSED	0.000 s
2	When User clicks Traversals-Illustration link	PASSED	0.196 s
3	Then User should be redirected to "Traversals-Illustration" Traversals-Illustration Tree page	PASSED	0.032 s

Traversals-Illustration page




#	Step / Hook Details	Status	Duration
1	Given User is on Traversals-Illustration page	PASSED	0.001 s
2	When User clicks a Try Here link on Traversals-Illustration page	PASSED	0.172 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	PASSED	0.155 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.121 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.183 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.110 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.021 s

Binary Trees page Link




#	Step / Hook Details	Status	Duration
1	Given User is on Traversals-Illustration page	PASSED	0.000 s
2	When User clicks Binary Trees link	PASSED	0.204 s
3	Then User should be redirected to "Binary Trees" Binary Trees page	PASSED	0.027 s

Binary Trees page




#	Step / Hook Details	Status	Duration
1	Given User is on Binary Trees page	PASSED	0.000 s
2	When User clicks a Try Here link on Binary Trees page	PASSED	0.161 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	PASSED	0.158 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.116 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.184 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.118 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.017 s

Types of Binary Trees page Link




#	Step / Hook Details	Status	Duration
1	Given User is on Binary Trees page	PASSED	0.001 s
2	When User clicks Types of Binary Trees link	PASSED	0.249 s
3	Then User should be redirected to "Types of Binary Trees" Types of Binary Trees page	PASSED	0.029 s

Types of Binary Trees page




#	Step / Hook Details	Status	Duration
1	Given User is on Types of Binary Trees page	PASSED	0.000 s
2	When User clicks a Try Here link on Types of Binary Trees page	PASSED	0.162 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	PASSED	0.170 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.112 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.199 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.002 s

User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.107 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.025 s

Implementation in Python page Link




#	Step / Hook Details	Status	Duration
1	Given User is on Types of Binary Trees page	PASSED	0.001 s
2	When User clicks Implementation in Python link	PASSED	0.149 s
3	Then User should be redirected to "Implementation in Python" Implementation in Python Tree page	PASSED	0.030 s

Implementation in Python page




#	Step / Hook Details	Status	Duration
1	Given User is on Implementation in Python page	PASSED	0.000 s
2	When User clicks a Try Here link on Implementation in Python page	PASSED	0.164 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	PASSED	0.162 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.158 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.186 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.157 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.021 s

Binary Tree Traversals page Link




#	Step / Hook Details	Status	Duration
1	Given User is on Implementation in Python page	PASSED	0.001 s
2	When User clicks Binary Tree Traversals link	PASSED	0.195 s
3	Then User should be redirected to "Binary Tree Traversals" Binary Tree Traversals page	PASSED	0.032 s

Binary Tree Traversals page




#	Step / Hook Details	Status	Duration
1	Given User is on Binary Tree Traversals page	PASSED	0.000 s
2	When User clicks a Try Here link on Binary Tree Traversals page	PASSED	0.159 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	PASSED	0.150 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.119 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.176 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.014 s

User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.156 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.028 s

Implementation of Binary Trees page Link




#	Step / Hook Details	Status	Duration
1	Given User is on Binary Tree Traversals page	PASSED	0.000 s
2	When User clicks Implementation of Binary Trees link	PASSED	0.185 s
3	Then User should be redirected to "Implementation of Binary Trees" Implementation of Binary Trees page	PASSED	0.015 s

Implementation of Binary Trees page




#	Step / Hook Details	Status	Duration
1	Given User is on Implementation of Binary Trees page	PASSED	0.000 s
2	When User clicks a Try Here link on Implementation of Binary Trees page	PASSED	0.172 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	PASSED	0.163 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.115 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.190 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.127 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.020 s

Applications of Binary trees page Link




#	Step / Hook Details	Status	Duration
1	Given User is on Implementation of Binary Trees page	PASSED	0.001 s
2	When User clicks Applications of Binary trees link	PASSED	0.155 s
3	Then User should be redirected to "Applications of Binary trees" Applications of Binary trees page	PASSED	0.026 s

Applications of Binary trees page




#	Step / Hook Details	Status	Duration
1	Given User is on Applications of Binary trees page	PASSED	0.000 s
2	When User clicks a Try Here link on Applications of Binary trees page	PASSED	0.162 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	PASSED	0.157 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.139 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.184 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.121 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.027 s

Binary Search Trees page Link




#	Step / Hook Details	Status	Duration
1	Given User is on Applications of Binary trees page	PASSED	0.003 s
2	When User clicks Binary Search Trees link	PASSED	0.299 s
3	Then User should be redirected to "Binary Search Trees" Binary Search Treese page	PASSED	0.024 s

Binary Search Trees page




#	Step / Hook Details	Status	Duration
1	Given User is on Binary Search Trees page	PASSED	0.000 s
2	When User clicks a Try Here link on Binary Search Trees page	PASSED	0.170 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	PASSED	0.177 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.129 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.216 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.002 s

User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.110 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.020 s

Implementation Of BST page Link




#	Step / Hook Details	Status	Duration
1	Given User is on Binary Search Trees page	PASSED	0.000 s
2	When User clicks Implementation Of BST link	PASSED	0.171 s
3	Then User should be redirected to "Implementation Of BST" Implementation Of BST Tree page	PASSED	0.030 s

Implementation Of BST page





#	Step / Hook Details	Status	Duration
1	Given User is on Implementation Of BST page	PASSED	0.000 s
2	When User clicks a Try Here link on Implementation Of BST page	PASSED	0.157 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	PASSED	0.159 s

Python Editor page without data





#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.114 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.204 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page

PASSED	DURATION - 0.198 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:18:08.270 PM // 9:18:08.468 PM /				
Automatating Tree Module pages				
@previousPage				


#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.181 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.016 s

Tree page Practice Questions

PASSED	DURATION - 0.151 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:18:08.497 PM // 9:18:08.648 PM /				
Automatating Tree Module pages				
@PracticeQuestions				

#	Step / Hook Details	Status	Duration
1	Given User is on Implementation Of BST page	PASSED	0.000 s
2	When User clicks Practice Questions link of tree	PASSED	0.149 s
3	Then User should be redirected to " Practice Questions " Practice Questions of Tree page	PASSED	0.002 s

User go back to the DS Algo home page




#	Step / Hook Details	Status	Duration
1	Given The user is already on Practice Questions page	PASSED	0.001 s
2	When Nothing is displayed on the page	PASSED	0.001 s
3	Then User go back to the "https://dsportalapp.herokuapp.com/home" DS Algo home page	PASSED	0.111 s

Automatating Graph Module pages




Get started to graph from DS Algo home page



#	Step / Hook Details	Status	Duration
1	Given User is on DS algo home page	PASSED	0.006 s
2	When User clicks Get started button	PASSED	0.165 s

#	Step / Hook Details	Status	Duration
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/graph/" graph home page	PASSED	0.005 s


Graph page



#	Step / Hook Details	Status	Duration
1	Given User is on Graph page	PASSED	0.000 s
2	When User clicks Try Here link org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Try here>>>"]"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981bfb338cafab19a651e, findElement {using=xpath, value=/a[text()="Try here>>>"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)	FAILED	0.023 s


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Graph_PF.clickGraphTryHere(Graph_PF.java:67) at stepDefinition.GraphStep.user_clicks_try_here_link(GraphStep.java:93) at ?.User clicks Try Here link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:18) * Not displayable characters are replaced by '?'.		
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.150 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.205 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to Graph page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.110 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.022 s


Graph page second link



#	Step / Hook Details	Status	Duration
1	Given User is on Graph page	PASSED	0.000 s
2	When User clicks Graph Representations link org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='container']/div/div/div/li[2]/a[text()='Graph Representations']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981bfb338cafab19a651e, findElement {using=xpath, value=/div[@class='container']/div/div/div/li[2]/a[text()='Graph Representations']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDatumDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Graph_PF.clickGraphRepresentations(Graph_PF.java:57) at stepDefinition.GraphStep.user_clicks_graph_representations_link(GraphStep.java:116) at ?.User clicks Graph Representations link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:58) * Not displayable characters are replaced by '?'. </pre>		
3	Then User should be redirected to "Graph Representations" Graph Representations page	SKIPPED	0.000 s


Graph Representations page



#	Step / Hook Details	Status	Duration
1	Given User is on Graph Representations page	PASSED	0.000 s
2	<p>When User clicks Try Here link</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Try here>>>"]"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981fbf338cafab19a651e, findElement {using=xpath, value=/a[text()="Try here>>>"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, </pre>	FAILED	0.016 s


#	Step / Hook Details	Status	Duration
	<pre> unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Graph_PF.clickGraphTryHere(Graph_PF.java:67) at stepDefinition.GraphStep.user_clicks_try_here_link(GraphStep.java:93) at ?.User clicks Try Here link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:64) * Not displayable characters are replaced by '?'. </pre>		
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.147 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.234 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to Graph page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.112 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.016 s


Graph page Practice Questions



#	Step / Hook Details	Status	Duration
1	Given User is on Graph page	PASSED	0.000 s
2	When User clicks Practice Questions link org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='container']/div/div/div/a[text()='Practice Questions']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-	FAILED	0.011 s

#	Step / Hook Details	Status	Duration
	<pre>exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cd57bff424981bfb338cafab19a651e, findElement {using=xpath, value=//div[@class='container']/div/div/a[text()='Practice Questions']] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:23498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:23498/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0cd57bff424981bfb338cafab19a651e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Graph_PF.clickPracticeQuestion(Graph_PF.java:62) at stepDefinition.GraphStep.user_clicks_practice_questions_link(GraphStep.java:144) at ?.User clicks Practice Questions link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:104) * Not displayable characters are replaced by '?'.</pre>		
3	Then User should be redirected to " Practice Questions " Practice Questions page	SKIPPED	0.001 s

User go back to the DS Algo home page




#	Step / Hook Details	Status	Duration
1	Given The user is already on Practice Questions page of Graph	PASSED	0.000 s
2	When Nothing is displayed on the page of Practice Questions	PASSED	0.000 s
3	Then User go back to the "https://dsportalapp.herokuapp.com/home" DS home page	PASSED	0.090 s

Signing out from DS Algo Portal



Signing out and Closing the browser



#	Step / Hook Details	Status	Duration
1	Given The user is on DS Algo Home Page	PASSED	0.008 s
2	When The user click the Sign out link	PASSED	0.147 s

#	Step / Hook Details	Status	Duration
3	Then The user able to see successful message "Logged out successfully"	PASSED	0.021 s
4	And The user should able to see his Register and sign in link on the right side of the DS Algo Introduction Page and After user logged out successfully close the browser	PASSED	0.649 s