

# Cucumber Report

Dec 6, 2023, 7:48:56 PM

**Start : Dec 06, 7:48:48.809 PM**

**End : Dec 06, 7:48:55.851 PM**

**Duration : 7.042 s**

Features





PASSED - 0  
FAILED - 10  
SKIPPED - 0

Scenarios

PASSED - 0  
FAILED - 253  
SKIPPED - 0

Steps

PASSED - 147  
FAILED - 253  
SKIPPED - 440




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>To Automate Introduction page of DS_Algo</u>	0.787 s	5	0	5	0	20	9	5	6
<u>to automate Signin page of DS_Algo</u>	0.190 s	8	0	8	0	25	8	8	9
<u>To Automate the page of Data Structure</u>	5.948 s	80	0	80	0	314	41	80	193
<u>To Automate the page of Array</u>	1.223 s	28	0	28	0	84	15	28	41
<u>Automatating Linked List Module pages</u>	1.051 s	31	0	31	0	93	17	31	45
<u>To test the Stack page</u>	0.491 s	15	0	15	0	45	10	15	20
<u>To test the Queue page</u>	0.584 s	19	0	19	0	57	12	19	26
<u>Automatating Tree Module pages</u>	1.436 s	55	0	55	0	165	29	55	81
<u>Automatating Graph Module pages</u>	0.219 s	11	0	11	0	33	6	11	16
<u>Signing out from DS Algo Portal</u>	0.003 s	1	0	1	0	4	0	1	3

<b>Tag</b>	<b>Scenario</b>	<b>Feature</b>							
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<b>Name</b>									
@Browser_page		1	0	1	0	1	0	1	0
@Start_page		1	0	1	0	1	0	1	0
@Intro_page		1	0	1	0	1	0	1	0
@Signin_page(link)		1	0	1	0	1	0	1	0
@Signin_page(allBlank)		7	0	7	0	1	0	1	0
@Signin_page(enteronlyusername)		1	0	1	0	1	0	1	0
@Signin_page(enteronlypwd)		1	0	1	0	1	0	1	0
@Signin_page(invalidusernamePwd)		1	0	1	0	1	0	1	0
@Signin_page(validUsernameinvalidPassword)		1	0	1	0	1	0	1	0
@Signin_page(validUsernameInvPwd)		1	0	1	0	1	0	1	0
@Signin_page(valid)		1	0	1	0	1	0	1	0
@HomePage		1	0	1	0	1	0	1	0
@DSPage		1	0	1	0	1	0	1	0
@ComplexityPage		1	0	1	0	1	0	1	0
@PythonEditor_Bank		35	0	35	0	6	0	6	0
@PythonEditor_Invalid		35	0	35	0	1	0	1	0
@PythonEditor_Valid		73	0	73	0	1	0	1	0


<b>Tag</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@PracticeQuestions		3	0	3	0	3	0	3	0
@Array_page		1	0	1	0	1	0	1	0
@ArraysInPythonPage		1	0	1	0	1	0	1	0
@PythonEditor		25	0	25	0	3	0	3	0
@ArraysUsingList_page		1	0	1	0	1	0	1	0
@ArraysBasicOperation_page		1	0	1	0	1	0	1	0
@ArraysBasicOperation_Tryhere		1	0	1	0	1	0	1	0
@AppOfArray		1	0	1	0	1	0	1	0
@AppOfArray_4Links		1	0	1	0	1	0	1	0
@PythonEdito		1	0	1	0	1	0	1	0
@backtoDSHomePage		5	0	5	0	5	0	5	0
@LinkedList_Page		1	0	1	0	1	0	1	0
@Introduction		1	0	1	0	1	0	1	0
@previousPage		27	0	27	0	4	0	4	0
@CreatingLinkedList		1	0	1	0	1	0	1	0
@TypesofLL		1	0	1	0	1	0	1	0
@ImplementLLInPython		1	0	1	0	1	0	1	0

<b>Tag</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Traversal		1	0	1	0	1	0	1	0
@Insertion		1	0	1	0	1	0	1	0
@Deletion		1	0	1	0	1	0	1	0
@stack_homepage		1	0	1	0	1	0	1	0
@sp_operations		1	0	1	0	1	0	1	0
@Operationseditor		7	0	7	0	2	0	2	0
@sp_implementation		1	0	1	0	1	0	1	0
@sp_application		1	0	1	0	1	0	1	0
@sp_practiceQ		1	0	1	0	1	0	1	0
@qp_Impl_Q_py		1	0	1	0	1	0	1	0
@qp_implementation.deq		1	0	1	0	1	0	1	0
@qp_Imp_array		1	0	1	0	1	0	1	0
@qp_Qoperations		1	0	1	0	1	0	1	0
@qp_pracQues		1	0	1	0	1	0	1	0
@TreePage		1	0	1	0	1	0	1	0
@OverviewofTree		1	0	1	0	1	0	1	0
@Terminologies		1	0	1	0	1	0	1	0

<b>Tag</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@TypesofTrees		1	0	1	0	1	0	1	0
@TreeTraversals		1	0	1	0	1	0	1	0
@TraversalsIllustration		1	0	1	0	1	0	1	0
@BinaryTrees		1	0	1	0	1	0	1	0
@TypesofBinaryTrees		1	0	1	0	1	0	1	0
@ImplementationinPython		1	0	1	0	1	0	1	0
@binaryTreeTraversals		1	0	1	0	1	0	1	0
@ImplementationofBinaryTrees		1	0	1	0	1	0	1	0
@applicationsofBinaryTrees		1	0	1	0	1	0	1	0
@binarySearchTrees		1	0	1	0	1	0	1	0
@implementationofBST		1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>To Automate Introduction page of DS_Algo</u>	5	0	5	0	0.787 s
2	<u>to automate Signin page of DS_Algo</u>	8	0	8	0	0.190 s
3	<u>To Automate the page of Data Structure</u>	80	0	80	0	5.948 s
4	<u>To Automate the page of Array</u>	28	0	28	0	1.223 s
5	<u>Automatating Linked List Module pages</u>	31	0	31	0	1.051 s
6	<u>To test the Stack page</u>	15	0	15	0	0.491 s
7	<u>To test the Queue page</u>	19	0	19	0	0.584 s
8	<u>Automatating Tree Module pages</u>	55	0	55	0	1.436 s
9	<u>Automatating Graph Module pages</u>	11	0	11	0	0.219 s
10	<u>Signing out from DS Algo Portal</u>	1	0	1	0	0.003 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To Automate Introduction page of DS_Algo</u>	<u>Browser page</u>	4	1	1	2	0.537 s
2	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Algo Get Started page</u>	4	1	1	2	0.010 s
3	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	4	2	1	1	0.038 s
4	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	4	2	1	1	0.008 s
5	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	4	3	1	0	0.011 s
6	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	4	1	1	2	0.007 s
7	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	1	1	1	0.008 s
8	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	1	1	1	0.004 s


#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
9	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	1	1	1	0.004 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	1	1	1	0.006 s
11	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	1	1	1	0.005 s
12	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	1	1	1	0.008 s
13	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	1	1	1	0.006 s
14	<u>To Automate the page of Data Structure</u>	<u>Home Page</u>	3	0	1	2	0.007 s
15	<u>To Automate the page of Data Structure</u>	<u>Data Structure Home page</u>	3	1	1	1	0.007 s
16	<u>To Automate the page of Data Structure</u>	<u>Time Complexity Page</u>	3	2	1	0	0.008 s
17	<u>To Automate the page of Data Structure</u>	<u>Python Editor page without data</u>	3	0	1	2	0.005 s
18	<u>To Automate the page of Data Structure</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.605 s
19	<u>To Automate the page of Data Structure</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.066 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.057 s
21	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.040 s
22	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.051 s
23	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.050 s
24	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.034 s
25	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.033 s
26	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.030 s
27	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.037 s
28	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.039 s
29	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.033 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
30	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.035 s
31	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.025 s
32	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.037 s
33	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.036 s
34	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.030 s
35	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.028 s
36	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.042 s
37	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.031 s
38	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.027 s
39	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.022 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
40	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.028 s
41	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.029 s
42	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.023 s
43	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.022 s
44	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.019 s
45	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.024 s
46	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.020 s
47	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.016 s
48	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.029 s
49	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.018 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
50	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.020 s
51	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.016 s
52	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.018 s
53	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.020 s
54	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with Invalid data</a>	4	1	1	2	0.018 s
55	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.004 s
56	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.003 s
57	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.003 s
58	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.004 s
59	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.015 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
60	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.004 s
61	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.003 s
62	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.004 s
63	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.003 s
64	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.006 s
65	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.004 s
66	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.003 s
67	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.004 s
68	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.003 s
69	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.005 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
70	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.004 s
71	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.002 s
72	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.004 s
73	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.005 s
74	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.006 s
75	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.005 s
76	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.004 s
77	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.002 s
78	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.003 s
79	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.002 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
80	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.002 s
81	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.003 s
82	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.002 s
83	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.003 s
84	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.003 s
85	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.003 s
86	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.003 s
87	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.003 s
88	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.002 s
89	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.002 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
90	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.002 s
91	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Python Editor page with valid data</a>	4	0	1	3	0.003 s
92	<a href="#">To Automate the page of Data Structure</a>	<a href="#">User go back to the previous page</a>	3	0	1	2	0.003 s
93	<a href="#">To Automate the page of Data Structure</a>	<a href="#">Time Complexity Page</a>	3	1	1	1	0.003 s
94	<a href="#">To Automate the page of Array</a>	<a href="#">Home Page</a>	3	0	1	2	0.005 s
95	<a href="#">To Automate the page of Array</a>	<a href="#">Array Page</a>	3	1	1	1	0.008 s
96	<a href="#">To Automate the page of Array</a>	<a href="#">Array Page</a>	3	1	1	1	0.005 s
97	<a href="#">To Automate the page of Array</a>	<a href="#">Python Editor page without data</a>	3	0	1	2	0.008 s
98	<a href="#">To Automate the page of Array</a>	<a href="#">User go back to the previous page</a>	3	0	1	2	0.004 s
99	<a href="#">To Automate the page of Array</a>	<a href="#">Array in Python Page</a>	3	1	1	1	0.005 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10-0	<u>To Automate the page of Array</u>	<u>Array Using List Page</u>	3	1	1	1	0.005 s
10-1	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.006 s
10-2	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.007 s
10-3	<u>To Automate the page of Array</u>	<u>Array Using List Page</u>	3	1	1	1	0.004 s
10-4	<u>To Automate the page of Array</u>	<u>Basic operations in Lists page</u>	3	1	1	1	0.005 s
10-5	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.003 s
10-6	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.004 s
10-7	<u>To Automate the page of Array</u>	<u>Basic operations in Lists page</u>	3	1	1	1	0.005 s
10-8	<u>To Automate the page of Array</u>	<u>Application of Array page</u>	3	1	1	1	0.004 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
10-9	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.005 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11-0	<a href="#"><u>To Automate the page of Array</u></a>	<a href="#"><u>Python Editor page without data</u></a>	3	0	1	2	0.004 s
11-1	<a href="#"><u>To Automate the page of Array</u></a>	<a href="#"><u>User go back to the previous page</u></a>	3	0	1	2	0.005 s
11-2	<a href="#"><u>To Automate the page of Array</u></a>	<a href="#"><u>Practice Questions page</u></a>	3	1	1	1	0.005 s
11-3	<a href="#"><u>To Automate the page of Array</u></a>	<a href="#"><u>Python Editor page without data</u></a>	3	0	1	2	0.004 s
11-4	<a href="#"><u>To Automate the page of Array</u></a>	<a href="#"><u>User go back to the previous page</u></a>	3	0	1	2	0.003 s
11-5	<a href="#"><u>To Automate the page of Array</u></a>	<a href="#"><u>Practice Questions page</u></a>	3	1	1	1	0.003 s
11-6	<a href="#"><u>To Automate the page of Array</u></a>	<a href="#"><u>Python Editor page without data</u></a>	3	0	1	2	0.002 s
11-7	<a href="#"><u>To Automate the page of Array</u></a>	<a href="#"><u>User go back to the previous page</u></a>	3	0	1	2	0.003 s
11-8	<a href="#"><u>To Automate the page of Array</u></a>	<a href="#"><u>Practice Questions page</u></a>	3	1	1	1	0.003 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
11-9	<u>To Automate the page of Array</u>	<u>User is on Python editor page</u>	3	1	1	1	0.004 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
12-0	<a href="#"><u>To Automate the page of Array</u></a>	<a href="#"><u>Python Editor page without data</u></a>	3	0	1	2	0.004 s
12-1	<a href="#"><u>To Automate the page of Array</u></a>	<a href="#"><u>User go back to the DSHome page</u></a>	3	2	1	0	0.004 s
12-2	<a href="#"><u>Automatating Linked List Module pages</u></a>	<a href="#"><u>Get started to Linked List from DS Algo home page</u></a>	3	0	1	2	0.011 s
12-3	<a href="#"><u>Automatating Linked List Module pages</u></a>	<a href="#"><u>Introduction link of Linked List module</u></a>	3	1	1	1	0.003 s
12-4	<a href="#"><u>Automatating Linked List Module pages</u></a>	<a href="#"><u>Introduction page</u></a>	3	1	1	1	0.003 s
12-5	<a href="#"><u>Automatating Linked List Module pages</u></a>	<a href="#"><u>Python Editor page without data</u></a>	3	0	1	2	0.003 s
12-6	<a href="#"><u>Automatating Linked List Module pages</u></a>	<a href="#"><u>User go back to the previous page</u></a>	3	0	1	2	0.003 s
12-7	<a href="#"><u>Automatating Linked List Module pages</u></a>	<a href="#"><u>Creating Linked Llist link of Linked List module</u></a>	3	1	1	1	0.004 s
12-8	<a href="#"><u>Automatating Linked List Module pages</u></a>	<a href="#"><u>Creating Linked Llist page</u></a>	3	1	1	1	0.003 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<b>Duration</b>
12-9	<u>Automatating Linked List Module pages</u>	<u>Python Editor page without data</u>	3	0	1	2	0.003 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
13-0	<a href="#">Automatating Linked List Module pages</a>	<a href="#">User go back to the previous page</a>	3	0	1	2	0.003 s
13-1	<a href="#">Automatating Linked List Module pages</a>	<a href="#">Types of Linked List link of Linked List module</a>	3	1	1	1	0.004 s
13-2	<a href="#">Automatating Linked List Module pages</a>	<a href="#">Types of Linked List page</a>	3	1	1	1	0.004 s
13-3	<a href="#">Automatating Linked List Module pages</a>	<a href="#">Python Editor page without data</a>	3	0	1	2	0.005 s
13-4	<a href="#">Automatating Linked List Module pages</a>	<a href="#">User go back to the previous page</a>	3	0	1	2	0.004 s
13-5	<a href="#">Automatating Linked List Module pages</a>	<a href="#">Implement Linked List in Python link of Linked List module</a>	3	1	1	1	0.005 s
13-6	<a href="#">Automatating Linked List Module pages</a>	<a href="#">Implement Linked List in Python page</a>	3	1	1	1	0.006 s
13-7	<a href="#">Automatating Linked List Module pages</a>	<a href="#">Python Editor page without data</a>	3	0	1	2	0.004 s
13-8	<a href="#">Automatating Linked List Module pages</a>	<a href="#">User go back to the previous page</a>	3	0	1	2	0.002 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<b>Duration</b>
13-9	<u>Automatating Linked List Module pages</u>	<u>Traversal link of Linked List module</u>	3	1	1	1	0.004 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
14-0	<u>Automatating Linked List Module pages</u>	<u>Traversal page</u>	3	1	1	1	0.003 s
14-1	<u>Automatating Linked List Module pages</u>	<u>Python Editor page without data</u>	3	0	1	2	0.003 s
14-2	<u>Automatating Linked List Module pages</u>	<u>User go back to the previous page</u>	3	0	1	2	0.004 s
14-3	<u>Automatating Linked List Module pages</u>	<u>Insertion link of Linked List module</u>	3	1	1	1	0.004 s
14-4	<u>Automatating Linked List Module pages</u>	<u>Insertion page</u>	3	1	1	1	0.004 s
14-5	<u>Automatating Linked List Module pages</u>	<u>Python Editor page without data</u>	3	0	1	2	0.003 s
14-6	<u>Automatating Linked List Module pages</u>	<u>User go back to the previous page</u>	3	0	1	2	0.003 s
14-7	<u>Automatating Linked List Module pages</u>	<u>Deletion link of Linked List module</u>	3	1	1	1	0.004 s
14-8	<u>Automatating Linked List Module pages</u>	<u>Deletion page</u>	3	1	1	1	0.003 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<b>Duration</b>
14-9	<u>Automatating Linked List Module pages</u>	<u>Python Editor page without data</u>	3	0	1	2	0.004 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
15-0	<u>Automatating Linked List Module pages</u>	<u>User go back to the previous page</u>	3	0	1	2	0.004 s
15-1	<u>Automatating Linked List Module pages</u>	<u>Practice Questions link of Linked List module</u>	3	1	1	1	0.004 s
15-2	<u>Automatating Linked List Module pages</u>	<u>User go back to the DS Algo home page</u>	3	2	1	0	0.010 s
15-3	<u>To test the Stack page</u>	<u>Enter into Stack page</u>	3	1	1	1	0.005 s
15-4	<u>To test the Stack page</u>	<u>User Perform Operations on Stack page</u>	3	1	1	1	0.009 s
15-5	<u>To test the Stack page</u>	<u>check user directed to tryeditor</u>	3	1	1	1	0.007 s
15-6	<u>To test the Stack page</u>	<u>Python Editor page without data</u>	3	0	1	2	0.004 s
15-7	<u>To test the Stack page</u>	<u>User go back to the previous page</u>	3	0	1	2	0.004 s
15-8	<u>To test the Stack page</u>	<u>To test the Implementation on stack page</u>	3	1	1	1	0.004 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<b>Duration</b>
15-9	<u>To test the Stack page</u>	<u>check user directed to tryeditor</u>	3	1	1	1	0.003 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
16-0	<u>To test the Stack page</u>	<u>Python Editor page without data</u>	3	0	1	2	0.004 s
16-1	<u>To test the Stack page</u>	<u>User go back to the previous page</u>	3	0	1	2	0.003 s
16-2	<u>To test the Stack page</u>	<u>To test application on stack page</u>	3	1	1	1	0.003 s
16-3	<u>To test the Stack page</u>	<u>check user directed to tryeditor</u>	3	1	1	1	0.004 s
16-4	<u>To test the Stack page</u>	<u>Python Editor page without data</u>	3	0	1	2	0.002 s
16-5	<u>To test the Stack page</u>	<u>User go back to the previous page</u>	3	0	1	2	0.003 s
16-6	<u>To test the Stack page</u>	<u>To test practice questions on stack page</u>	3	1	1	1	0.006 s
16-7	<u>To test the Stack page</u>	<u>User go back to the DS Algo home page</u>	3	2	1	0	0.006 s
16-8	<u>To test the Queue page</u>	<u>Enter into Queue page</u>	3	1	1	1	0.007 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
16-9	<u>To test the Queue page</u>	<u>User Perform Implementation in python on queue page</u>	3	1	1	1	0.004 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
17-0	<u>To test the Queue page</u>	<u>check user is directed to tryeditor</u>	3	1	1	1	0.004 s
17-1	<u>To test the Queue page</u>	<u>Python Editor page without data</u>	3	0	1	2	0.003 s
17-2	<u>To test the Queue page</u>	<u>User go back to the previous page</u>	3	0	1	2	0.004 s
17-3	<u>To test the Queue page</u>	<u>To test the Implementation.dq on queue page</u>	3	1	1	1	0.003 s
17-4	<u>To test the Queue page</u>	<u>check user directed to tryeditor</u>	3	1	1	1	0.004 s
17-5	<u>To test the Queue page</u>	<u>Python Editor page without data</u>	3	0	1	2	0.003 s
17-6	<u>To test the Queue page</u>	<u>User go back to the previous page</u>	3	0	1	2	0.003 s
17-7	<u>To test the Queue page</u>	<u>To test the Implementation using array</u>	3	1	1	1	0.006 s
17-8	<u>To test the Queue page</u>	<u>check user directed to tryeditor</u>	3	1	1	1	0.003 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<b>Duration</b>
17-9	<u>To test the Queue page</u>	<u>Python Editor page without data</u>	3	0	1	2	0.002 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18-0	<u>To test the Queue page</u>	<u>User go back to the previous page</u>	3	0	1	2	0.004 s
18-1	<u>To test the Queue page</u>	<u>To perform Queue Operations</u>	3	1	1	1	0.003 s
18-2	<u>To test the Queue page</u>	<u>check user directed to tryeditor</u>	3	1	1	1	0.002 s
18-3	<u>To test the Queue page</u>	<u>Python Editor page without data</u>	3	0	1	2	0.003 s
18-4	<u>To test the Queue page</u>	<u>User go back to the previous page</u>	3	0	1	2	0.003 s
18-5	<u>To test the Queue page</u>	<u>to test practice question link</u>	3	1	1	1	0.002 s
18-6	<u>To test the Queue page</u>	<u>User go back to the DS Algo home page</u>	3	2	1	0	0.003 s
18-7	<u>Automatating Tree Module pages</u>	<u>Get started to Tree from DS Algo home page</u>	3	0	1	2	0.002 s
18-8	<u>Automatating Tree Module pages</u>	<u>Tree home page Link</u>	3	1	1	1	0.003 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<b>Duration</b>
18-9	<u>Automatating Tree Module pages</u>	<u>Overview of Trees page</u>	3	1	1	1	0.003 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
19-0	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	0	1	2	0.001 s
19-1	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	0	1	2	0.002 s
19-2	<u>Automatating Tree Module pages</u>	<u>Terminologies page Link</u>	3	1	1	1	0.003 s
19-3	<u>Automatating Tree Module pages</u>	<u>Terminologies page</u>	3	1	1	1	0.005 s
19-4	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	0	1	2	0.002 s
19-5	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	0	1	2	0.003 s
19-6	<u>Automatating Tree Module pages</u>	<u>Types of Trees page Link</u>	3	1	1	1	0.005 s
19-7	<u>Automatating Tree Module pages</u>	<u>Types of Trees page</u>	3	1	1	1	0.004 s
19-8	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	0	1	2	0.003 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
19-9	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	0	1	2	0.004 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
20-0	<u>Automatating Tree Module pages</u>	<u>Tree Traversals page Link</u>	3	1	1	1	0.003 s
20-1	<u>Automatating Tree Module pages</u>	<u>Tree Traversals page</u>	3	1	1	1	0.003 s
20-2	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	0	1	2	0.002 s
20-3	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	0	1	2	0.002 s
20-4	<u>Automatating Tree Module pages</u>	<u>Traversals-Illustration page Link</u>	3	1	1	1	0.002 s
20-5	<u>Automatating Tree Module pages</u>	<u>Traversals-Illustration page</u>	3	1	1	1	0.005 s
20-6	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	0	1	2	0.002 s
20-7	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	0	1	2	0.003 s
20-8	<u>Automatating Tree Module pages</u>	<u>Binary Trees page Link</u>	3	1	1	1	0.003 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<b>Duration</b>
20-9	<u>Automatating Tree Module pages</u>	<u>Binary Trees page</u>	3	1	1	1	0.009 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
21-0	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	0	1	2	0.004 s
21-1	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	0	1	2	0.003 s
21-2	<u>Automatating Tree Module pages</u>	<u>Types of Binary Trees page Link</u>	3	1	1	1	0.002 s
21-3	<u>Automatating Tree Module pages</u>	<u>Types of Binary Trees page</u>	3	1	1	1	0.003 s
21-4	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	0	1	2	0.002 s
21-5	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	0	1	2	0.003 s
21-6	<u>Automatating Tree Module pages</u>	<u>Implementation in Python page Link</u>	3	1	1	1	0.004 s
21-7	<u>Automatating Tree Module pages</u>	<u>Implementation in Python page</u>	3	1	1	1	0.003 s
21-8	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	0	1	2	0.002 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<b>Duration</b>
21-9	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	0	1	2	0.002 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
22-0	<u>Automatating Tree Module pages</u>	<u>Binary Tree Traversals page Link</u>	3	1	1	1	0.002 s
22-1	<u>Automatating Tree Module pages</u>	<u>Binary Tree Traversals page</u>	3	1	1	1	0.004 s
22-2	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	0	1	2	0.003 s
22-3	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	0	1	2	0.003 s
22-4	<u>Automatating Tree Module pages</u>	<u>Implementation of Binary Trees page Link</u>	3	1	1	1	0.003 s
22-5	<u>Automatating Tree Module pages</u>	<u>Implementation of Binary Trees page</u>	3	1	1	1	0.002 s
22-6	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	0	1	2	0.001 s
22-7	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	0	1	2	0.002 s
22-8	<u>Automatating Tree Module pages</u>	<u>Applications of Binary trees page Link</u>	3	1	1	1	0.002 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
22-9	<u>Automatating Tree Module pages</u>	<u>Applications of Binary trees page</u>	3	1	1	1	0.003 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
23-0	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	0	1	2	0.003 s
23-1	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	0	1	2	0.002 s
23-2	<u>Automatating Tree Module pages</u>	<u>Binary Search Trees page Link</u>	3	1	1	1	0.003 s
23-3	<u>Automatating Tree Module pages</u>	<u>Binary Search Trees page</u>	3	1	1	1	0.004 s
23-4	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	0	1	2	0.002 s
23-5	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	0	1	2	0.002 s
23-6	<u>Automatating Tree Module pages</u>	<u>Implementation Of BST page Link</u>	3	1	1	1	0.003 s
23-7	<u>Automatating Tree Module pages</u>	<u>Implementation Of BST page</u>	3	1	1	1	0.003 s
23-8	<u>Automatating Tree Module pages</u>	<u>Python Editor page without data</u>	3	0	1	2	0.001 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<b>Duration</b>
23-9	<u>Automatating Tree Module pages</u>	<u>User go back to the previous page</u>	3	0	1	2	0.003 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
24-0	<u>Automatating Tree Module pages</u>	<u>Tree page Practice Questions</u>	3	1	1	1	0.002 s
24-1	<u>Automatating Tree Module pages</u>	<u>User go back to the DS Algo home page</u>	3	2	1	0	0.003 s
24-2	<u>Automatating Graph Module pages</u>	<u>Get started to graph from DS Algo home page</u>	3	0	1	2	0.003 s
24-3	<u>Automatating Graph Module pages</u>	<u>Graph home page</u>	3	0	1	2	0.002 s
24-4	<u>Automatating Graph Module pages</u>	<u>Graph page</u>	3	1	1	1	0.002 s
24-5	<u>Automatating Graph Module pages</u>	<u>Python Editor page without data</u>	3	0	1	2	0.002 s
24-6	<u>Automatating Graph Module pages</u>	<u>User go back to Graph page</u>	3	0	1	2	0.002 s
24-7	<u>Automatating Graph Module pages</u>	<u>Graph page second link</u>	3	1	1	1	0.002 s
24-8	<u>Automatating Graph Module pages</u>	<u>Graph Representations page</u>	3	1	1	1	0.003 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
24-9	<u>Automatating Graph Module pages</u>	<u>Python Editor page without data</u>	3	0	1	2	0.002 s




#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
25-0	<u>Automatating Graph Module pages</u>	<u>User go back to Graph page</u>	3	0	1	2	0.003 s
25-1	<u>Automatating Graph Module pages</u>	<u>Graph page Practice Questions</u>	3	1	1	1	0.002 s
25-2	<u>Automatating Graph Module pages</u>	<u>User go back to the DS Algo home page</u>	3	2	1	0	0.002 s
25-3	<u>Signing out from DS Algo Portal</u>	<u>Signing out and Closing the browser</u>	4	0	1	3	0.003 s

## To Automate Introduction page of DS\_Algo




### Browser page




#	Step / Hook Details	Status	Duration
1	Given The Trio Team Challengers starts testing the Data Structure Algo portal.	PASSED	0.004 s
2	Given The user should be open the browser <pre>java.io.FileNotFoundException: C:\Users\OVI\eclipse-workspace\DSAlgo_Cucumber\src\test\resources\configFiles\config.properties (The system cannot find the path specified)   at java.base/java.io.FileInputStream.open0(Native Method)   at java.base/java.io.FileInputStream.open(FileInputStream.java:219)   at java.base/java.io.FileInputStream.&lt;init&gt;(FileInputStream.java:158)   at java.base/java.io.FileInputStream.&lt;init&gt;(FileInputStream.java:112)   at java.base/java.io.FileReader.&lt;init&gt;(FileReader.java:60)   at utilities.BaseClass.setUp(BaseClass.java:31)   at stepDefinition.ds_AlgoPortalSteps.the_user_should_be_open_the_browser(ds_AlgoPortalSteps.java:39)   at ?.The user should be open the browser(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/01_dslntro.feature:8) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.006 s
3	When The user enter the DS_Algo Portal https://dsportalapp.herokuapp.com/	SKIPPED	0.000 s
4	Then The user should landed on the DS_Algo Get Started page with message "You are at the right place"	SKIPPED	0.001 s

## DS Algo Get Started page



#	Step / Hook Details	Status	Duration
1	Given The Trio Team Challengers starts testing the Data Structure Algo portal.	PASSED	0.001 s
2	Given The user should open the DS Algo Portal URL in any supported browser  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getTitle()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getTitle(BaseClass.java:77) at stepDefinition.ds_AlgoPortalSteps.the_user_should_open_the_ds_algo_portal_url_in_any_supported_browser(ds_AlgoPortalSteps.java:63) at ?.The user should open the DS Algo Portal URL in any supported browser(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/01_dslintro.feature:18) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
3	When The user clicks the Get Started button	SKIPPED	0.000 s
4	Then The user should land in Data Structure Introduction Page with "Register" and "Sign in" links	SKIPPED	0.001 s


## DS Introduction page



#	Step / Hook Details	Status	Duration
1	Given The Trio Team Challengers starts testing the Data Structure Algo portal.	PASSED	0.001 s
2	Given The user is on the DS Introduction page	PASSED	0.030 s

#	Step / Hook Details	Status	Duration
3	<p>When The user clicks the data structure dropdown arrow</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)     at pagefactory.DSIntro_PF.clickDSDropdown(DSIntro_PF.java:40)     at stepDefinition.ds_AlgoPortalSteps.the_user_clicks_the_data_structure_dropdown_arrow(ds_AlgoPortalSteps.java:101)     at ?.The user clicks the data structure dropdown arrow(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/01_dsIntro.feature:25) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s
4	Then The user should able to see 6 options Arrays "Linked,List,Stack,Queue,Tree,Graph" in dropdown menu	SKIPPED	0.000 s


## DS Introduction page



#	Step / Hook Details	Status	Duration
1	Given The Trio Team Challengers starts testing the Data Structure Algo portal.	PASSED	0.001 s
2	Given The user is on the DS Introduction page	PASSED	0.002 s
3	<p>When The user selects any data structures item from the drop down without Sign in.</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)     at pagefactory.DSIntro_PF.clickLinkedListDropdown(DSIntro_PF.java:32)     at stepDefinition.ds_AlgoPortalSteps. the_user_selects_any_data_structures_item_from_the_drop_down_without_sign_in(ds_AlgoPortalSteps.java:117)     at ?.The user selects any data structures item from the drop down without Sign in.(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/01_dsIntro.feature:30)</pre>	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
4	Then The user should able to see an warning message "You are not logged in"	SKIPPED	0.002 s

## DS Introduction page




#	Step / Hook Details	Status	Duration
1	Given The Trio Team Challengers starts testing the Data Structure Algo portal.	PASSED	0.000 s
2	Given The user is on the DS Introduction page	PASSED	0.001 s
3	When The user clicks any "Get Started" buttons of data structures on the DS Introduction page	PASSED	0.001 s
4	Then The user should able to see an warning message "You are not logged in"  <i>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null</i> <i>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</i> <i>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</i> <i>at jdk.proxy2/jdk.proxy2.\$Proxy59.getText(Unknown Source)</i> <i>at pagefactory.DSIntro_PF.getText(DSIntro_PF.java:35)</i> <i>at stepDefinition.ds_AlgoPortalSteps.the_user_should_able_to_see_an_warning_message(ds_AlgoPortalSteps.java:123)</i> <i>at ?.The user should able to see an warning message "You are not logged in"(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/01_dslntro.feature:36)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.002 s

**to automate Signin page of DS\_Algo**





## DS Algo Introduction Page





#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.002 s
2	When The user should click the Sign in link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.DSIntro_PF.clickSignin(DSIntro_PF.java:66) at stepDefinition.ds_AlgoSigninSteps.the_user_should_click_the_sign_in_link(ds_AlgoSigninSteps.java:31) at ?.The user should click the Sign in link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/03_dsSignin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then The user should be redirected to Sign in page	SKIPPED	0.000 s
4	And The user is able to see "Register!" link below the text boxes	SKIPPED	0.000 s

## DS Algo Introduction Page

FAILED	DURATION - 0.008 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 7:48:49.655 PM // 7:48:49.663 PM /				
to automate Signin page of DS_Algo				
@Signin_page(allBlank)				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after leaving the "" textbox and "" textbox blank  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Signin_PF.ClickLogin(Signin_PF.java:75) at stepDefinition.ds_AlgoSigninSteps.the_user_clicks_login_button_after_leaving_the_textbox_and_textbox_blank(ds_AlgoSigninSteps.java:65) at ?.The user clicks login button after leaving the "" textbox and "" textbox blank(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/03_dsSignin.feature:14) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then The error message "Please fill out this field." appears below Username textbox	SKIPPED	0.001 s


## DS Algo Introduction Page

FAILED	DURATION - 0.004 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 7:48:49.681 PM // 7:48:49.685 PM /				
to automate Signin page of DS_Algo				
@Signin_page(enteronlyusername)				
@Signin_page(allBlank)				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
2	<p>When The user clicks login button after entering the "Trioteamchallengers" and leaves "" textbox blank</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy59.sendKeys(Unknown Source)     at pagefactory.Signin_PF.validUsernameAndBlankPassword(Signin_PF.java:58)     at stepDefinition.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_the_and_leaves_textbox_blank(ds_AlgoSigninSteps.java:71)     at ?.The user clicks login button after entering the "Trioteamchallengers" and leaves "" textbox blank(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/03_dsSignin.feature:23) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s
3	Then The error message "Please fill out this field." appears below Pwd textbox	SKIPPED	0.000 s


## DS Algo Introduction Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	<p>When The user clicks login button after entering the "ds@qateam334h" only.</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy59.clear(Unknown Source)     at pagefactory.Signin_PF.enterPwdonly(Signin_PF.java:36)     at stepDefinition.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_the_only(ds_AlgoSigninSteps.java:105)     at ?.The user clicks login button after entering the "ds@qateam334h" only.(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/03_dsSignin.feature:32) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
3	Then The error message "Please fill out this field." appears below Username textbox	SKIPPED	0.000 s

## DS Algo Introduction Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering invalid "teamchallengers" and invalid "ds@qateam334h"  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)           at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)           at jdk.proxy2/jdk.proxy2.\$Proxy59.sendKeys(Unknown Source)           at pagefactory.Signin_PF.invalidUsernamePwd(Signin_PF.java:48)           at stepDefinition.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_invalid_and_invalid(ds_AlgoSigninSteps.java:92)           at ?.The user clicks login button after entering invalid "teamchallengers" and invalid "ds@qateam334h"(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/03_dsSignin.feature:41)           * Not displayable characters are replaced by '?'.	FAILED	0.002 s
3	Then The user should able to see an error message "Invalid Username and Password".	SKIPPED	0.000 s

## DS Algo Introduction Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	<p>When The user clicks login button after entering valid "Trioteamchallengers" and invalid ""</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy59.sendKeys(Unknown Source)     at pagefactory.Signin_PF.validUsernameAndInvalidPassword(Signin_PF.java:53)     at stepDefinition.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_valid_and_invalid(ds_AlgoSigninSteps.java:55)     at ?.The user clicks login button after entering valid "Trioteamchallengers" and invalid ""(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/03_dsSignin.feature:50) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s
3	Then The user should able to see an error message "Invalid Username and Password".	SKIPPED	0.000 s


## DS Algo Introduction Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	<p>When The user clicks login button after entering valid "Trioteamchallengers" and invalid "ds@qateam334h"</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy59.sendKeys(Unknown Source)     at pagefactory.Signin_PF.validUsernameAndInvalidPassword(Signin_PF.java:53)     at stepDefinition.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_valid_and_invalid(ds_AlgoSigninSteps.java:55)     at ?.The user clicks login button after entering valid "Trioteamchallengers" and invalid "ds@qateam334h"(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/03_dsSignin.feature:59) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
3	Then The error message "Please fill out this field." appears below Username textbox	SKIPPED	0.000 s

## DS Algo Introduction Page





#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and valid "triothebest@123"  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.sendKeys(Unknown Source) at pagefactory.Signin_PF.validUsernameAndBlankPassword(Signin_PF.java:58) at stepDefinition.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_valid_and_valid(ds_AlgoSigninSteps.java:122) at ?.The user clicks login button after entering valid "Trioteamchallengers" and valid "triothebest@123"(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/03_dsSignin.feature:68) * Not displayable characters are replaced by '?'.  / 7:48:49.848 PM // 7:48:55.796 PM /	FAILED	0.002 s
3	Then The user should land in Data Structure Home Page with "You are logged in" message	SKIPPED	0.001 s

## To Automate the page of Data Structure





## Home Page

FAILED	DURATION - 0.007 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 7:48:49.848 PM // 7:48:49.855 PM /				
To Automate the page of Data Structure				
@HomePage				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getCurrentUrl()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getCurrentUrl(BaseClass.java:74) at stepDefinition.ds_AlgoPortalSteps.the_user_is_on_the_ds_algo_home_page(ds_AlgoPortalSteps.java:335) at ?.The user is on the DS Algo Home Page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/04_dsDataStructInt.feature:5) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s
2	When The user clicks Get Started button below the Data structures-Introduction	SKIPPED	0.000 s
3	Then The user should land in "Data Structures-Introduction" DS page	SKIPPED	0.000 s


## Data Structure Home page

FAILED	DURATION - 0.007 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 7:48:49.882 PM // 7:48:49.889 PM /				
To Automate the page of Data Structure				
@DSPage				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Data Structure Introduction Page	PASSED	0.002 s
2	When The user clicks Time Complexity link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.DataStructureIntro_PF.ClickDStimeComplexity(DataStructureIntro_PF.java:26) at stepDefinition.ds_AlgoDataStructInt.the_user_clicks_time_complexity_link(ds_AlgoDataStructInt.java:43) at ?.The user clicks Time Complexity link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/04_dsDataStructInt.feature:12) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to "Time Complexity" TC page	SKIPPED	0.000 s

## Time Complexity Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.002 s
2	When The user clicks Try Here button of Time Complexity page	PASSED	0.001 s
3	Then The user should be redirected to a page having an Python Editor <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getCurrentUrl()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getCurrentUrl(BaseClass.java:74) at stepDefinition.ds_AlgoDataStructInt.the_user_should_be_redirected_to_a_page_having_an_python_editor(ds_AlgoDataStructInt.java:81) at ?.The user should be redirected to a page having an Python Editor(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/04_dsDataStructInt.feature:19) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s

## Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/04_dsDataStructInt.feature:23) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s


### Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null	FAILED	0.600 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107)     at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/04_dsDataStructInt.feature:30) * Not displayable characters are replaced by '?'. </pre>		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


### Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source)     at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75)     at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107)     at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:30) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.062 s


#	Step / Hook Details	Status	Duration
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

## Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	<p>And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source)     at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75)     at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107)     at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:75) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.052 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

## Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:120) * Not displayable characters are replaced by '?'.	FAILED	0.038 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

## Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:171) * Not displayable characters are replaced by '?'. 	FAILED	0.046 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


## Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) 	FAILED	0.045 s


#	Step / Hook Details	Status	Duration
	at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:210) * Not displayable characters are replaced by '?'. 3 When The User clicks a run button 4 Then The user see error msg in alert window and press ok button		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:249) * Not displayable characters are replaced by '?'. 3 When The User clicks a run button 4 Then The user see error msg in alert window and press ok button	FAILED	0.031 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:297) * Not displayable characters are replaced by '?'.	FAILED	0.029 s
3	When The User clicks a run button	SKIPPED	0.001 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:31) * Not displayable characters are replaced by '?'. 	FAILED	0.026 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


## Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) 	FAILED	0.033 s


#	Step / Hook Details	Status	Duration
	at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:78) * Not displayable characters are replaced by '?'.  3 When The User clicks a run button 4 Then The user see error msg in alert window and press ok button		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:125) * Not displayable characters are replaced by '?'.  3 When The User clicks a run button 4 Then The user see error msg in alert window and press ok button	FAILED	0.035 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.002 s

### Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:172) * Not displayable characters are replaced by '?'.	FAILED	0.030 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:219) * Not displayable characters are replaced by '?'. 	FAILED	0.031 s
3	When The User clicks a run button	SKIPPED	0.001 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


## Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) 	FAILED	0.023 s


#	Step / Hook Details	Status	Duration
	at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:266) * Not displayable characters are replaced by '?'.  3 When The User clicks a run button 4 Then The user see error msg in alert window and press ok button		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:313) * Not displayable characters are replaced by '?'.  3 When The User clicks a run button 4 Then The user see error msg in alert window and press ok button	FAILED	0.034 s
3	When The User clicks a run button	SKIPPED	0.001 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:30) * Not displayable characters are replaced by '?'.	FAILED	0.033 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:77) * Not displayable characters are replaced by '?'. 	FAILED	0.028 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


## Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) 	FAILED	0.025 s


#	Step / Hook Details	Status	Duration
	at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:124) * Not displayable characters are replaced by '?'. 3 When The User clicks a run button 4 Then The user see error msg in alert window and press ok button		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:30) * Not displayable characters are replaced by '?'. 3 When The User clicks a run button 4 Then The user see error msg in alert window and press ok button	FAILED	0.038 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.001 s

### Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:77) * Not displayable characters are replaced by '?'.	FAILED	0.030 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:124) * Not displayable characters are replaced by '?'. 	FAILED	0.024 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


## Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) 	FAILED	0.020 s


#	Step / Hook Details	Status	Duration
	<pre>at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:171) * Not displayable characters are replaced by '?'.</pre>		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	<p>And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:31) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.025 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.001 s

### Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:78) * Not displayable characters are replaced by '?'.	FAILED	0.027 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:125) * Not displayable characters are replaced by '?'. 	FAILED	0.020 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


## Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) 	FAILED	0.020 s


#	Step / Hook Details	Status	Duration
	at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:172) * Not displayable characters are replaced by '?'. 3 When The User clicks a run button 4 Then The user see error msg in alert window and press ok button		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:219) * Not displayable characters are replaced by '?'. 3 When The User clicks a run button 4 Then The user see error msg in alert window and press ok button	FAILED	0.016 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:266) * Not displayable characters are replaced by '?'.	FAILED	0.023 s
3	When The User clicks a run button	SKIPPED	0.001 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:313) * Not displayable characters are replaced by '?'. 	FAILED	0.018 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


## Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) 	FAILED	0.015 s


#	Step / Hook Details	Status	Duration
	at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:360) * Not displayable characters are replaced by '?'. 3 When The User clicks a run button 4 Then The user see error msg in alert window and press ok button		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:407) * Not displayable characters are replaced by '?'. 3 When The User clicks a run button 4 Then The user see error msg in alert window and press ok button	FAILED	0.026 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:454) * Not displayable characters are replaced by '?'.	FAILED	0.016 s
3	When The User clicks a run button	SKIPPED	0.001 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:501) * Not displayable characters are replaced by '?'. 	FAILED	0.019 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


## Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) 	FAILED	0.014 s


#	Step / Hook Details	Status	Duration
	at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:548) * Not displayable characters are replaced by '?'. 3 When The User clicks a run button 4 Then The user see error msg in alert window and press ok button		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:595) * Not displayable characters are replaced by '?'. 3 When The User clicks a run button 4 Then The user see error msg in alert window and press ok button	FAILED	0.016 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:25) * Not displayable characters are replaced by '?'.	FAILED	0.018 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.001 s

### Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.isDisplayed(Unknown Source) at pagefactory.TryEditor_PF.enterInvalidCode(TryEditor_PF.java:75) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:107) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:65) * Not displayable characters are replaced by '?'. 	FAILED	0.016 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


## Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/04_dsDataStructInt.feature:40) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.001 s


#	Step / Hook Details	Status	Duration
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:40) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.001 s

### Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:85) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:130) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:181) * Not displayable characters are replaced by '?'. 	FAILED	0.006 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.001 s
4	Then output should be displayed on the console	SKIPPED	0.000 s


## Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71)	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:220) * Not displayable characters are replaced by '?'.  		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.001 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:259) * Not displayable characters are replaced by '?'.  	FAILED	0.000 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.001 s

### Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:309) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.001 s


## Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71)	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:41) * Not displayable characters are replaced by '?'.  		
2	And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3	SKIPPED	0.001 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:88) * Not displayable characters are replaced by '?'.  	FAILED	0.002 s
2	And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:135) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3	SKIPPED	0.001 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s


## Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71)	FAILED	0.000 s



#	Step / Hook Details	Status	Duration
	at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:182) * Not displayable characters are replaced by '?'.  		
2	And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data





#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  <code>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null</code> <code>at utilities.BaseClass.openPage(BaseClass.java:71)</code> <code>at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21)</code> <code>at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:229)</code> * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data

FAILED	DURATION - 0.003 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 7:48:52.779 PM // 7:48:52.782 PM /				
To Automate the page of Data Structure				
@PythonEditor_Valid				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:276) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s


## Python Editor page with valid data

FAILED	DURATION - 0.005 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 7:48:52.926 PM // 7:48:52.931 PM /				
To Automate the page of Data Structure				
@PythonEditor_Valid				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71)	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:323) * Not displayable characters are replaced by '?'.  		
2	And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3	SKIPPED	0.002 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:40) * Not displayable characters are replaced by '?'.  	FAILED	0.001 s
2	And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3	SKIPPED	0.001 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:87) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3	SKIPPED	0.001 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s


## Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71)	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:134) * Not displayable characters are replaced by '?'.  		
2	And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:40) * Not displayable characters are replaced by '?'.  	FAILED	0.000 s
2	And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.001 s

### Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:87) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s
2	And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3	SKIPPED	0.001 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s


## Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71)	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:134) * Not displayable characters are replaced by '?'.  		
2	And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:181) * Not displayable characters are replaced by '?'.  	FAILED	0.001 s
2	And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:41) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s


## Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71)</pre>	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:88) * Not displayable characters are replaced by '?'.  		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:135) * Not displayable characters are replaced by '?'.  	FAILED	0.000 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.001 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:182) * Not displayable characters are replaced by '?'. 	FAILED	0.000 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.001 s


## Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71)	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:229) * Not displayable characters are replaced by '?'.  		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:276) * Not displayable characters are replaced by '?'.  	FAILED	0.000 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:323) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.001 s


## Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71)</pre>	FAILED	0.000 s



#	Step / Hook Details	Status	Duration
	at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:370) * Not displayable characters are replaced by '?'.  		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data





#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:417) * Not displayable characters are replaced by '?'.  	FAILED	0.001 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data

FAILED	DURATION - 0.003 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 7:48:55.257 PM // 7:48:55.260 PM /				
To Automate the page of Data Structure				
@PythonEditor_Valid				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:464) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s


## Python Editor page with valid data

FAILED	DURATION - 0.003 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 7:48:55.363 PM // 7:48:55.366 PM /				
To Automate the page of Data Structure				
@PythonEditor_Valid				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71)	FAILED	0.000 s


#	Step / Hook Details	Status	Duration
	at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:511) * Not displayable characters are replaced by '?'.  		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.001 s

### Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:558) * Not displayable characters are replaced by '?'.  	FAILED	0.000 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:605) * Not displayable characters are replaced by '?'. 	FAILED	0.000 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.001 s
4	Then output should be displayed on the console	SKIPPED	0.000 s


## Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71)	FAILED	0.000 s


#	Step / Hook Details	Status	Duration
	at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:34) * Not displayable characters are replaced by '?'.  		
2	And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:74) * Not displayable characters are replaced by '?'.  	FAILED	0.001 s
2	And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.001 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

User go back to the previous page



#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/04_dsDataStructInt.feature:50) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.002 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

## Time Complexity Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.000 s
2	<p>When The user clicks Practice Questions link of DS</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.DataStructureIntro_PF.clickPracticeQuestions(DataStructureIntro_PF.java:21) at stepDefinition.ds_AlgoDataStructInt.the_user_clicks_practice_questions_link_of_ds(ds_AlgoDataStructInt.java:67) at ?.The user clicks Practice Questions link of DS(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/04_dsDataStructInt.feature:57) * Not displayable characters are replaced by '?'.		
3	Then The user does not find any practice problems and the page is null	SKIPPED	0.000 s

## To Automate the page of Array




## Home Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getCurrentUrl()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getCurrentUrl(BaseClass.java:74) at stepDefinition.ds_AlgoPortalSteps.the_user_is_on_the_ds_algo_home_page(ds_AlgoPortalSteps.java:335) at ?.The user is on the DS Algo Home Page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:5) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
2	When The user clicks "Get Started" button below the array	SKIPPED	0.001 s


#	Step / Hook Details	Status	Duration
3	Then The user should be redirected to "Array" page	SKIPPED	0.000 s

### Array Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.003 s
2	When The user clicks a Arrays in Python link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Arrays_PF.clickArraysInPython(Arrays_PF.java:118) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_a_arrays_in_python_link(ds_AlgoArraySteps.java:44) at ?.The user clicks a Arrays in Python link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:12) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
3	Then The user should be redirected to "Arrays in Python" AP Page	SKIPPED	0.000 s

### Array Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.000 s
2	When The user clicks Try Here button of Array in Python Page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Arrays_PF.clickTryhere(Arrays_PF.java:130) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_in_python_page(ds_AlgoArraySteps.java:64) at ?.The user clicks Try Here button of Array in Python Page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:18) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.001 s

### Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:23) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:50) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s


## Array in Python Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Array in Python Page	PASSED	0.000 s
2	When The user clicks a Arrays Using List link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre> at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Arrays_PF.clickArraysUsingList(Arrays_PF.java:121) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_a_arrays_using_list_link(ds_AlgoArraySteps.java:88) at ?.The user clicks a Arrays Using List link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:57) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to "Arrays Using List" AL page.	SKIPPED	0.000 s

## Array Using List Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.001 s
2	When The user clicks Try Here button of Array Using List Page <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)     at pagefactory.Arrays_PF.clickTryhere(Arrays_PF.java:130)     at stepDefinition.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_using_list_page(ds_AlgoArraySteps.java:105)     at ?.The user clicks Try Here button of Array Using List Page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:63) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.000 s

## Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:68) * Not displayable characters are replaced by '?'. 	FAILED	0.003 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s


### User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:95) 	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
2	When User able to see output in console	SKIPPED	0.001 s
3	Then User go back to the previous page	SKIPPED	0.000 s

## Array Using List Page





#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.001 s
2	When The user clicks a Basic Operations in Lists link  <code>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null</code> <code>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</code> <code>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</code> <code>at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)</code> <code>at pagefactory.Arrays_PF.clickArraysBasicOp(Arrays_PF.java:124)</code> <code>at stepDefinition.ds_AlgoArraySteps.the_user_clicks_a_basic_operations_in_lists_link(ds_AlgoArraySteps.java:111)</code> <code>at ?.The user clicks a Basic Operations in Lists link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:102)</code> * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then The user should be redirected to "Basic Operations in Lists" BO page.	SKIPPED	0.000 s

## Basic operations in Lists page

FAILED	DURATION - 0.005 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 7:48:51.142 PM // 7:48:51.147 PM /				
To Automate the page of Array				
@ArraysBasicOperation_Tryhere				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.001 s
2	When The user clicks Try Here button of Operations in Lists Page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Arrays_PF.clickTryhere(Arrays_PF.java:130) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_operations_in_lists_page(ds_AlgoArraySteps.java:129) at ?.The user clicks Try Here button of Operations in Lists Page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:108) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.000 s


### Python Editor page without data

FAILED	DURATION - 0.003 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 7:48:51.168 PM // 7:48:51.171 PM /				
To Automate the page of Array				
@PythonEditor_Bank				

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:113) * Not displayable characters are replaced by '?'.  2 When The user clicks the run button without entring the code in the Editor 3 Then Nothing happens to the page and no error message is displayed		
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

### User go back to the previous page





#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:140) * Not displayable characters are replaced by '?'.  2 When User able to see output in console 3 Then User go back to the previous page	FAILED	0.001 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

### Basic operations in Lists page

FAILED	DURATION - 0.005 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 7:48:51.291 PM // 7:48:51.296 PM /				
To Automate the page of Array				
@AppOfArray				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.001 s
2	When The user clicks an Applications of Array link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Arrays_PF.clickArraysApp(Arrays_PF.java:127) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_an_applications_of_array_link(ds_AlgoArraySteps.java:137) at ?.The user clicks an Applications of Array link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:147) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then The user should be redirected to "Applications of Array" AA page.	SKIPPED	0.000 s


## Application of Array page

FAILED	DURATION - 0.004 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 7:48:51.316 PM // 7:48:51.320 PM /				
To Automate the page of Array				
@AppOfArray_4Links				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Applications of Array page	PASSED	0.001 s
2	When The user clicks Practice Questions link	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Arrays_PF.clickArraysPracticeQuestions(Arrays_PF.java:225) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_practice_questions_link(ds_AlgoArraySteps.java:164) at ?.The user clicks Practice Questions link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:153) * Not displayable characters are replaced by '?'.</pre>		
3	Then The user should be redirected to practice page having links like "Search the array","Max Consecutive Ones","Find Numbers with Even Number of Digits" , "Squares of a Sorted Array"	SKIPPED	0.000 s

## Practice Questions page




#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.001 s
2	When The user clicks search the array link <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Arrays_PF.clickArraysSearch(Arrays_PF.java:228) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_search_the_array_link(ds_AlgoArraySteps.java:191) at ?.The user clicks search the array link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:159) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

## Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:164) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.001 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s


## User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136)	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:191) * Not displayable characters are replaced by '?'.		
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

### Practice Questions page




#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.001 s
2	When The user clicks Max consecutive ones link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.NavBack(BaseClass.java:80) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_max_consecutive_ones_link(ds_AlgoArraySteps.java:204) at ?.The user clicks Max consecutive ones link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:198) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

### Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:203) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s



### User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:230) 	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
* Not displayable characters are replaced by '?'.			
2	When User able to see output in console	SKIPPED	0.001 s
3	Then User go back to the previous page	SKIPPED	0.000 s

### Practice Questions page

FAILED	DURATION - 0.003 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 7:48:51.661 PM // 7:48:51.664 PM /				
<i>To Automate the page of Array</i>				
@PythonEditor				


#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks Find numbers with even number of digits link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.NavBack(BaseClass.java:80) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_find_numbers_with_even_number_of_digits_link(ds_AlgoArraySteps.java:211) at ?.The user clicks Find numbers with even number of digits link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:237) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.001 s

### Python Editor page without data

FAILED	DURATION - 0.002 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 7:48:51.677 PM // 7:48:51.679 PM /				
<i>To Automate the page of Array</i>				
@PythonEditor_Bank				



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:242) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

### User go back to the previous page





#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:271) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

### Practice Questions page

FAILED	DURATION - 0.003 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 7:48:51.774 PM // 7:48:51.777 PM /				
To Automate the page of Array				
@PythonEdito				

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks squared of the sorted array link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.NavBack(BaseClass.java:80) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_squared_of_the_sorted_array_link(ds_AlgoArraySteps.java:217) at ?.The user clicks squared of the sorted array link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:278) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s


### User is on Python editor page

FAILED	DURATION - 0.004 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 7:48:51.796 PM // 7:48:51.800 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given The user is already on Python Editor page	PASSED	0.001 s
2	When User clicks the submit button int try editor  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre> at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Arrays_PF.clickSubmitbtn(Arrays_PF.java:49) at stepDefinition.ds_AlgoArraySteps.user_clicks_the_submit_button_int_try_editor(ds_AlgoArraySteps.java:232) at ?.User clicks the submit button int try editor(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:283) * Not displayable characters are replaced by '?'. </pre>		
3	Then User gets an warning message " No tests were collected" in the console	SKIPPED	0.000 s

### Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:288) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

### User go back to the DSHome page




#	Step / Hook Details	Status	Duration
1	Given The user is already on the tryEditor page	PASSED	0.000 s
2	When User can see output in the console	PASSED	0.000 s
3	Then User go back to "https://dsportalapp.herokuapp.com/home" DS home page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.navigateToString(BaseClass.java:83) at stepDefinition.ds_AlgoArraySteps.user_go_back_to_ds_home_page(ds_AlgoArraySteps.java:276) at ?.User go back to "https://dsportalapp.herokuapp.com/home" DS home page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:322) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

## Automatating Linked List Module pages




Get started to Linked List from DS Algo home page



#	Step / Hook Details	Status	Duration
1	Given User is on the DS algo portal home page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getTitle()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getTitle(BaseClass.java:77) at stepDefinition.LinkedListStep.user_is_on_the_ds_algo_portal_home_page(LinkedListStep.java:19) at ?.User is on the DS algo portal home page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:5) * Not displayable characters are replaced by '?'. 	FAILED	0.007 s
2	When User clicks Get started button from Linked List pane	SKIPPED	0.000 s
3	Then User should be redirected to "Linked List" Linked List home page	SKIPPED	0.000 s


## Introduction link of Linked List module



#	Step / Hook Details	Status	Duration
1	Given User is on Linked List page in Linked List module	PASSED	0.000 s
2	When User clicks Introduction link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickIntroduction(LinkedList_PF.java:50) at stepDefinition.LinkedListStep.user_clicks_introduction_link(LinkedListStep.java:55) at ?.User clicks Introduction link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:13) * Not displayable characters are replaced by '?'.</pre>		
3	Then User should be redirected to "Introduction" Introduction of Linked List page	SKIPPED	0.000 s

### Introduction page




#	Step / Hook Details	Status	Duration
1	Given User is on Introduction page	PASSED	0.000 s
2	When User clicks a Try Here link on Introduction of Linked List page <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickLinkedListTryHere(LinkedList_PF.java:84) at stepDefinition.LinkedListStep.user_clicks_a_try_here_link_on_introduction_of_linked_list_page(LinkedListStep.java:81) at ?.User clicks a Try Here link on Introduction of Linked List page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:19) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s

### Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:24) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.001 s


### User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:52) 	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
2	When User able to see output in console	SKIPPED	0.001 s
3	Then User go back to the previous page	SKIPPED	0.000 s

## Creating Linked Llist link of Linked List module




#	Step / Hook Details	Status	Duration
1	Given User is on Introduction page	PASSED	0.000 s
2	When User clicks Creating Llist link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickCreatingLlist(LinkedList_PF.java:54) at stepDefinition.LinkedListStep.user_clicks_creating_linked_l_ist_link(LinkedListStep.java:89) at ?.User clicks Creating Llist link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:60) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
3	Then User should be redirected to "Creating Linked Llist" Creating Llist of Linked List page	SKIPPED	0.001 s

## Creating Linked Llist page



#	Step / Hook Details	Status	Duration
1	Given User is on Creating Linked Llist page	PASSED	0.000 s
2	When User clicks a Try Here link on Creating Linked Llist of Linked List page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickLinkedListTryHere(LinkedList_PF.java:84) at stepDefinition.LinkedListStep.user_clicks_a_try_here_link_on_creating_linked_l_list_of_linked_list_page(LinkedListStep.java:115) at ?.User clicks a Try Here link on Creating Linked Llist of Linked List page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:66) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s


### Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null	FAILED	0.000 s


#	Step / Hook Details	Status	Duration
	at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:71) * Not displayable characters are replaced by '?'.  2 When The user clicks the run button without entring the code in the Editor 3 Then Nothing happens to the page and no error message is displayed		
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

## User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:99) * Not displayable characters are replaced by '?'.  2 When User able to see output in console 3 Then User go back to the previous page	FAILED	0.001 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.001 s

## Types of Linked List link of Linked List module



#	Step / Hook Details	Status	Duration
1	Given User is on Creating Linked List page	PASSED	0.000 s
2	<p>When User clicks Types of Linked List link</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)     at pagefactory.LinkedList_PF.clickTypesofLinkedList(LinkedList_PF.java:58)     at stepDefinition.LinkedListStep.user_clicks_types_of_linked_list_link(LinkedListStep.java:123)     at ?.User clicks Types of Linked List link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:107) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then User should be redirected to "Types of Linked List" Types of Linked List of Linked List page	SKIPPED	0.000 s


## Types of Linked List page



#	Step / Hook Details	Status	Duration
1	Given User is on Types of Linked List page	PASSED	0.002 s
2	When User clicks a Try Here link on Types of Linked List of Linked List page	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickLinkedListTryHere(LinkedList_PF.java:84) at stepDefinition.LinkedListStep.user_clicks_a_try_here_link_on_types_of_linked_list_of_linked_list_page(LinkedListStep.java:149) at ?.User clicks a Try Here link on Types of Linked List of Linked List page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:113) * Not displayable characters are replaced by '?'.  / 7:48:52.290 PM // 7:48:52.295 PM /		
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s

### Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:118) * Not displayable characters are replaced by '?'.  / 7:48:52.290 PM // 7:48:52.295 PM /	FAILED	0.001 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.001 s

User go back to the previous page



#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/ 06_dsLinkedList.feature:146) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s


### Implement Linked List in Python link of Linked List module



#	Step / Hook Details	Status	Duration
1	Given User is on Types of Linked List page	PASSED	0.001 s
2	<p>When User clicks Implement Linked List in Python link</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this. searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) </pre>	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	<pre> at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickImplementLinkedListPython(LinkedList_PF.java:62) at stepDefinition.LinkedListStep.user_clicks_implement_linked_list_in_python_link(LinkedListStep.java:157) at ?.User clicks Implement Linked List in Python link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:154) * Not displayable characters are replaced by '?'. </pre>		
3	Then User should be redirected to "Implement Linked List in Python" Implement Linked List in Python of Linked List page	SKIPPED	0.000 s

## Implement Linked List in Python page




#	Step / Hook Details	Status	Duration
1	Given User is on Implement Linked List in Python page	PASSED	0.001 s
2	When User clicks a Try Here link on Implement Linked List in Python of Linked List page <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)     at pagefactory.LinkedList_PF.clickLinkedListTryHere(LinkedList_PF.java:84)     at stepDefinition.LinkedListStep.user_clicks_a_try_here_link_on_implement_linked_list_in_python_of_linked_list_page(LinkedListStep.java:183)     at ?.User clicks a Try Here link on Implement Linked List in Python of Linked List page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:160) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s

## Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:165) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.001 s


### User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:193) 	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

## Traversal link of Linked List module




#	Step / Hook Details	Status	Duration
1	Given User is on Implement Linked List in Python page	PASSED	0.001 s
2	When User clicks Traversal link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickTraversal(LinkedList_PF.java:66) at stepDefinition.LinkedListStep.user_clicks_traversal_link(LinkedListStep.java:191) at ?.User clicks Traversal link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:201) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then User should be redirected to "Traversal" Traversal of Linked List page	SKIPPED	0.000 s

## Traversal page



#	Step / Hook Details	Status	Duration
1	Given User is on Traversal page	PASSED	0.001 s
2	<p>When User clicks a Try Here link on Traversal of Linked List page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)     at pagefactory.LinkedList_PF.clickLinkedListTryHere(LinkedList_PF.java:84)     at stepDefinition.LinkedListStep.user_clicks_a_try_here_link_on_traversal_of_linked_list_page(LinkedListStep.java:217)     at ?.User clicks a Try Here link on Traversal of Linked List page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:207) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.001 s


### Python Editor page without data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null</pre>	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:212) * Not displayable characters are replaced by '?'.  2 When The user clicks the run button without entring the code in the Editor 3 Then Nothing happens to the page and no error message is displayed		
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

### User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:240) * Not displayable characters are replaced by '?'.  2 When User able to see output in console 3 Then User go back to the previous page	FAILED	0.002 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

### Insertion link of Linked List module



#	Step / Hook Details	Status	Duration
1	Given User is on Traversal page	PASSED	0.000 s
2	When User clicks Insertion link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickInsertion(LinkedList_PF.java:70) at stepDefinition.LinkedListStep.user_clicks_insertion_link(LinkedListStep.java:225) at ?.User clicks Insertion link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:248) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
3	Then User should be redirected to "Insertion" Insertion of Linked List page	SKIPPED	0.000 s


## Insertion page



#	Step / Hook Details	Status	Duration
1	Given User is on Insertion page	PASSED	0.001 s
2	When User clicks a Try Here link on Insertion of Linked List page	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickLinkedListTryHere(LinkedList_PF.java:84) at stepDefinition.LinkedListStep.user_clicks_a_try_here_link_on_insertion_of_linked_list_page(LinkedListStep.java:251) at ?.User clicks a Try Here link on Insertion of Linked List page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:254) * Not displayable characters are replaced by '?'.  / 7:48:52.727 PM // 7:48:52.730 PM /		
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s

### Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:259) * Not displayable characters are replaced by '?'.  / 7:48:52.727 PM // 7:48:52.730 PM /	FAILED	0.001 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

User go back to the previous page



#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:287) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s
2	When User able to see output in console	SKIPPED	0.001 s
3	Then User go back to the previous page	SKIPPED	0.000 s


### Deletion link of Linked List module



#	Step / Hook Details	Status	Duration
1	Given User is on Insertion page	PASSED	0.000 s
2	<p>When User clicks Deletion link</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre>	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickDeletion(LinkedList_PF.java:74) at stepDefinition.LinkedListStep.user_clicks_deletion_link(LinkedListStep.java:259) at ?.User clicks Deletion link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:295) * Not displayable characters are replaced by '?'.</pre>		
3	Then User should be redirected to "Deletion" Deletion of Linked List page	SKIPPED	0.000 s

## Deletion page




#	Step / Hook Details	Status	Duration
1	Given User is on Deletion page	PASSED	0.000 s
2	When User clicks a Try Here link on Deletion of Linked List page <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickLinkedListTryHere(LinkedList_PF.java:84) at stepDefinition.LinkedListStep.user_clicks_a_try_here_link_on_deletion_of_linked_list_page(LinkedListStep.java:285) at ?.User clicks a Try Here link on Deletion of Linked List page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:301) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.002 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s

## Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:306) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s


### User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:334) 	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
2	When User able to see output in console	SKIPPED	0.001 s
3	Then User go back to the previous page	SKIPPED	0.000 s

## Practice Questions link of Linked List module



#	Step / Hook Details	Status	Duration
1	Given User is on Deletion page	PASSED	0.001 s
2	When User clicks Practice Questions link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickPracticeQuestion(LinkedList_PF.java:79) at stepDefinition.LinkedListStep.user_clicks_practice_questions_link(LinkedListStep.java:293) at ?.User clicks Practice Questions link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:342) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then User should be redirected to " Practice Questions " Practice Questions of Linked List page	SKIPPED	0.000 s

## User go back to the DS Algo home page




#	Step / Hook Details	Status	Duration
1	Given The user is already on Practice Questions page	PASSED	0.006 s
2	When Nothing is displayed on the page	PASSED	0.001 s
3	Then User go back to the "https://dsportalapp.herokuapp.com/home" DS Algo home page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.navigateToString(BaseClass.java:83) at stepDefinition.TreeStep.user_go_back_to_the_ds_algo_home_page(TreeStep.java:545) at ?.User go back to the "https://dsportalapp.herokuapp.com/home" DS Algo home page(file:///C:/Users/enggn/eclipse-workspace/DSAgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:349) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

## To test the Stack page




## Enter into Stack page



#	Step / Hook Details	Status	Duration
1	Given The user is in the DS Home page after logged in	PASSED	0.002 s
2	When The user clicks the Get Started in Stack Panel or select Stack item from the drop down menu  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Stack_pf.clickGetStarted(Stack_pf.java:72) at stepDefinition.StackStep.the_user_clicks_the_get_started_in_stack_panel_or_select_stack_item_from_the_drop_down_menu(StackStep.java:42) at ?.The user clicks the Get Started in Stack Panel or select Stack item from the drop down menu(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then The user should be directed to "Stack" Stack Page	SKIPPED	0.000 s


### User Perform Operations on Stack page



#	Step / Hook Details	Status	Duration
1	Given The user is in the after logged in	PASSED	0.000 s


#	Step / Hook Details	Status	Duration
2	<p>When The user clicks Operations in Stack button</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)     at pagefactory.Stack_pf.clickoperationsinstack(Stack_pf.java:81)     at stepDefinition.StackStep.the_user_clicks_operations_in_stack_button(StackStep.java:63)     at ?.The user clicks Operations in Stack button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:12) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.003 s
3	Then The user should be directed to the "Operations in Stack" Operations in Stack Page	SKIPPED	0.000 s

### check user directed to tryeditor




#	Step / Hook Details	Status	Duration
1	Given The user is in the Operations in Stack page	PASSED	0.003 s
2	<p>When The user clicks Try Here button</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)     at pagefactory.Tryhere_pf.clickTryHere(Tryhere_pf.java:24)     at stepDefinition.TryHereStep.the_user_clicks_try_here_button(TryHereStep.java:26)     at ?.The user clicks Try Here button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:18) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.002 s
3	Then The user should be redirected to a page having an tryEditor with a "Run" button to test	SKIPPED	0.001 s

## Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:23) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.001 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s


## User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136)	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:51) * Not displayable characters are replaced by '?'.		
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

### To test the Implementation on stack page




#	Step / Hook Details	Status	Duration
1	Given The user is in the Stack page after logged in	PASSED	0.000 s
2	When The user clicks Implementation button  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Stack_pf.clickImplementation(Stack_pf.java:90) at stepDefinition.StackStep.the_user_clicks_implementation_button(StackStep.java:87) at ?.The user clicks Implementation button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:59) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then The user should be directed to "Implementation" Implementation Page2	SKIPPED	0.001 s

check user directed to tryeditor



#	Step / Hook Details	Status	Duration
1	Given The user is in the Operations in Stack page	PASSED	0.001 s
2	When The user clicks Try Here button  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tryhere_pf.clickTryHere(Tryhere_pf.java:24) at stepDefinition.TryHereStep.the_user_clicks_try_here_button(TryHereStep.java:26) at ?.The user clicks Try Here button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:65) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then The user should be redirected to a page having an tryEditor with a "Run" button to test	SKIPPED	0.000 s


### Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:70) * Not displayable characters are replaced by '?'.  2 When The user clicks the run button without entring the code in the Editor 3 Then Nothing happens to the page and no error message is displayed		
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.001 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

### User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:98) * Not displayable characters are replaced by '?'.  2 When User able to see output in console 3 Then User go back to the previous page	FAILED	0.001 s
2	When User able to see output in console	SKIPPED	0.001 s
3	Then User go back to the previous page	SKIPPED	0.000 s

### To test application on stack page



#	Step / Hook Details	Status	Duration
1	Given The user is in the Stack page1 after logged in	PASSED	0.000 s
2	When The user clicks Application button  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Stack_pf.clickApplication(Stack_pf.java:98) at stepDefinition.StackStep.the_user_clicks_application_button(StackStep.java:112) at ?.The user clicks Application button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:106) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
3	Then The user should be directed to "Applications" Applications Page3	SKIPPED	0.000 s


### check user directed to tryeditor



#	Step / Hook Details	Status	Duration
1	Given The user is in the Operations in Stack page	PASSED	0.002 s
2	When The user clicks Try Here button	FAILED	0.000 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tryhere_pf.clickTryHere(Tryhere_pf.java:24) at stepDefinition.TryHereStep.the_user_clicks_try_here_button(TryHereStep.java:26) at ?.The user clicks Try Here button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:112) * Not displayable characters are replaced by '?'.</pre>		
3	Then The user should be redirected to a page having an tryEditor with a "Run" button to test	SKIPPED	0.000 s

### Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:117) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.001 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

User go back to the previous page



#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:145) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s


### To test practice questions on stack page



#	Step / Hook Details	Status	Duration
1	Given The user is in the Stack page2 after logged in	PASSED	0.001 s
2	<p>When The user clicks Practice Questions button in Stack</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Stack_pf.clickpracticeQuestions(Stack_pf.java:107) at stepDefinition.StackStep.the_user_clicks_practice_questions_button_in_stack(StackStep.java:135) at ?.The user clicks Practice Questions button in Stack(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:154) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "Practice Questions" P Questions page	SKIPPED	0.000 s

### User go back to the DS Algo home page




#	Step / Hook Details	Status	Duration
1	Given The user is already on Practice Questions page	PASSED	0.001 s
2	When Nothing is displayed on the page	PASSED	0.000 s
3	Then User go back to the "https://dsportalapp.herokuapp.com/home" DS Algo home page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.navigateToString(BaseClass.java:83) at stepDefinition.TreeStep.user_go_back_to_the_ds_algo_home_page(TreeStep.java:545) at ?.User go back to the "https://dsportalapp.herokuapp.com/home" DS Algo home page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:161) * Not displayable characters are replaced by '?'.	FAILED	0.003 s

### To test the Queue page




## Enter into Queue page




#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Home page after logged in	PASSED	0.003 s
2	When The user clicks the GetStarted in Queue Panel or select QueueDS item from the drop down menu  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Queue_pf.clickGetStarted(Queue_pf.java:49) at stepDefinition.QueueStep. the_user_clicks_the_get_started_in_queue_panel_or_select_queue_ds_item_from_the_drop_down_menu(QueueStep.java:36) at ?.The user clicks the GetStarted in Queue Panel or select QueueDS item from the drop down menu(file:///C:/Users/enggn/eclipse-workspace/DSAAlg_Cucumber/src/test/resources/Features/08_queue.feature:5) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then The user should be directed to "Queue" queue Page	SKIPPED	0.000 s

## User Perform Implementation in python on queue page



#	Step / Hook Details	Status	Duration
1	Given The user is in the Queue page after logged in	PASSED	0.001 s
2	<p>When The user clicks Implementation of Queue in Python button</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)     at pagefactory.Queue_pf.clickImplementationofQueueinPython(Queue_pf.java:55)     at stepDefinition.QueueStep.the_user_clicksImplementation_of_queue_in_python_button(QueueStep.java:60)     at ?.The user clicks Implementation of Queue in Python button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:12) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then The user should be directed to "Implementation of Queue in Python" Pageq1	SKIPPED	0.000 s


### check user is directed to tryeditor



#	Step / Hook Details	Status	Duration
1	Given The user is in the Implementation of Queue in Python in Queue page	PASSED	0.001 s
2	When The user clicks Try Here button	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tryhere_pf.clickTryHere(Tryhere_pf.java:24) at stepDefinition.TryHereStep.the_user_clicks_try_here_button(TryHereStep.java:26) at ?.The user clicks Try Here button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:18) * Not displayable characters are replaced by '?'.</pre>		
3	Then The user should be redirected to a page having an tryEditor with a "Run" button to test	SKIPPED	0.000 s

### Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:23) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

User go back to the previous page



#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:51) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.002 s
2	When User able to see output in console	SKIPPED	0.001 s
3	Then User go back to the previous page	SKIPPED	0.000 s


### To test the Implementation.dq on queue page



#	Step / Hook Details	Status	Duration
1	Given The user is in the Implementation of Queue in Python in Queue page	PASSED	0.001 s
2	<p>When The user clicks Implementation using Collections.dequeue button</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre>	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Queue_pf.clickImplementationusingcollectionsdeque(Queue_pf.java:64) at stepDefinition.QueueStep.the_user_clicks_implementation_using_collections_deque_button(QueueStep.java:86) at ?.The user clicks Implementation using Collections.dequeue button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:59) * Not displayable characters are replaced by '?'.		
3	Then The user should be directed to "Implementation using collections.dequeue" collections deque Pageq2	SKIPPED	0.000 s

### check user directed to tryeditor




#	Step / Hook Details	Status	Duration
1	Given The user is in the Operations in Stack page	PASSED	0.001 s
2	When The user clicks Try Here button  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tryhere_pf.clickTryHere(Tryhere_pf.java:24) at stepDefinition.TryHereStep.the_user_clicks_try_here_button(TryHereStep.java:26) at ?.The user clicks Try Here button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:65) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
3	Then The user should be redirected to a page having an tryEditor with a "Run" button to test	SKIPPED	0.001 s

### Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:70) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s


### User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:98) 	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

### To test the Implementation using array





#	Step / Hook Details	Status	Duration
1	Given The user is in the Queue page after logged in	PASSED	0.001 s
2	When The user clicks Implementation using Array button  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Queue_pf.clickImplementationusingarray(Queue_pf.java:73) at stepDefinition.QueueStep.the_user_clicks_implementation_using_array_button(QueueStep.java:107) at ?.The user clicks Implementation using Array button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:106) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
3	Then The user should be directed to "Implementation using array" Implementation using Array Pageq3	SKIPPED	0.001 s

check user directed to tryeditor

FAILED	DURATION - 0.003 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 7:48:53.899 PM // 7:48:53.902 PM /				
To test the Queue page				
@Operationseditor				

#	Step / Hook Details	Status	Duration
1	Given The user is in the Operations in Stack page	PASSED	0.001 s
2	When The user clicks Try Here button  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tryhere_pf.clickTryHere(Tryhere_pf.java:24) at stepDefinition.TryHereStep.the_user_clicks_try_here_button(TryHereStep.java:26) at ?.The user clicks Try Here button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:112) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
3	Then The user should be redirected to a page having an tryEditor with a "Run" button to test	SKIPPED	0.000 s


## Python Editor page without data

FAILED	DURATION - 0.002 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 7:48:53.912 PM // 7:48:53.914 PM /				
To test the Queue page				
@PythonEditor_Bank				

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null	FAILED	0.000 s


#	Step / Hook Details	Status	Duration
	at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:117) * Not displayable characters are replaced by '?'.  / 7:48:53.989 PM // 7:48:53.993 PM /  To test the Queue page  @previousPage		
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.001 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

### User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:145) * Not displayable characters are replaced by '?'.  / 7:48:53.989 PM // 7:48:53.993 PM /  To test the Queue page  @previousPage	FAILED	0.001 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

### To perform Queue Operations



#	Step / Hook Details	Status	Duration
1	Given The user is in Implementation using Array Page	PASSED	0.000 s
2	<p>When The user clicks Queue Operations button</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)     at pagefactory.Queue_pf.clickQueueOperations(Queue_pf.java:82)     at stepDefinition.QueueStep.the_user_clicks_queue_operations_button(QueueStep.java:133)     at ?.The user clicks Queue Operations button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:153) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s
3	Then The user should be directed to "Queue Operations" Queue Operations Pageq33	SKIPPED	0.000 s


### check user directed to tryeditor



#	Step / Hook Details	Status	Duration
1	Given The user is in the Operations in Stack page	PASSED	0.001 s
2	When The user clicks Try Here button	FAILED	0.000 s



#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tryhere_pf.clickTryHere(Tryhere_pf.java:24) at stepDefinition.TryHereStep.the_user_clicks_try_here_button(TryHereStep.java:26) at ?.The user clicks Try Here button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:159) * Not displayable characters are replaced by '?'.  / 7:48:54.036 PM // 7:48:54.039 PM /  To test the Queue page  @PythonEditor_Bank		
3	Then The user should be redirected to a page having an tryEditor with a "Run" button to test	SKIPPED	0.000 s

### Python Editor page without data





#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:164) * Not displayable characters are replaced by '?'.  / 7:48:54.036 PM // 7:48:54.039 PM /  To test the Queue page  @PythonEditor_Bank	FAILED	0.000 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

User go back to the previous page

FAILED	DURATION - 0.003 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 7:48:54.105 PM // 7:48:54.108 PM /				
To test the Queue page				
@previousPage				

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:192) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.001 s


### to test practice question link

FAILED	DURATION - 0.002 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 7:48:54.119 PM // 7:48:54.121 PM /				
To test the Queue page				
@qp_pracQues				

#	Step / Hook Details	Status	Duration
1	Given The user is in the Queue page	PASSED	0.000 s
2	When The user clicks Practice Questions on queue  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Queue_pf.clickpracticeQuestions1(Queue_pf.java:96) at stepDefinition.QueueStep.the_user_clicks_practice_questions_on_queue(QueueStep.java:159) at ?.The user clicks Practice Questions on queue(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:200) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "Practice Questions" Practice Questions page of queue	SKIPPED	0.000 s

### User go back to the DS Algo home page




#	Step / Hook Details	Status	Duration
1	Given The user is already on Practice Questions page	PASSED	0.001 s
2	When Nothing is displayed on the page	PASSED	0.000 s
3	Then User go back to the "https://dsportalapp.herokuapp.com/home" DS Algo home page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.navigateToString(BaseClass.java:83) at stepDefinition.TreeStep.user_go_back_to_the_ds_algo_home_page(TreeStep.java:545) at ?.User go back to the "https://dsportalapp.herokuapp.com/home" DS Algo home page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:207) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

### Automatating Tree Module pages




## Get started to Tree from DS Algo home page




#	Step / Hook Details	Status	Duration
1	Given User is on the DS algo home page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getTitle()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getTitle(BaseClass.java:77) at stepDefinition.TreeStep.user_is_on_the_ds_algo_home_page(TreeStep.java:26) at ?.User is on the DS algo home page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:5) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	When User clicks Get started button from Tree pane	SKIPPED	0.000 s
3	Then User should be redirected to "Tree" Tree home page	SKIPPED	0.000 s

[Tree home page Link](#)



#	Step / Hook Details	Status	Duration
1	Given User is on Tree home page	PASSED	0.001 s
2	When User clicks Overview of Trees link <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null           at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)           at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)           at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)           at pagefactory.Tree_PF.clickOverviewofTrees(Tree_PF.java:111)           at stepDefinition.TreeStep.user_clicks_overview_of_trees_link(TreeStep.java:69)           at ?.User clicks Overview of Trees link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:13)           * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then User should be redirected to "Overview of Trees" Tree OT page	SKIPPED	0.000 s


## Overview of Trees page



#	Step / Hook Details	Status	Duration
1	Given User is on Overview of Trees page	PASSED	0.000 s
2	When User clicks a Try Here link on Overview of Trees page	FAILED	0.000 s


#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181) at stepDefinition.TreeStep.user_clicks_a_try_here_link(TreeStep.java:95) at ?.User clicks a Try Here link on Overview of Trees page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:19) * Not displayable characters are replaced by '?'.		
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s

### Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:24) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

User go back to the previous page



#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:52) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s


## Terminologies page Link



#	Step / Hook Details	Status	Duration
1	Given User is on Overview of Trees page	PASSED	0.000 s
2	<p>When User clicks Terminologies link</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre>	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre> at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTerminologies(Tree_PF.java:116) at stepDefinition.TreeStep.user_clicks_terminologies_link(TreeStep.java:103) at ?.User clicks Terminologies link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:60) * Not displayable characters are replaced by '?'. </pre>		
3	Then User should be redirected to "Terminologies" Tree Terminologies page	SKIPPED	0.000 s

## Terminologies page




#	Step / Hook Details	Status	Duration
1	Given User is on Terminologies page	PASSED	0.000 s
2	When User clicks a Try Here link on Terminologies page <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181) at stepDefinition.TreeStep.user_clicks_a_try_here_link_on_terminologies_page(TreeStep.java:138) at ?.User clicks a Try Here link on Terminologies page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:66) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.003 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s

## Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:71) * Not displayable characters are replaced by '?'. 	FAILED	0.000 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s


### User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:99) 	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

## Types of Trees page Link




#	Step / Hook Details	Status	Duration
1	Given User is on Terminologies page	PASSED	0.000 s
2	<p>When User clicks Types of Trees link</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)   at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)   at pagefactory.Tree_PF.clickTypesofTrees(Tree_PF.java:121)   at stepDefinition.TreeStep.user_clicks_types_of_trees_link(TreeStep.java:146)   at ?.User clicks Types of Trees link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:107)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.001 s
3	Then User should be redirected to "Types of Trees" Types of Trees page	SKIPPED	0.001 s

## Types of Trees page



#	Step / Hook Details	Status	Duration
1	Given User is on Types of Trees page	PASSED	0.000 s
2	When User clicks a Try Here link on Types of Trees page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181) at stepDefinition.TreeStep.user_clicks_a_try_here_link_on_types_of_trees_page(TreeStep.java:171) at ?.User clicks a Try Here link on Types of Trees page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:113) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s


### Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:118) * Not displayable characters are replaced by '?'.  2 When The user clicks the run button without entring the code in the Editor 3 Then Nothing happens to the page and no error message is displayed		
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

### User go back to the previous page





#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:146) * Not displayable characters are replaced by '?'.  2 When User able to see output in console 3 Then User go back to the previous page	FAILED	0.002 s
2	When User able to see output in console	SKIPPED	0.001 s
3	Then User go back to the previous page	SKIPPED	0.000 s

### Tree Traversals page Link

FAILED	DURATION - 0.003 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 7:48:54.533 PM // 7:48:54.536 PM /				
Automatating Tree Module pages				
@TreeTraversals				

#	Step / Hook Details	Status	Duration
1	Given User is on Types of Trees page	PASSED	0.000 s
2	When User clicks Tree Traversals link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTreeTraversals(Tree_PF.java:126) at stepDefinition.TreeStep.user_clicks_tree_traversals_link(TreeStep.java:179) at ?.User clicks Tree Traversals link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:154) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
3	Then User should be redirected to "Tree Traversals" Tree Traversals of Tree page	SKIPPED	0.000 s


## Tree Traversals page

FAILED	DURATION - 0.003 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 7:48:54.550 PM // 7:48:54.553 PM /				
Automatating Tree Module pages				
@PythonEditor				

#	Step / Hook Details	Status	Duration
1	Given User is on Tree Traversals page	PASSED	0.001 s
2	When User clicks a Try Here link on Tree Traversals page	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181) at stepDefinition.TreeStep.user_clicks_a_try_here_link_on_tree_traversals_page(TreeStep.java:204) at ?.User clicks a Try Here link on Tree Traversals page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:160) * Not displayable characters are replaced by '?'.		
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s

### Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:165) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.001 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

User go back to the previous page



#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null   at utilities.BaseClass.openPage(BaseClass.java:71)   at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136)   at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:193) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s


### Traversals-Illustration page Link



#	Step / Hook Details	Status	Duration
1	Given User is on Tree Traversals page	PASSED	0.000 s
2	<p>When User clicks Traversals-Illustration link</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre>	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre> at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTraversalsIllustration(Tree_PF.java:131) at stepDefinition.TreeStep.user_clicks_traversals_illustration_link(TreeStep.java:212) at ?.User clicks Traversals-Illustration link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/ 09_dsTree.feature:201) * Not displayable characters are replaced by '?'. </pre>		
3	Then User should be redirected to "Traversals-Illustration" Traversals-Illustration Tree page	SKIPPED	0.000 s

### Traversals-Illustration page




#	Step / Hook Details	Status	Duration
1	Given User is on Traversals-Illustration page	PASSED	0.003 s
2	When User clicks a Try Here link on Traversals-Illustration page <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)     at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181)     at stepDefinition.TreeStep.user_clicks_a_try_here_link_on_traversals_illustration_page(TreeStep.java:237)     at ?.User clicks a Try Here link on Traversals-Illustration page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:207) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s

### Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:212) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s


### User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:240) 	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

## Binary Trees page Link




#	Step / Hook Details	Status	Duration
1	Given User is on Traversals-Illustration page	PASSED	0.001 s
2	When User clicks Binary Trees link  <i>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null</i> <i>  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</i> <i>  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</i> <i>  at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)</i> <i>  at pagefactory.Tree_PF.clickBinaryTrees(Tree_PF.java:136)</i> <i>  at stepDefinition.TreeStep.user_clicks_binary_trees_link(TreeStep.java:245)</i> <i>  at ?.User clicks Binary Trees link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:248)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.001 s
3	Then User should be redirected to "Binary Trees" Binary Trees page	SKIPPED	0.000 s

## Binary Trees page



#	Step / Hook Details	Status	Duration
1	Given User is on Binary Trees page	PASSED	0.001 s
2	<p>When User clicks a Try Here link on Binary Trees page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)     at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181)     at stepDefinition.TreeStep.user_clicks_a_try_here_link_on_binary_trees_page(TreeStep.java:270)     at ?.User clicks a Try Here link on Binary Trees page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:254)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.005 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s


## Python Editor page without data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null</pre>	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:259) * Not displayable characters are replaced by '?'.  2 When The user clicks the run button without entring the code in the Editor 3 Then Nothing happens to the page and no error message is displayed		
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.001 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

### User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:287) * Not displayable characters are replaced by '?'.  2 When User able to see output in console 3 Then User go back to the previous page	FAILED	0.001 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

### Types of Binary Trees page Link



#	Step / Hook Details	Status	Duration
1	Given User is on Binary Trees page	PASSED	0.001 s
2	When User clicks Types of Binary Trees link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTypesofBinaryTrees(Tree_PF.java:141) at stepDefinition.TreeStep.user_clicks_types_of_binary_trees_link(TreeStep.java:278) at ?.User clicks Types of Binary Trees link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:295) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
3	Then User should be redirected to "Types of Binary Trees" Types of Binary Trees page	SKIPPED	0.000 s


## Types of Binary Trees page



#	Step / Hook Details	Status	Duration
1	Given User is on Types of Binary Trees page	PASSED	0.000 s
2	When User clicks a Try Here link on Types of Binary Trees page	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181) at stepDefinition.TreeStep.user_clicks_a_try_here_link_on_types_of_binary_trees_page(TreeStep.java:304) at ?.User clicks a Try Here link on Types of Binary Trees page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:301) * Not displayable characters are replaced by '?'.  / 7:48:54.898 PM // 7:48:54.900 PM /  Automatating Tree Module pages  @PythonEditor_Bank		
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s

### Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:306) * Not displayable characters are replaced by '?'.  / 7:48:54.898 PM // 7:48:54.900 PM /  Automatating Tree Module pages  @PythonEditor_Bank	FAILED	0.000 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.001 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

User go back to the previous page



#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:334) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s


### Implementation in Python page Link



#	Step / Hook Details	Status	Duration
1	Given User is on Types of Binary Trees page	PASSED	0.001 s
2	<p>When User clicks Implementation in Python link</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre>	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickImplementationInPython(Tree_PF.java:146) at stepDefinition.TreeStep.user_clicks_implementation_in_python_link(TreeStep.java:312) at ?.User clicks Implementation in Python link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:342) * Not displayable characters are replaced by '?'.</pre>		
3	Then User should be redirected to "Implementation in Python" Implementation in Python Tree page	SKIPPED	0.000 s

## Implementation in Python page




#	Step / Hook Details	Status	Duration
1	Given User is on Implementation in Python page	PASSED	0.000 s
2	When User clicks a Try Here link on Implementation in Python page <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181) at stepDefinition.TreeStep.user_clicks_a_try_here_link_on_implementation_in_python_page(TreeStep.java:337) at ?.User clicks a Try Here link on Implementation in Python page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:348) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.001 s

## Python Editor page without data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:353) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.001 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s


### User go back to the previous page



#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:381)</pre>	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

## Binary Tree Traversals page Link




#	Step / Hook Details	Status	Duration
1	Given User is on Implementation in Python page	PASSED	0.001 s
2	<p>When User clicks Binary Tree Traversals link</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)     at pagefactory.Tree_PF.clickBinaryTreeTraversals(Tree_PF.java:151)     at stepDefinition.TreeStep.user_clicks_binary_tree_traversals_link(TreeStep.java:345)     at ?.User clicks Binary Tree Traversals link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:389)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.001 s
3	Then User should be redirected to "Binary Tree Traversals" Binary Tree Traversals page	SKIPPED	0.000 s

## Binary Tree Traversals page



#	Step / Hook Details	Status	Duration
1	Given User is on Binary Tree Traversals page	PASSED	0.001 s
2	When User clicks a Try Here link on Binary Tree Traversals page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)           at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)           at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)           at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181)           at stepDefinition.TreeStep.user_clicks_a_try_here_link_on_binary_tree_traversals_page(TreeStep.java:370)           at ?.User clicks a Try Here link on Binary Tree Traversals page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:395)           * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s


### Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null	FAILED	0.000 s


#	Step / Hook Details	Status	Duration
	at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:400) * Not displayable characters are replaced by '?'.  2 When The user clicks the run button without entring the code in the Editor 3 Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

### User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:428) * Not displayable characters are replaced by '?'.  2 When User able to see output in console 3 Then User go back to the previous page	FAILED	0.001 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

### Implementation of Binary Trees page Link



#	Step / Hook Details	Status	Duration
1	Given User is on Binary Tree Traversals page	PASSED	0.000 s
2	When User clicks Implementation of Binary Trees link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickImplementationOfBinaryTrees(Tree_PF.java:156) at stepDefinition.TreeStep.user_clicks_implementation_of_binary_trees_link(TreeStep.java:378) at ?.User clicks Implementation of Binary Trees link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:436) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
3	Then User should be redirected to "Implementation of Binary Trees" Implementation of Binary Trees page	SKIPPED	0.000 s


## Implementation of Binary Trees page



#	Step / Hook Details	Status	Duration
1	Given User is on Implementation of Binary Trees page	PASSED	0.001 s
2	When User clicks a Try Here link on Implementation of Binary Trees page	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181) at stepDefinition.TreeStep.user_clicks_a_try_here_link_on_implementation_of_binary_trees_page(TreeStep.java:404) at ?.User clicks a Try Here link on Implementation of Binary Trees page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:442) * Not displayable characters are replaced by '?'.  / 7:48:55.216 PM // 7:48:55.217 PM /  Automatating Tree Module pages  @PythonEditor_Bank		
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s

### Python Editor page without data





#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:447) * Not displayable characters are replaced by '?'.  / 7:48:55.216 PM // 7:48:55.217 PM /  Automatating Tree Module pages  @PythonEditor_Bank	FAILED	0.001 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

User go back to the previous page

FAILED	DURATION - 0.002 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 7:48:55.271 PM // 7:48:55.273 PM /				
Automatating Tree Module pages				
@previousPage				

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:475) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s


## Applications of Binary trees page Link

FAILED	DURATION - 0.002 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 7:48:55.284 PM // 7:48:55.286 PM /				
Automatating Tree Module pages				
@applicationsofBinaryTrees				

#	Step / Hook Details	Status	Duration
1	Given User is on Implementation of Binary Trees page	PASSED	0.001 s
2	When User clicks Applications of Binary trees link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)	FAILED	0.000 s


#	Step / Hook Details	Status	Duration
	<pre> at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickApplicationsOfBinaryTrees(Tree_PF.java:161) at stepDefinition.TreeStep.user_clicks_applications_of_binary_trees_link(TreeStep.java:412) at ?.User clicks Applications of Binary trees link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:483) * Not displayable characters are replaced by '?'. </pre>		
3	Then User should be redirected to "Applications of Binary trees" Applications of Binary trees page	SKIPPED	0.000 s

## Applications of Binary trees page




#	Step / Hook Details	Status	Duration
1	Given User is on Applications of Binary trees page	PASSED	0.000 s
2	When User clicks a Try Here link on Applications of Binary trees page <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)     at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181)     at stepDefinition.TreeStep.user_clicks_a_try_here_link_on_applications_of_binary_trees_page(TreeStep.java:437)     at ?.User clicks a Try Here link on Applications of Binary trees page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:489) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s

## Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:494) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s


### User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:522) 	FAILED	0.000 s


#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.001 s

## Binary Search Trees page Link




#	Step / Hook Details	Status	Duration
1	Given User is on Applications of Binary trees page	PASSED	0.000 s
2	When User clicks Binary Search Trees link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickBinarySearchTrees(Tree_PF.java:166) at stepDefinition.TreeStep.user_clicks_binary_search_trees_link(TreeStep.java:445) at ?.User clicks Binary Search Trees link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:530) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then User should be redirected to "Binary Search Trees" Binary Search Treese page	SKIPPED	0.001 s

## Binary Search Trees page



#	Step / Hook Details	Status	Duration
1	Given User is on Binary Search Trees page	PASSED	0.001 s
2	When User clicks a Try Here link on Binary Search Trees page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)           at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)           at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)           at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181)           at stepDefinition.TreeStep.user_clicks_a_try_here_link_on_binary_search_trees_page(TreeStep.java:472)           at ?.User clicks a Try Here link on Binary Search Trees page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:536)           * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s


### Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:541) * Not displayable characters are replaced by '?'.  2 When The user clicks the run button without entring the code in the Editor 3 Then Nothing happens to the page and no error message is displayed		
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

### User go back to the previous page




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:569) * Not displayable characters are replaced by '?'.  2 When User able to see output in console 3 Then User go back to the previous page	FAILED	0.000 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

### Implementation Of BST page Link



#	Step / Hook Details	Status	Duration
1	Given User is on Binary Search Trees page	PASSED	0.000 s
2	<p>When User clicks Implementation Of BST link</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)     at pagefactory.Tree_PF.clickImplementationOfBST(Tree_PF.java:171)     at stepDefinition.TreeStep.user_clicks_implementation_of_bst_link(TreeStep.java:480)     at ?.User clicks Implementation Of BST link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:577) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then User should be redirected to "Implementation Of BST" Implementation Of BST Tree page	SKIPPED	0.000 s


## Implementation Of BST page



#	Step / Hook Details	Status	Duration
1	Given User is on Implementation Of BST page	PASSED	0.000 s
2	When User clicks a Try Here link on Implementation Of BST page	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181) at stepDefinition.TreeStep.user_clicks_a_try_here_link_on_implementation_of_bst_page(TreeStep.java:506) at ?.User clicks a Try Here link on Implementation Of BST page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:583) * Not displayable characters are replaced by '?'.  / 7:48:55.515 PM // 7:48:55.516 PM /  Automatating Tree Module pages  @PythonEditor_Bank		
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s

### Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:588) * Not displayable characters are replaced by '?'.  / 7:48:55.515 PM // 7:48:55.516 PM /  Automatating Tree Module pages  @PythonEditor_Bank	FAILED	0.001 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

User go back to the previous page



#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null   at utilities.BaseClass.openPage(BaseClass.java:71)   at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136)   at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:616) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.002 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s


### Tree page Practice Questions



#	Step / Hook Details	Status	Duration
1	Given User is on Implementation Of BST page	PASSED	0.000 s
2	<p>When User clicks Practice Questions link of tree</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickPracticeQuestion(Tree_PF.java:176) at stepDefinition.TreeStep.user_clicks_practice_questions_link_of_tree(TreeStep.java:514) at ?.User clicks Practice Questions link of tree(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:624) * Not displayable characters are replaced by '?'.		
3	Then User should be redirected to " Practice Questions " Practice Questions of Tree page	SKIPPED	0.000 s

### User go back to the DS Algo home page




#	Step / Hook Details	Status	Duration
1	Given The user is already on Practice Questions page	PASSED	0.000 s
2	When Nothing is displayed on the page	PASSED	0.000 s
3	Then User go back to the "https://dsportalapp.herokuapp.com/home" DS Algo home page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.navigateToPage(BaseClass.java:83) at stepDefinition.TreeStep.user_go_back_to_the_ds_algo_home_page(TreeStep.java:545) at ?.User go back to the "https://dsportalapp.herokuapp.com/home" DS Algo home page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:631) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

### Automatating Graph Module pages




## Get started to graph from DS Algo home page




#	Step / Hook Details	Status	Duration
1	Given User is on DS algo home page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getTitle()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getTitle(BaseClass.java:77) at stepDefinition.GraphStep.user_is_on_ds_algo_home_page(GraphStep.java:19) at ?.User is on DS algo home page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:4) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s
2	When User clicks Get started button	SKIPPED	0.000 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/graph/" graph home page	SKIPPED	0.000 s

## Graph home page



#	Step / Hook Details	Status	Duration
1	<p>Given User is on Graph home page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getTitle()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getTitle(BaseClass.java:77) at stepDefinition.GraphStep.user_is_on_graph_home_page(GraphStep.java:54) at ?.User is on Graph home page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:9) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s
2	When User clicks Graph link	SKIPPED	0.000 s
3	Then User should be redirected to "Graph" graph page	SKIPPED	0.000 s


## Graph page



#	Step / Hook Details	Status	Duration
1	Given User is on Graph page	PASSED	0.001 s
2	<p>When User clicks Try Here link</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre>	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Graph_PF.clickGraphTryHere(Graph_PF.java:67) at stepDefinition.GraphStep.user_clicks_try_here_link(GraphStep.java:93) at ?.User clicks Try Here link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:15) * Not displayable characters are replaced by '?'.</pre>		
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s

### Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:19) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

### User go back to Graph page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:44) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s


### Graph page second link



#	Step / Hook Details	Status	Duration
1	Given User is on Graph page	PASSED	0.000 s
2	When User clicks Graph Representations link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)	FAILED	0.000 s


#	Step / Hook Details	Status	Duration
	<pre>at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Graph_PF.clickGraphRepresentations(Graph_PF.java:57) at stepDefinition.GraphStep.user_clicks_graph_representations_link(GraphStep.java:116) at ?.User clicks Graph Representations link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:50) * Not displayable characters are replaced by '?'.</pre>		
3	Then User should be redirected to "Graph Representations" Graph Representations page	SKIPPED	0.001 s

## Graph Representations page




#	Step / Hook Details	Status	Duration
1	Given User is on Graph Representations page	PASSED	0.000 s
2	When User clicks Try Here link <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Graph_PF.clickGraphTryHere(Graph_PF.java:67) at stepDefinition.GraphStep.user_clicks_try_here_link(GraphStep.java:93) at ?.User clicks Try Here link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:55) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s
3	Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button	SKIPPED	0.000 s

## Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:59) * Not displayable characters are replaced by '?'. 	FAILED	0.000 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s


### User go back to Graph page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:71) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:84) 	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

## Graph page Practice Questions



#	Step / Hook Details	Status	Duration
1	Given User is on Graph page	PASSED	0.000 s
2	When User clicks Practice Questions link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Graph_PF.clickPracticeQuestion(Graph_PF.java:62) at stepDefinition.GraphStep.user_clicks_practice_questions_link(GraphStep.java:144) at ?.User clicks Practice Questions link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:90) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then User should be redirected to " Practice Questions " Practice Questions page	SKIPPED	0.000 s

User go back to the DS Algo home page




#	Step / Hook Details	Status	Duration
1	Given The user is already on Practice Questions page of Graph	PASSED	0.000 s
2	When Nothing is displayed on the page of Practice Questions	PASSED	0.000 s
3	Then User go back to the "https://dsportalapp.herokuapp.com/home" DS home page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.navigateToPage(BaseClass.java:83) at stepDefinition.GraphStep.user_go_back_to_the_ds_home_page(GraphStep.java:171) at ?.User go back to the "https://dsportalapp.herokuapp.com/home" DS home page(file:///C:/Users/enggn/eclipse-workspace/DSAgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:96) * Not displayable characters are replaced by '?'.	FAILED	0.000 s

## Signing out from DS Algo Portal



## Signing out and Closing the browser



#	Step / Hook Details	Status	Duration
1	Given The user is on DS Algo Home Page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getTitle()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getTitle(BaseClass.java:77) at stepDefinition.SignOutStep.the_user_is_on_the_ds_algo_home_page(SignOutStep.java:21) at ?.The user is on DS Algo Home Page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/11_dsSignOut.feature:5) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s
2	When The user click the Sign out link	SKIPPED	0.001 s
3	Then The user able to see successful message "Logged out successfully"	SKIPPED	0.000 s
4	And The user should able to see his Register and sign in link on the right side of the DS Algo Introduction Page and After user logged out successfully close the browser	SKIPPED	0.000 s