

Cucumber Report

Dec 6, 2023, 7:12:59 PM

Start : Dec 06, 7:12:53.380 PM

End : Dec 06, 7:12:58.612 PM

Duration : 5.232 s

Features







PASSED - 0
FAILED - 10
SKIPPED - 0

Scenarios

PASSED - 0
FAILED - 253
SKIPPED - 0

Steps

PASSED - 147
FAILED - 253
SKIPPED - 440




| Feature | | Scenario | | | | Step | | | |
|---|-----------------|-----------------|----------|----------|----------|-------------|----------|----------|----------|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>To Automate Introduction page of DS_Algo</u> | 0.714 s | 5 | 0 | 5 | 0 | 20 | 9 | 5 | 6 |
| <u>to automate Signin page of DS_Algo</u> | 0.189 s | 8 | 0 | 8 | 0 | 25 | 8 | 8 | 9 |
| <u>To Automate the page of Data Structure</u> | 4.223 s | 80 | 0 | 80 | 0 | 314 | 41 | 80 | 193 |
| <u>To Automate the page of Array</u> | 1.043 s | 28 | 0 | 28 | 0 | 84 | 15 | 28 | 41 |
| <u>Automatating Linked List Module pages</u> | 0.749 s | 31 | 0 | 31 | 0 | 93 | 17 | 31 | 45 |
| <u>To test the Stack page</u> | 0.295 s | 15 | 0 | 15 | 0 | 45 | 10 | 15 | 20 |
| <u>To test the Queue page</u> | 0.402 s | 19 | 0 | 19 | 0 | 57 | 12 | 19 | 26 |
| <u>Automatating Tree Module pages</u> | 1.232 s | 55 | 0 | 55 | 0 | 165 | 29 | 55 | 81 |
| <u>Automatating Graph Module pages</u> | 0.210 s | 11 | 0 | 11 | 0 | 33 | 6 | 11 | 16 |
| <u>Signing out from DS Algo Portal</u> | 0.002 s | 1 | 0 | 1 | 0 | 4 | 0 | 1 | 3 |

| Tag | Scenario | Feature | | | | | | | |
|--|-----------------|----------------|----------|----------|----------|----------|----------|----------|----------|
| | | T | P | F | S | T | P | F | S |
| Name | | | | | | | | | |
| @Browser_page | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Start_page | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Intro_page | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Signin_page(link) | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Signin_page(allBlank) | | 7 | 0 | 7 | 0 | 1 | 0 | 1 | 0 |
| @Signin_page(enteronlyusername) | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Signin_page(enteronlypwd) | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Signin_page(invalidusernamePwd) | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Signin_page(validUsernameinvalidPassword) | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Signin_page(validUsernameInvPwd) | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Signin_page(valid) | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @HomePage | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @DSPage | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @ComplexityPage | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @PythonEditor_Bank | | 35 | 0 | 35 | 0 | 6 | 0 | 6 | 0 |
| @PythonEditor_Invalid | | 35 | 0 | 35 | 0 | 1 | 0 | 1 | 0 |
| @PythonEditor_Valid | | 73 | 0 | 73 | 0 | 1 | 0 | 1 | 0 |


| Tag | Name | Scenario | | | | Feature | | | |
|-------------------------------|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| | | T | P | F | S | T | P | F | S |
| @PracticeQuestions | | 3 | 0 | 3 | 0 | 3 | 0 | 3 | 0 |
| @Array_page | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @ArraysInPythonPage | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @PythonEditor | | 25 | 0 | 25 | 0 | 3 | 0 | 3 | 0 |
| @ArraysUsingList_page | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @ArraysBasicOperation_page | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @ArraysBasicOperation_Tryhere | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @AppOfArray | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @AppOfArray_4Links | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @PythonEdito | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @backtoDSHomePage | | 5 | 0 | 5 | 0 | 5 | 0 | 5 | 0 |
| @LinkedList_Page | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Introduction | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @previousPage | | 27 | 0 | 27 | 0 | 4 | 0 | 4 | 0 |
| @CreatingLinkedList | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TypesofLL | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @ImplementLLInPython | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

| Tag | Name | Scenario | | | | Feature | | | |
|------------------------|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| | | T | P | F | S | T | P | F | S |
| @Traversal | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Insertion | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Deletion | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @stack_homepage | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @sp_operations | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Operationseditor | | 7 | 0 | 7 | 0 | 2 | 0 | 2 | 0 |
| @sp_implementation | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @sp_application | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @sp_practiceQ | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @qp_Impl_Q_py | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @qp_implementation.deq | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @qp_Imp_array | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @qp_Qoperations | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @qp_pracQues | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TreePage | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @OverviewofTree | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Terminologies | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

| Tag | Name | Scenario | | | | Feature | | | |
|------------------------------|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| | | T | P | F | S | T | P | F | S |
| @TypesofTrees | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TreeTraversals | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TraversalsIllustration | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @BinaryTrees | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @TypesofBinaryTrees | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @ImplementationinPython | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @binaryTreeTraversals | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @ImplementationofBinaryTrees | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @applicationsofBinaryTrees | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @binarySearchTrees | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @implementationofBST | | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |




| # | Feature Name | T | P | F | S | Duration |
|----|---|----|---|----|---|----------|
| 1 | <u>To Automate Introduction page of DS_Algo</u> | 5 | 0 | 5 | 0 | 0.714 s |
| 2 | <u>to automate Signin page of DS_Algo</u> | 8 | 0 | 8 | 0 | 0.189 s |
| 3 | <u>To Automate the page of Data Structure</u> | 80 | 0 | 80 | 0 | 4.223 s |
| 4 | <u>To Automate the page of Array</u> | 28 | 0 | 28 | 0 | 1.043 s |
| 5 | <u>Automatating Linked List Module pages</u> | 31 | 0 | 31 | 0 | 0.749 s |
| 6 | <u>To test the Stack page</u> | 15 | 0 | 15 | 0 | 0.295 s |
| 7 | <u>To test the Queue page</u> | 19 | 0 | 19 | 0 | 0.402 s |
| 8 | <u>Automatating Tree Module pages</u> | 55 | 0 | 55 | 0 | 1.232 s |
| 9 | <u>Automatating Graph Module pages</u> | 11 | 0 | 11 | 0 | 0.210 s |
| 10 | <u>Signing out from DS Algo Portal</u> | 1 | 0 | 1 | 0 | 0.002 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|----------------------------------|---|---|---|---|----------|
| 1 | <u>To Automate Introduction page of DS_Algo</u> | <u>Browser page</u> | 4 | 1 | 1 | 2 | 0.487 s |
| 2 | <u>To Automate Introduction page of DS_Algo</u> | <u>DS Algo Get Started page</u> | 4 | 1 | 1 | 2 | 0.008 s |
| 3 | <u>To Automate Introduction page of DS_Algo</u> | <u>DS Introduction page</u> | 4 | 2 | 1 | 1 | 0.025 s |
| 4 | <u>To Automate Introduction page of DS_Algo</u> | <u>DS Introduction page</u> | 4 | 2 | 1 | 1 | 0.006 s |
| 5 | <u>To Automate Introduction page of DS_Algo</u> | <u>DS Introduction page</u> | 4 | 3 | 1 | 0 | 0.007 s |
| 6 | <u>to automate Signin page of DS_Algo</u> | <u>DS Algo Introduction Page</u> | 4 | 1 | 1 | 2 | 0.009 s |
| 7 | <u>to automate Signin page of DS_Algo</u> | <u>DS Algo Introduction Page</u> | 3 | 1 | 1 | 1 | 0.007 s |
| 8 | <u>to automate Signin page of DS_Algo</u> | <u>DS Algo Introduction Page</u> | 3 | 1 | 1 | 1 | 0.007 s |


| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|----------------------------------|----------|----------|----------|----------|-----------------|
| 9 | <u>to automate Signin page of DS_Algo</u> | <u>DS Algo Introduction Page</u> | 3 | 1 | 1 | 1 | 0.005 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|---|---|---|---|---|----------|
| 10 | <u>to automate Signin page of DS_Algo</u> | <u>DS Algo Introduction Page</u> | 3 | 1 | 1 | 1 | 0.004 s |
| 11 | <u>to automate Signin page of DS_Algo</u> | <u>DS Algo Introduction Page</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 12 | <u>to automate Signin page of DS_Algo</u> | <u>DS Algo Introduction Page</u> | 3 | 1 | 1 | 1 | 0.005 s |
| 13 | <u>to automate Signin page of DS_Algo</u> | <u>DS Algo Introduction Page</u> | 3 | 1 | 1 | 1 | 0.004 s |
| 14 | <u>To Automate the page of Data Structure</u> | <u>Home Page</u> | 3 | 0 | 1 | 2 | 0.004 s |
| 15 | <u>To Automate the page of Data Structure</u> | <u>Data Structure Home page</u> | 3 | 1 | 1 | 1 | 0.007 s |
| 16 | <u>To Automate the page of Data Structure</u> | <u>Time Complexity Page</u> | 3 | 2 | 1 | 0 | 0.006 s |
| 17 | <u>To Automate the page of Data Structure</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.005 s |
| 18 | <u>To Automate the page of Data Structure</u> | <u>Python Editor page with Invalid data</u> | 4 | 1 | 1 | 2 | 0.015 s |
| 19 | <u>To Automate the page of Data Structure</u> | <u>Python Editor page with Invalid data</u> | 4 | 1 | 1 | 2 | 0.007 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|--|---|---|---|---|----------|
| 20 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.005 s |
| 21 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.005 s |
| 22 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.007 s |
| 23 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.006 s |
| 24 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.006 s |
| 25 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.002 s |
| 26 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.004 s |
| 27 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.004 s |
| 28 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.003 s |
| 29 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.003 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|--|---|---|---|---|----------|
| 30 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.004 s |
| 31 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.002 s |
| 32 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.004 s |
| 33 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.002 s |
| 34 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.003 s |
| 35 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.003 s |
| 36 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.003 s |
| 37 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.004 s |
| 38 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.002 s |
| 39 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.004 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|--|---|---|---|---|----------|
| 40 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.003 s |
| 41 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.002 s |
| 42 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.004 s |
| 43 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.003 s |
| 44 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.003 s |
| 45 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.003 s |
| 46 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.003 s |
| 47 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.003 s |
| 48 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.003 s |
| 49 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.003 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|--|---|---|---|---|----------|
| 50 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.005 s |
| 51 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.004 s |
| 52 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.005 s |
| 53 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.003 s |
| 54 | To Automate the page of Data Structure | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.003 s |
| 55 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.003 s |
| 56 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.004 s |
| 57 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.004 s |
| 58 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.005 s |
| 59 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.006 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|--|---|---|---|---|----------|
| 60 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.005 s |
| 61 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.004 s |
| 62 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.002 s |
| 63 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.003 s |
| 64 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.006 s |
| 65 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.002 s |
| 66 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.003 s |
| 67 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.002 s |
| 68 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.004 s |
| 69 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.002 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|--|---|---|---|---|----------|
| 70 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.002 s |
| 71 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.003 s |
| 72 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.003 s |
| 73 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.003 s |
| 74 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.003 s |
| 75 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.003 s |
| 76 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.002 s |
| 77 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.001 s |
| 78 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.004 s |
| 79 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.001 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|--|---|---|---|---|----------|
| 80 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.001 s |
| 81 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.003 s |
| 82 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.004 s |
| 83 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.002 s |
| 84 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.003 s |
| 85 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.002 s |
| 86 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.002 s |
| 87 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.003 s |
| 88 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.004 s |
| 89 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.002 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|--|---|---|---|---|----------|
| 90 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.002 s |
| 91 | To Automate the page of Data Structure | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.002 s |
| 92 | To Automate the page of Data Structure | User go back to the previous page | 3 | 0 | 1 | 2 | 0.003 s |
| 93 | To Automate the page of Data Structure | Time Complexity Page | 3 | 1 | 1 | 1 | 0.003 s |
| 94 | To Automate the page of Array | Home Page | 3 | 0 | 1 | 2 | 0.004 s |
| 95 | To Automate the page of Array | Array Page | 3 | 1 | 1 | 1 | 0.006 s |
| 96 | To Automate the page of Array | Array Page | 3 | 1 | 1 | 1 | 0.004 s |
| 97 | To Automate the page of Array | Python Editor page without data | 3 | 0 | 1 | 2 | 0.004 s |
| 98 | To Automate the page of Array | User go back to the previous page | 3 | 0 | 1 | 2 | 0.003 s |
| 99 | To Automate the page of Array | Array in Python Page | 3 | 1 | 1 | 1 | 0.005 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--------------------------------------|--|---|---|---|---|----------|
| 10-0 | <u>To Automate the page of Array</u> | <u>Array Using List Page</u> | 3 | 1 | 1 | 1 | 0.002 s |
| 10-1 | <u>To Automate the page of Array</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.004 s |
| 10-2 | <u>To Automate the page of Array</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.003 s |
| 10-3 | <u>To Automate the page of Array</u> | <u>Array Using List Page</u> | 3 | 1 | 1 | 1 | 0.004 s |
| 10-4 | <u>To Automate the page of Array</u> | <u>Basic operations in Lists page</u> | 3 | 1 | 1 | 1 | 0.004 s |
| 10-5 | <u>To Automate the page of Array</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.004 s |
| 10-6 | <u>To Automate the page of Array</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.008 s |
| 10-7 | <u>To Automate the page of Array</u> | <u>Basic operations in Lists page</u> | 3 | 1 | 1 | 1 | 0.007 s |
| 10-8 | <u>To Automate the page of Array</u> | <u>Application of Array page</u> | 3 | 1 | 1 | 1 | 0.007 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--------------------------------------|--------------------------------|----------|----------|----------|----------|-----------------|
| 10-9 | <u>To Automate the page of Array</u> | <u>Practice Questions page</u> | 3 | 1 | 1 | 1 | 0.007 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--|--|---|---|---|---|----------|
| 11-0 | <u>To Automate the page of Array</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.008 s |
| 11-1 | <u>To Automate the page of Array</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.006 s |
| 11-2 | <u>To Automate the page of Array</u> | <u>Practice Questions page</u> | 3 | 1 | 1 | 1 | 0.006 s |
| 11-3 | <u>To Automate the page of Array</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.007 s |
| 11-4 | <u>To Automate the page of Array</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.005 s |
| 11-5 | <u>To Automate the page of Array</u> | <u>Practice Questions page</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 11-6 | <u>To Automate the page of Array</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.004 s |
| 11-7 | <u>To Automate the page of Array</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.004 s |
| 11-8 | <u>To Automate the page of Array</u> | <u>Practice Questions page</u> | 3 | 1 | 1 | 1 | 0.006 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--------------------------------------|--------------------------------------|----------|----------|----------|----------|-----------------|
| 11-9 | <u>To Automate the page of Array</u> | <u>User is on Python editor page</u> | 3 | 1 | 1 | 1 | 0.005 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---|---|---|---|---|---|----------|
| 12-0 | To Automate the page of Array | Python Editor page without data | 3 | 0 | 1 | 2 | 0.004 s |
| 12-1 | To Automate the page of Array | User go back to the DSHome page | 3 | 2 | 1 | 0 | 0.003 s |
| 12-2 | Automatating Linked List Module pages | Get started to Linked List from DS Algo home page | 3 | 0 | 1 | 2 | 0.011 s |
| 12-3 | Automatating Linked List Module pages | Introduction link of Linked List module | 3 | 1 | 1 | 1 | 0.005 s |
| 12-4 | Automatating Linked List Module pages | Introduction page | 3 | 1 | 1 | 1 | 0.004 s |
| 12-5 | Automatating Linked List Module pages | Python Editor page without data | 3 | 0 | 1 | 2 | 0.003 s |
| 12-6 | Automatating Linked List Module pages | User go back to the previous page | 3 | 0 | 1 | 2 | 0.003 s |
| 12-7 | Automatating Linked List Module pages | Creating Linked Llist link of Linked List module | 3 | 1 | 1 | 1 | 0.004 s |
| 12-8 | Automatating Linked List Module pages | Creating Linked Llist page | 3 | 1 | 1 | 1 | 0.004 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--|--|---|---|---|---|----------|
| 12-9 | <u>Automatating Linked List Module pages</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.002 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---|--|---|---|---|---|----------|
| 13-0 | Automatating Linked List Module pages | User go back to the previous page | 3 | 0 | 1 | 2 | 0.003 s |
| 13-1 | Automatating Linked List Module pages | Types of Linked List link of Linked List module | 3 | 1 | 1 | 1 | 0.002 s |
| 13-2 | Automatating Linked List Module pages | Types of Linked List page | 3 | 1 | 1 | 1 | 0.004 s |
| 13-3 | Automatating Linked List Module pages | Python Editor page without data | 3 | 0 | 1 | 2 | 0.003 s |
| 13-4 | Automatating Linked List Module pages | User go back to the previous page | 3 | 0 | 1 | 2 | 0.002 s |
| 13-5 | Automatating Linked List Module pages | Implement Linked List in Python link of Linked List module | 3 | 1 | 1 | 1 | 0.003 s |
| 13-6 | Automatating Linked List Module pages | Implement Linked List in Python page | 3 | 1 | 1 | 1 | 0.003 s |
| 13-7 | Automatating Linked List Module pages | Python Editor page without data | 3 | 0 | 1 | 2 | 0.003 s |
| 13-8 | Automatating Linked List Module pages | User go back to the previous page | 3 | 0 | 1 | 2 | 0.002 s |

| # | Feature Name | Scenario Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | Duration |
|------|--|---|----------|----------|----------|----------|-----------------|
| 13-9 | <u>Automatating Linked List Module pages</u> | <u>Traversal link of Linked List module</u> | 3 | 1 | 1 | 1 | 0.005 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--|---|---|---|---|---|----------|
| 14-0 | <u>Automatating Linked List Module pages</u> | <u>Traversal page</u> | 3 | 1 | 1 | 1 | 0.004 s |
| 14-1 | <u>Automatating Linked List Module pages</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.001 s |
| 14-2 | <u>Automatating Linked List Module pages</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.003 s |
| 14-3 | <u>Automatating Linked List Module pages</u> | <u>Insertion link of Linked List module</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 14-4 | <u>Automatating Linked List Module pages</u> | <u>Insertion page</u> | 3 | 1 | 1 | 1 | 0.005 s |
| 14-5 | <u>Automatating Linked List Module pages</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.002 s |
| 14-6 | <u>Automatating Linked List Module pages</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.003 s |
| 14-7 | <u>Automatating Linked List Module pages</u> | <u>Deletion link of Linked List module</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 14-8 | <u>Automatating Linked List Module pages</u> | <u>Deletion page</u> | 3 | 1 | 1 | 1 | 0.003 s |

| # | Feature Name | Scenario Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | Duration |
|------|--|--|----------|----------|----------|----------|-----------------|
| 14-9 | <u>Automatating Linked List Module pages</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.002 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--|--|---|---|---|---|----------|
| 15-0 | <u>Automatating Linked List Module pages</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.003 s |
| 15-1 | <u>Automatating Linked List Module pages</u> | <u>Practice Questions link of Linked List module</u> | 3 | 1 | 1 | 1 | 0.002 s |
| 15-2 | <u>Automatating Linked List Module pages</u> | <u>User go back to the DS Algo home page</u> | 3 | 2 | 1 | 0 | 0.006 s |
| 15-3 | <u>To test the Stack page</u> | <u>Enter into Stack page</u> | 3 | 1 | 1 | 1 | 0.004 s |
| 15-4 | <u>To test the Stack page</u> | <u>User Perform Operations on Stack page</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 15-5 | <u>To test the Stack page</u> | <u>check user directed to tryeditor</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 15-6 | <u>To test the Stack page</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.002 s |
| 15-7 | <u>To test the Stack page</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.002 s |
| 15-8 | <u>To test the Stack page</u> | <u>To test the Implementation on stack page</u> | 3 | 1 | 1 | 1 | 0.002 s |

| # | Feature Name | Scenario Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | Duration |
|------|-------------------------------|---|----------|----------|----------|----------|-----------------|
| 15-9 | <u>To test the Stack page</u> | <u>check user directed to tryeditor</u> | 3 | 1 | 1 | 1 | 0.002 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|-------------------------------|---|---|---|---|---|----------|
| 16-0 | <u>To test the Stack page</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.002 s |
| 16-1 | <u>To test the Stack page</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.003 s |
| 16-2 | <u>To test the Stack page</u> | <u>To test application on stack page</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 16-3 | <u>To test the Stack page</u> | <u>check user directed to tryeditor</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 16-4 | <u>To test the Stack page</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.003 s |
| 16-5 | <u>To test the Stack page</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.004 s |
| 16-6 | <u>To test the Stack page</u> | <u>To test practice questions on stack page</u> | 3 | 1 | 1 | 1 | 0.004 s |
| 16-7 | <u>To test the Stack page</u> | <u>User go back to the DS Algo home page</u> | 3 | 2 | 1 | 0 | 0.004 s |
| 16-8 | <u>To test the Queue page</u> | <u>Enter into Queue page</u> | 3 | 1 | 1 | 1 | 0.006 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|-------------------------------|--|----------|----------|----------|----------|-----------------|
| 16-9 | <u>To test the Queue page</u> | <u>User Perform Implementation in python on queue page</u> | 3 | 1 | 1 | 1 | 0.002 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|-------------------------------|--|---|---|---|---|----------|
| 17-0 | <u>To test the Queue page</u> | <u>check user is directed to tryeditor</u> | 3 | 1 | 1 | 1 | 0.005 s |
| 17-1 | <u>To test the Queue page</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.001 s |
| 17-2 | <u>To test the Queue page</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.003 s |
| 17-3 | <u>To test the Queue page</u> | <u>To test the Implementation.dq on queue page</u> | 3 | 1 | 1 | 1 | 0.004 s |
| 17-4 | <u>To test the Queue page</u> | <u>check user directed to tryeditor</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 17-5 | <u>To test the Queue page</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.003 s |
| 17-6 | <u>To test the Queue page</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.002 s |
| 17-7 | <u>To test the Queue page</u> | <u>To test the Implementation using array</u> | 3 | 1 | 1 | 1 | 0.002 s |
| 17-8 | <u>To test the Queue page</u> | <u>check user directed to tryeditor</u> | 3 | 1 | 1 | 1 | 0.001 s |

| # | Feature Name | Scenario Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | Duration |
|------|-------------------------------|--|----------|----------|----------|----------|-----------------|
| 17-9 | <u>To test the Queue page</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.002 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---------------------------------------|---|---|---|---|---|----------|
| 18-0 | <u>To test the Queue page</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.002 s |
| 18-1 | <u>To test the Queue page</u> | <u>To perform Queue Operations</u> | 3 | 1 | 1 | 1 | 0.002 s |
| 18-2 | <u>To test the Queue page</u> | <u>check user directed to tryeditor</u> | 3 | 1 | 1 | 1 | 0.002 s |
| 18-3 | <u>To test the Queue page</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.001 s |
| 18-4 | <u>To test the Queue page</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.002 s |
| 18-5 | <u>To test the Queue page</u> | <u>to test practice question link</u> | 3 | 1 | 1 | 1 | 0.002 s |
| 18-6 | <u>To test the Queue page</u> | <u>User go back to the DS Algo home page</u> | 3 | 2 | 1 | 0 | 0.003 s |
| 18-7 | <u>Automatating Tree Module pages</u> | <u>Get started to Tree from DS Algo home page</u> | 3 | 0 | 1 | 2 | 0.002 s |
| 18-8 | <u>Automatating Tree Module pages</u> | <u>Tree home page Link</u> | 3 | 1 | 1 | 1 | 0.003 s |

| # | Feature Name | Scenario Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | Duration |
|------|---------------------------------------|-------------------------------|----------|----------|----------|----------|-----------------|
| 18-9 | <u>Automatating Tree Module pages</u> | <u>Overview of Trees page</u> | 3 | 1 | 1 | 1 | 0.002 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---------------------------------------|--|---|---|---|---|----------|
| 19-0 | <u>Automatating Tree Module pages</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.003 s |
| 19-1 | <u>Automatating Tree Module pages</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.002 s |
| 19-2 | <u>Automatating Tree Module pages</u> | <u>Terminologies page Link</u> | 3 | 1 | 1 | 1 | 0.002 s |
| 19-3 | <u>Automatating Tree Module pages</u> | <u>Terminologies page</u> | 3 | 1 | 1 | 1 | 0.002 s |
| 19-4 | <u>Automatating Tree Module pages</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.002 s |
| 19-5 | <u>Automatating Tree Module pages</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.003 s |
| 19-6 | <u>Automatating Tree Module pages</u> | <u>Types of Trees page Link</u> | 3 | 1 | 1 | 1 | 0.002 s |
| 19-7 | <u>Automatating Tree Module pages</u> | <u>Types of Trees page</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 19-8 | <u>Automatating Tree Module pages</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.002 s |

| # | Feature Name | Scenario Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | Duration |
|------|---------------------------------------|--|----------|----------|----------|----------|-----------------|
| 19-9 | <u>Automatating Tree Module pages</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.002 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---------------------------------------|--|---|---|---|---|----------|
| 20-0 | <u>Automatating Tree Module pages</u> | <u>Tree Traversals page Link</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 20-1 | <u>Automatating Tree Module pages</u> | <u>Tree Traversals page</u> | 3 | 1 | 1 | 1 | 0.002 s |
| 20-2 | <u>Automatating Tree Module pages</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.003 s |
| 20-3 | <u>Automatating Tree Module pages</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.003 s |
| 20-4 | <u>Automatating Tree Module pages</u> | <u>Traversals-Illustration page Link</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 20-5 | <u>Automatating Tree Module pages</u> | <u>Traversals-Illustration page</u> | 3 | 1 | 1 | 1 | 0.004 s |
| 20-6 | <u>Automatating Tree Module pages</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.001 s |
| 20-7 | <u>Automatating Tree Module pages</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.002 s |
| 20-8 | <u>Automatating Tree Module pages</u> | <u>Binary Trees page Link</u> | 3 | 1 | 1 | 1 | 0.002 s |

| # | Feature Name | Scenario Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | Duration |
|------|---------------------------------------|--------------------------|----------|----------|----------|----------|-----------------|
| 20-9 | <u>Automatating Tree Module pages</u> | <u>Binary Trees page</u> | 3 | 1 | 1 | 1 | 0.004 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---------------------------------------|---|---|---|---|---|----------|
| 21-0 | <u>Automatating Tree Module pages</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.003 s |
| 21-1 | <u>Automatating Tree Module pages</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.002 s |
| 21-2 | <u>Automatating Tree Module pages</u> | <u>Types of Binary Trees page Link</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 21-3 | <u>Automatating Tree Module pages</u> | <u>Types of Binary Trees page</u> | 3 | 1 | 1 | 1 | 0.002 s |
| 21-4 | <u>Automatating Tree Module pages</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.004 s |
| 21-5 | <u>Automatating Tree Module pages</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.003 s |
| 21-6 | <u>Automatating Tree Module pages</u> | <u>Implementation in Python page Link</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 21-7 | <u>Automatating Tree Module pages</u> | <u>Implementation in Python page</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 21-8 | <u>Automatating Tree Module pages</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.003 s |

| # | Feature Name | Scenario Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | Duration |
|------|---------------------------------------|--|----------|----------|----------|----------|-----------------|
| 21-9 | <u>Automatating Tree Module pages</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.002 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---------------------------------------|---|---|---|---|---|----------|
| 22-0 | <u>Automatating Tree Module pages</u> | <u>Binary Tree Traversals page Link</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 22-1 | <u>Automatating Tree Module pages</u> | <u>Binary Tree Traversals page</u> | 3 | 1 | 1 | 1 | 0.004 s |
| 22-2 | <u>Automatating Tree Module pages</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.002 s |
| 22-3 | <u>Automatating Tree Module pages</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.003 s |
| 22-4 | <u>Automatating Tree Module pages</u> | <u>Implementation of Binary Trees page Link</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 22-5 | <u>Automatating Tree Module pages</u> | <u>Implementation of Binary Trees page</u> | 3 | 1 | 1 | 1 | 0.004 s |
| 22-6 | <u>Automatating Tree Module pages</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.003 s |
| 22-7 | <u>Automatating Tree Module pages</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.003 s |
| 22-8 | <u>Automatating Tree Module pages</u> | <u>Applications of Binary trees page Link</u> | 3 | 1 | 1 | 1 | 0.003 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---------------------------------------|--|----------|----------|----------|----------|-----------------|
| 22-9 | <u>Automatating Tree Module pages</u> | <u>Applications of Binary trees page</u> | 3 | 1 | 1 | 1 | 0.003 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|---------------------------------------|--|---|---|---|---|----------|
| 23-0 | <u>Automatating Tree Module pages</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.003 s |
| 23-1 | <u>Automatating Tree Module pages</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.002 s |
| 23-2 | <u>Automatating Tree Module pages</u> | <u>Binary Search Trees page Link</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 23-3 | <u>Automatating Tree Module pages</u> | <u>Binary Search Trees page</u> | 3 | 1 | 1 | 1 | 0.004 s |
| 23-4 | <u>Automatating Tree Module pages</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.003 s |
| 23-5 | <u>Automatating Tree Module pages</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.004 s |
| 23-6 | <u>Automatating Tree Module pages</u> | <u>Implementation Of BST page Link</u> | 3 | 1 | 1 | 1 | 0.004 s |
| 23-7 | <u>Automatating Tree Module pages</u> | <u>Implementation Of BST page</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 23-8 | <u>Automatating Tree Module pages</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.002 s |

| # | Feature Name | Scenario Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | Duration |
|------|---------------------------------------|--|----------|----------|----------|----------|-----------------|
| 23-9 | <u>Automatating Tree Module pages</u> | <u>User go back to the previous page</u> | 3 | 0 | 1 | 2 | 0.003 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--|--|---|---|---|---|----------|
| 24-0 | <u>Automatating Tree Module pages</u> | <u>Tree page Practice Questions</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 24-1 | <u>Automatating Tree Module pages</u> | <u>User go back to the DS Algo home page</u> | 3 | 2 | 1 | 0 | 0.002 s |
| 24-2 | <u>Automatating Graph Module pages</u> | <u>Get started to graph from DS Algo home page</u> | 3 | 0 | 1 | 2 | 0.005 s |
| 24-3 | <u>Automatating Graph Module pages</u> | <u>Graph home page</u> | 3 | 0 | 1 | 2 | 0.002 s |
| 24-4 | <u>Automatating Graph Module pages</u> | <u>Graph page</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 24-5 | <u>Automatating Graph Module pages</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.001 s |
| 24-6 | <u>Automatating Graph Module pages</u> | <u>User go back to Graph page</u> | 3 | 0 | 1 | 2 | 0.002 s |
| 24-7 | <u>Automatating Graph Module pages</u> | <u>Graph page second link</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 24-8 | <u>Automatating Graph Module pages</u> | <u>Graph Representations page</u> | 3 | 1 | 1 | 1 | 0.003 s |

| # | Feature Name | Scenario Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | Duration |
|------|--|--|----------|----------|----------|----------|-----------------|
| 24-9 | <u>Automatating Graph Module pages</u> | <u>Python Editor page without data</u> | 3 | 0 | 1 | 2 | 0.002 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|------|--|--|----------|----------|----------|----------|-----------------|
| 25-0 | <u>Automatating Graph Module pages</u> | <u>User go back to Graph page</u> | 3 | 0 | 1 | 2 | 0.002 s |
| 25-1 | <u>Automatating Graph Module pages</u> | <u>Graph page Practice Questions</u> | 3 | 1 | 1 | 1 | 0.003 s |
| 25-2 | <u>Automatating Graph Module pages</u> | <u>User go back to the DS Algo home page</u> | 3 | 2 | 1 | 0 | 0.002 s |
| 25-3 | <u>Signing out from DS Algo Portal</u> | <u>Signing out and Closing the browser</u> | 4 | 0 | 1 | 3 | 0.002 s |

To Automate Introduction page of DS_Algo




Browser page




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The Trio Team Challengers starts testing the Data Structure Algo portal. | PASSED | 0.006 s |
| 2 | Given The user should be open the browser <pre>java.io.FileNotFoundException: C:\Users\OVI\eclipse-workspace\DSAlgo_Cucumber\src\test\resources\configFiles\config.properties (The system cannot find the path specified) at java.base/java.io.FileInputStream.open0(Native Method) at java.base/java.io.FileInputStream.open(FileInputStream.java:219) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:158) at java.base/java.io.FileInputStream.<init>(FileInputStream.java:112) at java.base/java.io.FileReader.<init>(FileReader.java:60) at utilities.BaseClass.setUp(BaseClass.java:30) at stepDefinition.ds_AlgoPortalSteps.the_user_should_be_open_the_browser(ds_AlgoPortalSteps.java:39) at ?.The user should be open the browser(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/01_dslntro.feature:8) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.006 s |
| 3 | When The user enter the DS_Algo Portal https://dsportalapp.herokuapp.com/ | SKIPPED | 0.001 s |
| 4 | Then The user should landed on the DS_Algo Get Started page with message "You are at the right place" | SKIPPED | 0.000 s |

DS Algo Get Started page



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The Trio Team Challengers starts testing the Data Structure Algo portal. | PASSED | 0.002 s |
| 2 | Given The user should open the DS Algo Portal URL in any supported browser java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getTitle()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getTitle(BaseClass.java:82) at stepDefinition.ds_AlgoPortalSteps.the_user_should_open_the_ds_algo_portal_url_in_any_supported_browser(ds_AlgoPortalSteps.java:63) at ?.The user should open the DS Algo Portal URL in any supported browser(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/01_dslintro.feature:18) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | When The user clicks the Get Started button | SKIPPED | 0.000 s |
| 4 | Then The user should land in Data Structure Introduction Page with "Register" and "Sign in" links | SKIPPED | 0.000 s |


DS Introduction page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The Trio Team Challengers starts testing the Data Structure Algo portal. | PASSED | 0.000 s |
| 2 | Given The user is on the DS Introduction page | PASSED | 0.019 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 3 | <p>When The user clicks the data structure dropdown arrow</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.DSIntro_PF.clickDSDropdown(DSIntro_PF.java:40) at stepDefinition.ds_AlgoPortalSteps.the_user_clicks_the_data_structure_dropdown_arrow(ds_AlgoPortalSteps.java:101) at ?.The user clicks the data structure dropdown arrow(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/01_dsIntro.feature:25) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.001 s |
| 4 | Then The user should able to see 6 options Arrays "Linked,List,Stack,Queue,Tree,Graph" in dropdown menu | SKIPPED | 0.001 s |


DS Introduction page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The Trio Team Challengers starts testing the Data Structure Algo portal. | PASSED | 0.001 s |
| 2 | Given The user is on the DS Introduction page | PASSED | 0.001 s |
| 3 | <p>When The user selects any data structures item from the drop down without Sign in.</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.DSIntro_PF.clickLinkedListDropdown(DSIntro_PF.java:32) at stepDefinition.ds_AlgoPortalSteps. the_user_selects_any_data_structures_item_from_the_drop_down_without_sign_in(ds_AlgoPortalSteps.java:117) at ?.The user selects any data structures item from the drop down without Sign in.(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/01_dsIntro.feature:30)</pre> | FAILED | 0.002 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | * Not displayable characters are replaced by '?'. | | |
| 4 | Then The user should able to see an warning message "You are not logged in" | SKIPPED | 0.000 s |

DS Introduction page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The Trio Team Challengers starts testing the Data Structure Algo portal. | PASSED | 0.001 s |
| 2 | Given The user is on the DS Introduction page | PASSED | 0.001 s |
| 3 | When The user clicks any "Get Started" buttons of data structures on the DS Introduction page | PASSED | 0.001 s |
| 4 | Then The user should able to see an warning message "You are not logged in" <i>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null</i> <i>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</i> <i>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</i> <i>at jdk.proxy2/jdk.proxy2.\$Proxy59.getText(Unknown Source)</i> <i>at pagefactory.DSIntro_PF.getText(DSIntro_PF.java:35)</i> <i>at stepDefinition.ds_AlgoPortalSteps.the_user_should_able_to_see_an_warning_message(ds_AlgoPortalSteps.java:123)</i> <i>at ?.The user should able to see an warning message "You are not logged in"(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/01_dslntro.feature:36)</i> * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |

to automate Signin page of DS_Algo





DS Algo Introduction Page





| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the DS Algo Introduction Page | PASSED | 0.003 s |
| 2 | When The user should click the Sign in link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.DSIntro_PF.clickSignin(DSIntro_PF.java:66) at stepDefinition.ds_AlgoSigninSteps.the_user_should_click_the_sign_in_link(ds_AlgoSigninSteps.java:31) at ?.The user should click the Sign in link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/03_dsSignin.feature:8) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| 3 | Then The user should be redirected to Sign in page | SKIPPED | 0.001 s |
| 4 | And The user is able to see "Register!" link below the text boxes | SKIPPED | 0.000 s |

DS Algo Introduction Page

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.007 s |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
| / 7:12:54.154 PM // 7:12:54.161 PM / | | | | |
| to automate Signin page of DS_Algo | | | | |
| @Signin_page(allBlank) | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the DS Algo Introduction Page | PASSED | 0.001 s |
| 2 | When The user clicks login button after leaving the "" textbox and "" textbox blank java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Signin_PF.ClickLogin(Signin_PF.java:75) at stepDefinition.ds_AlgoSigninSteps.the_user_clicks_login_button_after_leaving_the_textbox_and_textbox_blank(ds_AlgoSigninSteps.java:65) at ?.The user clicks login button after leaving the "" textbox and "" textbox blank(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/03_dsSignin.feature:14) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| 3 | Then The error message "Please fill out this field." appears below Username textbox | SKIPPED | 0.001 s |


DS Algo Introduction Page

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.007 s |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
| / 7:12:54.186 PM // 7:12:54.193 PM / | | | | |
| to automate Signin page of DS_Algo | | | | |
| @Signin_page(enteronlyusername) | | | | |
| @Signin_page(allBlank) | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the DS Algo Introduction Page | PASSED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 2 | <p>When The user clicks login button after entering the "Trioteamchallengers" and leaves "" textbox blank</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.sendKeys(Unknown Source) at pagefactory.Signin_PF.validUsernameAndBlankPassword(Signin_PF.java:58) at stepDefinition.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_the_and_leaves_textbox_blank(ds_AlgoSigninSteps.java:71) at ?.The user clicks login button after entering the "Trioteamchallengers" and leaves "" textbox blank(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/03_dsSignin.feature:23) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.002 s |
| 3 | Then The error message "Please fill out this field." appears below Pwd textbox | SKIPPED | 0.000 s |


DS Algo Introduction Page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the DS Algo Introduction Page | PASSED | 0.001 s |
| 2 | <p>When The user clicks login button after entering the "ds@qateam334h" only.</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.clear(Unknown Source) at pagefactory.Signin_PF.enterPwdonly(Signin_PF.java:36) at stepDefinition.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_the_only(ds_AlgoSigninSteps.java:105) at ?.The user clicks login button after entering the "ds@qateam334h" only.(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/03_dsSignin.feature:32) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 3 | Then The error message "Please fill out this field." appears below Username textbox | SKIPPED | 0.000 s |

DS Algo Introduction Page




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the DS Algo Introduction Page | PASSED | 0.001 s |
| 2 | When The user clicks login button after entering invalid "teamchallengers" and invalid "ds@qateam334h" java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.sendKeys(Unknown Source) at pagefactory.Signin_PF.invalidUsernamePwd(Signin_PF.java:48) at stepDefinition.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_invalid_and_invalid(ds_AlgoSigninSteps.java:92) at ?.The user clicks login button after entering invalid "teamchallengers" and invalid "ds@qateam334h"(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/03_dsSignin.feature:41) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then The user should able to see an error message "Invalid Username and Password". | SKIPPED | 0.000 s |

DS Algo Introduction Page



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on the DS Algo Introduction Page | PASSED | 0.001 s |
| 2 | <p>When The user clicks login button after entering valid "Trioteamchallengers" and invalid ""</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.sendKeys(Unknown Source) at pagefactory.Signin_PF.validUsernameAndInvalidPassword(Signin_PF.java:53) at stepDefinition.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_valid_and_invalid(ds_AlgoSigninSteps.java:55) at ?.The user clicks login button after entering valid "Trioteamchallengers" and invalid ""(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/03_dsSignin.feature:50) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.001 s |
| 3 | Then The user should able to see an error message "Invalid Username and Password". | SKIPPED | 0.001 s |


DS Algo Introduction Page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the DS Algo Introduction Page | PASSED | 0.000 s |
| 2 | <p>When The user clicks login button after entering valid "Trioteamchallengers" and invalid "ds@qateam334h"</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.sendKeys(Unknown Source) at pagefactory.Signin_PF.validUsernameAndInvalidPassword(Signin_PF.java:53) at stepDefinition.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_valid_and_invalid(ds_AlgoSigninSteps.java:55) at ?.The user clicks login button after entering valid "Trioteamchallengers" and invalid "ds@qateam334h"(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/03_dsSignin.feature:59) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.002 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 3 | Then The error message "Please fill out this field." appears below Username textbox | SKIPPED | 0.000 s |

DS Algo Introduction Page





| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the DS Algo Introduction Page | PASSED | 0.001 s |
| 2 | When The user clicks login button after entering valid "Trioteamchallengers" and valid "triothebest@123" java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.sendKeys(Unknown Source) at pagefactory.Signin_PF.validUsernameAndBlankPassword(Signin_PF.java:58) at stepDefinition.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_valid_and_valid(ds_AlgoSigninSteps.java:122) at ?.The user clicks login button after entering valid "Trioteamchallengers" and valid "triothebest@123"(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/03_dsSignin.feature:68) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then The user should land in Data Structure Home Page with "You are logged in" message | SKIPPED | 0.001 s |

To Automate the page of Data Structure





Home Page

| | | | | |
|--|--------------------|--|--|---|
| FAILED | DURATION - 0.004 s |  | Steps Total - 3 Pass - 0 Fail - 1 Skip - 2 |  |
| / 7:12:54.334 PM // 7:12:54.338 PM / | | | | |
| To Automate the page of Data Structure | | | | |
| @HomePage | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on the DS Algo Home Page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getCurrentUrl()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getCurrentUrl(BaseClass.java:79) at stepDefinition.ds_AlgoPortalSteps.the_user_is_on_the_ds_algo_home_page(ds_AlgoPortalSteps.java:335) at ?.The user is on the DS Algo Home Page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/04_dsDataStructInt.feature:5) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | When The user clicks Get Started button below the Data structures-Introduction | SKIPPED | 0.000 s |
| 3 | Then The user should land in "Data Structures-Introduction" DS page | SKIPPED | 0.001 s |


Data Structure Home page

| | | | | |
|--|--------------------|---|--|--|
| FAILED | DURATION - 0.007 s |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
| / 7:12:54.359 PM // 7:12:54.366 PM / | | | | |
| To Automate the page of Data Structure | | | | |
| @DSPage | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Data Structure Introduction Page | PASSED | 0.002 s |
| 2 | When The user clicks Time Complexity link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.DataStructureIntro_PF.ClickDStimeComplexity(DataStructureIntro_PF.java:26) at stepDefinition.ds_AlgoDataStructInt.the_user_clicks_time_complexity_link(ds_AlgoDataStructInt.java:43) at ?.The user clicks Time Complexity link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/04_dsDataStructInt.feature:12) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | Then The user should be redirected to "Time Complexity" TC page | SKIPPED | 0.000 s |

Time Complexity Page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Time Complexity Page | PASSED | 0.002 s |
| 2 | When The user clicks Try Here button of Time Complexity page | PASSED | 0.000 s |
| 3 | Then The user should be redirected to a page having an Python Editor <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getCurrentUrl()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getCurrentUrl(BaseClass.java:79) at stepDefinition.ds_AlgoDataStructInt.the_user_should_be_redirected_to_a_page_having_an_python_editor(ds_AlgoDataStructInt.java:81) at ?.The user should be redirected to a page having an Python Editor(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/04_dsDataStructInt.feature:19) * Not displayable characters are replaced by '?'. </pre> | FAILED | 0.001 s |

Python Editor page without data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | <p>Given The user is on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/ 04_dsDataStructInt.feature:23) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.002 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.001 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |


Python Editor page with Invalid data



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.001 s |
| 2 | <p>And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2</p> <pre>java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this. workbook" is null</pre> | FAILED | 0.011 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre>at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/04_dsDataStructInt.feature:30) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |

Python Editor page with Invalid data




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 <pre>java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this. workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:30) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.002 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |

Python Editor page with Invalid data



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:75) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.002 s |


Python Editor page with Invalid data



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:120) * Not displayable characters are replaced by '?'. | | |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.001 s |

Python Editor page with Invalid data




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.001 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:171) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |

Python Editor page with Invalid data




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 <i>java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null</i> <i>at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467)</i> <i>at stepDefinition.TryEditorPageStep.</i> <i>enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103)</i> <i>at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:210)</i> <i>* Not displayable characters are replaced by '?'.</i> | FAILED | 0.002 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |

Python Editor page with Invalid data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.001 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:249) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |


Python Editor page with Invalid data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:297) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |

Python Editor page with Invalid data




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:31) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |

Python Editor page with Invalid data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:78) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |


Python Editor page with Invalid data



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:125) * Not displayable characters are replaced by '?'. | | |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |

Python Editor page with Invalid data




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:172) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |

Python Editor page with Invalid data




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 <i>java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null</i> <i>at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467)</i> <i>at stepDefinition.TryEditorPageStep.</i> <i>enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103)</i> <i>at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:219)</i> <i>* Not displayable characters are replaced by '?'.</i> | FAILED | 0.002 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.001 s |

Python Editor page with Invalid data



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.001 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:266) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |


Python Editor page with Invalid data



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:313) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |

Python Editor page with Invalid data




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:30) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |

Python Editor page with Invalid data



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:77) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |


Python Editor page with Invalid data



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and | FAILED | 0.002 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:124) * Not displayable characters are replaced by '?'. | | |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |

Python Editor page with Invalid data




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:30) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.001 s |

Python Editor page with Invalid data




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 <i>java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null</i> <i>at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467)</i> <i>at stepDefinition.TryEditorPageStep.</i> <i>enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103)</i> <i>at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:77)</i> <i>* Not displayable characters are replaced by '?'.</i> | FAILED | 0.002 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |

Python Editor page with Invalid data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:124) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |


Python Editor page with Invalid data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:171) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |

Python Editor page with Invalid data




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:31) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |

Python Editor page with Invalid data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:78) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |


Python Editor page with Invalid data



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.001 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:125) * Not displayable characters are replaced by '?'. | | |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |

Python Editor page with Invalid data




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.001 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:172) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |

Python Editor page with Invalid data




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 <i>java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null</i> <i> at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467)</i> <i> at stepDefinition.TryEditorPageStep.</i> <i>enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103)</i> <i> at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:219)</i> <i>* Not displayable characters are replaced by '?'.</i> | FAILED | 0.002 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |

Python Editor page with Invalid data



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:266) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.001 s |


Python Editor page with Invalid data



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.001 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:313) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |

Python Editor page with Invalid data




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:360) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |

Python Editor page with Invalid data



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 <code>java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null</code> <code>at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467)</code> <code>at stepDefinition.TryEditorPageStep.</code> <code>enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103)</code> <code>at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:407)</code> <code>* Not displayable characters are replaced by '?'.</code> | FAILED | 0.000 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |


Python Editor page with Invalid data



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.001 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and | FAILED | 0.001 s |



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:454) * Not displayable characters are replaced by '?'. | | |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.001 s |

Python Editor page with Invalid data





| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.001 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:501) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.001 s |

Python Editor page with Invalid data

| | | | | |
|---|--------------------|--|--|---|
| FAILED | DURATION - 0.004 s |  | Steps Total - 4 Pass - 1 Fail - 1 Skip - 2 |  |
| / 7:12:58.192 PM // 7:12:58.196 PM / | | | | |
| To Automate the page of Data Structure | | | | |
| @PythonEditor_Valid @PythonEditor_Invalid | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.001 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:548) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |

Python Editor page with Invalid data

| | | | | |
|---|--------------------|--|--|---|
| FAILED | DURATION - 0.005 s |  | Steps Total - 4 Pass - 1 Fail - 1 Skip - 2 |  |
| / 7:12:58.296 PM // 7:12:58.301 PM / | | | | |
| To Automate the page of Data Structure | | | | |
| @PythonEditor_Valid @PythonEditor_Invalid | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:595) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |


Python Editor page with Invalid data



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:25) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.001 s |

Python Editor page with Invalid data





| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null at utilities.ExcelReaderCode.isSheetExist(ExcelReaderCode.java:467) at stepDefinition.TryEditorPageStep. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(TryEditorPageStep.java:103) at ?.enters the data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:65) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |

Python Editor page with valid data

| | | | | |
|--|--------------------|--|--|---|
| FAILED | DURATION - 0.003 s |  | Steps Total - 4 Pass - 0 Fail - 1 Skip - 3 |  |
| / 7:12:54.457 PM // 7:12:54.460 PM / | | | | |
| To Automate the page of Data Structure | | | | |
| @PythonEditor_Valid | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/04_dsDataStructInt.feature:40) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |


Python Editor page with valid data

| | | | | |
|--|--------------------|---|--|--|
| FAILED | DURATION - 0.004 s |  | Steps Total - 4 Pass - 0 Fail - 1 Skip - 3 |  |
| / 7:12:54.633 PM // 7:12:54.637 PM / | | | | |
| To Automate the page of Data Structure | | | | |
| @PythonEditor_Valid | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:40) * Not displayable characters are replaced by '?'. | | |
| 2 | And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:85) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:130) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |


Python Editor page with valid data



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) | FAILED | 0.003 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:181) * Not displayable characters are replaced by '?'. | | |
| 2 | And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2 | SKIPPED | 0.001 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:220) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:259) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.001 s |


Python Editor page with valid data



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:309) * Not displayable characters are replaced by '?'. | | |
| 2 | And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:41) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:88) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |


Python Editor page with valid data



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) | FAILED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:135) * Not displayable characters are replaced by '?'. | | |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:182) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:229) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.001 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |


Python Editor page with valid data



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:276) * Not displayable characters are replaced by '?'. | | |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:323) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:40) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |


Python Editor page with valid data



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:87) * Not displayable characters are replaced by '?'. | | |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:134) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.001 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:40) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |


Python Editor page with valid data



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:87) * Not displayable characters are replaced by '?'. | | |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:134) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | <p>Given The user is on the tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:181) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.000 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |


Python Editor page with valid data



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | <p>Given The user is on the tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76)</pre> | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:41) * Not displayable characters are replaced by '?'. | | |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:88) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:135) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |


Python Editor page with valid data



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) | FAILED | 0.001 s |



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:182) * Not displayable characters are replaced by '?'. | | |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data





| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:229) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.001 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data

| | | | | |
|--|--------------------|--|--|---|
| FAILED | DURATION - 0.004 s |  | Steps Total - 4 Pass - 0 Fail - 1 Skip - 3 |  |
| / 7:12:57.603 PM // 7:12:57.607 PM / | | | | |
| To Automate the page of Data Structure | | | | |
| @PythonEditor_Valid | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:276) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |


Python Editor page with valid data

| | | | | |
|--|--------------------|---|--|--|
| FAILED | DURATION - 0.002 s |  | Steps Total - 4 Pass - 0 Fail - 1 Skip - 3 |  |
| / 7:12:57.696 PM // 7:12:57.698 PM / | | | | |
| To Automate the page of Data Structure | | | | |
| @PythonEditor_Valid | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:323) * Not displayable characters are replaced by '?'. | | |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:370) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:417) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.001 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |


Python Editor page with valid data



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) | FAILED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:464) * Not displayable characters are replaced by '?'. | | |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:511) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:558) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.001 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |


Python Editor page with valid data



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) | FAILED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:605) * Not displayable characters are replaced by '?'. | | |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:34) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |

Python Editor page with valid data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_the_try_editor_page(TryEditorPageStep.java:21) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:74) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| 2 | And enters data in the Editor after reading data from excel sheet "Tree_Python" with column_name "Tree_Valid_Data" and row_number 3 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |


User go back to the previous page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/ 04_dsDataStructInt.feature:50) * Not displayable characters are replaced by '?'. | | |
| 2 | When User able to see output in console | SKIPPED | 0.001 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |

Time Complexity Page




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the Time Complexity Page | PASSED | 0.000 s |
| 2 | When The user clicks Practice Questions link of DS java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.DataStructureIntro_PF.clickPracticeQuestions(DataStructureIntro_PF.java:21) at stepDefinition.ds_AlgoDataStructInt.the_user_clicks_practice_questions_link_of_ds(ds_AlgoDataStructInt.java:67) at ?.The user clicks Practice Questions link of DS(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/ 04_dsDataStructInt.feature:57) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then The user does not find any practice problems and the page is null | SKIPPED | 0.000 s |

To Automate the page of Array




Home Page




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on the DS Algo Home Page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getCurrentUrl()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getCurrentUrl(BaseClass.java:79) at stepDefinition.ds_AlgoPortalSteps.the_user_is_on_the_ds_algo_home_page(ds_AlgoPortalSteps.java:335) at ?.The user is on the DS Algo Home Page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:5) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | When The user clicks "Get Started" button below the array | SKIPPED | 0.000 s |
| 3 | Then The user should be redirected to "Array" page | SKIPPED | 0.001 s |

Array Page



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the Array page | PASSED | 0.003 s |
| 2 | When The user clicks a Arrays in Python link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Arrays_PF.clickArraysInPython(Arrays_PF.java:118) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_a_arrays_in_python_link(ds_AlgoArraySteps.java:44) at ?.The user clicks a Arrays in Python link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:12) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then The user should be redirected to "Arrays in Python" AP Page | SKIPPED | 0.001 s |


Array Page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the Array page | PASSED | 0.001 s |
| 2 | When The user clicks Try Here button of Array in Python Page | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Arrays_PF.clickTryhere(Arrays_PF.java:130) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_in_python_page(ds_AlgoArraySteps.java:64) at ?.The user clicks Try Here button of Array in Python Page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:18) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor" | SKIPPED | 0.000 s |

Python Editor page without data




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on tryEditor page <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:23) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.002 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.001 s |

User go back to the previous page



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:50) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |


Array in Python Page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Array in Python Page | PASSED | 0.001 s |
| 2 | When The user clicks a Arrays Using List link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | FAILED | 0.002 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Arrays_PF.clickArraysUsingList(Arrays_PF.java:121) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_a_arrays_using_list_link(ds_AlgoArraySteps.java:88) at ?.The user clicks a Arrays Using List link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:57) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | Then The user should be redirected to "Arrays Using List" AL page. | SKIPPED | 0.000 s |

Array Using List Page




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the Array Using List page | PASSED | 0.001 s |
| 2 | When The user clicks Try Here button of Array Using List Page <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Arrays_PF.clickTryhere(Arrays_PF.java:130) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_using_list_page(ds_AlgoArraySteps.java:105) at ?.The user clicks Try Here button of Array Using List Page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:63) * Not displayable characters are replaced by '?'. </pre> | FAILED | 0.001 s |
| 3 | Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor" | SKIPPED | 0.000 s |

Python Editor page without data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:68) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.001 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |


User go back to the previous page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:95) | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.001 s |

Array Using List Page




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the Array Using List page | PASSED | 0.000 s |
| 2 | When The user clicks a Basic Operations in Lists link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Arrays_PF.clickArraysBasicOp(Arrays_PF.java:124) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_a_basic_operations_in_lists_link(ds_AlgoArraySteps.java:111) at ?.The user clicks a Basic Operations in Lists link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:102) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| 3 | Then The user should be redirected to "Basic Operations in Lists" BO page. | SKIPPED | 0.000 s |

Basic operations in Lists page



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the Basic Operations in Lists page | PASSED | 0.000 s |
| 2 | <p>When The user clicks Try Here button of Operations in Lists Page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Arrays_PF.clickTryhere(Arrays_PF.java:130) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_operations_in_lists_page(ds_AlgoArraySteps.java:129) at ?.The user clicks Try Here button of Operations in Lists Page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:108) * Not displayable characters are replaced by '?'. </pre> | FAILED | 0.001 s |
| 3 | Then The user should be redirected to a page having an Python Editor with a url " https://dsportalapp.herokuapp.com/tryEditor " | SKIPPED | 0.001 s |


Python Editor page without data



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | <p>Given The user is on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null</pre> | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:113) * Not displayable characters are replaced by '?'. 2 When The user clicks the run button without entring the code in the Editor 3 Then Nothing happens to the page and no error message is displayed | | |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |

User go back to the previous page




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:140) * Not displayable characters are replaced by '?'. 2 When User able to see output in console 3 Then User go back to the previous page | FAILED | 0.004 s |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.001 s |

Basic operations in Lists page



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on the Basic Operations in Lists page | PASSED | 0.001 s |
| 2 | When The user clicks an Applications of Array link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqaqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqaqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Arrays_PF.clickArraysApp(Arrays_PF.java:127) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_an_applications_of_array_link(ds_AlgoArraySteps.java:137) at ?.The user clicks an Applications of Array link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:147) * Not displayable characters are replaced by '?'. | FAILED | 0.003 s |
| 3 | Then The user should be redirected to "Applications of Array" AA page. | SKIPPED | 0.000 s |


Application of Array page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Applications of Array page | PASSED | 0.001 s |
| 2 | When The user clicks Practice Questions link | FAILED | 0.001 s |



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Arrays_PF.clickArraysPracticeQuestions(Arrays_PF.java:225) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_practice_questions_link(ds_AlgoArraySteps.java:164) at ?.The user clicks Practice Questions link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:153) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then The user should be redirected to practice page having links like "Search the array","Max Consecutive Ones","Find Numbers with Even Number of Digits" , "Squares of a Sorted Array" | SKIPPED | 0.000 s |

Practice Questions page





| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on Practice page | PASSED | 0.001 s |
| 2 | When The user clicks search the array link <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Arrays_PF.clickArraysSearch(Arrays_PF.java:228) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_search_the_array_link(ds_AlgoArraySteps.java:191) at ?.The user clicks search the array link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:159) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.003 s |
| 3 | Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons | SKIPPED | 0.000 s |

Python Editor page without data

| | | | | |
|--------------------------------------|---------------------------|--|---|---|
| FAILED | DURATION - 0.008 s |  | Steps Total - 3 Pass - 0 Fail - 1 Skip - 2 |  |
| / 7:12:55.039 PM // 7:12:55.047 PM / | | | | |
| To Automate the page of Array | | | | |
| @PythonEditor_Bank | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:164) * Not displayable characters are replaced by '?'. | FAILED | 0.003 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |


User go back to the previous page

| | | | | |
|--------------------------------------|---------------------------|---|---|--|
| FAILED | DURATION - 0.006 s |  | Steps Total - 3 Pass - 0 Fail - 1 Skip - 2 |  |
| / 7:12:55.131 PM // 7:12:55.137 PM / | | | | |
| To Automate the page of Array | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) | FAILED | 0.004 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:191) * Not displayable characters are replaced by '?'. | | |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |

Practice Questions page




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on Practice page | PASSED | 0.000 s |
| 2 | When The user clicks Max consecutive ones link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.NavBack(BaseClass.java:85) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_max_consecutive_ones_link(ds_AlgoArraySteps.java:204) at ?.The user clicks Max consecutive ones link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:198) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| 3 | Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons | SKIPPED | 0.000 s |

Python Editor page without data



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:203) * Not displayable characters are replaced by '?'. | FAILED | 0.005 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |

User go back to the previous page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:230) | FAILED | 0.002 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| * Not displayable characters are replaced by '?'. | | | |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.001 s |

Practice Questions page

| | | | | |
|--------------------------------------|--------------------|--|---|---|
| FAILED | DURATION - 0.003 s | <p>A timeline chart with three vertical dashed grid lines at 1, 2, and 3 seconds. A horizontal bar starts at 0 and ends at approximately 0.003 seconds. The bar is divided into three segments: red (0-0.003), grey (0.003-1), and light blue (1-3).</p> | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 | <p>A circular chart divided into three segments: yellow (top), green (middle), and red (bottom). The number '3' is in the center.</p> |
| / 7:12:55.355 PM // 7:12:55.358 PM / | | | | |
| <i>To Automate the page of Array</i> | | | | |
| @PythonEditor | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on Practice page | PASSED | 0.000 s |
| 2 | When The user clicks Find numbers with even number of digits link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.NavBack(BaseClass.java:85) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_find_numbers_with_even_number_of_digits_link(ds_AlgoArraySteps.java:211) at ?.The user clicks Find numbers with even number of digits link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:237) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons | SKIPPED | 0.001 s |

Python Editor page without data

| | | | | |
|--------------------------------------|--------------------|--|---|--|
| FAILED | DURATION - 0.004 s | <p>A timeline chart with three vertical dashed grid lines at 1, 2, and 3 seconds. A horizontal bar starts at 0 and ends at approximately 0.004 seconds. The bar is divided into three segments: red (0-0.004), grey (0.004-1), and light blue (1-3).</p> | Steps Total - 3 Pass - 0 Fail - 1 Skip - 2 | <p>A circular chart divided into three segments: yellow (top), red (middle), and yellow (bottom). The number '3' is in the center.</p> |
| / 7:12:55.388 PM // 7:12:55.392 PM / | | | | |
| <i>To Automate the page of Array</i> | | | | |
| @PythonEditor_Bank | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:242) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |

User go back to the previous page





| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:271) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |

Practice Questions page

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.006 s |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
| / 7:12:55.483 PM // 7:12:55.489 PM / | | | | |
| To Automate the page of Array | | | | |
| @PythonEdito | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on Practice page | PASSED | 0.001 s |
| 2 | When The user clicks squared of the sorted array link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.NavBack(BaseClass.java:85) at stepDefinition.ds_AlgoArraySteps.the_user_clicks_squared_of_the_sorted_array_link(ds_AlgoArraySteps.java:217) at ?.The user clicks squared of the sorted array link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:278) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons | SKIPPED | 0.000 s |


User is on Python editor page

| | | | | |
|--------------------------------------|--------------------|---|--|--|
| FAILED | DURATION - 0.005 s |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
| / 7:12:55.506 PM // 7:12:55.511 PM / | | | | |
| To Automate the page of Array | | | | |
| | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is already on Python Editor page | PASSED | 0.001 s |
| 2 | When User clicks the submit button int try editor java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Arrays_PF.clickSubmitbtn(Arrays_PF.java:49) at stepDefinition.ds_AlgoArraySteps.user_clicks_the_submit_button_int_try_editor(ds_AlgoArraySteps.java:232) at ?.User clicks the submit button int try editor(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:283) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | Then User gets an warning message " No tests were collected" in the console | SKIPPED | 0.000 s |

Python Editor page without data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on tryEditor page <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:288) * Not displayable characters are replaced by '?'. </pre> | FAILED | 0.001 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |

User go back to the DSHome page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is already on the tryEditor page | PASSED | 0.001 s |
| 2 | When User can see output in the console | PASSED | 0.000 s |
| 3 | Then User go back to "https://dsportalapp.herokuapp.com/home" DS home page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.navigateToString(BaseClass.java:88) at stepDefinition.ds_AlgoArraySteps.user_go_back_to_ds_home_page(ds_AlgoArraySteps.java:276) at ?.User go back to "https://dsportalapp.herokuapp.com/home" DS home page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/05_dsArray.feature:322) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |

Automatating Linked List Module pages




Get started to Linked List from DS Algo home page



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on the DS algo portal home page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getTitle()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getTitle(BaseClass.java:82) at stepDefinition.LinkedListStep.user_is_on_the_ds_algo_portal_home_page(LinkedListStep.java:19) at ?.User is on the DS algo portal home page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:5) * Not displayable characters are replaced by '?'. | FAILED | 0.007 s |
| 2 | When User clicks Get started button from Linked List pane | SKIPPED | 0.001 s |
| 3 | Then User should be redirected to "Linked List" Linked List home page | SKIPPED | 0.000 s |


Introduction link of Linked List module



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on Linked List page in Linked List module | PASSED | 0.000 s |
| 2 | When User clicks Introduction link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | FAILED | 0.002 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre>at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickIntroduction(LinkedList_PF.java:50) at stepDefinition.LinkedListStep.user_clicks_introduction_link(LinkedListStep.java:55) at ?.User clicks Introduction link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:13) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then User should be redirected to "Introduction" Introduction of Linked List page | SKIPPED | 0.000 s |

Introduction page




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on Introduction page | PASSED | 0.000 s |
| 2 | When User clicks a Try Here link on Introduction of Linked List page <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickLinkedListTryHere(LinkedList_PF.java:84) at stepDefinition.LinkedListStep.user_clicks_a_try_here_link_on_introduction_of_linked_list_page(LinkedListStep.java:81) at ?.User clicks a Try Here link on Introduction of Linked List page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:19) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.002 s |
| 3 | Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button | SKIPPED | 0.000 s |

Python Editor page without data



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:24) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |


User go back to the previous page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:52) | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |

Creating Linked Llist link of Linked List module




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on Introduction page | PASSED | 0.000 s |
| 2 | When User clicks Creating Llist link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickCreatingLlist(LinkedList_PF.java:54) at stepDefinition.LinkedListStep.user_clicks_creating_linked_l_ist_link(LinkedListStep.java:89) at ?.User clicks Creating Llist link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:60) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then User should be redirected to "Creating Linked Llist" Creating Llist of Linked List page | SKIPPED | 0.000 s |

Creating Linked Llist page



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on Creating Linked Llist page | PASSED | 0.001 s |
| 2 | When User clicks a Try Here link on Creating Linked Llist of Linked List page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickLinkedListTryHere(LinkedList_PF.java:84) at stepDefinition.LinkedListStep.user_clicks_a_try_here_link_on_creating_linked_l_list_of_linked_list_page(LinkedListStep.java:115) at ?.User clicks a Try Here link on Creating Linked Llist of Linked List page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:66) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button | SKIPPED | 0.001 s |


Python Editor page without data



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:71) * Not displayable characters are replaced by '?'. 2 When The user clicks the run button without entring the code in the Editor 3 Then Nothing happens to the page and no error message is displayed | | |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |

User go back to the previous page




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:99) * Not displayable characters are replaced by '?'. 2 When User able to see output in console 3 Then User go back to the previous page | FAILED | 0.001 s |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.001 s |

Types of Linked List link of Linked List module



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on Creating Linked List page | PASSED | 0.000 s |
| 2 | <p>When User clicks Types of Linked List link</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickTypesofLinkedList(LinkedList_PF.java:58) at stepDefinition.LinkedListStep.user_clicks_types_of_linked_list_link(LinkedListStep.java:123) at ?.User clicks Types of Linked List link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:107) * Not displayable characters are replaced by '?'. </pre> | FAILED | 0.001 s |
| 3 | Then User should be redirected to "Types of Linked List" Types of Linked List of Linked List page | SKIPPED | 0.000 s |


Types of Linked List page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on Types of Linked List page | PASSED | 0.001 s |
| 2 | When User clicks a Try Here link on Types of Linked List of Linked List page | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickLinkedListTryHere(LinkedList_PF.java:84) at stepDefinition.LinkedListStep.user_clicks_a_try_here_link_on_types_of_linked_list_of_linked_list_page(LinkedListStep.java:149) at ?.User clicks a Try Here link on Types of Linked List of Linked List page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:113) * Not displayable characters are replaced by '?'. / 7:12:55.891 PM // 7:12:55.894 PM / | | |
| 3 | Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button | SKIPPED | 0.000 s |

Python Editor page without data




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:118) * Not displayable characters are replaced by '?'. / 7:12:55.891 PM // 7:12:55.894 PM / | FAILED | 0.001 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |

User go back to the previous page



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | <p>Given The user is already on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/ 06_dsLinkedList.feature:146) * Not displayable characters are replaced by '?'. </pre> | FAILED | 0.001 s |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |


Implement Linked List in Python link of Linked List module



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on Types of Linked List page | PASSED | 0.000 s |
| 2 | <p>When User clicks Implement Linked List in Python link</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this. searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) </pre> | FAILED | 0.002 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre>at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickImplementLinkedListPython(LinkedList_PF.java:62) at stepDefinition.LinkedListStep.user_clicks_implement_linked_list_in_python_link(LinkedListStep.java:157) at ?.User clicks Implement Linked List in Python link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:154) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then User should be redirected to "Implement Linked List in Python" Implement Linked List in Python of Linked List page | SKIPPED | 0.000 s |

Implement Linked List in Python page




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on Implement Linked List in Python page | PASSED | 0.001 s |
| 2 | When User clicks a Try Here link on Implement Linked List in Python of Linked List page <code>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null</code> <code>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</code> <code>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</code> <code>at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)</code> <code>at pagefactory.LinkedList_PF.clickLinkedListTryHere(LinkedList_PF.java:84)</code> <code>at stepDefinition.LinkedListStep.user_clicks_a_try_here_link_on_implement_linked_list_in_python_of_linked_list_page(LinkedListStep.java:183)</code> <code>at ?.User clicks a Try Here link on Implement Linked List in Python of Linked List page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:160)</code> * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button | SKIPPED | 0.000 s |

Python Editor page without data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:165) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.001 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |


User go back to the previous page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:193) | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When User able to see output in console | SKIPPED | 0.001 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |

Traversal link of Linked List module




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on Implement Linked List in Python page | PASSED | 0.001 s |
| 2 | When User clicks Traversal link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickTraversal(LinkedList_PF.java:66) at stepDefinition.LinkedListStep.user_clicks_traversal_link(LinkedListStep.java:191) at ?.User clicks Traversal link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:201) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then User should be redirected to "Traversal" Traversal of Linked List page | SKIPPED | 0.000 s |

Traversal page



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on Traversal page | PASSED | 0.001 s |
| 2 | When User clicks a Try Here link on Traversal of Linked List page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickLinkedListTryHere(LinkedList_PF.java:84) at stepDefinition.LinkedListStep.user_clicks_a_try_here_link_on_traversal_of_linked_list_page(LinkedListStep.java:217) at ?.User clicks a Try Here link on Traversal of Linked List page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:207) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| 3 | Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button | SKIPPED | 0.000 s |


Python Editor page without data



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:212) * Not displayable characters are replaced by '?'. 2 When The user clicks the run button without entring the code in the Editor 3 Then Nothing happens to the page and no error message is displayed | | |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |

User go back to the previous page




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:240) * Not displayable characters are replaced by '?'. 2 When User able to see output in console 3 Then User go back to the previous page | FAILED | 0.001 s |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |

Insertion link of Linked List module



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on Traversal page | PASSED | 0.000 s |
| 2 | <p>When User clicks Insertion link</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickInsertion(LinkedList_PF.java:70) at stepDefinition.LinkedListStep.user_clicks_insertion_link(LinkedListStep.java:225) at ?.User clicks Insertion link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:248) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.000 s |
| 3 | Then User should be redirected to "Insertion" Insertion of Linked List page | SKIPPED | 0.000 s |


Insertion page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on Insertion page | PASSED | 0.002 s |
| 2 | When User clicks a Try Here link on Insertion of Linked List page | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickLinkedListTryHere(LinkedList_PF.java:84) at stepDefinition.LinkedListStep.user_clicks_a_try_here_link_on_insertion_of_linked_list_page(LinkedListStep.java:251) at ?.User clicks a Try Here link on Insertion of Linked List page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:254) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button | SKIPPED | 0.000 s |

Python Editor page without data




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | <p>Given The user is on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:259) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.000 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.001 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |

User go back to the previous page



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | <p>Given The user is already on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:287) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.001 s |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |


Deletion link of Linked List module



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on Insertion page | PASSED | 0.000 s |
| 2 | <p>When User clicks Deletion link</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre> | FAILED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre>at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickDeletion(LinkedList_PF.java:74) at stepDefinition.LinkedListStep.user_clicks_deletion_link(LinkedListStep.java:259) at ?.User clicks Deletion link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:295) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then User should be redirected to "Deletion" Deletion of Linked List page | SKIPPED | 0.000 s |

Deletion page




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on Deletion page | PASSED | 0.000 s |
| 2 | When User clicks a Try Here link on Deletion of Linked List page <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickLinkedListTryHere(LinkedList_PF.java:84) at stepDefinition.LinkedListStep.user_clicks_a_try_here_link_on_deletion_of_linked_list_page(LinkedListStep.java:285) at ?.User clicks a Try Here link on Deletion of Linked List page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:301) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.001 s |
| 3 | Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button | SKIPPED | 0.000 s |

Python Editor page without data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:306) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |


User go back to the previous page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:334) | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |

Practice Questions link of Linked List module



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on Deletion page | PASSED | 0.001 s |
| 2 | When User clicks Practice Questions link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.LinkedList_PF.clickPracticeQuestion(LinkedList_PF.java:79) at stepDefinition.LinkedListStep.user_clicks_practice_questions_link(LinkedListStep.java:293) at ?.User clicks Practice Questions link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:342) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then User should be redirected to " Practice Questions " Practice Questions of Linked List page | SKIPPED | 0.000 s |

User go back to the DS Algo home page





| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is already on Practice Questions page | PASSED | 0.003 s |
| 2 | When Nothing is displayed on the page | PASSED | 0.000 s |
| 3 | Then User go back to the "https://dsportalapp.herokuapp.com/home" DS Algo home page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.navigateToString(BaseClass.java:88) at stepDefinition.TreeStep.user_go_back_to_the_ds_algo_home_page(TreeStep.java:545) at ?.User go back to the "https://dsportalapp.herokuapp.com/home" DS Algo home page(file:///C:/Users/enggn/eclipse-workspace/DSAgo_Cucumber/src/test/resources/Features/06_dsLinkedList.feature:349) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |

To test the Stack page





Enter into Stack page

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.004 s |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
| / 7:12:56.373 PM // 7:12:56.377 PM / | | | | |
| To test the Stack page | | | | |
| @stack_homepage | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is in the DS Home page after logged in | PASSED | 0.002 s |
| 2 | When The user clicks the Get Started in Stack Panel or select Stack item from the drop down menu java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Stack_pf.clickGetStarted(Stack_pf.java:72) at stepDefinition.StackStep.the_user_clicks_the_get_started_in_stack_panel_or_select_stack_item_from_the_drop_down_menu(StackStep.java:42) at ?.The user clicks the Get Started in Stack Panel or select Stack item from the drop down menu(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:6) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then The user should be directed to "Stack" Stack Page | SKIPPED | 0.000 s |


User Perform Operations on Stack page

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.003 s |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
| / 7:12:56.389 PM // 7:12:56.392 PM / | | | | |
| To test the Stack page | | | | |
| @sp_operations | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is in the after logged in | PASSED | 0.001 s |



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 2 | <p>When The user clicks Operations in Stack button</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Stack_pf.clickoperationsinstack(Stack_pf.java:81) at stepDefinition.StackStep.the_user_clicks_operations_in_stack_button(StackStep.java:63) at ?.The user clicks Operations in Stack button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:12) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.001 s |
| 3 | Then The user should be directed to the "Operations in Stack" Operations in Stack Page | SKIPPED | 0.000 s |

check user directed to tryeditor





| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is in the Operations in Stack page | PASSED | 0.001 s |
| 2 | <p>When The user clicks Try Here button</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tryhere_pf.clickTryHere(Tryhere_pf.java:24) at stepDefinition.TryHereStep.the_user_clicks_try_here_button(TryHereStep.java:26) at ?.The user clicks Try Here button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:18) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.000 s |
| 3 | Then The user should be redirected to a page having an tryEditor with a "Run" button to test | SKIPPED | 0.000 s |

Python Editor page without data

| | | | | |
|--------------------------------------|---------------------------|--|---|---|
| FAILED | DURATION - 0.002 s |  | Steps Total - 3 Pass - 0 Fail - 1 Skip - 2 |  |
| / 7:12:56.417 PM // 7:12:56.419 PM / | | | | |
| To test the Stack page | | | | |
| @PythonEditor_Bank | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:23) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |


User go back to the previous page

| | | | | |
|--------------------------------------|---------------------------|---|---|--|
| FAILED | DURATION - 0.002 s |  | Steps Total - 3 Pass - 0 Fail - 1 Skip - 2 |  |
| / 7:12:56.460 PM // 7:12:56.462 PM / | | | | |
| To test the Stack page | | | | |
| @previousPage | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) | FAILED | 0.001 s |



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:51) * Not displayable characters are replaced by '?'. | | |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |

To test the Implementation on stack page





| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is in the Stack page after logged in | PASSED | 0.001 s |
| 2 | When The user clicks Implementation button java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Stack_pf.clickImplementation(Stack_pf.java:90) at stepDefinition.StackStep.the_user_clicks_implementation_button(StackStep.java:87) at ?.The user clicks Implementation button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:59) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| 3 | Then The user should be directed to "Implementation" Implementation Page2 | SKIPPED | 0.000 s |

check user directed to tryeditor

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.002 s |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
| / 7:12:56.489 PM // 7:12:56.491 PM / | | | | |
| To test the Stack page | | | | |
| @Operationseditor | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is in the Operations in Stack page | PASSED | 0.001 s |
| 2 | When The user clicks Try Here button java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tryhere_pf.clickTryHere(Tryhere_pf.java:24) at stepDefinition.TryHereStep.the_user_clicks_try_here_button(TryHereStep.java:26) at ?.The user clicks Try Here button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:65) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| 3 | Then The user should be redirected to a page having an tryEditor with a "Run" button to test | SKIPPED | 0.000 s |


Python Editor page without data

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.002 s |  | Steps Total - 3 Pass - 0 Fail - 1 Skip - 2 |  |
| / 7:12:56.502 PM // 7:12:56.504 PM / | | | | |
| To test the Stack page | | | | |
| @PythonEditor_Bank | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:70) * Not displayable characters are replaced by '?'. 2 When The user clicks the run button without entring the code in the Editor 3 Then Nothing happens to the page and no error message is displayed | | |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |

User go back to the previous page




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:98) * Not displayable characters are replaced by '?'. 2 When User able to see output in console 3 Then User go back to the previous page | FAILED | 0.001 s |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |

To test application on stack page



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is in the Stack page1 after logged in | PASSED | 0.000 s |
| 2 | <p>When The user clicks Application button</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Stack_pf.clickApplication(Stack_pf.java:98) at stepDefinition.StackStep.the_user_clicks_application_button(StackStep.java:112) at ?.The user clicks Application button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:106) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.000 s |
| 3 | Then The user should be directed to "Applications" Applications Page3 | SKIPPED | 0.000 s |


check user directed to tryeditor



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is in the Operations in Stack page | PASSED | 0.001 s |
| 2 | When The user clicks Try Here button | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tryhere_pf.clickTryHere(Tryhere_pf.java:24) at stepDefinition.TryHereStep.the_user_clicks_try_here_button(TryHereStep.java:26) at ?.The user clicks Try Here button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:112) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then The user should be redirected to a page having an tryEditor with a "Run" button to test | SKIPPED | 0.000 s |

Python Editor page without data




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on tryEditor page <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:117) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.000 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.001 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |

User go back to the previous page



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | <p>Given The user is already on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:145) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.001 s |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |


To test practice questions on stack page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is in the Stack page2 after logged in | PASSED | 0.000 s |
| 2 | <p>When The user clicks Practice Questions button in Stack</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre> | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Stack_pf.clickpracticeQuestions(Stack_pf.java:107) at stepDefinition.StackStep.the_user_clicks_practice_questions_button_in_stack(StackStep.java:135) at ?.The user clicks Practice Questions button in Stack(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:154) * Not displayable characters are replaced by '?'. | | |
| 3 | Then The user should be redirected to "Practice Questions" P Questions page | SKIPPED | 0.002 s |

User go back to the DS Algo home page




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is already on Practice Questions page | PASSED | 0.001 s |
| 2 | When Nothing is displayed on the page | PASSED | 0.000 s |
| 3 | Then User go back to the "https://dsportalapp.herokuapp.com/home" DS Algo home page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.navigateToString(BaseClass.java:88) at stepDefinition.TreeStep.user_go_back_to_the_ds_algo_home_page(TreeStep.java:545) at ?.User go back to the "https://dsportalapp.herokuapp.com/home" DS Algo home page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/07_stack.feature:161) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |

To test the Queue page





Enter into Queue page





| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on the DS Home page after logged in | PASSED | 0.003 s |
| 2 | When The user clicks the GetStarted in Queue Panel or select QueueDS item from the drop down menu java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Queue_pf.clickGetStarted(Queue_pf.java:49) at stepDefinition.QueueStep. the_user_clicks_the_get_started_in_queue_panel_or_select_queue_ds_item_from_the_drop_down_menu(QueueStep.java:36) at ?.The user clicks the GetStarted in Queue Panel or select QueueDS item from the drop down menu(file:///C:/Users/enggn/eclipse-workspace/DSAAlg_Cucumber/src/test/resources/Features/08_queue.feature:5) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then The user should be directed to "Queue" queue Page | SKIPPED | 0.000 s |

User Perform Implementation in python on queue page

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.002 s |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
| / 7:12:56.712 PM // 7:12:56.714 PM / | | | | |
| To test the Queue page | | | | |
| @qp_Impl_Q_py | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is in the Queue page after logged in | PASSED | 0.001 s |
| 2 | When The user clicks Implementation of Queue in Python button java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Queue_pf.clickImplementationofQueueinPython(Queue_pf.java:55) at stepDefinition.QueueStep.the_user_clicksImplementation_of_queue_in_python_button(QueueStep.java:60) at ?.The user clicks Implementation of Queue in Python button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:12) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then The user should be directed to "Implementation of Queue in Python" Pageq1 | SKIPPED | 0.000 s |


check user is directed to tryeditor

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.005 s |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
| / 7:12:56.725 PM // 7:12:56.730 PM / | | | | |
| To test the Queue page | | | | |
| @Operationseditor | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is in the Implementation of Queue in Python in Queue page | PASSED | 0.001 s |
| 2 | When The user clicks Try Here button | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tryhere_pf.clickTryHere(Tryhere_pf.java:24) at stepDefinition.TryHereStep.the_user_clicks_try_here_button(TryHereStep.java:26) at ?.The user clicks Try Here button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:18) * Not displayable characters are replaced by '?'. | | |
| 3 | Then The user should be redirected to a page having an tryEditor with a "Run" button to test | SKIPPED | 0.000 s |

Python Editor page without data




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:23) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |

User go back to the previous page



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | <p>Given The user is already on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:51) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.001 s |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |


To test the Implementation.dq on queue page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is in the Implementation of Queue in Python in Queue page | PASSED | 0.000 s |
| 2 | <p>When The user clicks Implementation using Collections.dequeue button</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre> | FAILED | 0.002 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Queue_pf.clickImplementationusingcollectionsdeque(Queue_pf.java:64) at stepDefinition.QueueStep.the_user_clicks_implementation_using_collections_deque_button(QueueStep.java:86) at ?.The user clicks Implementation using Collections.dequeue button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:59) * Not displayable characters are replaced by '?'. | | |
| 3 | Then The user should be directed to "Implementation using collections.dequeue" collections deque Pageq2 | SKIPPED | 0.001 s |

check user directed to tryeditor




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is in the Operations in Stack page | PASSED | 0.000 s |
| 2 | When The user clicks Try Here button java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tryhere_pf.clickTryHere(Tryhere_pf.java:24) at stepDefinition.TryHereStep.the_user_clicks_try_here_button(TryHereStep.java:26) at ?.The user clicks Try Here button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:65) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| 3 | Then The user should be redirected to a page having an tryEditor with a "Run" button to test | SKIPPED | 0.000 s |

Python Editor page without data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:70) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |


User go back to the previous page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:98) | FAILED | 0.001 s |



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |

To test the Implementation using array





| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is in the Queue page after logged in | PASSED | 0.001 s |
| 2 | When The user clicks Implementation using Array button java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Queue_pf.clickImplementationusingarray(Queue_pf.java:73) at stepDefinition.QueueStep.the_user_clicks_implementation_using_array_button(QueueStep.java:107) at ?.The user clicks Implementation using Array button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:106) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then The user should be directed to "Implementation using array" Implementation using Array Pageq3 | SKIPPED | 0.000 s |

check user directed to tryeditor

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.001 s |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
| / 7:12:56.925 PM // 7:12:56.926 PM / | | | | |
| To test the Queue page | | | | |
| @Operationseditor | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is in the Operations in Stack page | PASSED | 0.000 s |
| 2 | When The user clicks Try Here button java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tryhere_pf.clickTryHere(Tryhere_pf.java:24) at stepDefinition.TryHereStep.the_user_clicks_try_here_button(TryHereStep.java:26) at ?.The user clicks Try Here button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:112) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then The user should be redirected to a page having an tryEditor with a "Run" button to test | SKIPPED | 0.000 s |


Python Editor page without data

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.002 s |  | Steps Total - 3 Pass - 0 Fail - 1 Skip - 2 |  |
| / 7:12:56.938 PM // 7:12:56.940 PM / | | | | |
| To test the Queue page | | | | |
| @PythonEditor_Bank | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null | FAILED | 0.001 s |



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:117) * Not displayable characters are replaced by '?'. / 7:12:56.982 PM // 7:12:56.984 PM / To test the Queue page @previousPage | | |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.001 s |

User go back to the previous page





| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:145) * Not displayable characters are replaced by '?'. / 7:12:56.982 PM // 7:12:56.984 PM / To test the Queue page @previousPage | FAILED | 0.001 s |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.001 s |

To perform Queue Operations

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.002 s |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
| / 7:12:56.995 PM // 7:12:56.997 PM / | | | | |
| To test the Queue page | | | | |
| @qp_Qoperations | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is in Implementation using Array Page | PASSED | 0.001 s |
| 2 | When The user clicks Queue Operations button java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Queue_pf.clickQueueOperations(Queue_pf.java:82) at stepDefinition.QueueStep.the_user_clicks_queue_operations_button(QueueStep.java:133) at ?.The user clicks Queue Operations button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:153) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| 3 | Then The user should be directed to "Queue Operations" Queue Operations Pageq33 | SKIPPED | 0.000 s |


check user directed to tryeditor

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.002 s |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
| / 7:12:57.007 PM // 7:12:57.009 PM / | | | | |
| To test the Queue page | | | | |
| @Operationseditor | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is in the Operations in Stack page | PASSED | 0.000 s |
| 2 | When The user clicks Try Here button | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tryhere_pf.clickTryHere(Tryhere_pf.java:24) at stepDefinition.TryHereStep.the_user_clicks_try_here_button(TryHereStep.java:26) at ?.The user clicks Try Here button(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:159) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then The user should be redirected to a page having an tryEditor with a "Run" button to test | SKIPPED | 0.000 s |

Python Editor page without data




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on tryEditor page <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:164) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.000 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |

User go back to the previous page



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | <p>Given The user is already on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:192) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.001 s |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.001 s |


to test practice question link



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is in the Queue page | PASSED | 0.001 s |
| 2 | <p>When The user clicks Practice Questions on queue</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre> | FAILED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre>at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Queue_pf.clickpracticeQuestions1(Queue_pf.java:96) at stepDefinition.QueueStep.the_user_clicks_practice_questions_on_queue(QueueStep.java:159) at ?.The user clicks Practice Questions on queue(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:200) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then The user should be redirected to "Practice Questions" Practice Questions page of queue | SKIPPED | 0.000 s |

User go back to the DS Algo home page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is already on Practice Questions page | PASSED | 0.000 s |
| 2 | When Nothing is displayed on the page | PASSED | 0.000 s |
| 3 | Then User go back to the "https://dsportalapp.herokuapp.com/home" DS Algo home page <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.navigateToPage(BaseClass.java:88) at stepDefinition.TreeStep.user_go_back_to_the_ds_algo_home_page(TreeStep.java:545) at ?.User go back to the "https://dsportalapp.herokuapp.com/home" DS Algo home page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/08_queue.feature:207) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.000 s |

Automatating Tree Module pages





Get started to Tree from DS Algo home page





| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on the DS algo home page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getTitle()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getTitle(BaseClass.java:82) at stepDefinition.TreeStep.user_is_on_the_ds_algo_home_page(TreeStep.java:26) at ?.User is on the DS algo home page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:5) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | When User clicks Get started button from Tree pane | SKIPPED | 0.000 s |
| 3 | Then User should be redirected to "Tree" Tree home page | SKIPPED | 0.000 s |

[Tree home page Link](#)

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.003 s |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
| / 7:12:57.142 PM // 7:12:57.145 PM / | | | | |
| Automatating Tree Module pages | | | | |
| @OverviewofTree | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on Tree home page | PASSED | 0.001 s |
| 2 | When User clicks Overview of Trees link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickOverviewofTrees(Tree_PF.java:111) at stepDefinition.TreeStep.user_clicks_overview_of_trees_link(TreeStep.java:69) at ?.User clicks Overview of Trees link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:13) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then User should be redirected to "Overview of Trees" Tree OT page | SKIPPED | 0.000 s |


Overview of Trees page

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.002 s |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
| / 7:12:57.158 PM // 7:12:57.160 PM / | | | | |
| Automatating Tree Module pages | | | | |
| @PythonEditor | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on Overview of Trees page | PASSED | 0.001 s |
| 2 | When User clicks a Try Here link on Overview of Trees page | FAILED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181) at stepDefinition.TreeStep.user_clicks_a_try_here_link(TreeStep.java:95) at ?.User clicks a Try Here link on Overview of Trees page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:19) * Not displayable characters are replaced by '?'. | | |
| 3 | Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button | SKIPPED | 0.000 s |

Python Editor page without data




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:24) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |

User go back to the previous page



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | <p>Given The user is already on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:52) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.002 s |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |


Terminologies page Link



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on Overview of Trees page | PASSED | 0.001 s |
| 2 | <p>When User clicks Terminologies link</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre> | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTerminologies(Tree_PF.java:116) at stepDefinition.TreeStep.user_clicks_terminologies_link(TreeStep.java:103) at ?.User clicks Terminologies link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:60) * Not displayable characters are replaced by '?'. | | |
| 3 | Then User should be redirected to "Terminologies" Tree Terminologies page | SKIPPED | 0.000 s |

Terminologies page




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on Terminologies page | PASSED | 0.000 s |
| 2 | When User clicks a Try Here link on Terminologies page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181) at stepDefinition.TreeStep.user_clicks_a_try_here_link_on_terminologies_page(TreeStep.java:138) at ?.User clicks a Try Here link on Terminologies page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:66) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button | SKIPPED | 0.000 s |

Python Editor page without data



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:71) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |


User go back to the previous page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:99) | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |

Types of Trees page Link




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on Terminologies page | PASSED | 0.001 s |
| 2 | When User clicks Types of Trees link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTypesofTrees(Tree_PF.java:121) at stepDefinition.TreeStep.user_clicks_types_of_trees_link(TreeStep.java:146) at ?.User clicks Types of Trees link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:107) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then User should be redirected to "Types of Trees" Types of Trees page | SKIPPED | 0.000 s |

Types of Trees page



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on Types of Trees page | PASSED | 0.001 s |
| 2 | When User clicks a Try Here link on Types of Trees page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181) at stepDefinition.TreeStep.user_clicks_a_try_here_link_on_types_of_trees_page(TreeStep.java:171) at ?.User clicks a Try Here link on Types of Trees page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:113) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button | SKIPPED | 0.000 s |


Python Editor page without data



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null | FAILED | 0.002 s |



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:118) * Not displayable characters are replaced by '?'. 2 When The user clicks the run button without entring the code in the Editor 3 Then Nothing happens to the page and no error message is displayed | | |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |

User go back to the previous page





| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:146) * Not displayable characters are replaced by '?'. 2 When User able to see output in console 3 Then User go back to the previous page | FAILED | 0.002 s |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |

Tree Traversals page Link

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.003 s |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
| / 7:12:57.383 PM // 7:12:57.386 PM / | | | | |
| Automatating Tree Module pages | | | | |
| @TreeTraversals | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on Types of Trees page | PASSED | 0.000 s |
| 2 | When User clicks Tree Traversals link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTreeTraversals(Tree_PF.java:126) at stepDefinition.TreeStep.user_clicks_tree_traversals_link(TreeStep.java:179) at ?.User clicks Tree Traversals link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:154) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then User should be redirected to "Tree Traversals" Tree Traversals of Tree page | SKIPPED | 0.000 s |


Tree Traversals page

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.002 s |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
| / 7:12:57.398 PM // 7:12:57.400 PM / | | | | |
| Automatating Tree Module pages | | | | |
| @PythonEditor | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on Tree Traversals page | PASSED | 0.000 s |
| 2 | When User clicks a Try Here link on Tree Traversals page | FAILED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181) at stepDefinition.TreeStep.user_clicks_a_try_here_link_on_tree_traversals_page(TreeStep.java:204) at ?.User clicks a Try Here link on Tree Traversals page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:160) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button | SKIPPED | 0.001 s |

Python Editor page without data




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on tryEditor page <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:165) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.000 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |

User go back to the previous page



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | <p>Given The user is already on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:193) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.000 s |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.002 s |


Traversals-Illustration page Link



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on Tree Traversals page | PASSED | 0.000 s |
| 2 | <p>When User clicks Traversals-Illustration link</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre> | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre>at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTraversalsIllustration(Tree_PF.java:131) at stepDefinition.TreeStep.user_clicks_traversals_illustration_link(TreeStep.java:212) at ?.User clicks Traversals-Illustration link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:201) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then User should be redirected to "Traversals-Illustration" Traversals-Illustration Tree page | SKIPPED | 0.000 s |

Traversals-Illustration page




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on Traversals-Illustration page | PASSED | 0.000 s |
| 2 | <p>When User clicks a Try Here link on Traversals-Illustration page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181) at stepDefinition.TreeStep.user_clicks_a_try_here_link_on_traversals_illustration_page(TreeStep.java:237) at ?.User clicks a Try Here link on Traversals-Illustration page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:207) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.001 s |
| 3 | Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button | SKIPPED | 0.000 s |

Python Editor page without data



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | <p>Given The user is on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:212) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.001 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |


User go back to the previous page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | <p>Given The user is already on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:240)</pre> | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When User able to see output in console | SKIPPED | 0.001 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |

Binary Trees page Link




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on Traversals-Illustration page | PASSED | 0.001 s |
| 2 | When User clicks Binary Trees link <i>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null</i> <i> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</i> <i> at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</i> <i> at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source)</i> <i> at pagefactory.Tree_PF.clickBinaryTrees(Tree_PF.java:136)</i> <i> at stepDefinition.TreeStep.user_clicks_binary_trees_link(TreeStep.java:245)</i> <i> at ?.User clicks Binary Trees link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:248)</i> <i>* Not displayable characters are replaced by '?'.</i> | FAILED | 0.001 s |
| 3 | Then User should be redirected to "Binary Trees" Binary Trees page | SKIPPED | 0.000 s |

Binary Trees page



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on Binary Trees page | PASSED | 0.000 s |
| 2 | When User clicks a Try Here link on Binary Trees page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181) at stepDefinition.TreeStep.user_clicks_a_try_here_link_on_binary_trees_page(TreeStep.java:270) at ?.User clicks a Try Here link on Binary Trees page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:254) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| 3 | Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button | SKIPPED | 0.000 s |


Python Editor page without data



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null | FAILED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:259) * Not displayable characters are replaced by '?'. 2 When The user clicks the run button without entring the code in the Editor 3 Then Nothing happens to the page and no error message is displayed | | |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |

User go back to the previous page




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:287) * Not displayable characters are replaced by '?'. 2 When User able to see output in console 3 Then User go back to the previous page | FAILED | 0.001 s |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.001 s |

Types of Binary Trees page Link



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on Binary Trees page | PASSED | 0.000 s |
| 2 | When User clicks Types of Binary Trees link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTypesofBinaryTrees(Tree_PF.java:141) at stepDefinition.TreeStep.user_clicks_types_of_binary_trees_link(TreeStep.java:278) at ?.User clicks Types of Binary Trees link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:295) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then User should be redirected to "Types of Binary Trees" Types of Binary Trees page | SKIPPED | 0.000 s |


Types of Binary Trees page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on Types of Binary Trees page | PASSED | 0.001 s |
| 2 | When User clicks a Try Here link on Types of Binary Trees page | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181) at stepDefinition.TreeStep.user_clicks_a_try_here_link_on_types_of_binary_trees_page(TreeStep.java:304) at ?.User clicks a Try Here link on Types of Binary Trees page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:301) * Not displayable characters are replaced by '?'. | | |
| 3 | Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button | SKIPPED | 0.000 s |

Python Editor page without data




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:306) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |

User go back to the previous page



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | <p>Given The user is already on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:334) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.001 s |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |


Implementation in Python page Link



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on Types of Binary Trees page | PASSED | 0.001 s |
| 2 | <p>When User clicks Implementation in Python link</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre> | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre>at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickImplementationInPython(Tree_PF.java:146) at stepDefinition.TreeStep.user_clicks_implementation_in_python_link(TreeStep.java:312) at ?.User clicks Implementation in Python link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:342) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then User should be redirected to "Implementation in Python" Implementation in Python Tree page | SKIPPED | 0.000 s |

Implementation in Python page




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on Implementation in Python page | PASSED | 0.000 s |
| 2 | <p>When User clicks a Try Here link on Implementation in Python page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181) at stepDefinition.TreeStep.user_clicks_a_try_here_link_onImplementationInPythonPage(TreeStep.java:337) at ?.User clicks a Try Here link on Implementation in Python page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:348) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.001 s |
| 3 | Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button | SKIPPED | 0.000 s |

Python Editor page without data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:353) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |


User go back to the previous page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:381) | FAILED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |

Binary Tree Traversals page Link




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on Implementation in Python page | PASSED | 0.000 s |
| 2 | When User clicks Binary Tree Traversals link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickBinaryTreeTraversals(Tree_PF.java:151) at stepDefinition.TreeStep.user_clicks_binary_tree_traversals_link(TreeStep.java:345) at ?.User clicks Binary Tree Traversals link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:389) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then User should be redirected to "Binary Tree Traversals" Binary Tree Traversals page | SKIPPED | 0.000 s |

Binary Tree Traversals page



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on Binary Tree Traversals page | PASSED | 0.001 s |
| 2 | When User clicks a Try Here link on Binary Tree Traversals page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181) at stepDefinition.TreeStep.user_clicks_a_try_here_link_on_binary_tree_traversals_page(TreeStep.java:370) at ?.User clicks a Try Here link on Binary Tree Traversals page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:395) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button | SKIPPED | 0.000 s |


Python Editor page without data



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null | FAILED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:400) * Not displayable characters are replaced by '?'. 2 When The user clicks the run button without entring the code in the Editor 3 Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |

User go back to the previous page




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:428) * Not displayable characters are replaced by '?'. 2 When User able to see output in console 3 Then User go back to the previous page | FAILED | 0.001 s |
| 2 | When User able to see output in console | SKIPPED | 0.001 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |

Implementation of Binary Trees page Link



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on Binary Tree Traversals page | PASSED | 0.000 s |
| 2 | When User clicks Implementation of Binary Trees link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickImplementationOfBinaryTrees(Tree_PF.java:156) at stepDefinition.TreeStep.user_clicks_implementation_of_binary_trees_link(TreeStep.java:378) at ?.User clicks Implementation of Binary Trees link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:436) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then User should be redirected to "Implementation of Binary Trees" Implementation of Binary Trees page | SKIPPED | 0.000 s |


Implementation of Binary Trees page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on Implementation of Binary Trees page | PASSED | 0.001 s |
| 2 | When User clicks a Try Here link on Implementation of Binary Trees page | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181) at stepDefinition.TreeStep.user_clicks_a_try_here_link_on_implementation_of_binary_trees_page(TreeStep.java:404) at ?.User clicks a Try Here link on Implementation of Binary Trees page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:442) * Not displayable characters are replaced by '?'. | | |
| 3 | Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button | SKIPPED | 0.001 s |

Python Editor page without data




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:447) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |

User go back to the previous page



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | <p>Given The user is already on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:475) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.001 s |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |


Applications of Binary trees page Link



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on Implementation of Binary Trees page | PASSED | 0.000 s |
| 2 | <p>When User clicks Applications of Binary trees link</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre> | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickApplicationsOfBinaryTrees(Tree_PF.java:161) at stepDefinition.TreeStep.user_clicks_applications_of_binary_trees_link(TreeStep.java:412) at ?.User clicks Applications of Binary trees link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:483) * Not displayable characters are replaced by '?'. | | |
| 3 | Then User should be redirected to "Applications of Binary trees" Applications of Binary trees page | SKIPPED | 0.000 s |

Applications of Binary trees page




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on Applications of Binary trees page | PASSED | 0.001 s |
| 2 | When User clicks a Try Here link on Applications of Binary trees page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181) at stepDefinition.TreeStep.user_clicks_a_try_here_link_on_applications_of_binary_trees_page(TreeStep.java:437) at ?.User clicks a Try Here link on Applications of Binary trees page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:489) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |
| 3 | Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button | SKIPPED | 0.000 s |

Python Editor page without data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:494) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |


User go back to the previous page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:522) | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |

Binary Search Trees page Link




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on Applications of Binary trees page | PASSED | 0.000 s |
| 2 | When User clicks Binary Search Trees link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickBinarySearchTrees(Tree_PF.java:166) at stepDefinition.TreeStep.user_clicks_binary_search_trees_link(TreeStep.java:445) at ?.User clicks Binary Search Trees link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:530) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then User should be redirected to "Binary Search Trees" Binary Search Treese page | SKIPPED | 0.000 s |

Binary Search Trees page



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on Binary Search Trees page | PASSED | 0.001 s |
| 2 | When User clicks a Try Here link on Binary Search Trees page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181) at stepDefinition.TreeStep.user_clicks_a_try_here_link_on_binary_search_trees_page(TreeStep.java:472) at ?.User clicks a Try Here link on Binary Search Trees page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:536) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button | SKIPPED | 0.000 s |


Python Editor page without data



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:541) * Not displayable characters are replaced by '?'. 2 When The user clicks the run button without entring the code in the Editor 3 Then Nothing happens to the page and no error message is displayed | | |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.001 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |

User go back to the previous page




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:569) * Not displayable characters are replaced by '?'. 2 When User able to see output in console 3 Then User go back to the previous page | FAILED | 0.001 s |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |

Implementation Of BST page Link



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on Binary Search Trees page | PASSED | 0.001 s |
| 2 | When User clicks Implementation Of BST link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickImplementationOfBST(Tree_PF.java:171) at stepDefinition.TreeStep.user_clicks_implementation_of_bst_link(TreeStep.java:480) at ?.User clicks Implementation Of BST link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:577) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 3 | Then User should be redirected to "Implementation Of BST" Implementation Of BST Tree page | SKIPPED | 0.000 s |


Implementation Of BST page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on Implementation Of BST page | PASSED | 0.000 s |
| 2 | When User clicks a Try Here link on Implementation Of BST page | FAILED | 0.002 s |



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickTreeTryHere(Tree_PF.java:181) at stepDefinition.TreeStep.user_clicks_a_try_here_link_on_implementation_of_bst_page(TreeStep.java:506) at ?.User clicks a Try Here link on Implementation Of BST page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:583) * Not displayable characters are replaced by '?'. / 7:12:58.281 PM // 7:12:58.283 PM / Automatating Tree Module pages @PythonEditor_Bank | | |
| 3 | Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button | SKIPPED | 0.000 s |

Python Editor page without data





| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:588) * Not displayable characters are replaced by '?'. / 7:12:58.281 PM // 7:12:58.283 PM / Automatating Tree Module pages @PythonEditor_Bank | FAILED | 0.001 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |

User go back to the previous page

| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.003 s |  | Steps Total - 3 Pass - 0 Fail - 1 Skip - 2 |  |
| / 7:12:58.327 PM // 7:12:58.330 PM / | | | | |
| Automatating Tree Module pages | | | | |
| @previousPage | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:616) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |


Tree page Practice Questions

| | | | | |
|--------------------------------------|--------------------|---|--|--|
| FAILED | DURATION - 0.003 s |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
| / 7:12:58.342 PM // 7:12:58.345 PM / | | | | |
| Automatating Tree Module pages | | | | |
| @PracticeQuestions | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on Implementation Of BST page | PASSED | 0.000 s |
| 2 | When User clicks Practice Questions link of tree java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Tree_PF.clickPracticeQuestion(Tree_PF.java:176) at stepDefinition.TreeStep.user_clicks_practice_questions_link_of_tree(TreeStep.java:514) at ?.User clicks Practice Questions link of tree(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:624) * Not displayable characters are replaced by '?'. | | |
| 3 | Then User should be redirected to " Practice Questions " Practice Questions of Tree page | SKIPPED | 0.000 s |

User go back to the DS Algo home page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is already on Practice Questions page | PASSED | 0.001 s |
| 2 | When Nothing is displayed on the page | PASSED | 0.000 s |
| 3 | Then User go back to the "https://dsportalapp.herokuapp.com/home" DS Algo home page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.navigateToPage(BaseClass.java:88) at stepDefinition.TreeStep.user_go_back_to_the_ds_algo_home_page(TreeStep.java:545) at ?.User go back to the "https://dsportalapp.herokuapp.com/home" DS Algo home page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/09_dsTree.feature:631) * Not displayable characters are replaced by '?'. | FAILED | 0.000 s |

Automatating Graph Module pages




Get started to graph from DS Algo home page




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on DS algo home page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getTitle()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getTitle(BaseClass.java:82) at stepDefinition.GraphStep.user_is_on_ds_algo_home_page(GraphStep.java:19) at ?.User is on DS algo home page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:4) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| 2 | When User clicks Get started button | SKIPPED | 0.000 s |
| 3 | Then User should be redirected to "https://dsportalapp.herokuapp.com/graph/" graph home page | SKIPPED | 0.000 s |

Graph home page



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | <p>Given User is on Graph home page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getTitle()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getTitle(BaseClass.java:82) at stepDefinition.GraphStep.user_is_on_graph_home_page(GraphStep.java:54) at ?.User is on Graph home page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:9) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.001 s |
| 2 | When User clicks Graph link | SKIPPED | 0.000 s |
| 3 | Then User should be redirected to "Graph" graph page | SKIPPED | 0.000 s |


Graph page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on Graph page | PASSED | 0.000 s |
| 2 | <p>When User clicks Try Here link</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre> | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Graph_PF.clickGraphTryHere(Graph_PF.java:67) at stepDefinition.GraphStep.user_clicks_try_here_link(GraphStep.java:93) at ?.User clicks Try Here link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:15) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button | SKIPPED | 0.000 s |

Python Editor page without data




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on tryEditor page <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:19) * Not displayable characters are replaced by '?'. </pre> | FAILED | 0.001 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |

User go back to Graph page



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:44) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |


Graph page second link



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on Graph page | PASSED | 0.001 s |
| 2 | When User clicks Graph Representations link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqaqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqaqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | FAILED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre>at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Graph_PF.clickGraphRepresentations(Graph_PF.java:57) at stepDefinition.GraphStep.user_clicks_graph_representations_link(GraphStep.java:116) at ?.User clicks Graph Representations link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:50) * Not displayable characters are replaced by '?'.</pre> | | |
| 3 | Then User should be redirected to "Graph Representations" Graph Representations page | SKIPPED | 0.000 s |

Graph Representations page




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given User is on Graph Representations page | PASSED | 0.000 s |
| 2 | <p>When User clicks Try Here link</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Graph_PF.clickGraphTryHere(Graph_PF.java:67) at stepDefinition.GraphStep.user_clicks_try_here_link(GraphStep.java:93) at ?.User clicks Try Here link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:55) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.000 s |
| 3 | Then User should be redirected to "https://dsportalapp.herokuapp.com/tryEditor" tryEditor page having Editor and run button | SKIPPED | 0.000 s |

Python Editor page without data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_on_try_editor_page(TryEditorPageStep.java:66) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:59) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |


User go back to Graph page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:76) at stepDefinition.TryEditorPageStep.the_user_is_already_on_try_editor_page(TryEditorPageStep.java:136) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:84) | FAILED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |

Graph page Practice Questions



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on Graph page | PASSED | 0.000 s |
| 2 | <p>When User clicks Practice Questions link</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy59.click(Unknown Source) at pagefactory.Graph_PF.clickPracticeQuestion(Graph_PF.java:62) at stepDefinition.GraphStep.user_clicks_practice_questions_link(GraphStep.java:144) at ?.User clicks Practice Questions link(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:90) * Not displayable characters are replaced by '?'.</pre> | FAILED | 0.001 s |
| 3 | Then User should be redirected to " Practice Questions " Practice Questions page | SKIPPED | 0.001 s |

User go back to the DS Algo home page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is already on Practice Questions page of Graph | PASSED | 0.000 s |
| 2 | When Nothing is displayed on the page of Practice Questions | PASSED | 0.000 s |
| 3 | Then User go back to the "https://dsportalapp.herokuapp.com/home" DS home page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.navigateToPage(BaseClass.java:88) at stepDefinition.GraphStep.user_go_back_to_the_ds_home_page(GraphStep.java:171) at ?.User go back to the "https://dsportalapp.herokuapp.com/home" DS home page(file:///C:/Users/enggn/eclipse-workspace/DSAgo_Cucumber/src/test/resources/Features/10_dsGraph.feature:96) * Not displayable characters are replaced by '?'. | FAILED | 0.001 s |

Signing out from DS Algo Portal



Signing out and Closing the browser



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on DS Algo Home Page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getTitle()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getTitle(BaseClass.java:82) at stepDefinition.SignOutStep.the_user_is_on_the_ds_algo_home_page(SignOutStep.java:21) at ?.The user is on DS Algo Home Page(file:///C:/Users/enggn/eclipse-workspace/DSAlgo_Cucumber/src/test/resources/Features/11_dsSignOut.feature:5) * Not displayable characters are replaced by '?'. | FAILED | 0.002 s |
| 2 | When The user click the Sign out link | SKIPPED | 0.000 s |
| 3 | Then The user able to see successful message "Logged out successfully" | SKIPPED | 0.000 s |
| 4 | And The user should able to see his Register and sign in link on the right side of the DS Algo Introduction Page and After user logged out successfully close the browser | SKIPPED | 0.000 s |