


Feature			Scei	nario			St	ер)	
Name	Duration	T	P	F	S	T	P	F	S	
To Automate Introduction page of DS_Algo	11.469 s	5	5	0	0	15	15	0	0	
to automate Signin page of DS_Algo	4.942 s	8	8	0	0	25	25	0	0	
To Automate the page of Array	36.101 s	49	33	16	0	163	131	16	16	

Тад		Scei	nario			Fea	ture	
Name	T	P	F	S	Т	P	F	S
@Browser_page	1	1	0	0	1	1	0	0
@Start_page	1	1	0	0	1	1	0	0
@Intro_page	1	1	0	0	1	1	0	0
@Signin_page(link)	1	1	0	0	1	1	0	0
@Signin_page(allBlank)	7	7	0	0	1	1	0	0
@Signin_page(enteronlyusername)	1	1	0	0	1	1	0	0
@Signin_page(enteronlypwd)	1	1	0	0	1	1	0	0
@Signin_page(invalidusernamePwd)	1	1	0	0	1	1	0	0
@Signin_page(validUsernameinvalidPassword)	1	1	0	0	1	1	0	0
@Signin_page(validUsernameInvPwd)	1	1	0	0	1	1	0	0
@Signin_page(valid)	1	1	0	0	1	1	0	0
@HomePage	1	1	0	0	1	0	1	0
@DSPage	1	1	0	0	1	0	1	0
@ComplexityPage	1	1	0	0	1	0	1	0
@PythonEditor_Blank	8	8	0	0	1	0	1	0
@PythonEditor_Invalid	7	6	1	0	1	0	1	0
@PythonEditor_Valid	15	15	0	0	1	0	1	0

Tag		Scei	nario			Fea	ture	
Name	T	P	F	S	T	P	F	S
@PythonEditor_Inalid	1	1	0	0	1	0	1	0
@PracticeQuestions	1	0	1	0	1	0	1	0
@Array_page	1	0	1	0	1	0	1	0
@ArraysInPythonPage	1	0	1	0	1	0	1	0
@PythonEditor	5	0	5	0	1	0	1	0
@ArraysUsingList_page	1	0	1	0	1	0	1	0
@ArraysBasicOperation_page	1	0	1	0	1	0	1	0
@ArraysBasicOperation_Tryhere	1	0	1	0	1	0	1	0
@AppOfArray	1	0	1	0	1	0	1	0
@AppOfArray_4Links	1	0	1	0	1	0	1	0
@PythonEdito	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	To Automate Introduction page of DS_Algo	5	5	0	0	11.469 s
2	to automate Signin page of DS_Algo	8	8	0	0	4.942 s
3	To Automate the page of Array	49	33	16	0	36.101 s


SCENARIOS SUMMARY -- 6 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Automate Introduction page of DS_Algo	Browser page	3	3	0	0	9.201 s
2	To Automate Introduction page of DS_Algo	DS Algo Get Started page	3	3	0	0	0.940 s
3	To Automate Introduction page of DS_Algo	DS Introduction page	3	3	0	0	0.319 s
4	To Automate Introduction page of DS_Algo	DS Introduction page	3	3	0	0	0.501 s
5	To Automate Introduction page of DS_Algo	DS Introduction page	3	3	0	0	0.084 s
6	to automate Signin page of DS_Algo	DS Algo Introduction Page	4	4	0	0	0.356 s
7	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.292 s
8	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.519 s


و ا	#	Feature Name	Scenario Name	T	P	F	S	Duration
	9	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.687 s

SCENARIOS SUMMARY -- 8 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.684 s
11	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.449 s
12	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.820 s
13	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.915 s
14	To Automate the page of Array	Home Page	3	3	0	0	0.400 s
15	To Automate the page of Array	Data Structure Home page	3	3	0	0	0.453 s
16	To Automate the page of Array	Time Complexity Page	3	3	0	0	0.014 s
17	To Automate the page of Array	Python Editor page without data	3	3	0	0	1.047 s
18	To Automate the page of Array	Python Editor page with Invalid data	4	1	1	2	2.121 s
19	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	1.085 s

SCENARIOS SUMMARY -- 9 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
20	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	0.814 s
21	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	0.784 s
22	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	0.782 s
23	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	0.784 s
24	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	0.883 s
25	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	0.814 s
26	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	1.401 s
27	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.963 s
28	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	1.054 s
29	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	1.306 s

SCENARIOS SUMMARY -- 10 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
30	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.961 s
31	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.966 s
32	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	1.094 s
33	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.987 s
34	To Automate the page of Array	User go back to the previous page	3	2	1	0	0.495 s
35	To Automate the page of Array	Time Complexity Page	3	1	1	1	0.368 s
36	To Automate the page of Array	Home Page	3	1	1	1	0.064 s
37	To Automate the page of Array	Array Page	3	1	1	1	0.031 s
38	To Automate the page of Array	Array Page	3	1	1	1	0.028 s
39	To Automate the page of Array	Python Editor page without data	3	3	0	0	1.234 s

SCENARIOS SUMMARY -- 11 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
40	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.770 s
41	To Automate the page of Array	Array in Python Page	3	1	1	1	0.084 s
42	To Automate the page of Array	Array Using List Page	3	1	1	1	0.074 s
43	To Automate the page of Array	Python Editor page without data	3	3	0	0	1.099 s
44	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.819 s
45	To Automate the page of Array	Array Using List Page	3	1	1	1	0.091 s
46	To Automate the page of Array	Basic operations in Lists page	3	1	1	1	0.062 s
47	To Automate the page of Array	Python Editor page without data	3	3	0	0	1.346 s
48	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.835 s
49	To Automate the page of Array	Basic operations in Lists page	3	1	1	1	0.079 s

SCENARIOS SUMMARY -- 12 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
50	To Automate the page of Array	Application of Array page	3	1	1	1	0.112 s
51	To Automate the page of Array	Practice Questions page	3	1	1	1	0.094 s
52	To Automate the page of Array	Python Editor page without data	3	3	0	0	1.551 s
53	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.769 s
54	To Automate the page of Array	Practice Questions page	3	1	1	1	0.242 s
55	To Automate the page of Array	Python Editor page without data	3	3	0	0	1.044 s
56	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.762 s
57	To Automate the page of Array	Practice Questions page	3	1	1	1	0.579 s
58	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.987 s
59	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.660 s

SCENARIOS SUMMARY -- 13 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
60	To Automate the page of Array	Practice Questions page	3	1	1	1	0.368 s
61	To Automate the page of Array	Python Editor page without data	3	3	0	0	1.079 s
62	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.323 s

To Automate Introduction page of DS_Algo


PASSED	DURATION - 11.469 s	Scenarios		Steps	
		Total - 5		Total - 15	
/ 11:36:33.782 A	MM // 11:36:45.251 AM /	Pass - 5	5	Pass - 15	15
		Fail - 0		Fail - 0	10
		Skip - 0		Skip - 0	

Browser page




#	Step / Hook Details	Status	Duration
1	Given The user should be open the browser	PASSED	6.905 s
2	When The user enter the DS_Algo Portal https://dsportalapp.herokuapp.com/	PASSED	1.999 s
3	Then The user should landed on the DS_Algo Get Started page with message "You are at the right place"	PASSED	0.239 s

DS Algo Get Started page




#	Step / Hook Details	Status	Duration
1	Given The user should open the DS Algo Portal URL in any supported browser	PASSED	0.022 s
2	When The user clicks the Get Started button	PASSED	0.687 s
3	Then The user should land in Data Structure Introduction Page with "Register" and "Sign in" links	PASSED	0.214 s

DS Introduction page



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.013 s
2	When The user clicks the data structure dropdown arrow	PASSED	0.209 s
3	Then The user should able to see 6 options Arrays "Linked,List,Stack,Queue,Tree,Graph" in dropdown menu	PASSED	0.089 s

DS Introduction page



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.003 s
2	When The user selects any data structures item from the drop down without Sign in.	PASSED	0.369 s
3	Then The user should able to see an warning message "You are not logged in"	PASSED	0.119 s


DS Introduction page

PASSED DURATION - 0.084 s	0.15 Steps
/ 11:36:45.167 AM // 11:36:45.251 AM /	
/ 11.30.43.107 AW // 11.30.43.231 AW /	Pass - 3
To Automate Introduction page of DS_Algo	
	Skip - 0
	1 2 3

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.003 s
2	When The user clicks any "Get Started" buttons of data structures on the DS Introduction page		0.004 s
3	Then The user should able to see an warning message "You are not logged in"	PASSED	0.070 s


to automate Signin page of DS_Algo

Scenarios		Steps	
Total - 8		Total - 25	
Pass - 8	8	Pass - 25	25
Fail - 0		Fail - 0	
Skip - 0		Skip - 0	
	Total - 8 Pass - 8 Fail - 0	Total - 8 Pass - 8 Fail - 0	Total - 8 Pass - 8 Fail - 0 Total - 25 Pass - 25 Fail - 0




#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.003 s
2	When The user should click the Sign in link	PASSED	0.278 s
3	Then The user should be redirected to Sign in page	PASSED	0.013 s
4	And The user is able to see "Register!" link below the text boxes	PASSED	0.049 s

DS Algo Introduction Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.002 s
2	When The user clicks login button after leaving the "" textbox and "" textbox blank	PASSED	0.153 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.129 s



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.003 s
2	When The user clicks login button after entering the "Trioteamchallengers" and leaves "" textbox blank		0.447 s
3	Then The error message "Please fill out this field." appears below Pwd textbox	PASSED	0.065 s


DETAILED SECTION -- 18 --

DS Algo Introduction Page

PASSED DURATION - 0.687 s	1 Steps	
/44.00.40.507.444.44.00.47.074.444.4	0.8 - Total - 3	
/ 11:36:46.587 AM // 11:36:47.274 AM /	0.6	
to automate Signin page of DS_Algo	0.4	
3 1 3 = 3	0.2 - Skip - 0	,
@Signin_page(enteronlypwd) @Signin_page(allBlank)	0 -1	
	1 2 3	


#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.018 s
2	When The user clicks login button after entering the "ds@qateam334h" only.	PASSED	0.604 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.032 s

DS Algo Introduction Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.003 s
2	When The user clicks login button after entering invalid "teamchallengers" and invalid "ds@qateam334h"	PASSED	0.600 s
3	Then The user should able to see an error message "Invalid Username and Password".	PASSED	0.076 s

DETAILED SECTION -- 19 --




#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid ""	PASSED	0.352 s
3	Then The user should able to see an error message "Invalid Username and Password".	PASSED	0.089 s

DS Algo Introduction Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.006 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid "ds@qateam334h"	PASSED	0.713 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.076 s

DETAILED SECTION -- 20 --




#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.002 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and valid "triothebest@123"	PASSED	0.777 s
3	Then The user should land in Data Structure Home Page with "You are logged in" message	PASSED	0.126 s

To Automate the page of Array

FAILED	DURATION - 36.101 s	Scenarios		Steps	
		Total - 49		Total - 163	
/ 11:36:50.323 AM //	' 11:37:26.424 AM /	Pass - 33	49	Pass - 131	163
		Fail - 16	10	Fail - 16	100
		Skip - 0		Skip - 16	

Home Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page	PASSED	0.022 s
2	When The user clicks Get Started button below the Data structures-Introduction	PASSED	0.296 s

DETAILED SECTION -- 21 --


#	Step / Hook Details	Status	Duration
3	Then The user should land in "Data Structures-Introduction" DS page	PASSED	0.077 s

Data Structure Home page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Data Structure Introduction Page	PASSED	0.001 s
2	When The user clicks Time Complexity link	PASSED	0.358 s
3	Then The user should be redirected to "Time Complexity" TC page	PASSED	0.089 s


Time Complexity Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.003 s
2	When The user clicks Try Here button of Time Complexity page	PASSED	0.000 s
3	Then The user should be redirected to a page having an Python Editor	PASSED	0.008 s

Python Editor page without data

DETAILED SECTION -- 22 --




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.635 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.409 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.001 s




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	FAILED	2.114 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div/[5]/div/pre"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java. version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [36a2047cf41d96087c63a3bc07ba6336, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div/div/div/div/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:47613}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:47613/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		

DETAILED SECTION -- 23 --


#	Step / Hook Details	Status	Duration
	unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		
	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		
	36a2047cf41d96087c63a3bc07ba6336		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.isDisplayed(Unknown Source)		
	at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:76)		
	at steppDef.ds_AlgoTryEditorSteps.		
	enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85)		
	at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and		
	row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:30)		
	* Not displayable characters are replaced by '?'.		
3	When The User clicks a run button	SKIPPED	0.001 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.577 s
3	When The User clicks a run button	PASSED	0.157 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.341 s




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
1	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.398 s
3	When The User clicks a run button	PASSED	0.089 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.321 s




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.403 s
3	When The User clicks a run button	PASSED	0.102 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.268 s




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.345 s
3	When The User clicks a run button	PASSED	0.113 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.318 s




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.364 s
3	When The User clicks a run button	PASSED	0.097 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.316 s




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.467 s
3	When The User clicks a run button	PASSED	0.108 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.298 s




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.403 s
3	When The User clicks a run button	PASSED	0.106 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.304 s




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.088 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	1.059 s
3	When User clicks a run button	PASSED	0.163 s
4	Then output should be displayed on the console	PASSED	0.085 s




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.274 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and	PASSED	0.531 s
	row_number 2		
3	When User clicks a run button	PASSED	0.108 s
4	Then output should be displayed on the console	PASSED	0.037 s




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.318 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.557 s
3	When User clicks a run button	PASSED	0.111 s
4	Then output should be displayed on the console	PASSED	0.056 s




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.408 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and	PASSED	0.640 s
	row_number 2		
3	When User clicks a run button	PASSED	0.177 s
4	Then output should be displayed on the console	PASSED	0.068 s




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.322 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.459 s
3	When User clicks a run button	PASSED	0.117 s
4	Then output should be displayed on the console	PASSED	0.059 s



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.300 s
	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.477 s
3	When User clicks a run button	PASSED	0.133 s
4	Then output should be displayed on the console	PASSED	0.050 s




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.325 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.559 s
3	When User clicks a run button	PASSED	0.116 s
4	Then output should be displayed on the console	PASSED	0.086 s



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.317 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.528 s
3	When User clicks a run button	PASSED	0.095 s
4	Then output should be displayed on the console	PASSED	0.042 s


User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.333 s
2	When User able to see output in console	PASSED	0.002 s
3	Then User go back to the previous page	FAILED	0.149 s
	org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"Not attached to an active page"} (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: "Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [36a2047cf41d96087c63a3bc07ba6336, goBack {} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.200, chrome: {proxy: proxy: prox		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)		
	at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.back(RemoteWebDriver.java:1142)		
	at utilities.BaseClass.NavBack(BaseClass.java:70)		
	at steppDef.ds_AlgoTryEditorSteps.user_go_back_to_the_previous_page(ds_AlgoTryEditorSteps.java:120)		
	at ?.User go back to the previous page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.		
	feature:52)		
	* Not displayable characters are replaced by '?'.		


Time Complexity Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.001 s
2	When The user clicks Practice Questions link of DS	FAILED	0.350 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="content"]/a"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [36a2047cf41d96087c63a3bc07ba6336, findElement {using=xpath, value=//*[@id="content"]/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105} (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:47613}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:47613/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 36a2047cf41d96087c63a3bc07ba6336 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)		
	at pages.DataStructureIntro_PF.clickPracticeQuestions(DataStructureIntro_PF.java:21)		
	at steppDef.ds_AlgoDataStructInt.the_user_clicks_practice_questions_link_of_ds(ds_AlgoDataStructInt.java:67)		
	at ?.The user clicks Practice Questions link of DS(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/		
	04_dsDataStructInt.feature:57)		
	* Not displayable characters are replaced by '?'.		
3	Then The user does not find any practice problems and the page is null	SKIPPED	0.003 s

Home Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page	PASSED	0.019 s
2	When The user clicks "Get Started" button below the array	FAILED	0.037 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()="Array"]//a"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.		

DETAILED SECTION -- 34 --

#	Step / Hook Details	Status	Duration
	chrome.ChromeDriver Command: [36a2047cf41d96087c63a3bc07ba6336, findElement {using=xpath, value=//h5[text()="Array"]//a}]		
	Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion:		
	119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions:		
	{debuggerAddress: localhost:47613}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(),		
	se:cdp: ws://localhost:47613/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		
	true} Session ID: 36a2047cf41d96087c63a3bc07ba6336		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)		
	at pages.HomePage_PF.clickArray(HomePage_PF.java:63)		
	at steppDef.ds_AlgoArraySteps.the_user_clicks_button_below_the_array(ds_AlgoArraySteps.java:25)		
	at ?.The user clicks "Get Started" button below the array(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/		
	05_dsArray.feature:6)		
	* Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "Array" page	SKIPPED	0.000 s

Array Page

DETAILED SECTION -- 35 --




7 1 3	PASSED	0.004
When The user clicks a Arrays in Python link		0.001 s
	FAILED	0.026 s
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath", "selector":"//a[text()="Arrays in Python"]") (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#10-500) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#10-500) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#10-500, promerors#10-500,	FAILED	0.026 s

DETAILED SECTION -- 36 --

#	Step / Hook Details	Status	Duration
	at pages.Arrays_PF.clickArraysInPython(Arrays_PF.java:107) at steppDef.ds_AlgoArraySteps.the_user_clicks_a_arrays_in_python_link(ds_AlgoArraySteps.java:43) at ?.The user clicks a Arrays in Python link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray. feature:12) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "Arrays in Python" AP Page	SKIPPED	0.001 s

Array Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.002 s
2	When The user clicks Try Here button of Array in Python Page	FAILED	0.022 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//a[text()="Try here>>>"]"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [36a2047cf41d96087c63a3bc07ba6336, findElement {using=xpath, value=//a[text()="Try here>>>"]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\engqn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:47613}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:47613/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 36a2047cf41d96087c63a3bc07ba6336 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		

DETAILED SECTION -- 37 --


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)		
	at pages.Arrays_PF.clickTryhere(Arrays_PF.java:119)		
	at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_in_python_page(ds_AlgoArraySteps.java:63)		
	at ?.The user clicks Try Here button of Array in Python Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/		
	05_dsArray.feature:18)		
	* Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.001 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.758 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.472 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.001 s

DETAILED SECTION -- 38 -



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.220 s
2	When User able to see output in console	PASSED	0.002 s
3	Then User go back to the previous page	PASSED	0.536 s

Array in Python Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Array in Python Page	PASSED	0.015 s
2	When The user clicks a Arrays Using List link	FAILED	0.055 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Arrays Using List"]"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [36a2047cf41d96087c63a3bc07ba6336, findElement {using=xpath, value=//a[text()="Arrays Using List"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:47613}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:47613/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		

#	Step / Hook Details	Status	Duration
	36a2047cf41d96087c63a3bc07ba6336		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openga.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)		
	at pages.Arrays_PF.clickArraysUsingList(Arrays_PF.java:110)		
	at steppDef.ds_AlgoArraySteps.the_user_clicks_a_arrays_using_list_link(ds_AlgoArraySteps.java:87)		
	at ?.The user clicks a Arrays Using List link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.		
	feature:57)		
	* Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "Arrays Using List" AL page.	SKIPPED	0.002 s

-- 39 --

Array Using List Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.000 s
2	When The user clicks Try Here button of Array Using List Page	FAILED	0.062 s

DETAILED SECTION -- 40 --

#	Step / Hook Details	Status	Duration
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Try here>>>"]"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [36a2047cf41d96087c63a3bc07ba6336, findElement {using=xpath, value=//a[text()="Try here>>>"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:47613}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:47613/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dsismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		
	36a2047cf41d96087c63a3bc07ba6336		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)		
	at pages.Arrays_PF.clickTryhere(Arrays_PF.java:119)		
	at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_using_list_page(ds_AlgoArraySteps.java:104)		
	at ?.The user clicks Try Here button of Array Using List Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/ 05 dsArray.feature:63)		
	* Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.001 s


Python Editor page without data

DETAILED SECTION -- 41 --



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.675 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.419 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s


User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.400 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.413 s

Array Using List Page


DETAILED SECTION -- 42 --



#	Step / Hook Details	Status	Duration
L	Given The user is on the Array Using List page	PASSED	0.001 s
2	When The user clicks a Basic Operations in Lists link	FAILED	0.069 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//a[text()="Basic Operations in Lists"]"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '14.14b5521b' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '14.0', ava-version: '19.0.2' Driver org.openqa.selenium.chrome.ChromeDriver Command: [36a2047cf41d96087c63a3bc07ba6336, findElement {using=xpath, value=//a[text()="Basic Operations in Lists"]}] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chrome-chromeDriver Command: [36a2047cf41d96087c63a3bc07ba6336, findElement {using=xpath, value=//a[text()="Basic Operations in Lists"]}] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chrome-chrome	PAILED	0.003 5

#	Step / Hook Details	Status	Duration
	at pages.Arrays_PF.clickArraysBasicOp(Arrays_PF.java:113) at steppDef.ds_AlgoArraySteps.the_user_clicks_a_basic_operations_in_lists_link(ds_AlgoArraySteps.java:110) at ?.The user clicks a Basic Operations in Lists link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/ 05_dsArray.feature:102) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "Basic Operations in Lists" BO page.	SKIPPED	0.001 s

Basic operations in Lists page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.001 s
2	When The user clicks Try Here button of Operations in Lists Page	FAILED	0.056 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Try here>>>"]"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [36a2047cf41d96087c63a3bc07ba6336, findElement {using=xpath, value=//a[text()="Try here>>>"]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\eng\name: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\eng\name: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\eng\name: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\eng\name: plateformName: windows, proxy: Proxy(), se:cdp: ws://localhost:47613/, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:47613/devtoo, se:cdp\version: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:minPinLength: true, webauthn:extension:minPinLength: true, webauthn:extension:netalla.com.largeBlob: true, at java.base/java.lang.reflect.DirectConstructor.exelvithCaller(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.j		

DETAILED SECTION -- 44 --


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)		
	at pages.Arrays_PF.clickTryhere(Arrays_PF.java:119)		
	at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_operations_in_lists_page(ds_AlgoArraySteps.java:128)		
	at ?.The user clicks Try Here button of Operations in Lists Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/		
	feature/05_dsArray.feature:108)		
	* Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.000 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.820 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.512 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.001 s

DETAILED SECTION -- 45 --



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.272 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.557 s

Basic operations in Lists page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.003 s
2	When The user clicks an Applications of Array link	FAILED	0.064 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Applications of Array"]"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [36a2047cf41d96087c63a3bc07ba6336, findElement {using=xpath, value=//a[text()="Applications of Array"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:47613}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:47613/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators:		

#	Step / Hook Details	Status	Duration
	true} Session ID: 36a2047cf41d96087c63a3bc07ba6336		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openga.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)		
	at pages.Arrays_PF.clickArraysApp(Arrays_PF.java:116)		
	at steppDef.ds_AlgoArraySteps.the_user_clicks_an_applications_of_array_link(ds_AlgoArraySteps.java:136)		
	at ?.The user clicks an Applications of Array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.		
	feature:147)		
	* Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "Applications of Array" AA page.	SKIPPED	0.003 s

-- 46 --

Application of Array page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Applications of Array page	PASSED	0.001 s
2	When The user clicks Practice Questions link	FAILED	0.105 s

DETAILED SECTION -- 47 --

org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: ("method""; yath""; selector""; //a[text]="Practice Questions"]?) (Session info. chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.devidocumentation/webdiver/troubleshooting/errors/mo-such-element-exception Build info. version: '4.15.0', revision: '1.01.4b5521b' System info. os name: Windows 11', os.arch: amd64', os.version: '1.00', java.version: '1.90.2' Driver info. org.openga.selenium.chrome.chrome.biro command: [36a2047e413d96087e53a5bc07ba6336, findElement (using=xpath, value=/algetx10*)=Fractice Questions*[]] Capabilities [acceptinsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.105, chrome: (chromedriverVersion: 119.0.6045.105 (3867255256e, userDataDir: CLUserslengniAppaBatub.ca), federmacounts: true, goog-chrome-Options: (debuggerAddress: localbasta7613), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), secub: ws/iflocalhost:47613/devtoc, secopy-exion: 119.0.6045.200, setWindowRect true, goog-chrome-Options: (debuggerAddress: localbasta7613), networkConnectionEnabled: false, browsers and notify, webauthn:extension:redBlob: true, webauthn:extension:langeBlob: tr	#	Step / Hook Details	Status	Duration
* Not displayable characters are replaced by '?'.	#	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath", "selector":"//a[text()="Practice Questions"]"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.lenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: "41.50," response visit: https://www.lenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: "41.50," response version: 119.0.8045.100, care version: 119.0.8045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:reror version: 119.0.8045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:reror version: 119.0.8045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:nimplinLength: true, webauthn:extension:nim	Status	Duration
		l		
Then The user should be redirected to practice page having links like "Search the array","Max Consecutive Ones","Find SKIPPED 0.001 s	3	Then The user should be redirected to practice page having links like "Search the array", "Max Consecutive Ones", "Find	SKIPPED	0.001 s


DETAILED SECTION -- 48 --




		Duration
Given The user is on Practice page	PASSED	0.006 s
When The user clicks search the array link	FAILED	0.081 s
When The user clicks search the array link org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath", "selector":"//a[text()="Search the array"]"] (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [36a2047cl41d96087c63a3bc07ba6336, findElement (using=xpath, value=/a[text()="Search the array"]] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Userslenggn\AppData\Loca], fedom.accounts: true, goog:chromeOptions: (debuggerAddress: localhost:47613), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, os.cdp:wsi/localhost:47613/devtoo, se:cdp\Version: 119.0.6045.200, set\VersidowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension.credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:erredBlob: true, webauthn:extension:minPinLength: true, webauthn:extens	FAILED	0.081 s

#	Step / Hook Details	Status	Duration
	at pages.Arrays_PF.clickArraysSearch(Arrays_PF.java:217) at steppDef.ds_AlgoArraySteps.the_user_clicks_search_the_array_link(ds_AlgoArraySteps.java:190) at ?.The user clicks search the array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray. feature:159) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	1.086 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.459 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.254 s
2	When User able to see output in console	PASSED	0.003 s

DETAILED SECTION -- 50 --


#	Step / Hook Details	Status	Duration
3	Then User go back to the previous page	PASSED	0.503 s




#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.003 s
2	When The user clicks Max consecutive ones link	FAILED	0.227 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath", "selector":"/la[text()="Max Consecutive Ones"]") (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception Build info: version: '4.15.0', revision: '1014b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [36a2047cf41d96087c63a3bc07ba6336, findElement {using=xpath, value=/la[text()="Max Consecutive Ones"]} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c725525e, userDataDir: C:Userslenggn\AppData\Loca\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost-47613}, neworkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost-47613/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:redBlob: true, webauthn:extension:inprinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 36a2047cf41d96087c63a3bc07ba6336 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.ElementEoc.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.op		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)		
	at pages.Arrays_PF.clickArraysMaxConsecutives(Arrays_PF.java:221)		
	at steppDef.ds_AlgoArraySteps.the_user_clicks_max_consecutive_ones_link(ds_AlgoArraySteps.java:204)		
	at ?.The user clicks Max consecutive ones link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.		
	feature:198)		
	* Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "QUESTION" page contains a question, an tryEditor with Run and Submit buttons	SKIPPED	0.001 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.638 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.402 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s



DETAILED SECTION -- 52 --

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.279 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.479 s




#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.001 s
2	When The user clicks Find numbers with even number of digits link	FAILED	0.573 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Find Numbers with Even Number of Digits"]"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d.14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [36a2047cf41d96087c63a3bc07ba6336, findElement {using=xpath, value=//a[text()="Find Numbers with Even Number of Digits"]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:USers\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:47613}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:47613/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:pf: true, webauthn:virtualAuthenticators: true} Session ID: 36a2047cf41d96087c63a3bcof63a36ca63a6 at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCode.decode(W3CHttpResponseCodec.java:52) at org.op		

DETAILED SECTION -- 53 --


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)		
	at pages.Arrays_PF.clickArraysEvennumbers(Arrays_PF.java:227)		
	at steppDef.ds_AlgoArraySteps.the_user_clicks_find_numbers_with_even_number_of_digits_link(ds_AlgoArraySteps.java:211)		
	at ?.The user clicks Find numbers with even number of digits link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/		
	feature/05_dsArray.feature:237)		
	* Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.460 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.523 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

DETAILED SECTION -- 54 --




#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.409 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.246 s



#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.001 s
2	When The user clicks squared of the sorted array link	FAILED	0.364 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Squares of a Sorted Array"]"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [36a2047cf41d96087c63a3bc07ba6336, findElement {using=xpath, value=//a[text()="Squares of a Sorted Array"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:47613}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:47613/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators:		


#	Step / Hook Details	Status	Duration
	true} Session ID: 36a2047cf41d96087c63a3bc07ba6336		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)		
	at pages.Arrays_PF.clickArraysSortedSquares(Arrays_PF.java:224)		
	at steppDef.ds_AlgoArraySteps.the_user_clicks_squared_of_the_sorted_array_link(ds_AlgoArraySteps.java:217)		
	at ?.The user clicks squared of the sorted array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/		
	05_dsArray.feature:276)		
	* Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.087 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.985 s

#	Step / Hook Details	Status	Duration
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.001 s



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.244 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.073 s