


Feature			Scei	nario		Step					
Name	Duration	T	P	F	S	<b>T</b>	P	F	S		
To Automate Introduction page of DS_Algo	4.438 s	5	5	0	0	15	15	0	0		
to automate Signin page of DS_Algo	2.494 s	8	8	0	0	25	25	0	0		
To Automate the page of Array	16.104 s	49	35	14	0	163	135	14	14		

Tag		Scei	nario			ture		
Name	Т	P	F	S	T	P	F	S
@Start_page	1	1	0	0	1	1	0	0
@Intro_page	1	1	0	0	1	1	0	0
@Signin_page(link)	1	1	0	0	1	1	0	0
@Signin_page(allBlank)	7	7	0	0	1	1	0	0
@Signin_page(enteronlyusername)	1	1	0	0	1	1	0	0
@Signin_page(enteronlypwd)	1	1	0	0	1	1	0	0
@Signin_page(invalidusernamePwd)	1	1	0	0	1	1	0	0
@Signin_page(validUsernameinvalidPassword)	1	1	0	0	1	1	0	0
@Signin_page(validUsernameInvPwd)	1	1	0	0	1	1	0	0
@Signin_page(valid)	1	1	0	0	1	1	0	0
@HomePage	1	1	0	0	1	0	1	0
@DSPage	1	1	0	0	1	0	1	0
@ComplexityPage	1	1	0	0	1	0	1	0
@PracticePage	1	0	1	0	1	0	1	0

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	To Automate Introduction page of DS_Algo	5	5	0	0	4.438 s
2	to automate Signin page of DS_Algo	8	8	0	0	2.494 s
3	To Automate the page of Array	49	35	14	0	16.104 s


SCENARIOS SUMMARY -- 5 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Automate Introduction page of DS_Algo	Browser page	3	3	0	0	3.657 s
2	To Automate Introduction page of DS_Algo	DS Algo Get Started page	3	3	0	0	0.345 s
3	To Automate Introduction page of DS_Algo	DS Introduction page	3	3	0	0	0.089 s
4	To Automate Introduction page of DS_Algo	DS Introduction page	3	3	0	0	0.233 s
5	To Automate Introduction page of DS_Algo	DS Introduction page	3	3	0	0	0.026 s
6	to automate Signin page of DS_Algo	DS Algo Introduction Page	4	4	0	0	0.186 s
7	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.125 s
8	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.319 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
9	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.180 s

SCENARIOS SUMMARY -- 7 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.468 s
11	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.184 s
12	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.375 s
13	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.573 s
14	To Automate the page of Array	Home Page	3	3	0	0	0.240 s
15	To Automate the page of Array	Data Structure Home page	3	3	0	0	0.191 s
16	To Automate the page of Array	Time Complexity Page	3	3	0	0	0.013 s
17	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.679 s
18	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	1.492 s
19	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	0.544 s

SCENARIOS SUMMARY -- 8 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
20	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	0.515 s
21	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	0.555 s
22	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	0.537 s
23	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	0.516 s
24	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	0.539 s
25	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	0.548 s
26	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.481 s
27	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.517 s
28	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.439 s
29	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.465 s

SCENARIOS SUMMARY -- 9 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
30	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.599 s
31	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.432 s
32	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.475 s
33	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.498 s
34	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.194 s
35	To Automate the page of Array	Time Complexity Page	3	1	1	1	0.082 s
36	To Automate the page of Array	Home Page	3	1	1	1	0.028 s
37	To Automate the page of Array	Array Page	3	1	1	1	0.026 s
38	To Automate the page of Array	Array Page	3	1	1	1	0.017 s
39	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.429 s

SCENARIOS SUMMARY -- 10 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
40	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.190 s
41	To Automate the page of Array	Array in Python Page	3	1	1	1	0.028 s
42	To Automate the page of Array	Array Using List Page	3	1	1	1	0.018 s
43	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.465 s
44	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.175 s
45	To Automate the page of Array	Array Using List Page	3	1	1	1	0.038 s
46	To Automate the page of Array	Basic operations in Lists page	3	1	1	1	0.028 s
47	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.481 s
48	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.189 s
49	To Automate the page of Array	Basic operations in Lists page	3	1	1	1	0.028 s

SCENARIOS SUMMARY -- 11 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
50	To Automate the page of Array	Application of Array page	3	1	1	1	0.022 s
51	To Automate the page of Array	Practice Questions page	3	1	1	1	0.028 s
52	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.414 s
53	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.158 s
54	To Automate the page of Array	Practice Questions page	3	1	1	1	0.032 s
55	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.449 s
56	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.144 s
57	To Automate the page of Array	Practice Questions page	3	1	1	1	0.029 s
58	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.719 s
59	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.205 s

SCENARIOS SUMMARY -- 12 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
60	To Automate the page of Array	Practice Questions page	3	1	1	1	0.026 s
61	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.498 s
62	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.171 s

# **To Automate Introduction page of DS\_Algo**


PASSED	DURATION - 4.438 s	Scenarios		Steps	
		Total - 5		Total - 15	
/8:58:04.163 PM // 8	8:58:08.601 PM /	Pass - 5	5	Pass - 15	15
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

#### **Browser page**




#	Step / Hook Details	Status	Duration
1	Given The user should be open the browser	PASSED	3.295 s
2	When The user enter the DS_Algo Portal https://dsportalapp.herokuapp.com/	PASSED	0.244 s
3	Then The user should landed on the DS_Algo Get Started page with message "You are at the right place"	PASSED	0.100 s

### **DS Algo Get Started page**




#	Step / Hook Details	Status	Duration
1	Given The user should open the DS Algo Portal URL in any supported browser	PASSED	0.012 s
2	When The user clicks the Get Started button	PASSED	0.260 s
3	Then The user should land in Data Structure Introduction Page with "Register" and "Sign in" links	PASSED	0.067 s

### **DS** Introduction page




#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.005 s
2	When The user clicks the data structure dropdown arrow	PASSED	0.048 s
3	Then The user should able to see 6 options Arrays "Linked,List,Stack,Queue,Tree,Graph" in dropdown menu	PASSED	0.034 s

### **DS** Introduction page



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.001 s
2	When The user selects any data structures item from the drop down without Sign in.	PASSED	0.188 s
3	Then The user should able to see an warning message "You are not logged in"	PASSED	0.040 s


### **DS** Introduction page



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.001 s
2	When The user clicks any "Get Started" buttons of data structures on the DS Introduction page	PASSED	0.000 s
3	Then The user should able to see an warning message "You are not logged in"	PASSED	0.022 s

### to automate Signin page of DS\_Algo


Scenarios		Steps	
Total - 8		Total - 25	
Pass - 8	8	Pass - 25	25
Fail - 0		Fail - 0	
Skip - 0		Skip - 0	
	Total - 8 Pass - 8 Fail - 0	Total - 8 Pass - 8 Fail - 0	Total - 8 Pass - 8 Fail - 0  Total - 25 Pass - 25 Fail - 0




DETAILED SECTION -- 16 --

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user should click the Sign in link	PASSED	0.151 s
3	Then The user should be redirected to Sign in page	PASSED	0.008 s
4	And The user is able to see "Register!" link below the text boxes	PASSED	0.022 s

#### **DS Algo Introduction Page**




#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.002 s
2	When The user clicks login button after leaving the "" textbox and "" textbox blank	PASSED	0.066 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.054 s



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.002 s
2	When The user clicks login button after entering the "Trioteamchallengers" and leaves "" textbox blank	PASSED	0.263 s
3	Then The error message "Please fill out this field." appears below Pwd textbox	PASSED	0.052 s


DETAILED SECTION -- 17 --

#### **DS Algo Introduction Page**




#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering the "ds@qateam334h" only.	PASSED	0.149 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.024 s

#### **DS Algo Introduction Page**




#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering invalid "teamchallengers" and invalid "ds@qateam334h"	PASSED	0.418 s
3	Then The user should able to see an error message "Invalid Username and Password".	PASSED	0.045 s

DETAILED SECTION -- 18 --




#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid ""	PASSED	0.161 s
3	Then The user should able to see an error message "Invalid Username and Password".	PASSED	0.021 s

#### **DS Algo Introduction Page**



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid "ds@qateam334h"	PASSED	0.335 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.035 s

DETAILED SECTION -- 19 --




#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.002 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and valid "triothebest@123"	PASSED	0.511 s
3	Then The user should land in Data Structure Home Page with "You are logged in" message	PASSED	0.052 s

# **To Automate the page of Array**

Scenarios		Steps	
Total - 49		Total - 163	
Pass - 35	49	Pass - 135	163
Fail - 14	10	Fail - 14	100
Skip - 0		Skip - 14	
	Total - 49 Pass - 35 Fail - 14	Total - 49 Pass - 35 Fail - 14	Total - 49 Pass - 35 Fail - 14  Total - 163 Pass - 135 Fail - 14

#### **Home Page**




#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page	PASSED	0.007 s
2	When The user clicks Get Started button below the Data structures-Introduction	PASSED	0.195 s

DETAILED SECTION -- 20 --


#	Step / Hook Details	Status	Duration
3	Then The user should land in "Data Structures-Introduction Page" DS page	PASSED	0.035 s

### **Data Structure Home page**



#	Step / Hook Details	Status	Duration
1	Given The user is on the Data Structure Introduction Page	PASSED	0.000 s
2	When The user clicks Time Complexity link	PASSED	0.156 s
3	Then The user should be redirected to "Time Complexity" TC page	PASSED	0.030 s


# **Time Complexity Page**



#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.002 s
2	When The user clicks Try Here button of Time Complexity page	PASSED	0.000 s
3	Then The user should be redirected to a page having an Python Editor	PASSED	0.009 s


### Python Editor page without data

DETAILED SECTION -- 21 --




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.372 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.305 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.001 s

### **Python Editor page with Invalid data**




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data"	PASSED	1.204 s
	and row_number 2		
3	When The User clicks a run button	PASSED	0.078 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.201 s

DETAILED SECTION -- 22 --




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.294 s
3	When The User clicks a run button	PASSED	0.030 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.217 s

# **Python Editor page with Invalid data**




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.282 s
3	When The User clicks a run button	PASSED	0.041 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.188 s

DETAILED SECTION -- 23 --




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.303 s
3	When The User clicks a run button	PASSED	0.046 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.204 s

# **Python Editor page with Invalid data**




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.283 s
3	When The User clicks a run button	PASSED	0.031 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.217 s

DETAILED SECTION -- 24 --




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.270 s
3	When The User clicks a run button	PASSED	0.031 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.214 s

# **Python Editor page with Invalid data**




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.269 s
3	When The User clicks a run button	PASSED	0.043 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.221 s

DETAILED SECTION -- 25 --




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.288 s
3	When The User clicks a run button	PASSED	0.032 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.224 s

# Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.132 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.280 s
3	When User clicks a run button	PASSED	0.040 s
4	Then output should be displayed on the console	PASSED	0.026 s

DETAILED SECTION -- 26 --




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.153 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.293 s
3	When User clicks a run button	PASSED	0.044 s
4	Then output should be displayed on the console	PASSED	0.022 s

# Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.137 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.248 s
3	When User clicks a run button	PASSED	0.038 s
4	Then output should be displayed on the console	PASSED	0.014 s

DETAILED SECTION -- 27 --




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.130 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.274 s
3	When User clicks a run button	PASSED	0.037 s
4	Then output should be displayed on the console	PASSED	0.019 s

# Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.238 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.291 s
3	When User clicks a run button	PASSED	0.041 s
4	Then output should be displayed on the console	PASSED	0.025 s

DETAILED SECTION -- 28 --




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.126 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.243 s
3	When User clicks a run button	PASSED	0.038 s
4	Then output should be displayed on the console	PASSED	0.022 s

# Python Editor page with valid data




#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.147 s
	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row number 2	PASSED	0.268 s
3	When User clicks a run button	PASSED	0.038 s
4	Then output should be displayed on the console	PASSED	0.020 s

DETAILED SECTION -- 29 --



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.152 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.273 s
3	When User clicks a run button	PASSED	0.049 s
4	Then output should be displayed on the console	PASSED	0.022 s


### User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.134 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.051 s

### **Time Complexity Page**


DETAILED SECTION -- 30 --



#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.000 s
2	When The user clicks Practice Questions link of DS	FAILED	0.077 s
2	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:  ("method":xpath","selector"://*[@id="content"]a"] (Session info: chrome=119.0.6045.199) For documentation on this error, please visit:  https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/ino-such-element-exception Build info: version: '4.15.0', revision:  '1d.145521b' System info: os.name: Windows 11, os.arch: 'am644', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.  chrome.ChromeDriver Command: [05c7561ed9bbb7e6a2912ef762f567ed, findElement {using=xpath, value=//*[@id="content"]/a]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105} (38c72552c5e, userDatabilir: C:\UserSengongAppabatal.Loca), fedemacounts: true, goog:chromeOptions: {debuggerAddress: localhost:29632}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), secdp: ws:/localhost:29632/devtoo, se.cdp/version: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true) Session ID: 05c7561ed9bbb7e6a2912ef762f567ed at java.base/java.lang.reflect.ConstructorInementsetwithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(VithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.servic	FAILED	0.077 \$

#	Step / Hook Details	Status	Duration
	at pages.DataStructureIntro_PF.clickPracticeQuestions(DataStructureIntro_PF.java:21) at steppDef.ds_AlgoDataStructInt.the_user_clicks_practice_questions_link_of_ds(ds_AlgoDataStructInt.java:62) at ?.The user clicks Practice Questions link of DS(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/ 04_dsDataStructInt.feature:54) * Not displayable characters are replaced by '?'.		
3	Then The user does not find any practice problems and the page is null	SKIPPED	0.001 s


# **Home Page**



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page	PASSED	0.008 s
2	When The user clicks "Get Started" button below the array	FAILED	0.017 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()="Array"]//a"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: "Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [05c7561ed9bbb7e6a2912ef762f567ed, findElement {using=xpath, value=//h5[text()="Array"]//a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29632/, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29632/devtoo, se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:impinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 05c7561ed9bb7e6a2912ef762f567ed at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.jav		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)		
	at pages.HomePage_PF.clickArray(HomePage_PF.java:63)		
	at steppDef.ds_AlgoArraySteps.the_user_clicks_button_below_the_array(ds_AlgoArraySteps.java:24)		
	at ?.The user clicks "Get Started" button below the array(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/		
	05_dsArray.feature:5)		
	* Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "Array" page	SKIPPED	0.000 s

# **Array Page**




#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.000 s
2	When The user clicks a Arrays in Python link	FAILED	0.024 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Arrays in Python"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [05c7561ed9bbb7e6a2912ef762f567ed, findElement {using=xpath, value=//a[text()="Arrays in Python"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29632}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29632/devtoo,		

DETAILED SECTION -- 33 --

#	Step / Hook Details	Status	Duration
	se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		
	unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		
	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		
	05c7561ed9bbb7e6a2912ef762f567ed		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)		
	at pages.Arrays_PF.clickArraysInPython(Arrays_PF.java:107)		
	at steppDef.ds_AlgoArraySteps.the_user_clicks_a_arrays_in_python_link(ds_AlgoArraySteps.java:40)		
	at ?.The user clicks a Arrays in Python link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.		
	feature:10)		
	* Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "Arrays in Python" AP Page	SKIPPED	0.001 s


# **Array Page**



DETAILED SECTION -- 34 --


# Python Editor page without data

DETAILED SECTION -- 35 --



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.134 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.293 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s


### User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.139 s
2	When User able to see output in console	PASSED	0.002 s
3	Then User go back to the previous page	PASSED	0.049 s

### **Array in Python Page**


DETAILED SECTION -- 36 --



#	Step / Hook Details	Status	Duration
	Given The user is on the Array in Python Page	PASSED	0.001 s
	When The user clicks a Arrays Using List link	FAILED	0.025 s
<u>-</u>	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//a[text()="Arrays Using List"]" (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/web/driver/troubleshooting/errors/#no-such-element-exception Build info: version: 14.15.0", revision: 10.15521b' System info: os.name: Windows 11", os.arch: mad64', os.version: 13.0", java.version: 13.0", java.version: 19.0.2 priver info: org.openqa.selenium.chrome.ChromeDriver Command: [05c7561ed9bbb7e6a2912ef762f567ed, findElement {using=xpath, value=//a[text()="Arrays Using List"]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVasion: 119.0.6045.109, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users/enggn/AppDataLoca), fedem:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29632/, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29632/.networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29632/.networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29632/devtoo, se:cdp/version: 119.0.6045.199, setVindowRect: true, strictFileInteractability: false, timeouts: {implicit: op. pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:rerdBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:minPinLength: true, webauthn:extension:minPi	PAILED	0.025 \$

#	Step / Hook Details	Status	Duration
	at pages.Arrays_PF.clickArraysUsingList(Arrays_PF.java:110) at steppDef.ds_AlgoArraySteps.the_user_clicks_a_arrays_using_list_link(ds_AlgoArraySteps.java:82) at ?.The user clicks a Arrays Using List link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray. feature:51) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "Arrays Using List" AL page.	SKIPPED	0.000 s

# **Array Using List Page**




#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.000 s
2	When The user clicks Try Here button of Array Using List Page	FAILED	0.016 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Try here>>>"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [05c7561ed9bbb7e6a2912ef762f567ed, findElement {using=xpath, value=//a[text()="Try here>>>"]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\engm\AppData\Loca), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29632}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29632/devtoo, se:cdp\version: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeounts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, at java.base/jaki.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/jaki.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.		

DETAILED SECTION -- 38 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)		
	at pages.Arrays_PF.clickTryhere(Arrays_PF.java:119)		
	at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_using_list_page(ds_AlgoArraySteps.java:98)		
	at ?.The user clicks Try Here button of Array Using List Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/		
	05_dsArray.feature:56)		
	* Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.000 s


# **Python Editor page without data**



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.151 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.311 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s


# User go back to the previous page

DETAILED SECTION -- 39 --



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.131 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.043 s

# **Array Using List Page**




#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.003 s
2	When The user clicks a Basic Operations in Lists link	FAILED	0.030 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Basic Operations in Lists"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1014b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [05c7561ed9bbb7e6a2912ef762f567ed, findElement {using=xpath, value=//a[text()="Basic Operations in Lists"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29632}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29632/devtoo, se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators:		

DETAILED SECTION -- 40 --

#	Step / Hook Details	Status	Duration
	true} Session ID: 05c7561ed9bbb7e6a2912ef762f567ed		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openga.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openga.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)		
	at pages.Arrays_PF.clickArraysBasicOp(Arrays_PF.java:113)		
	at steppDef.ds_AlgoArraySteps.the_user_clicks_a_basic_operations_in_lists_link(ds_AlgoArraySteps.java:103)		
	at ?.The user clicks a Basic Operations in Lists link(file:///C:/Users/enggn/eclipse-workspace/DS AlgoCh/src/test/resources/feature/		
	05_dsArray.feature:91)		
	* Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "Basic Operations in Lists" BO page.	SKIPPED	0.000 s

# **Basic operations in Lists page**




#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.001 s
2	When The user clicks Try Here button of Operations in Lists Page	FAILED	0.023 s

DETAILED SECTION -- 41 --

#	Step / Hook Details	Status	Duration
#	Step / Hook Details  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method": "xpath", "selector": "//a[text()="Try here>>>"T]* (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception Build info: version: "4.15.0", revision: "1d14b5521b" System info: os.name: Windows 11, os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: (D67-551ed9bbb7e6a2912e1762f567ed, findElement (using=xpath, value=//a[text()="Try here>>>"]]) Capabilities (acceptinises cureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: (chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Usersienggn/NapDataLloca), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29632/n. ewerDataDir: C:\Usersienggn/NapDataLloca), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29632/n. ewerDataDir: C:\Usersienggn/NapDataLloca), fedcm:accounts: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoadf} 300000, script: 30000], unhandledPromptBehavior: dismiss and notify, webauthm:extension:credBlob: true, webauthm:extension:largeBlob: true, webauthm:extension:minPinLength: true, webauthm:extension:credBlob: true, webauthm:extension:minPinLength: true, webauthm:extension:credBlob: true, webauthm:extension:largeBlob: true, webauthm:extension:largeBlob: true, webauthm:extension:minPinLength: true, webauthm:extension:prf: true, webauthm:virtualAuthenticators: true) Session ID: 05c7561ed9bbb7e6a2912ef762f567ed at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:50) at java.base/java.lang.reflect.Constructor.newInstance@WithCaller(Constructor.java:60) at org.openqa.selenium.remote.edec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpR	Status	Duration
	at ?.The user clicks Try Here button of Operations in Lists Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/		
	feature/05_dsArray.feature:96)		
	* Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.002 s


# Python Editor page without data

DETAILED SECTION -- 42 --



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.154 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.325 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s


#### User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.144 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.042 s

#### **Basic operations in Lists page**


DETAILED SECTION -- 43 --



#	Step / Hook Details	Status	Duration
Give	en The user is on the Basic Operations in Lists page	PASSED	0.000 s
Whe	en The user clicks an Applications of Array link	FAILED	0.025 s
org.u {"me plea revis sele Arra 119. {deb se:c page web true] at	openqa.selenium.NoSuchElementException: no such element: Unable to locate element:  athod":"xpath","selector:"//a[text(p='Applications of Array,"]* (Session info: chrome=119.0.6045.199) For documentation on this error, see visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.15.0', sion: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.  nium.chrome.ChromeDriver Command: [05c7561ed9bbb7e6a2912ef762f567ed, findElement (using=xpath, value=//a[text()='Applications of sty"]) (2apabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 0.6045.105 (38c72552c5e, userDataDir: C:Users\engryAppData\Loca), fedcm:accounts: true, goog:chromeOptions: buggerAddress: localhost:29632/, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), sdp: ws://localhost:29632/devtoo, se:cdpVersion: 119.0.6045.199, setWindowRect: true, strict=lenteractability: false, timeouts: {implicit: 0, eload: 300000}, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:refalbob: true, stauthn:extension:refalbob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: } Session ID: 05c7561ed9bbb7e6a2912ef762f567ed torg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:67) torg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) torg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:20) torg.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:20) torg.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) torg.openqa.selenium.remote.ElementLocation*Element	FAILED	0.025 \$


#	Step / Hook Details	Status	Duration
	at pages.Arrays_PF.clickArraysApp(Arrays_PF.java:116) at steppDef.ds_AlgoArraySteps.the_user_clicks_an_applications_of_array_link(ds_AlgoArraySteps.java:126) at ?.The user clicks an Applications of Array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray. feature:131) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "Applications of Array" AA page.	SKIPPED	0.000 s

# **Application of Array page**



#	Step / Hook Details	Status	Duration
1	Given The user is on the Applications of Array page	PASSED	0.001 s
2	When The user clicks Practice Questions link	FAILED	0.019 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//a[text()="Practice Questions"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [05c7561ed9bbb7e6a2912ef762f567ed, findElement {using=xpath, value=//a[text()="Practice Questions"]}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\end{alse}). Csers\end{alse} pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29632/kevtoo, se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 05c7561ed9bbb7e6a2912ef762f567ed at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:233) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.entertor.		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)		
	at pages.Arrays_PF.clickArraysPracticeQuestions(Arrays_PF.java:214)		
	at steppDef.ds_AlgoArraySteps.the_user_clicks_practice_questions_link(ds_AlgoArraySteps.java:149)		
	at ?.The user clicks Practice Questions link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.		
	feature:136)		
	* Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to practice page having links like "Search the array","Max Consecutive Ones","Find	SKIPPED	0.001 s
	Numbers with Even Number of Digits" ,"Squares of a Sorted Array"		




#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.001 s
2	When The user clicks search the array link	FAILED	0.025 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Search the array"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [05c7561ed9bbb7e6a2912ef762f567ed, findElement {using=xpath, value=//a[text()="Search the array"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29632},		

DETAILED SECTION -- 46 --


#	Step / Hook Details	Status	Duration
	networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29632/devtoo,		
	se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		
	unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		
	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		
	05c7561ed9bbb7e6a2912ef762f567ed		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)		
	at pages.Arrays_PF.clickArraysSearch(Arrays_PF.java:217)		
	at steppDef.ds_AlgoArraySteps.the_user_clicks_search_the_array_link(ds_AlgoArraySteps.java:184)		
	at ?.The user clicks search the array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.		
	feature:141)		
	* Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "QUESTION" page contains a question, an tryEditor with Run and Submit buttons	SKIPPED	0.001 s

# **Python Editor page without data**




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.127 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.283 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

# User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.124 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.031 s




#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks Max consecutive ones link	FAILED	0.029 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Max Consecutive Ones"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info:		

DETAILED SECTION -- 48 --

#	Step / Hook Details	Status	Duration
	os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver		
	Command: [05c7561ed9bbb7e6a2912ef762f567ed, findElement {using=xpath, value=//a[text()="Max Consecutive Ones"]}] Capabilities		
	{acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105		
	(38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29632}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp:		
	ws://localhost:29632/devtoo, se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		
	true} Session ID: 05c7561ed9bbb7e6a2912ef762f567ed		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at or g. open qa. selenium. support. page factory. internal. Locating Element Handler. invoke (Locating Element Handler. java: 38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)		
	at pages.Arrays_PF.clickArraysMaxConsecutives(Arrays_PF.java:221)		
	at steppDef.ds_AlgoArraySteps.the_user_clicks_max_consecutive_ones_link(ds_AlgoArraySteps.java:196)		
	at ?.The user clicks Max consecutive ones link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.		
	feature:176)		
	* Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s


# Python Editor page without data

DETAILED SECTION -- 49 --




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.142 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.305 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

#### User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.113 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.028 s


DETAILED SECTION -- 50 --



#	Step / Hook Details	Status	Duration
L	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks Find numbers with even number of digits link	FAILED	0.026 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//a[text()="Find Numbers with Even Number of Digits"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.15.0', revision: '1d.14b5521b' System info: os.name: Windows 11; os.arch: 'amd64', os.version: '10.0', java-version: '19.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [05c7561ed9bbb7e6a2912ef762f567ed, findElement {using=xpath, value=//a[text()="Find Numbers with Even Number of Digits"]}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (3867255256=, userDataDir: C:Userstenggn/AppDataLloca), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29632}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), sec.dp: ws://localhost:29632/devtoo, sec.dpVersion: 119.0.6045.199, setWindowRect: true, strictFieleInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:prf: frue, webauthn:vitualAuthenticators: true} Session ID: 05c7561ed9bbb7e6a2912ef762f567ed at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:139) at org.openqa.selenium.remote.ethptCommandExecutor.invokeExecute(DriverCommandExecutor.java:150) at or	FAILED	0.020 \$


#	Step / Hook Details	Status	Duration
	at pages.Arrays_PF.clickArraysEvennumbers(Arrays_PF.java:227) at steppDef.ds_AlgoArraySteps.the_user_clicks_find_numbers_with_even_number_of_digits_link(ds_AlgoArraySteps.java:202) at ?.The user clicks Find numbers with even number of digits link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/ feature/05_dsArray.feature:211) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

#### **Python Editor page without data**




#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.371 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.346 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

#### User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.146 s
2	When User able to see output in console	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
3	Then User go back to the previous page	PASSED	0.055 s



#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks squared of the sorted array link	FAILED	0.023 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//a[text()="Squares of a Sorted Array"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d.4b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [05c7561ed9bbb7e6a2912ef762f567ed, findElement (using=xpath, value=//a[text()="Squares of a Sorted Array"]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Userslenggn\AppData\Loca), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29632/j, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29632/devtoo, se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 05c7561ed9bb7e6a2912ef762f567ed at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:2500) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.Sevice.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:250) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecuto		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)		
	at pages.Arrays_PF.clickArraysSortedSquares(Arrays_PF.java:224) at steppDef.ds_AlgoArraySteps.the_user_clicks_squared_of_the_sorted_array_link(ds_AlgoArraySteps.java:207) at ?.The user clicks squared of the sorted array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/		
	05_dsArray.feature:246)  * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "QUESTION" page contains a question, an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

# **Python Editor page without data**



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.187 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.310 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

#### User go back to the previous page



DETAILED SECTION -- 54 --

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.133 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.036 s