

Cucumber Report

Dec 1, 2023, 10:39:56 PM

Start : Dec 01, 10:39:45.275 PM

End : Dec 01, 10:39:55.068 PM

Duration : 9.793 s

Features







PASSED - 1
FAILED - 3
SKIPPED - 0

Scenarios

PASSED - 21
FAILED - 103
SKIPPED - 0

Steps


PASSED - 124
FAILED - 103
SKIPPED - 179




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<i>To Automate Introduction page of DS_Algo</i>	3.835 s	9	4	5	0	27	19	5	3
<i>To Automate Introduction page of DS_Algo</i>	3.180 s	1	1	0	0	3	3	0	0
<i>to automate Signin page of DS_Algo</i>	3.374 s	16	14	2	0	50	48	2	0
<i>To Automate the page of Array</i>	2.574 s	98	2	96	0	326	54	96	176

Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@Browser_page		9	8	1	0	3	1	2	0
@dsIntro		67	13	54	0	4	1	3	0
@Start_page		2	1	1	0	1	0	1	0
@Intro_page		2	2	0	0	1	0	1	0
@Signin_page(link)		2	2	0	0	1	0	1	0
@Signin_page(allBlank)		24	7	17	0	2	0	2	0
@Signin_page(enteronlyusername)		2	2	0	0	1	0	1	0
@Signin_page(enteronlypwd)		2	2	0	0	1	0	1	0
@Signin_page(invalidusernamePwd)		2	2	0	0	1	0	1	0
@Signin_page(validUsernameinvalidPassword)		2	2	0	0	1	0	1	0
@Signin_page(validUsernameInvPwd)		2	2	0	0	1	0	1	0
@Signin_page(valid)		2	0	2	0	1	0	1	0
@HomePage		2	0	2	0	1	0	1	0
@DSPage		2	0	2	0	1	0	1	0
@ComplexityPage		2	2	0	0	1	0	1	0
@PythonEditor_Bank		16	0	16	0	1	0	1	0
@PythonEditor_Invalid		14	0	14	0	1	0	1	0


Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@PythonEditor_Valid		23	0	23	0	1	0	1	0
@PythonEditor_Inalid		2	0	2	0	1	0	1	0
@PracticeQuestions		2	0	2	0	1	0	1	0
@Array_page		2	0	2	0	1	0	1	0
@ArraysInPythonPage		2	0	2	0	1	0	1	0
@PythonEditor		10	0	10	0	1	0	1	0
@ArraysUsingList_page		2	0	2	0	1	0	1	0
@ArraysBasicOperation_page		2	0	2	0	1	0	1	0
@ArraysBasicOperation_Tryhere		2	0	2	0	1	0	1	0
@AppOfArray		2	0	2	0	1	0	1	0
@AppOfArray_4Links		2	0	2	0	1	0	1	0
@PythonEdito		2	0	2	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>To Automate Introduction page of DS_Algo</u>	9	4	5	0	3.835 s
2	<u>To Automate Introduction page of DS_Algo</u>	1	1	0	0	3.180 s
3	<u>to automate Signin page of DS_Algo</u>	16	14	2	0	3.374 s
4	<u>To Automate the page of Array</u>	98	2	96	0	2.574 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To Automate Introduction page of DS_Algo</u>	<u>Browser page</u>	3	3	0	0	3.179 s
2	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Algo Get Started page</u>	3	3	0	0	0.354 s
3	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Algo Get Started page</u>	3	1	1	1	0.299 s
4	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	3	0	0	0.130 s
5	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	3	0	0	0.095 s
6	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	1	1	1	0.054 s
7	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	1	1	1	0.090 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	2	1	0	0.035 s
9	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	2	1	0	0.026 s
10	<u>To Automate Introduction page of DS_Algo</u>	<u>Browser page</u>	3	3	0	0	3.174 s
11	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	4	4	0	0	0.301 s
12	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	4	4	0	0	0.330 s
13	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.238 s
14	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.228 s
15	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.433 s
16	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.433 s


#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
17	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.426 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.408 s
19	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.459 s
20	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.460 s
21	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.350 s
22	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.352 s
23	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.507 s
24	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.500 s
25	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	2	1	0	0.530 s
26	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	2	1	0	0.518 s
27	<u>To Automate the page of Array</u>	<u>Home Page</u>	3	1	1	1	0.039 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
28	<u>To Automate the page of Array</u>	<u>Home Page</u>	3	1	1	1	0.036 s
29	<u>To Automate the page of Array</u>	<u>Data Structure Home page</u>	3	1	1	1	0.022 s
30	<u>To Automate the page of Array</u>	<u>Data Structure Home page</u>	3	1	1	1	0.025 s
31	<u>To Automate the page of Array</u>	<u>Time Complexity Page</u>	3	3	0	0	0.017 s
32	<u>To Automate the page of Array</u>	<u>Time Complexity Page</u>	3	3	0	0	0.013 s
33	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	1	1	1	0.369 s
34	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	1	1	1	0.376 s
35	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.862 s
36	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.849 s
37	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.125 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
38	To Automate the page of Array	Python Editor page with Invalid data	4	1	1	2	0.120 s
39	To Automate the page of Array	Python Editor page with Invalid data	4	1	1	2	0.094 s
40	To Automate the page of Array	Python Editor page with Invalid data	4	1	1	2	0.084 s
41	To Automate the page of Array	Python Editor page with Invalid data	4	1	1	2	0.055 s
42	To Automate the page of Array	Python Editor page with Invalid data	4	1	1	2	0.051 s
43	To Automate the page of Array	Python Editor page with Invalid data	4	1	1	2	0.050 s
44	To Automate the page of Array	Python Editor page with Invalid data	4	1	1	2	0.048 s
45	To Automate the page of Array	Python Editor page with Invalid data	4	1	1	2	0.058 s
46	To Automate the page of Array	Python Editor page with Invalid data	4	1	1	2	0.057 s
47	To Automate the page of Array	Python Editor page with Invalid data	4	1	1	2	0.042 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
48	To Automate the page of Array	Python Editor page with Invalid data	4	1	1	2	0.040 s
49	To Automate the page of Array	Python Editor page with Invalid data	4	1	1	2	0.045 s
50	To Automate the page of Array	Python Editor page with Invalid data	4	1	1	2	0.045 s
51	To Automate the page of Array	Python Editor page with valid data	4	0	1	3	0.008 s
52	To Automate the page of Array	Python Editor page with valid data	4	0	1	3	0.007 s
53	To Automate the page of Array	Python Editor page with valid data	4	0	1	3	0.007 s
54	To Automate the page of Array	Python Editor page with valid data	4	0	1	3	0.008 s
55	To Automate the page of Array	Python Editor page with valid data	4	0	1	3	0.010 s
56	To Automate the page of Array	Python Editor page with valid data	4	0	1	3	0.011 s
57	To Automate the page of Array	Python Editor page with valid data	4	0	1	3	0.006 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
58	To Automate the page of Array	Python Editor page with valid data	4	0	1	3	0.006 s
59	To Automate the page of Array	Python Editor page with valid data	4	0	1	3	0.008 s
60	To Automate the page of Array	Python Editor page with valid data	4	0	1	3	0.005 s
61	To Automate the page of Array	Python Editor page with valid data	4	0	1	3	0.006 s
62	To Automate the page of Array	Python Editor page with valid data	4	0	1	3	0.005 s
63	To Automate the page of Array	Python Editor page with valid data	4	0	1	3	0.006 s
64	To Automate the page of Array	Python Editor page with valid data	4	0	1	3	0.005 s
65	To Automate the page of Array	Python Editor page with valid data	4	0	1	3	0.005 s
66	To Automate the page of Array	Python Editor page with valid data	4	0	1	3	0.005 s
67	To Automate the page of Array	User go back to the previous page	3	0	1	2	0.007 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
68	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.007 s
69	<u>To Automate the page of Array</u>	<u>Time Complexity Page</u>	3	1	1	1	0.008 s
70	<u>To Automate the page of Array</u>	<u>Time Complexity Page</u>	3	1	1	1	0.007 s
71	<u>To Automate the page of Array</u>	<u>Home Page</u>	3	0	1	2	0.011 s
72	<u>To Automate the page of Array</u>	<u>Home Page</u>	3	0	1	2	0.009 s
73	<u>To Automate the page of Array</u>	<u>Array Page</u>	3	1	1	1	0.012 s
74	<u>To Automate the page of Array</u>	<u>Array Page</u>	3	1	1	1	0.011 s
75	<u>To Automate the page of Array</u>	<u>Array Page</u>	3	1	1	1	0.009 s
76	<u>To Automate the page of Array</u>	<u>Array Page</u>	3	1	1	1	0.010 s
77	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.007 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
78	To Automate the page of Array	Python Editor page without data	3	0	1	2	0.007 s
79	To Automate the page of Array	User go back to the previous page	3	0	1	2	0.008 s
80	To Automate the page of Array	User go back to the previous page	3	0	1	2	0.008 s
81	To Automate the page of Array	Array in Python Page	3	1	1	1	0.008 s
82	To Automate the page of Array	Array in Python Page	3	1	1	1	0.008 s
83	To Automate the page of Array	Array Using List Page	3	1	1	1	0.008 s
84	To Automate the page of Array	Array Using List Page	3	1	1	1	0.008 s
85	To Automate the page of Array	Python Editor page without data	3	0	1	2	0.010 s
86	To Automate the page of Array	Python Editor page without data	3	0	1	2	0.011 s
87	To Automate the page of Array	User go back to the previous page	3	0	1	2	0.007 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
88	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.010 s
89	<u>To Automate the page of Array</u>	<u>Array Using List Page</u>	3	1	1	1	0.009 s
90	<u>To Automate the page of Array</u>	<u>Array Using List Page</u>	3	1	1	1	0.012 s
91	<u>To Automate the page of Array</u>	<u>Basic operations in Lists page</u>	3	1	1	1	0.012 s
92	<u>To Automate the page of Array</u>	<u>Basic operations in Lists page</u>	3	1	1	1	0.007 s
93	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.006 s
94	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.005 s
95	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.005 s
96	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.006 s
97	<u>To Automate the page of Array</u>	<u>Basic operations in Lists page</u>	3	1	1	1	0.008 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
98	<u>To Automate the page of Array</u>	<u>Basic operations in Lists page</u>	3	1	1	1	0.005 s
99	<u>To Automate the page of Array</u>	<u>Application of Array page</u>	3	1	1	1	0.007 s
10-0	<u>To Automate the page of Array</u>	<u>Application of Array page</u>	3	1	1	1	0.006 s
10-1	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.007 s
10-2	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.007 s
10-3	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.007 s
10-4	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.006 s
10-5	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.006 s
10-6	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.006 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10-7	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.010 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
10-8	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.007 s
10-9	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.007 s
11-0	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.007 s
11-1	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.007 s
11-2	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.006 s
11-3	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.007 s
11-4	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.005 s
11-5	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.009 s
11-6	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.009 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11-7	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.007 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11-8	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.007 s
11-9	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.007 s
12-0	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.007 s
12-1	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.006 s
12-2	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.004 s
12-3	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.005 s
12-4	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.004 s

To Automate Introduction page of DS_Algo




Browser page




#	Step / Hook Details	Status	Duration
1	Given The user should be open the browser	PASSED	2.774 s
2	When The user enter the DS_Algo Portal https://dsportalapp.herokuapp.com/	PASSED	0.311 s
3	Then The user should landed on the DS_Algo Get Started page with message "You are at the right place"	PASSED	0.081 s

DS Algo Get Started page



#	Step / Hook Details	Status	Duration
1	Given The user should open the DS Algo Portal URL in any supported browser	PASSED	0.015 s
2	When The user clicks the Get Started button	PASSED	0.254 s
3	Then The user should land in Data Structure Introduction Page with "Register" and "Sign in" links	PASSED	0.082 s


DS Algo Get Started page



#	Step / Hook Details	Status	Duration
1	Given The user should open the DS Algo Portal URL in any supported browser	PASSED	0.012 s
2	When The user clicks the Get Started button org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, clickElement {id=1E07B2861C031DBB387DFB64F53AE0B8_element_7}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (9eed93fbdd70d24870a86bcf70219149)] -> xpath: //button[text()='Get Started']] Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)	FAILED	0.282 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.DS_AlgoPortal_PF.clickGetStarted(DS_AlgoPortal_PF.java:24) at steppDef.ds_AlgoPortalSteps.the_user_clicks_the_get_started_button(ds_AlgoPortalSteps.java:76) at ?.The user clicks the Get Started button(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/01_dslIntro.feature:17) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should land in Data Structure Introduction Page with "Register" and "Sign in" links	SKIPPED	0.000 s

DS Introduction page




#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.009 s
2	When The user clicks the data structure dropdown arrow	PASSED	0.064 s
3	Then The user should able to see 6 options Arrays "Linked, List, Stack, Queue, Tree, Graph" in dropdown menu	PASSED	0.054 s

DS Introduction page



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.001 s
2	When The user clicks the data structure dropdown arrow	PASSED	0.078 s
3	Then The user should able to see 6 options Arrays "Linked, List, Stack, Queue, Tree, Graph" in dropdown menu	PASSED	0.013 s


DS Introduction page



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.002 s
2	When The user selects any data structures item from the drop down without Sign in. org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, clickElement {id=902490002B5BEB4B45466F331B2C6B86_element_17}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (9eed93fbdd70d24870a86bcf70219149)] -> xpath: //a[text()='Linked List']] Session ID: 9eed93fbdd70d24870a86bcf70219149	FAILED	0.050 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.DSIntro_PF.clickLinkedListDropdown(DSIntro_PF.java:32) at steppDef.ds_AlgoPortalSteps.the_user_selects_any_data_structures_item_from_the_drop_down_without_sign_in(ds_AlgoPortalSteps.java:117) at ?.The user selects any data structures item from the drop down without Sign in.(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/01_dsIntro.feature:28) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should able to see an warning message "You are not logged in"	SKIPPED	0.000 s


DS Introduction page



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.001 s
2	When The user selects any data structures item from the drop down without Sign in. org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=119.0.6045.200) Build info: version:	FAILED	0.080 s

#	Step / Hook Details	Status	Duration
	<pre>'4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, clickElement {id=902490002B5BEB4B45466F331B2C6B86_element_17}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (9eed93fbdd70d24870a86bcf70219149)] -> xpath: //a[text()='Linked List']] Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.DSIntro_PF.clickLinkedListDropdown(DSIntro_PF.java:32) at steppDef.ds_AlgoPortalSteps.the_user_selects_any_data_structures_item_from_the_drop_down_without_sign_in(ds_AlgoPortalSteps.java:117) at ?.The user selects any data structures item from the drop down without Sign in.(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/01_dsIntro.feature:28) * Not displayable characters are replaced by '?'.</pre>		
3	Then The user should able to see an warning message "You are not logged in"	SKIPPED	0.002 s


DS Introduction page



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.001 s
2	When The user clicks any "Get Started" buttons of data structures on the DS Introduction page	PASSED	0.005 s
3	<p>Then The user should able to see an warning message "You are not logged in"</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@role="alert"]"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//div[@role="alert"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre>	FAILED	0.026 s

#	Step / Hook Details	Status	Duration
	<pre> at jdk.proxy2/jdk.proxy2.\$Proxy31.getText(Unknown Source) at pages.DSIntro_PF.getTxtAlertMsg(DSIntro_PF.java:35) at steppDef.ds_AlgoPortalSteps.the_user_should_able_to_see_an_warning_message(ds_AlgoPortalSteps.java:123) at ?.The user should able to see an warning message "You are not logged in"(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/01_dsIntro.feature:34) * Not displayable characters are replaced by '?'. </pre>		

DS Introduction page




#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.001 s
2	When The user clicks any "Get Started" buttons of data structures on the DS Introduction page	PASSED	0.000 s
3	<p>Then The user should able to see an warning message "You are not logged in"</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@role='alert']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//div[@role='alert']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) </pre>	FAILED	0.022 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.getText(Unknown Source) at pages.DSIntro_PF.getText(DSIntro_PF.java:35) at steppDef.ds_AlgoPortalSteps.the_user_should_be_able_to_see_an_warning_message(ds_AlgoPortalSteps.java:123) at ?.The user should be able to see an warning message "You are not logged in"(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/01_dsIntro.feature:34) * Not displayable characters are replaced by '?'. </pre>		

To Automate Introduction page of DS_Algo




Browser page




#	Step / Hook Details	Status	Duration
1	Given The user should be open the browser	PASSED	2.774 s
2	When The user enter the DS_Algo Portal https://dsportalapp.herokuapp.com/	PASSED	0.224 s
3	Then The user should landed on the DS_Algo Get Started page with message "You are at the right place"	PASSED	0.162 s

to automate Signin page of DS_Algo




DS Algo Introduction Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.007 s
2	When The user should click the Sign in link	PASSED	0.171 s
3	Then The user should be redirected to Sign in page	PASSED	0.014 s
4	And The user is able to see "Register!" link below the text boxes	PASSED	0.105 s

DS Algo Introduction Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.002 s
2	When The user should click the Sign in link	PASSED	0.252 s
3	Then The user should be redirected to Sign in page	PASSED	0.014 s
4	And The user is able to see "Register!" link below the text boxes	PASSED	0.060 s

DS Algo Introduction Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after leaving the "" textbox and "" textbox blank	PASSED	0.117 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.115 s

DS Algo Introduction Page





#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after leaving the "" textbox and "" textbox blank	PASSED	0.168 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.055 s

DS Algo Introduction Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering the "Trioteamchallengers" and leaves "" textbox blank	PASSED	0.333 s
3	Then The error message "Please fill out this field." appears below Pwd textbox	PASSED	0.097 s



DS Algo Introduction Page

PASSED	DURATION - 0.433 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:39:49.728 PM // 10:39:50.161 PM /	to automate Signin page of DS_Algo			

@Browser_page @Signin_page(enteronlyusername)
@dsIntro

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering the "Trioteamchallengers" and leaves "" textbox blank	PASSED	0.375 s
3	Then The error message "Please fill out this field." appears below Pwd textbox	PASSED	0.053 s



DS Algo Introduction Page

PASSED	DURATION - 0.426 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:39:50.142 PM // 10:39:50.568 PM /	to automate Signin page of DS_Algo			

@Signin_page(enteronlypwd) @Signin_page(allBlank)



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering the "ds@qateam334h" only.	PASSED	0.345 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.076 s

DS Algo Introduction Page

PASSED	DURATION - 0.408 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:39:50.180 PM // 10:39:50.588 PM /				
to automate Signin page of DS_Algo				
@Browser_page @Signin_page(enteronlypwd) @dsIntro				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.002 s
2	When The user clicks login button after entering the "ds@qateam334h" only.	PASSED	0.378 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.026 s

DS Algo Introduction Page

PASSED	DURATION - 0.459 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:39:50.581 PM // 10:39:51.040 PM /				
to automate Signin page of DS_Algo				
@Signin_page(allBlank) @Signin_page(invalidusernamePwd)				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering invalid "teamchallengers" and invalid "ds@qateam334h"	PASSED	0.390 s
3	Then The user should able to see an error message "Invalid Username and Password".	PASSED	0.067 s

DS Algo Introduction Page

PASSED	DURATION - 0.460 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:39:50.603 PM // 10:39:51.063 PM /				
<i>to automate Signin page of DS_Algo</i>				
@Browser_page @dsIntro @Signin_page(invalidusernamePwd)				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering invalid "teamchallengers" and invalid "ds@qateam334h"	PASSED	0.421 s
3	Then The user should able to see an error message "Invalid Username and Password".	PASSED	0.035 s

DS Algo Introduction Page

PASSED	DURATION - 0.350 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:39:51.060 PM // 10:39:51.410 PM /				
<i>to automate Signin page of DS_Algo</i>				
@Signin_page(allBlank) @Signin_page(validUsernameinvalidPassword)				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid ""	PASSED	0.277 s
3	Then The user should able to see an error message "Invalid Username and Password".	PASSED	0.069 s

DS Algo Introduction Page

PASSED	DURATION - 0.352 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:39:51.084 PM // 10:39:51.436 PM /				
to automate Signin page of DS_Algo				
@Browser_page @dsIntro @Signin_page(validUsernameinvalidPassword)				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.000 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid ""	PASSED	0.313 s
3	Then The user should able to see an error message "Invalid Username and Password".	PASSED	0.032 s

DS Algo Introduction Page

PASSED	DURATION - 0.507 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:39:51.427 PM // 10:39:51.934 PM /				
to automate Signin page of DS_Algo				
@Signin_page(allBlank) @Signin_page(validUsernameInvPwd)				


#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.003 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid "ds@qateam334h"	PASSED	0.452 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.047 s

DS Algo Introduction Page

PASSED	DURATION - 0.500 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:39:51.455 PM // 10:39:51.955 PM /				
to automate Signin page of DS_Algo				
@Browser_page @dsIntro @Signin_page(validUsernameInvPwd)				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid "ds@qateam334h"	PASSED	0.466 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.028 s


DS Algo Introduction Page

FAILED	DURATION - 0.530 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 10:39:51.949 PM // 10:39:52.479 PM /				
to automate Signin page of DS_Algo				
@Signin_page(allBlank) @Signin_page(valid)				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.002 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and valid "triothebest@123"	PASSED	0.444 s
3	Then The user should land in Data Structure Home Page with "You are logged in" message java.lang.AssertionError: expected [You are logged in] but found [Invalid Username and Password] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at steppDef.ds_AlgoSigninSteps.the_user_should_land_in_data_structure_home_page_with_message(ds_AlgoSigninSteps.java:133) at ?.The user should land in Data Structure Home Page with "You are logged in" message(file:///C:/Users/enggn/eclipse-workspace/	FAILED	0.079 s



#	Step / Hook Details	Status	Duration
	DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:69 * Not displayable characters are replaced by '?'.		

DS Algo Introduction Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and valid "triothebest@123"	PASSED	0.472 s
3	<p>Then The user should land in Data Structure Home Page with "You are logged in" message</p> <pre>java.lang.AssertionError: expected [You are logged in] but found [Invalid Username and Password] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at steppDef.ds_AlgoSigninSteps.the_user_should_land_in_data_structure_home_page_with_message(ds_AlgoSigninSteps.java:133) at ?.The user should land in Data Structure Home Page with "You are logged in" message(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:69) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.039 s


To Automate the page of Array

**Home Page**

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page	PASSED	0.008 s
2	<p>When The user clicks Get Started button below the Data structures-Introduction</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()='Data Structures-Introduction']/..//a"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=/h5[text()='Data Structures-Introduction']/..//a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149</pre> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p>	FAILED	0.026 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.DataStructureIntro_PF.clickDataStructGetstarted(DataStructureIntro_PF.java:31) at steppDef.ds_AlgoDataStructInt.the_user_clicks_get_started_button_below_the_data_structures_introduction(ds_AlgoDataStructInt.java:26) at ?.The user clicks Get Started button below the Data structures-Introduction(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:6) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should land in "Data Structures-Introduction" DS page	SKIPPED	0.000 s


Home Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page	PASSED	0.005 s
2	When The user clicks Get Started button below the Data structures-Introduction	FAILED	0.030 s


#	Step / Hook Details	Status	Duration
	<pre>{debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.DataStructureIntro_PF.clickDataStructGetstarted(DataStructureIntro_PF.java:31) at steppDef.ds_AlgoDataStructInt.the_user_clicks_get_started_button_below_the_data_structures_introduction(ds_AlgoDataStructInt.java:26) at ?.The user clicks Get Started button below the Data structures-Introduction(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:6) * Not displayable characters are replaced by '?'.</pre>		
3	Then The user should land in "Data Structures-Introduction" DS page	SKIPPED	0.000 s

Data Structure Home page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Data Structure Introduction Page	PASSED	0.001 s
2	<p>When The user clicks Time Complexity link</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Time Complexity']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=/a[text()='Time Complexity']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.DataStructureIntro_PF.ClickDStimeComplexity(DataStructureIntro_PF.java:27) at steppDef.ds_AlgoDataStructInt.the_user_clicks_time_complexity_link(ds_AlgoDataStructInt.java:43) at ?.The user clicks Time Complexity link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:12)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.018 s
3	Then The user should be redirected to "Time Complexity" TC page	SKIPPED	0.000 s

Data Structure Home page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Data Structure Introduction Page	PASSED	0.001 s
2	<p>When The user clicks Time Complexity link</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Time Complexity']"} (Session info: chrome=119.0.6045.200) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=/a[text()='Time Complexity']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source)</pre>	FAILED	0.020 s

#	Step / Hook Details	Status	Duration
	at pages.DataStructureIntro_PF.ClickDStimeComplexity(DataStructureIntro_PF.java:27) at steppDef.ds_AlgoDataStructInt.the_user_clicks_time_complexity_link(ds_AlgoDataStructInt.java:43) at ?.The user clicks Time Complexity link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:12) * Not displayable characters are replaced by '?'. 3 Then The user should be redirected to "Time Complexity" TC page		
3	Then The user should be redirected to "Time Complexity" TC page	SKIPPED	0.002 s

Time Complexity Page

PASSED	DURATION - 0.017 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:39:52.584 PM // 10:39:52.601 PM /				
<i>To Automate the page of Array</i>				
@ComplexityPage				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.002 s
2	When The user clicks Try Here button of Time Complexity page	PASSED	0.001 s
3	Then The user should be redirected to a page having an Python Editor	PASSED	0.013 s


Time Complexity Page

PASSED	DURATION - 0.013 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 10:39:52.587 PM // 10:39:52.600 PM /				
<i>To Automate the page of Array</i>				
@ComplexityPage @dsIntro				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.000 s
2	When The user clicks Try Here button of Time Complexity page	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then The user should be redirected to a page having an Python Editor	PASSED	0.012 s


Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.356 s
2	When The user clicks the run button without entring the code in the Editor org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source) at pages.DSTryhere_PF.blankEditor(DSTryhere_PF.java:81) at steppDef.ds_AlgoTryEditorSteps.the_user_clicks_the_run_button_without_entring_the_code_in_the_editor(ds_AlgoTryEditorSteps.java:61) at ?.The user clicks the run button without entring the code in the Editor(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:24) * Not displayable characters are replaced by '?'. </pre>		
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s


Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.365 s
2	<p>When The user clicks the run button without entring the code in the Editor</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) </pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source) at pages.DSTryhere_PF.blankEditor(DSTryhere_PF.java:81) at steppDef.ds_AlgoTryEditorSteps.the_user_clicks_the_run_button_without_entring_the_code_in_the_editor(ds_AlgoTryEditorSteps.java:61) at ?.The user clicks the run button without entring the code in the Editor(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:24) * Not displayable characters are replaced by '?'. </pre>		
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.002 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	FAILED	0.857 s

org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found
(Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch:

#	Step / Hook Details	Status	Duration
	<pre>'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:30) * Not displayable characters are replaced by '?'.</pre>		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	<p>And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source)</pre>	FAILED	0.841 s

#	Step / Hook Details	Status	Duration
	at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:30) * Not displayable characters are replaced by '?'.		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	0.123 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:30) * Not displayable characters are replaced by '?'. </pre>		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found	FAILED	0.116 s

#	Step / Hook Details	Status	Duration
	<p>(Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:30) * Not displayable characters are replaced by '?'.</p>		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.003 s
2	<p>And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source)</pre>	FAILED	0.083 s

#	Step / Hook Details	Status	Duration
	<pre>at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:75) * Not displayable characters are replaced by '?'.</pre>		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	<p>And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre>	FAILED	0.081 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:75) * Not displayable characters are replaced by '?'. </pre>		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

Python Editor page with Invalid data




#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	FAILED	0.052 s

org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found

#	Step / Hook Details	Status	Duration
	<p>(Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:120) * Not displayable characters are replaced by '?'.</p>		
3	When The User clicks a run button	SKIPPED	0.001 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	<p>And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source)</pre>	FAILED	0.047 s

#	Step / Hook Details	Status	Duration
	at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:120) * Not displayable characters are replaced by '?'.		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	0.049 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:171) * Not displayable characters are replaced by '?'. </pre>		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found	FAILED	0.046 s

#	Step / Hook Details	Status	Duration
	<p>(Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:171) * Not displayable characters are replaced by '?'.</p>		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	<p>And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source)</pre>	FAILED	0.055 s

#	Step / Hook Details	Status	Duration
	at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:210) * Not displayable characters are replaced by '?'.		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	FAILED	0.054 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:210) * Not displayable characters are replaced by '?'. </pre>		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found	FAILED	0.039 s

#	Step / Hook Details	Status	Duration
	<p>(Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:249) * Not displayable characters are replaced by '?'.</p>		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	<p>And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source)</pre>	FAILED	0.039 s

#	Step / Hook Details	Status	Duration
	<pre>at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:249) * Not displayable characters are replaced by '?'.</pre>		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	<p>And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</pre>	FAILED	0.043 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:288) * Not displayable characters are replaced by '?'. </pre>		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found	FAILED	0.043 s

#	Step / Hook Details	Status	Duration
	<p>(Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:288) * Not displayable characters are replaced by '?'.</p>		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s


Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:40) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.006 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	Then output should be displayed on the console	SKIPPED	0.000 s


Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.</pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	feature:40) * Not displayable characters are replaced by '?'.		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.001 s


Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:40) * Not displayable characters are replaced by '?'.</pre>		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.001 s


Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:40) * Not displayable characters are replaced by '?'. </pre>		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.001 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s


Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the tryEditor page</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, </pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:85)</pre> <p>* Not displayable characters are replaced by '?'.</p>		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s


Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:</pre>	FAILED	0.008 s


#	Step / Hook Details	Status	Duration
	<pre>[9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:85) * Not displayable characters are replaced by '?'.</pre>		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.001 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:130) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.004 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s


Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:130) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.005 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.001 s
3	When User clicks a run button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	Then output should be displayed on the console	SKIPPED	0.000 s


Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.</pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	feature:181) * Not displayable characters are replaced by '?'.		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s


Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:181) * Not displayable characters are replaced by '?'.</pre>		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.001 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s


Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo...., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:220) * Not displayable characters are replaced by '?'. </pre>		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s


Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the tryEditor page</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre>se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:220) * Not displayable characters are replaced by '?'.</pre>		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s


Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
1	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:259) * Not displayable characters are replaced by '?'.</pre>		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s


Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:259) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.003 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	Then output should be displayed on the console	SKIPPED	0.000 s


Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.</pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	feature:298) * Not displayable characters are replaced by '?'.		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.001 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s


Python Editor page with valid data



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:298) * Not displayable characters are replaced by '?'.</pre>		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.001 s


User go back to the previous page



#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo...., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/ 04_dsDataStructInt.feature:50) * Not displayable characters are replaced by '?'. </pre>		
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.001 s


User go back to the previous page



#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/ 04_dsDataStructInt.feature:50) * Not displayable characters are replaced by '?'. </pre>		
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s


Time Complexity Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.000 s
2	<p>When The user clicks Practice Questions link of DS</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//*[@id="content"]/a}] Capabilities {acceptInsecureCerts: false, </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.DataStructureIntro_PF.clickPracticeQuestions(DataStructureIntro_PF.java:22) at steppDef.ds_AlgoDataStructInt.the_user_clicks_practice_questions_link_of_ds(ds_AlgoDataStructInt.java:67) at ?.The user clicks Practice Questions link of DS(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:57) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user does not find any practice problems and the page is null	SKIPPED	0.000 s


Time Complexity Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.000 s
2	<p>When The user clicks Practice Questions link of DS</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//*[@id="content"]/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.DataStructureIntro_PF.clickPracticeQuestions(DataStructureIntro_PF.java:22)</pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at steppDef.ds_AlgoDataStructInt.the_user_clicks_practice_questions_link_of_ds(ds_AlgoDataStructInt.java:67) at ?.The user clicks Practice Questions link of DS(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:57) * Not displayable characters are replaced by '?'. 3 Then The user does not find any practice problems and the page is null		
3	Then The user does not find any practice problems and the page is null	SKIPPED	0.000 s


Home Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, getCurrentUrl {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getCurrentUrl(RemoteWebDriver.java:321) at utilities.BaseClass.getCurrentUrl(BaseClass.java:61) at steppDef.ds_AlgoPortalSteps.the_user_is_on_the_ds_algo_home_page(ds_AlgoPortalSteps.java:335) at ?.The user is on the DS Algo Home Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:5) * Not displayable characters are replaced by '?'. </pre>		
2	When The user clicks "Get Started" button below the array	SKIPPED	0.000 s
3	Then The user should be redirected to "Array" page	SKIPPED	0.000 s


Home Page



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the DS Algo Home Page</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, getCurrentUrl {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) </pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getCurrentUrl(RemoteWebDriver.java:321) at utilities.BaseClass.getCurrentUrl(BaseClass.java:61) at steppDef.ds_AlgoPortalSteps.the_user_is_on_the_ds_algo_home_page(ds_AlgoPortalSteps.java:335) at ?.The user is on the DS Algo Home Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:5) * Not displayable characters are replaced by '?'. </pre>		
2	When The user clicks "Get Started" button below the array	SKIPPED	0.001 s
3	Then The user should be redirected to "Array" page	SKIPPED	0.000 s


Array Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.002 s
2	When The user clicks a Arrays in Python link <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//a[text()='Arrays in Python']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: </pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<pre>9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.Arrays_PF.clickArraysInPython(Arrays_PF.java:108) at steppDef.ds_AlgoArraySteps.the_user_clicks_a_arrays_in_python_link(ds_AlgoArraySteps.java:43) at ?.The user clicks a Arrays in Python link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:12) * Not displayable characters are replaced by '?'.</pre>		
3	Then The user should be redirected to "Arrays in Python" AP Page	SKIPPED	0.000 s


Array Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.001 s
2	When The user clicks a Arrays in Python link	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//a[text()='Arrays in Python']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.Arrays_PF.clickArraysInPython(Arrays_PF.java:108) at steppDef.ds_AlgoArraySteps.the_user_clicks_a_arrays_in_python_link(ds_AlgoArraySteps.java:43) at ?.The user clicks a Arrays in Python link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:12) * Not displayable characters are replaced by '?'.</pre>		
3	Then The user should be redirected to "Arrays in Python" AP Page	SKIPPED	0.000 s


Array Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.001 s
2	When The user clicks Try Here button of Array in Python Page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//a[text()='Try here>>']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.Arrays_PF.clickTryhere(Arrays_PF.java:120)	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre>at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_in_python_page(ds_AlgoArraySteps.java:63) at ?.The user clicks Try Here button of Array in Python Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/ 05_dsArray.feature:18) * Not displayable characters are replaced by '?'.</pre>		
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.000 s


Array Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.000 s
2	<p>When The user clicks Try Here button of Array in Python Page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//a[text()="Try here>>>"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.Arrays_PF.clickTryhere(Arrays_PF.java:120) at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_in_python_page(ds_AlgoArraySteps.java:63) at ?.The user clicks Try Here button of Array in Python Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:18) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.000 s


Python Editor page without data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on tryEditor page</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 </pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:23) * Not displayable characters are replaced by '?'.		
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.001 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s


Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre>unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:23) * Not displayable characters are replaced by '?'.</pre>		
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s


User go back to the previous page



#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir:</pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre>C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:50) * Not displayable characters are replaced by '?'.</pre>		
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s


User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found	FAILED	0.005 s


#	Step / Hook Details	Status	Duration
	<p>(Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:50)</p> <p>* Not displayable characters are replaced by '?'.</p>		
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

Array in Python Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Array in Python Page	PASSED	0.000 s
2	When The user clicks a Arrays Using List link org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//a[text()='Arrays Using List']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.Arrays_PF.clickArraysUsingList(Arrays_PF.java:111) at steppDef.ds_AlgoArraySteps.the_user_clicks_a_arrays_using_list_link(ds_AlgoArraySteps.java:87) at ?.The user clicks a Arrays Using List link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:57) * Not displayable characters are replaced by '?'. 	FAILED	0.006 s
3	Then The user should be redirected to "Arrays Using List" AL page.	SKIPPED	0.000 s


Array in Python Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Array in Python Page	PASSED	0.000 s
2	<p>When The user clicks a Arrays Using List link</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//a[text()='Arrays Using List']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.Arrays_PF.clickArraysUsingList(Arrays_PF.java:111)</pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	at steppDef.ds_AlgoArraySteps.the_user_clicks_a_arrays_using_list_link(ds_AlgoArraySteps.java:87) at ?.The user clicks a Arrays Using List link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:57) * Not displayable characters are replaced by '?'. 3 Then The user should be redirected to "Arrays Using List" AL page.		
3	Then The user should be redirected to "Arrays Using List" AL page.	SKIPPED	0.000 s


Array Using List Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.001 s
2	When The user clicks Try Here button of Array Using List Page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//a[text()="Try here>>"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.Arrays_PF.clickTryhere(Arrays_PF.java:120) at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_using_list_page(ds_AlgoArraySteps.java:104) at ?.The user clicks Try Here button of Array Using List Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:63) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.001 s


Array Using List Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.001 s
2	When The user clicks Try Here button of Array Using List Page <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//a[text()='Try here>>']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.Arrays_PF.clickTryhere(Arrays_PF.java:120) at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_using_list_page(ds_AlgoArraySteps.java:104) at ?.The user clicks Try Here button of Array Using List Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:63) * Not displayable characters are replaced by '?'.</pre>		
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.001 s


Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	FAILED	0.007 s


#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:68) * Not displayable characters are replaced by '?'.</pre>		
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	<p>Given The user is on tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:68)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.006 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

User go back to the previous page




#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:95) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.004 s
2	When User able to see output in console	SKIPPED	0.001 s
3	Then User go back to the previous page	SKIPPED	0.000 s

User go back to the previous page



#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:95) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.008 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s


Array Using List Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.001 s
2	<p>When The user clicks a Basic Operations in Lists link</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=/a[text()='Basic Operations in Lists']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<pre> at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.Arrays_PF.clickArraysBasicOp(Arrays_PF.java:114) at steppDef.ds_AlgoArraySteps.the_user_clicks_a_basic_operations_in_lists_link(ds_AlgoArraySteps.java:110) at ?.The user clicks a Basic Operations in Lists link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:102) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to "Basic Operations in Lists" BO page.	SKIPPED	0.000 s


Array Using List Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.000 s
2	When The user clicks a Basic Operations in Lists link <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//a[text()='Basic Operations in Lists']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) </pre>	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.Arrays_PF.clickArraysBasicOp(Arrays_PF.java:114) at steppDef.ds_AlgoArraySteps.the_user_clicks_a_basic_operations_in_lists_link(ds_AlgoArraySteps.java:110) at ?.The user clicks a Basic Operations in Lists link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:102) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to "Basic Operations in Lists" BO page.	SKIPPED	0.000 s


Basic operations in Lists page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.000 s
2	When The user clicks Try Here button of Operations in Lists Page <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9e93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//a[text()='Try here>>>']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... </pre>	FAILED	0.009 s


#	Step / Hook Details	Status	Duration
	<pre>se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.Arrays_PF.clickTryhere(Arrays_PF.java:120) at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_operations_in_lists_page(ds_AlgoArraySteps.java:128) at ?.The user clicks Try Here button of Operations in Lists Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:108) * Not displayable characters are replaced by '?'.</pre>		
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.000 s

Basic operations in Lists page




#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.000 s
2	<p>When The user clicks Try Here button of Operations in Lists Page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//a[text()='Try here>>']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.Arrays_PF.clickTryhere(Arrays_PF.java:120) at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_operations_in_lists_page(ds_AlgoArraySteps.java:128) at ?.The user clicks Try Here button of Operations in Lists Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:108)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.005 s
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.000 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	<p>Given The user is on tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:113) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.005 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

Python Editor page without data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:113) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.003 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s


User go back to the previous page



#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:140) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.004 s
2	When User able to see output in console	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
3	Then User go back to the previous page	SKIPPED	0.000 s


User go back to the previous page



#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.)</pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	feature:140) * Not displayable characters are replaced by '?'.		
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.001 s


Basic operations in Lists page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.001 s
2	When The user clicks an Applications of Array link <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//a[text()='Applications of Array']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.Arrays_PF.clickArraysApp(Arrays_PF.java:117) at steppDef.ds_AlgoArraySteps.the_user_clicks_an_applications_of_array_link(ds_AlgoArraySteps.java:136) at ?.The user clicks an Applications of Array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:147) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to "Applications of Array" AA page.	SKIPPED	0.001 s


Basic operations in Lists page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.001 s
2	When The user clicks an Applications of Array link <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//a[text()='Applications of Array']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre>9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.Arrays_PF.clickArraysApp(Arrays_PF.java:117) at steppDef.ds_AlgoArraySteps.the_user_clicks_an_applications_of_array_link(ds_AlgoArraySteps.java:136) at ?.The user clicks an Applications of Array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:147) * Not displayable characters are replaced by '?'.</pre>		
3	Then The user should be redirected to "Applications of Array" AA page.	SKIPPED	0.000 s


Application of Array page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Applications of Array page	PASSED	0.000 s
2	When The user clicks Practice Questions link	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//a[text()='Practice Questions']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.Arrays_PF.clickArraysPracticeQuestions(Arrays_PF.java:215) at steppDef.ds_AlgoArraySteps.the_user_clicks_practice_questions_link(ds_AlgoArraySteps.java:163) at ?.The user clicks Practice Questions link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:153) * Not displayable characters are replaced by '?'.</pre>		
3	Then The user should be redirected to practice page having links like "Search the array","Max Consecutive Ones","Find Numbers with Even Number of Digits" , "Squares of a Sorted Array"	SKIPPED	0.000 s


Application of Array page



#	Step / Hook Details	Status	Duration
1	Given The user is on the Applications of Array page	PASSED	0.000 s
2	<p>When The user clicks Practice Questions link</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//a[text()='Practice Questions']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.Arrays_PF.clickArraysPracticeQuestions(Arrays_PF.java:215)</pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	at steppDef.ds_AlgoArraySteps.the_user_clicks_practice_questions_link(ds_AlgoArraySteps.java:163) at ?.The user clicks Practice Questions link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:153) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to practice page having links like "Search the array","Max Consecutive Ones","Find Numbers with Even Number of Digits" , "Squares of a Sorted Array"	SKIPPED	0.000 s


Practice Questions page



#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.001 s
2	When The user clicks search the array link org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using>xpath, value=/a[text()='Search the array']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.Arrays_PF.clickArraysSearch(Arrays_PF.java:218) at steppDef.ds_AlgoArraySteps.the_user_clicks_search_the_array_link(ds_AlgoArraySteps.java:190) at ?.The user clicks search the array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:159) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s


Practice Questions page



#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.001 s
2	<p>When The user clicks search the array link</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, findElement {using=xpath, value=//a[text()='Search the array']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, </pre>	FAILED	0.004 s


#	Step / Hook Details	Status	Duration
	<pre> unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.Arrays_PF.clickArraysSearch(Arrays_PF.java:218) at steppDef.ds_AlgoArraySteps.the_user_clicks_search_the_array_link(ds_AlgoArraySteps.java:190) at ?.The user clicks search the array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:159) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	<p>Given The user is on tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:164)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.005 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	<p>Given The user is on tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:164)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.003 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

User go back to the previous page




#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:191) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.004 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

User go back to the previous page



#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:191) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.004 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s


Practice Questions page



#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.001 s
2	<p>When The user clicks Max consecutive ones link</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, goBack {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.back(RemoteWebDriver.java:1142) at utilities.BaseClass.NavBack(BaseClass.java:70) at steppDef.ds_AlgoArraySteps.the_user_clicks_max_consecutive_ones_link(ds_AlgoArraySteps.java:203) at ?.The user clicks Max consecutive ones link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:198)</pre>	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
* Not displayable characters are replaced by '?':			
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s


Practice Questions page



#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks Max consecutive ones link <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, goBack {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)</pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.back(RemoteWebDriver.java:1142) at utilities.BaseClass.NavBack(BaseClass.java:70) at steppDef.ds_AlgoArraySteps.the_user_clicks_max_consecutive_ones_link(ds_AlgoArraySteps.java:203) at ?.The user clicks Max consecutive ones link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:198) * Not displayable characters are replaced by '?'.</pre>		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s


Python Editor page without data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:203) * Not displayable characters are replaced by '?'.</pre>		
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.001 s


Python Editor page without data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:203) * Not displayable characters are replaced by '?'. </pre>		
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.001 s


User go back to the previous page



#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:230) * Not displayable characters are replaced by '?'. </pre>		
2	When User able to see output in console	SKIPPED	0.001 s
3	Then User go back to the previous page	SKIPPED	0.000 s


User go back to the previous page



#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:230) * Not displayable characters are replaced by '?'.</pre>		
2	When User able to see output in console	SKIPPED	0.001 s
3	Then User go back to the previous page	SKIPPED	0.000 s


Practice Questions page



#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.001 s
2	<p>When The user clicks Find numbers with even number of digits link</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, goBack {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:</pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre>119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.back(RemoteWebDriver.java:1142) at utilities.BaseClass.NavBack(BaseClass.java:70) at steppDef.ds_AlgoArraySteps.the_user_clicks_find_numbers_with_even_number_of_digits_link(ds_AlgoArraySteps.java:210) at ?.The user clicks Find numbers with even number of digits link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:237) * Not displayable characters are replaced by '?'.</pre>		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s


Practice Questions page



#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s


#	Step / Hook Details	Status	Duration
2	<p>When The user clicks Find numbers with even number of digits link</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, goBack {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.back(RemoteWebDriver.java:1142) at utilities.BaseClass.NavBack(BaseClass.java:70) at steppDef.ds_AlgoArraySteps.the_user_clicks_find_numbers_with_even_number_of_digits_link(ds_AlgoArraySteps.java:210) at ?.The user clicks Find numbers with even number of digits link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:237)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.003 s
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

Python Editor page without data




#	Step / Hook Details	Status	Duration
1	<p>Given The user is on tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:242) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.007 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.001 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

Python Editor page without data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:242) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.007 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s


User go back to the previous page



#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo... se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:269) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.006 s
2	When User able to see output in console	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then User go back to the previous page	SKIPPED	0.000 s


User go back to the previous page



#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.)</pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	feature:269) * Not displayable characters are replaced by '?'.		
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s


Practice Questions page



#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	<p>When The user clicks squared of the sorted array link</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, goBack {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, feedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)</pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.back(RemoteWebDriver.java:1142) at utilities.BaseClass.NavBack(BaseClass.java:70) at steppDef.ds_AlgoArraySteps.the_user_clicks_squared_of_the_sorted_array_link(ds_AlgoArraySteps.java:216) at ?.The user clicks squared of the sorted array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:276) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s


Practice Questions page



#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	<p>When The user clicks squared of the sorted array link</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, goBack {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) </pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.back(RemoteWebDriver.java:1142) at utilities.BaseClass.NavBack(BaseClass.java:70) at steppDef.ds_AlgoArraySteps.the_user_clicks_squared_of_the_sorted_array_link(ds_AlgoArraySteps.java:216) at ?.The user clicks squared of the sorted array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/ 05_dsArray.feature:276) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s


Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:281) * Not displayable characters are replaced by '?'. </pre>		
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s


Python Editor page without data



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on tryEditor page</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, </pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:281) * Not displayable characters are replaced by '?'. </pre>		
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s


User go back to the previous page



#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre>networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:308) * Not displayable characters are replaced by '?'.</pre>		
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page <code>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch:</code>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre>'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9eed93fbdd70d24870a86bcf70219149, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50002/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9eed93fbdd70d24870a86bcf70219149 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:58) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:308) * Not displayable characters are replaced by '?'.</pre>		
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s