Cucumber Report

| Start : Nov 30, 7:54:27.631 PM	End : Nov 30, 7:54:52.592 PM	Duration : 24.961 s
Features	Scenarios	Steps
PASSED - 2 FAILED - 1 SKIPPED - 0	PASSED - 51 FAILED - 11 SKIPPED - 0	PASSED - 181 FAILED - 11 SKIPPED - 11

Features: 3 — Pass % 66 %

Scenarios: 62 — Pass % 82 %

Steps: 203 — Pass % 89 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
To Automate Introduction page of DS_Algo	*4.490 s*	5	5	0	0	15	15	0	0
to automate Signin page of DS_Algo	*2.161 s*	8	8	0	0	25	25	0	0
To Automate the page of Array	*18.275 s*	49	38	11	0	163	141	11	11

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Start_page	1	1	0	0	1	1	0	0
@Intro_page	1	1	0	0	1	1	0	0
@Signin_page(link)	1	1	0	0	1	1	0	0
@Signin_page(allBlank)	7	7	0	0	1	1	0	0
@Signin_page(enteronlyusername)	1	1	0	0	1	1	0	0
@Signin_page(enteronlypwd)	1	1	0	0	1	1	0	0
@Signin_page(invalidusernamePwd)	1	1	0	0	1	1	0	0
@Signin_page(validUsernameinvalidPassword)	1	1	0	0	1	1	0	0
@Signin_page(validUsernameInvPwd)	1	1	0	0	1	1	0	0
@Signin_page(valid)	1	1	0	0	1	1	0	0
@HomePage	1	1	0	0	1	0	1	0
@DSPage	1	1	0	0	1	0	1	0
@ComplexityPage	1	0	1	0	1	0	1	0
@PracticePage	1	1	0	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	To Automate Introduction page of DS_Algo	5	5	0	0	4.490 s
2	to automate Signin page of DS_Algo	8	8	0	0	2.161 s
3	To Automate the page of Array	49	38	11	0	18.275 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Automate Introduction page of DS_Algo	Browser page	3	3	0	0	3.616 s
2	To Automate Introduction page of DS_Algo	DS Algo Get Started page	3	3	0	0	0.354 s
3	To Automate Introduction page of DS_Algo	DS Introduction page	3	3	0	0	0.133 s
4	To Automate Introduction page of DS_Algo	DS Introduction page	3	3	0	0	0.260 s
5	To Automate Introduction page of DS_Algo	DS Introduction page	3	3	0	0	0.032 s
6	to automate Signin page of DS_Algo	DS Algo Introduction Page	4	4	0	0	0.167 s
7	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.106 s
8	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.220 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.186 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
10	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.413 s
11	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.156 s
12	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.357 s
13	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.471 s
14	To Automate the page of Array	Home Page	3	3	0	0	0.244 s
15	To Automate the page of Array	Data Structure Home page	3	3	0	0	0.221 s
16	To Automate the page of Array	Time Complexity Page	3	2	1	0	0.041 s
17	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.804 s
18	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	1.881 s
19	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	0.577 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
20	To Automate the page of Array	Python Editor page with Invalid data	4	1	1	2	0.118 s
21	To Automate the page of Array	Python Editor page with Invalid data	4	1	1	2	0.164 s
22	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	0.606 s
23	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	0.595 s
24	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	0.507 s
25	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	0.576 s
26	To Automate the page of Array	Python Editor page with valid data	4	1	1	2	0.360 s
27	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.630 s
28	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.548 s
29	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.541 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
30	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.531 s
31	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.585 s
32	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.488 s
33	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.591 s
34	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.152 s
35	To Automate the page of Array	Time Complexity Page	3	3	0	0	0.299 s
36	To Automate the page of Array	Home Page	3	3	0	0	0.285 s
37	To Automate the page of Array	Array Page	3	3	0	0	0.310 s
38	To Automate the page of Array	Array Page	3	3	0	0	0.223 s
39	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.425 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
40	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.343 s
41	To Automate the page of Array	Array in Python Page	3	3	0	0	0.274 s
42	To Automate the page of Array	Array Using List Page	3	2	1	0	0.155 s
43	To Automate the page of Array	Python Editor page without data	3	1	1	1	0.201 s
44	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.122 s
45	To Automate the page of Array	Array Using List Page	3	3	0	0	0.263 s
46	To Automate the page of Array	Basic operations in Lists page	3	3	0	0	0.246 s
47	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.398 s
48	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.131 s
49	To Automate the page of Array	Basic operations in Lists page	3	3	0	0	0.268 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
50	To Automate the page of Array	Application of Array page	3	2	1	0	0.163 s
51	To Automate the page of Array	Practice Questions page	3	3	0	0	0.237 s
52	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.422 s
53	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.130 s
54	To Automate the page of Array	Practice Questions page	3	1	1	1	0.057 s
55	To Automate the page of Array	Python Editor page without data	3	1	1	1	0.430 s
56	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.156 s
57	To Automate the page of Array	Practice Questions page	3	1	1	1	0.140 s
58	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.515 s
59	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.132 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
60	To Automate the page of Array	Practice Questions page	3	1	1	1	0.056 s
61	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.367 s
62	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.098 s

To Automate Introduction page of DS_Algo

PASSED	DURATION - 4.490 s		Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0		Steps Total - 15 Pass - 15 Fail - 0 Skip - 0	
/ 7:54:27.631 PM // 7:54:32.121 PM /				5		15

Browser page

PASSED	DURATION - 3.616 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:54:27.634 PM // 7:54:31.250 PM /					3
To Automate Introduction page of DS_Algo					

#	Step / Hook Details	Status	Duration
1	Given The user should be open the browser	PASSED	3.285 s
2	When The user enter the DS_Algo Portal https://dsportalapp.herokuapp.com/	PASSED	0.205 s
3	Then The user should landed on the DS_Algo Get Started page with message "You are at the right place"	PASSED	0.103 s

DS Algo Get Started page

PASSED	DURATION - 0.354 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:54:31.284 PM // 7:54:31.638 PM /					3
To Automate Introduction page of DS_Algo					
@Start_page					

#	Step / Hook Details	Status	Duration
1	Given The user should open the DS Algo Portal URL in any supported browser	PASSED	0.016 s
2	When The user clicks the Get Started button	PASSED	0.250 s
3	Then The user should land in Data Structure Introduction Page with "Register" and "Sign in" links	PASSED	0.082 s

DS Introduction page

PASSED	DURATION - 0.133 s		Steps	
/ 7:54:31.657 PM // 7:54:31.790 PM /			Total - 3	
			Pass - 3	
To Automate Introduction page of DS_Algo			Fail - 0	3
			Skip - 0	
@Intro_page				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.011 s
2	When The user clicks the data structure dropdown arrow	PASSED	0.076 s
3	Then The user should able to see 6 options Arrays "Linked,List,Stack,Queue,Tree,Graph" in dropdown menu	PASSED	0.042 s

DS Introduction page

PASSED	DURATION - 0.260 s		Steps	
/ 7:54:31.815 PM // 7:54:32.075 PM /			Total - 3	
			Pass - 3	
To Automate Introduction page of DS_Algo			Fail - 0	3
			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.001 s
2	When The user selects any data structures item from the drop down without Sign in.	PASSED	0.217 s
3	Then The user should able to see an warning message "You are not logged in"	PASSED	0.039 s

DS Introduction page

PASSED	DURATION - 0.032 s
/ 7:54:32.089 PM // 7:54:32.121 PM /	
To Automate Introduction page of DS_Algo	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.005 s
2	When The user clicks any "Get Started" buttons of data structures on the DS Introduction page	PASSED	0.001 s
3	Then The user should able to see an warning message "You are not logged in"	PASSED	0.023 s

to automate Signin page of DS_Algo

PASSED	DURATION - 2.161 s
/ 7:54:32.146 PM // 7:54:34.307 PM /	

Scenarios
Total - 8
Pass - 8
Fail - 0
Skip - 0

Steps
Total - 25
Pass - 25
Fail - 0
Skip - 0

DS Algo Introduction Page

PASSED	DURATION - 0.167 s
/ 7:54:32.146 PM // 7:54:32.313 PM /	
to automate Signin page of DS_Algo	
@Signin_page(link)	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.002 s
2	When The user should click the Sign in link	PASSED	0.124 s
3	Then The user should be redirected to Sign in page	PASSED	0.016 s
4	And The user is able to see "Register!" link below the text boxes	PASSED	0.022 s

DS Algo Introduction Page

PASSED	DURATION - 0.106 s		Steps	
/ 7:54:32.328 PM // 7:54:32.434 PM /			Total - 3	
to automate Signin page of DS_Algo			Pass - 3	
			Fail - 0	
@Signin_page(allBlank)			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after leaving the "" textbox and "" textbox blank	PASSED	0.055 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.046 s

DS Algo Introduction Page

PASSED	DURATION - 0.220 s		Steps	
/ 7:54:32.446 PM // 7:54:32.666 PM /			Total - 3	
to automate Signin page of DS_Algo			Pass - 3	
@Signin_page(enteronlyusername)			Fail - 0	
@Signin_page(allBlank)			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering the "Trioteamchallengers" and leaves "" textbox blank	PASSED	0.179 s
3	Then The error message "Please fill out this field." appears below Pwd textbox	PASSED	0.035 s

DS Algo Introduction Page

PASSED	DURATION - 0.186 s
/ 7:54:32.677 PM // 7:54:32.863 PM /	
to automate Signin page of DS_Algo	
@Signin_page(enteronlypwd) @Signin_page(allBlank)	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.008 s
2	When The user clicks login button after entering the "ds@qateam334h" only.	PASSED	0.153 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.023 s

DS Algo Introduction Page

PASSED	DURATION - 0.413 s
/ 7:54:32.885 PM // 7:54:33.298 PM /	
to automate Signin page of DS_Algo	
@Signin_page(allBlank) @Signin_page(invalidusernamePwd)	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering invalid "teamchallengers" and invalid "ds@qateam334h"	PASSED	0.383 s
3	Then The user should able to see an error message "Invalid Username and Password".	PASSED	0.025 s

DS Algo Introduction Page

PASSED	DURATION - 0.156 s

/ 7:54:33.306 PM // 7:54:33.462 PM /

to automate Signin page of DS_Algo

@Signin_page(allBlank)
@Signin_page(validUsernameinvalidPassword)

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.004 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid ""	PASSED	0.121 s
3	Then The user should able to see an error message "Invalid Username and Password".	PASSED	0.023 s

DS Algo Introduction Page

PASSED	DURATION - 0.357 s

/ 7:54:33.473 PM // 7:54:33.830 PM /

to automate Signin page of DS_Algo

@Signin_page(allBlank)
@Signin_page(validUsernameInvPwd)

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.005 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid "ds@qateam334h"	PASSED	0.304 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.041 s

DS Algo Introduction Page

PASSED	DURATION - 0.471 s

/ 7:54:33.836 PM // 7:54:34.307 PM /

to automate Signin page of DS_Algo

@Signin_page(allBlank) @Signin_page(valid)

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and valid "triothebest@123"	PASSED	0.412 s
3	Then The user should land in Data Structure Home Page with "You are logged in" message	PASSED	0.055 s

To Automate the page of Array

FAILED	DURATION - 18.275 s

/ 7:54:34.317 PM // 7:54:52.592 PM /

Scenarios
Total - 49
Pass - 38
Fail - 11
Skip - 0

Steps
Total - 163
Pass - 141
Fail - 11
Skip - 11

Home Page

PASSED	DURATION - 0.244 s

/ 7:54:34.317 PM // 7:54:34.561 PM /

To Automate the page of Array

@HomePage

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page	PASSED	0.010 s
2	When The user clicks Get Started button below the Data structures-Introduction	PASSED	0.199 s

#	Step / Hook Details	Status	Duration
3	Then The user should land in "Data Structures-Introduction Page" DS page	PASSED	0.031 s

Data Structure Home page

PASSED	DURATION - 0.221 s		Steps
/ 7:54:34.579 PM // 7:54:34.800 PM /			Total - 3
To Automate the page of Array			Pass - 3
@DSPage			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Data Structure Introduction Page	PASSED	0.001 s
2	When The user clicks Time Complexity link	PASSED	0.184 s
3	Then The user should be redirected to "Time Complexity" TC page	PASSED	0.032 s

Time Complexity Page

FAILED	DURATION - 0.041 s		Steps
/ 7:54:34.816 PM // 7:54:34.857 PM /			Total - 3
To Automate the page of Array			Pass - 2
@ComplexityPage			Fail - 1
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.004 s
2	When The user clicks Try Here button of Time Complexity page	PASSED	0.000 s
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	FAILED	0.032 s
	java.lang.AssertionError: expected [https://dsportalapp.herokuapp.com/tryEditor] but found [https://dsportalapp.herokuapp.com/data-structures-introduction/time-complexity/] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578)		

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at steppDef.ds_AlgoArraySteps.the_user_should_be_redirected_to_a_page_having_an_python_editor_with_a_url(ds_AlgoArraySteps.java:68) at ?.The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:19) * Not displayable characters are replaced by '?'.		

Python Editor page without data

PASSED	DURATION - 0.804 s
/ 7:54:34.881 PM // 7:54:35.685 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.465 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.335 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

Python Editor page with Invalid data

PASSED	DURATION - 1.881 s
/ 7:54:35.699 PM // 7:54:37.580 PM /	
To Automate the page of Array	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.002 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	1.594 s
3	When The User clicks a run button	PASSED	0.081 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.201 s

Python Editor page with Invalid data

PASSED	DURATION - 0.577 s
/ 7:54:39.833 PM // 7:54:40.410 PM /	
To Automate the page of Array	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.320 s
3	When The User clicks a run button	PASSED	0.041 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.211 s

Python Editor page with Invalid data

FAILED	DURATION - 0.118 s
/ 7:54:42.087 PM // 7:54:42.205 PM /	
To Automate the page of Array	

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

4

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	FAILED	0.113 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div/div[5]/div/pre"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a9634fdcb18d70e65e5549da1dc8e919, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div/div[5]/div/pre]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28608}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28608/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a9634fdcb18d70e65e5549da1dc8e919
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy29.isDisplayed(Unknown Source)
	    at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:76)
	    at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85)
	    at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:66)
	* Not displayable characters are replaced by '?'.		

3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

Python Editor page with Invalid data

FAILED	DURATION - 0.164 s
/ 7:54:43.837 PM // 7:54:44.001 PM /	
To Automate the page of Array	

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

4

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	FAILED	0.156 s
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [a9634fdcb18d70e65e5549da1dc8e919, actions {actions=[org.openqa.selenium.interactions.Sequence@36238b12, org.openqa.selenium.interactions.Sequence@33187485]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28608}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28608/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a9634fdcb18d70e65e5549da1dc8e919 at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:520) at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:182) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409) at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:204) at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1921) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambdanew23(JsonOutput.java:204) at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:222)		
	at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)		
	at org.openqa.selenium.json.JsonOutput.lambdanew25(JsonOutput.java:217)		
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400)		
	at org.openqa.selenium.json.Json.toJson(Json.java:133)		
	at org.openqa.selenium.json.Json.toJson(Json.java:119)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:280)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:130)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:693)		
	at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:598)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:567)		
	at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:79)		
	at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85)		
	at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:106)		
	Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:431) at org.openqa.selenium.json.Json. toJson(Json.java:131) at org.openqa.selenium.json.Json.toJson(Json.java:119) at org.openqa.selenium.remote.codec. AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:280) at org.openqa.selenium.remote.codec. AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:130) at org.openqa.selenium.remote.HttpCommandExecutor. execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor. invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor. execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:693) at org.openqa.selenium.interactions. Actions$BuiltAction.perform(Actions.java:598) at org.openqa.selenium.interactions.Actions.perform(Actions.java:567) at pages. DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:79) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang. reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker. invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber. java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition. java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core. runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io. cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io. cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151) at io.cucumber.core.runtime.		

#	Step / Hook Details	Status	Duration

	CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime. RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime. CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners$NoStepDescriptions. run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit. FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit. runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io. cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit. runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148) at io.cucumber. core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime. CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber$StartAndFinishTestRun. evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners. ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner. runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner. RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException
	  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:119)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:578)
	  at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:516)
	  at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:182)
	  at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)
	  at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:204)
	  at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183)
	  at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179)
	  at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)
	  at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1921)
	  at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)
	  at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)
	  at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150)
	  at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173)
	  at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
	  at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)
	  at org.openqa.selenium.json.JsonOutput.lambdanew23(JsonOutput.java:204)
	  at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)
	  at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:222)
	  at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)
	  at org.openqa.selenium.json.JsonOutput.lambdanew25(JsonOutput.java:217)
	  at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400)		
	at org.openqa.selenium.json.Json.toJson(Json.java:133)		
	at org.openqa.selenium.json.Json.toJson(Json.java:119)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:280)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:130)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:693)		
	at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:598)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:567)		
	at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:79)		
	at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		

| #	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div/div[5]/div/pre"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a9634fdcb18d70e65e5549da1dc8e919, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28608}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28608/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a9634fdcb18d70e65e5549da1dc8e919		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy29.getWrappedElement(Unknown Source)		
	at org.openqa.selenium.interactions.PointerInput$Origin.asArg(PointerInput.java:259)		
	at org.openqa.selenium.interactions.PointerInput$Move.encode(PointerInput.java:208)		
	at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72)		
	at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	* Not displayable characters are replaced by '?'.		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

Python Editor page with Invalid data

PASSED	DURATION - 0.606 s		Steps	
/ 7:54:45.862 PM // 7:54:46.468 PM /			Total - 4	
			Pass - 4	
To Automate the page of Array			Fail - 0	4
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.349 s
3	When The User clicks a run button	PASSED	0.041 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.209 s

Python Editor page with Invalid data

PASSED	DURATION - 0.595 s

/ 7:54:47.687 PM // 7:54:48.282 PM /

To Automate the page of Array

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.350 s
3	When The User clicks a run button	PASSED	0.050 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.195 s

Python Editor page with Invalid data

PASSED	DURATION - 0.507 s

/ 7:54:49.729 PM // 7:54:50.236 PM /

To Automate the page of Array

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.269 s
3	When The User clicks a run button	PASSED	0.042 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.196 s

Python Editor page with Invalid data

PASSED	DURATION - 0.576 s

/ 7:54:51.320 PM // 7:54:51.896 PM /

To Automate the page of Array

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.289 s
3	When The User clicks a run button	PASSED	0.055 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.232 s

## Python Editor page with valid data

FAILED	DURATION - 0.360 s

/ 7:54:37.598 PM // 7:54:37.958 PM /

To Automate the page of Array

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

4

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.152 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	FAILED	0.199 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div/div[5]/div/pre"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a9634fdcb18d70e65e5549da1dc8e919, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir:		

| #	Step / Hook Details	Status	Duration

	C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28608}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28608/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a9634fdcb18d70e65e5549da1dc8e919
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy29.isDisplayed(Unknown Source)
	  at pages.DSTryhere_PF.enterValidCode(DSTryhere_PF.java:65)
	  at steppDef.ds_AlgoTryEditorSteps. enters_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:29)
	  at ?.enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:38)
	* Not displayable characters are replaced by '?'.		

3	When User clicks a run button	SKIPPED	0.003 s
4	Then output should be displayed on the console	SKIPPED	0.001 s

Python Editor page with valid data

PASSED	DURATION - 0.630 s
/ 7:54:40.417 PM // 7:54:41.047 PM /	
To Automate the page of Array	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.147 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.374 s
3	When User clicks a run button	PASSED	0.059 s
4	Then output should be displayed on the console	PASSED	0.040 s

Python Editor page with valid data

PASSED	DURATION - 0.548 s
/ 7:54:42.208 PM // 7:54:42.756 PM /	
To Automate the page of Array	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.131 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.324 s
3	When User clicks a run button	PASSED	0.064 s
4	Then output should be displayed on the console	PASSED	0.022 s

Python Editor page with valid data

PASSED	DURATION - 0.541 s

/ 7:54:44.018 PM // 7:54:44.559 PM /

To Automate the page of Array

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.140 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.311 s
3	When User clicks a run button	PASSED	0.059 s
4	Then output should be displayed on the console	PASSED	0.023 s

Python Editor page with valid data

PASSED	DURATION - 0.531 s

/ 7:54:46.488 PM // 7:54:47.019 PM /

To Automate the page of Array

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.137 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.303 s
3	When User clicks a run button	PASSED	0.061 s
4	Then output should be displayed on the console	PASSED	0.020 s

Python Editor page with valid data

PASSED	DURATION - 0.585 s

/ 7:54:48.295 PM // 7:54:48.880 PM /

To Automate the page of Array

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.156 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.347 s
3	When User clicks a run button	PASSED	0.057 s
4	Then output should be displayed on the console	PASSED	0.025 s

Python Editor page with valid data

PASSED	DURATION - 0.488 s

/ 7:54:50.245 PM // 7:54:50.733 PM /

To Automate the page of Array

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.124 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.267 s
3	When User clicks a run button	PASSED	0.069 s
4	Then output should be displayed on the console	PASSED	0.028 s

Python Editor page with valid data

PASSED	DURATION - 0.591 s
/ 7:54:51.901 PM // 7:54:52.492 PM /	
To Automate the page of Array	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.154 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.337 s
3	When User clicks a run button	PASSED	0.065 s
4	Then output should be displayed on the console	PASSED	0.025 s

User go back to the previous page

PASSED	DURATION - 0.152 s
/ 7:54:37.978 PM // 7:54:38.130 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.145 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.000 s

Time Complexity Page

PASSED	DURATION - 0.299 s

/ 7:54:38.149 PM // 7:54:38.448 PM /

To Automate the page of Array

@PracticePage

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.000 s
2	When The user clicks Practice Questions link of DS	PASSED	0.193 s
3	Then The user does not find any practice problems and the page is null	PASSED	0.103 s

Home Page

PASSED	DURATION - 0.285 s

/ 7:54:38.531 PM // 7:54:38.816 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page	PASSED	0.013 s
2	When The user clicks "Get Started" button below the array	PASSED	0.226 s
3	Then The user should be redirected to "Array" page	PASSED	0.040 s

Array Page

PASSED	DURATION - 0.310 s
/ 7:54:38.836 PM // 7:54:39.146 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.001 s
2	When The user clicks a Arrays in Python link	PASSED	0.271 s
3	Then The user should be redirected to "Arrays in Python" AP Page	PASSED	0.035 s

Array Page

PASSED	DURATION - 0.223 s
/ 7:54:39.160 PM // 7:54:39.383 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.001 s
2	When The user clicks Try Here button of Array in Python Page	PASSED	0.205 s
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	PASSED	0.014 s

Python Editor page without data

PASSED	DURATION - 0.425 s

/ 7:54:39.396 PM // 7:54:39.821 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.143 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.277 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page

PASSED	DURATION - 0.343 s

/ 7:54:41.063 PM // 7:54:41.406 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.340 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.000 s

Array in Python Page

PASSED	DURATION - 0.274 s

/ 7:54:41.414 PM // 7:54:41.688 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given The user is on the Array in Python Page	PASSED	0.000 s
2	When The user clicks a Arrays Using List link	PASSED	0.212 s
3	Then The user should be redirected to "Arrays Using List" AL page.	PASSED	0.053 s

Array Using List Page

FAILED	DURATION - 0.155 s

/ 7:54:41.700 PM // 7:54:41.855 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.000 s
2	When The user clicks Try Here button of Array Using List Page	PASSED	0.137 s
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	FAILED	0.017 s
	java.lang.AssertionError: expected [https://dsportalapp.herokuapp.com/tryEditor] but found [https://dsportalapp.herokuapp.com/array/arrays-in-python/] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at steppDef.ds_AlgoArraySteps.the_user_should_be_redirected_to_a_page_having_an_python_editor_with_a_url(ds_AlgoArraySteps.		

| #	Step / Hook Details	Status	Duration
	java:68) at ?.The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:57) * Not displayable characters are replaced by '?'.		

Python Editor page without data

FAILED	DURATION - 0.201 s
/ 7:54:41.871 PM // 7:54:42.072 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

| #	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.149 s
2	When The user clicks the run button without entring the code in the Editor	FAILED	0.052 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div/div[5]/div/pre"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a9634fdcb18d70e65e5549da1dc8e919, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28608}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28608/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a9634fdcb18d70e65e5549da1dc8e919
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy29.isDisplayed(Unknown Source)		
	at pages.DSTryhere_PF.blankEditor(DSTryhere_PF.java:86)		
	at steppDef.ds_AlgoTryEditorSteps.the_user_clicks_the_run_button_without_entring_the_code_in_the_editor(ds_AlgoTryEditorSteps.java:61)		
	at ?.The user clicks the run button without entring the code in the Editor(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:61)		
	* Not displayable characters are replaced by '?'.		
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

User go back to the previous page

PASSED	DURATION - 0.122 s	Steps	
/ 7:54:42.773 PM // 7:54:42.895 PM /		Total - 3	
To Automate the page of Array		Pass - 3	
		Fail - 0	
		Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.115 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.000 s

Array Using List Page

PASSED	DURATION - 0.263 s

/ 7:54:42.904 PM // 7:54:43.167 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

| #	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.000 s
2	When The user clicks a Basic Operations in Lists link	PASSED	0.214 s
3	Then The user should be redirected to "Basic Operations in Lists" BO page.	PASSED	0.041 s

Basic operations in Lists page

PASSED	DURATION - 0.246 s

/ 7:54:43.175 PM // 7:54:43.421 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

| #	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.024 s
2	When The user clicks Try Here button of Operations in Lists Page	PASSED	0.197 s
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	PASSED	0.016 s

Python Editor page without data

PASSED	DURATION - 0.398 s

/ 7:54:43.437 PM // 7:54:43.835 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.128 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.266 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page

PASSED	DURATION - 0.131 s

/ 7:54:44.575 PM // 7:54:44.706 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.131 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.000 s

Basic operations in Lists page

PASSED	DURATION - 0.268 s

/ 7:54:44.722 PM // 7:54:44.990 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.067 s
2	When The user clicks an Applications of Array link	PASSED	0.154 s
3	Then The user should be redirected to "Applications of Array" AA page.	PASSED	0.037 s

Application of Array page

FAILED	DURATION - 0.163 s

/ 7:54:45.002 PM // 7:54:45.165 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given The user is on the Applications of Array page	PASSED	0.000 s
2	When The user clicks Practice Questions link	PASSED	0.155 s
3	Then The user should be redirected to practice page having links like "Search the array." ,"Max Consecutive Ones","Find Numbers with Even Number of Digits" and "Squares of a Sorted Array."	FAILED	0.000 s
	io.cucumber.core.exception.CucumberException: Step [The user should be redirected to practice page having links like {string} ,{string},{string} and {string}] is defined with 5 parameters at 'steppDef.ds_AlgoArraySteps. the_user_should_be_redirected_to_practice_page_having_links_like_and(java.lang.String,java.lang.String,java.lang.String,java.lang.String, java.lang.String)'. However, the gherkin step has 4 arguments: * "Search the array." * "Max Consecutive Ones" * "Find Numbers with Even Number of Digits" * "Squares of a Sorted Array." Step text: The user should be redirected to practice page having links like "Search the array." ,"Max Consecutive Ones","Find Numbers with Even Number of Digits" and "Squares of a Sorted Array." at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		

Practice Questions page

PASSED	DURATION - 0.237 s
/ 7:54:45.174 PM // 7:54:45.411 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks search the array link	PASSED	0.189 s
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	PASSED	0.040 s

Python Editor page without data

PASSED	DURATION - 0.422 s
/ 7:54:45.427 PM // 7:54:45.849 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.146 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.272 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page

PASSED	*DURATION - 0.130 s*	
/ 7:54:47.027 PM // 7:54:47.157 PM /		
To Automate the page of Array		

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.122 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.000 s

Practice Questions page

FAILED	*DURATION - 0.057 s*	
/ 7:54:47.166 PM // 7:54:47.223 PM /		
To Automate the page of Array		

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks Max consecutive ones link	FAILED	0.057 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Max Consecutive Ones"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a9634fdcb18d70e65e5549da1dc8e919, findElement {using=xpath, value=//a[text()="Max Consecutive Ones"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28608}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28608/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		

#	Step / Hook Details	Status	Duration

	true} Session ID: a9634fdcb18d70e65e5549da1dc8e919
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)
	   at pages.Arrays_PF.clickArraysMaxConsecutives(Arrays_PF.java:221)
	   at steppDef.ds_AlgoArraySteps.the_user_clicks_max_consecutive_ones_link(ds_AlgoArraySteps.java:183)
	   at ?.The user clicks Max consecutive ones link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:176)
	* Not displayable characters are replaced by '?'.		

3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

Python Editor page without data

FAILED	DURATION - 0.430 s
/ 7:54:47.240 PM // 7:54:47.670 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

| #	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.134 s
2	When The user clicks the run button without entring the code in the Editor	FAILED	0.296 s

#	Step / Hook Details	Status	Duration

	org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a9634fdcb18d70e65e5549da1dc8e919, clickElement {id=EC250714FE52CD4D855589A48DE84B79_element_194}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28608}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28608/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (a9634fdcb18d70e65e5549da1dc8e919)] -> xpath: //button[@type='button']] Session ID: a9634fdcb18d70e65e5549da1dc8e919
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:578)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	    at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)
	    at pages.DSTryhere_PF.clickRun(DSTryhere_PF.java:96)
	    at steppDef.ds_AlgoTryEditorSteps.the_user_clicks_the_run_button_without_entring_the_code_in_the_editor(ds_AlgoTryEditorSteps.java:62)
	    at ?.The user clicks the run button without entring the code in the Editor(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:181)
	* Not displayable characters are replaced by '?'.		

3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

User go back to the previous page

PASSED	*DURATION - 0.156 s*
/ 7:54:48.888 PM // 7:54:49.044 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.156 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.000 s

Practice Questions page

FAILED	*DURATION - 0.140 s*
/ 7:54:49.050 PM // 7:54:49.190 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks Find numbers with even number of digits link	FAILED	0.131 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Find Numbers with Even Number of Digits"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [a9634fdcb18d70e65e5549da1dc8e919, findElement {using=xpath, value=//a[text()="Find Numbers with Even Number of Digits"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28608}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28608/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		

| #	Step / Hook Details	Status	Duration

	webauthn:virtualAuthenticators: true} Session ID: a9634fdcb18d70e65e5549da1dc8e919
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)
	  at pages.Arrays_PF.clickArraysEvennumbers(Arrays_PF.java:227)
	  at steppDef.ds_AlgoArraySteps.the_user_clicks_find_numbers_with_even_number_of_digits_link(ds_AlgoArraySteps.java:189)
	  at ?.The user clicks Find numbers with even number of digits link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:211)
	* Not displayable characters are replaced by '?'.		

3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

Python Editor page without data

PASSED	DURATION - 0.515 s
/ 7:54:49.198 PM // 7:54:49.713 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.271 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.244 s

| #	Step / Hook Details	Status	Duration
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page

PASSED	DURATION - 0.132 s
/ 7:54:50.740 PM // 7:54:50.872 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

| #	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.132 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.000 s

Practice Questions page

FAILED	DURATION - 0.056 s
/ 7:54:50.880 PM // 7:54:50.936 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

| #	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks squared of the sorted array link	FAILED	0.048 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Squares of a Sorted Array"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/ documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a9634fdcb18d70e65e5549da1dc8e919, findElement {using=xpath, value=//a[text()="Squares of a Sorted Array"]}] Capabilities		

#	Step / Hook Details	Status	Duration

	{acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:28608}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:28608/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a9634fdcb18d70e65e5549da1dc8e919
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)
	    at pages.Arrays_PF.clickArraysSortedSquares(Arrays_PF.java:224)
	    at steppDef.ds_AlgoArraySteps.the_user_clicks_squared_of_the_sorted_array_link(ds_AlgoArraySteps.java:194)
	    at ?.The user clicks squared of the sorted array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:246)
	* Not displayable characters are replaced by '?'.		

3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

Python Editor page without data

PASSED	DURATION - 0.367 s

/ 7:54:50.944 PM // 7:54:51.311 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.123 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.244 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page

PASSED	DURATION - 0.098 s

/ 7:54:52.494 PM // 7:54:52.592 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.098 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.000 s