

# Cucumber Report

Nov 30, 2023, 9:03:28 PM

**Start : Nov 30, 9:03:03.753 PM**

**End : Nov 30, 9:03:27.276 PM**

**Duration : 23.523 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 2**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 48**




**FAILED - 14**

**SKIPPED - 0**

**PASSED - 175**


**FAILED - 14**

**SKIPPED - 14**



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>To Automate Introduction page of DS_Algo</u>	4.693 s	5	5	0	0	15	15	0	0
<u>to automate Signin page of DS_Algo</u>	2.497 s	8	8	0	0	25	25	0	0
<u>To Automate the page of Array</u>	16.273 s	49	35	14	0	163	135	14	14

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Start_page	1	1	0	0	1	1	0	0
@Intro_page	1	1	0	0	1	1	0	0
@Signin_page(link)	1	1	0	0	1	1	0	0
@Signin_page(allBlank)	7	7	0	0	1	1	0	0
@Signin_page(enteronlyusername)	1	1	0	0	1	1	0	0
@Signin_page(enteronlypwd)	1	1	0	0	1	1	0	0
@Signin_page(invalidusernamePwd)	1	1	0	0	1	1	0	0
@Signin_page(validUsernameinvalidPassword)	1	1	0	0	1	1	0	0
@Signin_page(validUsernameInvPwd)	1	1	0	0	1	1	0	0
@Signin_page(valid)	1	1	0	0	1	1	0	0
@HomePage	1	1	0	0	1	0	1	0
@DSPage	1	1	0	0	1	0	1	0
@ComplexityPage	1	1	0	0	1	0	1	0
@PracticePage	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>To Automate Introduction page of DS_Algo</u>	5	5	0	0	4.693 s
2	<u>to automate Signin page of DS_Algo</u>	8	8	0	0	2.497 s
3	<u>To Automate the page of Array</u>	49	35	14	0	16.273 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To Automate Introduction page of DS_Algo</u>	<u>Browser page</u>	3	3	0	0	3.857 s
2	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Algo Get Started page</u>	3	3	0	0	0.360 s
3	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	3	0	0	0.102 s
4	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	3	0	0	0.248 s
5	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	3	0	0	0.030 s
6	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	4	4	0	0	0.260 s
7	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.194 s
8	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.264 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.224 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.407 s
11	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.201 s
12	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.336 s
13	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.513 s
14	<u>To Automate the page of Array</u>	<u>Home Page</u>	3	3	0	0	0.239 s
15	<u>To Automate the page of Array</u>	<u>Data Structure Home page</u>	3	3	0	0	0.198 s
16	<u>To Automate the page of Array</u>	<u>Time Complexity Page</u>	3	3	0	0	0.015 s
17	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	3	0	0	0.875 s
18	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	4	0	0	1.582 s
19	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	4	0	0	0.489 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	4	0	0	0.581 s
21	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	4	0	0	0.520 s
22	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	4	0	0	0.517 s
23	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	4	0	0	0.538 s
24	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	4	0	0	0.543 s
25	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	4	0	0	0.675 s
26	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	4	0	0	0.569 s
27	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	4	0	0	0.537 s
28	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	4	0	0	0.439 s
29	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	4	0	0	0.462 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
30	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	4	0	0	0.561 s
31	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	4	0	0	0.465 s
32	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	4	0	0	0.468 s
33	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	4	0	0	0.493 s
34	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	3	0	0	0.196 s
35	<u>To Automate the page of Array</u>	<u>Time Complexity Page</u>	3	1	1	1	0.075 s
36	<u>To Automate the page of Array</u>	<u>Home Page</u>	3	1	1	1	0.031 s
37	<u>To Automate the page of Array</u>	<u>Array Page</u>	3	1	1	1	0.020 s
38	<u>To Automate the page of Array</u>	<u>Array Page</u>	3	1	1	1	0.015 s
39	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	3	0	0	0.351 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
40	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	3	0	0	0.155 s
41	<u>To Automate the page of Array</u>	<u>Array in Python Page</u>	3	1	1	1	0.029 s
42	<u>To Automate the page of Array</u>	<u>Array Using List Page</u>	3	1	1	1	0.015 s
43	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	3	0	0	0.444 s
44	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	3	0	0	0.176 s
45	<u>To Automate the page of Array</u>	<u>Array Using List Page</u>	3	1	1	1	0.023 s
46	<u>To Automate the page of Array</u>	<u>Basic operations in Lists page</u>	3	1	1	1	0.018 s
47	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	3	0	0	0.421 s
48	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	3	0	0	0.181 s
49	<u>To Automate the page of Array</u>	<u>Basic operations in Lists page</u>	3	1	1	1	0.019 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
50	<u>To Automate the page of Array</u>	<u>Application of Array page</u>	3	1	1	1	0.023 s
51	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.014 s
52	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	3	0	0	0.456 s
53	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	3	0	0	0.189 s
54	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.036 s
55	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	3	0	0	0.460 s
56	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	3	0	0	0.203 s
57	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.029 s
58	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	3	0	0	0.433 s
59	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	3	0	0	0.183 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
60	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.075 s
61	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	3	0	0	0.520 s
62	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	3	0	0	0.137 s

## To Automate Introduction page of DS\_Algo



<b>PASSED</b>	<b>DURATION - 4.693 s</b>	Scenarios		Steps	
/ 9:03:03.753 PM // 9:03:08.446 PM /		Total - 5		Total - 15	
		Pass - 5		Pass - 15	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Browser page

<div>PASSED</div> <div>DURATION - 3.857 s</div>	<div></div>	Steps	<div></div>
/ 9:03:03.759 PM // 9:03:07.616 PM /		Total - 3	
To Automate Introduction page of DS_Algo		Pass - 3	
		Fail - 0	
		Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given The user should be open the browser	PASSED	3.493 s
2	When The user enter the DS_Algo Portal <a href="https://dsportalapp.herokuapp.com/">https://dsportalapp.herokuapp.com/</a>	PASSED	0.241 s
3	Then The user should landed on the DS_Algo Get Started page with message "You are at the right place"	PASSED	0.106 s

## DS Algo Get Started page

<div>PASSED</div>	<div>DURATION - 0.360 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:03:07.657 PM // 9:03:08.017 PM /</div>				
<div>To Automate Introduction page of DS_Algo</div>				
<div>@Start_page</div>				



#	Step / Hook Details	Status	Duration
1	Given The user should open the DS Algo Portal URL in any supported browser	PASSED	0.018 s
2	When The user clicks the Get Started button	PASSED	0.268 s
3	Then The user should land in Data Structure Introduction Page with "Register" and "Sign in" links	PASSED	0.066 s

### DS Introduction page

PASSED	DURATION - 0.102 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:03:08.039 PM // 9:03:08.141 PM /				
To Automate Introduction page of DS_Algo				
@Intro_page				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.004 s
2	When The user clicks the data structure dropdown arrow	PASSED	0.052 s
3	Then The user should able to see 6 options Arrays "Linked,List,Stack,Queue,Tree,Graph" in dropdown menu	PASSED	0.043 s

### DS Introduction page

PASSED	DURATION - 0.248 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:03:08.158 PM // 9:03:08.406 PM /				
To Automate Introduction page of DS_Algo				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.001 s
2	When The user selects any data structures item from the drop down without Sign in.	PASSED	0.199 s
3	Then The user should able to see an warning message "You are not logged in"	PASSED	0.047 s

**DS Introduction page**



<div>PASSED</div>	<div>DURATION - 0.030 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:03:08.416 PM // 9:03:08.446 PM /</div>				
<div>To Automate Introduction page of DS_Algo</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.007 s
2	When The user clicks any "Get Started" buttons of data structures on the DS Introduction page	PASSED	0.001 s
3	Then The user should able to see an warning message "You are not logged in"	PASSED	0.020 s

**to automate Signin page of DS\_Algo**



<div>PASSED</div>	<div>DURATION - 2.497 s</div>	<div>Scenarios</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div></div>	<div>Steps</div> <div>Total - 25</div> <div>Pass - 25</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div></div>
<div>/ 9:03:08.478 PM // 9:03:10.975 PM /</div>					

**DS Algo Introduction Page**

<div>PASSED</div>	<div>DURATION - 0.260 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 9:03:08.478 PM // 9:03:08.738 PM /				
to automate Signin page of DS_Algo				
@Signin_page(link)				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.003 s
2	When The user should click the Sign in link	PASSED	0.209 s
3	Then The user should be redirected to Sign in page	PASSED	0.011 s
4	And The user is able to see "Register!" link below the text boxes	PASSED	0.031 s

### DS Algo Introduction Page

PASSED	DURATION - 0.194 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:03:08.755 PM // 9:03:08.949 PM /				
to automate Signin page of DS_Algo				
@Signin_page(allBlank)				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after leaving the "" textbox and "" textbox blank	PASSED	0.117 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.071 s



### DS Algo Introduction Page

PASSED	DURATION - 0.264 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:03:08.964 PM // 9:03:09.228 PM /				
to automate Signin page of DS_Algo				
@Signin_page(enteronlyusername) @Signin_page(allBlank)				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering the "Trioteamchallengers" and leaves "" textbox blank	PASSED	0.213 s
3	Then The error message "Please fill out this field." appears below Pwd textbox	PASSED	0.046 s





### DS Algo Introduction Page

<div>PASSED</div>	<div>DURATION - 0.224 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:03:09.246 PM // 9:03:09.470 PM /				
to automate Signin page of DS_Algo				
@Signin_page(enteronlypwd) @Signin_page(allBlank)				


#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering the "ds@qateam334h" only.	PASSED	0.195 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.025 s

### DS Algo Introduction Page

<div>PASSED</div> <div>DURATION - 0.407 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:03:09.478 PM // 9:03:09.885 PM /</div>			
<div>to automate Signin page of DS_Algo</div>			
<div>@Signin_page(allBlank)</div> <div>@Signin_page(invalidusernamePwd)</div>			


#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering invalid "teamchallengers" and invalid "ds@qateam334h"	PASSED	0.356 s
3	Then The user should able to see an error message "Invalid Username and Password".	PASSED	0.038 s

### DS Algo Introduction Page





#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid ""	PASSED	0.173 s
3	Then The user should able to see an error message "Invalid Username and Password".	PASSED	0.021 s

### DS Algo Introduction Page





#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.000 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid "ds@qateam334h"	PASSED	0.298 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.035 s

### DS Algo Introduction Page



<div>PASSED</div>	<div>DURATION - 0.513 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:03:10.462 PM // 9:03:10.975 PM /</div>				
<div>to automate Signin page of DS_Algo</div>				
<div>@Signin_page(allBlank) @Signin_page(valid)</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and valid "triothebest@123"	PASSED	0.442 s
3	Then The user should land in Data Structure Home Page with "You are logged in" message	PASSED	0.066 s

## To Automate the page of Array

<div>FAILED</div> <div>DURATION - 16.273 s</div>		<div>Scenarios</div> <div>Total - 49</div> <div>Pass - 35</div> <div>Fail - 14</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 163</div> <div>Pass - 135</div> <div>Fail - 14</div> <div>Skip - 14</div>	<div></div>
<div>/ 9:03:11.003 PM // 9:03:27.276 PM /</div>					



## Home Page

<div>PASSED</div> <div>DURATION - 0.239 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:03:11.003 PM // 9:03:11.242 PM /</div>			
<div>To Automate the page of Array</div>			
<div>@HomePage</div>			

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page	PASSED	0.009 s
2	When The user clicks Get Started button below the Data structures-Introduction	PASSED	0.191 s



#	Step / Hook Details	Status	Duration
3	Then The user should land in "Data Structures-Introduction Page" DS page	PASSED	0.033 s

### Data Structure Home page

PASSED	DURATION - 0.198 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:03:11.256 PM // 9:03:11.454 PM /				
To Automate the page of Array				
@DSPage				


#	Step / Hook Details	Status	Duration
1	Given The user is on the Data Structure Introduction Page	PASSED	0.001 s
2	When The user clicks Time Complexity link	PASSED	0.161 s
3	Then The user should be redirected to "Time Complexity" TC page	PASSED	0.034 s

### Time Complexity Page

PASSED		DURATION - 0.015 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:03:11.466 PM // 9:03:11.481 PM /						
To Automate the page of Array						
@ComplexityPage						


#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.003 s
2	When The user clicks Try Here button of Time Complexity page	PASSED	0.000 s
3	Then The user should be redirected to a page having an Python Editor	PASSED	0.005 s

### Python Editor page without data



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.498 s
2	When The user clicks the run button without entering the code in the Editor	PASSED	0.372 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.001 s

### Python Editor page with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	1.308 s
3	When The User clicks a run button	PASSED	0.070 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.200 s

### Python Editor page with Invalid data

<b>PASSED</b>	<b>DURATION - 0.489 s</b>		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:03:15.368 PM // 9:03:15.857 PM /				
To Automate the page of Array				



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.261 s
3	When The User clicks a run button	PASSED	0.035 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.188 s

### Python Editor page with Invalid data

<b>PASSED</b>	<b>DURATION - 0.581 s</b>		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:03:17.120 PM // 9:03:17.701 PM /				
To Automate the page of Array				



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.280 s
3	When The User clicks a run button	PASSED	0.067 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.228 s

### Python Editor page with Invalid data

<div>PASSED</div>	<div>DURATION - 0.520 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:03:18.846 PM // 9:03:19.366 PM /</div>				
<div>To Automate the page of Array</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.265 s
3	When The User clicks a run button	PASSED	0.037 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.214 s

### Python Editor page with Invalid data

<div>PASSED</div>	<div>DURATION - 0.517 s</div>	<div></div>	<div><div>Steps</div><div>Total - 4</div><div>Pass - 4</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 9:03:20.593 PM // 9:03:21.110 PM /</div>				
<div>To Automate the page of Array</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.276 s
3	When The User clicks a run button	PASSED	0.036 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.200 s

### Python Editor page with Invalid data

<b>PASSED</b>	DURATION - 0.538 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:03:22.406 PM // 9:03:22.944 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.272 s
3	When The User clicks a run button	PASSED	0.034 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.230 s


### Python Editor page with Invalid data

<b>PASSED</b>	DURATION - 0.543 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:03:24.123 PM // 9:03:24.666 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.285 s
3	When The User clicks a run button	PASSED	0.035 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.221 s


### Python Editor page with Invalid data







#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.270 s
3	When The User clicks a run button	PASSED	0.061 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.342 s

### Python Editor page with valid data





#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.147 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.298 s
3	When User clicks a run button	PASSED	0.098 s
4	Then output should be displayed on the console	PASSED	0.024 s

### Python Editor page with valid data

<div>PASSED</div>	<div>DURATION - 0.537 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:03:15.875 PM // 9:03:16.412 PM /</div>				
<div>To Automate the page of Array</div>				



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.152 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.291 s
3	When User clicks a run button	PASSED	0.068 s
4	Then output should be displayed on the console	PASSED	0.021 s

### Python Editor page with valid data

<div>PASSED</div>	<div>DURATION - 0.439 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:03:17.714 PM // 9:03:18.153 PM /</div>				
<div>To Automate the page of Array</div>				



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.126 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.258 s
3	When User clicks a run button	PASSED	0.039 s
4	Then output should be displayed on the console	PASSED	0.013 s

### Python Editor page with valid data

<div>PASSED</div>	<div>DURATION - 0.462 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:03:19.374 PM // 9:03:19.836 PM /</div>				
<div>To Automate the page of Array</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.128 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.275 s
3	When User clicks a run button	PASSED	0.032 s
4	Then output should be displayed on the console	PASSED	0.019 s

### Python Editor page with valid data

<b>PASSED</b>	DURATION - 0.561 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:03:21.119 PM // 9:03:21.680 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.240 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.258 s
3	When User clicks a run button	PASSED	0.040 s
4	Then output should be displayed on the console	PASSED	0.019 s

### Python Editor page with valid data

<b>PASSED</b>	DURATION - 0.465 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:03:22.953 PM // 9:03:23.418 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.133 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.263 s
3	When User clicks a run button	PASSED	0.044 s
4	Then output should be displayed on the console	PASSED	0.024 s

### Python Editor page with valid data

<b>PASSED</b>	DURATION - 0.468 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:03:24.678 PM // 9:03:25.146 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.137 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.266 s
3	When User clicks a run button	PASSED	0.046 s
4	Then output should be displayed on the console	PASSED	0.017 s

### Python Editor page with valid data

<div><div>PASSED</div><div>DURATION - 0.493 s</div></div>		<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.154</td></tr><tr><td>2</td><td>0.268</td></tr><tr><td>3</td><td>0.051</td></tr><tr><td>4</td><td>0.018</td></tr></tbody></table></div>	Step	Duration (s)	1	0.154	2	0.268	3	0.051	4	0.018	<div><div>Steps</div><div>Total - 4</div><div>Pass - 4</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div><div>4</div></div>
Step	Duration (s)													
1	0.154													
2	0.268													
3	0.051													
4	0.018													
/ 9:03:26.642 PM // 9:03:27.135 PM /														
To Automate the page of Array														



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.154 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.268 s
3	When User clicks a run button	PASSED	0.051 s
4	Then output should be displayed on the console	PASSED	0.018 s

### User go back to the previous page

<div>PASSED</div>	<div>DURATION - 0.196 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.142</td></tr><tr><td>2</td><td>0.002</td></tr><tr><td>3</td><td>0.048</td></tr></tbody></table></div>	Step	Duration (s)	1	0.142	2	0.002	3	0.048	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>3</div></div>
Step	Duration (s)											
1	0.142											
2	0.002											
3	0.048											
<div>/ 9:03:14.568 PM // 9:03:14.764 PM /</div>												
<div>To Automate the page of Array</div>												

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.142 s
2	When User able to see output in console	PASSED	0.002 s
3	Then User go back to the previous page	PASSED	0.048 s

### Time Complexity Page

<div>FAILED</div> <div>DURATION - 0.075 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 9:03:14.788 PM // 9:03:14.863 PM /</div>				
<div>To Automate the page of Array</div>				
<div>@PracticePage</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.001 s
2	When The user clicks Practice Questions link of DS  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="content"]/a"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [dd0673132cf038929d46bc856b511b4f, findElement {using=xpath, value=//*[@id="content"]/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29703}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29703/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd0673132cf038929d46bc856b511b4f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)	FAILED	0.070 s

#	Step / Hook Details	Status	Duration
	at pages.DataStructureIntro_PF.clickPracticeQuestions(DataStructureIntro_PF.java:21) at steppDef.ds_AlgoDataStructInt.the_user_clicks_practice_questions_link_of_ds(ds_AlgoDataStructInt.java:62) at ?.The user clicks Practice Questions link of DS(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:54) * Not displayable characters are replaced by '?'.		
3	Then The user does not find any practice problems and the page is null	SKIPPED	0.000 s

## Home Page

<b>FAILED</b> DURATION - 0.031 s / 9:03:14.900 PM // 9:03:14.931 PM / To Automate the page of Array		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page	PASSED	0.007 s
2	When The user clicks "Get Started" button below the array  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()='Array']/..a"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd0673132cf038929d46bc856b511b4f, findElement {using=xpath, value=//h5[text()='Array']/..a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29703}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29703/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd0673132cf038929d46bc856b511b4f  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)	FAILED	0.018 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at pages.HomePage_PF.clickArray(HomePage_PF.java:63) at steppDef.ds_AlgoArraySteps.the_user_clicks_button_below_the_array(ds_AlgoArraySteps.java:24) at ?.The user clicks "Get Started" button below the array(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:5) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to "Array" page	SKIPPED	0.001 s

## Array Page

<b>FAILED</b> DURATION - 0.020 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 9:03:14.947 PM // 9:03:14.967 PM /			
To Automate the page of Array			

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.001 s
2	When The user clicks a Arrays in Python link  <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Arrays in Python"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd0673132cf038929d46bc856b511b4f, findElement {using=xpath, value=//a[text()='Arrays in Python']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29703}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29703/devtoo..., </pre>	FAILED	0.017 s





#	Step / Hook Details	Status	Duration
	<pre> se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd0673132cf038929d46bc856b511b4f   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)   at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)   at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)   at pages.Arrays_PF.clickArraysInPython(Arrays_PF.java:107)   at steppDef.ds_AlgoArraySteps.the_user_clicks_a_arrays_in_python_link(ds_AlgoArraySteps.java:40)   at ?.The user clicks a Arrays in Python link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray. feature:10) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to "Arrays in Python" AP Page	SKIPPED	0.000 s

## Array Page

<b>FAILED</b> DURATION - 0.015 s		<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 9:03:14.976 PM // 9:03:14.991 PM /			
To Automate the page of Array			



#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.001 s
2	<p>When The user clicks Try Here button of Array in Python Page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Try here&gt;&gt;&gt;']"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd0673132cf038929d46bc856b511b4f, findElement {using=xpath, value=//a[text()='Try here&gt;&gt;&gt;']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29703}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29703/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd0673132cf038929d46bc856b511b4f     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)     at pages.Arrays_PF.clickTryhere(Arrays_PF.java:119)     at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_in_python_page(ds_AlgoArraySteps.java:60)     at ?.The user clicks Try Here button of Array in Python Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:15)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.013 s
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.000 s

## Python Editor page without data

<div>PASSED</div>	<div>DURATION - 0.351 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:03:15.003 PM // 9:03:15.354 PM /</div>				
<div>To Automate the page of Array</div>				



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.114 s
2	When The user clicks the run button without entering the code in the Editor	PASSED	0.234 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.001 s

### User go back to the previous page

<div>PASSED</div>	<div>DURATION - 0.155 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:03:16.429 PM // 9:03:16.584 PM /</div>				
<div>To Automate the page of Array</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.126 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.026 s

### Array in Python Page

<div>FAILED</div> <div>DURATION - 0.029 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 9:03:16.600 PM // 9:03:16.629 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array in Python Page	PASSED	0.003 s
2	When The user clicks a Arrays Using List link  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Arrays Using List']"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd0673132cf038929d46bc856b511b4f, findElement {using=xpath, value=//a[text()='Arrays Using List']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29703}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29703/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd0673132cf038929d46bc856b511b4f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)	FAILED	0.020 s

#	Step / Hook Details	Status	Duration
	at pages.Arrays_PF.clickArraysUsingList(Arrays_PF.java:110) at steppDef.ds_AlgoArraySteps.the_user_clicks_a_arrays_using_list_link(ds_AlgoArraySteps.java:82) at ?.The user clicks a Arrays Using List link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:51) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "Arrays Using List" AL page.	SKIPPED	0.000 s



## Array Using List Page

<b>FAILED</b> DURATION - 0.015 s / 9:03:16.638 PM // 9:03:16.653 PM / To Automate the page of Array		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.002 s
2	When The user clicks Try Here button of Array Using List Page  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Try here>>>']"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd0673132cf038929d46bc856b511b4f, findElement {using=xpath, value=//a[text()='Try here>>>']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29703}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29703/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd0673132cf038929d46bc856b511b4f  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)	FAILED	0.013 s



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at pages.Arrays_PF.clickTryhere(Arrays_PF.java:119) at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_using_list_page(ds_AlgoArraySteps.java:98) at ?.The user clicks Try Here button of Array Using List Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:56) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.000 s

### Python Editor page without data

PASSED		DURATION - 0.444 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:03:16.664 PM // 9:03:17.108 PM /						
To Automate the page of Array						



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.135 s
2	When The user clicks the run button without entering the code in the Editor	PASSED	0.305 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

### User go back to the previous page

<div>PASSED</div>	<div>DURATION - 0.176 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 9:03:18.157 PM // 9:03:18.333 PM /</div>				
<div>To Automate the page of Array</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.117 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.054 s

### Array Using List Page

<div>FAILED</div> <div>DURATION - 0.023 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 9:03:18.352 PM // 9:03:18.375 PM /</div>				
<div>To Automate the page of Array</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.000 s
2	When The user clicks a Basic Operations in Lists link  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Basic Operations in Lists']"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd0673132cf038929d46bc856b511b4f, findElement {using=xpath, value=//a[text()='Basic Operations in Lists']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29703}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29703/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:	FAILED	0.018 s

#	Step / Hook Details	Status	Duration
	<pre> true} Session ID: dd0673132cf038929d46bc856b511b4f   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)   at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)   at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)   at pages.Arrays_PF.clickArraysBasicOp(Arrays_PF.java:113)   at steppDef.ds_AlgoArraySteps.the_user_clicks_a_basic_operations_in_lists_link(ds_AlgoArraySteps.java:103)   at ?.The user clicks a Basic Operations in Lists link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:91) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to "Basic Operations in Lists" BO page.	SKIPPED	0.000 s

### Basic operations in Lists page


<b>FAILED</b> DURATION - 0.018 s / 9:03:18.385 PM // 9:03:18.403 PM / To Automate the page of Array		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.000 s
2	When The user clicks Try Here button of Operations in Lists Page	FAILED	0.014 s




#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Try here&gt;&gt;&gt;"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd0673132cf038929d46bc856b511b4f, findElement {using=xpath, value=//a[text()='Try here&gt;&gt;&gt;"]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29703}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29703/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd0673132cf038929d46bc856b511b4f</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)  at pages.Arrays_PF.clickTryhere(Arrays_PF.java:119)  at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_operations_in_lists_page(ds_AlgoArraySteps.java:119)  at ?.The user clicks Try Here button of Operations in Lists Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:96)  * Not displayable characters are replaced by '?'. </p>		
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.000 s

## Python Editor page without data





#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.126 s
2	When The user clicks the run button without entering the code in the Editor	PASSED	0.291 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.001 s

### User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.132 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.045 s

### Basic operations in Lists page

<div>FAILED</div>	<div>DURATION - 0.019 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 9:03:20.050 PM // 9:03:20.069 PM /</div>				
<div>To Automate the page of Array</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.001 s
2	When The user clicks an Applications of Array link  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Applications of Array']"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd0673132cf038929d46bc856b511b4f, findElement {using=xpath, value="//a[text()='Applications of Array']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29703}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29703/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd0673132cf038929d46bc856b511b4f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	at pages.Arrays_PF.clickArraysApp(Arrays_PF.java:116) at steppDef.ds_AlgoArraySteps.the_user_clicks_an_applications_of_array_link(ds_AlgoArraySteps.java:126) at ?.The user clicks an Applications of Array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:131) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "Applications of Array" AA page.	SKIPPED	0.000 s



### Application of Array page

<b>FAILED</b> DURATION - 0.023 s / 9:03:20.075 PM // 9:03:20.098 PM / To Automate the page of Array		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given The user is on the Applications of Array page	PASSED	0.002 s
2	When The user clicks Practice Questions link org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Practice Questions']"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd0673132cf038929d46bc856b511b4f, findElement {using=xpath, value=//a[text()='Practice Questions']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29703}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29703/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd0673132cf038929d46bc856b511b4f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)	FAILED	0.019 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at pages.Arrays_PF.clickArraysPracticeQuestions(Arrays_PF.java:214) at steppDef.ds_AlgoArraySteps.the_user_clicks_practice_questions_link(ds_AlgoArraySteps.java:149) at ?.The user clicks Practice Questions link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:136) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to practice page having links like "Search the array","Max Consecutive Ones","Find Numbers with Even Number of Digits" ,"Squares of a Sorted Array"	SKIPPED	0.000 s



## Practice Questions page

<div>FAILED</div> <div>DURATION - 0.014 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 9:03:20.103 PM // 9:03:20.117 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks search the array link <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Search the array']"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd0673132cf038929d46bc856b511b4f, findElement {using=xpath, value=//a[text()='Search the array']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29703}, </pre>	FAILED	0.011 s



#	Step / Hook Details	Status	Duration
	<p>networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29703/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd0673132cf038929d46bc856b511b4f</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)  at pages.Arrays_PF.clickArraysSearch(Arrays_PF.java:217)  at steppDef.ds_AlgoArraySteps.the_user_clicks_search_the_array_link(ds_AlgoArraySteps.java:184)  at ?.The user clicks search the array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:141)</p> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

### Python Editor page without data

<b>PASSED</b>		<i>DURATION - 0.456 s</i>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>		
/ 9:03:20.123 PM // 9:03:20.579 PM /							
To Automate the page of Array							



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.137 s
2	When The user clicks the run button without entering the code in the Editor	PASSED	0.314 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

### User go back to the previous page

PASSED	DURATION - 0.189 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:03:21.692 PM // 9:03:21.881 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.141 s
2	When User able to see output in console	PASSED	0.002 s
3	Then User go back to the previous page	PASSED	0.043 s

### Practice Questions page



FAILED		DURATION - 0.036 s			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 9:03:21.887 PM // 9:03:21.923 PM /						
To Automate the page of Array						

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks Max consecutive ones link	FAILED	0.034 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Max Consecutive Ones']"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info:		

#	Step / Hook Details	Status	Duration
	<p>os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd0673132cf038929d46bc856b511b4f, findElement {using=xpath, value=//a[text()='Max Consecutive Ones']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29703}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29703/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd0673132cf038929d46bc856b511b4f</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)  at pages.Arrays_PF.clickArraysMaxConsecutives(Arrays_PF.java:221)  at steppDef.ds_AlgoArraySteps.the_user_clicks_max_consecutive_ones_link(ds_AlgoArraySteps.java:196)  at ?.The user clicks Max consecutive ones link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:176)</p> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s



## Python Editor page without data



<div>PASSED</div>	<div>DURATION - 0.460 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:03:21.937 PM // 9:03:22.397 PM /</div>				
<div>To Automate the page of Array</div>				



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.160 s
2	When The user clicks the run button without entering the code in the Editor	PASSED	0.295 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

### User go back to the previous page

<div>PASSED</div>	<div>DURATION - 0.203 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:03:23.431 PM // 9:03:23.634 PM /</div>				
<div>To Automate the page of Array</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.150 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.051 s



### Practice Questions page

<div>FAILED</div> <div>DURATION - 0.029 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 9:03:23.646 PM // 9:03:23.675 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks Find numbers with even number of digits link <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Find Numbers with Even Number of Digits']"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd0673132cf038929d46bc856b511b4f, findElement {using=xpath, value=//a[text()='Find Numbers with Even Number of Digits']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29703}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:29703/devtoo..., se.cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd0673132cf038929d46bc856b511b4f     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)</pre>	FAILED	0.022 s



#	Step / Hook Details	Status	Duration
	at pages.Arrays_PF.clickArraysEvennumbers(Arrays_PF.java:227) at steppDef.ds_AlgoArraySteps.the_user_clicks_find_numbers_with_even_number_of_digits_link(ds_AlgoArraySteps.java:202) at ?.The user clicks Find numbers with even number of digits link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:211) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

### Python Editor page without data

PASSED		DURATION - 0.433 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:03:23.679 PM // 9:03:24.112 PM /						
To Automate the page of Array						

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.126 s
2	When The user clicks the run button without entering the code in the Editor	PASSED	0.303 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s



### User go back to the previous page

PASSED		DURATION - 0.183 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:03:25.155 PM // 9:03:25.338 PM /						
To Automate the page of Array						

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.145 s
2	When User able to see output in console	PASSED	0.002 s

#	Step / Hook Details	Status	Duration
3	Then User go back to the previous page	PASSED	0.033 s



## Practice Questions page

FAILED		DURATION - 0.075 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 9:03:25.349 PM // 9:03:25.424 PM /						
To Automate the page of Array						

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.002 s
2	When The user clicks squared of the sorted array link  <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Squares of a Sorted Array']"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd0673132cf038929d46bc856b511b4f, findElement {using=xpath, value=//a[text()='Squares of a Sorted Array']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29703}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29703/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd0673132cf038929d46bc856b511b4f     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</pre>	FAILED	0.064 s



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at pages.Arrays_PF.clickArraysSortedSquares(Arrays_PF.java:224) at steppDef.ds_AlgoArraySteps.the_user_clicks_squared_of_the_sorted_array_link(ds_AlgoArraySteps.java:207) at ?.The user clicks squared of the sorted array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:246) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

### Python Editor page without data

PASSED	DURATION - 0.520 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:03:25.430 PM // 9:03:25.950 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.256 s
2	When The user clicks the run button without entering the code in the Editor	PASSED	0.262 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

### User go back to the previous page

PASSED	DURATION - 0.137 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:03:27.139 PM // 9:03:27.276 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.110 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.025 s