

# Cucumber Report

Nov 30, 2023, 9:22:36 PM

**Start : Nov 30, 9:22:09.244 PM**

**End : Nov 30, 9:22:34.889 PM**

**Duration : 25.645 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 2**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 48**




**FAILED - 14**

**SKIPPED - 0**

**PASSED - 175**


**FAILED - 14**

**SKIPPED - 14**



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>To Automate Introduction page of DS_Algo</u>	5.365 s	5	5	0	0	15	15	0	0
<u>to automate Signin page of DS_Algo</u>	2.772 s	8	8	0	0	25	25	0	0
<u>To Automate the page of Array</u>	17.454 s	49	35	14	0	163	135	14	14

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Start_page	1	1	0	0	1	1	0	0
@Intro_page	1	1	0	0	1	1	0	0
@Signin_page(link)	1	1	0	0	1	1	0	0
@Signin_page(allBlank)	7	7	0	0	1	1	0	0
@Signin_page(enteronlyusername)	1	1	0	0	1	1	0	0
@Signin_page(enteronlypwd)	1	1	0	0	1	1	0	0
@Signin_page(invalidusernamePwd)	1	1	0	0	1	1	0	0
@Signin_page(validUsernameinvalidPassword)	1	1	0	0	1	1	0	0
@Signin_page(validUsernameInvPwd)	1	1	0	0	1	1	0	0
@Signin_page(valid)	1	1	0	0	1	1	0	0
@HomePage	1	1	0	0	1	0	1	0
@DSPage	1	1	0	0	1	0	1	0
@ComplexityPage	1	1	0	0	1	0	1	0
@PEComplexityPage	1	1	0	0	1	0	1	0
@PracticeQuestions	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>To Automate Introduction page of DS_Algo</u>	5	5	0	0	5.365 s
2	<u>to automate Signin page of DS_Algo</u>	8	8	0	0	2.772 s
3	<u>To Automate the page of Array</u>	49	35	14	0	17.454 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To Automate Introduction page of DS_Algo</u>	<u>Browser page</u>	3	3	0	0	4.524 s
2	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Algo Get Started page</u>	3	3	0	0	0.369 s
3	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	3	0	0	0.107 s
4	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	3	0	0	0.255 s
5	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	3	0	0	0.028 s
6	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	4	4	0	0	0.197 s
7	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.153 s
8	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.578 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.170 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.370 s
11	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.180 s
12	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.479 s
13	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.542 s
14	<u>To Automate the page of Array</u>	<u>Home Page</u>	3	3	0	0	0.252 s
15	<u>To Automate the page of Array</u>	<u>Data Structure Home page</u>	3	3	0	0	0.227 s
16	<u>To Automate the page of Array</u>	<u>Time Complexity Page</u>	3	3	0	0	0.011 s
17	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	3	0	0	0.971 s
18	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	4	0	0	1.839 s
19	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	4	0	0	0.529 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	4	0	0	0.542 s
21	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	4	0	0	0.477 s
22	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	4	0	0	0.521 s
23	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	4	0	0	0.595 s
24	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	4	0	0	0.741 s
25	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	4	0	0	0.566 s
26	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	4	0	0	0.560 s
27	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	4	0	0	0.470 s
28	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	4	0	0	0.540 s
29	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	4	0	0	0.608 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
30	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	4	0	0	0.495 s
31	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	4	0	0	0.562 s
32	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	4	0	0	0.590 s
33	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	4	0	0	0.479 s
34	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	3	0	0	0.338 s
35	<u>To Automate the page of Array</u>	<u>Time Complexity Page</u>	3	1	1	1	0.121 s
36	<u>To Automate the page of Array</u>	<u>Home Page</u>	3	1	1	1	0.031 s
37	<u>To Automate the page of Array</u>	<u>Array Page</u>	3	1	1	1	0.016 s
38	<u>To Automate the page of Array</u>	<u>Array Page</u>	3	1	1	1	0.021 s
39	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	3	0	0	0.463 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
40	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	3	0	0	0.177 s
41	<u>To Automate the page of Array</u>	<u>Array in Python Page</u>	3	1	1	1	0.028 s
42	<u>To Automate the page of Array</u>	<u>Array Using List Page</u>	3	1	1	1	0.016 s
43	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	3	0	0	0.440 s
44	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	3	0	0	0.176 s
45	<u>To Automate the page of Array</u>	<u>Array Using List Page</u>	3	1	1	1	0.042 s
46	<u>To Automate the page of Array</u>	<u>Basic operations in Lists page</u>	3	1	1	1	0.017 s
47	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	3	0	0	0.383 s
48	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	3	0	0	0.214 s
49	<u>To Automate the page of Array</u>	<u>Basic operations in Lists page</u>	3	1	1	1	0.020 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
50	<u>To Automate the page of Array</u>	<u>Application of Array page</u>	3	1	1	1	0.022 s
51	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.017 s
52	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	3	0	0	0.419 s
53	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	3	0	0	0.183 s
54	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.034 s
55	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	3	0	0	0.416 s
56	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	3	0	0	0.206 s
57	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.033 s
58	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	3	0	0	0.499 s
59	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	3	0	0	0.232 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
60	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.025 s
61	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	3	0	0	0.462 s
62	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	3	0	0	0.177 s

## To Automate Introduction page of DS\_Algo



<b>PASSED</b>	<b>DURATION - 5.365 s</b>	Scenarios		Steps	
/ 9:22:09.244 PM // 9:22:14.609 PM /		Total - 5		Total - 15	
		Pass - 5		Pass - 15	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Browser page

<div>PASSED</div>	<div>DURATION - 4.524 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:22:09.250 PM // 9:22:13.774 PM /</div>				
<div>To Automate Introduction page of DS_Algo</div>				



#	Step / Hook Details	Status	Duration
1	Given The user should be open the browser	PASSED	4.118 s
2	When The user enter the DS_Algo Portal <a href="https://dsportalapp.herokuapp.com/">https://dsportalapp.herokuapp.com/</a>	PASSED	0.278 s
3	Then The user should landed on the DS_Algo Get Started page with message "You are at the right place"	PASSED	0.111 s

## DS Algo Get Started page

<div><div>PASSED</div><div>DURATION - 0.369 s</div></div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:22:13.800 PM // 9:22:14.169 PM /</div>			
<div>To Automate Introduction page of DS_Algo</div>			
<div>@Start_page</div>			



#	Step / Hook Details	Status	Duration
1	Given The user should open the DS Algo Portal URL in any supported browser	PASSED	0.018 s
2	When The user clicks the Get Started button	PASSED	0.285 s
3	Then The user should land in Data Structure Introduction Page with "Register" and "Sign in" links	PASSED	0.059 s

### DS Introduction page

PASSED	DURATION - 0.107 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:22:14.188 PM // 9:22:14.295 PM /				
To Automate Introduction page of DS_Algo				
@Intro_page				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.009 s
2	When The user clicks the data structure dropdown arrow	PASSED	0.056 s
3	Then The user should able to see 6 options Arrays "Linked,List,Stack,Queue,Tree,Graph" in dropdown menu	PASSED	0.035 s

### DS Introduction page

PASSED	DURATION - 0.255 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:22:14.314 PM // 9:22:14.569 PM /				
To Automate Introduction page of DS_Algo				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.001 s
2	When The user selects any data structures item from the drop down without Sign in.	PASSED	0.203 s
3	Then The user should able to see an warning message "You are not logged in"	PASSED	0.048 s

**DS Introduction page**

<div>PASSED</div>	<div>DURATION - 0.028 s</div>	<div><table border="1"><thead><tr><th>Step</th><th>Frequency</th></tr></thead><tbody><tr><td>1</td><td>0.01</td></tr><tr><td>2</td><td>0.00</td></tr><tr><td>3</td><td>0.02</td></tr></tbody></table></div>	Step	Frequency	1	0.01	2	0.00	3	0.02	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>3</div></div>
Step	Frequency											
1	0.01											
2	0.00											
3	0.02											
<div>/ 9:22:14.581 PM // 9:22:14.609 PM /</div>												
<div>To Automate Introduction page of DS_Algo</div>												

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.003 s
2	When The user clicks any "Get Started" buttons of data structures on the DS Introduction page	PASSED	0.000 s
3	Then The user should able to see an warning message "You are not logged in"	PASSED	0.020 s

**to automate Signin page of DS\_Algo**



<b>PASSED</b>	<i>DURATION - 2.772 s</i>	<b>Scenarios</b> Total - 8 Pass - 8 Fail - 0 Skip - 0		<b>Steps</b> Total - 25 Pass - 25 Fail - 0 Skip - 0	
/ 9:22:14.634 PM // 9:22:17.406 PM /					

**DS Algo Introduction Page**

<b>PASSED</b>	<b>DURATION - 0.197 s</b>	<table border="1"><thead><tr><th>Step</th><th>Frequency</th></tr></thead><tbody><tr><td>1</td><td>0.01</td></tr><tr><td>2</td><td>0.15</td></tr><tr><td>3</td><td>0.01</td></tr><tr><td>4</td><td>0.02</td></tr></tbody></table>	Step	Frequency	1	0.01	2	0.15	3	0.01	4	0.02	<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	<div>4</div>
Step	Frequency													
1	0.01													
2	0.15													
3	0.01													
4	0.02													
/ 9:22:14.634 PM // 9:22:14.831 PM /														
to automate Signin page of DS_Algo														
@Signin_page(link)														



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.002 s
2	When The user should click the Sign in link	PASSED	0.149 s
3	Then The user should be redirected to Sign in page	PASSED	0.013 s
4	And The user is able to see "Register!" link below the text boxes	PASSED	0.029 s

### DS Algo Introduction Page

PASSED	DURATION - 0.153 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:22:14.850 PM // 9:22:15.003 PM /				
to automate Signin page of DS_Algo				
@Signin_page(allBlank)				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.002 s
2	When The user clicks login button after leaving the "" textbox and "" textbox blank	PASSED	0.085 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.059 s



### DS Algo Introduction Page

PASSED	DURATION - 0.578 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:22:15.019 PM // 9:22:15.597 PM /				
to automate Signin page of DS_Algo				
@Signin_page(enteronlyusername) @Signin_page(allBlank)				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering the "Trioteamchallengers" and leaves "" textbox blank	PASSED	0.518 s
3	Then The error message "Please fill out this field." appears below Pwd textbox	PASSED	0.055 s





## DS Algo Introduction Page

<div>PASSED</div>	<div>DURATION - 0.170 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:22:15.613 PM // 9:22:15.783 PM /				
to automate Signin page of DS_Algo				
@Signin_page(enteronlypwd) @Signin_page(allBlank)				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering the "ds@qateam334h" only.	PASSED	0.151 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.016 s

## DS Algo Introduction Page

<div>PASSED</div> <div>DURATION - 0.370 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:22:15.787 PM // 9:22:16.157 PM /</div>			
<div>to automate Signin page of DS_Algo</div>			
<div>@Signin_page(allBlank)</div> <div>@Signin_page(invalidusernamePwd)</div>			

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering invalid "teamchallengers" and invalid "ds@qateam334h"	PASSED	0.333 s
3	Then The user should able to see an error message "Invalid Username and Password".	PASSED	0.033 s

## DS Algo Introduction Page

<b>PASSED</b>	<b>DURATION - 0.180 s</b>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:22:16.167 PM // 9:22:16.347 PM /				
to automate Signin page of DS_Algo				
@Signin_page(allBlank) @Signin_page(validUsernameinvalidPassword)				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.000 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid ""	PASSED	0.135 s
3	Then The user should able to see an error message "Invalid Username and Password".	PASSED	0.036 s

### DS Algo Introduction Page

<b>PASSED</b>	<b>DURATION - 0.479 s</b>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:22:16.358 PM // 9:22:16.837 PM /				
to automate Signin page of DS_Algo				
@Signin_page(allBlank) @Signin_page(validUsernameInvPwd)				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.002 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid "ds@qateam334h"	PASSED	0.431 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.038 s

### DS Algo Introduction Page

<b>PASSED</b>	<b>DURATION - 0.542 s</b>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:22:16.864 PM // 9:22:17.406 PM /				
to automate Signin page of DS_Algo				
@Signin_page(allBlank) @Signin_page(valid)				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.002 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and valid "triothebest@123"	PASSED	0.481 s
3	Then The user should land in Data Structure Home Page with "You are logged in" message	PASSED	0.053 s

## To Automate the page of Array

<b>FAILED</b>	<b>DURATION - 17.454 s</b>	<b>Scenarios</b> Total - 49 Pass - 35 Fail - 14 Skip - 0		<b>Steps</b> Total - 163 Pass - 135 Fail - 14 Skip - 14	
/ 9:22:17.435 PM // 9:22:34.889 PM /					



## Home Page

<b>PASSED</b>	<b>DURATION - 0.252 s</b>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:22:17.435 PM // 9:22:17.687 PM /				
To Automate the page of Array				
@HomePage				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page	PASSED	0.012 s
2	When The user clicks Get Started button below the Data structures-Introduction	PASSED	0.198 s



#	Step / Hook Details	Status	Duration
3	Then The user should land in "Data Structures-Introduction Page" DS page	PASSED	0.038 s

### Data Structure Home page

PASSED	DURATION - 0.227 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:22:17.701 PM // 9:22:17.928 PM /				
To Automate the page of Array				
@DSPage				



#	Step / Hook Details	Status	Duration
1	Given The user is on the Data Structure Introduction Page	PASSED	0.001 s
2	When The user clicks Time Complexity link	PASSED	0.184 s
3	Then The user should be redirected to "Time Complexity" TC page	PASSED	0.039 s

### Time Complexity Page

PASSED		DURATION - 0.011 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0			
/ 9:22:17.935 PM // 9:22:17.946 PM /								
To Automate the page of Array								
@ComplexityPage								



#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.002 s
2	When The user clicks Try Here button of Time Complexity page	PASSED	0.000 s
3	Then The user should be redirected to a page having an Python Editor	PASSED	0.007 s

### Python Editor page without data

<div>PASSED</div>	<div>DURATION - 0.971 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:22:17.960 PM // 9:22:18.931 PM /</div>				
<div>To Automate the page of Array</div>				
<div>@PEComplexityPage</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.556 s
2	When The user clicks the run button without entering the code in the Editor	PASSED	0.411 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

### Python Editor page with Invalid data

<div><div>PASSED</div><div>DURATION - 1.839 s</div></div>	<div></div>	<div><div>Steps</div><div>Total - 4</div><div>Pass - 4</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 9:22:18.938 PM // 9:22:20.777 PM /</div>			
<div>To Automate the page of Array</div>			

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	1.569 s
3	When The User clicks a run button	PASSED	0.068 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.199 s

### Python Editor page with Invalid data

<b>PASSED</b>	DURATION - 0.529 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:22:22.489 PM // 9:22:23.018 PM /				
To Automate the page of Array				



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.290 s
3	When The User clicks a run button	PASSED	0.044 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.193 s

### Python Editor page with Invalid data

<b>PASSED</b>	DURATION - 0.542 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:22:24.226 PM // 9:22:24.768 PM /				
To Automate the page of Array				



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.285 s
3	When The User clicks a run button	PASSED	0.042 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.211 s

### Python Editor page with Invalid data

<div>PASSED</div>	<div>DURATION - 0.477 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:22:25.997 PM // 9:22:26.474 PM /</div>				
<div>To Automate the page of Array</div>				



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.246 s
3	When The User clicks a run button	PASSED	0.036 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.192 s

### Python Editor page with Invalid data

<div>PASSED</div>	<div>DURATION - 0.521 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:22:27.855 PM // 9:22:28.376 PM /</div>				
<div>To Automate the page of Array</div>				



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.278 s
3	When The User clicks a run button	PASSED	0.036 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.201 s

### Python Editor page with Invalid data

<div>PASSED</div>	<div>DURATION - 0.595 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:22:29.558 PM // 9:22:30.153 PM /</div>				
<div>To Automate the page of Array</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.259 s
3	When The User clicks a run button	PASSED	0.051 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.282 s



### Python Editor page with Invalid data

<div>PASSED</div>	<div>DURATION - 0.741 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:22:31.528 PM // 9:22:32.269 PM /</div>				
<div>To Automate the page of Array</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.419 s
3	When The User clicks a run button	PASSED	0.080 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.238 s



### Python Editor page with Invalid data



<div>PASSED</div>	<div>DURATION - 0.566 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:22:33.650 PM // 9:22:34.216 PM /</div>				
<div>To Automate the page of Array</div>				


#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.283 s
3	When The User clicks a run button	PASSED	0.072 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.208 s

### Python Editor page with valid data

<div>PASSED</div>	<div>DURATION - 0.560 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:22:20.805 PM // 9:22:21.365 PM /</div>				
<div>To Automate the page of Array</div>				


#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.122 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.350 s
3	When User clicks a run button	PASSED	0.047 s
4	Then output should be displayed on the console	PASSED	0.033 s

### Python Editor page with valid data





#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.118 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.275 s
3	When User clicks a run button	PASSED	0.039 s
4	Then output should be displayed on the console	PASSED	0.031 s

### Python Editor page with valid data





#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.154 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.311 s
3	When User clicks a run button	PASSED	0.047 s
4	Then output should be displayed on the console	PASSED	0.024 s

### Python Editor page with valid data

<div>PASSED</div>	<div>DURATION - 0.608 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:22:26.488 PM // 9:22:27.096 PM /</div>				
<div>To Automate the page of Array</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.242 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.281 s
3	When User clicks a run button	PASSED	0.065 s
4	Then output should be displayed on the console	PASSED	0.018 s

### Python Editor page with valid data

<div>PASSED</div>	<div>DURATION - 0.495 s</div>	<div></div>	<div><div>Steps</div><div>Total - 4</div><div>Pass - 4</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 9:22:28.392 PM // 9:22:28.887 PM /</div>				
<div>To Automate the page of Array</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.138 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.286 s
3	When User clicks a run button	PASSED	0.039 s
4	Then output should be displayed on the console	PASSED	0.028 s

### Python Editor page with valid data

<b>PASSED</b>	DURATION - 0.562 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:22:30.171 PM // 9:22:30.733 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.147 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.329 s
3	When User clicks a run button	PASSED	0.053 s
4	Then output should be displayed on the console	PASSED	0.030 s

### Python Editor page with valid data

<b>PASSED</b>	DURATION - 0.590 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:22:32.285 PM // 9:22:32.875 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.139 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.317 s
3	When User clicks a run button	PASSED	0.097 s
4	Then output should be displayed on the console	PASSED	0.036 s

### Python Editor page with valid data

<b>PASSED</b>	DURATION - 0.479 s		<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:22:34.224 PM // 9:22:34.703 PM /				
To Automate the page of Array				



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.124 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.254 s
3	When User clicks a run button	PASSED	0.072 s
4	Then output should be displayed on the console	PASSED	0.024 s

### User go back to the previous page

<b>PASSED</b>	DURATION - 0.338 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:22:21.378 PM // 9:22:21.716 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.237 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.098 s

### Time Complexity Page

<div>FAILED</div>	<div>DURATION - 0.121 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 9:22:21.737 PM // 9:22:21.858 PM /</div>				
<div>To Automate the page of Array</div>				
<div>@PracticeQuestions</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.001 s
2	When The user clicks Practice Questions link of DS  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"///*[@id="content"]/a"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [64d2965ff983cc4df1ec193289f27305, findElement {using=xpath, value=//*[@id="content"]/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30222}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30222/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64d2965ff983cc4df1ec193289f27305 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)	FAILED	0.110 s

#	Step / Hook Details	Status	Duration
	at pages.DataStructureIntro_PF.clickPracticeQuestions(DataStructureIntro_PF.java:21) at steppDef.ds_AlgoDataStructInt.the_user_clicks_practice_questions_link_of_ds(ds_AlgoDataStructInt.java:66) at ?.The user clicks Practice Questions link of DS(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:54) * Not displayable characters are replaced by '?'.		
3	Then The user does not find any practice problems and the page is null	SKIPPED	0.003 s

## Home Page

<b>FAILED</b> DURATION - 0.031 s / 9:22:21.913 PM // 9:22:21.944 PM / To Automate the page of Array		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page	PASSED	0.006 s
2	When The user clicks "Get Started" button below the array  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()='Array']/../a"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [64d2965ff983cc4df1ec193289f27305, findElement {using=xpath, value=//h5[text()='Array']/../a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30222}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30222/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64d2965ff983cc4df1ec193289f27305  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)	FAILED	0.023 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at pages.HomePage_PF.clickArray(HomePage_PF.java:63) at steppDef.ds_AlgoArraySteps.the_user_clicks_button_below_the_array(ds_AlgoArraySteps.java:24) at ?.The user clicks "Get Started" button below the array(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:5) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to "Array" page	SKIPPED	0.001 s

## Array Page

<b>FAILED</b> DURATION - 0.016 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 9:22:21.952 PM // 9:22:21.968 PM /			
To Automate the page of Array			

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.001 s
2	When The user clicks a Arrays in Python link  <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Arrays in Python']"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64d2965ff983cc4df1ec193289f27305, findElement {using=xpath, value=//a[text()='Arrays in Python']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30222}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30222/devtoo..., </pre>	FAILED	0.012 s




#	Step / Hook Details	Status	Duration
	<pre> se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64d2965ff983cc4df1ec193289f27305   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)   at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)   at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)   at pages.Arrays_PF.clickArraysInPython(Arrays_PF.java:107)   at steppDef.ds_AlgoArraySteps.the_user_clicks_a_arrays_in_python_link(ds_AlgoArraySteps.java:40)   at ?.The user clicks a Arrays in Python link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray. feature:10) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to "Arrays in Python" AP Page	SKIPPED	0.000 s

## Array Page

<b>FAILED</b> DURATION - 0.021 s		<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 9:22:21.987 PM // 9:22:22.008 PM /			
To Automate the page of Array			


#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.002 s
2	<p>When The user clicks Try Here button of Array in Python Page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Try here&gt;&gt;&gt;']"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64d2965ff983cc4df1ec193289f27305, findElement {using=xpath, value=//a[text()='Try here&gt;&gt;&gt;']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30222}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30222/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64d2965ff983cc4df1ec193289f27305     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)     at pages.Arrays_PF.clickTryhere(Arrays_PF.java:119)     at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_in_python_page(ds_AlgoArraySteps.java:60)     at ?.The user clicks Try Here button of Array in Python Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:15)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.015 s
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.000 s

## Python Editor page without data





#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.142 s
2	When The user clicks the run button without entering the code in the Editor	PASSED	0.317 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

### User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.126 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.047 s

### Array in Python Page

<div>FAILED</div> <div>DURATION - 0.028 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 9:22:23.710 PM // 9:22:23.738 PM /</div>				
<div>To Automate the page of Array</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array in Python Page	PASSED	0.002 s
2	When The user clicks a Arrays Using List link  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Arrays Using List']"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64d2965ff983cc4df1ec193289f27305, findElement {using=xpath, value=//a[text()='Arrays Using List']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30222}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30222/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64d2965ff983cc4df1ec193289f27305 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)	FAILED	0.021 s

#	Step / Hook Details	Status	Duration
	at pages.Arrays_PF.clickArraysUsingList(Arrays_PF.java:110) at steppDef.ds_AlgoArraySteps.the_user_clicks_a_arrays_using_list_link(ds_AlgoArraySteps.java:82) at ?.The user clicks a Arrays Using List link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:51) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "Arrays Using List" AL page.	SKIPPED	0.001 s



## Array Using List Page

<b>FAILED</b> DURATION - 0.016 s / 9:22:23.748 PM // 9:22:23.764 PM / To Automate the page of Array		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.000 s
2	When The user clicks Try Here button of Array Using List Page  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Try here>>>']"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64d2965ff983cc4df1ec193289f27305, findElement {using=xpath, value=//a[text()='Try here>>>']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30222}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:30222/devtoo..., se.cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64d2965ff983cc4df1ec193289f27305  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)	FAILED	0.014 s



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at pages.Arrays_PF.clickTryhere(Arrays_PF.java:119) at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_using_list_page(ds_AlgoArraySteps.java:98) at ?.The user clicks Try Here button of Array Using List Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:56) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.000 s

### Python Editor page without data

PASSED	DURATION - 0.440 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:22:23.776 PM // 9:22:24.216 PM /				
To Automate the page of Array				



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.134 s
2	When The user clicks the run button without entering the code in the Editor	PASSED	0.302 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.001 s

### User go back to the previous page

<div>PASSED</div>	<div>DURATION - 0.176 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:22:25.337 PM // 9:22:25.513 PM /</div>				
<div>To Automate the page of Array</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.138 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.035 s

### Array Using List Page

<div>FAILED</div> <div>DURATION - 0.042 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 9:22:25.524 PM // 9:22:25.566 PM /</div>				
<div>To Automate the page of Array</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.006 s
2	When The user clicks a Basic Operations in Lists link  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Basic Operations in Lists']"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64d2965ff983cc4df1ec193289f27305, findElement {using=xpath, value=//a[text()='Basic Operations in Lists']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30222}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30222/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:	FAILED	0.026 s

#	Step / Hook Details	Status	Duration
	<pre> true} Session ID: 64d2965ff983cc4df1ec193289f27305   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)   at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)   at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)   at pages.Arrays_PF.clickArraysBasicOp(Arrays_PF.java:113)   at steppDef.ds_AlgoArraySteps.the_user_clicks_a_basic_operations_in_lists_link(ds_AlgoArraySteps.java:103)   at ?.The user clicks a Basic Operations in Lists link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:91) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to "Basic Operations in Lists" BO page.	SKIPPED	0.001 s

### Basic operations in Lists page


<b>FAILED</b> DURATION - 0.017 s / 9:22:25.578 PM // 9:22:25.595 PM / To Automate the page of Array		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.001 s
2	When The user clicks Try Here button of Operations in Lists Page	FAILED	0.014 s




#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Try here&gt;&gt;&gt;"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64d2965ff983cc4df1ec193289f27305, findElement {using=xpath, value=//a[text()='Try here&gt;&gt;&gt;"]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30222}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30222/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64d2965ff983cc4df1ec193289f27305</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)  at pages.Arrays_PF.clickTryhere(Arrays_PF.java:119)  at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_operations_in_lists_page(ds_AlgoArraySteps.java:119)  at ?.The user clicks Try Here button of Operations in Lists Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:96)  * Not displayable characters are replaced by '?'. </p>		
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.001 s

## Python Editor page without data





#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.142 s
2	When The user clicks the run button without entering the code in the Editor	PASSED	0.215 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

### User go back to the previous page



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.137 s
2	When User able to see output in console	PASSED	0.003 s
3	Then User go back to the previous page	PASSED	0.071 s

### Basic operations in Lists page

<div>FAILED</div> <div>DURATION - 0.020 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 9:22:27.341 PM // 9:22:27.361 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.000 s
2	When The user clicks an Applications of Array link  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Applications of Array']"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64d2965ff983cc4df1ec193289f27305, findElement {using=xpath, value=//a[text()='Applications of Array']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30222}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30222/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64d2965ff983cc4df1ec193289f27305 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)	FAILED	0.017 s

#	Step / Hook Details	Status	Duration
	at pages.Arrays_PF.clickArraysApp(Arrays_PF.java:116) at steppDef.ds_AlgoArraySteps.the_user_clicks_an_applications_of_array_link(ds_AlgoArraySteps.java:126) at ?.The user clicks an Applications of Array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:131) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "Applications of Array" AA page.	SKIPPED	0.000 s

### Application of Array page

<b>FAILED</b> DURATION - 0.022 s / 9:22:27.370 PM // 9:22:27.392 PM / To Automate the page of Array		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given The user is on the Applications of Array page	PASSED	0.001 s
2	When The user clicks Practice Questions link  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Practice Questions']"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64d2965ff983cc4df1ec193289f27305, findElement {using=xpath, value=//a[text()='Practice Questions']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30222}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30222/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64d2965ff983cc4df1ec193289f27305  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)	FAILED	0.017 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at pages.Arrays_PF.clickArraysPracticeQuestions(Arrays_PF.java:214) at steppDef.ds_AlgoArraySteps.the_user_clicks_practice_questions_link(ds_AlgoArraySteps.java:149) at ?.The user clicks Practice Questions link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:136) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to practice page having links like "Search the array","Max Consecutive Ones","Find Numbers with Even Number of Digits" ,"Squares of a Sorted Array"	SKIPPED	0.000 s



## Practice Questions page

<b>FAILED</b> DURATION - 0.017 s / 9:22:27.397 PM // 9:22:27.414 PM / To Automate the page of Array		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks search the array link <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Search the array']"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64d2965ff983cc4df1ec193289f27305, findElement {using=xpath, value=//a[text()='Search the array']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30222}, </pre>	FAILED	0.013 s



#	Step / Hook Details	Status	Duration
	<p>networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30222/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64d2965ff983cc4df1ec193289f27305</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)  at pages.Arrays_PF.clickArraysSearch(Arrays_PF.java:217)  at steppDef.ds_AlgoArraySteps.the_user_clicks_search_the_array_link(ds_AlgoArraySteps.java:184)  at ?.The user clicks search the array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:141)</p> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

### Python Editor page without data

PASSED		DURATION - 0.419 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:22:27.427 PM // 9:22:27.846 PM /						
To Automate the page of Array						



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.115 s
2	When The user clicks the run button without entering the code in the Editor	PASSED	0.302 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.001 s

### User go back to the previous page

PASSED	DURATION - 0.183 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:22:28.896 PM // 9:22:29.079 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.144 s
2	When User able to see output in console	PASSED	0.002 s
3	Then User go back to the previous page	PASSED	0.031 s

### Practice Questions page



FAILED		DURATION - 0.034 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 9:22:29.091 PM // 9:22:29.125 PM /						
To Automate the page of Array						

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.002 s
2	When The user clicks Max consecutive ones link	FAILED	0.025 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Max Consecutive Ones']"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info:		

#	Step / Hook Details	Status	Duration
	<p>os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64d2965ff983cc4df1ec193289f27305, findElement {using=xpath, value=//a[text()='Max Consecutive Ones']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30222}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30222/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64d2965ff983cc4df1ec193289f27305</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)  at pages.Arrays_PF.clickArraysMaxConsecutives(Arrays_PF.java:221)  at steppDef.ds_AlgoArraySteps.the_user_clicks_max_consecutive_ones_link(ds_AlgoArraySteps.java:196)  at ?.The user clicks Max consecutive ones link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:176)</p> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s



## Python Editor page without data



<div>PASSED</div> <div>DURATION - 0.416 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:22:29.137 PM // 9:22:29.553 PM /</div>			
<div>To Automate the page of Array</div>			

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.178 s
2	When The user clicks the run button without entering the code in the Editor	PASSED	0.233 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

### User go back to the previous page

<div>PASSED</div>	<div>DURATION - 0.206 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 9:22:30.741 PM // 9:22:30.947 PM /</div>				
<div>To Automate the page of Array</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.138 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.064 s



### Practice Questions page

<div>FAILED</div> <div>DURATION - 0.033 s</div>		<div><table border="1"><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0</td></tr><tr><td>2</td><td>0.03</td></tr><tr><td>3</td><td>0</td></tr></tbody></table></div>	Step	Value	1	0	2	0.03	3	0	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div><div>3</div></div>
Step	Value											
1	0											
2	0.03											
3	0											
/ 9:22:30.973 PM // 9:22:31.006 PM /												
To Automate the page of Array												

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.001 s
2	When The user clicks Find numbers with even number of digits link  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Find Numbers with Even Number of Digits']"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64d2965ff983cc4df1ec193289f27305, findElement {using=xpath, value=//a[text()='Find Numbers with Even Number of Digits']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30222}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30222/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64d2965ff983cc4df1ec193289f27305 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)	FAILED	0.029 s



#	Step / Hook Details	Status	Duration
	at pages.Arrays_PF.clickArraysEvennumbers(Arrays_PF.java:227) at steppDef.ds_AlgoArraySteps.the_user_clicks_find_numbers_with_even_number_of_digits_link(ds_AlgoArraySteps.java:202) at ?.The user clicks Find numbers with even number of digits link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:211) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

### Python Editor page without data

PASSED	DURATION - 0.499 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:22:31.019 PM // 9:22:31.518 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.169 s
2	When The user clicks the run button without entering the code in the Editor	PASSED	0.326 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s



### User go back to the previous page

PASSED		DURATION - 0.232 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:22:32.886 PM // 9:22:33.118 PM /						
To Automate the page of Array						

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.144 s
2	When User able to see output in console	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then User go back to the previous page	PASSED	0.083 s



## Practice Questions page

FAILED	DURATION - 0.025 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 9:22:33.136 PM // 9:22:33.161 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.001 s
2	When The user clicks squared of the sorted array link	FAILED	0.020 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Squares of a Sorted Array']"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64d2965ff983cc4df1ec193289f27305, findElement {using=xpath, value=//a[text()='Squares of a Sorted Array']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30222}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30222/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64d2965ff983cc4df1ec193289f27305</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)            at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)            at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)            at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)            at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)            at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)            at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)            at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)            at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)            at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)            at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)            at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at pages.Arrays_PF.clickArraysSortedSquares(Arrays_PF.java:224) at steppDef.ds_AlgoArraySteps.the_user_clicks_squared_of_the_sorted_array_link(ds_AlgoArraySteps.java:207) at ?.The user clicks squared of the sorted array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:246) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

### Python Editor page without data

PASSED	DURATION - 0.462 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:22:33.177 PM // 9:22:33.639 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.129 s
2	When The user clicks the run button without entering the code in the Editor	PASSED	0.331 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

### User go back to the previous page

PASSED		DURATION - 0.177 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:22:34.712 PM // 9:22:34.889 PM /						
To Automate the page of Array						

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.140 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.035 s