

# Cucumber Report

Dec 2, 2023, 3:00:30 PM

Start : Dec 02, 3:00:27.144 PM

End : Dec 02, 3:00:29.450 PM

Duration : 2.306 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 3  
SKIPPED - 0

PASSED - 0  
FAILED - 62  
SKIPPED - 0


PASSED - 36  
FAILED - 62  
SKIPPED - 105




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>To Automate Introduction page of DS_Algo</u>	0.838 s	5	0	5	0	15	4	5	6
<u>to automate Signin page of DS_Algo</u>	0.103 s	8	0	8	0	25	8	8	9
<u>To Automate the page of Array</u>	1.326 s	49	0	49	0	163	24	49	90

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Browser_page	1	0	1	0	1	0	1	0
@dsIntro	5	0	5	0	1	0	1	0
@Start_page	1	0	1	0	1	0	1	0
@Intro_page	1	0	1	0	1	0	1	0
@Signin_page(link)	1	0	1	0	1	0	1	0
@Signin_page(allBlank)	7	0	7	0	1	0	1	0
@Signin_page(enteronlyusername)	1	0	1	0	1	0	1	0
@Signin_page(enteronlypwd)	1	0	1	0	1	0	1	0
@Signin_page(invalidusernamePwd)	1	0	1	0	1	0	1	0
@Signin_page(validUsernameinvalidPassword)	1	0	1	0	1	0	1	0
@Signin_page(validUsernameInvPwd)	1	0	1	0	1	0	1	0
@Signin_page(valid)	1	0	1	0	1	0	1	0
@HomePage	1	0	1	0	1	0	1	0
@DSPage	1	0	1	0	1	0	1	0
@ComplexityPage	1	0	1	0	1	0	1	0
@PythonEditor_Blank	8	0	8	0	1	0	1	0
@PythonEditor_Invalid	7	0	7	0	1	0	1	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@PythonEditor_Valid	15	0	15	0	1	0	1	0
@PythonEditor_Invalid	1	0	1	0	1	0	1	0
@PracticeQuestions	1	0	1	0	1	0	1	0
@Array_page	1	0	1	0	1	0	1	0
@ArraysInPythonPage	1	0	1	0	1	0	1	0
@PythonEditor	5	0	5	0	1	0	1	0
@ArraysUsingList_page	1	0	1	0	1	0	1	0
@ArraysBasicOperation_page	1	0	1	0	1	0	1	0
@ArraysBasicOperation_Tryhere	1	0	1	0	1	0	1	0
@AppOfArray	1	0	1	0	1	0	1	0
@AppOfArray_4Links	1	0	1	0	1	0	1	0
@PythonEdito	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>To Automate Introduction page of DS_Algo</u>	5	0	5	0	0.838 s
2	<u>to automate Signin page of DS_Algo</u>	8	0	8	0	0.103 s
3	<u>To Automate the page of Array</u>	49	0	49	0	1.326 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To Automate Introduction page of DS_Algo</u>	<u>Browser page</u>	3	0	1	2	0.302 s
2	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Algo Get Started page</u>	3	0	1	2	0.005 s
3	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	1	1	1	0.028 s
4	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	1	1	1	0.005 s
5	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	2	1	0	0.415 s
6	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	4	1	1	2	0.008 s
7	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	1	1	1	0.005 s
8	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	1	1	1	0.004 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	1	1	1	0.003 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	1	1	1	0.004 s
11	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	1	1	1	0.006 s
12	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	1	1	1	0.004 s
13	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	1	1	1	0.005 s
14	<u>To Automate the page of Array</u>	<u>Home Page</u>	3	0	1	2	0.004 s
15	<u>To Automate the page of Array</u>	<u>Data Structure Home page</u>	3	1	1	1	0.005 s
16	<u>To Automate the page of Array</u>	<u>Time Complexity Page</u>	3	2	1	0	0.003 s
17	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.003 s
18	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.467 s
19	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.081 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.063 s
21	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.058 s
22	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.043 s
23	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.043 s
24	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.037 s
25	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.035 s
26	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.004 s
27	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.003 s
28	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.003 s
29	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.005 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
30	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.002 s
31	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.002 s
32	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.004 s
33	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.003 s
34	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.003 s
35	<u>To Automate the page of Array</u>	<u>Time Complexity Page</u>	3	1	1	1	0.003 s
36	<u>To Automate the page of Array</u>	<u>Home Page</u>	3	0	1	2	0.005 s
37	<u>To Automate the page of Array</u>	<u>Array Page</u>	3	1	1	1	0.007 s
38	<u>To Automate the page of Array</u>	<u>Array Page</u>	3	1	1	1	0.003 s
39	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.004 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
40	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.003 s
41	<u>To Automate the page of Array</u>	<u>Array in Python Page</u>	3	1	1	1	0.002 s
42	<u>To Automate the page of Array</u>	<u>Array Using List Page</u>	3	1	1	1	0.003 s
43	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.003 s
44	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.004 s
45	<u>To Automate the page of Array</u>	<u>Array Using List Page</u>	3	1	1	1	0.004 s
46	<u>To Automate the page of Array</u>	<u>Basic operations in Lists page</u>	3	1	1	1	0.004 s
47	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.004 s
48	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.002 s
49	<u>To Automate the page of Array</u>	<u>Basic operations in Lists page</u>	3	1	1	1	0.003 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
50	<u>To Automate the page of Array</u>	<u>Application of Array page</u>	3	1	1	1	0.003 s
51	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.004 s
52	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.002 s
53	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.002 s
54	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.004 s
55	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.002 s
56	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.003 s
57	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.003 s
58	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.003 s
59	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.002 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
60	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.002 s
61	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.003 s
62	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.003 s

## To Automate Introduction page of DS\_Algo

<b>FAILED</b>	DURATION - 0.838 s	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0		Steps Total - 15 Pass - 4 Fail - 5 Skip - 6	
/ 3:00:27.144 PM // 3:00:27.982 PM /					

## Browser page



<div>FAILED</div> <div>DURATION - 0.302 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 3:00:27.149 PM // 3:00:27.451 PM /</div>				
<div>To Automate Introduction page of DS_Algo</div>				
<div>@Browser_page @dsIntro</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given The user should be open the browser</p> <p>org.openqa.selenium.remote.NoSuchDriverException: Unable to obtain: Capabilities {browserName: safari}, error Command failed with code: 65, executed: [--browser, safari, --output, json] safaridriver not available for download Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: driver.version: SafariDriver</p> <p>at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:25)  at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:13)  at org.openqa.selenium.safari.SafariDriver.generateExecutor(SafariDriver.java:95)  at org.openqa.selenium.safari.SafariDriver.&lt;init&gt;(SafariDriver.java:84)  at org.openqa.selenium.safari.SafariDriver.&lt;init&gt;(SafariDriver.java:80)  at org.openqa.selenium.safari.SafariDriver.&lt;init&gt;(SafariDriver.java:57)  at org.openqa.selenium.safari.SafariDriver.&lt;init&gt;(SafariDriver.java:48)  at utilities.BaseClass.setUp(BaseClass.java:50)  at steppDef.ds_AlgoPortalSteps.the_user_should_be_open_the_browser(ds_AlgoPortalSteps.java:39)  at ?.The user should be open the browser(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/01_dsIntro.feature:6)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Command failed with code: 65, executed: [--browser, safari, --output, json] safaridriver not available for download Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: driver.version: SafariDriver</p>	FAILED	0.287 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.manager.SeleniumManager.runCommand(SeleniumManager.java:155) at org.openqa.selenium.manager.SeleniumManager.getDriverPath(SeleniumManager.java:287) at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:22) at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:13) at org.openqa.selenium.safari.SafariDriver.generateExecutor(SafariDriver.java:95) at org.openqa.selenium.safari.SafariDriver.&lt;init&gt;(SafariDriver.java:84) at org.openqa.selenium.safari.SafariDriver.&lt;init&gt;(SafariDriver.java:80) at org.openqa.selenium.safari.SafariDriver.&lt;init&gt;(SafariDriver.java:57) at org.openqa.selenium.safari.SafariDriver.&lt;init&gt;(SafariDriver.java:48) at utilities.BaseClass.setUp(BaseClass.java:50) at steppDef.ds_AlgoPortalSteps.the_user_should_be_open_the_browser(ds_AlgoPortalSteps.java:39) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	When The user enter the DS_Algo Portal <a href="https://dsportalapp.herokuapp.com/">https://dsportalapp.herokuapp.com/</a>	SKIPPED	0.001 s
3	Then The user should landed on the DS_Algo Get Started page with message "You are at the right place"	SKIPPED	0.001 s

## DS Algo Get Started page



<b>FAILED</b>	<b>DURATION - 0.005 s</b>		<b>Steps</b> Total - 3 <b>Pass - 0</b> <b>Fail - 1</b> <b>Skip - 2</b>	
/ 3:00:27.480 PM // 3:00:27.485 PM /				
To Automate Introduction page of DS_Algo				
@dsIntro @Start_page				

#	Step / Hook Details	Status	Duration
1	Given The user should open the DS Algo Portal URL in any supported browser	FAILED	0.001 s
	<pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getTitle()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getTitle(BaseClass.java:68) at steppDef.ds_AlgoPortalSteps.the_user_should_open_the_ds_algo_portal_url_in_any_supported_browser(ds_AlgoPortalSteps.java:63) </pre>		



#	Step / Hook Details	Status	Duration
	at ?.The user should open the DS Algo Portal URL in any supported browser(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/01_dsIntro.feature:16) * Not displayable characters are replaced by '?'. 2 When The user clicks the Get Started button		
2	When The user clicks the Get Started button	SKIPPED	0.000 s
3	Then The user should land in Data Structure Introduction Page with "Register" and "Sign in" links	SKIPPED	0.000 s

## DS Introduction page

FAILED		DURATION - 0.028 s			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1			
/ 3:00:27.502 PM // 3:00:27.530 PM /								
To Automate Introduction page of DS_Algo								
@Intro_page @dsIntro								

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.024 s
2	When The user clicks the data structure dropdown arrow  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source) at pages.DSIntro_PF.clickDSDropdown(DSIntro_PF.java:40) at steppDef.ds_AlgoPortalSteps.the_user_clicks_the_data_structure_dropdown_arrow(ds_AlgoPortalSteps.java:101) at ?.The user clicks the data structure dropdown arrow(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/01_dsIntro.feature:23) * Not displayable characters are replaced by '?'. 3 Then The user should able to see 6 options Arrays "Linked,List,Stack,Queue,Tree,Graph" in dropdown menu	FAILED	0.002 s
3	Then The user should able to see 6 options Arrays "Linked,List,Stack,Queue,Tree,Graph" in dropdown menu	SKIPPED	0.001 s

## DS Introduction page

<b>FAILED</b>	<b>DURATION - 0.005 s</b>		<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 3:00:27.546 PM // 3:00:27.551 PM /				
To Automate Introduction page of DS_Algo				
@dsIntro				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.002 s
2	When The user selects any data structures item from the drop down without Sign in.  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source) at pages.DSIntro_PF.clickLinkedListDropdown(DSIntro_PF.java:32) at steppDef.ds_AlgoPortalSteps.the_user_selects_any_data_structures_item_from_the_drop_down_without_sign_in(ds_AlgoPortalSteps.java:117) at ?.The user selects any data structures item from the drop down without Sign in.(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/01_dsIntro.feature:28) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then The user should able to see an warning message "You are not logged in"	SKIPPED	0.002 s



### DS Introduction page

<b>FAILED</b>	<b>DURATION - 0.415 s</b>		<b>Steps</b> Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:00:27.567 PM // 3:00:27.982 PM /				
To Automate Introduction page of DS_Algo				
@dsIntro				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.002 s

#	Step / Hook Details	Status	Duration
2	When The user clicks any "Get Started" buttons of data structures on the DS Introduction page	PASSED	0.409 s
3	Then The user should able to see an warning message "You are not logged in"	FAILED	0.002 s
	<pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy28.getText(Unknown Source)     at pages.DSIntro_PF.getTxtAlertMsg(DSIntro_PF.java:35)     at steppDef.ds_AlgoPortalSteps.the_user_should_able_to_see_an_warning_message(ds_AlgoPortalSteps.java:123)     at ?.The user should able to see an warning message "You are not logged in"(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/01_dsIntro.feature:34)     * Not displayable characters are replaced by '?'. </pre>		

### to automate Signin page of DS\_Algo

FAILED	DURATION - 0.103 s	Scenarios		Steps	
/ 3:00:28.004 PM // 3:00:28.107 PM /		Total - 8		Total - 25	
		Pass - 0	8	Pass - 8	25
		Fail - 8		Fail - 8	
		Skip - 0		Skip - 9	



### DS Algo Introduction Page

FAILED	DURATION - 0.008 s		Steps	
/ 3:00:28.004 PM // 3:00:28.012 PM /			Total - 4	
to automate Signin page of DS_Algo			Pass - 1	
@Signin_page(link)			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.003 s
2	When The user should click the Sign in link	FAILED	0.002 s
	<pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this." </pre>		



#	Step / Hook Details	Status	Duration
	<pre>searchContext" is null   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)   at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source)   at pages.DSIntro_PF.clickSignin(DSIntro_PF.java:66)   at steppDef.ds_AlgoSigninSteps.the_user_should_click_the_sign_in_link(ds_AlgoSigninSteps.java:31)   at ?.The user should click the Sign in link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:8)   * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to Sign in page	SKIPPED	0.000 s
4	And The user is able to see "Register!" link below the text boxes	SKIPPED	0.000 s

### DS Algo Introduction Page

FAILED		DURATION - 0.005 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:00:28.024 PM // 3:00:28.029 PM /						
to automate Signin page of DS_Algo						
@Signin_page(allBlank)						



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after leaving the "" textbox and "" textbox blank <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)   at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source)   at pages.Signin_PF.ClickLogin(Signin_PF.java:75)   at steppDef.ds_AlgoSigninSteps.the_user_clicks_login_button_after_leaving_the_textbox_and_textbox_blank(ds_AlgoSigninSteps.java:65)   at ?.The user clicks login button after leaving the "" textbox and "" textbox blank(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:14)   * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
3	Then The error message "Please fill out this field." appears below Username textbox	SKIPPED	0.000 s

## DS Algo Introduction Page

FAILED	DURATION - 0.004 s		<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 3:00:28.039 PM // 3:00:28.043 PM /				
to automate Signin page of DS_Algo				
@Signin_page(enteronlyusername) @Signin_page(allBlank)				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.000 s
2	When The user clicks login button after entering the "Trioteamchallengers" and leaves "" textbox blank <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy2.sendKeys(Unknown Source)     at pages.Signin_PF.validUsernameAndBlankPassword(Signin_PF.java:58)     at steppDef.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_the_and_leaves_textbox_blank(ds_AlgoSigninSteps.java:71)     at ?.The user clicks login button after entering the "Trioteamchallengers" and leaves "" textbox blank(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:23)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then The error message "Please fill out this field." appears below Pwd textbox	SKIPPED	0.000 s

## DS Algo Introduction Page

<div>FAILED</div>	<div>DURATION - 0.003 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:00:28.052 PM // 3:00:28.055 PM /				
to automate Signin page of DS_Algo				
@Signin_page(enteronlypwd) @Signin_page(allBlank)				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering the "ds@qateam334h" only.  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.clear(Unknown Source) at pages.Signin_PF.enterPwdonly(Signin_PF.java:36) at steppDef.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_the_only(ds_AlgoSigninSteps.java:105) at ?.The user clicks login button after entering the "ds@qateam334h" only.(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:32) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then The error message "Please fill out this field." appears below Username textbox	SKIPPED	0.000 s



### DS Algo Introduction Page

<b>FAILED</b> DURATION - 0.004 s / 3:00:28.062 PM // 3:00:28.066 PM / to automate Signin page of DS_Algo @Signin_page(allBlank) @Signin_page(invalidusernamePwd)		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering invalid "teamchallengers" and invalid "ds@qateam334h"  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.sendKeys(Unknown Source) at pages.Signin_PF.invalidUsernamePwd(Signin_PF.java:48) at steppDef.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_invalid_and_invalid(ds_AlgoSigninSteps.java:92) at ?.The user clicks login button after entering invalid "teamchallengers" and invalid "ds@qateam334h"(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:41) * Not displayable characters are replaced by '?'.	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
3	Then The user should able to see an error message "Invalid Username and Password".	SKIPPED	0.000 s

### DS Algo Introduction Page

<div>FAILED</div> <div>DURATION - 0.006 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:00:28.074 PM // 3:00:28.080 PM /				
to automate Signin page of DS_Algo				
@Signin_page(allBlank) @Signin_page(validUsernameinvalidPassword)				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid ""  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy2.sendKeys(Unknown Source) at pages.Signin_PF.validUsernameAndInvalidPassword(Signin_PF.java:53) at steppDef.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_valid_and_invalid(ds_AlgoSigninSteps.java:55) at ?.The user clicks login button after entering valid "Trioteamchallengers" and invalid ""(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:50) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
3	Then The user should able to see an error message "Invalid Username and Password".	SKIPPED	0.000 s

### DS Algo Introduction Page

FAILED	DURATION - 0.004 s		<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 3:00:28.089 PM // 3:00:28.093 PM /				
to automate Signin page of DS_Algo				
@Signin_page(allBlank) @Signin_page(validUsernameInvPwd)				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid "ds@qateam334h"  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.sendKeys(Unknown Source) at pages.Signin_PF.validUsernameAndInvalidPassword(Signin_PF.java:53) at steppDef.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_valid_and_invalid(ds_AlgoSigninSteps.java:55) at ?.The user clicks login button after entering valid "Trioteamchallengers" and invalid "ds@qateam334h"(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:59) * Not displayable characters are replaced by '?'.	FAILED	0.000 s
3	Then The error message "Please fill out this field." appears below Username textbox	SKIPPED	0.000 s

### DS Algo Introduction Page



FAILED	DURATION - 0.005 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 3:00:28.102 PM // 3:00:28.107 PM /				
to automate Signin page of DS_Algo				
@Signin_page(allBlank) @Signin_page(valid)				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.000 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and valid "triothebest@123"  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.sendKeys(Unknown Source) at pages.Signin_PF.validUsernameAndBlankPassword(Signin_PF.java:58) at steppDef.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_valid_and_valid(ds_AlgoSigninSteps.java:122) at ?.The user clicks login button after entering valid "Trioteamchallengers" and valid "triothebest@123"(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:68) * Not displayable characters are replaced by '?'.	FAILED	0.002 s





#	Step / Hook Details	Status	Duration
3	Then The user should land in Data Structure Home Page with "You are logged in" message	SKIPPED	0.000 s

## To Automate the page of Array

FAILED	DURATION - 1.326 s	Scenarios Total - 49 Pass - 0 Fail - 49 Skip - 0		Steps Total - 163 Pass - 24 Fail - 49 Skip - 90	
/ 3:00:28.124 PM // 3:00:29.450 PM /					

## Home Page

FAILED	DURATION - 0.004 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 3:00:28.124 PM // 3:00:28.128 PM /				
To Automate the page of Array				
@HomePage				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getCurrentUrl()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getCurrentUrl(BaseClass.java:65) at steppDef.ds_AlgoPortalSteps.the_user_is_on_the_ds_algo_home_page(ds_AlgoPortalSteps.java:335) at ?.The user is on the DS Algo Home Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:5) * Not displayable characters are replaced by '?'.  	FAILED	0.002 s
2	When The user clicks Get Started button below the Data structures-Introduction	SKIPPED	0.001 s
3	Then The user should land in "Data Structures-Introduction" DS page	SKIPPED	0.000 s

## Data Structure Home page

<b>FAILED</b>	DURATION - 0.005 s		<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 3:00:28.139 PM // 3:00:28.144 PM /				
To Automate the page of Array				
@DSPage				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Data Structure Introduction Page	PASSED	0.002 s
2	When The user clicks Time Complexity link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source) at pages.DataStructureIntro_PF.ClickDStimeComplexity(DataStructureIntro_PF.java:27) at steppDef.ds_AlgoDataStructInt.the_user_clicks_time_complexity_link(ds_AlgoDataStructInt.java:43) at ?.The user clicks Time Complexity link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:12) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then The user should be redirected to "Time Complexity" TC page	SKIPPED	0.000 s



### Time Complexity Page

<b>FAILED</b>	DURATION - 0.003 s		<b>Steps</b> Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:00:28.152 PM // 3:00:28.155 PM /				
To Automate the page of Array				
@ComplexityPage				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.001 s
2	When The user clicks Try Here button of Time Complexity page	PASSED	0.001 s



#	Step / Hook Details	Status	Duration
3	Then The user should be redirected to a page having an Python Editor	FAILED	0.000 s
	<pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getCurrentUrl()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getCurrentUrl(BaseClass.java:65) at steppDef.ds_AlgoDataStructInt.the_user_should_be_redirected_to_a_page_having_an_python_editor(ds_AlgoDataStructInt.java:81) at ?.The user should be redirected to a page having an Python Editor(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:19) * Not displayable characters are replaced by '?'. </pre>		

### Python Editor page without data

FAILED		DURATION - 0.003 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 3:00:28.162 PM // 3:00:28.165 PM /					
To Automate the page of Array					
@PythonEditor_Blank					



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	FAILED	0.002 s
	<pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:23) * Not displayable characters are replaced by '?'. </pre>		
2	When The user clicks the run button without entering the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

### Python Editor page with Invalid data

<div>FAILED</div> <div>DURATION - 0.467 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 3:00:28.172 PM // 3:00:28.639 PM /				
To Automate the page of Array				
@PythonEditor_Invalid				

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:30) * Not displayable characters are replaced by '?'.	FAILED	0.465 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data

<div>FAILED</div> <div>DURATION - 0.081 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 3:00:28.763 PM // 3:00:28.844 PM /</div>				
<div>To Automate the page of Array</div>				
<div>@PythonEditor_Valid @PythonEditor_Invalid</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy28.isDisplayed(Unknown Source)     at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71)     at steppDef.ds_AlgoTryEditorSteps.     enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85)     at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:30)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.079 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s



### Python Editor page with Invalid data

<b>FAILED</b> DURATION - 0.063 s / 3:00:28.903 PM // 3:00:28.966 PM / To Automate the page of Array @PythonEditor_Valid @PythonEditor_Invalid		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy28.isDisplayed(Unknown Source)     at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) </pre>	FAILED	0.061 s



#	Step / Hook Details	Status	Duration
	at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:75) * Not displayable characters are replaced by '?'.		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.001 s

### Python Editor page with Invalid data

<b>FAILED</b>		DURATION - 0.058 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 3:00:29.027 PM // 3:00:29.085 PM /						
To Automate the page of Array						
@PythonEditor_Valid @PythonEditor_Invalid						



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:120) * Not displayable characters are replaced by '?'.	FAILED	0.056 s
3	When The User clicks a run button	SKIPPED	0.001 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data

<div>FAILED</div> <div>DURATION - 0.043 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 3:00:29.157 PM // 3:00:29.200 PM /				
To Automate the page of Array				
@PythonEditor_Valid @PythonEditor_Invalid				

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:171) * Not displayable characters are replaced by '?'.	FAILED	0.041 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data

<b>FAILED</b>		DURATION - 0.043 s			<b>Steps</b> Total - 4 Pass - 1 Fail - 1 Skip - 2		
/ 3:00:29.237 PM // 3:00:29.280 PM /							
To Automate the page of Array							
@PythonEditor_Valid @PythonEditor_Invalid							

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy28.isDisplayed(Unknown Source)     at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71)     at steppDef.ds_AlgoTryEditorSteps.     enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85)     at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:210)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.041 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data



<b>FAILED</b> DURATION - 0.037 s / 3:00:29.326 PM // 3:00:29.363 PM / To Automate the page of Array @PythonEditor_Valid @PythonEditor_Invalid		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy28.isDisplayed(Unknown Source)     at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) </pre>	FAILED	0.035 s





#	Step / Hook Details	Status	Duration
	at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:249) * Not displayable characters are replaced by '?'.		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data

FAILED		DURATION - 0.035 s			Steps Total - 4 Pass - 1 Fail - 1 Skip - 2			
/ 3:00:29.397 PM // 3:00:29.432 PM /								
To Automate the page of Array								
@PythonEditor_Inalid @PythonEditor_Valid								



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:288) * Not displayable characters are replaced by '?'.	FAILED	0.033 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with valid data

FAILED	DURATION - 0.004 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 3:00:28.649 PM // 3:00:28.653 PM /				
To Automate the page of Array				
@PythonEditor_Valid				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:40) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s



### Python Editor page with valid data

<div>FAILED</div> <div>DURATION - 0.003 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 3:00:28.852 PM // 3:00:28.855 PM /</div>				
<div>To Automate the page of Array</div>				
<div>@PythonEditor_Valid</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62)	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:40) * Not displayable characters are replaced by '?'.		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data

<b>FAILED</b> DURATION - 0.003 s / 3:00:28.973 PM // 3:00:28.976 PM / To Automate the page of Array @PythonEditor_Valid		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
---	--	--	---



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:85) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.001 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data

<div>FAILED</div> <div>DURATION - 0.005 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 3:00:29.092 PM // 3:00:29.097 PM /				
To Automate the page of Array				
@PythonEditor_Valid				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:130) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.001 s
4	Then output should be displayed on the console	SKIPPED	0.000 s



### Python Editor page with valid data

<div>FAILED</div> <div>DURATION - 0.002 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 3:00:29.205 PM // 3:00:29.207 PM /				
To Automate the page of Array				
@PythonEditor_Valid				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62)	FAILED	0.000 s



#	Step / Hook Details	Status	Duration
	at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:181) * Not displayable characters are replaced by '?'.		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data

<div>FAILED</div> <div>DURATION - 0.002 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 3:00:29.286 PM // 3:00:29.288 PM /				
To Automate the page of Array				
@PythonEditor_Valid				



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:220) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data

<div>FAILED</div> <div>DURATION - 0.004 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 3:00:29.367 PM // 3:00:29.371 PM /				
To Automate the page of Array				
@PythonEditor_Valid				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:259) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s



### Python Editor page with valid data

<div>FAILED</div> <div>DURATION - 0.003 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 3:00:29.438 PM // 3:00:29.441 PM /				
To Automate the page of Array				
@PythonEditor_Valid				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62)	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:298) * Not displayable characters are replaced by '?'.		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.001 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### User go back to the previous page

FAILED		DURATION - 0.003 s			Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 3:00:28.659 PM // 3:00:28.662 PM /						
To Automate the page of Array						



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:50) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

### Time Complexity Page

<div>FAILED</div> <div>DURATION - 0.003 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:00:28.670 PM // 3:00:28.673 PM /				
To Automate the page of Array				
@PracticeQuestions				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.000 s
2	When The user clicks Practice Questions link of DS <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy2.click(Unknown Source)     at pages.DataStructureIntro_PF.clickPracticeQuestions(DataStructureIntro_PF.java:22)     at steppDef.ds_AlgoDataStructInt.the_user_clicks_practice_questions_link_of_ds(ds_AlgoDataStructInt.java:67)     at ?.The user clicks Practice Questions link of DS(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:57)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then The user does not find any practice problems and the page is null	SKIPPED	0.000 s

## Home Page



<div>FAILED</div> <div>DURATION - 0.005 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 3:00:28.707 PM // 3:00:28.712 PM /				
To Automate the page of Array				
@Array_page				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getCurrentUrl()" because "utilities.BaseClass.driver" is null </pre>	FAILED	0.002 s





#	Step / Hook Details	Status	Duration
	at utilities.BaseClass.getCurrentUrl(BaseClass.java:65) at steppDef.ds_AlgoPortalSteps.the_user_is_on_the_ds_algo_home_page(ds_AlgoPortalSteps.java:335) at ?.The user is on the DS Algo Home Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:5) * Not displayable characters are replaced by '?'.		
2	When The user clicks "Get Started" button below the array	SKIPPED	0.000 s
3	Then The user should be redirected to "Array" page	SKIPPED	0.000 s

## Array Page

<div>FAILED</div> <div>DURATION - 0.007 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:00:28.720 PM // 3:00:28.727 PM /				
To Automate the page of Array				
@ArraysInPythonPage				



#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.004 s
2	When The user clicks a Arrays in Python link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source) at pages.Arrays_PF.clickArraysInPython(Arrays_PF.java:108) at steppDef.ds_AlgoArraySteps.the_user_clicks_a_arrays_in_python_link(ds_AlgoArraySteps.java:43) at ?.The user clicks a Arrays in Python link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:12) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
3	Then The user should be redirected to "Arrays in Python" AP Page	SKIPPED	0.000 s

## Array Page

<div>FAILED</div> <div>DURATION - 0.003 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:00:28.740 PM // 3:00:28.743 PM /				
To Automate the page of Array				
@PythonEditor				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.001 s
2	When The user clicks Try Here button of Array in Python Page <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source)     at pages.Arrays_PF.clickTryhere(Arrays_PF.java:120)     at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_in_python_page(ds_AlgoArraySteps.java:63)     at ?.The user clicks Try Here button of Array in Python Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:18)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.001 s



### Python Editor page without data

<div>FAILED</div> <div>DURATION - 0.004 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 3:00:28.751 PM // 3:00:28.755 PM /				
To Automate the page of Array				
@PythonEditor_Blank				

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null </pre>	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:23) * Not displayable characters are replaced by '?'.		
2	When The user clicks the run button without entering the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.001 s

### User go back to the previous page

<div>FAILED</div> <div>DURATION - 0.003 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 3:00:28.861 PM // 3:00:28.864 PM /				
To Automate the page of Array				



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:50) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.001 s

### Array in Python Page

<div>FAILED</div> <div>DURATION - 0.002 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 3:00:28.871 PM // 3:00:28.873 PM /</div>				
<div>To Automate the page of Array</div>				
<div>@ArraysUsingList_page</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array in Python Page	PASSED	0.001 s
2	When The user clicks a Arrays Using List link <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source)     at pages.Arrays_PF.clickArraysUsingList(Arrays_PF.java:111)     at steppDef.ds_AlgoArraySteps.the_user_clicks_a_arrays_using_list_link(ds_AlgoArraySteps.java:87)     at ?.The user clicks a Arrays Using List link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:57)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then The user should be redirected to "Arrays Using List" AL page.	SKIPPED	0.000 s

### Array Using List Page

<div>FAILED</div> <div>DURATION - 0.003 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
<div>/ 3:00:28.883 PM // 3:00:28.886 PM /</div>			
<div>To Automate the page of Array</div>			
<div>@PythonEditor</div>			

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.001 s
2	When The user clicks Try Here button of Array Using List Page	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	<pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source)     at pages.Arrays_PF.clickTryhere(Arrays_PF.java:120)     at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_using_list_page(ds_AlgoArraySteps.java:104)     at ?.The user clicks Try Here button of Array Using List Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:63)     * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.000 s

### Python Editor page without data

<b>FAILED</b> DURATION - 0.003 s / 3:00:28.893 PM // 3:00:28.896 PM / To Automate the page of Array @PythonEditor_Blank		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	--



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null     at utilities.BaseClass.openPage(BaseClass.java:62)     at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55)     at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:68)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
2	When The user clicks the run button without entering the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

### User go back to the previous page

<div>FAILED</div> <div>DURATION - 0.004 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 3:00:28.984 PM // 3:00:28.988 PM /</div>				
<div>To Automate the page of Array</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:95) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	When User able to see output in console	SKIPPED	0.001 s
3	Then User go back to the previous page	SKIPPED	0.000 s

### Array Using List Page

<div>FAILED</div> <div>DURATION - 0.004 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 3:00:28.995 PM // 3:00:28.999 PM /</div>				
<div>To Automate the page of Array</div>				
<div>@ArraysBasicOperation_page</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.001 s
2	When The user clicks a Basic Operations in Lists link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source) at pages.Arrays_PF.clickArraysBasicOp(Arrays_PF.java:114) at steppDef.ds_AlgoArraySteps.the_user_clicks_a_basic_operations_in_lists_link(ds_AlgoArraySteps.java:110) at ?.The user clicks a Basic Operations in Lists link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:102) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "Basic Operations in Lists" BO page.	SKIPPED	0.001 s

### Basic operations in Lists page

<b>FAILED</b> DURATION - 0.004 s / 3:00:29.005 PM // 3:00:29.009 PM / To Automate the page of Array @ArraysBasicOperation_Tryhere		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	--



#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.000 s
2	When The user clicks Try Here button of Operations in Lists Page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source) at pages.Arrays_PF.clickTryhere(Arrays_PF.java:120) at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_operations_in_lists_page(ds_AlgoArraySteps.java:128) at ?.The user clicks Try Here button of Operations in Lists Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:108) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.000 s

### Python Editor page without data

<div>FAILED</div> <div>DURATION - 0.004 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 3:00:29.016 PM // 3:00:29.020 PM /				
To Automate the page of Array				
@PythonEditor_Blank				

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:113) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
2	When The user clicks the run button without entering the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

### User go back to the previous page



<div>FAILED</div> <div>DURATION - 0.002 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 3:00:29.104 PM // 3:00:29.106 PM /</div>				
<div>To Automate the page of Array</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:140) * Not displayable characters are replaced by '?'.	FAILED	0.001 s





#	Step / Hook Details	Status	Duration
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

### Basic operations in Lists page

<div>FAILED</div> <div>DURATION - 0.003 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 3:00:29.114 PM // 3:00:29.117 PM /				
To Automate the page of Array				
@AppOfArray				



#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.000 s
2	When The user clicks an Applications of Array link <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source)     at pages.Arrays_PF.clickArraysApp(Arrays_PF.java:117)     at steppDef.ds_AlgoArraySteps.the_user_clicks_an_applications_of_array_link(ds_AlgoArraySteps.java:136)     at ?.The user clicks an Applications of Array link(file:///C:/Users/engg/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:147)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then The user should be redirected to "Applications of Array" AA page.	SKIPPED	0.000 s

### Application of Array page

<div>FAILED</div> <div>DURATION - 0.003 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:00:29.125 PM // 3:00:29.128 PM /				
To Automate the page of Array				
@AppOfArray_4Links				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Applications of Array page	PASSED	0.001 s
2	When The user clicks Practice Questions link <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source)     at pages.Arrays_PF.clickArraysPracticeQuestions(Arrays_PF.java:215)     at steppDef.ds_AlgoArraySteps.the_user_clicks_practice_questions_link(ds_AlgoArraySteps.java:163)     at ?.The user clicks Practice Questions link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:153)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then The user should be redirected to practice page having links like "Search the array","Max Consecutive Ones","Find Numbers with Even Number of Digits" ,"Squares of a Sorted Array"	SKIPPED	0.000 s



### Practice Questions page

<div>FAILED</div> <div>DURATION - 0.004 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:00:29.136 PM // 3:00:29.140 PM /				
To Automate the page of Array				
@PythonEditor				

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
2	<p>When The user clicks search the array link</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source)     at pages.Arrays_PF.clickArraysSearch(Arrays_PF.java:218)     at steppDef.ds_AlgoArraySteps.the_user_clicks_search_the_array_link(ds_AlgoArraySteps.java:190)     at ?.The user clicks search the array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:159)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

### Python Editor page without data

<b>FAILED</b> DURATION - 0.002 s / 3:00:29.147 PM // 3:00:29.149 PM / To Automate the page of Array @PythonEditor_Blank		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	---



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on tryEditor page</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null     at utilities.BaseClass.openPage(BaseClass.java:62)     at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55)     at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:164)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.000 s
2	When The user clicks the run button without entering the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

### User go back to the previous page

<div>FAILED</div> <div>DURATION - 0.002 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 3:00:29.211 PM // 3:00:29.213 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:191) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s



### Practice Questions page

<div>FAILED</div> <div>DURATION - 0.004 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
<div>/ 3:00:29.218 PM // 3:00:29.222 PM /</div>			
<div>To Automate the page of Array</div>			
<div>@PythonEditor</div>			

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks Max consecutive ones link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.NavBack(BaseClass.java:74) at steppDef.ds_AlgoArraySteps.the_user_clicks_max_consecutive_ones_link(ds_AlgoArraySteps.java:203) at ?.The user clicks Max consecutive ones link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	feature:198) * Not displayable characters are replaced by '?'. Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons		
3		SKIPPED	0.001 s

### Python Editor page without data

<div>FAILED</div> <div>DURATION - 0.002 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 3:00:29.228 PM // 3:00:29.230 PM /				
To Automate the page of Array				
@PythonEditor_Blank				



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:203) * Not displayable characters are replaced by '?'. When The user clicks the run button without entering the code in the Editor	FAILED	0.000 s
2		SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

### User go back to the previous page

<div>FAILED</div> <div>DURATION - 0.003 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 3:00:29.300 PM // 3:00:29.303 PM /				
To Automate the page of Array				



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:230) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

### Practice Questions page

FAILED		DURATION - 0.003 s			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 3:00:29.309 PM // 3:00:29.312 PM /						
To Automate the page of Array						
@PythonEditor						



#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks Find numbers with even number of digits link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.NavBack(BaseClass.java:74) at steppDef.ds_AlgoArraySteps.the_user_clicks_find_numbers_with_even_number_of_digits_link(ds_AlgoArraySteps.java:210) at ?.The user clicks Find numbers with even number of digits link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:237) * Not displayable characters are replaced by '?'. 	FAILED	0.000 s
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

### Python Editor page without data

<div>FAILED</div>	<div>DURATION - 0.003 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
<div>/ 3:00:29.318 PM // 3:00:29.321 PM /</div>				
<div>To Automate the page of Array</div>				
<div>@PythonEditor_Blank</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:242) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	When The user clicks the run button without entering the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s



### User go back to the previous page

<div>FAILED</div> <div>DURATION - 0.002 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 3:00:29.376 PM // 3:00:29.378 PM /</div>				
<div>To Automate the page of Array</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:269) * Not displayable characters are replaced by '?'.	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

### Practice Questions page

<div>FAILED</div> <div>DURATION - 0.002 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:00:29.382 PM // 3:00:29.384 PM /				
To Automate the page of Array				
@PythonEdito				

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks squared of the sorted array link  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.NavBack(BaseClass.java:74) at steppDef.ds_AlgoArraySteps.the_user_clicks_squared_of_the_sorted_array_link(ds_AlgoArraySteps.java:216) at ?.The user clicks squared of the sorted array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:276) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s



### Python Editor page without data

<div>FAILED</div> <div>DURATION - 0.003 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 3:00:29.390 PM // 3:00:29.393 PM /				
To Automate the page of Array				
@PythonEditor_Blank				



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:281) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	When The user clicks the run button without entering the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

### User go back to the previous page

FAILED		DURATION - 0.003 s			Steps Total - 3 Pass - 0 Fail - 1 Skip - 2			
/ 3:00:29.447 PM // 3:00:29.450 PM /								
To Automate the page of Array								

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:308) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s