

# Cucumber Report

Dec 1, 2023, 11:24:42 PM

**Start : Dec 01, 11:24:34.726 PM**

**End : Dec 01, 11:24:41.799 PM**

**Duration : 7.073 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 2**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 16**



**FAILED - 46**

**SKIPPED - 0**

**PASSED - 71**

**FAILED - 46**


**SKIPPED - 86**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>To Automate Introduction page of DS_Algo</u>	3.172 s	5	5	0	0	15	15	0	0
<u>to automate Signin page of DS_Algo</u>	1.792 s	8	8	0	0	25	25	0	0
<u>To Automate the page of Array</u>	2.054 s	49	3	46	0	163	31	46	86

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Browser_page	1	1	0	0	1	1	0	0
@dsIntro	5	5	0	0	1	1	0	0
@Start_page	1	1	0	0	1	1	0	0
@Intro_page	1	1	0	0	1	1	0	0
@Signin_page(link)	1	1	0	0	1	1	0	0
@Signin_page(allBlank)	7	7	0	0	1	1	0	0
@Signin_page(enteronlyusername)	1	1	0	0	1	1	0	0
@Signin_page(enteronlypwd)	1	1	0	0	1	1	0	0
@Signin_page(invalidusernamePwd)	1	1	0	0	1	1	0	0
@Signin_page(validUsernameinvalidPassword)	1	1	0	0	1	1	0	0
@Signin_page(validUsernameInvPwd)	1	1	0	0	1	1	0	0
@Signin_page(valid)	1	1	0	0	1	1	0	0
@HomePage	1	1	0	0	1	0	1	0
@DSPage	1	1	0	0	1	0	1	0
@ComplexityPage	1	1	0	0	1	0	1	0
@PythonEditor_Blank	8	0	8	0	1	0	1	0
@PythonEditor_Invalid	7	0	7	0	1	0	1	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@PythonEditor_Valid	15	0	15	0	1	0	1	0
@PythonEditor_Invalid	1	0	1	0	1	0	1	0
@PracticeQuestions	1	0	1	0	1	0	1	0
@Array_page	1	0	1	0	1	0	1	0
@ArraysInPythonPage	1	0	1	0	1	0	1	0
@PythonEditor	5	0	5	0	1	0	1	0
@ArraysUsingList_page	1	0	1	0	1	0	1	0
@ArraysBasicOperation_page	1	0	1	0	1	0	1	0
@ArraysBasicOperation_Tryhere	1	0	1	0	1	0	1	0
@AppOfArray	1	0	1	0	1	0	1	0
@AppOfArray_4Links	1	0	1	0	1	0	1	0
@PythonEdito	1	0	1	0	1	0	1	0




#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>To Automate Introduction page of DS_Algo</u>	5	5	0	0	3.172 s
2	<u>to automate Signin page of DS_Algo</u>	8	8	0	0	1.792 s
3	<u>To Automate the page of Array</u>	49	3	46	0	2.054 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To Automate Introduction page of DS_Algo</u>	<u>Browser page</u>	3	3	0	0	2.413 s
2	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Algo Get Started page</u>	3	3	0	0	0.359 s
3	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	3	0	0	0.086 s
4	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	3	0	0	0.213 s
5	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	3	0	0	0.019 s
6	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	4	4	0	0	0.146 s
7	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.100 s
8	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.190 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.123 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.289 s
11	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.120 s
12	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.304 s
13	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	3	0	0	0.438 s
14	<u>To Automate the page of Array</u>	<u>Home Page</u>	3	3	0	0	0.180 s
15	<u>To Automate the page of Array</u>	<u>Data Structure Home page</u>	3	3	0	0	0.169 s
16	<u>To Automate the page of Array</u>	<u>Time Complexity Page</u>	3	3	0	0	0.008 s
17	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	1	1	1	0.164 s
18	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.475 s
19	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.067 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.056 s
21	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.053 s
22	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.042 s
23	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.042 s
24	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.050 s
25	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.038 s
26	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.007 s
27	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.008 s
28	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.006 s
29	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.006 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
30	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.005 s
31	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.006 s
32	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.005 s
33	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.008 s
34	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.008 s
35	<u>To Automate the page of Array</u>	<u>Time Complexity Page</u>	3	1	1	1	0.008 s
36	<u>To Automate the page of Array</u>	<u>Home Page</u>	3	0	1	2	0.008 s
37	<u>To Automate the page of Array</u>	<u>Array Page</u>	3	1	1	1	0.013 s
38	<u>To Automate the page of Array</u>	<u>Array Page</u>	3	1	1	1	0.008 s
39	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.007 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
40	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.006 s
41	<u>To Automate the page of Array</u>	<u>Array in Python Page</u>	3	1	1	1	0.007 s
42	<u>To Automate the page of Array</u>	<u>Array Using List Page</u>	3	1	1	1	0.010 s
43	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.012 s
44	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.005 s
45	<u>To Automate the page of Array</u>	<u>Array Using List Page</u>	3	1	1	1	0.009 s
46	<u>To Automate the page of Array</u>	<u>Basic operations in Lists page</u>	3	1	1	1	0.008 s
47	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.006 s
48	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.006 s
49	<u>To Automate the page of Array</u>	<u>Basic operations in Lists page</u>	3	1	1	1	0.006 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
50	<u>To Automate the page of Array</u>	<u>Application of Array page</u>	3	1	1	1	0.006 s
51	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.005 s
52	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.006 s
53	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.006 s
54	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.007 s
55	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.008 s
56	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.006 s
57	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.008 s
58	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.007 s
59	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.009 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
60	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.006 s
61	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.010 s
62	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.005 s

## To Automate Introduction page of DS\_Algo



<b>PASSED</b>	<b>DURATION - 3.172 s</b>	Scenarios		Steps	
/ 11:24:34.726 PM // 11:24:37.898 PM /		Total - 5		Total - 15	
		Pass - 5		Pass - 15	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Browser page

<div>PASSED</div> <div>DURATION - 2.413 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 11:24:34.730 PM // 11:24:37.143 PM /				
To Automate Introduction page of DS_Algo				
@Browser_page @dsIntro				



#	Step / Hook Details	Status	Duration
1	Given The user should be open the browser	PASSED	2.090 s
2	When The user enter the DS_Algo Portal <a href="https://dsportalapp.herokuapp.com/">https://dsportalapp.herokuapp.com/</a>	PASSED	0.234 s
3	Then The user should landed on the DS_Algo Get Started page with message "You are at the right place"	PASSED	0.072 s

## DS Algo Get Started page

<div>PASSED</div> <div>DURATION - 0.359 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:24:37.169 PM // 11:24:37.528 PM /				
To Automate Introduction page of DS_Algo				
@dsIntro @Start_page				



#	Step / Hook Details	Status	Duration
1	Given The user should open the DS Algo Portal URL in any supported browser	PASSED	0.013 s
2	When The user clicks the Get Started button	PASSED	0.286 s
3	Then The user should land in Data Structure Introduction Page with "Register" and "Sign in" links	PASSED	0.057 s

### DS Introduction page

PASSED	DURATION - 0.086 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:24:37.546 PM // 11:24:37.632 PM /				
To Automate Introduction page of DS_Algo				
@Intro_page @dsIntro				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.005 s
2	When The user clicks the data structure dropdown arrow	PASSED	0.046 s
3	Then The user should able to see 6 options Arrays "Linked,List,Stack,Queue,Tree,Graph" in dropdown menu	PASSED	0.033 s

### DS Introduction page

PASSED	DURATION - 0.213 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:24:37.650 PM // 11:24:37.863 PM /				
To Automate Introduction page of DS_Algo				
@dsIntro				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.001 s
2	When The user selects any data structures item from the drop down without Sign in.	PASSED	0.181 s
3	Then The user should able to see an warning message "You are not logged in"	PASSED	0.028 s

**DS Introduction page**



<div>PASSED</div>	<div>DURATION - 0.019 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:24:37.879 PM // 11:24:37.898 PM /</div>				
<div>To Automate Introduction page of DS_Algo</div>				
<div>@dsIntro</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.002 s
2	When The user clicks any "Get Started" buttons of data structures on the DS Introduction page	PASSED	0.001 s
3	Then The user should able to see an warning message "You are not logged in"	PASSED	0.016 s

**to automate Signin page of DS\_Algo**

<div>PASSED</div>	<div>DURATION - 1.792 s</div>	<div>Scenarios</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 25</div> <div>Pass - 25</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:24:37.940 PM // 11:24:39.732 PM /</div>					



**DS Algo Introduction Page**

<div>PASSED</div>	<div>DURATION - 0.146 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 11:24:37.940 PM // 11:24:38.086 PM /				
to automate Signin page of DS_Algo				
@Signin_page(link)				





#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.003 s
2	When The user should click the Sign in link	PASSED	0.107 s
3	Then The user should be redirected to Sign in page	PASSED	0.014 s
4	And The user is able to see "Register!" link below the text boxes	PASSED	0.021 s

### DS Algo Introduction Page

PASSED	DURATION - 0.100 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:24:38.095 PM // 11:24:38.195 PM /				
to automate Signin page of DS_Algo				
@Signin_page(allBlank)				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.000 s
2	When The user clicks login button after leaving the "" textbox and "" textbox blank	PASSED	0.049 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.048 s

### DS Algo Introduction Page

PASSED	DURATION - 0.190 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:24:38.208 PM // 11:24:38.398 PM /				
to automate Signin page of DS_Algo				
@Signin_page(enteronlyusername) @Signin_page(allBlank)				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.002 s
2	When The user clicks login button after entering the "Trioteamchallengers" and leaves "" textbox blank	PASSED	0.150 s
3	Then The error message "Please fill out this field." appears below Pwd textbox	PASSED	0.037 s

## DS Algo Introduction Page

<div>PASSED</div>	<div>DURATION - 0.123 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 11:24:38.413 PM // 11:24:38.536 PM /				
to automate Signin page of DS_Algo				
@Signin_page(enteronlypwd) @Signin_page(allBlank)				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.000 s
2	When The user clicks login button after entering the "ds@qateam334h" only.	PASSED	0.102 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.017 s

## DS Algo Introduction Page

<b>PASSED</b>	<i>DURATION - 0.289 s</i>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:24:38.546 PM // 11:24:38.835 PM /				
to automate Signin page of DS_Algo				
@Signin_page(allBlank) @Signin_page(invalidusernamePwd)				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering invalid "teamchallengers" and invalid "ds@qateam334h"	PASSED	0.265 s
3	Then The user should able to see an error message "Invalid Username and Password".	PASSED	0.021 s

## DS Algo Introduction Page

<div>PASSED</div>	<div>DURATION - 0.120 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 11:24:38.846 PM // 11:24:38.966 PM /				
to automate Signin page of DS_Algo				
<div>@Signin_page(allBlank)</div> <div>@Signin_page(validUsernameinvalidPassword)</div>				


#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.000 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid ""	PASSED	0.101 s
3	Then The user should able to see an error message "Invalid Username and Password".	PASSED	0.013 s

### DS Algo Introduction Page

<div>PASSED</div> <div>DURATION - 0.304 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:24:38.977 PM // 11:24:39.281 PM /</div>			
<div>to automate Signin page of DS_Algo</div>			
<div>@Signin_page(allBlank)</div> <div>@Signin_page(validUsernameInvPwd)</div>			


#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid "ds@qateam334h"	PASSED	0.275 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.025 s

### DS Algo Introduction Page




#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.000 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and valid "triothebest@123"	PASSED	0.399 s
3	Then The user should land in Data Structure Home Page with "You are logged in" message	PASSED	0.037 s

### To Automate the page of Array





### Home Page



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page	PASSED	0.008 s
2	When The user clicks Get Started button below the Data structures-Introduction	PASSED	0.140 s



#	Step / Hook Details	Status	Duration
3	Then The user should land in "Data Structures-Introduction" DS page	PASSED	0.032 s

### Data Structure Home page

PASSED	DURATION - 0.169 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:24:39.931 PM // 11:24:40.100 PM /				
To Automate the page of Array				
@DSPage				



#	Step / Hook Details	Status	Duration
1	Given The user is on the Data Structure Introduction Page	PASSED	0.000 s
2	When The user clicks Time Complexity link	PASSED	0.144 s
3	Then The user should be redirected to "Time Complexity" TC page	PASSED	0.023 s

### Time Complexity Page

PASSED	DURATION - 0.008 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:24:40.110 PM // 11:24:40.118 PM /				
To Automate the page of Array				
@ComplexityPage				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.001 s
2	When The user clicks Try Here button of Time Complexity page	PASSED	0.000 s
3	Then The user should be redirected to a page having an Python Editor	PASSED	0.006 s



### Python Editor page without data

<div>FAILED</div> <div>DURATION - 0.164 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 11:24:40.129 PM // 11:24:40.293 PM /				
To Automate the page of Array				
@PythonEditor_Blank				

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.140 s
2	When The user clicks the run button without entering the code in the Editor  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source) at pages.DSTryhere_PF.blankEditor(DSTryhere_PF.java:81)	FAILED	0.019 s

#	Step / Hook Details	Status	Duration
	at steppDef.ds_AlgoTryEditorSteps.the_user_clicks_the_run_button_without_entring_the_code_in_the_editor(ds_AlgoTryEditorSteps.java:61) at ?.The user clicks the run button without entering the code in the Editor(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:24) * Not displayable characters are replaced by '?'.		
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.002 s



### Python Editor page with Invalid data

<b>FAILED</b> <b>DURATION - 0.475 s</b> / 11:24:40.316 PM // 11:24:40.791 PM / To Automate the page of Array @PythonEditor_Invalid		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.009 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)	FAILED	0.460 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85)   at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and   row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:30) * Not displayable characters are replaced by '?'. </pre>		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data



<b>FAILED</b>	DURATION - 0.067 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 11:24:40.939 PM // 11:24:41.006 PM /				
To Automate the page of Array				
@PythonEditor_Valid @PythonEditor_Invalid				

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div/div[5]/div/pre}} </pre>	FAILED	0.065 s



#	Step / Hook Details	Status	Duration
	<p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source)  at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71)  at steppDef.ds_AlgoTryEditorSteps.  enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85)  at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:30)  * Not displayable characters are replaced by '?'.</p>		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s



## Python Editor page with Invalid data

<div>FAILED</div> <div>DURATION - 0.056 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 11:24:41.104 PM // 11:24:41.160 PM /				
To Automate the page of Array				
@PythonEditor_Valid @PythonEditor_Invalid				

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	<p>And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source)</p>	FAILED	0.053 s

#	Step / Hook Details	Status	Duration
	at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:75) * Not displayable characters are replaced by '?'.		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data

FAILED		DURATION - 0.053 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 11:24:41.246 PM // 11:24:41.299 PM /						
To Automate the page of Array						
@PythonEditor_Valid @PythonEditor_Invalid						

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	0.050 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85)   at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and   row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:120) * Not displayable characters are replaced by '?'. </pre>		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s



### Python Editor page with Invalid data

<b>FAILED</b> DURATION - 0.042 s / 11:24:41.395 PM // 11:24:41.437 PM / To Automate the page of Array @PythonEditor_Valid @PythonEditor_Invalid		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	FAILED	0.040 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found		

#	Step / Hook Details	Status	Duration
	<p>(Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source)  at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71)  at steppDef.ds_AlgoTryEditorSteps.  enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85)  at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:171)  * Not displayable characters are replaced by '?'. </p>		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s



## Python Editor page with Invalid data

FAILED	DURATION - 0.042 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 11:24:41.499 PM // 11:24:41.541 PM /				
To Automate the page of Array				
@PythonEditor_Valid @PythonEditor_Invalid				

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.002 s
2	<p>And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source)</p>	FAILED	0.037 s

#	Step / Hook Details	Status	Duration
	at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:210) * Not displayable characters are replaced by '?'.		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.002 s

### Python Editor page with Invalid data



<b>FAILED</b> DURATION - 0.050 s / 11:24:41.612 PM // 11:24:41.662 PM / To Automate the page of Array @PythonEditor_Valid @PythonEditor_Invalid		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	0.048 s



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85)   at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and   row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:249) * Not displayable characters are replaced by '?'. </pre>		
3	When The User clicks a run button	SKIPPED	0.001 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

### Python Editor page with Invalid data



<b>FAILED</b> DURATION - 0.038 s			<b>Steps</b> Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 11:24:41.735 PM // 11:24:41.773 PM /				
To Automate the page of Array				
@PythonEditor_Inalid @PythonEditor_Valid				

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	FAILED	0.035 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found		



#	Step / Hook Details	Status	Duration
	<p>(Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy31.isDisplayed(Unknown Source)  at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71)  at steppDef.ds_AlgoTryEditorSteps.  enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85)  at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:288)  * Not displayable characters are replaced by '?'. </p>		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s



**Python Editor page with valid data**

<div>FAILED</div> <div>DURATION - 0.007 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 11:24:40.802 PM // 11:24:40.809 PM /				
To Automate the page of Array				
@PythonEditor_Valid				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the tryEditor page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:52252/devtoo..., se.cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309)  at utilities.BaseClass.openPage(BaseClass.java:59)  at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18)  at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:40)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.005 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.001 s
3	When User clicks a run button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	Then output should be displayed on the console	SKIPPED	0.000 s



### Python Editor page with valid data

FAILED	DURATION - 0.008 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 11:24:41.014 PM // 11:24:41.022 PM /				
To Automate the page of Array				
@PythonEditor_Valid				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the tryEditor page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309)  at utilities.BaseClass.openPage(BaseClass.java:59)  at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18)  at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:40)</p>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
2	When User clicks a run button	SKIPPED	0.000 s
3	Then output should be displayed on the console	SKIPPED	0.000 s
4			



### Python Editor page with valid data

<b>FAILED</b> DURATION - 0.006 s / 11:24:41.171 PM // 11:24:41.177 PM / To Automate the page of Array @PythonEditor_Valid		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:52252/devtoo..., se.cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:59) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:85) * Not displayable characters are replaced by '?'. </pre>		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.001 s
4	Then output should be displayed on the console	SKIPPED	0.000 s



### Python Editor page with valid data

<b>FAILED</b> DURATION - 0.006 s / 11:24:41.308 PM // 11:24:41.314 PM / To Automate the page of Array @PythonEditor_Valid		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:52252/devtoo..., se.cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:59) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:130) * Not displayable characters are replaced by '?'. </pre>		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s



### Python Editor page with valid data

<b>FAILED</b>	DURATION - 0.005 s		<b>Steps</b> Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 11:24:41.444 PM // 11:24:41.449 PM /				
To Automate the page of Array				
@PythonEditor_Valid				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the tryEditor page</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:52252/devtoo..., se.cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:59) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:181) * Not displayable characters are replaced by '?'.		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

### Python Editor page with valid data



<b>FAILED</b> DURATION - 0.006 s / 11:24:41.548 PM // 11:24:41.554 PM / To Automate the page of Array @PythonEditor_Valid		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
---	---	--	---

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch:	FAILED	0.004 s



#	Step / Hook Details	Status	Duration
	<p>'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309)  at utilities.BaseClass.openPage(BaseClass.java:59)  at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18)  at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:220)</p> <p>* Not displayable characters are replaced by '?'.  </p>		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.001 s



### Python Editor page with valid data

<b>FAILED</b> DURATION - 0.005 s / 11:24:41.674 PM // 11:24:41.679 PM / To Automate the page of Array @PythonEditor_Valid		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
---	--	--	---



#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the tryEditor page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309)  at utilities.BaseClass.openPage(BaseClass.java:59)  at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18)  at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:259)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.003 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.001 s



## Python Editor page with valid data

<div>FAILED</div> <div>DURATION - 0.008 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 11:24:41.779 PM // 11:24:41.787 PM /				
To Automate the page of Array				
@PythonEditor_Valid				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is on the tryEditor page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:52252/devtoo..., se.cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309)  at utilities.BaseClass.openPage(BaseClass.java:59)  at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18)  at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:298)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.004 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	Then output should be displayed on the console	SKIPPED	0.000 s

### User go back to the previous page

FAILED		DURATION - 0.008 s			Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 11:24:40.817 PM // 11:24:40.825 PM /						
To Automate the page of Array						

#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309)     at utilities.BaseClass.openPage(BaseClass.java:59)     at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109)     at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/</pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	04_dsDataStructInt.feature:50) * Not displayable characters are replaced by '?'. 2 When User able to see output in console		
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s



## Time Complexity Page

FAILED	DURATION - 0.008 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 11:24:40.836 PM // 11:24:40.844 PM /				
To Automate the page of Array				
@PracticeQuestions				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.001 s
2	When The user clicks Practice Questions link of DS  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, findElement {using=xpath, value=//*[@id="content"]}/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.DataStructureIntro_PF.clickPracticeQuestions(DataStructureIntro_PF.java:22) at steppDef.ds_AlgoDataStructInt.the_user_clicks_practice_questions_link_of_ds(ds_AlgoDataStructInt.java:67) at ?.The user clicks Practice Questions link of DS(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:57) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user does not find any practice problems and the page is null	SKIPPED	0.000 s



## Home Page

<b>FAILED</b> DURATION - 0.008 s / 11:24:40.862 PM // 11:24:40.870 PM / To Automate the page of Array @Array_page		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, getCurrentUrl {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getCurrentUrl(RemoteWebDriver.java:321) at utilities.BaseClass.getCurrentUrl(BaseClass.java:62) at steppDef.ds_AlgoPortalSteps.the_user_is_on_the_ds_algo_home_page(ds_AlgoPortalSteps.java:335) at ?.The user is on the DS Algo Home Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:5) * Not displayable characters are replaced by '?'. </pre>		
2	When The user clicks "Get Started" button below the array	SKIPPED	0.000 s
3	Then The user should be redirected to "Array" page	SKIPPED	0.000 s

## Array Page

FAILED	DURATION - 0.013 s		<b>Steps</b> Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 11:24:40.879 PM // 11:24:40.892 PM /				
To Automate the page of Array				
@ArraysInPythonPage				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.003 s
2	When The user clicks a Arrays in Python link	FAILED	0.008 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, findElement {using=xpath, value=//a[text()="Arrays in Python"]}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, </pre>		

#	Step / Hook Details	Status	Duration
	<p>networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source)  at pages.Arrays_PF.clickArraysInPython(Arrays_PF.java:108)  at steppDef.ds_AlgoArraySteps.the_user_clicks_a_arrays_in_python_link(ds_AlgoArraySteps.java:43)  at ?.The user clicks a Arrays in Python link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:12)</p> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then The user should be redirected to "Arrays in Python" AP Page	SKIPPED	0.001 s

## Array Page



<b>FAILED</b> DURATION - 0.008 s / 11:24:40.903 PM // 11:24:40.911 PM / To Automate the page of Array @PythonEditor		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	--



#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.001 s
2	<p>When The user clicks Try Here button of Array in Python Page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, findElement {using=xpath, value=//a[text()="Try here&gt;&gt;&gt;"]}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source)     at pages.Arrays_PF.clickTryhere(Arrays_PF.java:120)     at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_in_python_page(ds_AlgoArraySteps.java:63)     at ?.The user clicks Try Here button of Array in Python Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/ 05_dsArray.feature:18)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.005 s
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.001 s



## Python Editor page without data



<div>FAILED</div> <div>DURATION - 0.007 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 11:24:40.921 PM // 11:24:40.928 PM /				
To Automate the page of Array				
@PythonEditor_Blank				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is on tryEditor page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:52252/devtoo..., se.cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309)  at utilities.BaseClass.openPage(BaseClass.java:59)  at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55)  at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:23)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.005 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s



## User go back to the previous page

<b>FAILED</b>	<b>DURATION - 0.006 s</b>		<b>Steps</b> Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 11:24:41.035 PM // 11:24:41.041 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:52252/devtoo..., se.cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309)  at utilities.BaseClass.openPage(BaseClass.java:59)  at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109)  at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:50)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.004 s
2	When User able to see output in console	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then User go back to the previous page	SKIPPED	0.000 s



## Array in Python Page

<div>FAILED</div> <div>DURATION - 0.007 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 11:24:41.048 PM // 11:24:41.055 PM /				
To Automate the page of Array				
@ArraysUsingList_page				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array in Python Page	PASSED	0.000 s
2	When The user clicks a Arrays Using List link	FAILED	0.005 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, findElement {using=xpath, value=//a[text()="Arrays Using List"]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.Arrays_PF.clickArraysUsingList(Arrays_PF.java:111) at steppDef.ds_AlgoArraySteps.the_user_clicks_a_arrays_using_list_link(ds_AlgoArraySteps.java:87) at ?.The user clicks a Arrays Using List link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:57) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to "Arrays Using List" AL page.	SKIPPED	0.001 s



### Array Using List Page

<b>FAILED</b> DURATION - 0.010 s / 11:24:41.064 PM // 11:24:41.074 PM / To Automate the page of Array @PythonEditor		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.000 s
2	When The user clicks Try Here button of Array Using List Page <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, findElement {using=xpath, value=//a[text()="Try here&gt;&gt;&gt;"]}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) </pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.Arrays_PF.clickTryhere(Arrays_PF.java:120) at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_using_list_page(ds_AlgoArraySteps.java:104) at ?.The user clicks Try Here button of Array Using List Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:63) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.000 s

### Python Editor page without data

<b>FAILED</b>	DURATION - 0.012 s		<b>Steps</b> Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 11:24:41.082 PM // 11:24:41.094 PM /				
To Automate the page of Array				
@PythonEditor_Blank				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is on tryEditor page</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: </pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<p>C:\Users\enggn\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309)  at utilities.BaseClass.openPage(BaseClass.java:59)  at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55)  at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:68)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

### User go back to the previous page

<b>FAILED</b> DURATION - 0.005 s / 11:24:41.186 PM // 11:24:41.191 PM / To Automate the page of Array		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch:	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<p>'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309)  at utilities.BaseClass.openPage(BaseClass.java:59)  at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109)  at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:95)  * Not displayable characters are replaced by '?'. </p>		
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

## Array Using List Page



<b>FAILED</b> DURATION - 0.009 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 11:24:41.198 PM // 11:24:41.207 PM /			
To Automate the page of Array			
@ArraysBasicOperation_page			



#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.000 s
2	<p>When The user clicks a Basic Operations in Lists link</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, findElement {using=xpath, value=//a[text()="Basic Operations in Lists"]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)     at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source)     at pages.Arrays_PF.clickArraysBasicOp(Arrays_PF.java:114)     at steppDef.ds_AlgoArraySteps.the_user_clicks_a_basic_operations_in_lists_link(ds_AlgoArraySteps.java:110)     at ?.The user clicks a Basic Operations in Lists link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/ 05_dsArray.feature:102)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.004 s
3	Then The user should be redirected to "Basic Operations in Lists" BO page.	SKIPPED	0.000 s

## Basic operations in Lists page





<div>FAILED</div> <div>DURATION - 0.008 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 11:24:41.215 PM // 11:24:41.223 PM /				
To Automate the page of Array				
@ArraysBasicOperation_Tryhere				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.000 s
2	When The user clicks Try Here button of Operations in Lists Page  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, findElement {using=xpath, value=//a[text()="Try here>>>"]}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.Arrays_PF.clickTryhere(Arrays_PF.java:120)	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_operations_in_lists_page(ds_AlgoArraySteps.java:128) at ?.The user clicks Try Here button of Operations in Lists Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:108) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.001 s



### Python Editor page without data

<b>FAILED</b> DURATION - 0.006 s / 11:24:41.232 PM // 11:24:41.238 PM / To Automate the page of Array @PythonEditor_Blank		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:59) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:113) * Not displayable characters are replaced by '?'.		
2	When The user clicks the run button without entering the code in the Editor	SKIPPED	0.001 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s



### User go back to the previous page

<div>FAILED</div> <div>DURATION - 0.006 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 11:24:41.323 PM // 11:24:41.329 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:59) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:140) * Not displayable characters are replaced by '?'. </pre>		
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s



### Basic operations in Lists page

<div>FAILED</div> <div>DURATION - 0.006 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 11:24:41.340 PM // 11:24:41.346 PM /				
To Automate the page of Array				
@AppOfArray				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.000 s
2	When The user clicks an Applications of Array link <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, findElement {using=xpath, value=//a[text()="Applications of Array"]}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.Arrays_PF.clickArraysApp(Arrays_PF.java:117) at steppDef.ds_AlgoArraySteps.the_user_clicks_an_applications_of_array_link(ds_AlgoArraySteps.java:136) at ?.The user clicks an Applications of Array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:147) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to "Applications of Array" AA page.	SKIPPED	0.000 s



### Application of Array page

<div>FAILED</div> <div>DURATION - 0.006 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 11:24:41.354 PM // 11:24:41.360 PM /				
To Automate the page of Array				
@AppOfArray_4Links				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Applications of Array page	PASSED	0.002 s
2	When The user clicks Practice Questions link	FAILED	0.003 s
	<pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: </pre>		

#	Step / Hook Details	Status	Duration
	<p>[85a753a8575762e52a8a589d6bc7c3f9, findElement {using=xpath, value=//a[text()='Practice Questions']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source)  at pages.Arrays_PF.clickArraysPracticeQuestions(Arrays_PF.java:215)  at steppDef.ds_AlgoArraySteps.the_user_clicks_practice_questions_link(ds_AlgoArraySteps.java:163)  at ?.The user clicks Practice Questions link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:153)  * Not displayable characters are replaced by '?'. </p>		
3	Then The user should be redirected to practice page having links like "Search the array","Max Consecutive Ones","Find Numbers with Even Number of Digits" ,"Squares of a Sorted Array"	SKIPPED	0.001 s

## Practice Questions page



<div>FAILED</div> <div>DURATION - 0.005 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 11:24:41.369 PM // 11:24:41.374 PM /				
To Automate the page of Array				
@PythonEditor				

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks search the array link  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, findElement {using=xpath, value=//a[text()="Search the array"]}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy31.click(Unknown Source) at pages.Arrays_PF.clickArraysSearch(Arrays_PF.java:218)	FAILED	0.003 s



#	Step / Hook Details	Status	Duration
	at steppDef.ds_AlgoArraySteps.the_user_clicks_search_the_array_link(ds_AlgoArraySteps.java:190) at ?.The user clicks search the array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:159) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.001 s

### Python Editor page without data



<b>FAILED</b> DURATION - 0.006 s / 11:24:41.381 PM // 11:24:41.387 PM / To Automate the page of Array @PythonEditor_Blank		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)	FAILED	0.004 s



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:59) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:164) * Not displayable characters are replaced by '?'.		
2	When The user clicks the run button without entering the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s



### User go back to the previous page

<div>FAILED</div> <div>DURATION - 0.006 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 11:24:41.456 PM // 11:24:41.462 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:59) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:191) * Not displayable characters are replaced by '?'. </pre>		
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s



## Practice Questions page

<b>FAILED</b> DURATION - 0.007 s / 11:24:41.469 PM // 11:24:41.476 PM / To Automate the page of Array @PythonEditor		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks Max consecutive ones link <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, goBack {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) </pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.back(RemoteWebDriver.java:1142) at utilities.BaseClass.NavBack(BaseClass.java:71) at steppDef.ds_AlgoArraySteps.the_user_clicks_max_consecutive_ones_link(ds_AlgoArraySteps.java:203) at ?.The user clicks Max consecutive ones link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:198) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s



### Python Editor page without data

<b>FAILED</b> DURATION - 0.008 s / 11:24:41.483 PM // 11:24:41.491 PM / To Automate the page of Array @PythonEditor_Blank		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	---	--	--

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: </pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<p>85a753a8575762e52a8a589d6bc7c3f9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309)  at utilities.BaseClass.openPage(BaseClass.java:59)  at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55)  at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:203)</p> <p>* Not displayable characters are replaced by '?'.  </p>		
2	When The user clicks the run button without entering the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

### User go back to the previous page

<b>FAILED</b> DURATION - 0.006 s / 11:24:41.560 PM // 11:24:41.566 PM / To Automate the page of Array		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
--	---	--	--

#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo...,</p>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)   at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309)   at utilities.BaseClass.openPage(BaseClass.java:59)   at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109)   at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray. feature:230) * Not displayable characters are replaced by '?'. </pre>		
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s



## Practice Questions page

<b>FAILED</b> DURATION - 0.008 s / 11:24:41.579 PM // 11:24:41.587 PM / To Automate the page of Array @PythonEditor		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks Find numbers with even number of digits link <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: </pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<p>'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, goBack {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)  at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.back(RemoteWebDriver.java:1142)  at utilities.BaseClass.NavBack(BaseClass.java:71)  at steppDef.ds_AlgoArraySteps.the_user_clicks_find_numbers_with_even_number_of_digits_link(ds_AlgoArraySteps.java:210)  at ?.The user clicks Find numbers with even number of digits link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:237)</p> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.001 s

### Python Editor page without data

<b>FAILED</b> DURATION - 0.007 s / 11:24:41.595 PM // 11:24:41.602 PM / To Automate the page of Array @PythonEditor_Blank		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	<p>Given The user is on tryEditor page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309)  at utilities.BaseClass.openPage(BaseClass.java:59)  at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55)  at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:242)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.004 s
2	When The user clicks the run button without entering the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

### User go back to the previous page



<b>FAILED</b> DURATION - 0.009 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 11:24:41.686 PM // 11:24:41.695 PM /			
To Automate the page of Array			



#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309)  at utilities.BaseClass.openPage(BaseClass.java:59)  at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109)  at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:269)  * Not displayable characters are replaced by '?'. </p>	FAILED	0.006 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s



## Practice Questions page



<div>FAILED</div> <div>DURATION - 0.006 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 11:24:41.703 PM // 11:24:41.709 PM /				
To Automate the page of Array				
@PythonEdito				



#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks squared of the sorted array link  org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, goBack {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\lenggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52252/devtoo..., se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.back(RemoteWebDriver.java:1142) at utilities.BaseClass.NavBack(BaseClass.java:71) at steppDef.ds_AlgoArraySteps.the_user_clicks_squared_of_the_sorted_array_link(ds_AlgoArraySteps.java:216) at ?.The user clicks squared of the sorted array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:276) * Not displayable characters are replaced by '?'.	FAILED	0.004 s
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

## Python Editor page without data

<b>FAILED</b>	<b>DURATION - 0.010 s</b>		<b>Steps</b> Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 11:24:41.715 PM // 11:24:41.725 PM /				
To Automate the page of Array				
@PythonEditor_Blank				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is on tryEditor page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:52252/devtoo..., se.cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309)  at utilities.BaseClass.openPage(BaseClass.java:59)  at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55)  at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:281)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.009 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

## User go back to the previous page

<b>FAILED</b>	<b>DURATION - 0.005 s</b>		<b>Steps</b> Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 11:24:41.794 PM // 11:24:41.799 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	<p>Given The user is already on tryEditor page</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85a753a8575762e52a8a589d6bc7c3f9, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52252}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:52252/devtoo..., se.cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85a753a8575762e52a8a589d6bc7c3f9</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309)  at utilities.BaseClass.openPage(BaseClass.java:59)  at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109)  at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:308)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.004 s
2	When User able to see output in console	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then User go back to the previous page	SKIPPED	0.000 s