Cucumber Report

| Start : Nov 30, 10:48:12.328 AM | End : Nov 30, 10:48:38.870 AM | Duration : 26.542 s |

| Features | Scenarios | Steps |

PASSED - 2	PASSED - 19	PASSED - 76
FAILED - 1	FAILED - 15	FAILED - 15
SKIPPED - 0	SKIPPED - 0	SKIPPED - 14

Features: 3

Scenarios: 34

Steps: 105

Pass % — 66 %

Pass % — 55 %

Pass % — 72 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
To Automate Introduction page of DS_Algo	*9.009 s*	5	5	0	0	15	15	0	0
to automate Signin page of DS_Algo	*4.782 s*	8	8	0	0	25	25	0	0
To Automate the page of Array	*12.635 s*	21	6	15	0	65	36	15	14

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Start_page	1	1	0	0	1	1	0	0
@Intro_page	1	1	0	0	1	1	0	0
@Signin_page(link)	1	1	0	0	1	1	0	0
@Signin_page(allBlank)	7	7	0	0	1	1	0	0
@Signin_page(enteronlyusername)	1	1	0	0	1	1	0	0
@Signin_page(enteronlypwd)	1	1	0	0	1	1	0	0
@Signin_page(invalidusernamePwd)	1	1	0	0	1	1	0	0
@Signin_page(validUsernameinvalidPassword)	1	1	0	0	1	1	0	0
@Signin_page(validUsernameInvPwd)	1	1	0	0	1	1	0	0
@Signin_page(valid)	1	1	0	0	1	1	0	0
@HomePage	1	1	0	0	1	0	1	0
@DSPage	1	1	0	0	1	0	1	0
@ComplexityPage	1	1	0	0	1	0	1	0
@PracticePage	1	0	1	0	1	0	1	0
@pythonEditor	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	To Automate Introduction page of DS_Algo	5	5	0	0	9.009 s
2	to automate Signin page of DS_Algo	8	8	0	0	4.782 s
3	To Automate the page of Array	21	6	15	0	12.635 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Automate Introduction page of DS_Algo	Browser page	3	3	0	0	6.808 s
2	To Automate Introduction page of DS_Algo	DS Algo Get Started page	3	3	0	0	1.210 s
3	To Automate Introduction page of DS_Algo	DS Introduction page	3	3	0	0	0.216 s
4	To Automate Introduction page of DS_Algo	DS Introduction page	3	3	0	0	0.427 s
5	To Automate Introduction page of DS_Algo	DS Introduction page	3	3	0	0	0.097 s
6	to automate Signin page of DS_Algo	DS Algo Introduction Page	4	4	0	0	0.385 s
7	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.328 s
8	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.585 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.491 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
10	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.636 s
11	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.373 s
12	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.989 s
13	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.728 s
14	To Automate the page of Array	Home Page	3	3	0	0	0.414 s
15	To Automate the page of Array	Data Structure Home page	3	3	0	0	0.396 s
16	To Automate the page of Array	Time Complexity Page	3	3	0	0	0.020 s
17	To Automate the page of Array	Python Editor page without data	3	3	0	0	1.107 s
18	To Automate the page of Array	Python Editor page with Invalid data	4	3	1	0	5.433 s
19	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	1.806 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
20	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.447 s
21	To Automate the page of Array	Time Complexity Page	3	1	1	1	0.237 s
22	To Automate the page of Array	Home Page	3	1	1	1	0.065 s
23	To Automate the page of Array	Array Page	3	1	1	1	0.038 s
24	To Automate the page of Array	Array Page	3	1	1	1	0.026 s
25	To Automate the page of Array	Array in Python Page	3	1	1	1	0.230 s
26	To Automate the page of Array	Array Using List Page	3	1	1	1	0.067 s
27	To Automate the page of Array	Array Using List Page	3	1	1	1	0.258 s
28	To Automate the page of Array	Basic operations in Lists page	3	1	1	1	0.153 s
29	To Automate the page of Array	Basic operations in Lists page	3	1	1	1	0.252 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
30	To Automate the page of Array	Application of Array page	3	1	1	1	0.215 s
31	To Automate the page of Array	Practice Questions page	3	1	1	1	0.037 s
32	To Automate the page of Array	Practice Questions page	3	1	1	1	0.281 s
33	To Automate the page of Array	Practice Questions page	3	1	1	1	0.159 s
34	To Automate the page of Array	Practice Questions page	3	1	1	1	0.499 s

To Automate Introduction page of DS_Algo

PASSED	*DURATION - 9.009 s*	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0	5	Steps Total - 15 Pass - 15 Fail - 0 Skip - 0	15
	/ 10:48:12.328 AM // 10:48:21.337 AM /				

Browser page

PASSED	*DURATION - 6.808 s*		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
	/ 10:48:12.334 AM // 10:48:19.142 AM /			
	To Automate Introduction page of DS_Algo			

#	Step / Hook Details	Status	Duration
1	Given The user should be open the browser	PASSED	5.942 s
2	When The user enter the DS_Algo Portal https://dsportalapp.herokuapp.com/	PASSED	0.487 s
3	Then The user should landed on the DS_Algo Get Started page with message "You are at the right place"	PASSED	0.339 s

DS Algo Get Started page

PASSED	*DURATION - 1.210 s*		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
	/ 10:48:19.246 AM // 10:48:20.456 AM /			
	To Automate Introduction page of DS_Algo			
	@Start_page			

#	Step / Hook Details	Status	Duration
1	Given The user should open the DS Algo Portal URL in any supported browser	PASSED	0.075 s
2	When The user clicks the Get Started button	PASSED	0.869 s
3	Then The user should land in Data Structure Introduction Page with "Register" and "Sign in" links	PASSED	0.229 s

DS Introduction page

PASSED	DURATION - 0.216 s		Steps
/ 10:48:20.505 AM // 10:48:20.721 AM /			Total - 3
To Automate Introduction page of DS_Algo			Pass - 3 / Fail - 0 / Skip - 0
@Intro_page			

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.050 s
2	When The user clicks the data structure dropdown arrow	PASSED	0.084 s
3	Then The user should able to see 6 options Arrays "Linked,List,Stack,Queue,Tree,Graph" in dropdown menu	PASSED	0.076 s

DS Introduction page

PASSED	DURATION - 0.427 s		Steps
/ 10:48:20.768 AM // 10:48:21.195 AM /			Total - 3
To Automate Introduction page of DS_Algo			Pass - 3 / Fail - 0 / Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.004 s
2	When The user selects any data structures item from the drop down without Sign in.	PASSED	0.335 s
3	Then The user should able to see an warning message "You are not logged in"	PASSED	0.076 s

DS Introduction page

PASSED	DURATION - 0.097 s		Steps
/ 10:48:21.240 AM // 10:48:21.337 AM /			Total - 3
			Pass - 3
To Automate Introduction page of DS_Algo			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.026 s
2	When The user clicks any "Get Started" buttons of data structures on the DS Introduction page	PASSED	0.002 s
3	Then The user should able to see an warning message "You are not logged in"	PASSED	0.056 s

to automate Signin page of DS_Algo

PASSED	DURATION - 4.782 s	Scenarios		Steps	
/ 10:48:21.416 AM // 10:48:26.198 AM /		Total - 8		Total - 25	
		Pass - 8		Pass - 25	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

DS Algo Introduction Page

PASSED	DURATION - 0.385 s		Steps
/ 10:48:21.416 AM // 10:48:21.801 AM /			Total - 4
			Pass - 4
to automate Signin page of DS_Algo			Fail - 0
			Skip - 0
@Signin_page(link)			

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.009 s
2	When The user should click the Sign in link	PASSED	0.297 s
3	Then The user should be redirected to Sign in page	PASSED	0.009 s
4	And The user is able to see "Register!" link below the text boxes	PASSED	0.061 s

DS Algo Introduction Page

PASSED	DURATION - 0.328 s
/ 10:48:21.827 AM // 10:48:22.155 AM /	
to automate Signin page of DS_Algo	
@Signin_page(allBlank)	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.004 s
2	When The user clicks login button after leaving the "" textbox and "" textbox blank	PASSED	0.178 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.132 s

DS Algo Introduction Page

PASSED	DURATION - 0.585 s
/ 10:48:22.195 AM // 10:48:22.780 AM /	
to automate Signin page of DS_Algo	
@Signin_page(enteronlyusername) @Signin_page(allBlank)	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.002 s
2	When The user clicks login button after entering the "Trioteamchallengers" and leaves "" textbox blank	PASSED	0.496 s
3	Then The error message "Please fill out this field." appears below Pwd textbox	PASSED	0.076 s

DS Algo Introduction Page

PASSED	DURATION - 0.491 s

/ 10:48:22.840 AM // 10:48:23.331 AM /

to automate Signin page of DS_Algo

@Signin_page(enteronlypwd) @Signin_page(allBlank)

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.003 s
2	When The user clicks login button after entering the "ds@qateam334h" only.	PASSED	0.423 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.038 s

DS Algo Introduction Page

PASSED	DURATION - 0.636 s

/ 10:48:23.359 AM // 10:48:23.995 AM /

to automate Signin page of DS_Algo

@Signin_page(allBlank)
@Signin_page(invalidusernamePwd)

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.002 s
2	When The user clicks login button after entering invalid "teamchallengers" and invalid "ds@qateam334h"	PASSED	0.536 s
3	Then The user should able to see an error message "Invalid Username and Password".	PASSED	0.077 s

DS Algo Introduction Page

PASSED	DURATION - 0.373 s
/ 10:48:24.030 AM // 10:48:24.403 AM /	
to automate Signin page of DS_Algo	
@Signin_page(allBlank) @Signin_page(validUsernameinvalidPassword)	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.002 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid ""	PASSED	0.291 s
3	Then The user should able to see an error message "Invalid Username and Password".	PASSED	0.071 s

DS Algo Introduction Page

PASSED	DURATION - 0.989 s
/ 10:48:24.449 AM // 10:48:25.438 AM /	
to automate Signin page of DS_Algo	
@Signin_page(allBlank) @Signin_page(validUsernameInvPwd)	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.014 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid "ds@qateam334h"	PASSED	0.914 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.054 s

DS Algo Introduction Page

PASSED	DURATION - 0.728 s

/ 10:48:25.470 AM // 10:48:26.198 AM /

to automate Signin page of DS_Algo

@Signin_page(allBlank) @Signin_page(valid)

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.004 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and valid "triothebest@123"	PASSED	0.654 s
3	Then The user should land in Data Structure Home Page with "You are logged in" message	PASSED	0.062 s

To Automate the page of Array

FAILED	DURATION - 12.635 s

/ 10:48:26.235 AM // 10:48:38.870 AM /

Scenarios
Total - 21
Pass - 6
Fail - 15
Skip - 0

21

Steps
Total - 65
Pass - 36
Fail - 15
Skip - 14

65

Home Page

PASSED	DURATION - 0.414 s

/ 10:48:26.235 AM // 10:48:26.649 AM /

To Automate the page of Array

@HomePage

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page	PASSED	0.018 s
2	When The user clicks Get Started button below the Data structures-Introduction	PASSED	0.313 s

#	Step / Hook Details	Status	Duration
3	Then The user should land in "Data Structures-Introduction Page" DS page	PASSED	0.077 s

Data Structure Home page

PASSED	DURATION - 0.396 s		Steps
/ 10:48:26.680 AM // 10:48:27.076 AM /			Total - 3
To Automate the page of Array			Pass - 3
			Fail - 0
			Skip - 0
@DSPage			

Chart: 3 (Pass)

#	Step / Hook Details	Status	Duration
1	Given The user is on the Data Structure Introduction Page	PASSED	0.000 s
2	When The user clicks Time Complexity link	PASSED	0.304 s
3	Then The user should be redirected to "Time Complexity" TC page	PASSED	0.082 s

Time Complexity Page

PASSED	DURATION - 0.020 s		Steps
/ 10:48:27.106 AM // 10:48:27.126 AM /			Total - 3
To Automate the page of Array			Pass - 3
			Fail - 0
			Skip - 0
@ComplexityPage			

Chart: 3 (Pass)

#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.004 s
2	When The user clicks Try Here button of Time Complexity page	PASSED	0.001 s
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	PASSED	0.009 s

Python Editor page without data

PASSED	*DURATION - 1.107 s*

/ 10:48:27.143 AM // 10:48:28.250 AM /

To Automate the page of Array

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.606 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.492 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

Python Editor page with Invalid data

FAILED	*DURATION - 5.433 s*

/ 10:48:28.261 AM // 10:48:33.694 AM /

To Automate the page of Array

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.004 s
2	And enters the data in the Editor after reading data from excel sheet "DSTimeComplexity_Python" with column_name "TimeComplexity_InvalidData" and row_number 2	PASSED	5.024 s
3	When The User clicks a run button	PASSED	0.244 s
4	Then The user see error msg in alert window and press ok button	FAILED	0.144 s
	org.openqa.selenium.NoAlertPresentException: no such alert (Session info: chrome=119.0.6045.199) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [efe6022d4b1b3255ff5529ea8fcfcd46, getAlertText {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30938}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30938/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		

#	Step / Hook Details	Status	Duration

	unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: efe6022d4b1b3255ff5529ea8fcfcd46
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)
	   at org.openqa.selenium.remote.RemoteWebDriver$RemoteTargetLocator.alert(RemoteWebDriver.java:1252)
	   at pages.DSTryhere_PF.acceptAlertMsg(DSTryhere_PF.java:36)
	   at steppDef.ds_AlgoTryEditorSteps.the_user_see_error_msg_in_alert_window(ds_AlgoTryEditorSteps.java:95)
	   at ?.The user see error msg in alert window and press ok button(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:30)
	* Not displayable characters are replaced by '?'.		

Python Editor page with valid data

PASSED	DURATION - 1.806 s
/ 10:48:33.769 AM // 10:48:35.575 AM /	
To Automate the page of Array	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.637 s
2	And enters data in the Editor after reading data from excel sheet "DSTimeComplexity_Python" with column_name "TimeComplexity_ValidData" and row_number 3	PASSED	0.942 s
3	When User clicks a run button	PASSED	0.171 s
4	Then output should be displayed on the console	PASSED	0.051 s

User go back to the previous page

PASSED	DURATION - 0.447 s
/ 10:48:35.583 AM // 10:48:36.030 AM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.315 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.124 s

Time Complexity Page

FAILED	DURATION - 0.237 s
/ 10:48:36.052 AM // 10:48:36.289 AM /	
To Automate the page of Array	
@PracticePage	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.013 s
2	When The user clicks Practice Questions link of DS	FAILED	0.197 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="content"]/a"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [efe6022d4b1b3255ff5529ea8fcfcd46, findElement {using=xpath, value=//*[@id="content"]/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30938}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30938/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		

#	Step / Hook Details	Status	Duration

	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: efe6022d4b1b3255ff5529ea8fcfcd46
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)
	  at pages.DataStructureIntro_PF.clickPracticeQuestions(DataStructureIntro_PF.java:21)
	  at steppDef.ds_AlgoDataStructInt.the_user_clicks_practice_questions_link_of_ds(ds_AlgoDataStructInt.java:60)
	  at ?.The user clicks Practice Questions link of DS(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:54)
	* Not displayable characters are replaced by '?'.		

3	Then The user does not find any practice problems and the page is null	SKIPPED	0.001 s

Home Page

FAILED	DURATION - 0.065 s
/ 10:48:36.348 AM // 10:48:36.413 AM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

| #	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page	PASSED	0.025 s
2	When The user clicks "Get Started" button below the array	FAILED	0.028 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()="Array"]/../a"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [efe6022d4b1b3255ff5529ea8fcfcd46, findElement {using=xpath, value=//h5[text()="Array"]/../a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30938}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30938/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: efe6022d4b1b3255ff5529ea8fcfcd46
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)
	    at pages.HomePage_PF.clickArray(HomePage_PF.java:63)
	    at steppDef.ds_AlgoArraySteps.the_user_clicks_button_below_the_array(ds_AlgoArraySteps.java:23)
	    at ?.The user clicks "Get Started" button below the array(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/ 05_dsArray.feature:5)
	* Not displayable characters are replaced by '?'.		

3	Then The user should be redirected to "Array" page	SKIPPED	0.000 s

Array Page

FAILED	DURATION - 0.038 s
/ 10:48:36.432 AM // 10:48:36.470 AM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.003 s
2	When The user clicks a Arrays in Python link	FAILED	0.027 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Arrays in Python"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [efe6022d4b1b3255ff5529ea8fcfcd46, findElement {using=xpath, value=//a[text()="Arrays in Python"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30938}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30938/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: efe6022d4b1b3255ff5529ea8fcfcd46
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)		

#	Step / Hook Details	Status	Duration
	at pages.Arrays_PF.clickArraysInPython(Arrays_PF.java:107) at steppDef.ds_AlgoArraySteps.the_user_clicks_a_arrays_in_python_link(ds_AlgoArraySteps.java:37) at ?.The user clicks a Arrays in Python link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:10) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "Array in Python" AP Page	SKIPPED	0.000 s

Array Page

FAILED	DURATION - 0.026 s
/ 10:48:36.490 AM // 10:48:36.516 AM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.000 s
2	When The user clicks Try Here button of Array in Python Page	FAILED	0.023 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Try here>>>"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [efe6022d4b1b3255ff5529ea8fcfcd46, findElement {using=xpath, value=//a[text()="Try here>>>"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30938}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30938/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: efe6022d4b1b3255ff5529ea8fcfcd46 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source) at pages.Arrays_PF.clickTryhere(Arrays_PF.java:119) at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_in_python_page(ds_AlgoArraySteps.java:55) at ?.The user clicks Try Here button of Array in Python Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:15) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.000 s

Array in Python Page

FAILED	DURATION - 0.230 s
/ 10:48:36.529 AM // 10:48:36.759 AM /	
To Automate the page of Array	
@pythonEditor	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array in Python Page	PASSED	0.000 s
2	When The user clicks a Arrays Using List link	FAILED	0.224 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Arrays Using List"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [efe6022d4b1b3255ff5529ea8fcfcd46, findElement {using=xpath, value=//a[text()="Arrays Using List"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30938}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30938/devtoo...,		

#	Step / Hook Details	Status	Duration

	se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: efe6022d4b1b3255ff5529ea8fcfcd46
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)
	   at pages.Arrays_PF.clickArraysUsingList(Arrays_PF.java:110)
	   at steppDef.ds_AlgoArraySteps.the_user_clicks_a_arrays_using_list_link(ds_AlgoArraySteps.java:76)
	   at ?.The user clicks a Arrays Using List link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:21)
	* Not displayable characters are replaced by '?'.		

3	Then The user should be redirected to "Arrays Using List" AL page.	SKIPPED	0.001 s

Array Using List Page

FAILED	DURATION - 0.067 s
/ 10:48:36.781 AM // 10:48:36.848 AM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

| #	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.004 s
2	When The user clicks Try Here button of Array Using List Page	FAILED	0.058 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Try here>>>"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/ webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [efe6022d4b1b3255ff5529ea8fcfcd46, findElement {using=xpath, value=//a[text()="Try here>>>"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30938}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30938/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: efe6022d4b1b3255ff5529ea8fcfcd46
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)
	  at pages.Arrays_PF.clickTryhere(Arrays_PF.java:119)
	  at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_using_list_page(ds_AlgoArraySteps.java:90)
	  at ?.The user clicks Try Here button of Array Using List Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/ 05_dsArray.feature:26)
	* Not displayable characters are replaced by '?'.		

3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.000 s

Array Using List Page

FAILED	DURATION - 0.258 s
/ 10:48:36.868 AM // 10:48:37.126 AM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.002 s
2	When The user clicks a Basic Operations in Lists link	FAILED	0.251 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Basic Operations in Lists"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [efe6022d4b1b3255ff5529ea8fcfcd46, findElement {using=xpath, value=//a[text()="Basic Operations in Lists"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30938}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30938/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: efe6022d4b1b3255ff5529ea8fcfcd46 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)		

#	Step / Hook Details	Status	Duration
	at pages.Arrays_PF.clickArraysBasicOp(Arrays_PF.java:113) at steppDef.ds_AlgoArraySteps.the_user_clicks_a_basic_operations_in_lists_link(ds_AlgoArraySteps.java:95) at ?.The user clicks a Basic Operations in Lists link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:31) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "Basic Operations in Lists" BO page.	SKIPPED	0.001 s

Basic operations in Lists page

FAILED	DURATION - 0.153 s
/ 10:48:37.165 AM // 10:48:37.318 AM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.097 s
2	When The user clicks Try Here button of Operations in Lists Page	FAILED	0.050 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Try here>>>"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [efe6022d4b1b3255ff5529ea8fcfcd46, findElement {using=xpath, value=//a[text()="Try here>>>"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30938}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30938/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: efe6022d4b1b3255ff5529ea8fcfcd46
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)		
	at pages.Arrays_PF.clickTryhere(Arrays_PF.java:119)		
	at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_operations_in_lists_page(ds_AlgoArraySteps.java:110)		
	at ?.The user clicks Try Here button of Operations in Lists Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:36) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.000 s

Basic operations in Lists page

FAILED	DURATION - 0.252 s
/ 10:48:37.340 AM // 10:48:37.592 AM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

| #	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.186 s
2	When The user clicks an Applications of Array link	FAILED	0.054 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Applications of Array"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [efe6022d4b1b3255ff5529ea8fcfcd46, findElement {using=xpath, value=//a[text()="Applications of Array"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30938}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(),		

#	Step / Hook Details	Status	Duration

	se:cdp: ws://localhost:30938/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: efe6022d4b1b3255ff5529ea8fcfcd46
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)
	    at pages.Arrays_PF.clickArraysApp(Arrays_PF.java:116)
	    at steppDef.ds_AlgoArraySteps.the_user_clicks_an_applications_of_array_link(ds_AlgoArraySteps.java:117)
	    at ?.The user clicks an Applications of Array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:41)
	* Not displayable characters are replaced by '?'.		

3	Then The user should be redirected to " Applications of Array" AA page.	SKIPPED	0.001 s

Application of Array page

FAILED	DURATION - 0.215 s		Steps
/ 10:48:37.611 AM // 10:48:37.826 AM /			Total - 3
To Automate the page of Array			Pass - 1
			Fail - 1
			Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is on the Applications of Array page	PASSED	0.001 s
2	When The user clicks Practice Questions link	FAILED	0.209 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Practice Questions"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [efe6022d4b1b3255ff5529ea8fcfcd46, findElement {using=xpath, value=//a[text()="Practice Questions"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30938}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30938/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: efe6022d4b1b3255ff5529ea8fcfcd46
	
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)
	    at pages.Arrays_PF.clickArraysPracticeQuestions(Arrays_PF.java:214)
	    at steppDef.ds_AlgoArraySteps.the_user_clicks_practice_questions_link(ds_AlgoArraySteps.java:139)
	    at ?.The user clicks Practice Questions link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:46)
	* Not displayable characters are replaced by '?'.		

3	Then The user should be redirected to practice page having links like "Search the array." ,"Max Consecutive Ones","Find Numbers with Even Number of Digits" and "Squares of a Sorted Array."	SKIPPED	0.001 s

Practice Questions page

FAILED	DURATION - 0.037 s
/ 10:48:37.848 AM // 10:48:37.885 AM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.001 s
2	When The user clicks search the array link	FAILED	0.033 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Search the array"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [efe6022d4b1b3255ff5529ea8fcfcd46, findElement {using=xpath, value=//a[text()="Search the array"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30938}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30938/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: efe6022d4b1b3255ff5529ea8fcfcd46 　　at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) 　　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) 　　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) 　　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) 　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) 　　at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) 　　at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) 　　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) 　　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) 　　at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) 　　at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) 　　at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)		

#	Step / Hook Details	Status	Duration
	at pages.Arrays_PF.clickArraysSearch(Arrays_PF.java:217) at steppDef.ds_AlgoArraySteps.the_user_clicks_search_the_array_link(ds_AlgoArraySteps.java:157) at ?.The user clicks search the array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:51) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

Practice Questions page

FAILED	DURATION - 0.281 s
/ 10:48:37.900 AM // 10:48:38.181 AM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.001 s
2	When The user clicks Max consecutive ones link	FAILED	0.277 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Max Consecutive Ones"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [efe6022d4b1b3255ff5529ea8fcfcd46, findElement {using=xpath, value=//a[text()="Max Consecutive Ones"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30938}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30938/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: efe6022d4b1b3255ff5529ea8fcfcd46 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source) at pages.Arrays_PF.clickArraysMaxConsecutives(Arrays_PF.java:221) at steppDef.ds_AlgoArraySteps.the_user_clicks_max_consecutive_ones_link(ds_AlgoArraySteps.java:168) at ?.The user clicks Max consecutive ones link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:56) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.001 s

Practice Questions page

FAILED	DURATION - 0.159 s
/ 10:48:38.198 AM // 10:48:38.357 AM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks Find numbers with even number of digits link	FAILED	0.152 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Find Numbers with Even Number of Digits"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [efe6022d4b1b3255ff5529ea8fcfcd46, findElement {using=xpath, value=//a[text()="Find Numbers with Even Number of Digits"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30938}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(),		

#	Step / Hook Details	Status	Duration

	se:cdp: ws://localhost:30938/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: efe6022d4b1b3255ff5529ea8fcfcd46
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)
	    at pages.Arrays_PF.clickArraysEvennumbers(Arrays_PF.java:227)
	    at steppDef.ds_AlgoArraySteps.the_user_clicks_find_numbers_with_even_number_of_digits_link(ds_AlgoArraySteps.java:174)
	    at ?.The user clicks Find numbers with even number of digits link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:61)
	* Not displayable characters are replaced by '?'.		

3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.001 s

Practice Questions page

FAILED	DURATION - 0.499 s
/ 10:48:38.371 AM // 10:48:38.870 AM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.001 s
2	When The user clicks squared of the sorted array link	FAILED	0.493 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Squares of a Sorted Array"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [efe6022d4b1b3255ff5529ea8fcfcd46, findElement {using=xpath, value=//a[text()="Squares of a Sorted Array"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:30938}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:30938/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: efe6022d4b1b3255ff5529ea8fcfcd46
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)
	    at pages.Arrays_PF.clickArraysSortedSquares(Arrays_PF.java:224)
	    at steppDef.ds_AlgoArraySteps.the_user_clicks_squared_of_the_sorted_array_link(ds_AlgoArraySteps.java:179)
	    at ?.The user clicks squared of the sorted array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:66)
	* Not displayable characters are replaced by '?'.		

3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s