

Cucumber Report

Dec 2, 2023, 2:37:15 PM

Start : Dec 02, 2:37:13.869 PM

End : Dec 02, 2:37:14.916 PM

Duration : 1.047 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 5
SKIPPED - 0

PASSED - 4
FAILED - 5
SKIPPED - 6




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>To Automate Introduction page of DS_Algo</u>	1.047 s	5	0	5	0	15	4	5	6

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Browser_page	1	0	1	0	1	0	1	0
@dsIntro	5	0	5	0	1	0	1	0
@Start_page	1	0	1	0	1	0	1	0
@Intro_page	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>To Automate Introduction page of DS_Algo</u>	5	0	5	0	1.047 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To Automate Introduction page of DS_Algo</u>	<u>Browser page</u>	3	0	1	2	0.434 s
2	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Algo Get Started page</u>	3	0	1	2	0.006 s
3	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	1	1	1	0.032 s
4	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	1	1	1	0.005 s
5	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	2	1	0	0.482 s

To Automate Introduction page of DS_Algo

FAILED	DURATION - 1.047 s	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0		Steps Total - 15 Pass - 4 Fail - 5 Skip - 6	
/ 2:37:13.869 PM // 2:37:14.916 PM /					

Browser page



FAILED	DURATION - 0.434 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 2:37:13.875 PM // 2:37:14.309 PM /				
To Automate Introduction page of DS_Algo				
@Browser_page @dsIntro				

#	Step / Hook Details	Status	Duration
1	<p>Given The user should be open the browser</p> <p>org.openqa.selenium.remote.NoSuchDriverException: Unable to obtain: Capabilities {browserName: safari}, error Command failed with code: 65, executed: [--browser, safari, --output, json] safaridriver not available for download Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: driver.version: SafariDriver</p> <p>at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:25) at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:13) at org.openqa.selenium.safari.SafariDriver.generateExecutor(SafariDriver.java:95) at org.openqa.selenium.safari.SafariDriver.<init>(SafariDriver.java:84) at org.openqa.selenium.safari.SafariDriver.<init>(SafariDriver.java:80) at org.openqa.selenium.safari.SafariDriver.<init>(SafariDriver.java:57) at org.openqa.selenium.safari.SafariDriver.<init>(SafariDriver.java:48) at utilities.BaseClass.setUp(BaseClass.java:50) at steppDef.ds_AlgoPortalSteps.the_user_should_be_open_the_browser(ds_AlgoPortalSteps.java:39) at ?.The user should be open the browser(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/01_dsIntro.feature:6)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Command failed with code: 65, executed: [--browser, safari, --output, json] safaridriver not available for download Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: driver.version: SafariDriver</p>	FAILED	0.419 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.manager.SeleniumManager.runCommand(SeleniumManager.java:155) at org.openqa.selenium.manager.SeleniumManager.getDriverPath(SeleniumManager.java:287) at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:22) at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:13) at org.openqa.selenium.safari.SafariDriver.generateExecutor(SafariDriver.java:95) at org.openqa.selenium.safari.SafariDriver.<init>(SafariDriver.java:84) at org.openqa.selenium.safari.SafariDriver.<init>(SafariDriver.java:80) at org.openqa.selenium.safari.SafariDriver.<init>(SafariDriver.java:57) at org.openqa.selenium.safari.SafariDriver.<init>(SafariDriver.java:48) at utilities.BaseClass.setUp(BaseClass.java:50) at steppDef.ds_AlgoPortalSteps.the_user_should_be_open_the_browser(ds_AlgoPortalSteps.java:39) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	When The user enter the DS_Algo Portal https://dsportalapp.herokuapp.com/	SKIPPED	0.001 s
3	Then The user should landed on the DS_Algo Get Started page with message "You are at the right place"	SKIPPED	0.000 s



DS Algo Get Started page

<div>FAILED</div> <div>DURATION - 0.006 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 2:37:14.338 PM // 2:37:14.344 PM /				
To Automate Introduction page of DS_Algo				
@dsIntro @Start_page				

#	Step / Hook Details	Status	Duration
1	Given The user should open the DS Algo Portal URL in any supported browser	FAILED	0.002 s
	<pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getTitle()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getTitle(BaseClass.java:68) at steppDef.ds_AlgoPortalSteps.the_user_should_open_the_ds_algo_portal_url_in_any_supported_browser(ds_AlgoPortalSteps.java:63) </pre>		

#	Step / Hook Details	Status	Duration
	at ?.The user should open the DS Algo Portal URL in any supported browser(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/01_dsIntro.feature:16) * Not displayable characters are replaced by '?'. 2 When The user clicks the Get Started button		
2	When The user clicks the Get Started button	SKIPPED	0.000 s
3	Then The user should land in Data Structure Introduction Page with "Register" and "Sign in" links	SKIPPED	0.001 s

DS Introduction page

FAILED		DURATION - 0.032 s			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1			
/ 2:37:14.364 PM // 2:37:14.396 PM /								
To Automate Introduction page of DS_Algo								
@Intro_page @dsIntro								

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.028 s
2	When The user clicks the data structure dropdown arrow java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source) at pages.DSIntro_PF.clickDSDropdown(DSIntro_PF.java:40) at steppDef.ds_AlgoPortalSteps.the_user_clicks_the_data_structure_dropdown_arrow(ds_AlgoPortalSteps.java:101) at ?.The user clicks the data structure dropdown arrow(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/01_dsIntro.feature:23) * Not displayable characters are replaced by '?'. 3 Then The user should able to see 6 options Arrays "Linked,List,Stack,Queue,Tree,Graph" in dropdown menu	FAILED	0.001 s
3	Then The user should able to see 6 options Arrays "Linked,List,Stack,Queue,Tree,Graph" in dropdown menu	SKIPPED	0.000 s

DS Introduction page

FAILED	DURATION - 0.005 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 2:37:14.413 PM // 2:37:14.418 PM /				
To Automate Introduction page of DS_Algo				
@dsIntro				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.001 s
2	When The user selects any data structures item from the drop down without Sign in. java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source) at pages.DSIntro_PF.clickLinkedListDropdown(DSIntro_PF.java:32) at steppDef.ds_AlgoPortalSteps.the_user_selects_any_data_structures_item_from_the_drop_down_without_sign_in(ds_AlgoPortalSteps.java:117) at ?.The user selects any data structures item from the drop down without Sign in.(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/01_dsIntro.feature:28) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then The user should able to see an warning message "You are not logged in"	SKIPPED	0.000 s

DS Introduction page

FAILED	DURATION - 0.482 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 2:37:14.434 PM // 2:37:14.916 PM /				
To Automate Introduction page of DS_Algo				
@dsIntro				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.002 s

#	Step / Hook Details	Status	Duration
2	When The user clicks any "Get Started" buttons of data structures on the DS Introduction page	PASSED	0.476 s
3	Then The user should able to see an warning message "You are not logged in"	FAILED	0.001 s
	<p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy28.getText(Unknown Source)</p> <p>at pages.DSIntro_PF.getTxtAlertMsg(DSIntro_PF.java:35)</p> <p>at steppDef.ds_AlgoPortalSteps.the_user_should_able_to_see_an_warning_message(ds_AlgoPortalSteps.java:123)</p> <p>at ?.The user should able to see an warning message "You are not logged in"(file:///C:/Users/engg/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/01_dsIntro.feature:34)</p> <p>* Not displayable characters are replaced by '?'. </p>		