Cucumber Report

| Start : Nov 30, 8:18:09.448 PM	End : Nov 30, 8:18:31.579 PM	Duration : 22.131 s
Features	Scenarios	Steps
PASSED - 2 FAILED - 1 SKIPPED - 0	PASSED - 52 FAILED - 10 SKIPPED - 0	PASSED - 179 FAILED - 10 SKIPPED - 14

3

62

203

Pass %

66 %

83 %

88 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
To Automate Introduction page of DS_Algo	4.206 s	5	5	0	0	15	15	0	0
to automate Signin page of DS_Algo	2.139 s	8	8	0	0	25	25	0	0
To Automate the page of Array	15.742 s	49	39	10	0	163	139	10	14

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Start_page	1	1	0	0	1	1	0	0
@Intro_page	1	1	0	0	1	1	0	0
@Signin_page(link)	1	1	0	0	1	1	0	0
@Signin_page(allBlank)	7	7	0	0	1	1	0	0
@Signin_page(enteronlyusername)	1	1	0	0	1	1	0	0
@Signin_page(enteronlypwd)	1	1	0	0	1	1	0	0
@Signin_page(invalidusernamePwd)	1	1	0	0	1	1	0	0
@Signin_page(validUsernameinvalidPassword)	1	1	0	0	1	1	0	0
@Signin_page(validUsernameInvPwd)	1	1	0	0	1	1	0	0
@Signin_page(valid)	1	1	0	0	1	1	0	0
@HomePage	1	1	0	0	1	0	1	0
@DSPage	1	1	0	0	1	0	1	0
@ComplexityPage	1	1	0	0	1	0	1	0
@PracticePage	1	1	0	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	To Automate Introduction page of DS_Algo	5	5	0	0	4.206 s
2	to automate Signin page of DS_Algo	8	8	0	0	2.139 s
3	To Automate the page of Array	49	39	10	0	15.742 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Automate Introduction page of DS_Algo	Browser page	3	3	0	0	3.285 s
2	To Automate Introduction page of DS_Algo	DS Algo Get Started page	3	3	0	0	0.405 s
3	To Automate Introduction page of DS_Algo	DS Introduction page	3	3	0	0	0.101 s
4	To Automate Introduction page of DS_Algo	DS Introduction page	3	3	0	0	0.255 s
5	To Automate Introduction page of DS_Algo	DS Introduction page	3	3	0	0	0.033 s
6	to automate Signin page of DS_Algo	DS Algo Introduction Page	4	4	0	0	0.190 s
7	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.118 s
8	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.217 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.136 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
10	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.340 s
11	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.202 s
12	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.392 s
13	to automate Signin page of DS_Algo	DS Algo Introduction Page	3	3	0	0	0.470 s
14	To Automate the page of Array	Home Page	3	3	0	0	0.261 s
15	To Automate the page of Array	Data Structure Home page	3	3	0	0	0.208 s
16	To Automate the page of Array	Time Complexity Page	3	3	0	0	0.014 s
17	To Automate the page of Array	Python Editor page without data	3	1	1	1	0.048 s
18	To Automate the page of Array	Python Editor page with Invalid data	4	1	1	2	1.315 s
19	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	0.635 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
20	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	0.577 s
21	To Automate the page of Array	Python Editor page with Invalid data	4	4	0	0	0.550 s
22	To Automate the page of Array	Python Editor page with Invalid data	4	1	1	2	0.090 s
23	To Automate the page of Array	Python Editor page with Invalid data	4	1	1	2	0.092 s
24	To Automate the page of Array	Python Editor page with Invalid data	4	1	1	2	0.069 s
25	To Automate the page of Array	Python Editor page with Invalid data	4	1	1	2	0.062 s
26	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.929 s
27	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.649 s
28	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.525 s
29	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.542 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
30	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.521 s
31	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.567 s
32	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.538 s
33	To Automate the page of Array	Python Editor page with valid data	4	4	0	0	0.606 s
34	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.138 s
35	To Automate the page of Array	Time Complexity Page	3	3	0	0	0.324 s
36	To Automate the page of Array	Home Page	3	3	0	0	0.279 s
37	To Automate the page of Array	Array Page	3	3	0	0	0.391 s
38	To Automate the page of Array	Array Page	3	3	0	0	0.307 s
39	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.277 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
40	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.121 s
41	To Automate the page of Array	Array in Python Page	3	3	0	0	0.335 s
42	To Automate the page of Array	Array Using List Page	3	3	0	0	0.259 s
43	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.285 s
44	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.116 s
45	To Automate the page of Array	Array Using List Page	3	3	0	0	0.253 s
46	To Automate the page of Array	Basic operations in Lists page	3	3	0	0	0.279 s
47	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.285 s
48	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.197 s
49	To Automate the page of Array	Basic operations in Lists page	3	3	0	0	0.243 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
50	To Automate the page of Array	Application of Array page	3	2	1	0	0.203 s
51	To Automate the page of Array	Practice Questions page	3	3	0	0	0.231 s
52	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.228 s
53	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.123 s
54	To Automate the page of Array	Practice Questions page	3	1	1	1	0.073 s
55	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.229 s
56	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.138 s
57	To Automate the page of Array	Practice Questions page	3	1	1	1	0.065 s
58	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.241 s
59	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.110 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
60	To Automate the page of Array	Practice Questions page	3	1	1	1	0.066 s
61	To Automate the page of Array	Python Editor page without data	3	3	0	0	0.245 s
62	To Automate the page of Array	User go back to the previous page	3	3	0	0	0.232 s

To Automate Introduction page of DS_Algo

PASSED	DURATION - 4.206 s	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0		Steps Total - 15 Pass - 15 Fail - 0 Skip - 0	
/ 8:18:09.448 PM // 8:18:13.654 PM /			5		15

Browser page

PASSED	DURATION - 3.285 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:18:09.453 PM // 8:18:12.738 PM /				3
To Automate Introduction page of DS_Algo				

#	Step / Hook Details	Status	Duration
1	Given The user should be open the browser	PASSED	2.977 s
2	When The user enter the DS_Algo Portal https://dsportalapp.herokuapp.com/	PASSED	0.212 s
3	Then The user should landed on the DS_Algo Get Started page with message "You are at the right place"	PASSED	0.066 s

DS Algo Get Started page

PASSED	DURATION - 0.405 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:18:12.801 PM // 8:18:13.206 PM /				3
To Automate Introduction page of DS_Algo				
@Start_page				

#	Step / Hook Details	Status	Duration
1	Given The user should open the DS Algo Portal URL in any supported browser	PASSED	0.013 s
2	When The user clicks the Get Started button	PASSED	0.314 s
3	Then The user should land in Data Structure Introduction Page with "Register" and "Sign in" links	PASSED	0.070 s

DS Introduction page

PASSED	DURATION - 0.101 s
/ 8:18:13.226 PM // 8:18:13.327 PM /	
To Automate Introduction page of DS_Algo	
@Intro_page	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.005 s
2	When The user clicks the data structure dropdown arrow	PASSED	0.051 s
3	Then The user should able to see 6 options Arrays "Linked,List,Stack,Queue,Tree,Graph" in dropdown menu	PASSED	0.039 s

DS Introduction page

PASSED	DURATION - 0.255 s
/ 8:18:13.346 PM // 8:18:13.601 PM /	
To Automate Introduction page of DS_Algo	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.001 s
2	When The user selects any data structures item from the drop down without Sign in.	PASSED	0.189 s
3	Then The user should able to see an warning message "You are not logged in"	PASSED	0.062 s

DS Introduction page

PASSED	DURATION - 0.033 s
/ 8:18:13.621 PM // 8:18:13.654 PM /	
To Automate Introduction page of DS_Algo	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.002 s
2	When The user clicks any "Get Started" buttons of data structures on the DS Introduction page	PASSED	0.002 s
3	Then The user should able to see an warning message "You are not logged in"	PASSED	0.024 s

to automate Signin page of DS_Algo

PASSED	DURATION - 2.139 s
/ 8:18:13.682 PM // 8:18:15.821 PM /	

Scenarios
Total - 8
Pass - 8
Fail - 0
Skip - 0

Steps
Total - 25
Pass - 25
Fail - 0
Skip - 0

DS Algo Introduction Page

PASSED	DURATION - 0.190 s
/ 8:18:13.682 PM // 8:18:13.872 PM /	
to automate Signin page of DS_Algo	
@Signin_page(link)	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.003 s
2	When The user should click the Sign in link	PASSED	0.148 s
3	Then The user should be redirected to Sign in page	PASSED	0.012 s
4	And The user is able to see "Register!" link below the text boxes	PASSED	0.024 s

DS Algo Introduction Page

PASSED	DURATION - 0.118 s		Steps
/ 8:18:13.887 PM // 8:18:14.005 PM /			Total - 3
			Pass - 3
to automate Signin page of DS_Algo			Fail - 0
@Signin_page(allBlank)			Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after leaving the "" textbox and "" textbox blank	PASSED	0.052 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.060 s

DS Algo Introduction Page

PASSED	DURATION - 0.217 s		Steps
/ 8:18:14.018 PM // 8:18:14.235 PM /			Total - 3
			Pass - 3
to automate Signin page of DS_Algo			Fail - 0
@Signin_page(enteronlyusername) @Signin_page(allBlank)			Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering the "Trioteamchallengers" and leaves "" textbox blank	PASSED	0.169 s
3	Then The error message "Please fill out this field." appears below Pwd textbox	PASSED	0.045 s

DS Algo Introduction Page

| PASSED	DURATION - 0.136 s
/ 8:18:14.251 PM // 8:18:14.387 PM /	
to automate Signin page of DS_Algo	
@Signin_page(enteronlypwd) @Signin_page(allBlank)	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering the "ds@qateam334h" only.	PASSED	0.116 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.016 s

DS Algo Introduction Page

PASSED	DURATION - 0.340 s
/ 8:18:14.392 PM // 8:18:14.732 PM /	
to automate Signin page of DS_Algo	
@Signin_page(allBlank) @Signin_page(invalidusernamePwd)	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering invalid "teamchallengers" and invalid "ds@qateam334h"	PASSED	0.293 s
3	Then The user should able to see an error message "Invalid Username and Password".	PASSED	0.043 s

DS Algo Introduction Page

PASSED	DURATION - 0.202 s
/ 8:18:14.738 PM // 8:18:14.940 PM /	
to automate Signin page of DS_Algo	
@Signin_page(allBlank) @Signin_page(validUsernameinvalidPassword)	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.000 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid ""	PASSED	0.162 s
3	Then The user should able to see an error message "Invalid Username and Password".	PASSED	0.036 s

DS Algo Introduction Page

PASSED	DURATION - 0.392 s
/ 8:18:14.950 PM // 8:18:15.342 PM /	
to automate Signin page of DS_Algo	
@Signin_page(allBlank) @Signin_page(validUsernameInvPwd)	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid "ds@qateam334h"	PASSED	0.353 s
3	Then The error message "Please fill out this field." appears below Username textbox	PASSED	0.037 s

DS Algo Introduction Page

PASSED	DURATION - 0.470 s
/ 8:18:15.351 PM // 8:18:15.821 PM /	
to automate Signin page of DS_Algo	
@Signin_page(allBlank) @Signin_page(valid)	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and valid "triothebest@123"	PASSED	0.417 s
3	Then The user should land in Data Structure Home Page with "You are logged in" message	PASSED	0.046 s

To Automate the page of Array

FAILED	DURATION - 15.742 s
/ 8:18:15.837 PM // 8:18:31.579 PM /	

Scenarios
Total - 49
Pass - 39
Fail - 10
Skip - 0

49

Steps
Total - 163
Pass - 139
Fail - 10
Skip - 14

163

Home Page

PASSED	DURATION - 0.261 s
/ 8:18:15.837 PM // 8:18:16.098 PM /	
To Automate the page of Array	
@HomePage	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page	PASSED	0.009 s
2	When The user clicks Get Started button below the Data structures-Introduction	PASSED	0.218 s

#	Step / Hook Details	Status	Duration
3	Then The user should land in "Data Structures-Introduction Page" DS page	PASSED	0.032 s

Data Structure Home page

PASSED	DURATION - 0.208 s		Steps
/ 8:18:16.104 PM // 8:18:16.312 PM /			Total - 3
			Pass - 3
To Automate the page of Array			Fail - 0
			Skip - 0
@DSPage			

#	Step / Hook Details	Status	Duration
1	Given The user is on the Data Structure Introduction Page	PASSED	0.000 s
2	When The user clicks Time Complexity link	PASSED	0.157 s
3	Then The user should be redirected to "Time Complexity" TC page	PASSED	0.049 s

Time Complexity Page

PASSED	DURATION - 0.014 s		Steps
/ 8:18:16.327 PM // 8:18:16.341 PM /			Total - 3
			Pass - 3
To Automate the page of Array			Fail - 0
			Skip - 0
@ComplexityPage			

#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.000 s
2	When The user clicks Try Here button of Time Complexity page	PASSED	0.000 s
3	Then The user should be redirected to a page having an Python Editor	PASSED	0.008 s

Python Editor page without data

FAILED	DURATION - 0.048 s
/ 8:18:16.361 PM // 8:18:16.409 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.000 s
2	When The user clicks the run button without entring the code in the Editor	FAILED	0.040 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div[5]/div/pre"}   (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c5f237e318bec4e5175c3d21911322bd, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29076}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29076/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c5f237e318bec4e5175c3d21911322bd

    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)

| #	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.$Proxy29.isDisplayed(Unknown Source) at pages.DSTryhere_PF.blankEditor(DSTryhere_PF.java:86) at steppDef.ds_AlgoTryEditorSteps.the_user_clicks_the_run_button_without_entring_the_code_in_the_editor(ds_AlgoTryEditorSteps.java:61) at ?.The user clicks the run button without entring the code in the Editor(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:23) * Not displayable characters are replaced by '?'.		
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

Python Editor page with Invalid data

FAILED	DURATION - 1.315 s
/ 8:18:16.433 PM // 8:18:17.748 PM /	
To Automate the page of Array	

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	FAILED	1.310 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div/div[5]/div/pre"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c5f237e318bec4e5175c3d21911322bd, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29076}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29076/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c5f237e318bec4e5175c3d21911322bd at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy29.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:76) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:28) * Not displayable characters are replaced by '?'.		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

Python Editor page with Invalid data

PASSED	DURATION - 0.635 s
/ 8:18:20.570 PM // 8:18:21.205 PM /	
To Automate the page of Array	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.351 s

#	Step / Hook Details	Status	Duration
3	When The User clicks a run button	PASSED	0.073 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.211 s

Python Editor page with Invalid data

PASSED	DURATION - 0.577 s		
/ 8:18:22.937 PM // 8:18:23.514 PM /		Steps	
To Automate the page of Array		Total - 4	
		Pass - 4	
		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.302 s
3	When The User clicks a run button	PASSED	0.067 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.204 s

Python Editor page with Invalid data

PASSED	DURATION - 0.550 s		
/ 8:18:25.044 PM // 8:18:25.594 PM /		Steps	
To Automate the page of Array		Total - 4	
		Pass - 4	
		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	PASSED	0.310 s

#	Step / Hook Details	Status	Duration
3	When The User clicks a run button	PASSED	0.049 s
4	Then The user see error msg in alert window and press ok button	PASSED	0.191 s

Python Editor page with Invalid data

FAILED	DURATION - 0.090 s		Steps
/ 8:18:27.323 PM // 8:18:27.413 PM /			Total - 4
To Automate the page of Array			Pass - 1
			Fail - 1
			Skip - 2

| #	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	FAILED	0.090 s

org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : SyntaxError: bad input on line 2}   (Session info: chrome=119.0.6045.199): SyntaxError: bad input on line 2 Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c5f237e318bec4e5175c3d21911322bd, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29076}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29076/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c5f237e318bec4e5175c3d21911322bd
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy29.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:76) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:151) * Not displayable characters are replaced by '?'.		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

Python Editor page with Invalid data

FAILED	DURATION - 0.092 s		
/ 8:18:28.416 PM // 8:18:28.508 PM /		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
To Automate the page of Array			

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	FAILED	0.088 s
	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : SyntaxError: bad input on line 2} (Session info: chrome=119.0.6045.199): SyntaxError: bad input on line 2 Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c5f237e318bec4e5175c3d21911322bd, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29076}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29076/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c5f237e318bec4e5175c3d21911322bd at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy29.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:76) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:186) * Not displayable characters are replaced by '?'.		
3	When The User clicks a run button	SKIPPED	0.004 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

Python Editor page with Invalid data

FAILED	DURATION - 0.069 s		Steps	
/ 8:18:29.571 PM // 8:18:29.640 PM /			Total - 4	
			Pass - 1	
To Automate the page of Array			Fail - 1	4
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	FAILED	0.069 s
	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : SyntaxError: bad input on line 2} (Session info: chrome=119.0.6045.199): SyntaxError: bad input on line 2 Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows		

| #	Step / Hook Details	Status	Duration
	11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c5f237e318bec4e5175c3d21911322bd, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29076}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29076/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c5f237e318bec4e5175c3d21911322bd 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) 　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) 　at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) 　at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) 　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) 　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) 　at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) 　at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) 　at jdk.proxy2/jdk.proxy2.$Proxy29.isDisplayed(Unknown Source) 　at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:76) 　at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) 　at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:221) * Not displayable characters are replaced by '?'.		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

Python Editor page with Invalid data

FAILED	DURATION - 0.062 s

/ 8:18:30.662 PM // 8:18:30.724 PM /

To Automate the page of Array

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

4

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2	FAILED	0.060 s

org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : SyntaxError: bad input on line 2}   (Session info: chrome=119.0.6045.199): SyntaxError: bad input on line 2 Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c5f237e318bec4e5175c3d21911322bd, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div/div[5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29076}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29076/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c5f237e318bec4e5175c3d21911322bd
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
  at jdk.proxy2/jdk.proxy2.$Proxy29.isDisplayed(Unknown Source)
  at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:76)
  at steppDef.ds_AlgoTryEditorSteps.
enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85)
  at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and

#	Step / Hook Details	Status	Duration
	row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:256) * Not displayable characters are replaced by '?'.		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.002 s

Python Editor page with valid data

PASSED	DURATION - 0.929 s		
/ 8:18:17.764 PM // 8:18:18.693 PM /		Steps	
To Automate the page of Array		Total - 4 Pass - 4 Fail - 0 Skip - 0	4

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.419 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.411 s
3	When User clicks a run button	PASSED	0.072 s
4	Then output should be displayed on the console	PASSED	0.024 s

Python Editor page with valid data

PASSED	DURATION - 0.649 s		
/ 8:18:21.230 PM // 8:18:21.879 PM /		Steps	
To Automate the page of Array		Total - 4 Pass - 4 Fail - 0 Skip - 0	4

| #	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.164 s

#	Step / Hook Details	Status	Duration
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.393 s
3	When User clicks a run button	PASSED	0.068 s
4	Then output should be displayed on the console	PASSED	0.024 s

Python Editor page with valid data

PASSED	DURATION - 0.525 s		Steps
/ 8:18:23.519 PM // 8:18:24.044 PM /			Total - 4
			Pass - 4
To Automate the page of Array			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.129 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.307 s
3	When User clicks a run button	PASSED	0.057 s
4	Then output should be displayed on the console	PASSED	0.016 s

Python Editor page with valid data

PASSED	DURATION - 0.542 s		Steps
/ 8:18:25.607 PM // 8:18:26.149 PM /			Total - 4
			Pass - 4
To Automate the page of Array			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.131 s

#	Step / Hook Details	Status	Duration
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.336 s
3	When User clicks a run button	PASSED	0.041 s
4	Then output should be displayed on the console	PASSED	0.017 s

Python Editor page with valid data

PASSED	DURATION - 0.521 s		Steps
/ 8:18:27.431 PM // 8:18:27.952 PM /			Total - 4
			Pass - 4
To Automate the page of Array			Fail - 0
			Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.121 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.321 s
3	When User clicks a run button	PASSED	0.040 s
4	Then output should be displayed on the console	PASSED	0.033 s

Python Editor page with valid data

PASSED	DURATION - 0.567 s		Steps
/ 8:18:28.512 PM // 8:18:29.079 PM /			Total - 4
			Pass - 4
To Automate the page of Array			Fail - 0
			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.179 s

| #	Step / Hook Details	Status	Duration
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.293 s
3	When User clicks a run button	PASSED	0.067 s
4	Then output should be displayed on the console	PASSED	0.020 s

Python Editor page with valid data

PASSED	DURATION - 0.538 s		Steps
			Total - 4
/ 8:18:29.660 PM // 8:18:30.198 PM /			Pass - 4
			Fail - 0
To Automate the page of Array			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.142 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.298 s
3	When User clicks a run button	PASSED	0.068 s
4	Then output should be displayed on the console	PASSED	0.029 s

Python Editor page with valid data

PASSED	DURATION - 0.606 s		Steps
			Total - 4
/ 8:18:30.733 PM // 8:18:31.339 PM /			Pass - 4
			Fail - 0
To Automate the page of Array			Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page	PASSED	0.122 s

| #	Step / Hook Details	Status	Duration
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	PASSED	0.372 s
3	When User clicks a run button	PASSED	0.072 s
4	Then output should be displayed on the console	PASSED	0.032 s

User go back to the previous page

PASSED	DURATION - 0.138 s
/ 8:18:18.710 PM // 8:18:18.848 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.130 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.000 s

Time Complexity Page

PASSED	DURATION - 0.324 s
/ 8:18:18.856 PM // 8:18:19.180 PM /	
To Automate the page of Array	
@PracticePage	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.000 s
2	When The user clicks Practice Questions link of DS	PASSED	0.194 s
3	Then The user does not find any practice problems and the page is null	PASSED	0.122 s

Home Page

PASSED	DURATION - 0.279 s
/ 8:18:19.261 PM // 8:18:19.540 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page	PASSED	0.010 s
2	When The user clicks "Get Started" button below the array	PASSED	0.219 s
3	Then The user should be redirected to "Array" page	PASSED	0.050 s

Array Page

PASSED	DURATION - 0.391 s
/ 8:18:19.556 PM // 8:18:19.947 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.000 s
2	When The user clicks a Arrays in Python link	PASSED	0.341 s
3	Then The user should be redirected to "Arrays in Python" AP Page	PASSED	0.050 s

Array Page

PASSED	DURATION - 0.307 s

/ 8:18:19.961 PM // 8:18:20.268 PM /

To Automate the page of Array

Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.000 s
2	When The user clicks Try Here button of Array in Python Page	PASSED	0.291 s
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	PASSED	0.016 s

Python Editor page without data

PASSED	DURATION - 0.277 s

/ 8:18:20.285 PM // 8:18:20.562 PM /

To Automate the page of Array

Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.000 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.272 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page

PASSED	DURATION - 0.121 s

/ 8:18:21.895 PM // 8:18:22.016 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.120 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.000 s

Array in Python Page

PASSED	DURATION - 0.335 s

/ 8:18:22.026 PM // 8:18:22.361 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array in Python Page	PASSED	0.008 s
2	When The user clicks a Arrays Using List link	PASSED	0.278 s
3	Then The user should be redirected to "Arrays Using List" AL page.	PASSED	0.048 s

Array Using List Page

PASSED	DURATION - 0.259 s

/ 8:18:22.369 PM // 8:18:22.628 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.000 s
2	When The user clicks Try Here button of Array Using List Page	PASSED	0.232 s
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	PASSED	0.019 s

Python Editor page without data

PASSED	DURATION - 0.285 s

/ 8:18:22.636 PM // 8:18:22.921 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.000 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.285 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page

PASSED	*DURATION - 0.116 s*

/ 8:18:24.053 PM // 8:18:24.169 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.114 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.000 s

Array Using List Page

PASSED	*DURATION - 0.253 s*

/ 8:18:24.182 PM // 8:18:24.435 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.000 s
2	When The user clicks a Basic Operations in Lists link	PASSED	0.221 s
3	Then The user should be redirected to "Basic Operations in Lists" BO page.	PASSED	0.032 s

Basic operations in Lists page

PASSED	DURATION - 0.279 s

/ 8:18:24.454 PM // 8:18:24.733 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.022 s
2	When The user clicks Try Here button of Operations in Lists Page	PASSED	0.237 s
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	PASSED	0.014 s

Python Editor page without data

PASSED	DURATION - 0.285 s

/ 8:18:24.743 PM // 8:18:25.028 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.000 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.285 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

## User go back to the previous page

PASSED	DURATION - 0.197 s

/ 8:18:26.157 PM // 8:18:26.354 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.191 s
2	When User able to see output in console	PASSED	0.001 s
3	Then User go back to the previous page	PASSED	0.001 s

Basic operations in Lists page

PASSED	DURATION - 0.243 s

/ 8:18:26.369 PM // 8:18:26.612 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.026 s
2	When The user clicks an Applications of Array link	PASSED	0.174 s
3	Then The user should be redirected to "Applications of Array" AA page.	PASSED	0.035 s

Application of Array page

FAILED	DURATION - 0.203 s

/ 8:18:26.621 PM // 8:18:26.824 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

| #	Step / Hook Details	Status	Duration
1	Given The user is on the Applications of Array page	PASSED	0.000 s
2	When The user clicks Practice Questions link	PASSED	0.195 s
3	Then The user should be redirected to practice page having links like "Search the array." ,"Max Consecutive Ones","Find Numbers with Even Number of Digits" and "Squares of a Sorted Array."	FAILED	0.008 s

io.cucumber.core.exception.CucumberException: Step [The user should be redirected to practice page having links like {string} ,{string},{string} and {string}] is defined with 5 parameters at 'steppDef.ds_AlgoArraySteps.
the_user_should_be_redirected_to_practice_page_having_links_like_and(java.lang.String,java.lang.String,java.lang.String,java.lang.String,
java.lang.String)'. However, the gherkin step has 4 arguments: * "Search the array." * "Max Consecutive Ones" * "Find Numbers with Even
Number of Digits" * "Squares of a Sorted Array." Step text: The user should be redirected to practice page having links like "Search the array."
,"Max Consecutive Ones","Find Numbers with Even Number of Digits" and "Squares of a Sorted Array."
   at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)
   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)
   at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
   at io.cucumber.core.runner.TestStep.run(TestStep.java:56)
   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
   at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
   at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
   at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)
   at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)
   at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
   at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)
   at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)
   at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)
   at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)
   at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)
   at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)
   at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)
   at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)
   at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		

Practice Questions page

PASSED	DURATION - 0.231 s
/ 8:18:26.840 PM // 8:18:27.071 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks search the array link	PASSED	0.189 s
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	PASSED	0.042 s

Python Editor page without data

PASSED	DURATION - 0.228 s
/ 8:18:27.079 PM // 8:18:27.307 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.000 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.228 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page

PASSED	DURATION - 0.123 s
/ 8:18:27.960 PM // 8:18:28.083 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.114 s
2	When User able to see output in console	PASSED	0.008 s
3	Then User go back to the previous page	PASSED	0.000 s

Practice Questions page

| FAILED	DURATION - 0.073 s
/ 8:18:28.090 PM // 8:18:28.163 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

3

| #	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks Max consecutive ones link	FAILED	0.060 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Max Consecutive Ones"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c5f237e318bec4e5175c3d21911322bd, findElement {using=xpath, value=//a[text()="Max Consecutive Ones"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29076}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29076/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c5f237e318bec4e5175c3d21911322bd
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)		

#	Step / Hook Details	Status	Duration
	at pages.Arrays_PF.clickArraysMaxConsecutives(Arrays_PF.java:221) at steppDef.ds_AlgoArraySteps.the_user_clicks_max_consecutive_ones_link(ds_AlgoArraySteps.java:183) at ?.The user clicks Max consecutive ones link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:176) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

Python Editor page without data

PASSED	DURATION - 0.229 s
/ 8:18:28.171 PM // 8:18:28.400 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.000 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.229 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page

PASSED	DURATION - 0.138 s
/ 8:18:29.095 PM // 8:18:29.233 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.130 s
2	When User able to see output in console	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then User go back to the previous page	PASSED	0.000 s

Practice Questions page

FAILED	DURATION - 0.065 s
/ 8:18:29.241 PM // 8:18:29.306 PM /	
To Automate the page of Array	

Steps

Total - 3
Pass - 1
Fail - 1
Skip - 1

| #	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks Find numbers with even number of digits link	FAILED	0.065 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Find Numbers with Even Number of Digits"]"} (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [c5f237e318bec4e5175c3d21911322bd, findElement {using=xpath, value=//a[text()="Find Numbers with Even Number of Digits"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29076}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29076/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c5f237e318bec4e5175c3d21911322bd
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source) at pages.Arrays_PF.clickArraysEvennumbers(Arrays_PF.java:227) at steppDef.ds_AlgoArraySteps.the_user_clicks_find_numbers_with_even_number_of_digits_link(ds_AlgoArraySteps.java:189) at ?.The user clicks Find numbers with even number of digits link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:211) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

Python Editor page without data

PASSED	DURATION - 0.241 s
/ 8:18:29.322 PM // 8:18:29.563 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.000 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.239 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page

PASSED	DURATION - 0.110 s
/ 8:18:30.206 PM // 8:18:30.316 PM /	
To Automate the page of Array	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.110 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.000 s

Practice Questions page

FAILED	DURATION - 0.066 s		Steps
/ 8:18:30.332 PM // 8:18:30.398 PM /			Total - 3
			Pass - 1
To Automate the page of Array			Fail - 1
			Skip - 1

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks squared of the sorted array link	FAILED	0.058 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()="Squares of a Sorted Array"]"}   (Session info: chrome=119.0.6045.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c5f237e318bec4e5175c3d21911322bd, findElement {using=xpath, value=//a[text()="Squares of a Sorted Array"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.199, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e..., userDataDir: C:\Users\enggn\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:29076}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:29076/devtoo..., se:cdpVersion: 119.0.6045.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c5f237e318bec4e5175c3d21911322bd
  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy29.click(Unknown Source)		
	at pages.Arrays_PF.clickArraysSortedSquares(Arrays_PF.java:224)		
	at steppDef.ds_AlgoArraySteps.the_user_clicks_squared_of_the_sorted_array_link(ds_AlgoArraySteps.java:194)		
	at ?.The user clicks squared of the sorted array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:246) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

Python Editor page without data

PASSED	DURATION - 0.245 s		Steps	
/ 8:18:30.406 PM // 8:18:30.651 PM /			Total - 3	
To Automate the page of Array			Pass - 3 Fail - 0 Skip - 0	3

| #	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	PASSED	0.000 s
2	When The user clicks the run button without entring the code in the Editor	PASSED	0.245 s
3	Then Nothing happens to the page and no error message is displayed	PASSED	0.000 s

User go back to the previous page

PASSED	DURATION - 0.232 s

/ 8:18:31.347 PM // 8:18:31.579 PM /

To Automate the page of Array

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page	PASSED	0.229 s
2	When User able to see output in console	PASSED	0.000 s
3	Then User go back to the previous page	PASSED	0.000 s