
Cucumber Report




| Feature | | | Scei | nario | | | St | ер | |
|--|----------|----|------|-------|---|-----|----|----|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| To Automate Introduction page of DS_Algo | 3.333 s | 5 | 5 | 0 | 0 | 15 | 15 | 0 | 0 |
| To Automate Registration page of DS_Algo | 2.179 s | 10 | 8 | 2 | 0 | 34 | 32 | 2 | 0 |
| to automate Signin page of DS_Algo | 0.175 s | 8 | 0 | 8 | 0 | 25 | 8 | 8 | 9 |
| To Automate the page of Array | 2.008 s | 49 | 0 | 49 | 0 | 163 | 24 | 49 | 90 |

| Tag | | Scei | nario | | | Fea | ture | |
|---------------------------------------|----|------|-------|---|---|-----|------|---|
| Name | Τ | P | F | S | Т | P | F | S |
| @Browser_page | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @dsIntro | 5 | 5 | 0 | 0 | 1 | 1 | 0 | 0 |
| @Start_page | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @Intro_page | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @NotrunReg | 10 | 8 | 2 | 0 | 1 | 0 | 1 | 0 |
| @RegistrationLink | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Registration_page(allBlank) | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Registration_page(enterUsername) | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Registration_page(enterUnamePwd) | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Registration_page(invalidUsername) | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Registration_page(numericPwd) | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Registration_page(lessthan8chrPwd) | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Registration_page(diffpwd&conpwd) | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Registration_page(validUnamePwdCpwd) | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Signout | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Signin_page(link) | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Signin_page(allBlank) | 7 | 0 | 7 | 0 | 1 | 0 | 1 | 0 |

| Тад | | Scel | nario | | | Fea | ture | |
|--|----|------|-------|---|---|-----|------|---|
| Name | Т | P | F | S | Т | P | F | S |
| @Signin_page(enteronlyusername) | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Signin_page(enteronlypwd) | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Signin_page(invalidusernamePwd) | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Signin_page(validUsernameinvalidPassword) | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Signin_page(validUsernameInvPwd) | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Signin_page(valid) | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @HomePage | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @DSPage | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @ComplexityPage | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @PythonEditor_Blank | 8 | 0 | 8 | 0 | 1 | 0 | 1 | 0 |
| @PythonEditor_Invalid | 7 | 0 | 7 | 0 | 1 | 0 | 1 | 0 |
| @PythonEditor_Valid | 15 | 0 | 15 | 0 | 1 | 0 | 1 | 0 |
| @PythonEditor_Inalid | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @PracticeQuestions | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Array_page | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @ArraysInPythonPage | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @PythonEditor | 5 | 0 | 5 | 0 | 1 | 0 | 1 | 0 |


| Tag | | Scer | nario | | | ture | | |
|-------------------------------|---|------|-------|---|---|------|---|---|
| Name | T | P | F | S | T | P | F | S |
| @ArraysUsingList_page | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @ArraysBasicOperation_page | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @ArraysBasicOperation_Tryhere | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @AppOfArray | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @AppOfArray_4Links | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @PythonEdito | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

FEATURES SUMMARY -- 6 --




| # | Feature Name | T | P | F | S | Duration |
|---|--|----|---|----|---|----------|
| 1 | To Automate Introduction page of DS_Algo | 5 | 5 | 0 | 0 | 3.333 s |
| 2 | To Automate Registration page of DS_Algo | 10 | 8 | 2 | 0 | 2.179 s |
| 3 | to automate Signin page of DS_Algo | 8 | 0 | 8 | 0 | 0.175 s |
| 4 | To Automate the page of Array | 49 | 0 | 49 | 0 | 2.008 s |

SCENARIOS SUMMARY -- 7 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|----------------------------|---|---|---|---|----------|
| 1 | To Automate Introduction page of DS_Algo | Browser page | 3 | 3 | 0 | 0 | 2.545 s |
| 2 | To Automate Introduction page of DS_Algo | DS Algo Get Started page | 3 | 3 | 0 | 0 | 0.377 s |
| 3 | To Automate Introduction page of DS_Algo | DS Introduction page | 3 | 3 | 0 | 0 | 0.085 s |
| 4 | To Automate Introduction page of DS_Algo | DS Introduction page | 3 | 3 | 0 | 0 | 0.213 s |
| 5 | To Automate Introduction page of DS_Algo | DS Introduction page | 3 | 3 | 0 | 0 | 0.024 s |
| 6 | To Automate Registration page of DS_Algo | DS Introduction page | 4 | 4 | 0 | 0 | 0.142 s |
| 7 | To Automate Registration page of DS_Algo | New user registration page | 3 | 3 | 0 | 0 | 0.121 s |

SCENARIOS SUMMARY -- 8 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|----------------------------|---|---|---|---|----------|
| 8 | To Automate Registration page of DS_Algo | New user registration page | 3 | 3 | 0 | 0 | 0.179 s |
| 9 | To Automate Registration page of DS_Algo | New user registration page | 3 | 3 | 0 | 0 | 0.237 s |
| 10 | To Automate Registration page of DS_Algo | New user registration page | 4 | 4 | 0 | 0 | 0.121 s |
| 11 | To Automate Registration page of DS_Algo | New user registration page | 4 | 4 | 0 | 0 | 0.217 s |
| 12 | To Automate Registration page of DS_Algo | New user registration page | 3 | 3 | 0 | 0 | 0.211 s |
| 13 | To Automate Registration page of DS_Algo | New user registration page | 3 | 3 | 0 | 0 | 0.370 s |
| 14 | To Automate Registration page of DS_Algo | New user registration page | 4 | 3 | 1 | 0 | 0.284 s |

SCENARIOS SUMMARY -- 9 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|-------------------------------------|---|---|---|---|----------|
| 15 | To Automate Registration page of DS_Algo | The User is signed out successfully | 3 | 2 | 1 | 0 | 0.175 s |
| 16 | to automate Signin page of DS_Algo | DS Algo Introduction Page | 4 | 1 | 1 | 2 | 0.032 s |
| 17 | to automate Signin page of DS_Algo | DS Algo Introduction Page | 3 | 1 | 1 | 1 | 0.011 s |
| 18 | to automate Signin page of DS_Algo | DS Algo Introduction Page | 3 | 1 | 1 | 1 | 0.008 s |
| 19 | to automate Signin page of DS_Algo | DS Algo Introduction Page | 3 | 1 | 1 | 1 | 0.007 s |
| 20 | to automate Signin page of DS_Algo | DS Algo Introduction Page | 3 | 1 | 1 | 1 | 0.008 s |
| 21 | to automate Signin page of DS_Algo | DS Algo Introduction Page | 3 | 1 | 1 | 1 | 0.009 s |
| 22 | to automate Signin page of DS_Algo | DS Algo Introduction Page | 3 | 1 | 1 | 1 | 0.010 s |
| 23 | to automate Signin page of DS_Algo | DS Algo Introduction Page | 3 | 1 | 1 | 1 | 0.010 s |
| 24 | To Automate the page of Array | Home Page | 3 | 0 | 1 | 2 | 0.007 s |

SCENARIOS SUMMARY -- 10 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-------------------------------|--------------------------------------|---|---|---|---|----------|
| 25 | To Automate the page of Array | Data Structure Home page | 3 | 1 | 1 | 1 | 0.013 s |
| 26 | To Automate the page of Array | Time Complexity Page | 3 | 2 | 1 | 0 | 0.016 s |
| 27 | To Automate the page of Array | Python Editor page without data | 3 | 0 | 1 | 2 | 0.015 s |
| 28 | To Automate the page of Array | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.651 s |
| 29 | To Automate the page of Array | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.099 s |
| 30 | To Automate the page of Array | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.078 s |
| 31 | To Automate the page of Array | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.087 s |
| 32 | To Automate the page of Array | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.082 s |
| 33 | To Automate the page of Array | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.063 s |
| 34 | To Automate the page of Array | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.055 s |

SCENARIOS SUMMARY -- 11 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-------------------------------|--------------------------------------|---|---|---|---|----------|
| 35 | To Automate the page of Array | Python Editor page with Invalid data | 4 | 1 | 1 | 2 | 0.048 s |
| 36 | To Automate the page of Array | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.010 s |
| 37 | To Automate the page of Array | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.010 s |
| 38 | To Automate the page of Array | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.012 s |
| 39 | To Automate the page of Array | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.009 s |
| 40 | To Automate the page of Array | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.011 s |
| 41 | To Automate the page of Array | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.008 s |
| 42 | To Automate the page of Array | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.006 s |
| 43 | To Automate the page of Array | Python Editor page with valid data | 4 | 0 | 1 | 3 | 0.007 s |
| 44 | To Automate the page of Array | User go back to the previous page | 3 | 0 | 1 | 2 | 0.010 s |

SCENARIOS SUMMARY -- 12 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-------------------------------|-----------------------------------|---|---|---|---|----------|
| 45 | To Automate the page of Array | Time Complexity Page | 3 | 1 | 1 | 1 | 0.010 s |
| 46 | To Automate the page of Array | Home Page | 3 | 0 | 1 | 2 | 0.010 s |
| 47 | To Automate the page of Array | Array Page | 3 | 1 | 1 | 1 | 0.014 s |
| 48 | To Automate the page of Array | Array Page | 3 | 1 | 1 | 1 | 0.007 s |
| 49 | To Automate the page of Array | Python Editor page without data | 3 | 0 | 1 | 2 | 0.008 s |
| 50 | To Automate the page of Array | User go back to the previous page | 3 | 0 | 1 | 2 | 0.008 s |
| 51 | To Automate the page of Array | Array in Python Page | 3 | 1 | 1 | 1 | 0.012 s |
| 52 | To Automate the page of Array | Array Using List Page | 3 | 1 | 1 | 1 | 0.010 s |
| 53 | To Automate the page of Array | Python Editor page without data | 3 | 0 | 1 | 2 | 0.007 s |
| 54 | To Automate the page of Array | User go back to the previous page | 3 | 0 | 1 | 2 | 0.008 s |

SCENARIOS SUMMARY -- 13 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-------------------------------|-----------------------------------|---|---|---|---|----------|
| 55 | To Automate the page of Array | Array Using List Page | 3 | 1 | 1 | 1 | 0.010 s |
| 56 | To Automate the page of Array | Basic operations in Lists page | 3 | 1 | 1 | 1 | 0.011 s |
| 57 | To Automate the page of Array | Python Editor page without data | 3 | 0 | 1 | 2 | 0.011 s |
| 58 | To Automate the page of Array | User go back to the previous page | 3 | 0 | 1 | 2 | 0.013 s |
| 59 | To Automate the page of Array | Basic operations in Lists page | 3 | 1 | 1 | 1 | 0.012 s |
| 60 | To Automate the page of Array | Application of Array page | 3 | 1 | 1 | 1 | 0.010 s |
| 61 | To Automate the page of Array | Practice Questions page | 3 | 1 | 1 | 1 | 0.007 s |
| 62 | To Automate the page of Array | Python Editor page without data | 3 | 0 | 1 | 2 | 0.007 s |
| 63 | To Automate the page of Array | User go back to the previous page | 3 | 0 | 1 | 2 | 0.011 s |
| 64 | To Automate the page of Array | Practice Questions page | 3 | 1 | 1 | 1 | 0.012 s |

SCENARIOS SUMMARY -- 14 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-------------------------------|-----------------------------------|---|---|---|---|----------|
| 65 | To Automate the page of Array | Python Editor page without data | 3 | 0 | 1 | 2 | 0.008 s |
| 66 | To Automate the page of Array | User go back to the previous page | 3 | 0 | 1 | 2 | 0.005 s |
| 67 | To Automate the page of Array | Practice Questions page | 3 | 1 | 1 | 1 | 0.007 s |
| 68 | To Automate the page of Array | Python Editor page without data | 3 | 0 | 1 | 2 | 0.008 s |
| 69 | To Automate the page of Array | User go back to the previous page | 3 | 0 | 1 | 2 | 0.005 s |
| 70 | To Automate the page of Array | Practice Questions page | 3 | 1 | 1 | 1 | 0.006 s |
| 71 | To Automate the page of Array | Python Editor page without data | 3 | 0 | 1 | 2 | 0.005 s |
| 72 | To Automate the page of Array | User go back to the previous page | 3 | 0 | 1 | 2 | 0.006 s |

To Automate Introduction page of DS_Algo


| PASSED | DURATION - 3.333 s | Scenarios | | Steps | |
|-----------------------|--------------------|-----------|---|------------|----|
| | | Total - 5 | | Total - 15 | |
| / 2:26:59.868 PM // 2 | 2:27:03.201 PM / | Pass - 5 | 5 | Pass - 15 | 15 |
| | | Fail - 0 | | Fail - 0 | 10 |
| | | Skip - 0 | | Skip - 0 | |
| | | | | | |

Browser page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user should be open the browser | PASSED | 2.205 s |
| 2 | When The user enter the DS_Algo Portal https://dsportalapp.herokuapp.com/ | PASSED | 0.236 s |
| 3 | Then The user should landed on the DS_Algo Get Started page with message "You are at the right place" | PASSED | 0.083 s |


DS Algo Get Started page



DETAILED SECTION -- 16 --


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user should open the DS Algo Portal URL in any supported browser | PASSED | 0.017 s |
| 2 | When The user clicks the Get Started button | PASSED | 0.303 s |
| 3 | Then The user should land in Data Structure Introduction Page with "Register" and "Sign in" links | PASSED | 0.054 s |

DS Introduction page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the DS Introduction page | PASSED | 0.004 s |
| 2 | When The user clicks the data structure dropdown arrow | PASSED | 0.047 s |
| 3 | Then The user should able to see 6 options Arrays "Linked,List,Stack,Queue,Tree,Graph" in dropdown menu | PASSED | 0.032 s |

DS Introduction page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the DS Introduction page | PASSED | 0.001 s |
| 2 | When The user selects any data structures item from the drop down without Sign in. | PASSED | 0.176 s |
| 3 | Then The user should able to see an warning message "You are not logged in" | PASSED | 0.035 s |

DS Introduction page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the DS Introduction page | PASSED | 0.001 s |
| 2 | When The user clicks any "Get Started" buttons of data structures on the DS Introduction page | PASSED | 0.000 s |
| 3 | Then The user should able to see an warning message "You are not logged in" | PASSED | 0.019 s |


To Automate Registration page of DS_Algo

| Scenarios | | Steps | |
|------------|------------------------------|------------------------------|---|
| Total - 10 | | Total - 34 | |
| Pass - 8 | 10 | Pass - 32 | 34 |
| Fail - 2 | | Fail - 2 | J . |
| Skip - 0 | | Skip - 0 | |
| | Total - 10 Pass - 8 Fail - 2 | Total - 10 Pass - 8 Fail - 2 | Total - 10 Pass - 8 Fail - 2 Total - 34 Pass - 32 Fail - 2 |


DS Introduction page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the DS Introduction page | PASSED | 0.000 s |
| 2 | When The user clicks "Register" link on the DS Introduction page | PASSED | 0.111 s |
| 3 | Then The user should be redirected to Register form | PASSED | 0.008 s |
| 4 | And The user should able see a "Login" link at the botom of the page | PASSED | 0.020 s |




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the new user registration page | PASSED | 0.007 s |
| 2 | When The user clicks Register button with all fields empty | PASSED | 0.053 s |
| | Username Password Password confirmation | | |
| 3 | Then The error "Please fill out this field." appears below Username textbox | PASSED | 0.059 s |




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the new user registration page | PASSED | 0.011 s |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 2 | When The user clicks Register button after entering Username with other fields empty | PASSED | 0.118 s |
| | Username Password Password confirmation teams2233@gmail.com | | |
| 3 | Then The error message "Please fill out this field." appears below Password textbox | PASSED | 0.044 s |




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the new user registration page | PASSED | 0.005 s |
| 2 | When The user clicks Register button after entering Username and password with Password Confirmation field empty | PASSED | 0.198 s |
| | Username Password Password confirmation teams2233@gmail.com teams123^& | | |
| 3 | Then The error message "Please fill out this field." appears below Password Confirmation textbox | PASSED | 0.031 s |




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the new user registration page | PASSED | 0.006 s |
| 2 | When The user clicks Register button after entering a username with spacebar characters other than digits and special char | PASSED | 0.113 s |
| | Username Password Password confirmation teamser | | |
| 3 | Then The user is not able to see error msg after entering invalid data | PASSED | 0.001 s |
| 4 | And The user redirected to empty password textbox | PASSED | 0.000 s |




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the new user registration page | PASSED | 0.012 s |
| 2 | When The user clicks Register button after entering a password with numeric data | PASSED | 0.194 s |
| | UsernamePasswordPassword confirmationteams2233@gmail.com12345678 | | |
| 3 | Then The user is not able to see error msg after entering invalid data | PASSED | 0.001 s |
| 4 | And The user redirected to empty password confirmation textbox | PASSED | 0.001 s |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the new user registration page | PASSED | 0.020 s |
| 2 | When The user clicks Register button after entering a Password with characters less than eight | PASSED | 0.188 s |
| | Username Password Password confirmation teams2233@gmail.com team | | |
| 3 | Then The user is not able to see error msg after entering invalid data | PASSED | 0.001 s |




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the new user registration page | PASSED | 0.012 s |
| 2 | When The user clicks Register button after entering different passwords in Password and Password Confirmation fields | | 0.332 s |
| | Username Password Password confirmation teams2233@gmail.com teams123^& team12345 | | |
| 3 | Then The user should able to see an pwd warning message "password_mismatch:The two password fields didn't match." | PASSED | 0.022 s |



DETAILED SECTION -- 22 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the new user registration page | PASSED | 0.005 s |
| 2 | When The user clicks Register button after entering with valid username, password and password confirmation in related textboxes | PASSED | 0.240 s |
| | Username Password Password confirmation fgrhdffg4590096y teams123^& teams123^& | | |
| 3 | Then The user should be redirected to Home Page of DS Algo | PASSED | 0.005 s |
| 4 | And The user should able to see successful message "New Account Created. You are logged in as nkfepjvofok" on the DS Algo Home Page | FAILED | 0.030 s |
| | java.lang.AssertionError: expected [New Account Created. You are logged in as nkfepjvofok] but found [password_mismatch:The two password fields didn't match.] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.assertEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656) at org.testng.Assert.assertEquals(Assert.java:666) at steppDef.ds_AlgoPortalSteps.the_user_should_able_to_see_succeful_message_on_the_ds_algo_home_page(ds_AlgoPortalSteps. java:327) at ?.The user should able to see successful message "New Account Created. You are logged in as nkfepjvofok" on the DS Algo Home Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/02_dsRegistration.feature:76) * Not displayable characters are replaced by '?'. | | |

The User is signed out successfully




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the DS Algo Home Page | PASSED | 0.005 s |
| 2 | When The user clicks the Sign out link | PASSED | 0.124 s |
| 3 | Then The user able to see "Logged out successfully" message | FAILED | 0.043 s |

DETAILED SECTION -- 23 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found | | |
| | (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: | | |
| | 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: | | |
| | [22d82635de14f84625a35fb2633f2f90, findElement {using=xpath, value=/html/body/div[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: | | |
| | C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, | | |
| | networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, | | |
| | se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, | | |
| | unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, | | |
| | webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: | | |
| | 22d82635de14f84625a35fb2633f2f90 | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) | | |
| | at pages.HomePage_PF.getloggedOutsMsg(HomePage_PF.java:49) | | |
| | at steppDef.ds_AlgoPortalSteps.the_user_able_to_see_message(ds_AlgoPortalSteps.java:349) | | |
| | at ?.The user able to see "Logged out successfully" message(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/ | | |
| | feature/02_dsRegistration.feature:82) | | |
| | * Not displayable characters are replaced by '?'. | | |

to automate Signin page of DS_Algo


| FAILED | DURATION - 0.175 s | Scenarios | | Steps | |
|-----------------------|--------------------|-----------|-----|------------|----|
| | | Total - 8 | | Total - 25 | |
| / 2:27:05.483 PM // 2 | 2:27:05.658 PM / | Pass - 0 | 8 | Pass - 8 | 25 |
| | | Fail - 8 | · · | Fail - 8 | |
| | | Skip - 0 | | Skip - 9 | |
| | | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the DS Algo Introduction Page | PASSED | 0.010 s |
| 2 | When The user should click the Sign in link | FAILED | 0.008 s |
| _ | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, findElement {using=xpath, value=//a[text()="Sign in"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\engqn\AppData\ta\text(o=), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.EttpCommandExecutor.java:200) | | |

DETAILED SECTION -- 25 --


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) | | |
| | at pages.DSIntro_PF.clickSignin(DSIntro_PF.java:66) | | |
| | at steppDef.ds_AlgoSigninSteps.the_user_should_click_the_sign_in_link(ds_AlgoSigninSteps.java:31) | | |
| | at ?.The user should click the Sign in link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/03_dsSignin. | | |
| | feature:8) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then The user should be redirected to Sign in page | SKIPPED | 0.003 s |
| 4 | And The user is able to see "Register!" link below the text boxes | SKIPPED | 0.001 s |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the DS Algo Introduction Page | PASSED | 0.001 s |
| 2 | When The user clicks login button after leaving the "" textbox and "" textbox blank | FAILED | 0.008 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, findElement {using=xpath, value=/html/body/div[2]/div/div[2]/form/input[4]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, | | |

DETAILED SECTION -- 26 --


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, | | |
| | webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633f2f90 | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) | | |
| | at pages.Signin_PF.ClickLogin(Signin_PF.java:75) | | |
| | at steppDef.ds_AlgoSigninSteps.the_user_clicks_login_button_after_leaving_the_textbox_and_textbox_blank(ds_AlgoSigninSteps.java:65) | | |
| | at ?.The user clicks login button after leaving the "" textbox and "" textbox blank(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/ | | |
| | test/resources/feature/03_dsSignin.feature:14) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then The error message "Please fill out this field." appears below Username textbox | SKIPPED | 0.000 s |



DETAILED SECTION -- 27 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is on the DS Algo Introduction Page | PASSED | 0.001 s |
| 2 | When The user clicks login button after entering the "Trioteamchallengers" and leaves "" textbox blank | FAILED | 0.005 s |
| 2 | When The user clicks login button after entering the "Trioteamchallengers" and leaves "" textbox blank org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, findElement {using=name, value=username}}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633f290 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | FAILED | 0.005 s |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source) at pages.Signin_PF.validUsernameAndBlankPassword(Signin_PF.java:58) at steppDef.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_the_and_leaves_textbox_blank(ds_AlgoSigninSteps.java:71) at ?.The user clicks login button after entering the "Trioteamchallengers" and leaves "" textbox blank(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:23) * Not displayable characters are replaced by '?'. | | |
| 3 | Then The error message "Please fill out this field." appears below Pwd textbox | SKIPPED | 0.000 s |


DETAILED SECTION -- 28 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the DS Algo Introduction Page | PASSED | 0.002 s |
| 2 | When The user clicks login button after entering the "ds@qateam334h" only. | FAILED | 0.004 s |
| | org.openga.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [22d8263564184625335fb263317290, findElement (Jusing=name, value=username)] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: (chromedriverVersion: 119.0.6045.200, chrome: (chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\ength AppDatat\uo.ca), fedcm:accounts: true, goog:chromeOptions: (debuggerAddress: localhost:35240), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: (Implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:nlargeBlob: true, ava. ava. ava. ava. ava. ava. ava. ava | TAILLE | 0.0043 |

DETAILED SECTION -- 29 --


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at steppDef.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_the_only(ds_AlgoSigninSteps.java:105) at ?.The user clicks login button after entering the "ds@qateam334h" only.(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:32) * Not displayable characters are replaced by '?'. | | |
| 3 | Then The error message "Please fill out this field." appears below Username textbox | SKIPPED | 0.000 s |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the DS Algo Introduction Page | PASSED | 0.001 s |
| 2 | When The user clicks login button after entering invalid "teamchallengers" and invalid "ds@qateam334h" | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f290, findElement {using=name, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Userslenggn\AppData\Loca\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633f2f90 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.EttpCommandExecutor.invokeExecute(PtiverCommandExecutor.java:200) | | |


DETAILED SECTION -- 30 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source) | | |
| | at pages.Signin_PF.invalidUsernamePwd(Signin_PF.java:48) | | |
| | at steppDef.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_invalid_and_invalid(ds_AlgoSigninSteps.java:92) | | |
| | at ?.The user clicks login button after entering invalid "teamchallengers" and invalid "ds@qateam334h"(file:///C:/Users/enggn/eclipse- | | |
| | workspace/DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:41) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then The user should able to see an error message "Invalid Username and Password". | SKIPPED | 0.000 s |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the DS Algo Introduction Page | PASSED | 0.001 s |
| 2 | When The user clicks login button after entering valid "Trioteamchallengers" and invalid "" | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, findElement {using=name, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: | | |
| | 22d82635de14f84625a35fb2633f2f90 | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source) | | |
| | at pages.Signin_PF.validUsernameAndInvalidPassword(Signin_PF.java:53) | | |
| | at steppDef.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_valid_and_invalid(ds_AlgoSigninSteps.java:55) | | |
| | at ?.The user clicks login button after entering valid "Trioteamchallengers" and invalid ""(file:///C:/Users/enggn/eclipse-workspace/ | | |
| | DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:50) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then The user should able to see an error message "Invalid Username and Password". | SKIPPED | 0.000 s |




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the DS Algo Introduction Page | PASSED | 0.001 s |

DETAILED SECTION -- 32 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 2 | When The user clicks login button after entering valid "Trioteamchallengers" and invalid "ds@qateam334h" | FAILED | 0.005 s |
| _ | When The user clicks login button after entering valid "Trioteamchallengers" and invalid "ds@qateam334h" org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, findElement {using=name, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.205.25c5c, userDataDir: C:\UserslenggnlAppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnablec! false, page.LoadStrategy: normal, platformName: windows, proxy: Proxy(), sec.dp. ws://localhost:35240/devtoo, sec.dp\version: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, page.Load: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:mpri: true, webauthn:extension:largeBlob: true, at java.base/java.lang.reflect.ConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:120) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.openqa.s | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source) at pages.Signin PF.validUsernameAndInvalidPassword(Signin PF.java:53) | | |
| | at steppDef.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_valid_and_invalid(ds_AlgoSigninSteps.java:55) at ?.The user clicks login button after entering valid "Trioteamchallengers" and invalid "ds@qateam334h"(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:59) | | |
| 3 | * Not displayable characters are replaced by '?'. | SKIPPED | 0.000 s |
| | Then The error message "Please fill out this field." appears below Username textbox | SKIPPED | 0.000 S |

DETAILED SECTION -- 33 --




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the DS Algo Introduction Page | PASSED | 0.001 s |
| 2 | When The user clicks login button after entering valid "Trioteamchallengers" and valid "triothebest@123" | FAILED | 0.006 s |
| 2 | When The user clicks login button after entering valid "Trioteamchallengers" and valid "triothebest@123" org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '101ab5521b' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d826356te14f84625a35fb2633f290, findElement {using=name, value=username}] Capabilities {acceptinsecureCerts: false, browserName: chromed.browserVersion: 119.0.6045.200, chrome: {chromed.browserVersion: 119.0.6045.200, ethio: {chromed.browserVersion: 119.0.6045.200, ethio: {chromed.browserVersion: 119.0.6045.200, ethio: {chromed.browserVersion: 119.0.6045.200, ethio: {chromed.browserVersion: {debuggerAddress: localhost:35240/, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy. Proxy(), sec.dp: ws://localhost:35240/devtoo, sec.dp! wsindowserversion: 119.0.6045.200, set/windowRect: true, strictFileInteractability: false, timeous: {fmplicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:ritualAuthenticators: true) Session ID: 22d82635de14f84625a35fb2633f290 at java.base/java.lang.reflect.Constructor.handleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.cecde(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverComman | FAILED | 0.006 s |
| | at pages.Signin_PF.validUsernameAndBlankPassword(Signin_PF.java:58) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at steppDef.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_valid_and_valid(ds_AlgoSigninSteps.java:122) at ?.The user clicks login button after entering valid "Trioteamchallengers" and valid "triothebest@123"(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:68) * Not displayable characters are replaced by '?'. | | |
| 3 | Then The user should land in Data Structure Home Page with "You are logged in" message | SKIPPED | 0.000 s |

To Automate the page of Array

| FAILED | DURATION - 2.008 s | Scenarios | | Steps | |
|-----------------------|--------------------|------------|----|-------------|------|
| | | Total - 49 | | Total - 163 | |
| / 2:27:05.677 PM // 2 | :27:07.685 PM / | Pass - 0 | 49 | Pass - 24 | 163 |
| | | Fail - 49 | | Fail - 49 | ,,,, |
| | | Skip - 0 | | Skip - 90 | |
| | | | | | |

Home Page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the DS Algo Home Page | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, getCurrentUrl {}} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633f2f90 | | |

DETAILED SECTION -- 35 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getCurrentUrl(RemoteWebDriver.java:321) | | |
| | at utilities.BaseClass.getCurrentUrl(BaseClass.java:62) | | |
| | at steppDef.ds_AlgoPortalSteps.the_user_is_on_the_ds_algo_home_page(ds_AlgoPortalSteps.java:335) | | |
| | at ?.The user is on the DS Algo Home Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/ | | |
| | 04_dsDataStructInt.feature:5) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When The user clicks Get Started button below the Data structures-Introduction | SKIPPED | 0.000 s |
| 3 | Then The user should land in "Data Structures-Introduction" DS page | SKIPPED | 0.000 s |

Data Structure Home page

| FAILED | DURATION - 0.013 s | 0.15 | | | | Steps | |
|------------------|----------------------------|-------|---|------|---|-----------|---|
| / 2:27:05 604 DA | / M // 2:27:05.707 РМ / | 0.1 - |] | | | Total - 3 | |
| 7 2.27.05.094 PN | W // 2.27.03.707 PW / | 0.1 | | | | Pass - 1 | |
| To Automate the | nage of Δrray | .05 - | | | | Fail - 1 | 3 |
| To Automate the | ; page of Array | | | | | Skip - 1 | |
| @DSPage | | 0 - | | | | | |
| | | | 1 | 2 | 3 | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Data Structure Introduction Page | PASSED | 0.002 s |
| 2 | When The user clicks Time Complexity link | FAILED | 0.007 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, findElement {using=xpath, value=//a[text()="Time Complexity"]}] Capabilities {acceptInsecureCerts: | | |

DETAILED SECTION -- 36 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: | | |
| | C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, | | |
| | networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, | | |
| | se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, | | |
| | unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, | | |
| | webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633f2f90 | | |
| | | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) | | |
| | at pages.DataStructureIntro_PF.ClickDStimeComplexity(DataStructureIntro_PF.java:27) | | |
| | at steppDef.ds_AlgoDataStructInt.the_user_clicks_time_complexity_link(ds_AlgoDataStructInt.java:43) | | |
| | at ?.The user clicks Time Complexity link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/ | | |
| | 04_dsDataStructInt.feature:12) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then The user should be redirected to "Time Complexity" TC page | SKIPPED | 0.000 s |

Time Complexity Page


DETAILED SECTION -- 37 --



| # | Step / Hook Details | Status | Duration |
|--|---|--------|----------|
| | Given The user is on the Time Complexity Page | PASSED | 0.007 s |
| <u>. </u> | When The user clicks Try Here button of Time Complexity page | PASSED | 0.001 s |
| | Then The user should be redirected to a page having an Python Editor | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d826356264384625a, java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635641484625a, java.version: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca], fedcm:accounts: true, goog.chromeOptions: {debuggerAddress: localhost.35240}, networkConnectionEnabled: false, page.LoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost.35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBiob: true, webauthn:extension:credBiob: true, webauthn:extension:credBiob: true, webauthn:extension:credBiob: true, webauthn:extension:ripelFintengthaleactions: true; Jession ID: 22d82635de14f84625a35fb26331290 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.Java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.geode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.ethtpCommandExecutor.java:175) at org.openqa.selenium.remote.ethtpCommandExecutor.pava:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver | | |

DETAILED SECTION -- 38 --


Python Editor page without data



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on tryEditor page | FAILED | 0.011 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35b2633f290, get {url=https://dsportalapp.herokuapp.com/tryEditorj} Capabilities {acceptinsecureCerts: false, browserVame: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38672552c5e, userDataDir: C:\Users\engplAppData\Loca), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdp/version: 119.0.6045.200, setWindowRect: true, strictlieIntercatability: false, timeouts: {implicit: 0, pageLoad3 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:largeBlob: true, webau | PAILED | 0.011 \$ |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |


DETAILED SECTION -- 39 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.002 s |




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 | FAILED | 0.647 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chromec.ChromeDriver Command: [22d82635de14f84625a35fb2633fg90, findElement {using=xpath, value=//*[@id=ranswer_form"]/div/div/div/div/div/div/div/div/div/div | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:30) * Not displayable characters are replaced by '?'. | | |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.001 s |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 | FAILED | 0.095 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div/div/div/div/div/fis[6]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: | | |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | true} Session ID: 22d82635de14f84625a35fb2633f2f90 | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy29.isDisplayed(Unknown Source) | | |
| | at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) | | |
| | at steppDef.ds_AlgoTryEditorSteps. | | |
| | enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) | | |
| | at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and | | |
| | row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:30) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | When The User clicks a run button | SKIPPED | 0.001 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |



DETAILED SECTION -- 42 --


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 | FAILED | 0.076 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: '12d2826355402481260, findElement (using=xpath, value=/f/@ide*answer_form*/div/div/div/div/div/div/div/div/div/div | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | When The User clicks a run button | SKIPPED | 0.001 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |

DETAILED SECTION -- 43 --




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" | FAILED | 0.084 s |
| | and row_number 2 | | |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35f2633f2f90, findElement [using=xpath, value=l/l*@id="answer_form"]div/div/div/loi/loi/div/div/div/div/div/div/div/div/div/di | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:120) * Not displayable characters are replaced by '?'. | | |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 | FAILED | 0.080 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div/div/div/div/div/div/div/div | | |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy29.isDisplayed(Unknown Source) | | |
| | at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) | | |
| | at steppDef.ds_AlgoTryEditorSteps. | | |
| | enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) | | |
| | at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and | | |
| | row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:171) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 | FAILED | 0.059 s |


DETAILED SECTION -- 46 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| # | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Bull info: version: '1.41.50', revision: '1.01.415521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '1.00', java.version: | Status | Duration |
| | row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:210) * Not displayable characters are replaced by '?'. | | |
| 2 | When The User clicks a run button | SKIPPED | 0.001 s |
| 3 | 1 1111111111111111 | | |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 | FAILED | 0.053 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: '22d82635de14f84625a35fb2633f2f90, findElement {using=xpath, value=l/f@id=1-answer_form"]/div/div/div/div/div/div/div/div/fs]/div/pre}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:implinlengeBlob: true, webauthn:extension:implinlength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633f2f90 at java.base/java.lang.reflect.DirectConstructor.newlnstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newlnstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newlnstanceWithCaller(Constructor.java:500) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.ethtpCommandExecutor.execute(PitverCommandExecutor.java:191) at org.openqa.selenium.rem | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.isDisplayed(Unknown Source) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:249) * Not displayable characters are replaced by '?'. | | |
| 3 | When The User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on the tryEditor page | PASSED | 0.000 s |
| 2 | And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 | FAILED | 0.046 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, findElement {using=xpath, value=//*[@id="answer_form"]/div/div/div[6]/div[1]/div/div/div/foi/f5]/div/pre}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.205, chromedriverVersion: 119.0.6045 | | |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy29.isDisplayed(Unknown Source) | | |
| | at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) | | |
| | at steppDef.ds_AlgoTryEditorSteps. | | |
| | enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) | | |
| | at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and | | |
| | row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:288) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | When The User clicks a run button | SKIPPED | 0.001 s |
| 4 | Then The user see error msg in alert window and press ok button | SKIPPED | 0.000 s |



| | # | Step / Hook Details | Status | Duration |
|---|---|---|--------|----------|
| 1 | | Given The user is on the tryEditor page | FAILED | 0.006 s |
| | | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, | | |


DETAILED SECTION -- 50 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timplicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:minPinLength: true, webauthn:extension:minPinLength: true, webauthn:extension:minPinLength: true, webauthn:extension:minPinLength: true, webauthn:extension:minPinLength: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633f2f90 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.evac.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:22) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.evecute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.service.DriverCommandExecutor.evecute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.Service.DriverCommandExecutor.evecute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:309) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ste | Otatas | |
| 2 | And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |




DETAILED SECTION -- 51 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the tryEditor page | FAILED | 0.006 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, get [url=https://dsportalapp.herokuapp.com/tryEditorf] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: (chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\engthetaPData\tataCoa\}, fedcm:accounts: true, goog:chromeOptions: (debuggerAddress: localhost:35240), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdp\version: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: t | | |
| 2 | And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and | SKIPPED | 0.000 s |
| | row_number 2 | CKIDDED | 0.000 a |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |




| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the tryEditor page | FAILED | 0.007 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f290, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:UserslenggnNappDatalLoca}, fedom:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:redBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633fb2633fz90 at java.base/jaki.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:300) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.openqa.sele | PAILED | 0.007 \$ |
| | at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:85) * Not displayable characters are replaced by '?'. | | |
| 2 | And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and | SKIPPED | 0.001 s |
| | row_number 2 | JNIFFED | 0.001 5 |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the tryEditor page | FAILED | 0.005 s |
| | Org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:UserslengpnNappDataLloca}; fedom:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633f2f90 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(PriverCommandExecutor.java:175) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(PriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver | FAILED | 0.005 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | feature:130) * Not displayable characters are replaced by '?'. | | |
| 2 | And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and | SKIPPED | 0.001 s |
| | row_number 2 | | |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the tryEditor page | FAILED | 0.008 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f290, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true} at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.Service.DriverCommandExecutor.java:191) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:2 | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:59) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray. feature:181) * Not displayable characters are replaced by '?'. | | |
| 2 | And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the tryEditor page | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633f2f90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) | | |
| | at utilities.BaseClass.openPage(BaseClass.java:59) | | |
| | at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) | | |
| | at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray. | | |
| | feature:220) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and | SKIPPED | 0.000 s |
| | row_number 2 | | |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the tryEditor page | FAILED | 0.004 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| # | se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633f2f90 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.dec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:259) | Status | Duration |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.000 s |




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the tryEditor page | FAILED | 0.004 s |

DETAILED SECTION -- 58 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| # | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: '22d82e356d14f84625a35fb2633f290, get {uni-https://dsportalapp.herokuapp.com/tryEditor]} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Userskenggn/AppDataLoca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddfess: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), sex.cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension.credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:nimpFilLength: true, webauthn:extension:nimpFilLength: true, webauthn:extension:largeBlob: | Status | Duration |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2 | SKIPPED | 0.000 s |
| 3 | When User clicks a run button | SKIPPED | 0.000 s |
| 4 | Then output should be displayed on the console | SKIPPED | 0.001 s |

User go back to the previous page


DETAILED SECTION -- 59 --



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is already on tryEditor page | FAILED | 0.006 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, get {url=https://dsportalapp.herokuapp.com/tyPeditor}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: (chromedriverVersion: 119.0.6045.105 (38c7255256s, userDataDir: C:\Users\engthAppDataL\oca); fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost.35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost.35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:rcredBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, webauthn:extension:prf: true, webauthn: | | |
| 2 | When User able to see output in console | SKIPPED | 0.001 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |

DETAILED SECTION -- 60 --


Time Complexity Page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the Time Complexity Page | PASSED | 0.002 s |
| 2 | When The user clicks Practice Questions link of DS | FAILED | 0.006 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '13.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, findElement {using=yath, value=//*[@id="content"]/a}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\end{align*}C:\Users\end{align*}C:\Users\end{align*} betworkConnectionEnabled: false, paget_oadStrategy: normal, platformName: windows, proxy: Proxy(), sec.dp: ws://localhost:35240//devtoo, sec.dpVersion: 119.0.6045.200, set\unders\end{align*} build-make: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:incredBlob: true, webauthn:extension:inlimplin.length: true, webauthn:extension:inlimplin.length:extension:inlimplin.length:extension:inlimplin.length:extension:inlimplin.length:extension:inlimplin.length:e | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at pages.DataStructureIntro_PF.clickPracticeQuestions(DataStructureIntro_PF.java:22) at steppDef.ds_AlgoDataStructInt.the_user_clicks_practice_questions_link_of_ds(ds_AlgoDataStructInt.java:67) at ?.The user clicks Practice Questions link of DS(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/ 04_dsDataStructInt.feature:57) * Not displayable characters are replaced by '?'. | | |
| 3 | Then The user does not find any practice problems and the page is null | SKIPPED | 0.000 s |


Home Page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the DS Algo Home Page | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, getCurrentUf {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/locdvtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633f2f90 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.e.thtpCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) | PAILED | 0.003 \$ |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getCurrentUrl(RemoteWebDriver.java:321) | | |
| | at utilities.BaseClass.getCurrentUrl(BaseClass.java:62) | | |
| | at steppDef.ds_AlgoPortalSteps.the_user_is_on_the_ds_algo_home_page(ds_AlgoPortalSteps.java:335) | | |
| | at ?.The user is on the DS Algo Home Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray. | | |
| | feature:5) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When The user clicks "Get Started" button below the array | SKIPPED | 0.000 s |
| 3 | Then The user should be redirected to "Array" page | SKIPPED | 0.001 s |

Array Page




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the Array page | PASSED | 0.004 s |
| 2 | When The user clicks a Arrays in Python link | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, findElement {using=xpath, value=//a[text()="Arrays in Python"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\ength{users\ength{engm\AppData\Loca}}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633f2f90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |

DETAILED SECTION -- 63 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) | | |
| | at pages.Arrays_PF.clickArraysInPython(Arrays_PF.java:108) | | |
| | at steppDef.ds_AlgoArraySteps.the_user_clicks_a_arrays_in_python_link(ds_AlgoArraySteps.java:43) | | |
| | at ?.The user clicks a Arrays in Python link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray. | | |
| | feature:12) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then The user should be redirected to "Arrays in Python" AP Page | SKIPPED | 0.000 s |

Array Page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Array page | PASSED | 0.000 s |
| 2 | When The user clicks Try Here button of Array in Python Page | FAILED | 0.004 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: | | |

DETAILED SECTION -- 64 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | [22d82635de14f84625a35fb2633f2f90, findElement {using=xpath, value=//a[text()="Try here>>>"]}] Capabilities {acceptInsecureCerts: false, | | |
| | browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: | | |
| | C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, | | |
| | networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, | | |
| | se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, | | |
| | unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: | | |
| | 22d82635de14f84625a35fb2633f2f90 | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | $at\ or g. open qa. selenium. remote. Element Location \$Element Finder \$2. find Element (Element Location. java: 165)$ | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) | | |
| | $at\ or g. open qa. selen ium. support. page factory. De fault Element Locator. find Element (De fault Element Locator. java: 68)$ | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) | | |
| | at pages.Arrays_PF.clickTryhere(Arrays_PF.java:120) | | |
| | at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_in_python_page(ds_AlgoArraySteps.java:63) | | |
| | at ?.The user clicks Try Here button of Array in Python Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/ | | |
| | 05_dsArray.feature:18) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor" | SKIPPED | 0.000 s |

Python Editor page without data


DETAILED SECTION -- 65 --



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on tryEditor page | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command! [22d82635de14f84625a35fb263312f90, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C.\Userslenggn/AppDatal\Loca), fedom:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxyd), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:nlimpinLength: true, webauthn:extension:minpinLength: true, webauthn:extension:minpinLength: true, webauthn:extension:himpinLength: true, webauthn:extension:himpinLength:himpinLength:himpinLength:himpinLength:himpinLength:himpinLength:himpinLength:himpi | | |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.001 s |

DETAILED SECTION -- 66 --


User go back to the previous page



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is already on tryEditor page | FAILED | 0.006 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f290, get {url=https://dsportalapp.herokuapp.com/hyt_cdiorj}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\engpn\AppData\Loca), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, paged.oadStrategy: normal, platformName: windows, proxy.(), sec.dp: ws://localhost:35240/devtoo, sec.dp\version: 119.0.6045.200, setWindowRect: true, strictFileIntercatability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:miniPlanLength: true, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:miniPlanLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, webauthn:extension:miniPlanLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, we | FAILED | 0.006 S |
| | * Not displayable characters are replaced by '?'. | OVIDDED | 0.000 |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |

Array in Python Page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Array in Python Page | PASSED | 0.001 s |
| 2 | When The user clicks a Arrays Using List link | FAILED | 0.006 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '19.0.', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, findElement {using=xpath, value=//a[text()="Arrays Using List"]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, fedem:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension.credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:inlpinLength: true, webauthn:extension:redBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:larg | | |

DETAILED SECTION -- 68 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) | | |
| | at pages.Arrays_PF.clickArraysUsingList(Arrays_PF.java:111) | | |
| | at steppDef.ds_AlgoArraySteps.the_user_clicks_a_arrays_using_list_link(ds_AlgoArraySteps.java:87) | | |
| | at ?.The user clicks a Arrays Using List link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray. | | |
| | feature:57) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then The user should be redirected to "Arrays Using List" AL page. | SKIPPED | 0.001 s |


Array Using List Page



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Array Using List page | PASSED | 0.001 s |
| 2 | When The user clicks Try Here button of Array Using List Page | FAILED | 0.006 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, findElement {using=xpath, value=//a[text()="Try here>>>"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdp\Version: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633f2f90 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) | | |
| | at pages.Arrays_PF.clickTryhere(Arrays_PF.java:120) | | |
| | at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_using_list_page(ds_AlgoArraySteps.java:104) | | |
| | at ?.The user clicks Try Here button of Array Using List Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/ | | |
| | 05_dsArray.feature:63) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor" | SKIPPED | 0.000 s |


Python Editor page without data



| | # | Step / Hook Details | Status | Duration |
|---|---|--|--------|----------|
| 1 | | Given The user is on tryEditor page | FAILED | 0.005 s |
| | | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, | | |
| | networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, | | |
| | se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, | | |
| | unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, | | |
| | webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633f2f90 | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) | | |
| | at utilities.BaseClass.openPage(BaseClass.java:59) | | |
| | at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) | | |
| | at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:68) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |


User go back to the previous page



| | # | Step / Hook Details | Status | Duration |
|----|---|---|--------|----------|
| [: | 1 | Given The user is already on tryEditor page | FAILED | 0.006 s |
| | | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\engthapData\Loca}}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:redBlob: true, webauthn:extension:nlargeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true}, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true}, session ID: 22d82635de14f84625a35fb2633f2f90 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.ceteteException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.dec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at ttillties.BaseClass.openPage(Ba | | |
| 2 | * Not displayable characters are replaced by '?'. When User able to see output in console | SKIPPED | 0.001 s |
| _ | | | |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |

Array Using List Page




DETAILED SECTION -- 72 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on the Array Using List page | PASSED | 0.001 s |
| 2 | When The user clicks a Basic Operations in Lists link | FAILED | 0.006 s |
| 2 | when The user clicks a Basic Operations in Lists link org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119,0.6045_200) Build info: version: '4.15.0', revision: '1.414b5521b' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, findElement (using=xpath, value=//a/[textt]='Basic Operations in Lists']]] Capabilities [4acceptinsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: (chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C1/Userslenggn/AppDataLl.oca], fedcm:accounts: true, goog:chromeOpinos: (debuggerAddress: localhost:35240), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFlieInteractability: false, timeouts: fimplicit: 0, pageLoad: 300000, script: 300009, unhandledPromptBehavior: dismiss and notify, webauthnextension:prefBlob: true, webauthnextension:ampfBlob: true, webauthnextension:prefBlob: true, webauthnextension:minPinLength: true, webauthnextension:prefBlob: true, webauthnextension:minPinLength: true, webauthnextension:prefBlob: true, webauthnextension:argerflect.Constructor.prefect | FAILED | 0.006 s |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then The user should be redirected to "Basic Operations in Lists" BO page. | SKIPPED | 0.000 s |


Basic operations in Lists page

DETAILED SECTION -- 73 --




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the Basic Operations in Lists page | PASSED | 0.001 s |
| 2 | When The user clicks Try Here button of Operations in Lists Page | FAILED | 0.006 s |
| 2 | org.openga.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '13.0.2' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, findElement (Jusing=pxath, value=//a[text]=*Try here>>>>]]] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\end{align*} C:\Users\end{align*} C:\users\end{align*} pagel.oadStrategy: normal, platformName: windows, proxy: Proxy(), sec.dp: ws://localhost:35240/devtoc, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pagel.oad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:incredBlob: true, webauthn:extension:inlargeBlob: true, webauthn:extension:inlimplin.lengit: ajava.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.AttpCommandExecutor.java:4191) at org.openqa.selenium.remote.BttpCommandExecutor.execute(PittpCommandExecutor.java:175) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.ElementLocation.findElement(ElementL | FAILED | 0.006 s |
| | at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) at pages.Arrays_PF.clickTryhere(Arrays_PF.java:120) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_operations_in_lists_page(ds_AlgoArraySteps.java:128) at ?.The user clicks Try Here button of Operations in Lists Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:108) * Not displayable characters are replaced by '?'. | | |
| 3 | Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor" | SKIPPED | 0.000 s |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on tryEditor page | FAILED | 0.008 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1014b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de1484625a35fb2633f290, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:Userslenggn\AppData\Loca}, fedom:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633f290 at java.base/java.lang.reflect.Constructor.HandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.enttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | 0.000 3 |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:59) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:113) * Not displayable characters are replaced by '?'. | | |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is already on tryEditor page | FAILED | 0.010 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\engthetapp.Data\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true} Session ID: 22d82635de14f84625a35fb2633f2f90 at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | PAILED | 0.010 \$ |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) | | |
| | at utilities.BaseClass.openPage(BaseClass.java:59) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) | | |
| | at steppber.us_Algo fryEditor steps.ure_user_is_already_on_try_editor_page(us_Algo fryEditor steps.java.109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray. feature:140) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |


Basic operations in Lists page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on the Basic Operations in Lists page | PASSED | 0.000 s |
| 2 | When The user clicks an Applications of Array link | FAILED | 0.009 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, findElement {using=xpath, value=//a[text()="Applications of Array"]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdp\Version: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633f2f90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) | | |
| | at pages.Arrays_PF.clickArraysApp(Arrays_PF.java:117) | | |
| | at steppDef.ds_AlgoArraySteps.the_user_clicks_an_applications_of_array_link(ds_AlgoArraySteps.java:136) | | |
| | at ?.The user clicks an Applications of Array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray. | | |
| | feature:147) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then The user should be redirected to "Applications of Array" AA page. | SKIPPED | 0.001 s |

Application of Array page




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on the Applications of Array page | PASSED | 0.001 s |
| 2 | When The user clicks Practice Questions link | FAILED | 0.006 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: | | |

DETAILED SECTION -- 78 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | [22d82635de14f84625a35fb2633f2f90, findElement {using=xpath, value=//a[text()="Practice Questions"]}] Capabilities {acceptInsecureCerts: | | |
| | false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: | | |
| | C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, | | |
| | se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, | | |
| | unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, | | |
| | webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: | | |
| | 22d82635de14f84625a35fb2633f2f90 | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source) | | |
| | at pages.Arrays_PF.clickArraysPracticeQuestions(Arrays_PF.java:215) | | |
| | at steppDef.ds_AlgoArraySteps.the_user_clicks_practice_questions_link(ds_AlgoArraySteps.java:163) | | |
| | at ?.The user clicks Practice Questions link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray. | | |
| | feature:153) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then The user should be redirected to practice page having links like "Search the array", "Max Consecutive Ones", "Find | SKIPPED | 0.000 s |
| | Numbers with Even Number of Digits" ,"Squares of a Sorted Array" | | |


DETAILED SECTION -- 79 --



| 1 | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | Given The user is on Practice page | PASSED | 0.001 s |
| 2 | When The user clicks search the array link | FAILED | 0.005 s |
| 2 | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: amd64', os.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: 22d82635de14f84625a35fb2633f290, findElement (Jusing=xpath, value=/lqtext)='Search the array']]] Capabilities (acceptinsecureCerts: alse, browserName: chrome, browserVersion: 119.0.6045.200, chrome: (chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: CXUserslenggn/AppDataLoca), fedcm:accounts: true, goog:chromeOptions: (debuggerAddress: localhost:35240), sectop: ws://localhost:35240/devtoo, sectopVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:nipfinLength: true, webauthn:extension:pric true, webauthn:virtualAuthenticators: true) Session ID: 22d82635de14f84625a35fb2633f2f90 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:129) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:195) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWeb | FAILED | 0.005 s |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |


DETAILED SECTION -- 80 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at steppDef.ds_AlgoArraySteps.the_user_clicks_search_the_array_link(ds_AlgoArraySteps.java:190) at ?.The user clicks search the array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray. feature:159) * Not displayable characters are replaced by '?'. | | |
| 3 | Then The user should be redirected to "QUESTION" page contains a question, an tryEditor with Run and Submit buttons | SKIPPED | 0.000 s |




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on tryEditor page | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, get {url=https://dsportalapp.herokuapp.com/tryEditor}}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:Userslenggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:rpf: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633f2f90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.etHtpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.R | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:59) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:164) * Not displayable characters are replaced by '?'. | | |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is already on tryEditor page | FAILED | 0.009 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\engthengm\AppData\Loca}}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdp\version: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true} at java.base/jak14f84625a35fb2633f2f90 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | 0.000 |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) | | |
| | at utilities.BaseClass.openPage(BaseClass.java:59) | | |
| | at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) | | |
| | at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray. | | |
| | feature:191) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on Practice page | PASSED | 0.000 s |
| 2 | When The user clicks Max consecutive ones link | FAILED | 0.008 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, goBack {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633f2f90 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.back(RemoteWebDriver.java:1142) | | |
| | at utilities.BaseClass.NavBack(BaseClass.java:71) | | |
| | at steppDef.ds_AlgoArraySteps.the_user_clicks_max_consecutive_ones_link(ds_AlgoArraySteps.java:203) | | |
| | at ?.The user clicks Max consecutive ones link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray. | | |
| | feature:198) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons | SKIPPED | 0.000 s |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The user is on tryEditor page | FAILED | 0.006 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: | | |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | 22d82635de14f84625a35fb2633f2f90 | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) | | |
| | at utilities.BaseClass.openPage(BaseClass.java:59) | | |
| | at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) | | |
| | at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:203) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is already on tryEditor page | FAILED | 0.004 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, | | |

DETAILED SECTION -- 85 --


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, | | |
| | unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, | | |
| | webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633f2f90 | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) | | |
| | at utilities.BaseClass.openPage(BaseClass.java:59) | | |
| | at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) | | |
| | at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray. | | |
| | feature:230) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When User able to see output in console | SKIPPED | 0.001 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given The user is on Practice page | PASSED | 0.000 s |
| 2 | When The user clicks Find numbers with even number of digits link | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: | | |


DETAILED SECTION -- 86 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openga.selenium.chrome.ChromeDriver Command: | | |
| | [22d82635de14f84625a35fb2633f2f90, goBack {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: | | |
| | 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, | | |
| | fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: | | |
| | normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, | | |
| | strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, | | |
| | webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633f2f90 | | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.back(RemoteWebDriver.java:1142) | | |
| | at utilities.BaseClass.NavBack(BaseClass.java:71) | | |
| | at steppDef.ds_AlgoArraySteps.the_user_clicks_find_numbers_with_even_number_of_digits_link(ds_AlgoArraySteps.java:210) | | |
| | at ?.The user clicks Find numbers with even number of digits link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/ | | |
| | feature/05_dsArray.feature:237) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons | SKIPPED | 0.000 s |




DETAILED SECTION -- 87 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on tryEditor page | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\engqn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633f2f90 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | FAILED | 0.005 s |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) | | |
| | at utilities.BaseClass.openPage(BaseClass.java:59) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:242) * Not displayable characters are replaced by '?'. | | |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.000 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.001 s |




DETAILED SECTION -- 88 --

| # | Step / Hook Details | Status | Duration |
|---|---|----------|----------|
| 1 | Given The user is already on tryEditor page | FAILED | 0.004 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1014b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: '22d82635de14f84625a35fb2633f2f90, get {url=https://dsportalapp.herokuapp.com/tryEditor}} (Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Userslenggn\AppDatalLoca}, ledcm.accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240, setCollows.proxy: Proxy(), setCollows:35240/devtoo, setCollows: 119.0.6045.200, setWindowRect: true, goog:chromeOptions: {debuggerAddress: localhost:35240/devtoo, setCollows: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:mipril: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.ethttpCommandExecutor.execute(PtiverCommandExecutor.java:191) at org.openqa.selenium.remote.ethtpCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa | | |
| 2 | * Not displayable characters are replaced by '?'. When User able to see output in console | SKIPPED | 0.000 s |
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |
| | Then oser go back to the previous page | SIXIELED | 0.000 3 |




| | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | Given The user is on Practice page | PASSED | 0.001 s |
| | When The user clicks squared of the sorted array link | FAILED | 0.004 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, goBack {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdpVersion: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633f2f90 | FAILED | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteNavigation.back(RemoteWebDriver.java:1142) at utilities.BaseClass.NavBack(BaseClass.java:71) | | |
| | at steppDef.ds_AlgoArraySteps.the_user_clicks_squared_of_the_sorted_array_link(ds_AlgoArraySteps.java:216) at ?.The user clicks squared of the sorted array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/ 05_dsArray.feature:276) | | |
| _ | * Not displayable characters are replaced by '?'. | | |
| | Then The user should be redirected to "QUESTION" page contains a question, an tryEditor with Run and Submit buttons | SKIPPED | 0.001 s |

DETAILED SECTION -- 90 --



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given The user is on tryEditor page | FAILED | 0.004 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635624618646233f2f90, get {url=https://dsportalapp.herowurprectors/papilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:USerslenggn/AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdp/Version: 119.0.6045.200, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, at java.base/java.lang.reflect.Constructor handleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote. | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When The user clicks the run button without entring the code in the Editor | SKIPPED | 0.001 s |
| 3 | Then Nothing happens to the page and no error message is displayed | SKIPPED | 0.000 s |

DETAILED SECTION -- 91 --



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given The user is already on tryEditor page | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=119.0.6045.200) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22d82635de14f84625a35fb2633f2f90, get {url=https://dsportalapp.herokuapp.com/tryEditor}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.200, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\enggn\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:35240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:35240/devtoo, se:cdp\Version: 119.0.6045.200, set\WindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22d82635de14f84625a35fb2633f2f90 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | FAILED | 0.005 s |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:309) at utilities.BaseClass.openPage(BaseClass.java:59) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:308) * Not displayable characters are replaced by '?'. | | |
| 2 | When User able to see output in console | SKIPPED | 0.000 s |

DETAILED SECTION -- 92 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 3 | Then User go back to the previous page | SKIPPED | 0.000 s |