

Cucumber Report

Dec 2, 2023, 3:01:37 PM

Start : Dec 02, 3:01:33.561 PM

End : Dec 02, 3:01:36.913 PM

Duration : 3.352 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 0
FAILED - 62
SKIPPED - 0


PASSED - 36
FAILED - 62
SKIPPED - 105




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>To Automate Introduction page of DS_Algo</u>	1.228 s	5	0	5	0	15	4	5	6
<u>to automate Signin page of DS_Algo</u>	0.159 s	8	0	8	0	25	8	8	9
<u>To Automate the page of Array</u>	1.912 s	49	0	49	0	163	24	49	90

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Browser_page	1	0	1	0	1	0	1	0
@dsIntro	5	0	5	0	1	0	1	0
@Start_page	1	0	1	0	1	0	1	0
@Intro_page	1	0	1	0	1	0	1	0
@Signin_page(link)	1	0	1	0	1	0	1	0
@Signin_page(allBlank)	7	0	7	0	1	0	1	0
@Signin_page(enteronlyusername)	1	0	1	0	1	0	1	0
@Signin_page(enteronlypwd)	1	0	1	0	1	0	1	0
@Signin_page(invalidusernamePwd)	1	0	1	0	1	0	1	0
@Signin_page(validUsernameinvalidPassword)	1	0	1	0	1	0	1	0
@Signin_page(validUsernameInvPwd)	1	0	1	0	1	0	1	0
@Signin_page(valid)	1	0	1	0	1	0	1	0
@HomePage	1	0	1	0	1	0	1	0
@DSPage	1	0	1	0	1	0	1	0
@ComplexityPage	1	0	1	0	1	0	1	0
@PythonEditor_Blank	8	0	8	0	1	0	1	0
@PythonEditor_Invalid	7	0	7	0	1	0	1	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@PythonEditor_Valid	15	0	15	0	1	0	1	0
@PythonEditor_Invalid	1	0	1	0	1	0	1	0
@PracticeQuestions	1	0	1	0	1	0	1	0
@Array_page	1	0	1	0	1	0	1	0
@ArraysInPythonPage	1	0	1	0	1	0	1	0
@PythonEditor	5	0	5	0	1	0	1	0
@ArraysUsingList_page	1	0	1	0	1	0	1	0
@ArraysBasicOperation_page	1	0	1	0	1	0	1	0
@ArraysBasicOperation_Tryhere	1	0	1	0	1	0	1	0
@AppOfArray	1	0	1	0	1	0	1	0
@AppOfArray_4Links	1	0	1	0	1	0	1	0
@PythonEdito	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>To Automate Introduction page of DS_Algo</u>	5	0	5	0	1.228 s
2	<u>to automate Signin page of DS_Algo</u>	8	0	8	0	0.159 s
3	<u>To Automate the page of Array</u>	49	0	49	0	1.912 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To Automate Introduction page of DS_Algo</u>	<u>Browser page</u>	3	0	1	2	0.524 s
2	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Algo Get Started page</u>	3	0	1	2	0.008 s
3	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	1	1	1	0.047 s
4	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	1	1	1	0.007 s
5	<u>To Automate Introduction page of DS_Algo</u>	<u>DS Introduction page</u>	3	2	1	0	0.552 s
6	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	4	1	1	2	0.017 s
7	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	1	1	1	0.008 s
8	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	1	1	1	0.009 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	1	1	1	0.007 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	1	1	1	0.008 s
11	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	1	1	1	0.007 s
12	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	1	1	1	0.005 s
13	<u>to automate Signin page of DS_Algo</u>	<u>DS Algo Introduction Page</u>	3	1	1	1	0.010 s
14	<u>To Automate the page of Array</u>	<u>Home Page</u>	3	0	1	2	0.007 s
15	<u>To Automate the page of Array</u>	<u>Data Structure Home page</u>	3	1	1	1	0.014 s
16	<u>To Automate the page of Array</u>	<u>Time Complexity Page</u>	3	2	1	0	0.015 s
17	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.004 s
18	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.619 s
19	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.176 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.101 s
21	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.060 s
22	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.056 s
23	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.045 s
24	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.059 s
25	<u>To Automate the page of Array</u>	<u>Python Editor page with Invalid data</u>	4	1	1	2	0.054 s
26	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.004 s
27	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.006 s
28	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.005 s
29	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.012 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
30	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.004 s
31	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.005 s
32	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.005 s
33	<u>To Automate the page of Array</u>	<u>Python Editor page with valid data</u>	4	0	1	3	0.006 s
34	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.004 s
35	<u>To Automate the page of Array</u>	<u>Time Complexity Page</u>	3	1	1	1	0.005 s
36	<u>To Automate the page of Array</u>	<u>Home Page</u>	3	0	1	2	0.007 s
37	<u>To Automate the page of Array</u>	<u>Array Page</u>	3	1	1	1	0.017 s
38	<u>To Automate the page of Array</u>	<u>Array Page</u>	3	1	1	1	0.005 s
39	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.005 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
40	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.004 s
41	<u>To Automate the page of Array</u>	<u>Array in Python Page</u>	3	1	1	1	0.007 s
42	<u>To Automate the page of Array</u>	<u>Array Using List Page</u>	3	1	1	1	0.009 s
43	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.010 s
44	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.003 s
45	<u>To Automate the page of Array</u>	<u>Array Using List Page</u>	3	1	1	1	0.004 s
46	<u>To Automate the page of Array</u>	<u>Basic operations in Lists page</u>	3	1	1	1	0.005 s
47	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.005 s
48	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.003 s
49	<u>To Automate the page of Array</u>	<u>Basic operations in Lists page</u>	3	1	1	1	0.005 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
50	<u>To Automate the page of Array</u>	<u>Application of Array page</u>	3	1	1	1	0.006 s
51	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.003 s
52	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.006 s
53	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.005 s
54	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.004 s
55	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.003 s
56	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.003 s
57	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.004 s
58	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.004 s
59	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.003 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
60	<u>To Automate the page of Array</u>	<u>Practice Questions page</u>	3	1	1	1	0.003 s
61	<u>To Automate the page of Array</u>	<u>Python Editor page without data</u>	3	0	1	2	0.003 s
62	<u>To Automate the page of Array</u>	<u>User go back to the previous page</u>	3	0	1	2	0.003 s

To Automate Introduction page of DS_Algo

FAILED	DURATION - 1.228 s	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0		Steps Total - 15 Pass - 4 Fail - 5 Skip - 6	
/ 3:01:33.561 PM // 3:01:34.789 PM /					

Browser page

FAILED	DURATION - 0.524 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 3:01:33.566 PM // 3:01:34.090 PM /				
To Automate Introduction page of DS_Algo				
@Browser_page @dsIntro				

#	Step / Hook Details	Status	Duration
1	<p>Given The user should be open the browser</p> <p>org.openqa.selenium.remote.NoSuchDriverException: Unable to obtain: Capabilities {browserName: safari}, error Command failed with code: 65, executed: [--browser, safari, --output, json] safaridriver not available for download Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: driver.version: SafariDriver</p> <p>at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:25) at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:13) at org.openqa.selenium.safari.SafariDriver.generateExecutor(SafariDriver.java:95) at org.openqa.selenium.safari.SafariDriver.<init>(SafariDriver.java:84) at org.openqa.selenium.safari.SafariDriver.<init>(SafariDriver.java:80) at org.openqa.selenium.safari.SafariDriver.<init>(SafariDriver.java:57) at org.openqa.selenium.safari.SafariDriver.<init>(SafariDriver.java:48) at utilities.BaseClass.setUp(BaseClass.java:50) at steppDef.ds_AlgoPortalSteps.the_user_should_be_open_the_browser(ds_AlgoPortalSteps.java:39) at ?.The user should be open the browser(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/01_dsIntro.feature:6)</p> <p>Caused by: org.openqa.selenium.WebDriverException: Command failed with code: 65, executed: [--browser, safari, --output, json] safaridriver not available for download Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: driver.version: SafariDriver</p>	FAILED	0.503 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.manager.SeleniumManager.runCommand(SeleniumManager.java:155) at org.openqa.selenium.manager.SeleniumManager.getDriverPath(SeleniumManager.java:287) at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:22) at org.openqa.selenium.remote.service.DriverFinder.getPath(DriverFinder.java:13) at org.openqa.selenium.safari.SafariDriver.generateExecutor(SafariDriver.java:95) at org.openqa.selenium.safari.SafariDriver.<init>(SafariDriver.java:84) at org.openqa.selenium.safari.SafariDriver.<init>(SafariDriver.java:80) at org.openqa.selenium.safari.SafariDriver.<init>(SafariDriver.java:57) at org.openqa.selenium.safari.SafariDriver.<init>(SafariDriver.java:48) at utilities.BaseClass.setUp(BaseClass.java:50) at steppDef.ds_AlgoPortalSteps.the_user_should_be_open_the_browser(ds_AlgoPortalSteps.java:39) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	When The user enter the DS_Algo Portal https://dsportalapp.herokuapp.com/	SKIPPED	0.001 s
3	Then The user should landed on the DS_Algo Get Started page with message "You are at the right place"	SKIPPED	0.000 s



DS Algo Get Started page

FAILED DURATION - 0.008 s / 3:01:34.117 PM // 3:01:34.125 PM / To Automate Introduction page of DS_Algo @dsIntro @Start_page		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given The user should open the DS Algo Portal URL in any supported browser <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getTitle()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getTitle(BaseClass.java:68) at steppDef.ds_AlgoPortalSteps.the_user_should_open_the_ds_algo_portal_url_in_any_supported_browser(ds_AlgoPortalSteps.java:63) </pre>	FAILED	0.003 s



#	Step / Hook Details	Status	Duration
	at ?.The user should open the DS Algo Portal URL in any supported browser(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/01_dsIntro.feature:16) * Not displayable characters are replaced by '?'. 2 When The user clicks the Get Started button		
2	When The user clicks the Get Started button	SKIPPED	0.000 s
3	Then The user should land in Data Structure Introduction Page with "Register" and "Sign in" links	SKIPPED	0.000 s

DS Introduction page

FAILED	DURATION - 0.047 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 3:01:34.151 PM // 3:01:34.198 PM /				
To Automate Introduction page of DS_Algo				
@Intro_page @dsIntro				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.042 s
2	When The user clicks the data structure dropdown arrow java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source) at pages.DSIntro_PF.clickDSDropdown(DSIntro_PF.java:40) at steppDef.ds_AlgoPortalSteps.the_user_clicks_the_data_structure_dropdown_arrow(ds_AlgoPortalSteps.java:101) at ?.The user clicks the data structure dropdown arrow(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/01_dsIntro.feature:23) * Not displayable characters are replaced by '?'. 3 Then The user should able to see 6 options Arrays "Linked,List,Stack,Queue,Tree,Graph" in dropdown menu	FAILED	0.001 s
3	Then The user should able to see 6 options Arrays "Linked,List,Stack,Queue,Tree,Graph" in dropdown menu	SKIPPED	0.000 s

DS Introduction page

FAILED	DURATION - 0.007 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 3:01:34.215 PM // 3:01:34.222 PM /				
To Automate Introduction page of DS_Algo				
@dsIntro				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.002 s
2	When The user selects any data structures item from the drop down without Sign in. java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source) at pages.DSIntro_PF.clickLinkedListDropdown(DSIntro_PF.java:32) at steppDef.ds_AlgoPortalSteps.the_user_selects_any_data_structures_item_from_the_drop_down_without_sign_in(ds_AlgoPortalSteps.java:117) at ?.The user selects any data structures item from the drop down without Sign in.(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/01_dsIntro.feature:28) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then The user should able to see an warning message "You are not logged in"	SKIPPED	0.002 s



DS Introduction page

FAILED	DURATION - 0.552 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:01:34.237 PM // 3:01:34.789 PM /				
To Automate Introduction page of DS_Algo				
@dsIntro				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Introduction page	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
2	When The user clicks any "Get Started" buttons of data structures on the DS Introduction page	PASSED	0.545 s
3	Then The user should able to see an warning message "You are not logged in"	FAILED	0.001 s
	<pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.getText(Unknown Source) at pages.DSIntro_PF.getTxtAlertMsg(DSIntro_PF.java:35) at steppDef.ds_AlgoPortalSteps.the_user_should_able_to_see_an_warning_message(ds_AlgoPortalSteps.java:123) at ?.The user should able to see an warning message "You are not logged in"(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/01_dsIntro.feature:34) * Not displayable characters are replaced by '?'. </pre>		

to automate Signin page of DS_Algo

FAILED	DURATION - 0.159 s	Scenarios		Steps	
/ 3:01:34.819 PM // 3:01:34.978 PM /		Total - 8		Total - 25	
		Pass - 0	8	Pass - 8	25
		Fail - 8		Fail - 8	
		Skip - 0		Skip - 9	



DS Algo Introduction Page

FAILED	DURATION - 0.017 s		Steps	
/ 3:01:34.819 PM // 3:01:34.836 PM /			Total - 4	
to automate Signin page of DS_Algo			Pass - 1	4
@Signin_page(link)			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.010 s
2	When The user should click the Sign in link	FAILED	0.001 s
	<pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this." </pre>		



#	Step / Hook Details	Status	Duration
	<p>searchContext" is null</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source)</p> <p>at pages.DSIntro_PF.clickSignin(DSIntro_PF.java:66)</p> <p>at steppDef.ds_AlgoSigninSteps.the_user_should_click_the_sign_in_link(ds_AlgoSigninSteps.java:31)</p> <p>at ?.The user should click the Sign in link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:8)</p> <p>* Not displayable characters are replaced by '?'. </p>		
3	Then The user should be redirected to Sign in page	SKIPPED	0.000 s
4	And The user is able to see "Register!" link below the text boxes	SKIPPED	0.000 s

DS Algo Introduction Page

FAILED	DURATION - 0.008 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:01:34.851 PM // 3:01:34.859 PM /				
to automate Signin page of DS_Algo				
@Signin_page(allBlank)				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.002 s
2	<p>When The user clicks login button after leaving the "" textbox and "" textbox blank</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source)</p> <p>at pages.Signin_PF.ClickLogin(Signin_PF.java:75)</p> <p>at steppDef.ds_AlgoSigninSteps.the_user_clicks_login_button_after_leaving_the_textbox_and_textbox_blank(ds_AlgoSigninSteps.java:65)</p> <p>at ?.The user clicks login button after leaving the "" textbox and "" textbox blank(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:14)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.003 s
3	Then The error message "Please fill out this field." appears below Username textbox	SKIPPED	0.000 s

DS Algo Introduction Page

FAILED		DURATION - 0.009 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:01:34.871 PM // 3:01:34.880 PM /						
to automate Signin page of DS_Algo						
@Signin_page(enteronlyusername) @Signin_page(allBlank)						

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering the "Trioteamchallengers" and leaves "" textbox blank <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.sendKeys(Unknown Source) at pages.Signin_PF.validUsernameAndBlankPassword(Signin_PF.java:58) at steppDef.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_the_and_leaves_textbox_blank(ds_AlgoSigninSteps.java:71) at ?.The user clicks login button after entering the "Trioteamchallengers" and leaves "" textbox blank(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:23) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
3	Then The error message "Please fill out this field." appears below Pwd textbox	SKIPPED	0.002 s

DS Algo Introduction Page

<div>FAILED</div>	<div>DURATION - 0.007 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:01:34.890 PM // 3:01:34.897 PM /				
to automate Signin page of DS_Algo				
@Signin_page(enteronlypwd) @Signin_page(allBlank)				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering the "ds@qateam334h" only. java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.clear(Unknown Source) at pages.Signin_PF.enterPwdonly(Signin_PF.java:36) at steppDef.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_the_only(ds_AlgoSigninSteps.java:105) at ?.The user clicks login button after entering the "ds@qateam334h" only.(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:32) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then The error message "Please fill out this field." appears below Username textbox	SKIPPED	0.000 s



DS Algo Introduction Page

FAILED DURATION - 0.008 s / 3:01:34.910 PM // 3:01:34.918 PM / to automate Signin page of DS_Algo @Signin_page(allBlank) @Signin_page(invalidusernamePwd)		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering invalid "teamchallengers" and invalid "ds@qateam334h" java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.sendKeys(Unknown Source) at pages.Signin_PF.invalidUsernamePwd(Signin_PF.java:48) at steppDef.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_invalid_and_invalid(ds_AlgoSigninSteps.java:92) at ?.The user clicks login button after entering invalid "teamchallengers" and invalid "ds@qateam334h"(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:41) * Not displayable characters are replaced by '?'.	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
3	Then The user should able to see an error message "Invalid Username and Password".	SKIPPED	0.001 s

DS Algo Introduction Page

<div>FAILED</div> <div>DURATION - 0.007 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:01:34.930 PM // 3:01:34.937 PM /				
to automate Signin page of DS_Algo				
@Signin_page(allBlank) @Signin_page(validUsernameinvalidPassword)				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid "" java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.sendKeys(Unknown Source) at pages.Signin_PF.validUsernameAndInvalidPassword(Signin_PF.java:53) at steppDef.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_valid_and_invalid(ds_AlgoSigninSteps.java:55) at ?.The user clicks login button after entering valid "Trioteamchallengers" and invalid ""(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:50) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
3	Then The user should able to see an error message "Invalid Username and Password".	SKIPPED	0.000 s

DS Algo Introduction Page

FAILED	DURATION - 0.005 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 3:01:34.949 PM // 3:01:34.954 PM /				
to automate Signin page of DS_Algo				
@Signin_page(allBlank) @Signin_page(validUsernameInvPwd)				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.001 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and invalid "ds@qateam334h" java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.sendKeys(Unknown Source) at pages.Signin_PF.validUsernameAndInvalidPassword(Signin_PF.java:53) at steppDef.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_valid_and_invalid(ds_AlgoSigninSteps.java:55) at ?.The user clicks login button after entering valid "Trioteamchallengers" and invalid "ds@qateam334h"(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:59) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then The error message "Please fill out this field." appears below Username textbox	SKIPPED	0.000 s



DS Algo Introduction Page

FAILED	DURATION - 0.010 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 3:01:34.968 PM // 3:01:34.978 PM /				
to automate Signin page of DS_Algo				
@Signin_page(allBlank) @Signin_page(valid)				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Introduction Page	PASSED	0.002 s
2	When The user clicks login button after entering valid "Trioteamchallengers" and valid "triothebest@123" java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.sendKeys(Unknown Source) at pages.Signin_PF.validUsernameAndBlankPassword(Signin_PF.java:58) at steppDef.ds_AlgoSigninSteps.the_user_clicks_login_button_after_entering_valid_and_valid(ds_AlgoSigninSteps.java:122) at ?.The user clicks login button after entering valid "Trioteamchallengers" and valid "triothebest@123"(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/03_dsSignin.feature:68) * Not displayable characters are replaced by '?'.	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
3	Then The user should land in Data Structure Home Page with "You are logged in" message	SKIPPED	0.000 s

To Automate the page of Array



FAILED	DURATION - 1.912 s	Scenarios Total - 49 Pass - 0 Fail - 49 Skip - 0		Steps Total - 163 Pass - 24 Fail - 49 Skip - 90	
/ 3:01:35.001 PM // 3:01:36.913 PM /					

Home Page

FAILED	DURATION - 0.007 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 3:01:35.001 PM // 3:01:35.008 PM /				
To Automate the page of Array				
@HomePage				



#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getCurrentUrl()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getCurrentUrl(BaseClass.java:65) at steppDef.ds_AlgoPortalSteps.the_user_is_on_the_ds_algo_home_page(ds_AlgoPortalSteps.java:335) at ?.The user is on the DS Algo Home Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:5) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	When The user clicks Get Started button below the Data structures-Introduction	SKIPPED	0.002 s
3	Then The user should land in "Data Structures-Introduction" DS page	SKIPPED	0.001 s

Data Structure Home page

<div>FAILED</div> <div>DURATION - 0.014 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 3:01:35.019 PM // 3:01:35.033 PM /				
To Automate the page of Array				
@DSPage				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Data Structure Introduction Page	PASSED	0.009 s
2	When The user clicks Time Complexity link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source) at pages.DataStructureIntro_PF.ClickDStimeComplexity(DataStructureIntro_PF.java:27) at steppDef.ds_AlgoDataStructInt.the_user_clicks_time_complexity_link(ds_AlgoDataStructInt.java:43) at ?.The user clicks Time Complexity link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:12) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
3	Then The user should be redirected to "Time Complexity" TC page	SKIPPED	0.001 s



Time Complexity Page

<div>FAILED</div> <div>DURATION - 0.015 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 3:01:35.045 PM // 3:01:35.060 PM /				
To Automate the page of Array				
@ComplexityPage				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.010 s
2	When The user clicks Try Here button of Time Complexity page	PASSED	0.001 s



#	Step / Hook Details	Status	Duration
3	Then The user should be redirected to a page having an Python Editor	FAILED	0.002 s
	<pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getCurrentUrl()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.getCurrentUrl(BaseClass.java:65) at steppDef.ds_AlgoDataStructInt.the_user_should_be_redirected_to_a_page_having_an_python_editor(ds_AlgoDataStructInt.java:81) at ?.The user should be redirected to a page having an Python Editor(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:19) * Not displayable characters are replaced by '?'. </pre>		

Python Editor page without data

FAILED	DURATION - 0.004 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 3:01:35.067 PM // 3:01:35.071 PM /				
To Automate the page of Array				
@PythonEditor_Blank				



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page	FAILED	0.001 s
	<pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:23) * Not displayable characters are replaced by '?'. </pre>		
2	When The user clicks the run button without entering the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

Python Editor page with Invalid data

<div>FAILED</div> <div>DURATION - 0.619 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 3:01:35.079 PM // 3:01:35.698 PM /</div>				
<div>To Automate the page of Array</div>				
<div>@PythonEditor_Invalid</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:30) * Not displayable characters are replaced by '?'.	FAILED	0.614 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

Python Editor page with Invalid data

<div>FAILED</div> <div>DURATION - 0.176 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 3:01:35.879 PM // 3:01:36.055 PM /</div>				
<div>To Automate the page of Array</div>				
<div>@PythonEditor_Valid @PythonEditor_Invalid</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:30) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.170 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s



Python Editor page with Invalid data

FAILED DURATION - 0.101 s / 3:01:36.175 PM // 3:01:36.276 PM / To Automate the page of Array @PythonEditor_Valid @PythonEditor_Invalid		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.002 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) </pre>	FAILED	0.095 s



#	Step / Hook Details	Status	Duration
	at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:75) * Not displayable characters are replaced by '?'.		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

Python Editor page with Invalid data

FAILED DURATION - 0.060 s / 3:01:36.353 PM // 3:01:36.413 PM / To Automate the page of Array @PythonEditor_Valid @PythonEditor_Invalid		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
---	--	--	---



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:120) * Not displayable characters are replaced by '?'.	FAILED	0.057 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.001 s

Python Editor page with Invalid data

<div>FAILED</div> <div>DURATION - 0.056 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 3:01:36.505 PM // 3:01:36.561 PM /				
To Automate the page of Array				
@PythonEditor_Valid @PythonEditor_Invalid				



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:171) * Not displayable characters are replaced by '?'.	FAILED	0.052 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

Python Editor page with Invalid data

<div>FAILED</div> <div>DURATION - 0.045 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 3:01:36.617 PM // 3:01:36.662 PM /</div>				
<div>To Automate the page of Array</div>				
<div>@PythonEditor_Valid @PythonEditor_Invalid</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:210) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.042 s
3	When The User clicks a run button	SKIPPED	0.001 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

Python Editor page with Invalid data

FAILED DURATION - 0.059 s / 3:01:36.714 PM // 3:01:36.773 PM / To Automate the page of Array @PythonEditor_Valid @PythonEditor_Invalid		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
---	---	--	--

#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.000 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) </pre>	FAILED	0.055 s



#	Step / Hook Details	Status	Duration
	at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:249) * Not displayable characters are replaced by '?'.		
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.000 s

Python Editor page with Invalid data

FAILED		DURATION - 0.054 s		<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th><th>Status</th></tr></thead><tbody><tr><td>1</td><td>0.001</td><td>Pass</td></tr><tr><td>2</td><td>0.049</td><td>Fail</td></tr><tr><td>3</td><td>0.000</td><td>Skip</td></tr><tr><td>4</td><td>0.001</td><td>Skip</td></tr></tbody></table>	Step	Duration (s)	Status	1	0.001	Pass	2	0.049	Fail	3	0.000	Skip	4	0.001	Skip	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	
Step	Duration (s)	Status																			
1	0.001	Pass																			
2	0.049	Fail																			
3	0.000	Skip																			
4	0.001	Skip																			
/ 3:01:36.833 PM // 3:01:36.887 PM /																					
To Automate the page of Array																					
@PythonEditor_Inalid @PythonEditor_Valid																					



#	Step / Hook Details	Status	Duration
1	Given User is on the tryEditor page	PASSED	0.001 s
2	And enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2 java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.isDisplayed(Unknown Source) at pages.DSTryhere_PF.enterInvalidCode(DSTryhere_PF.java:71) at steppDef.ds_AlgoTryEditorSteps. enters_the_data_in_the_editor_after_reading_data_from_excel_sheet_with_column_name_and_row_number(ds_AlgoTryEditorSteps.java:85) at ?.enters the data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Invalid_Data" and row_number 2(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:288) * Not displayable characters are replaced by '?'.	FAILED	0.049 s
3	When The User clicks a run button	SKIPPED	0.000 s
4	Then The user see error msg in alert window and press ok button	SKIPPED	0.001 s

Python Editor page with valid data

<div>FAILED</div> <div>DURATION - 0.004 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 3:01:35.708 PM // 3:01:35.712 PM /				
To Automate the page of Array				
@PythonEditor_Valid				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:40) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.001 s
4	Then output should be displayed on the console	SKIPPED	0.000 s



Python Editor page with valid data

<div>FAILED</div> <div>DURATION - 0.006 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 3:01:36.069 PM // 3:01:36.075 PM /				
To Automate the page of Array				
@PythonEditor_Valid				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62)	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:40) * Not displayable characters are replaced by '?'.		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.001 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.001 s

Python Editor page with valid data

FAILED DURATION - 0.005 s / 3:01:36.285 PM // 3:01:36.290 PM / To Automate the page of Array @PythonEditor_Valid		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
---	--	--	---



#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:85) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

Python Editor page with valid data

<div>FAILED</div> <div>DURATION - 0.012 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 3:01:36.422 PM // 3:01:36.434 PM /				
To Automate the page of Array				
@PythonEditor_Valid				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:130) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.001 s
4	Then output should be displayed on the console	SKIPPED	0.000 s



Python Editor page with valid data

<div>FAILED</div> <div>DURATION - 0.004 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 3:01:36.571 PM // 3:01:36.575 PM /				
To Automate the page of Array				
@PythonEditor_Valid				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:181) * Not displayable characters are replaced by '?'.		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

Python Editor page with valid data

<div>FAILED</div> <div>DURATION - 0.005 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 3:01:36.667 PM // 3:01:36.672 PM /				
To Automate the page of Array				
@PythonEditor_Valid				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:220) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.000 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

Python Editor page with valid data

FAILED	DURATION - 0.005 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 3:01:36.779 PM // 3:01:36.784 PM /				
To Automate the page of Array				
@PythonEditor_Valid				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:259) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.002 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s



Python Editor page with valid data

FAILED	DURATION - 0.006 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 3:01:36.896 PM // 3:01:36.902 PM /				
To Automate the page of Array				
@PythonEditor_Valid				

#	Step / Hook Details	Status	Duration
1	Given The user is on the tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62)	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_the_try_editor_page(ds_AlgoTryEditorSteps.java:18) at ?.The user is on the tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:298) * Not displayable characters are replaced by '?'.		
2	And enters data in the Editor after reading data from excel sheet "Python_code" with column_name "Python_Valid_Data" and row_number 2	SKIPPED	0.001 s
3	When User clicks a run button	SKIPPED	0.000 s
4	Then output should be displayed on the console	SKIPPED	0.000 s

User go back to the previous page

FAILED		DURATION - 0.004 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 3:01:35.720 PM // 3:01:35.724 PM /						
To Automate the page of Array						



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:50) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

Time Complexity Page

<div>FAILED</div>	<div>DURATION - 0.005 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
<div>/ 3:01:35.732 PM // 3:01:35.737 PM /</div>				
<div>To Automate the page of Array</div>				
<div>@PracticeQuestions</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Time Complexity Page	PASSED	0.001 s
2	When The user clicks Practice Questions link of DS <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source) at pages.DataStructureIntro_PF.clickPracticeQuestions(DataStructureIntro_PF.java:22) at steppDef.ds_AlgoDataStructInt.the_user_clicks_practice_questions_link_of_ds(ds_AlgoDataStructInt.java:67) at ?.The user clicks Practice Questions link of DS(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/04_dsDataStructInt.feature:57) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then The user does not find any practice problems and the page is null	SKIPPED	0.000 s



Home Page

FAILED	DURATION - 0.007 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 3:01:35.789 PM // 3:01:35.796 PM /				
To Automate the page of Array				
@Array_page				

#	Step / Hook Details	Status	Duration
1	Given The user is on the DS Algo Home Page <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.getCurrentUrl()" because "utilities.BaseClass.driver" is null </pre>	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	at utilities.BaseClass.getCurrentUrl(BaseClass.java:65) at steppDef.ds_AlgoPortalSteps.the_user_is_on_the_ds_algo_home_page(ds_AlgoPortalSteps.java:335) at ?.The user is on the DS Algo Home Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:5) * Not displayable characters are replaced by '?'.		
2	When The user clicks "Get Started" button below the array	SKIPPED	0.000 s
3	Then The user should be redirected to "Array" page	SKIPPED	0.000 s

Array Page

FAILED DURATION - 0.017 s / 3:01:35.811 PM // 3:01:35.828 PM / To Automate the page of Array @ArraysInPythonPage		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	---



#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.013 s
2	When The user clicks a Arrays in Python link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source) at pages.Arrays_PF.clickArraysInPython(Arrays_PF.java:108) at steppDef.ds_AlgoArraySteps.the_user_clicks_a_arrays_in_python_link(ds_AlgoArraySteps.java:43) at ?.The user clicks a Arrays in Python link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:12) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
3	Then The user should be redirected to "Arrays in Python" AP Page	SKIPPED	0.001 s

Array Page

<div>FAILED</div>	<div>DURATION - 0.005 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
<div>/ 3:01:35.844 PM // 3:01:35.849 PM /</div>				
<div>To Automate the page of Array</div>				
<div>@PythonEditor</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array page	PASSED	0.001 s
2	When The user clicks Try Here button of Array in Python Page <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source) at pages.Arrays_PF.clickTryhere(Arrays_PF.java:120) at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_in_python_page(ds_AlgoArraySteps.java:63) at ?.The user clicks Try Here button of Array in Python Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:18) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.000 s



Python Editor page without data

<div>FAILED</div> <div>DURATION - 0.005 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
<div>/ 3:01:35.862 PM // 3:01:35.867 PM /</div>			
<div>To Automate the page of Array</div>			
<div>@PythonEditor_Blank</div>			

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null </pre>	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:23) * Not displayable characters are replaced by '?'.		
2	When The user clicks the run button without entering the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.001 s

User go back to the previous page

<div>FAILED</div> <div>DURATION - 0.004 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 3:01:36.090 PM // 3:01:36.094 PM /				
To Automate the page of Array				



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:50) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	When User able to see output in console	SKIPPED	0.001 s
3	Then User go back to the previous page	SKIPPED	0.000 s

Array in Python Page

<div>FAILED</div> <div>DURATION - 0.007 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 3:01:36.107 PM // 3:01:36.114 PM /				
To Automate the page of Array				
@ArraysUsingList_page				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array in Python Page	PASSED	0.001 s
2	When The user clicks a Arrays Using List link <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source) at pages.Arrays_PF.clickArraysUsingList(Arrays_PF.java:111) at steppDef.ds_AlgoArraySteps.the_user_clicks_a_arrays_using_list_link(ds_AlgoArraySteps.java:87) at ?.The user clicks a Arrays Using List link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:57) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s
3	Then The user should be redirected to "Arrays Using List" AL page.	SKIPPED	0.000 s

Array Using List Page

<div>FAILED</div> <div>DURATION - 0.009 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:01:36.128 PM // 3:01:36.137 PM /				
To Automate the page of Array				
@PythonEditor				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.001 s
2	When The user clicks Try Here button of Array Using List Page	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	<pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source) at pages.Arrays_PF.clickTryhere(Arrays_PF.java:120) at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_array_using_list_page(ds_AlgoArraySteps.java:104) at ?.The user clicks Try Here button of Array Using List Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:63) * Not displayable characters are replaced by '?'. </pre>		
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.000 s

Python Editor page without data

FAILED DURATION - 0.010 s / 3:01:36.151 PM // 3:01:36.161 PM / To Automate the page of Array @PythonEditor_Blank		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	--



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:68) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.005 s
2	When The user clicks the run button without entering the code in the Editor	SKIPPED	0.001 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

User go back to the previous page

<div>FAILED</div> <div>DURATION - 0.003 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 3:01:36.298 PM // 3:01:36.301 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:95) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

Array Using List Page

<div>FAILED</div>	<div>DURATION - 0.004 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 3:01:36.308 PM // 3:01:36.312 PM /</div>				
<div>To Automate the page of Array</div>				
<div>@ArraysBasicOperation_page</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Array Using List page	PASSED	0.001 s
2	When The user clicks a Basic Operations in Lists link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source) at pages.Arrays_PF.clickArraysBasicOp(Arrays_PF.java:114) at steppDef.ds_AlgoArraySteps.the_user_clicks_a_basic_operations_in_lists_link(ds_AlgoArraySteps.java:110) at ?.The user clicks a Basic Operations in Lists link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:102) * Not displayable characters are replaced by '?'.		
3	Then The user should be redirected to "Basic Operations in Lists" BO page.	SKIPPED	0.001 s

Basic operations in Lists page

FAILED DURATION - 0.005 s / 3:01:36.324 PM // 3:01:36.329 PM / To Automate the page of Array @ArraysBasicOperation_Tryhere		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	--



#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.001 s
2	When The user clicks Try Here button of Operations in Lists Page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source) at pages.Arrays_PF.clickTryhere(Arrays_PF.java:120) at steppDef.ds_AlgoArraySteps.the_user_clicks_try_here_button_of_operations_in_lists_page(ds_AlgoArraySteps.java:128) at ?.The user clicks Try Here button of Operations in Lists Page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:108) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
3	Then The user should be redirected to a page having an Python Editor with a url "https://dsportalapp.herokuapp.com/tryEditor"	SKIPPED	0.000 s

Python Editor page without data

<div>FAILED</div> <div>DURATION - 0.005 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 3:01:36.339 PM // 3:01:36.344 PM /				
To Automate the page of Array				
@PythonEditor_Blank				

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:113) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
2	When The user clicks the run button without entering the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s



User go back to the previous page

FAILED		DURATION - 0.003 s			Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 3:01:36.442 PM // 3:01:36.445 PM /						
To Automate the page of Array						

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:140) * Not displayable characters are replaced by '?'.	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

Basic operations in Lists page

<div>FAILED</div>	<div>DURATION - 0.005 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
<div>/ 3:01:36.453 PM // 3:01:36.458 PM /</div>				
<div>To Automate the page of Array</div>				
<div>@AppOfArray</div>				



#	Step / Hook Details	Status	Duration
1	Given The user is on the Basic Operations in Lists page	PASSED	0.001 s
2	When The user clicks an Applications of Array link <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source) at pages.Arrays_PF.clickArraysApp(Arrays_PF.java:117) at steppDef.ds_AlgoArraySteps.the_user_clicks_an_applications_of_array_link(ds_AlgoArraySteps.java:136) at ?.The user clicks an Applications of Array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:147) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then The user should be redirected to "Applications of Array" AA page.	SKIPPED	0.000 s

Application of Array page

<div>FAILED</div> <div>DURATION - 0.006 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:01:36.465 PM // 3:01:36.471 PM /				
To Automate the page of Array				
@AppOfArray_4Links				

#	Step / Hook Details	Status	Duration
1	Given The user is on the Applications of Array page	PASSED	0.001 s
2	When The user clicks Practice Questions link <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source) at pages.Arrays_PF.clickArraysPracticeQuestions(Arrays_PF.java:215) at steppDef.ds_AlgoArraySteps.the_user_clicks_practice_questions_link(ds_AlgoArraySteps.java:163) at ?.The user clicks Practice Questions link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:153) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then The user should be redirected to practice page having links like "Search the array","Max Consecutive Ones","Find Numbers with Even Number of Digits" ,"Squares of a Sorted Array"	SKIPPED	0.000 s

Practice Questions page

<div>FAILED</div>	<div>DURATION - 0.003 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 3:01:36.478 PM // 3:01:36.481 PM /</div>				
<div>To Automate the page of Array</div>				
<div>@PythonEditor</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.001 s



#	Step / Hook Details	Status	Duration
2	When The user clicks search the array link <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy28.click(Unknown Source) at pages.Arrays_PF.clickArraysSearch(Arrays_PF.java:218) at steppDef.ds_AlgoArraySteps.the_user_clicks_search_the_array_link(ds_AlgoArraySteps.java:190) at ?.The user clicks search the array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:159) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

Python Editor page without data

FAILED DURATION - 0.006 s / 3:01:36.490 PM // 3:01:36.496 PM / To Automate the page of Array @PythonEditor_Blank		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	--



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:164) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s
2	When The user clicks the run button without entring the code in the Editor	SKIPPED	0.001 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

User go back to the previous page

<div>FAILED</div> <div>DURATION - 0.005 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 3:01:36.582 PM // 3:01:36.587 PM /</div>				
<div>To Automate the page of Array</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:191) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
2	When User able to see output in console	SKIPPED	0.001 s
3	Then User go back to the previous page	SKIPPED	0.000 s



Practice Questions page

<div>FAILED</div> <div>DURATION - 0.004 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 3:01:36.596 PM // 3:01:36.600 PM /</div>				
<div>To Automate the page of Array</div>				
<div>@PythonEditor</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.001 s
2	When The user clicks Max consecutive ones link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.NavBack(BaseClass.java:74) at steppDef.ds_AlgoArraySteps.the_user_clicks_max_consecutive_ones_link(ds_AlgoArraySteps.java:203) at ?.The user clicks Max consecutive ones link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	feature:198) * Not displayable characters are replaced by '?'. Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons		
3		SKIPPED	0.000 s

Python Editor page without data

FAILED	DURATION - 0.003 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 3:01:36.607 PM // 3:01:36.610 PM /				
To Automate the page of Array				
@PythonEditor_Blank				



#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:203) * Not displayable characters are replaced by '?'. When The user clicks the run button without entering the code in the Editor	FAILED	0.001 s
2		SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s

User go back to the previous page

FAILED	DURATION - 0.003 s		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 3:01:36.678 PM // 3:01:36.681 PM /				
To Automate the page of Array				



#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:230) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.000 s

Practice Questions page

FAILED	DURATION - 0.004 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 3:01:36.687 PM // 3:01:36.691 PM /				
To Automate the page of Array				
@PythonEditor				



#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.002 s
2	When The user clicks Find numbers with even number of digits link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.NavBack(BaseClass.java:74) at steppDef.ds_AlgoArraySteps.the_user_clicks_find_numbers_with_even_number_of_digits_link(ds_AlgoArraySteps.java:210) at ?.The user clicks Find numbers with even number of digits link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:237) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

Python Editor page without data

<div>FAILED</div>	<div>DURATION - 0.004 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 3:01:36.700 PM // 3:01:36.704 PM /</div>				
<div>To Automate the page of Array</div>				
<div>@PythonEditor_Blank</div>				

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:242) * Not displayable characters are replaced by '?'.	FAILED	0.002 s
2	When The user clicks the run button without entering the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.000 s



User go back to the previous page

<div>FAILED</div> <div>DURATION - 0.003 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 3:01:36.799 PM // 3:01:36.802 PM /				
To Automate the page of Array				

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:269) * Not displayable characters are replaced by '?'.	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
2	When User able to see output in console	SKIPPED	0.000 s
3	Then User go back to the previous page	SKIPPED	0.001 s

Practice Questions page

<div>FAILED</div> <div>DURATION - 0.003 s</div>		<div><table border="1"><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0</td></tr><tr><td>2</td><td>0</td></tr><tr><td>3</td><td>0</td></tr></tbody></table></div>	Step	Value	1	0	2	0	3	0	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
Step	Value											
1	0											
2	0											
3	0											
<div>/ 3:01:36.811 PM // 3:01:36.814 PM /</div>												
<div>To Automate the page of Array</div>												
<div>@PythonEdito</div>												



#	Step / Hook Details	Status	Duration
1	Given The user is on Practice page	PASSED	0.000 s
2	When The user clicks squared of the sorted array link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.navigate()" because "utilities.BaseClass.driver" is null at utilities.BaseClass.NavBack(BaseClass.java:74) at steppDef.ds_AlgoArraySteps.the_user_clicks_squared_of_the_sorted_array_link(ds_AlgoArraySteps.java:216) at ?.The user clicks squared of the sorted array link(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:276) * Not displayable characters are replaced by '?'.	FAILED	0.001 s
3	Then The user should be redirected to "QUESTION" page contains a question,an tryEditor with Run and Submit buttons	SKIPPED	0.000 s

Python Editor page without data

<div>FAILED</div> <div>DURATION - 0.003 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 3:01:36.823 PM // 3:01:36.826 PM /				
To Automate the page of Array				
@PythonEditor_Blank				

#	Step / Hook Details	Status	Duration
1	Given The user is on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_on_try_editor_page(ds_AlgoTryEditorSteps.java:55) at ?.The user is on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:281) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s
2	When The user clicks the run button without entering the code in the Editor	SKIPPED	0.000 s
3	Then Nothing happens to the page and no error message is displayed	SKIPPED	0.001 s

User go back to the previous page

FAILED		DURATION - 0.003 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 3:01:36.910 PM // 3:01:36.913 PM /						
To Automate the page of Array						

#	Step / Hook Details	Status	Duration
1	Given The user is already on tryEditor page java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "utilities.BaseClass.driver" is null at utilities.BaseClass.openPage(BaseClass.java:62) at steppDef.ds_AlgoTryEditorSteps.the_user_is_already_on_try_editor_page(ds_AlgoTryEditorSteps.java:109) at ?.The user is already on tryEditor page(file:///C:/Users/enggn/eclipse-workspace/DS_AlgoCh/src/test/resources/feature/05_dsArray.feature:308) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s
2	When User able to see output in console	SKIPPED	0.001 s
3	Then User go back to the previous page	SKIPPED	0.000 s