

Localhost Scan

Sat, 09 Aug 2025 19:00:19 India Standard Time

TABLE OF CONTENTS

Vulnerabilities by Host

- 127.0.0.1

Vulnerabilities by Host

[Collapse All](#) | [Expand All](#)

127.0.0.1



Scan Information

Start time: Sat Aug 9 18:48:21 2025
End time: Sat Aug 9 19:00:19 2025

Host Information

Netbios Name: ROHIT-KAJAL
IP: 127.0.0.1
OS: Windows 11

Vulnerabilities

57608 - SMB Signing not required

Synopsis

Signing is not required on the remote SMB server.

Description

Signing is not required on the remote SMB server. An unauthenticated, remote attacker can exploit this to conduct man-in-the-middle attacks against the SMB server.

See Also

<http://www.nessus.org/u?df39b8b3>
<http://technet.microsoft.com/en-us/library/cc731957.aspx>
<http://www.nessus.org/u?74b80723>
<https://www.samba.org/samba/docs/current/man-html/smb.conf.5.html>
<http://www.nessus.org/u?a3cac4ea>

Solution

Enforce message signing in the host's configuration. On Windows, this is found in the policy setting 'Microsoft network server: Digitally sign communications (always)'. On Samba, the setting is called 'server signing'. See the 'see also' links for further details.

Risk Factor

Medium

CVSS v3.0 Base Score

5.3 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:L/A:N)

CVSS v3.0 Temporal Score

4.6 (CVSS:3.0/E:U/RL:O/RC:C)

CVSS v2.0 Base Score

5.0 (CVSS2#AV:N/AC:L/Au:N/C:N/I:P/A:N)

CVSS v2.0 Temporal Score

3.7 (CVSS2#E:U/RL:OF/RC:C)

Plugin Information

Published: 2012/01/19, Modified: 2022/10/05

Plugin Output

tcp/445/cifs

51192 - SSL Certificate Cannot Be Trusted

Synopsis

The SSL certificate for this service cannot be trusted.

Description

The server's X.509 certificate cannot be trusted. This situation can occur in three different ways, in which the chain of trust can be broken, as stated below :

- First, the top of the certificate chain sent by the server might not be descended from a known public certificate authority. This can occur either when the top of the chain is an unrecognized, self-signed certificate, or when intermediate certificates are missing that would connect the top of the certificate chain to a known public certificate authority.

- Second, the certificate chain may contain a certificate that is not valid at the time of the scan. This can occur either when the scan occurs before one of the certificate's 'notBefore' dates, or after one of the certificate's 'notAfter' dates.

- Third, the certificate chain may contain a signature that either didn't match the certificate's information or could not be verified. Bad signatures can be fixed by getting the certificate with the bad signature to be re-signed by its issuer. Signatures that could not be verified are the result of the certificate's issuer using a signing algorithm that Nessus either does not support or does not recognize.

If the remote host is a public host in production, any break in the chain makes it more difficult for users to verify the authenticity and identity of the web server. This could make it easier to carry out man-in-the-middle attacks against the remote host.

See Also

<https://www.itu.int/rec/T-REC-X.509/en>

<https://en.wikipedia.org/wiki/X.509>

Solution

Purchase or generate a proper SSL certificate for this service.

Risk Factor

Medium

CVSS v3.0 Base Score

6.5 (CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N)

CVSS v2.0 Base Score

6.4 (CVSS2#AV:N/AC:L/Au:N/C:P/I:P/A:N)

Plugin Information

Published: 2010/12/15, Modified: 2025/06/16

Plugin Output

tcp/8834/www

```
The following certificate was at the top of the certificate  
chain sent by the remote host, but it is signed by an unknown  
certificate authority :
```

```
| -Subject : O=Nessus Users United/OU=Nessus Server/L=New York/C=US/ST=NY/CN=ROHIT-KAJAL  
| -Issuer : O=Nessus Users United/OU=Nessus Certification Authority/L=New York/C=US/ST=NY/CN=Nessus Certification  
Authority
```

45590 - Common Platform Enumeration (CPE)

Synopsis

It was possible to enumerate CPE names that matched on the remote system.

Description

By using information obtained from a Nessus scan, this plugin reports CPE (Common Platform Enumeration) matches for various hardware and software products found on a host.

Note that if an official CPE is not available for the product, this plugin computes the best possible CPE based on the information available from the scan.

See Also

<http://cpe.mitre.org/>
<https://nvd.nist.gov/products/cpe>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2010/04/21, Modified: 2025/07/14

Plugin Output

tcp/0

```
The remote operating system matched the following CPE :
```

```
cpe:/o:microsoft:windows -> Microsoft Windows
```

```
Following application CPE's matched on the remote system :
```

```
cpe:/a:tenable:nessus -> Tenable Nessus  
cpe:/a:vmware:vmware_server
```

10736 - DCE Services Enumeration

Synopsis

A DCE/RPC service is running on the remote host.

Description

By sending a Lookup request to the portmapper (TCP 135 or epmapper PIPE) it was possible to enumerate the Distributed Computing Environment (DCE) services running on the remote port. Using this information it is possible to connect and bind to each service by sending an RPC request to the remote port/pipe.

Solution

n/a

Risk Factor

None

Plugin Information

Plugin Output

tcp/135/epmap

```
The following DCERPC services are available locally :

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : samss lpc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : SidKey Local End Point

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : protected_storage

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : lsasspirpc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : lsapolicylookup

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : LSA_EAS_ENDPOINT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : LSA_IDPEXT_ENDPOINT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : lsacap

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : LSARPC_ENDPOINT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 9435cc56-1d9c-4924-ac7d-b60a2c3520e1, version 1.0
Description : Unknown RPC service
Annotation : SPPSVC Default RPC Interface
Type : Local RPC service
Named pipe : SPPCTransportEndpoint-00001

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b04d3c44-f014-4530-88f3-ee7daa3e69b9, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-a44fa3db78a5448156

Object UUID : 6c637067-6569-746e-0000-000000000000
UUID : c9ac6db5-82b7-4e55-ae8a-e464ed7b4277, version 1.0
Description : Unknown RPC service
Annotation : Impl friendly name
Type : Local RPC service
Named pipe : LRPC-8503432f328649317a

Object UUID : 24d1f7c7-76af-4f28-9ccd-7f6cb6468601
UUID : 2eb08e3e-639f-4fba-97b1-14f878961076, version 1.0
Description : Unknown RPC service
```

Annotation : Group Policy RPC Interface
Type : Local RPC service
Named pipe : LRPC-d207c94f8e3e1c971d

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : d2716e94-25cb-4820-bc15-537866578562, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-36fe6cba306a27e622

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0c53aa2e-fb1c-49c5-bfb6-c54f8e5857cd, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-36fe6cba306a27e622

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0c53aa2e-fb1c-49c5-bfb6-c54f8e5857cd, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-36fe6cba306a27e622

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 923c9623-db7f-4b34-9e6d-e86580f8ca2a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-36fe6cba306a27e622

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 923c9623-db7f-4b34-9e6d-e86580f8ca2a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-36fe6cba306a27e622

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : e8748f69-a2a4-40df-9366-62dbeb696e26, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-36fe6cba306a27e622

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : e8748f69-a2a4-40df-9366-62dbeb696e26, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-36fe6cba306a27e622

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c8ba73d2-3d55-429c-8e9a-c44f006f69fc, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-36fe6cba306a27e622

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c8ba73d2-3d55-429c-8e9a-c44f006f69fc, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-36fe6cba306a27e622

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 43890c94-bfd7-4655-ad6a-b4a68397cdcb, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-36fe6cba306a27e622

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 43890c94-bfd7-4655-ad6a-b4a68397cdcb, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-36fe6cba306a27e622

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 30034843-029d-46ec-8fff-5d12987f85c4, version 1.0
Description : Unknown RPC service
Annotation : INgcProvisioningHandler
Type : Local RPC service
Named pipe : LRPC-432799a75eae571fdf

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8bef2320-f308-4720-b913-0129cecfa6b9, version 1.0
Description : Unknown RPC service
Annotation : IVscProvisioningHandler
Type : Local RPC service
Named pipe : LRPC-432799a75eae571fdf

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2d24ff0b-1bab-404c-a0fd-42c85577bf68, version 1.0
Description : Unknown RPC service
Annotation : INgcHandler
Type : Local RPC service
Named pipe : LRPC-432799a75eae571fdf

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 7642249b-84c2-4404-b6eb-1e0a2458839a, version 1.0
Description : Unknown RPC service
Annotation : INgcSecureBioHandler
Type : Local RPC service
Named pipe : LRPC-432799a75eae571fdf

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : e6f89680-fc98-11e3-80d4-10604b681cfa, version 1.0
Description : Unknown RPC service
Annotation : INgcGidsHandler
Type : Local RPC service
Named pipe : LRPC-432799a75eae571fdf

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : caaa9188-2b56-486f-b07f-71a679722189, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : RealtekAudioRpcEndpoint

Object UUID : 00000002-0000-0000-0000-000000000000
UUID : 8ec21e98-b5ce-4916-a3d6-449fa428a007, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE05FA029C2C2B54FEDF55BEE97622

Object UUID : 00000002-0000-0000-0000-000000000000
UUID : 8ec21e98-b5ce-4916-a3d6-449fa428a007, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-ea795ab58b9f900e88

Object UUID : 00000002-0000-0000-0000-000000000000
UUID : 0fc77bla-95d8-4a2e-a0c0-cff54237462b, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE05FA029C2C2B54FEDF55BEE97622

Object UUID : 00000002-0000-0000-0000-000000000000
UUID : 0fc77bla-95d8-4a2e-a0c0-cff54237462b, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-ea795ab58b9f900e88

Object UUID : 00000002-0000-0000-0000-000000000000
UUID : blef227e-dfa5-421e-82bb-67a6a129c496, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE05FA029C2C2B54FEDF55BEE97622

Object UUID : 00000002-0000-0000-0000-000000000000
UUID : blef227e-dfa5-421e-82bb-67a6a129c496, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-ea795ab58b9f900e88

Object UUID : bae10e73-0002-0000-9dab-7d0f635c171a
UUID : 509bc7ae-77be-4ee8-b07c-0d096bb44345, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLEAA00B34067406DB62BD63868DD65

Object UUID : bae10e73-0002-0000-9dab-7d0f635c171a
UUID : 509bc7ae-77be-4ee8-b07c-0d096bb44345, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-1d123757ae9bc42abb

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 64d1d045-f675-460b-8a94-570246b36dab, version 1.0
Description : Unknown RPC service
Annotation : CLIPSVC Default RPC Interface
Type : Local RPC service
Named pipe : ClipServiceTransportEndpoint-00001

Object UUID : b08669ee-8cb5-43a5-a017-84fe00000002
UUID : 76f226c3-ec14-4325-8a99-6a46348418af, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : WMsgKRpc013CD74CD2

Object UUID : 52ef130c-08fd-4388-86b3-6edf00000002
UUID : 12e65dd8-887f-4lef-91bf-8d816c42c2e7, version 1.0
Description : Unknown RPC service
Annotation : Secure Desktop LRPC interface
Type : Local RPC service
Named pipe : WMsgKRpc013CD74CD2

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : cc105610-da03-467e-bc73-5b9e2937458d, version 1.0
Description : Unknown RPC service
Annotation : LiveIdSvc RPC Interface
Type : Local RPC service
Named pipe : LRPC-82a3de28a1e4fd8f48

```
Object UUID : 00000000-0000-0000-0000-000000000000
UUID :faf2447b-b348-4feb-8dbe-beee5b7f7778, version 1.0
Description : Unknown RPC service
Annotation : OnlineProviderCert RPC Interface
Type : Local RPC service
Named pipe : LRPC-82a3de28a1e4fd8f48

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 572e35b4-1344-4565-96a1-f5df3bfa89bb, version 1.0
Description : Unknown RPC service
Annotation : LiveIdSvcNotify RPC Interface
Type : Local RPC service
Named pipe : liveidsvcnotify

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 650a7e26-eab8-5533-ce43-9c1dfce11511, version 1.0
Description : Unknown RPC service
Annotation : Vpn APIs
Type : Local RPC service
Named pipe : RasmanLrpc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 650a7e26-eab8-5533-ce43-9c1dfce11511, version 1.0
Description : Unknown RPC service
Annotation : Vpn APIs
Type : Local RPC service
Named pipe : VpnikeRpc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 650a7e26-eab8-5533-ce43-9c1dfce11511, version 1.0
Description : Unknown RPC service
Annotation : Vpn APIs
Type : Local RPC service
Named pipe : LRPC-a066d2ca110165347e

Object UUID : ccb8aa07-7225-4ea0-8501-4b3c1b1acd43
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLEFDAD11C269E75120D5EF1F4CF4A6

Object UUID : ccb8aa07-7225-4ea0-8501-4b3c1b1acd43
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-48f318f720246784e7

Object UUID : 582a47b2-bcd8-4d3c-8acb-fe09d5bd6eec
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLEFDAD11C269E75120D5EF1F4CF4A6

Object UUID : 582a47b2-bcd8-4d3c-8acb-fe09d5bd6eec
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-48f318f720246784e7

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : e0290363-7e94-4ed4-abc2-2c867892c99f, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE67607A211BBF9991D78ECC818486

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : e0290363-7e94-4ed4-abc2-2c867892c99f, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-a77b269047879770a4

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 4b112204-0e19-11d3-b42b-0000f81feb9f, version 1.0
Description : SSDP service
Windows process : unknow
Type : Local RPC service
Named pipe : LRPC-00a80fe07732eb426c

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 06bba54a-be05-49f9-b0a0-30f790261023, version 1.0
Description : Unknown RPC service
Annotation : Security Center
Type : Local RPC service
Named pipe : OLE150E2F0448FB9407DE33D6B2432D

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 06bba54a-be05-49f9-b0a0-30f790261023, version 1.0
Description : Unknown RPC service
Annotation : Security Center
Type : Local RPC service
Named pipe : LRPC-1389ff2c26a8b2fb62

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 44d1520b-6133-41f0-8a66-d37305ecc357, version 0.0
Description : Unknown RPC service
Type : Local RPC service
```

Named pipe : LRPC-619fc62793e2363537

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 28942101-43df-4eb7-b1dd-2c0c0ebf99c0, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-619fc62793e2363537

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : a4b8d482-80ce-40d6-934d-b22a01a44fe7, version 1.0
Description : Unknown RPC service
Annotation : LicenseManager
Type : Local RPC service
Named pipe : LicenseServiceEndpoint

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c503f532-443a-4c69-8300-cccd1fdbdb3839, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE149B90B2824B3DC4FF3CE07D2ED3

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c503f532-443a-4c69-8300-cccd1fdbdb3839, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-aacf804c63aeb7ef5f

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : a3bae3f7-bf97-49fb-b48d-2a5e8657b436, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE99CCAEA163CE6E78419796D1B925

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : a3bae3f7-bf97-49fb-b48d-2a5e8657b436, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-7e5a1072c63fd48026

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8be456ec-9244-4d10-88e8-1ddf1baa9ade, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-53b66e598b503bf0b9

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 68227ae7-9a32-45b0-8472-bf9619965838, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-53b66e598b503bf0b9

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3573e5f2-cfe7-4a79-845f-fe7c68823738, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-53b66e598b503bf0b9

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : f26e2372-d601-44f0-84b8-2591d2af2f82, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-53b66e598b503bf0b9

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0767a036-0d22-48aa-ba69-b619480f38cb, version 1.0
Description : Unknown RPC service
Annotation : PcaSvc
Type : Local RPC service
Named pipe : LRPC-4ba3624474479a8054

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 7df1ceae-de4e-4e6f-ab14-49636e7c2052, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-a17e5c2808d216fd3a

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : d4051bde-9cdd-4910-b393-4aa85ec3c482, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE465FEC4B4D0F8BBA4695B41C8802

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : d4051bde-9cdd-4910-b393-4aa85ec3c482, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-cff555ecdd1af7ffe9

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 4c9dbf19-d39e-4bb9-90ee-8f7179b20283, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE465FEC4B4D0F8BBA4695B41C8802

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 4c9dbf19-d39e-4bb9-90ee-8f7179b20283, version 1.0

```
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-cff555ecdd1af7ffe9

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fd8be72b-a9cd-4b2c-a9ca-4ded242fbe4d, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE465FEC4B4D0F8BBA4695B41C8802

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fd8be72b-a9cd-4b2c-a9ca-4ded242fbe4d, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-cff555ecdd1af7ffe9

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 95095ec8-32ea-4eb0-a3e2-041f97b36168, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE465FEC4B4D0F8BBA4695B41C8802

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 95095ec8-32ea-4eb0-a3e2-041f97b36168, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-cff555ecdd1af7ffe9

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : e38f5360-8572-473e-b696-1b46873beeab, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE465FEC4B4D0F8BBA4695B41C8802

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : e38f5360-8572-473e-b696-1b46873beeab, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-cff555ecdd1af7ffe9

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : d22895ef-aff4-42c5-a5b2-b14466d34ab4, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE465FEC4B4D0F8BBA4695B41C8802

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : d22895ef-aff4-42c5-a5b2-b14466d34ab4, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-cff555ecdd1af7ffe9

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 98cd761e-e77d-41c8-a3c0-0fb756d90ec2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE465FEC4B4D0F8BBA4695B41C8802

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 98cd761e-e77d-41c8-a3c0-0fb756d90ec2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-cff555ecdd1af7ffe9

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 1d45e083-478f-437c-9618-3594ced8c235, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE465FEC4B4D0F8BBA4695B41C8802

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 1d45e083-478f-437c-9618-3594ced8c235, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-cff555ecdd1af7ffe9

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0497b57d-2e66-424f-a0c6-157cd5d41700, version 1.0
Description : Unknown RPC service
Annotation : AppInfo
Type : Local RPC service
Named pipe : LRPC-7020f9cae26a9fd179

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 201ef99a-7fa0-444c-9399-19ba84f12ala, version 1.0
Description : Unknown RPC service
Annotation : AppInfo
Type : Local RPC service
Named pipe : LRPC-7020f9cae26a9fd179

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 5f54ce7d-5b79-4175-8584-cb65313a0e98, version 1.0
Description : Unknown RPC service
Annotation : AppInfo
Type : Local RPC service
Named pipe : LRPC-7020f9cae26a9fd179
```

```
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fd7a0523-dc70-43dd-9b2e-9c5ed48225b1, version 1.0
Description : Unknown RPC service
Annotation : AppInfo
Type : Local RPC service
Named pipe : LRPC-7020f9cae26a9fd179

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 58e604e8-9adb-4d2e-a464-3b0683fb1480, version 1.0
Description : Unknown RPC service
Annotation : AppInfo
Type : Local RPC service
Named pipe : LRPC-7020f9cae26a9fd179

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0f738e20-73c0-4ca8-aa6a-8dfef545fea8, version 1.0
Description : Unknown RPC service
Annotation : AppInfo
Type : Local RPC service
Named pipe : LRPC-7020f9cae26a9fd179

Object UUID : 04415206-e905-4cc4-a247-7012f8ecbdb
UUID : 98e96949-bc59-47f1-92d1-8c25b46f85c7, version 1.0
Description : Unknown RPC service
Annotation : IhvExtRpcServer
Type : Local RPC service
Named pipe : LRPC-b5d7603dalad2da39b

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 714dc5c4-c5f6-466a-b037-a573c958031e, version 1.0
Description : Unknown RPC service
Annotation : ProcessTag Server Endpoint
Type : Local RPC service
Named pipe : OLEB568B32053F30A2FABC55B749133

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 714dc5c4-c5f6-466a-b037-a573c958031e, version 1.0
Description : Unknown RPC service
Annotation : ProcessTag Server Endpoint
Type : Local RPC service
Named pipe : LRPC-87c1bf5acbe2899b4d

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c27f3c08-92ba-478c-b446-b419c4cef0e2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-6bdd790f443f7aba38

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 10d20e7a-2530-494a-ac01-b8dd04480ad2, version 1.0
Description : Unknown RPC service
Annotation : camsvc
Type : Local RPC service
Named pipe : OLEFCCF6A5872449594D9AF0C0D23A7

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 10d20e7a-2530-494a-ac01-b8dd04480ad2, version 1.0
Description : Unknown RPC service
Annotation : camsvc
Type : Local RPC service
Named pipe : LRPC-7753868f5df370fbe9

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 49461cac-ale3-42b7-9328-972783b9391e, version 1.0
Description : Unknown RPC service
Annotation : camsvc
Type : Local RPC service
Named pipe : OLEFCCF6A5872449594D9AF0C0D23A7

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 49461cac-ale3-42b7-9328-972783b9391e, version 1.0
Description : Unknown RPC service
Annotation : camsvc
Type : Local RPC service
Named pipe : LRPC-7753868f5df370fbe9

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : ae2dc901-312d-41df-8b79-e835e63db874, version 1.0
Description : Unknown RPC service
Annotation : appxsvc
Type : Local RPC service
Named pipe : LRPC-8f0ac8cbb447cc0a55

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : ff9fd3c4-742e-45e0-91dd-2f5bc632a1df, version 1.0
Description : Unknown RPC service
Annotation : appxsvc
Type : Local RPC service
Named pipe : LRPC-8f0ac8cbb447cc0a55

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 78dcce84-7f13-4139-b8cd-ef222aa0408b, version 1.0
Description : Unknown RPC service
Annotation : StateRepository
Type : Local RPC service
```

Named pipe : OLE6CF1429EEB6731185F2837D39DD4

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 78dcce84-7f13-4139-b8cd-ef22aa0408b, version 1.0
Description : Unknown RPC service
Annotation : StateRepository
Type : Local RPC service
Named pipe : LRPC-1f57e8959fc88ad4a

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : a00e7603-27b5-4ala-8452-d001f41188a9, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : SECOMNRpcEndpoint.{2F0652D5-A8C1-4125-9DE2-115DFCD3504B}

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : ee618e36-3c88-4fc3-82ea-1f20b120198b, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE77E62E04D8B410ED8BCA25A0B2B0

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 81be8b70-cf26-425b-ab9d-921efba40509, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE77E62E04D8B410ED8BCA25A0B2B0

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 26268c86-e770-433e-86ef-5f3ba6731fba, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLECOCED785E2B1BD13D16982137D74

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 26268c86-e770-433e-86ef-5f3ba6731fba, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-4412eb59fa66e5d6f9

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 98716d03-89ac-44c7-bb8c-285824e51c4a, version 1.0
Description : Unknown RPC service
Annotation : XactSrv service
Type : Local RPC service
Named pipe : LRPC-c3e0f68fed66575795

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 1a0d010f-1c33-432c-b0f5-8cf4e8053099, version 1.0
Description : Unknown RPC service
Annotation : IdSegSrv service
Type : Local RPC service
Named pipe : LRPC-c3e0f68fed66575795

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 94f974af-f072-4e68-85c9-d265b55306fe, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : RstMgmtRpcEndpoint

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 7635805d-a473-451a-94b2-5d674d953d39, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : RstMgmtRpcEndpoint

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0f96ee82-4639-4ed6-888d-8af68287c0a9, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : RstMgmtRpcEndpoint

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 552d076a-cb29-4e44-8b6a-d15e59e2c0af, version 1.0
Description : Unknown RPC service
Annotation : IP Transition Configuration endpoint
Type : Local RPC service
Named pipe : LRPC-48937ff3b4f885c216

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2e6035b2-e8f1-41a7-a044-656b439c4c34, version 1.0
Description : Unknown RPC service
Annotation : Proxy Manager provider server endpoint
Type : Local RPC service
Named pipe : LRPC-48937ff3b4f885c216

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2e6035b2-e8f1-41a7-a044-656b439c4c34, version 1.0
Description : Unknown RPC service
Annotation : Proxy Manager provider server endpoint
Type : Local RPC service
Named pipe : TeredoDiagnostics

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2e6035b2-e8f1-41a7-a044-656b439c4c34, version 1.0
Description : Unknown RPC service
Annotation : Proxy Manager provider server endpoint

```
Type : Local RPC service
Named pipe : TeredoControl

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c36be077-e14b-4fe9-8abc-e856ef4f048b, version 1.0
Description : Unknown RPC service
Annotation : Proxy Manager client server endpoint
Type : Local RPC service
Named pipe : LRPC-48937ff3b4f885c216

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c36be077-e14b-4fe9-8abc-e856ef4f048b, version 1.0
Description : Unknown RPC service
Annotation : Proxy Manager client server endpoint
Type : Local RPC service
Named pipe : TeredoDiagnostics

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c36be077-e14b-4fe9-8abc-e856ef4f048b, version 1.0
Description : Unknown RPC service
Annotation : Proxy Manager client server endpoint
Type : Local RPC service
Named pipe : TeredoControl

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c49a5a70-8a7f-4e70-ba16-1e8f1f193ef1, version 1.0
Description : Unknown RPC service
Annotation : Adh APIs
Type : Local RPC service
Named pipe : LRPC-48937ff3b4f885c216

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c49a5a70-8a7f-4e70-ba16-1e8f1f193ef1, version 1.0
Description : Unknown RPC service
Annotation : Adh APIs
Type : Local RPC service
Named pipe : TeredoDiagnostics

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c49a5a70-8a7f-4e70-ba16-1e8f1f193ef1, version 1.0
Description : Unknown RPC service
Annotation : Adh APIs
Type : Local RPC service
Named pipe : TeredoControl

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c49a5a70-8a7f-4e70-ba16-1e8f1f193ef1, version 1.0
Description : Unknown RPC service
Annotation : Adh APIs
Type : Local RPC service
Named pipe : OLE7F73325A4BED0C012D2CA68D085B

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : e64b9aee-f372-4312-9a14-8f1502b5c8e3, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-1fc40b3b2513197d2b

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : dd490425-5325-4565-b774-7e27d6c09c24, version 1.0
Description : Unknown RPC service
Annotation : Base Firewall Engine API
Type : Local RPC service
Named pipe : LRPC-2e400d4a2665154da1

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 7f9d11bf-7fb9-436b-a812-b2d50c5d4c03, version 1.0
Description : Unknown RPC service
Annotation : Fw APIs
Type : Local RPC service
Named pipe : LRPC-2e400d4a2665154da1

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 7f9d11bf-7fb9-436b-a812-b2d50c5d4c03, version 1.0
Description : Unknown RPC service
Annotation : Fw APIs
Type : Local RPC service
Named pipe : LRPC-a9d540b2cdcc3f4e38

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : f47433c3-3e9d-4157-aad4-83aa1f5c2d4c, version 1.0
Description : Unknown RPC service
Annotation : Fw APIs
Type : Local RPC service
Named pipe : LRPC-2e400d4a2665154da1

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : f47433c3-3e9d-4157-aad4-83aa1f5c2d4c, version 1.0
Description : Unknown RPC service
Annotation : Fw APIs
Type : Local RPC service
Named pipe : LRPC-a9d540b2cdcc3f4e38

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : f47433c3-3e9d-4157-aad4-83aa1f5c2d4c, version 1.0
Description : Unknown RPC service
```

Annotation : Fw APIs
Type : Local RPC service
Named pipe : LRPC-a5bf5bb5369c79f3a9

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2fb92682-6599-42dc-ae13-bd2ca89bd11c, version 1.0
Description : Unknown RPC service
Annotation : Fw APIs
Type : Local RPC service
Named pipe : LRPC-2e400d4a2665154da1

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2fb92682-6599-42dc-ae13-bd2ca89bd11c, version 1.0
Description : Unknown RPC service
Annotation : Fw APIs
Type : Local RPC service
Named pipe : LRPC-a9d540b2cdcc3f4e38

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2fb92682-6599-42dc-ae13-bd2ca89bd11c, version 1.0
Description : Unknown RPC service
Annotation : Fw APIs
Type : Local RPC service
Named pipe : LRPC-a5bf5bb5369c79f3a9

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2fb92682-6599-42dc-ae13-bd2ca89bd11c, version 1.0
Description : Unknown RPC service
Annotation : Fw APIs
Type : Local RPC service
Named pipe : LRPC-74e7e712cbbc7f6a72

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 25952c5d-7976-4a11-a3cb-c35f7ae79d1b, version 1.0
Description : Unknown RPC service
Annotation : Wireless Diagnostics
Type : Local RPC service
Named pipe : LRPC-efc8c58d7ea425f0b4

Object UUID : 6e616c77-7673-0063-0000-000000000000
UUID : c9ac6db5-82b7-4e55-ae8a-e464ed7b4277, version 1.0
Description : Unknown RPC service
Annotation : Impl friendly name
Type : Local RPC service
Named pipe : LRPC-efc8c58d7ea425f0b4

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 266f33b4-c7c1-4bd1-8f52-ddb8f2214ea9, version 1.0
Description : Unknown RPC service
Annotation : Wlan Service
Type : Local RPC service
Named pipe : LRPC-efc8c58d7ea425f0b4

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 266f33b4-c7c1-4bd1-8f52-ddb8f2214ea9, version 1.0
Description : Unknown RPC service
Annotation : Wlan Service
Type : Local RPC service
Named pipe : LRPC-19f9babd690a51963c

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 266f33b4-c7c1-4bd1-8f52-ddb8f2214eb0, version 1.0
Description : Unknown RPC service
Annotation : Wlan Service LowPriv
Type : Local RPC service
Named pipe : LRPC-efc8c58d7ea425f0b4

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 266f33b4-c7c1-4bd1-8f52-ddb8f2214eb0, version 1.0
Description : Unknown RPC service
Annotation : Wlan Service LowPriv
Type : Local RPC service
Named pipe : LRPC-19f9babd690a51963c

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : af7fead8-c34a-461f-8894-6d6f0e5eddcd, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-efc8c58d7ea425f0b4

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : af7fead8-c34a-461f-8894-6d6f0e5eddcd, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-19f9babd690a51963c

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : af7fead8-c34a-461f-8894-6d6f0e5eddcd, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLEB055E402E1FB0343ACAA1A6DB46F

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : af7fead8-c34a-461f-8894-6d6f0e5eddcd, version 1.0
Description : Unknown RPC service
Type : Local RPC service

Named pipe : LRPC-e619e822ca1054edd3
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c3f42c6e-d4cc-4e5a-938b-9c5e8a5d8c2e, version 1.0
Description : Unknown RPC service
Annotation : IhvExtRpcServer
Type : Local RPC service
Named pipe : LRPC-efc8c58d7ea425f0b4

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c3f42c6e-d4cc-4e5a-938b-9c5e8a5d8c2e, version 1.0
Description : Unknown RPC service
Annotation : IhvExtRpcServer
Type : Local RPC service
Named pipe : LRPC-19f9babd690a51963c

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c3f42c6e-d4cc-4e5a-938b-9c5e8a5d8c2e, version 1.0
Description : Unknown RPC service
Annotation : IhvExtRpcServer
Type : Local RPC service
Named pipe : OLEB055E402E1FB0343ACAA1A6DB46F

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c3f42c6e-d4cc-4e5a-938b-9c5e8a5d8c2e, version 1.0
Description : Unknown RPC service
Annotation : IhvExtRpcServer
Type : Local RPC service
Named pipe : LRPC-e619e822ca1054edd3

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345678-1234-abcd-ef00-0123456789ab, version 1.0
Description : IPsec Services (Windows XP & 2003)
Windows process : lsass.exe
Type : Local RPC service
Named pipe : LRPC-04b5f3bc3f5f6ed397

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0b6edbfa-4a24-4fc6-8a23-942b1eca65d1, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-04b5f3bc3f5f6ed397

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : ae33069b-a2a8-46ee-a235-ddfd339be281, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-04b5f3bc3f5f6ed397

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 4a452661-8290-4b36-8fbe-7f4093a94978, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-04b5f3bc3f5f6ed397

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 76f03f96-cdfd-44fc-a22c-64950a001209, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-04b5f3bc3f5f6ed397

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b58aa02e-2884-4e97-8176-4ee06d794184, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-d9fd3143bd8cd94765

Object UUID : 73736573-6f69-656e-6e76-000000000000
UUID : c9ac6db5-82b7-4e55-ae8a-e464ed7b4277, version 1.0
Description : Unknown RPC service
Annotation : Impl friendly name
Type : Local RPC service
Named pipe : LRPC-f0b20d200f39b61809

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 29770a8f-829b-4158-90a2-78cd488501f7, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f0b20d200f39b61809

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 29770a8f-829b-4158-90a2-78cd488501f7, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : SessEnvPrivateRpc

Object UUID : 736e6573-0000-0000-0000-000000000000
UUID : c9ac6db5-82b7-4e55-ae8a-e464ed7b4277, version 1.0
Description : Unknown RPC service
Annotation : Impl friendly name
Type : Local RPC service
Named pipe : senssvc

Object UUID : 736e6573-0000-0000-0000-000000000000
UUID : c9ac6db5-82b7-4e55-ae8a-e464ed7b4277, version 1.0
Description : Unknown RPC service

Annotation : Impl friendly name
Type : Local RPC service
Named pipe : LRPC-a863d29abdc5dbad44

Object UUID : 49541cea-a719-4e75-8d58-a3a7bfff960e
UUID : 850cee52-3038-4277-b9b4-e05db8b2c35c, version 1.0
Description : Unknown RPC service
Annotation : Device Association Framework Association RPC Interface
Type : Local RPC service
Named pipe : LRPC-cface9e80d1bebbaa0e

Object UUID : 80b4038a-1d09-4c05-b1b6-249a4c2e0736
UUID : ald4eae7-39f8-4bca-8e72-832767f5082a, version 1.0
Description : Unknown RPC service
Annotation : Device Association Framework Inbound RPC Interface
Type : Local RPC service
Named pipe : LRPC-cface9e80d1bebbaa0e

Object UUID : 145857ef-d848-4a7e-b544-c1984d26cf05
UUID : 2e7d4935-59d2-4312-a2c8-41900aa5495f, version 1.0
Description : Unknown RPC service
Annotation : Device Association Framework Challenge RPC Interface
Type : Local RPC service
Named pipe : LRPC-cface9e80d1bebbaa0e

Object UUID : 289e5e0f-414a-4de9-8d17-244507fffc07
UUID : bd84cd86-9825-4376-813d-334c543f89b1, version 1.0
Description : Unknown RPC service
Annotation : Device Association Framework Query RPC Interface
Type : Local RPC service
Named pipe : LRPC-cface9e80d1bebbaa0e

Object UUID : 1475c123-1193-4379-81ac-302c4383421d
UUID : 5b665b9a-a086-4e26-ae24-96ab050b0ec3, version 1.0
Description : Unknown RPC service
Annotation : Device Association Framework AEP Store Access RPC Interface
Type : Local RPC service
Named pipe : LRPC-cface9e80d1bebbaa0e

Object UUID : 6319e220-2fd5-48bc-a92f-ba70384e4d24
UUID : 6319e220-2fd5-48bc-a92f-ba70384e4d24, version 1.0
Description : Unknown RPC service
Annotation : Device Association Framework Provider Management RPC Interface
Type : Local RPC service
Named pipe : LRPC-cface9e80d1bebbaa0e

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : f2c9b409-c1c9-4100-8639-d8ab1486694a, version 1.0
Description : Unknown RPC service
Annotation : Witness Client Upcall Server
Type : Local RPC service
Named pipe : LRPC-c2dee81e5839c9aa2a

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : eb081a0d-10ee-478a-a1dd-50995283e7a8, version 3.0
Description : Unknown RPC service
Annotation : Witness Client Test Interface
Type : Local RPC service
Named pipe : LRPC-c2dee81e5839c9aa2a

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 7f1343fe-50a9-4927-a778-0c5859517bac, version 1.0
Description : Unknown RPC service
Annotation : DfsDs service
Type : Local RPC service
Named pipe : LRPC-c2dee81e5839c9aa2a

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 30b044a5-a225-43f0-b3a4-e060df91f9c1, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-7744baa3cca86cfafa

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : f6beaff7-1e19-4fbb-9f8f-b89e2018337c, version 1.0
Description : Unknown RPC service
Annotation : Windows Event Log
Type : Local RPC service
Named pipe : eventlog

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : abfb6ca3-0c5e-4734-9285-0aee72fe8d1c, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLEE2C18E661A177A52256C863796D1

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : abfb6ca3-0c5e-4734-9285-0aee72fe8d1c, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-95a5ecbd1037cfe340

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b37f900a-eae4-4304-a2ab-12bb668c0188, version 1.0
Description : Unknown RPC service
Type : Local RPC service

Named pipe : OLEE2C18E661A177A52256C863796D1
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b37f900a-eae4-4304-a2ab-12bb668c0188, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-95a5ecbd1037cf340

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : f44e62af-dab1-44c2-8013-049a9de417d6, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLEE2C18E661A177A52256C863796D1

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : f44e62af-dab1-44c2-8013-049a9de417d6, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-95a5ecbd1037cf340

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c2d1b5dd-fa81-4460-9dd6-e7658b85454b, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLEE2C18E661A177A52256C863796D1

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c2d1b5dd-fa81-4460-9dd6-e7658b85454b, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-95a5ecbd1037cf340

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 13560fa9-8c09-4b56-a1fd-04d083b9b2a1, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLEE2C18E661A177A52256C863796D1

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 13560fa9-8c09-4b56-a1fd-04d083b9b2a1, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-95a5ecbd1037cf340

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3473dd4d-2e88-4006-9cba-22570909dd10, version 5.0
Description : Unknown RPC service
Annotation : WinHttp Auto-Proxy Service
Type : Local RPC service
Named pipe : LRPC-ca178d81bda0e9b7ca

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3f787932-3452-4363-8651-6ea97bb373bb, version 1.0
Description : Unknown RPC service
Annotation : NSP Rpc Interface
Type : Local RPC service
Named pipe : OLE5E7E6BE1FF6A6443F5F760ADFB2D

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3f787932-3452-4363-8651-6ea97bb373bb, version 1.0
Description : Unknown RPC service
Annotation : NSP Rpc Interface
Type : Local RPC service
Named pipe : LRPC-e0f8842e623111083f

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : bd6ca954-842e-468f-8b07-89cbfa9522dc, version 1.0
Description : Unknown RPC service
Annotation : NetworkProfiles Telemetry RPC Interface
Type : Local RPC service
Named pipe : OLE5E7E6BE1FF6A6443F5F760ADFB2D

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : bd6ca954-842e-468f-8b07-89cbfa9522dc, version 1.0
Description : Unknown RPC service
Annotation : NetworkProfiles Telemetry RPC Interface
Type : Local RPC service
Named pipe : LRPC-e0f8842e623111083f

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : bd6ca954-842e-468f-8b07-89cbfa9522dc, version 1.0
Description : Unknown RPC service
Annotation : NetworkProfiles Telemetry RPC Interface
Type : Local RPC service
Named pipe : INlmDiagnosticsApi

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 4c8d0bef-d7f1-49f0-9102-caa05f58d114, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE5E7E6BE1FF6A6443F5F760ADFB2D

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 4c8d0bef-d7f1-49f0-9102-caa05f58d114, version 1.0
Description : Unknown RPC service
Type : Local RPC service

Named pipe : LRPC-e0f8842e623111083f

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 4c8d0bef-d7f1-49f0-9102-caa05f58d114, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : INlmDiagnosticsApi

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b18fbab6-56f8-4702-84e0-41053293a869, version 1.0
Description : Unknown RPC service
Annotation : UserMgrCli
Type : Local RPC service
Named pipe : OLE7FA6C47CAC086FE1A9DBC41EF5B4

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b18fbab6-56f8-4702-84e0-41053293a869, version 1.0
Description : Unknown RPC service
Annotation : UserMgrCli
Type : Local RPC service
Named pipe : LRPC-b1bbb6249ebdd6b214

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0d3c7f20-1c8d-4654-a1b3-51563b298bda, version 1.0
Description : Unknown RPC service
Annotation : UserMgrCli
Type : Local RPC service
Named pipe : OLE7FA6C47CAC086FE1A9DBC41EF5B4

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0d3c7f20-1c8d-4654-a1b3-51563b298bda, version 1.0
Description : Unknown RPC service
Annotation : UserMgrCli
Type : Local RPC service
Named pipe : LRPC-b1bbb6249ebdd6b214

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : a69816f5-83b6-4d48-8633-067f99f5f2d3, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-c73053b5e62da2a8bc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b54e9aa3-cf29-4f21-a8ea-98c5850ce296, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-c73053b5e62da2a8bc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b54e9aa3-cf29-4f21-a8ea-98c5850ce296, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-5a1fb4d902ce8dd645

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3c4728c5-f0ab-448b-bdal-6ce01eb0a6d6, version 1.0
Description : Unknown RPC service
Annotation : DHCPv6 Client LRPC Endpoint
Type : Local RPC service
Named pipe : dhcpcsvc6

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3c4728c5-f0ab-448b-bdal-6ce01eb0a6d5, version 1.0
Description : DHCP Client Service
Windows process : svchost.exe
Annotation : DHCP Client LRPC Endpoint
Type : Local RPC service
Named pipe : dhcpcsvc6

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3c4728c5-f0ab-448b-bdal-6ce01eb0a6d5, version 1.0
Description : DHCP Client Service
Windows process : svchost.exe
Annotation : DHCP Client LRPC Endpoint
Type : Local RPC service
Named pipe : dhcpcsvc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 30adc50c-5cbc-46ce-9a0e-91914789e23c, version 1.0
Description : Unknown RPC service
Annotation : NRP server endpoint
Type : Local RPC service
Named pipe : DNSResolver

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 30adc50c-5cbc-46ce-9a0e-91914789e23c, version 1.0
Description : Unknown RPC service
Annotation : NRP server endpoint
Type : Local RPC service
Named pipe : LRPC-ade4b6f07ec0d58842

Object UUID : b5cccd5ef-4238-440b-bba0-999f828f1cfe
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-c89b0b26dc2905c394

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : a500d4c6-0dd1-4543-bc0c-d5f93486eaf8, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-c89b0b26dc2905c394

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : a500d4c6-0dd1-4543-bc0c-d5f93486eaf8, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-734c0ea4f8b212aaee

Object UUID : 666f7270-6c69-7365-0000-000000000000
UUID : c9ac6db5-82b7-4e55-ae8a-e464ed7b4277, version 1.0
Description : Unknown RPC service
Annotation : Impl friendly name
Type : Local RPC service
Named pipe : IUserProfile2

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0a74ef1c-41a4-4e06-83ae-dc74fb1cdd53, version 1.0
Description : Scheduler Service
Windows process : svchost.exe
Type : Local RPC service
Named pipe : LRPC-094aad42d959e2a69e

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 1ff70682-0a51-30e8-076d-740be8cee98b, version 1.0
Description : Scheduler Service
Windows process : svchost.exe
Type : Local RPC service
Named pipe : LRPC-094aad42d959e2a69e

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 378e52b0-c0a9-11cf-822d-00aa0051e40f, version 1.0
Description : Scheduler Service
Windows process : svchost.exe
Type : Local RPC service
Named pipe : LRPC-094aad42d959e2a69e

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 33d84484-3626-47ee-8c6f-e7e98b113be1, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-094aad42d959e2a69e

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 33d84484-3626-47ee-8c6f-e7e98b113be1, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : upbmtaskhostchannel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 33d84484-3626-47ee-8c6f-e7e98b113be1, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-06008df55d3e1f1393

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 86d35949-83c9-4044-b424-db363231fd0c, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-094aad42d959e2a69e

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 86d35949-83c9-4044-b424-db363231fd0c, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : upbmtaskhostchannel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 86d35949-83c9-4044-b424-db363231fd0c, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-06008df55d3e1f1393

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3a9ef155-691d-4449-8d05-09ad57031823, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-094aad42d959e2a69e

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3a9ef155-691d-4449-8d05-09ad57031823, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : upbmtaskhostchannel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3a9ef155-691d-4449-8d05-09ad57031823, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-06008df55d3e1f1393

Object UUID : fdd099c6-df06-4904-83b4-a87a27903c70

UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-abd65a6fe9701905c7

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 5222821f-d5e2-4885-84f1-5f6185a0ec41, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-0ee133cccd67b272420

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 880fd55e-43b9-11e0-b1a8-cf4edfd72085, version 1.0
Description : Unknown RPC service
Annotation : KAPI Service endpoint
Type : Local RPC service
Named pipe : LRPC-abd65a6fe9701905c7

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 880fd55e-43b9-11e0-b1a8-cf4edfd72085, version 1.0
Description : Unknown RPC service
Annotation : KAPI Service endpoint
Type : Local RPC service
Named pipe : OLEC2C7D92404A4E40A976B5E3F6464

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 880fd55e-43b9-11e0-b1a8-cf4edfd72085, version 1.0
Description : Unknown RPC service
Annotation : KAPI Service endpoint
Type : Local RPC service
Named pipe : LRPC-eaf005d5660b385442

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : e40f7b57-7a25-4cd3-a135-7f7d3df9d16b, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f656ee9cdc09282032

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0a533b58-0ed9-4085-b6e8-95795e147972, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLEFF50BF57B611EA28C31E42BC59FC

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0a533b58-0ed9-4085-b6e8-95795e147972, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-6b0c1678723a94474d

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 5dea026d-f999-40b1-a234-2164fd086783, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLEFF50BF57B611EA28C31E42BC59FC

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 5dea026d-f999-40b1-a234-2164fd086783, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-6b0c1678723a94474d

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 5dea026d-f999-40b1-a234-2164fd086783, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-43be20fcceb34f43ef

Object UUID : fccae962-4722-40c7-a46d-fe5153280723
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLEFF50BF57B611EA28C31E42BC59FC

Object UUID : fccae962-4722-40c7-a46d-fe5153280723
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-6b0c1678723a94474d

Object UUID : fccae962-4722-40c7-a46d-fe5153280723
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-43be20fcceb34f43ef

Object UUID : fccae962-4722-40c7-a46d-fe5153280723
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-c7298543214d33eaf2

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2acb9d68-b434-4b3e-b966-e06b4b3a84cb, version 1.0
Description : Unknown RPC service
Type : Local RPC service

Named pipe : OLEFF50BF57B611EA28C31E42BC59FC

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2acb9d68-b434-4b3e-b966-e06b4b3a84cb, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-6b0c1678723a94474d

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2acb9d68-b434-4b3e-b966-e06b4b3a84cb, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-43be20fccb34f43ef

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2acb9d68-b434-4b3e-b966-e06b4b3a84cb, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-c7298543214d33eaf2

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2acb9d68-b434-4b3e-b966-e06b4b3a84cb, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-9d2f5e05f31438379e

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 7ea70bcf-48af-4f6a-8968-6a440754d5fa, version 1.0
Description : Unknown RPC service
Annotation : NSI server endpoint
Type : Local RPC service
Named pipe : LRPC-1078583b96acb57b53

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : ae55c4c0-64ce-11dd-ad8b-0800200c9a66, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-0cdd90853a82b67b62

Object UUID : 6d726574-7273-0076-0000-000000000000
UUID : c9ac6db5-82b7-4e55-ae8a-e464ed7b4277, version 1.0
Description : Unknown RPC service
Annotation : Impl friendly name
Type : Local RPC service
Named pipe : LRPC-43a4bf7e09f222a0e8

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 4bec6bb8-b5c2-4b6f-b2c1-5da5cf92d0d9, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 085b0334-e454-4d91-9b8c-4134f9e793f3, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8782d3b9-ebbd-4644-a3d8-e8725381919b, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3b338d89-6cfa-44b8-847e-531531bc9992, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : bdcaa0970-413b-4a3e-9e5d-f6dc9d7e0760, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 5824833b-3c1a-4ad2-bfd-c31d19e23ed2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0361ae94-0316-4c6c-8ad8-c594375800e2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : dd59071b-3215-4c59-8481-972edad0f6a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : dd59071b-3215-4c59-8481-972edad0f6a, version 1.0

```
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2d98a740-581d-41b9-aa0d-a88b9d5ce938, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2d98a740-581d-41b9-aa0d-a88b9d5ce938, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2d98a740-581d-41b9-aa0d-a88b9d5ce938, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f3d1ffb5e8c95a589e

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8bfc3be1-6def-4e2d-af74-7c47cd0ade4a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8bfc3be1-6def-4e2d-af74-7c47cd0ade4a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8bfc3be1-6def-4e2d-af74-7c47cd0ade4a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f3d1ffb5e8c95a589e

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 1b37ca91-76b1-4f5e-a3c7-2abfc61f2bb0, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 1b37ca91-76b1-4f5e-a3c7-2abfc61f2bb0, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 1b37ca91-76b1-4f5e-a3c7-2abfc61f2bb0, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f3d1ffb5e8c95a589e

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c605f9fb-f0a3-4e2a-a073-73560f8d9e3e, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c605f9fb-f0a3-4e2a-a073-73560f8d9e3e, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : c605f9fb-f0a3-4e2a-a073-73560f8d9e3e, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f3d1ffb5e8c95a589e

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0d3e2735-cea0-4ecc-a9e2-41a2d81aed4e, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0d3e2735-cea0-4ecc-a9e2-41a2d81aed4e, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0d3e2735-cea0-4ecc-a9e2-41a2d81aed4e, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f3d1ffb5e8c95a589e

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2513bcbe-6cd4-4348-855e-7efb3c336dd3, version 2.0
```

```
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2513bcbe-6cd4-4348-855e-7efb3c336dd3, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2513bcbe-6cd4-4348-855e-7efb3c336dd3, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f3d1ffb5e8c95a589e

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2513bcbe-6cd4-4348-855e-7efb3c336dd3, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE07450D60B7F567E717379AE68FD2

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 20c40295-8dba-48e6-aebf-3e78ef3bb144, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 20c40295-8dba-48e6-aebf-3e78ef3bb144, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 20c40295-8dba-48e6-aebf-3e78ef3bb144, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f3d1ffb5e8c95a589e

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 20c40295-8dba-48e6-aebf-3e78ef3bb144, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE07450D60B7F567E717379AE68FD2

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 857fb1be-084f-4fb5-b59c-4b2c4be5f0cf, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 857fb1be-084f-4fb5-b59c-4b2c4be5f0cf, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 857fb1be-084f-4fb5-b59c-4b2c4be5f0cf, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f3d1ffb5e8c95a589e

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 857fb1be-084f-4fb5-b59c-4b2c4be5f0cf, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE07450D60B7F567E717379AE68FD2

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 55e6b932-1979-45d6-90c5-7f6270724112, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 55e6b932-1979-45d6-90c5-7f6270724112, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 55e6b932-1979-45d6-90c5-7f6270724112, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f3d1ffb5e8c95a589e

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 55e6b932-1979-45d6-90c5-7f6270724112, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE07450D60B7F567E717379AE68FD2

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 55e6b932-1979-45d6-90c5-7f6270724112, version 1.0
```

```
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-69572f65f92aeb286b

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 76c217bc-c8b4-4201-a745-373ad9032b1a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 76c217bc-c8b4-4201-a745-373ad9032b1a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 76c217bc-c8b4-4201-a745-373ad9032b1a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f3d1ffb5e8c95a589e

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 76c217bc-c8b4-4201-a745-373ad9032b1a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE07450D60B7F567E717379AE68FD2

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 76c217bc-c8b4-4201-a745-373ad9032b1a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-69572f65f92aeb286b

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 88abcbc3-34ea-76ae-8215-767520655a23, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 88abcbc3-34ea-76ae-8215-767520655a23, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 88abcbc3-34ea-76ae-8215-767520655a23, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f3d1ffb5e8c95a589e

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 88abcbc3-34ea-76ae-8215-767520655a23, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE07450D60B7F567E717379AE68FD2

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 88abcbc3-34ea-76ae-8215-767520655a23, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-69572f65f92aeb286b

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 2c7fd9ce-e706-4b40-b412-953107ef9bb0, version 0.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 4dace966-a243-4450-ae3f-9b7bcb5315b8, version 2.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 178d84be-9291-4994-82c6-3f909aca5a03, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : e53d94ca-7464-4839-b044-09a2fb8b3ae5, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fae436b0-b864-4a87-9eda-298547cd82f2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 082a3471-31b6-422a-b931-a54401960c62, version 1.0
```

```
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 6982a06e-5fe2-46b1-b39c-a2c545bfa069, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0ff1f646-13bb-400a-ab50-9a78f2b7a85a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 4ed8abcc-f1e2-438b-981f-bb0e8abc010c, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 95406f0b-b239-4318-91bb-cea3a46ff0dc, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 0d47017b-b33b-46ad-9e18-fe96456c5078, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 7cd4a68a-505e-456b-b11e-ca76a5dd491c
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 7cd4a68a-505e-456b-b11e-ca76a5dd491c
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 7cd4a68a-505e-456b-b11e-ca76a5dd491c
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f3d1ffb5e8c95a589e

Object UUID : 7cd4a68a-505e-456b-b11e-ca76a5dd491c
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE07450D60B7F567E717379AE68FD2

Object UUID : 7cd4a68a-505e-456b-b11e-ca76a5dd491c
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-69572f65f92aeb286b

Object UUID : 7cd4a68a-505e-456b-b11e-ca76a5dd491c
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-45b33d31a30df744e0

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 9b008953-f195-4bf9-bde0-4471971e58ed, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 9b008953-f195-4bf9-bde0-4471971e58ed, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 9b008953-f195-4bf9-bde0-4471971e58ed, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f3d1ffb5e8c95a589e

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 9b008953-f195-4bf9-bde0-4471971e58ed, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE07450D60B7F567E717379AE68FD2

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 9b008953-f195-4bf9-bde0-4471971e58ed, version 1.0
```

```
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-69572f65f92aeb286b

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 9b008953-f195-4bf9-bde0-4471971e58ed, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-45b33d31a30df744e0

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 9b008953-f195-4bf9-bde0-4471971e58ed, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-457837ab77b9b73df1

Object UUID : db57eb61-1aa2-4906-9396-23e8b8024c32
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : db57eb61-1aa2-4906-9396-23e8b8024c32
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : db57eb61-1aa2-4906-9396-23e8b8024c32
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f3d1ffb5e8c95a589e

Object UUID : db57eb61-1aa2-4906-9396-23e8b8024c32
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE07450D60B7F567E717379AE68FD2

Object UUID : db57eb61-1aa2-4906-9396-23e8b8024c32
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-69572f65f92aeb286b

Object UUID : db57eb61-1aa2-4906-9396-23e8b8024c32
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-45b33d31a30df744e0

Object UUID : db57eb61-1aa2-4906-9396-23e8b8024c32
UUID : d09bdeb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-457837ab77b9b73df1

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 697dcda9-3ba9-4eb2-9247-e11f1901b0d2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 697dcda9-3ba9-4eb2-9247-e11f1901b0d2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 697dcda9-3ba9-4eb2-9247-e11f1901b0d2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f3d1ffb5e8c95a589e

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 697dcda9-3ba9-4eb2-9247-e11f1901b0d2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE07450D60B7F567E717379AE68FD2

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 697dcda9-3ba9-4eb2-9247-e11f1901b0d2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-69572f65f92aeb286b

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 697dcda9-3ba9-4eb2-9247-e11f1901b0d2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-45b33d31a30df744e0

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 697dcda9-3ba9-4eb2-9247-e11f1901b0d2, version 1.0
```

```
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-457837ab77b9b73df1

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 697dcda9-3ba9-4eb2-9247-e11f1901b0d2, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-c00a1b38509d14205d

Object UUID : 9e56cbc5-e634-4267-818e-ffa7dce1fa86
UUID : d09bdb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 9e56cbc5-e634-4267-818e-ffa7dce1fa86
UUID : d09bdb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 9e56cbc5-e634-4267-818e-ffa7dce1fa86
UUID : d09bdb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f3d1ffb5e8c95a589e

Object UUID : 9e56cbc5-e634-4267-818e-ffa7dce1fa86
UUID : d09bdb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE07450D60B7F567E717379AE68FD2

Object UUID : 9e56cbc5-e634-4267-818e-ffa7dce1fa86
UUID : d09bdb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-69572f65f92aeb286b

Object UUID : 9e56cbc5-e634-4267-818e-ffa7dce1fa86
UUID : d09bdb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-45b33d31a30df744e0

Object UUID : 9e56cbc5-e634-4267-818e-ffa7dce1fa86
UUID : d09bdb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-457837ab77b9b73df1

Object UUID : 9e56cbc5-e634-4267-818e-ffa7dce1fa86
UUID : d09bdb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-c00a1b38509d14205d

Object UUID : 9e56cbc5-e634-4267-818e-ffa7dce1fa86
UUID : d09bdb5-6171-4a34-bfe2-06fa82652568, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : csepub

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fc48cd89-98d6-4628-9839-86f7a3e4161a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : umpo

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fc48cd89-98d6-4628-9839-86f7a3e4161a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : actkernel

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fc48cd89-98d6-4628-9839-86f7a3e4161a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-f3d1ffb5e8c95a589e

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fc48cd89-98d6-4628-9839-86f7a3e4161a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : OLE07450D60B7F567E717379AE68FD2

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fc48cd89-98d6-4628-9839-86f7a3e4161a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-69572f65f92aeb286b

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fc48cd89-98d6-4628-9839-86f7a3e4161a, version 1.0
```

```
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-45b33d31a30df744e0

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fc48cd89-98d6-4628-9839-86f7a3e4161a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-457837ab77b9b73df1

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fc48cd89-98d6-4628-9839-86f7a3e4161a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : LRPC-c00a1b38509d14205d

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fc48cd89-98d6-4628-9839-86f7a3e4161a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : csepub

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : fc48cd89-98d6-4628-9839-86f7a3e4161a, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : dabrpc

Object UUID : b08669ee-8cb5-43a5-a017-84fe00000000
UUID : 76f226c3-ec14-4325-8a99-6a46348418af, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : WMsgKRpc01118E0

Object UUID : b08669ee-8cb5-43a5-a017-84fe00000000
UUID : 76f226c3-ec14-4325-8a99-6a46348418af, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : WindowsShutdown

Object UUID : 765294ba-60bc-48b8-92e9-89fd77769d91
UUID : d95afe70-a6d5-4259-822e-2c84da1ddb0d, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : WMsgKRpc01118E0

Object UUID : 765294ba-60bc-48b8-92e9-89fd77769d91
UUID : d95afe70-a6d5-4259-822e-2c84da1ddb0d, version 1.0
Description : Unknown RPC service
Type : Local RPC service
Named pipe : WindowsShutdown

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Local RPC service
Named pipe : clipsfk

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Local RPC service
Named pipe : imsfk

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Local RPC service
Named pipe : audit

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Local RPC service
Named pipe : securityevent

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Local RPC service
Named pipe : LSARPC_ENDPOINT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Local RPC service
Named pipe : lsacap

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
```

Description : Security Account Manager
Windows process : lsass.exe
Type : Local RPC service
Named pipe : LSA_IDPEXT_ENDPOINT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Local RPC service
Named pipe : LSA_EAS_ENDPOINT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Local RPC service
Named pipe : lsapolICYlookup

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Local RPC service
Named pipe : lsasspirpc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Local RPC service
Named pipe : protected_storage

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Local RPC service
Named pipe : SidKey Local End Point

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Local RPC service
Named pipe : samss lpc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Local RPC service
Named pipe : clipsfk

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Local RPC service
Named pipe : imsfk

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Local RPC service
Named pipe : audit

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Local RPC service
Named pipe : securityevent

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Local RPC service
Named pipe : LSARPC_ENDPOINT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Local RPC service
Named pipe : lsacap

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Local RPC service
Named pipe : LSA_IDPEXT_ENDPOINT

```
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Local RPC service
Named pipe : LSA_EAS_ENDPOINT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Local RPC service
Named pipe : lsapolICYlookup

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Local RPC service
Named pipe : lsasspirpc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Local RPC service
Named pipe : protected_storage

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Local RPC service
Named pipe : SidKey Local End Point

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Local RPC service
Named pipe : samss lpc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191felb, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : clipsfk

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191felb, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : imsfk

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191felb, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : audit

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191felb, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : securityevent

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191felb, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : LSARPC_ENDPOINT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191felb, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : lsacap

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191felb, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : LSA_IDPEXT_ENDPOINT

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191felb, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
```

```
Named pipe : LSA_EAS_ENDPOINT
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : lsapolICYlookup

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : lsasspirpc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : protected_storage

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : SidKey Local End Point

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : samss lpc

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : clipsfk

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : imsfk

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : audit

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Local RPC service
Named pipe : securityevent
```

10736 - DCE Services Enumeration

Synopsis

A DCE/RPC service is running on the remote host.

Description

By sending a Lookup request to the portmapper (TCP 135 or epmapper PIPE) it was possible to enumerate the Distributed Computing Environment (DCE) services running on the remote port. Using this information it is possible to connect and bind to each service by sending an RPC request to the remote port/pipe.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2001/08/26, Modified: 2021/10/04

Plugin Output

tcp/445/cifs

The following DCERPC services are available remotely :

```
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 650a7e26-eab8-5533-ce43-9cldfc11511, version 1.0
Description : Unknown RPC service
Annotation : Vpn APIs
Type : Remote RPC service
Named pipe : \PIPE\ROUTER
Netbios name : \\ROHIT-KAJAL

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 29770a8f-829b-4158-90a2-78cd488501f7, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
Named pipe : \pipe\SessEnvPublicRpc
Netbios name : \\ROHIT-KAJAL

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 7f1343fe-50a9-4927-a778-0c5859517bac, version 1.0
Description : Unknown RPC service
Annotation : DfsDs service
Type : Remote RPC service
Named pipe : \PIPE\wkssvc
Netbios name : \\ROHIT-KAJAL

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : f6beaff7-1e19-4fbf-9f8f-b89e2018337c, version 1.0
Description : Unknown RPC service
Annotation : Windows Event Log
Type : Remote RPC service
Named pipe : \pipe\eventlog
Netbios name : \\ROHIT-KAJAL

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 1ff70682-0a51-30e8-076d-740be8cee98b, version 1.0
Description : Scheduler Service
Windows process : svchost.exe
Type : Remote RPC service
Named pipe : \PIPE\atsvc
Netbios name : \\ROHIT-KAJAL

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 378e52b0-c0a9-11cf-822d-00aa0051e40f, version 1.0
Description : Scheduler Service
Windows process : svchost.exe
Type : Remote RPC service
Named pipe : \PIPE\atsvc
Netbios name : \\ROHIT-KAJAL

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 33d84484-3626-47ee-8c6f-e7e98b113be1, version 2.0
Description : Unknown RPC service
Type : Remote RPC service
Named pipe : \PIPE\atsvc
Netbios name : \\ROHIT-KAJAL

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 86d35949-83c9-4044-b424-db363231fd0c, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
Named pipe : \PIPE\atsvc
Netbios name : \\ROHIT-KAJAL

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3a9ef155-691d-4449-8d05-09ad57031823, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
Named pipe : \PIPE\atsvc
Netbios name : \\ROHIT-KAJAL

Object UUID : b08669ee-8cb5-43a5-a017-84fe00000000
UUID : 76f226c3-ec14-4325-8a99-6a46348418af, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
Named pipe : \PIPE\InitShutdown
Netbios name : \\ROHIT-KAJAL

Object UUID : 765294ba-60bc-48b8-92e9-89fd77769d91
UUID : d95afe70-a6d5-4259-822e-2c84dalddb0d, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
Named pipe : \PIPE\InitShutdown
Netbios name : \\ROHIT-KAJAL

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Remote RPC service
Named pipe : \pipe\lsass
```

```
Netbios name : \\ROHIT-KAJAL
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Remote RPC service
Named pipe : \pipe\lsass
Netbios name : \\ROHIT-KAJAL

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Remote RPC service
Named pipe : \pipe\lsass
Netbios name : \\ROHIT-KAJAL

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Remote RPC service
Named pipe : \pipe\lsass
Netbios name : \\ROHIT-KAJAL
```

10736 - DCE Services Enumeration

Synopsis

A DCE/RPC service is running on the remote host.

Description

By sending a Lookup request to the portmapper (TCP 135 or epmapper PIPE) it was possible to enumerate the Distributed Computing Environment (DCE) services running on the remote port. Using this information it is possible to connect and bind to each service by sending an RPC request to the remote port/pipe.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2001/08/26, Modified: 2021/10/04

Plugin Output

tcp/49664/dce-rpc

```
The following DCERPC services are available on TCP port 49664 :
```

```
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 51a227ae-825b-41f2-b4a9-1ac9557a1018, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Remote RPC service
TCP Port : 49664
IP : 127.0.0.1

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 12345778-1234-abcd-ef00-0123456789ac, version 1.0
Description : Security Account Manager
Windows process : lsass.exe
Type : Remote RPC service
TCP Port : 49664
IP : 127.0.0.1

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : b25a52bf-e5dd-4f4a-aea6-8ca7272a0e86, version 2.0
Description : Unknown RPC service
Annotation : KeyIso
Type : Remote RPC service
TCP Port : 49664
IP : 127.0.0.1

Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 8fb74744-b2ff-4c00-be0d-9ef9a191fe1b, version 1.0
Description : Unknown RPC service
Annotation : Ngc Pop Key Service
Type : Remote RPC service
TCP Port : 49664
IP : 127.0.0.1
```

10736 - DCE Services Enumeration

Synopsis

A DCE/RPC service is running on the remote host.

Description

By sending a Lookup request to the portmapper (TCP 135 or epmapper PIPE) it was possible to enumerate the Distributed Computing Environment (DCE) services running on the remote port. Using this information it is possible to connect and bind to each service by sending an RPC request to the remote port/pipe.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2001/08/26, Modified: 2021/10/04

Plugin Output

tcp/49665/dce-rpc

```
The following DCERPC services are available on TCP port 49665 :
```

```
Object UUID : 765294ba-60bc-48b8-92e9-89fd77769d91
UUID : d95afe70-a6d5-4259-822e-2c84dalddb0d, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49665
IP : 127.0.0.1
```

10736 - DCE Services Enumeration

Synopsis

A DCE/RPC service is running on the remote host.

Description

By sending a Lookup request to the portmapper (TCP 135 or epmapper PIPE) it was possible to enumerate the Distributed Computing Environment (DCE) services running on the remote port. Using this information it is possible to connect and bind to each service by sending an RPC request to the remote port/pipe.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2001/08/26, Modified: 2021/10/04

Plugin Output

tcp/49666/dce-rpc

```
The following DCERPC services are available on TCP port 49666 :
```

```
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 86d35949-83c9-4044-b424-db363231fd0c, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49666
IP : 127.0.0.1
```

```
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 3a9ef155-691d-4449-8d05-09ad57031823, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
```

TCP Port : 49666
IP : 127.0.0.1

10736 - DCE Services Enumeration

-

Synopsis

A DCE/RPC service is running on the remote host.

Description

By sending a Lookup request to the portmapper (TCP 135 or epmapper PIPE) it was possible to enumerate the Distributed Computing Environment (DCE) services running on the remote port. Using this information it is possible to connect and bind to each service by sending an RPC request to the remote port/pipe.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2001/08/26, Modified: 2021/10/04

Plugin Output

tcp/49667/dce-rpc

```
The following DCERPC services are available on TCP port 49667 :
```

```
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : f6beaff7-1e19-4fbb-9f8f-b89e2018337c, version 1.0
Description : Unknown RPC service
Annotation : Windows Event Log
Type : Remote RPC service
TCP Port : 49667
IP : 127.0.0.1
```

10736 - DCE Services Enumeration

-

Synopsis

A DCE/RPC service is running on the remote host.

Description

By sending a Lookup request to the portmapper (TCP 135 or epmapper PIPE) it was possible to enumerate the Distributed Computing Environment (DCE) services running on the remote port. Using this information it is possible to connect and bind to each service by sending an RPC request to the remote port/pipe.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2001/08/26, Modified: 2021/10/04

Plugin Output

tcp/49668/dce-rpc

```
The following DCERPC services are available on TCP port 49668 :
```

```
Object UUID : 00000000-0000-0000-0000-000000000000
UUID : 29770a8f-829b-4158-90a2-78cd488501f7, version 1.0
Description : Unknown RPC service
Type : Remote RPC service
TCP Port : 49668
IP : 127.0.0.1
```

10736 - DCE Services Enumeration

Synopsis

A DCE/RPC service is running on the remote host.

Description

By sending a Lookup request to the portmapper (TCP 135 or epmapper PIPE) it was possible to enumerate the Distributed Computing Environment (DCE) services running on the remote port. Using this information it is possible to connect and bind to each service by sending an RPC request to the remote port/pipe.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2001/08/26, Modified: 2021/10/04

Plugin Output

tcp/49669/dce-rpc

```
The following DCERPC services are available on TCP port 49669 :  
  
Object UUID : 00000000-0000-0000-0000-000000000000  
UUID : 12345678-1234-abcd-ef00-0123456789ab, version 1.0  
Description : IPsec Services (Windows XP & 2003)  
Windows process : lsass.exe  
Type : Remote RPC service  
TCP Port : 49669  
IP : 127.0.0.1  
  
Object UUID : 00000000-0000-0000-0000-000000000000  
UUID : 0b6edbfa-4a24-4fc6-8a23-942bleca65d1, version 1.0  
Description : Unknown RPC service  
Type : Remote RPC service  
TCP Port : 49669  
IP : 127.0.0.1  
  
Object UUID : 00000000-0000-0000-0000-000000000000  
UUID : ae33069b-a2a8-46ee-a235-ddfd339be281, version 1.0  
Description : Unknown RPC service  
Type : Remote RPC service  
TCP Port : 49669  
IP : 127.0.0.1  
  
Object UUID : 00000000-0000-0000-0000-000000000000  
UUID : 4a452661-8290-4b36-8fbe-7f4093a94978, version 1.0  
Description : Unknown RPC service  
Type : Remote RPC service  
TCP Port : 49669  
IP : 127.0.0.1  
  
Object UUID : 00000000-0000-0000-0000-000000000000  
UUID : 76f03f96-cdfd-44fc-a22c-64950a001209, version 1.0  
Description : Unknown RPC service  
Type : Remote RPC service  
TCP Port : 49669  
IP : 127.0.0.1
```

10736 - DCE Services Enumeration

Synopsis

A DCE/RPC service is running on the remote host.

Description

By sending a Lookup request to the portmapper (TCP 135 or epmapper PIPE) it was possible to enumerate the Distributed Computing Environment (DCE) services running on the remote port. Using this information it is possible to connect and bind to each service by sending an RPC request to the remote port/pipe.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2001/08/26, Modified: 2021/10/04

Plugin Output

tcp/49699/dce-rpc

```
The following DCERPC services are available on TCP port 49699 :  
Object UUID : 00000000-0000-0000-0000-000000000000  
UUID : 367abb81-9844-35f1-ad32-98f038001003, version 2.0  
Description : Service Control Manager  
Windows process : svchost.exe  
Type : Remote RPC service  
TCP Port : 49699  
IP : 127.0.0.1
```

54615 - Device Type

Synopsis

It is possible to guess the remote device type.

Description

Based on the remote operating system, it is possible to determine what the remote system type is (eg: a printer, router, general-purpose computer, etc).

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2011/05/23, Modified: 2025/03/12

Plugin Output

tcp/0

```
Remote device type : general-purpose  
Confidence level : 70
```

10107 - HTTP Server Type and Version

Synopsis

A web server is running on the remote host.

Description

This plugin attempts to determine the type and the version of the remote web server.

Solution

n/a

Risk Factor

None

References

XREF IAVT:0001-T-0931

Plugin Information

Published: 2000/01/04, Modified: 2020/10/30

Plugin Output

tcp/8834/www

The remote web server type is :

NessusWWW

12053 - Host Fully Qualified Domain Name (FQDN) Resolution

Synopsis

It was possible to resolve the name of the remote host.

Description

Nessus was able to resolve the fully qualified domain name (FQDN) of the remote host.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/02/11, Modified: 2025/03/13

Plugin Output

tcp/0

127.0.0.1 resolves as localhost.

24260 - HyperText Transfer Protocol (HTTP) Information

Synopsis

Some information about the remote HTTP configuration can be extracted.

Description

This test gives some information about the remote HTTP protocol - the version used, whether HTTP Keep-Alive is enabled, etc...

This test is informational only and does not denote any security problem.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2007/01/30, Modified: 2024/02/26

Plugin Output

tcp/8834/www

Response Code : HTTP/1.1 200 OK

Protocol version : HTTP/1.1
HTTP/2 TLS Support: No
HTTP/2 Cleartext Support: No
SSL : yes
Keep-Alive : no
Options allowed : (Not implemented)
Headers :

Cache-Control: must-revalidate

```
X-Frame-Options: DENY
Content-Type: text/html
ETag: 862b32cacee1122de9c3c75a392c0d0
Connection: close
X-XSS-Protection: 1; mode=block
Server: NessusWW
Date: Sat, 09 Aug 2025 13:20:44 GMT
X-Content-Type-Options: nosniff
Content-Length: 1217
Content-Security-Policy: upgrade-insecure-requests; block-all-mixed-content; form-action 'self'; frame-ancestors 'none';
frame-src https://store.tenable.com; default-src 'self'; connect-src 'self' www.tenable.com; script-src 'self'
www.tenable.com; img-src 'self' data:; style-src 'self' www.tenable.com; object-src 'none'; base-uri 'self';
Strict-Transport-Security: max-age=31536000; includeSubDomains
Expect-CT: max-age=0
```

Response Body :

```
<!doctype html>
<html lang="en">
<head>
<meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" />
<meta http-equiv="Content-Security-Policy" content="upgrade-insecure-requests; block-all-mixed-content; form-action
'self'; frame-src https://store.tenable.com; default-src 'self'; connect-src 'self' www.tenable.com; script-src 'self'
www.tenable.com; img-src 'self' data:; style-src 'self' www.tenable.com; object-src 'none'; base-uri 'self';" />
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta charset="utf-8" />
<title>Nessus</title>
<link rel="stylesheet" href="nessus6.css?v=1753222061535" id="theme-link" />
<link rel="stylesheet" href="tenable_links.css?v=ac05d80f1e3731b79d12103cdf9367fc" />
<link rel="stylesheet" href="wizard_templates.css?v=0e2ae10949ed6782467b3810ccce69c5" />
<!--[if lt IE 11]>
<script>
window.location = '/unsupported6.html';
</script>
<![endif]-->
<script src="nessus6.js?v=1753222061535"></script>
<script src="pendo-client.js"></script>
<!--Resource-Script-->
</head>
<body>
</body>
</html>
```

42410 - Microsoft Windows NTLMSSP Authentication Request Remote Network Name Disclosure

Synopsis

It is possible to obtain the network name of the remote host.

Description

The remote host listens on tcp port 445 and replies to SMB requests.

By sending an NTLMSSP authentication request it is possible to obtain the name of the remote system and the name of its domain.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2009/11/06, Modified: 2019/11/22

Plugin Output

tcp/445/cifs

```
The following 2 NetBIOS names have been gathered :
```

```
ROHIT-KAJAL = Computer name
ROHIT-KAJAL = Workgroup / Domain name
```

10785 - Microsoft Windows SMB NativeLanManager Remote System Information Disclosure

Synopsis

It was possible to obtain information about the remote operating system.

Description

Nessus was able to obtain the remote operating system name and version (Windows and/or Samba) by sending an authentication request to port 139 or 445. Note that this plugin requires SMB to be enabled on the host.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2001/10/17, Modified: 2021/09/20

Plugin Output

tcp/445/cifs

Nessus was able to obtain the following information about the host, by parsing the SMB2 Protocol's NTLM SSP message:

Target Name: ROHIT-KAJAL
NetBIOS Domain Name: ROHIT-KAJAL
NetBIOS Computer Name: ROHIT-KAJAL
DNS Domain Name: ROHIT-KAJAL
DNS Computer Name: ROHIT-KAJAL
DNS Tree Name: unknown
Product Version: 10.0.26100

11011 - Microsoft Windows SMB Service Detection

Synopsis

A file / print sharing service is listening on the remote host.

Description

The remote service understands the CIFS (Common Internet File System) or Server Message Block (SMB) protocol, used to provide shared access to files, printers, etc between nodes on a network.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2002/06/05, Modified: 2021/02/11

Plugin Output

tcp/445/cifs

A CIFS server is running on this port.

100871 - Microsoft Windows SMB Versions Supported (remote check)

Synopsis

It was possible to obtain information about the version of SMB running on the remote host.

Description

Nessus was able to obtain the version of SMB running on the remote host by sending an authentication request to port 139 or 445.

Note that this plugin is a remote check and does not work on agents.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2017/06/19, Modified: 2019/11/22

Plugin Output

tcp/445/cifs

```
The remote host supports the following versions of SMB :  
SMBv2
```

106716 - Microsoft Windows SMB2 and SMB3 Dialects Supported (remote check)

Synopsis

It was possible to obtain information about the dialects of SMB2 and SMB3 available on the remote host.

Description

Nessus was able to obtain the set of SMB2 and SMB3 dialects running on the remote host by sending an authentication request to port 139 or 445.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2018/02/09, Modified: 2020/03/11

Plugin Output

tcp/445/cifs

```
The remote host supports the following SMB dialects :  
_version_ _introduced in windows version_  
2.0.2 Windows 2008  
2.1 Windows 7  
3.0 Windows 8  
3.0.2 Windows 8.1  
3.1.1 Windows 10
```

```
The remote host does NOT support the following SMB dialects :  
_version_ _introduced in windows version_  
2.2.2 Windows 8 Beta  
2.2.4 Windows 8 Beta  
3.1 Windows 10
```

19506 - Nessus Scan Information

Synopsis

This plugin displays information about the Nessus scan.

Description

This plugin displays, for each tested host, information about the scan itself :

- The version of the plugin set.
- The type of scanner (Nessus or Nessus Home).
- The version of the Nessus Engine.
- The port scanner(s) used.
- The port range scanned.
- The ping round trip time
- Whether credentialled or third-party patch management checks are possible.
- Whether the display of superseded patches is enabled
- The date of the scan.

- The duration of the scan.
- The number of hosts scanned in parallel.
- The number of checks done in parallel.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2005/08/26, Modified: 2025/06/25

Plugin Output

tcp/0

```
Information about this scan :  
  
Nessus version : 10.9.2  
Nessus build : 20017  
Plugin feed version : 202508080803  
Scanner edition used : Nessus Home  
Scanner OS : WINDOWS  
Scanner distribution : win-x86-64  
Scan type : Normal  
Scan name : Localhost Scan  
Scan policy used : Basic Network Scan  
Scanner IP : 127.0.0.1  
Ping RTT : Unavailable  
Thorough tests : no  
Experimental tests : no  
Scan for Unpatched Vulnerabilities : no  
Plugin debugging enabled : no  
Paranoia level : 1  
Report verbosity : 1  
Safe checks : yes  
Optimize the test : yes  
Credentialized checks : no  
Patch management checks : None  
Display superseded patches : yes (supersedence plugin did not launch)  
CGI scanning : disabled  
Web application tests : disabled  
Max hosts : 30  
Max checks : 4  
Recv timeout : 5  
Backports : None  
Allow post-scan editing : Yes  
Nessus Plugin Signature Checking : Enabled  
Audit File Signature Checking : Disabled  
Scan Start Date : 2025/8/9 18:48 India Standard Time (UTC +05:30)  
Scan duration : 708 sec  
Scan for malware : no
```

10147 - Nessus Server Detection

Synopsis

A Nessus daemon is listening on the remote port.

Description

A Nessus daemon is listening on the remote port.

See Also

<https://www.tenable.com/products/nessus/nessus-professional>

Solution

Ensure that the remote Nessus installation has been authorized.

Risk Factor

None

References

XREF

IAVT:0001-T-0673

Plugin Information

Published: 1999/10/12, Modified: 2023/02/08

Plugin Output

tcp/8834/www

```
URL : https://localhost:8834/  
Version : unknown
```

64582 - Netstat Connection Information

Synopsis

Nessus was able to parse the results of the 'netstat' command on the remote host.

Description

The remote host has listening ports or established connections that Nessus was able to extract from the results of the 'netstat' command.

Note: The output for this plugin can be very long, and is not shown by default. To display it, enable verbose reporting in scan settings.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2013/02/13, Modified: 2023/05/23

Plugin Output

tcp/0

174736 - Netstat Ingress Connections

Synopsis

External connections are enumerated via the 'netstat' command.

Description

This plugin runs 'netstat' to enumerate any non-private connections to the scan target.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2023/04/25, Modified: 2025/07/14

Plugin Output

tcp/0

```
Netstat output indicated the following connections from non-private IP addresses:  
103.43.90.114 connected to port 56508 on the scan target.  
NOTE: This list may be truncated depending on the scan verbosity settings.
```

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/123

Port 123/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

tcp/135/epmap

Port 135/tcp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/137

Port 137/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/138

Port 138/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

tcp/139

Port 139/tcp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

tcp/445/cifs

Port 445/tcp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

tcp/902/vmware_auth

Port 902/tcp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

tcp/912/vmware_auth

Port 912/tcp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/1900

Port 1900/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

tcp/5040

Port 5040/tcp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/5050

Port 5050/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/5353

Port 5353/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/5355

Port 5355/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

tcp/6646

Port 6646/tcp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/6646

Port 6646/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

tcp/8834/www

Port 8834/tcp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

tcp/17500

Port 17500/tcp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/17500

Port 17500/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

tcp/49664/dce-rpc

Port 49664/tcp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

tcp/49665/dce-rpc

Port 49665/tcp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

tcp/49666/dce-rpc

Port 49666/tcp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

tcp/49667/dce-rpc

Port 49667/tcp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

tcp/49668/dce-rpc

Port 49668/tcp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

tcp/49669/dce-rpc

Port 49669/tcp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

tcp/49699/dce-rpc

Port 49699/tcp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/50076

Port 50076/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

tcp/56043

Port 56043/tcp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/56508

Port 56508/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/56509

Port 56509/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/56510

Port 56510/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/56511

Port 56511/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

tcp/57621

Port 57621/tcp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/57621

Port 57621/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/58495

Port 58495/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/58496

Port 58496/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/58497

Port 58497/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/58498

Port 58498/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/58500

Port 58500/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/58501

Port 58501/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/58502

Port 58502/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/58503

Port 58503/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/59581

Port 59581/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/59582

Port 59582/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/60533

Port 60533/udp was found to be open

14272 - Netstat Portscanner (SSH)

Synopsis

Remote open ports can be enumerated via SSH.

Description

Nessus was able to run 'netstat' on the remote host to enumerate the open ports. If 'netstat' is not available, the plugin will attempt to use 'ss'.

See the section 'plugins options' about configuring this plugin.

Note: This plugin will run on Windows (using netstat.exe) in the event that the target being scanned is localhost.

See Also

<https://en.wikipedia.org/wiki/Netstat>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2004/08/15, Modified: 2025/05/27

Plugin Output

udp/63859

Port 63859/udp was found to be open

209654 - OS Fingerprints Detected

Synopsis

Multiple OS fingerprints were detected.

Description

Using a combination of remote probes (TCP/IP, SMB, HTTP, NTP, SNMP, etc), it was possible to gather one or more fingerprints from the remote system. While the highest-confidence result was reported in plugin 11936, "OS Identification", the complete set of fingerprints detected are reported here.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2025/02/26, Modified: 2025/03/03

Plugin Output

tcp/0

Following OS Fingerprints were found

Remote operating system : Windows 11
Confidence level : 70
Method : Misc
Type : general-purpose
Fingerprint : unknown

Following fingerprints could not be used to determine OS :
HTTP:!::Server: NessusWWW

SSLcert:!::i/CN:Nessus Certification Authorityi/0:Nessus Users Unitedi/OU:Nessus Certification Authoritys/CN:ROHIT-KAJALs/0:Nessus Users Uniteds/OU:Nessus Server
dfede991cf3093064247b72b913baec7ca5cb3f2

11936 - OS Identification

Synopsis

It is possible to guess the remote operating system.

Description

Using a combination of remote probes (e.g., TCP/IP, SMB, HTTP, NTP, SNMP, etc.), it is possible to guess the name of the remote operating system in use. It is also possible sometimes to guess the version of the operating system.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2003/12/09, Modified: 2025/06/03

Plugin Output

tcp/0

```
Remote operating system : Windows 11
Confidence level : 70
Method : Misc
```

The remote host is running Windows 11

97993 - OS Identification and Installed Software Enumeration over SSH v2 (Using New SSH Library)

Synopsis

Information about the remote host can be disclosed via an authenticated session.

Description

Nessus was able to login to the remote host using SSH or local commands and extract the list of installed packages.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2017/05/30, Modified: 2025/02/11

Plugin Output

tcp/0

```
Nessus can run commands on localhost to check if patches are applied.
```

```
Credentialed checks of Windows are not supported using SSH.
```

```
The remote host is not currently supported by this plugin.
```

```
Runtime : 1.87943 seconds
```

117886 - OS Security Patch Assessment Not Available

Synopsis

OS Security Patch Assessment is not available.

Description

OS Security Patch Assessment is not available on the remote host.

This does not necessarily indicate a problem with the scan.

Credentials may not have been provided, OS security patch assessment may not be supported for the target, the target may not have been identified, or another issue may have occurred that prevented OS security patch assessment from being available. See plugin output for details.

This plugin reports non-failure information impacting the availability of OS Security Patch Assessment. Failure information is reported by plugin 21745 : 'OS Security Patch Assessment failed'. If a target host is not supported for OS Security Patch Assessment, plugin 110695 : 'OS Security Patch Assessment Checks Not Supported' will report concurrently with this plugin.

Solution

n/a

Risk Factor

None

References

XREF IAVB:0001-B-0515

Plugin Information

Published: 2018/10/02, Modified: 2021/07/12

Plugin Output

tcp/0

```
The following issues were reported :
```

```
- Plugin : ssh_get_info2.nasl
Plugin ID : 97993
Plugin Name : OS Identification and Installed Software Enumeration over SSH v2 (Using New SSH Library)
Protocol : LOCALHOST
Message :
Credentialed checks of Windows are not supported using SSH.

- Plugin : no_local_checks_credentials.nasl
Plugin ID : 110723
Plugin Name : Target Credential Status by Authentication Protocol - No Credentials Provided
Message :
Credentials were not provided for detected SMB service.
```

56984 - SSL / TLS Versions Supported

Synopsis

The remote service encrypts communications.

Description

This plugin detects which SSL and TLS versions are supported by the remote service for encrypting communications.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2011/12/01, Modified: 2025/06/16

Plugin Output

tcp/8834/www

```
This port supports TLSv1.3/TLSv1.2.
```

10863 - SSL Certificate Information

Synopsis

This plugin displays the SSL certificate.

Description

This plugin connects to every SSL-related port and attempts to extract and dump the X.509 certificate.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2008/05/19, Modified: 2021/02/03

Plugin Output

tcp/8834/www

Subject Name:

Organization: Nessus Users United
Organization Unit: Nessus Server
Locality: New York
Country: US
State/Province: NY
Common Name: ROHIT-KAJAL

Issuer Name:

Organization: Nessus Users United
Organization Unit: Nessus Certification Authority
Locality: New York
Country: US
State/Province: NY
Common Name: Nessus Certification Authority

Serial Number: 4B 64

Version: 3

Signature Algorithm: SHA-256 With RSA Encryption

Not Valid Before: Aug 07 17:06:19 2025 GMT
Not Valid After: Aug 06 17:06:19 2029 GMT

Public Key Info:

Algorithm: RSA Encryption

Key Length: 2048 bits

Public Key: 00 AD BA 90 D0 C6 50 43 10 93 38 B0 86 73 96 25 F0 A1 8B E5
0D 7F EF A7 E2 FF CA 03 5D 60 3E A4 F6 F8 44 C8 F8 D4 B0 47
B1 A1 EB 65 E1 AD 8E 72 C0 69 E4 11 C2 74 6C 07 74 FC 68 A0
F0 18 ED 04 73 00 9F F4 01 AB F9 CC 65 C1 E5 F3 09 7D 30 10
0B 42 63 3D 75 49 DA 64 52 F3 08 1B 47 41 0B 6E 26 0B 4C 73
EB 90 81 66 5C 2C 00 12 B7 8C 42 B1 A7 B5 74 9B 29 17 6E D4
C7 3C 4F 9F 36 FA 29 77 B0 66 30 90 BB 6A 8C DF CA 37 0B D7
89 18 21 CF FD 56 EE 4F AC 2F 3D 37 84 18 33 1F A6 54 38 35
B2 A2 6A 2B 4B FA 12 66 08 97 39 36 CF 5D C0 A0 E1 EC 15 C7
43 DC F0 9E 27 04 EA D6 17 99 A8 6B 9E 69 6C EB 52 83 7C 45
0A 7E FC 9B 9D B1 98 02 3A F1 7A 33 B5 E6 AB 75 5E 7C 9B 18
6B 8A AC B6 B2 96 BA 43 FB F7 F1 D2 D8 3B 7D ED 7C 0F 45 B2
F0 BA EE 5A 63 35 78 21 98 C4 83 D6 98 4A 36 59 95
Exponent: 01 00 01

Signature Length: 256 bytes / 2048 bits

Signature: 00 45 F7 AF 3A 5F ED D7 B3 24 36 5C 41 89 7F 70 AC 11 A8 9B
14 40 A9 BB 5E BD 01 8C 3C FE AD C5 A5 04 1A 99 B1 33 C8 FF
BB 89 24 4D 01 EE 39 F8 6A 8E F4 54 02 46 D8 9F 77 C1 93 85
70 49 64 FD 26 69 B6 A1 14 AC E2 FB 06 0A 81 E4 DD B1 7A 3A
C2 61 E5 06 07 B1 2D 83 44 5A DF A0 89 B1 5A 43 B3 AC 03 4C
C2 6E D0 FC E1 F0 0E 4E FE 38 2E AE C4 A8 76 CA 6E 5E 87 4F
44 EA 07 63 02 B0 7B 67 67 CB 5E 65 32 29 E0 C0 03 EE C6 BE
03 6E 6C 41 85 AB 78 D9 04 AC 6F 7A 10 E9 68 A7 76 9D BE B0
01 5D 7D 29 F1 5D AB FF 5F F3 35 3D FD A6 52 6A 62 66 0C E6
1B F1 CC 0E 75 3E D0 2F 71 62 92 E7 B9 C1 D2 0A AD 0D 4D 6C
21 C3 57 8B AD 20 D8 4B 04 B5 BB DD 23 10 40 16 0B 6B 65 A2
89 5B 89 FC E9 BA 7A C3 8F 86 CC 4B 50 7F BF D9 01 FA 6E A2
C1 A5 34 44 90 00 89 1B 57 73 8F 7E 2B 47 9C E1 74

Extension: 2.16.840.1.113730.1.1

Critical: 0

Data: 03 02 06 40

Extension: Key Usage(2.5.29.15)

Critical: 1

Key Usage: Digital Signature, Non Repudiation, Key Encipherment

Extension: Subject Key Identifier(2.5.29.14)

Critical: 0

Subject Key Identifier: 6B D7 1D 11 AF C2 3D 9F 55 69 95 60 14 C7 59 D9 F9 B2 5E 93

Extension: Authority Key Identifier(2.5.29.35)
Critical: 0
Key Identifier: 34 0E B3 FB 32 1B FE 5F 2F A0 24 DC 80 A7 0F 95 BB 4E A1 C4

Extension: Extended Key Usage(2.5.29.37)
Critical: 0
Purpose#1: Web Server Authentication (1.3.6.1.5.5.7.3.1)

Fingerprints :

SHA-256 Fingerprint: 15 6A 00 B0 2F 6E 0D 83 5A A6 A9 FC 60 A7 08 60 6A 23 E6 79
18 EA 04 6A AE 6A BA F0 B9 AB BC 17
SHA-1 Fingerprint: DF ED E9 91 CF 30 93 06 42 47 B7 2B 91 3B AE C7 CA 5C B3 F2
MD5 Fingerprint: CC 09 EB 9E 7F 2C F0 E9 3C 6B 29 F6 4A 04 F1 A7

PEM certificate :

-----BEGIN CERTIFICATE-----
MIIEOTCCAvWgAwIBAgICS20wDQYJKoZIhvNAQ0ELBQAwgZ0xHDAaBgNVBAoME05lc3N1cyBVc2VycyBVbmL0ZWQxJzAlBgNVBAsMHk5lc3N1cyBDZXJ0aWZpY2F0aW9uIEF1dGhvcml0eTERMA8GA1UEBwwITmV3IfIvcmsxCzAJBgNVBAYTA1VTM0swCQYDVQQIDAJ0WTEnMCUGA1UEAwwTmVz3VzIENlcnRpZmljYXRpb24gQXV0aG9yaXR5MB4XDTh1MDgwNzE3MDYx0VoXTD15MDgwNjE3MDYx0VoweTECMBoGA1UECgwTTmVz3VzIFVzZXJzIFVuaxR1ZDEWMQGA1UECvwNTmVzc3VzIFNlcnZlcjERMA8GA1UEBwwITmV3IfIvcmsxCzAJBgNVBAYTA1VTM0swCQYDVQQIDAJ0WTEmBIGA1UEAwvLUk9ISVQtS0FKQUwwggEiMA0GCSqGSIb3DQEBAQUA4IBDwAwggEKAoIBAQCtupDQxlBDEJM4sIZzLiXwoYvldX/vp+L/ygNdyD6k9vhEyPjUsEexoetl4a20csBp5BHcdGwhDpxooPAY7QRzAJ/0Aav5zGXB5fMJfTAdC0JjPVJ2mRS8wgbR0ELbiYLTHPrkIFmXcwAEreMqrGntXsbKRdu1Mc8T582+iL3sGYwkLtqjN/KNvvxiRghz/1W7k+sLz03hBgzH6ZUODWymo+r/oSzgiX0TbPxCc4ewVx0Pc8J4nB0rWF5moa55pb0tSg3xFcn78m52xmAI68Xozteardv58mxhrigv2spa6Q/v38dLY033tfA9FsvC671lpjNXghmMSD1phKnlmVGMAAGjeiB4MBEGCWGSAGG+EIBAQEAwIGQDA0BgnVHO8BAf8EBAMCBeAwHQYDVR00BBYEFGVXHRCgvjz2FVmVYBTWdn5s16TM8GA1UDiwQYMBaFDQ0s/syG/5fL6Ak3ICnD5W7TqHEMBMGA1UDjQJQMMaoGCCsGAQUFBwMBMA0GCSqGSIb3DQEBCwUA4IBAQBF9686X+3XsyQ2XEGJf3CsEaibFECpu169AYwq/q3FpQambEzyP+7iSrnAe45+Gq09FQCRtfd8GThXBjZP0mbahFKzi+wYKgeTdsXo6wmHlBgezLYNEWt+gibFaQ70sA0zCbtD84fA0Tv44Lq7EqHbKbl6HT0Tqb2MCsHtnZ8teZTIp4MAD7sa+A25sQWreNkErG96E0lop3advrABXX0p8V2r/1/zNT39plJqYmYM5hvxA51PtAvcWKS57nB0gqtDU1sIcNXi60g2EsEtbdvIxBAFgtrZaKJW4n86bp6w4+6zEtQf7/ZAfpuosGlNESQAIkbV3OPfitHn0F0-----END CERTIFICATE-----

21643 - SSL Cipher Suites Supported

Synopsis

The remote service encrypts communications using SSL.

Description

This plugin detects which SSL ciphers are supported by the remote service for encrypting communications.

See Also

<https://www.openssl.org/docs/man1.0.2/man1/ciphers.html>
<http://www.nessus.org/u?e17ffced>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2006/06/05, Modified: 2024/09/11

Plugin Output

tcp/8834/www

Here is the list of SSL ciphers supported by the remote server :
Each group is reported per SSL Version.

SSL Version : TLSv13
High Strength Ciphers (>= 112-bit key)

Name Code KEX Auth Encryption MAC

TLS_AES_128_GCM_SHA256 0x13, 0x01 - - AES-GCM(128) AEAD
TLS_AES_256_GCM_SHA384 0x13, 0x02 - - AES-GCM(256) AEAD
TLS_CHACHA20_POLY1305_SHA256 0x13, 0x03 - - ChaCha20-Poly1305(256) AEAD

SSL Version : TLSv12
High Strength Ciphers (>= 112-bit key)

Name Code KEX Auth Encryption MAC

```
ECDHE-RSA-AES128-SHA256 0xC0, 0x2F ECDH RSA AES-GCM(128) SHA256  
ECDHE-RSA-AES256-SHA384 0xC0, 0x30 ECDH RSA AES-GCM(256) SHA384
```

The fields above are :

```
{Tenable ciphername}  
{Cipher ID code}  
Kex={key exchange}  
Auth={authentication}  
Encrypt={symmetric encryption method}  
MAC={message authentication code}  
{export flag}
```

57041 - SSL Perfect Forward Secrecy Cipher Suites Supported

Synopsis

The remote service supports the use of SSL Perfect Forward Secrecy ciphers, which maintain confidentiality even if the key is stolen.

Description

The remote host supports the use of SSL ciphers that offer Perfect Forward Secrecy (PFS) encryption. These cipher suites ensure that recorded SSL traffic cannot be broken at a future date if the server's private key is compromised.

See Also

<https://www.openssl.org/docs/manmaster/man1/ciphers.html>
https://en.wikipedia.org/wiki/Diffie-Hellman_key_exchange
https://en.wikipedia.org/wiki/Perfect_forward_secrecy

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2011/12/07, Modified: 2021/03/09

Plugin Output

tcp/8834/www

```
Here is the list of SSL PFS ciphers supported by the remote server :
```

```
High Strength Ciphers (>= 112-bit key)
```

```
Name Code KEX Auth Encryption MAC
```

```
-----  
ECDHE-RSA-AES128-SHA256 0xC0, 0x2F ECDH RSA AES-GCM(128) SHA256  
ECDHE-RSA-AES256-SHA384 0xC0, 0x30 ECDH RSA AES-GCM(256) SHA384
```

The fields above are :

```
{Tenable ciphername}  
{Cipher ID code}  
Kex={key exchange}  
Auth={authentication}  
Encrypt={symmetric encryption method}  
MAC={message authentication code}  
{export flag}
```

22964 - Service Detection

Synopsis

The remote service could be identified.

Description

Nessus was able to identify the remote service by its banner or by looking at the error message it sends when it receives an HTTP request.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2007/08/19, Modified: 2024/03/26

Plugin Output

tcp/902/vmware_auth

A VMware authentication daemon is running on this port.

22964 - Service Detection**Synopsis**

The remote service could be identified.

Description

Nessus was able to identify the remote service by its banner or by looking at the error message it sends when it receives an HTTP request.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2007/08/19, Modified: 2024/03/26

Plugin Output

tcp/912/vmware_auth

A VMware authentication daemon is running on this port.

22964 - Service Detection**Synopsis**

The remote service could be identified.

Description

Nessus was able to identify the remote service by its banner or by looking at the error message it sends when it receives an HTTP request.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2007/08/19, Modified: 2024/03/26

Plugin Output

tcp/8834/www

A TLSv1.2 server answered on this port.

tcp/8834/www

A web server is running on this port through TLSv1.2.

42822 - Strict Transport Security (STS) Detection

Synopsis

The remote web server implements Strict Transport Security.

Description

The remote web server implements Strict Transport Security (STS).

The goal of STS is to make sure that a user does not accidentally downgrade the security of his or her browser.

All unencrypted HTTP connections are redirected to HTTPS. The browser is expected to treat all cookies as 'secure' and to close the connection in the event of potentially insecure situations.

See Also

<http://www.nessus.org/u?2fb3aca6>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2009/11/16, Modified: 2019/11/22

Plugin Output

tcp/8834/www

```
The STS header line is :  
Strict-Transport-Security: max-age=31536000; includeSubDomains
```

136318 - TLS Version 1.2 Protocol Detection

Synopsis

The remote service encrypts traffic using a version of TLS.

Description

The remote service accepts connections encrypted using TLS 1.2.

See Also

<https://tools.ietf.org/html/rfc5246>

Solution

N/A

Risk Factor

None

Plugin Information

Published: 2020/05/04, Modified: 2020/05/04

Plugin Output

tcp/8834/www

```
TLSv1.2 is enabled and the server supports at least one cipher.
```

138330 - TLS Version 1.3 Protocol Detection

Synopsis

The remote service encrypts traffic using a version of TLS.

Description

The remote service accepts connections encrypted using TLS 1.3.

See Also

<https://tools.ietf.org/html/rfc8446>

Solution

N/A

Risk Factor

None

Plugin Information

Published: 2020/07/09, Modified: 2023/12/13

Plugin Output

tcp/8834/www

```
TLSv1.3 is enabled and the server supports at least one cipher.
```

110723 - Target Credential Status by Authentication Protocol - No Credentials Provided

Synopsis

Nessus was able to find common ports used for local checks, however, no credentials were provided in the scan policy.

Description

Nessus was not able to successfully authenticate directly to the remote target on an available authentication protocol. Nessus was able to connect to the remote port and identify that the service running on the port supports an authentication protocol, but Nessus failed to authenticate to the remote service using the provided credentials. There may have been a protocol failure that prevented authentication from being attempted or all of the provided credentials for the authentication protocol may be invalid. See plugin output for error details.

Please note the following :

- This plugin reports per protocol, so it is possible for valid credentials to be provided for one protocol and not another. For example, authentication may succeed via SSH but fail via SMB, while no credentials were provided for an available SNMP service.
- Providing valid credentials for all available authentication protocols may improve scan coverage, but the value of successful authentication for a given protocol may vary from target to target depending upon what data (if any) is gathered from the target via that protocol. For example, successful authentication via SSH is more valuable for Linux targets than for Windows targets, and likewise successful authentication via SMB is more valuable for Windows targets than for Linux targets.

Solution

n/a

Risk Factor

None

References

XREF IAVB:0001-B-0504

Plugin Information

Published: 2018/06/27, Modified: 2024/04/19

Plugin Output

tcp/0

SMB was detected on port 445 but no credentials were provided.
SMB local checks were not enabled.

11154 - Unknown Service Detection: Banner Retrieval

Synopsis

There is an unknown service running on the remote host.

Description

Nessus was unable to identify a service on the remote host even though it returned a banner of some type.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2002/11/18, Modified: 2022/07/26

Plugin Output

tcp/56043

```
If you know what this service is and think the banner could be used to
identify it, please send a description of the service along with the
following output to svc-signatures@nessus.org : 
```

```
Port : 56043
Type : spontaneous
Banner :
0x00: 7B 22 74 79 70 65 22 3A 22 54 69 65 72 31 22 2C {"type":"Tier1",
0x10: 22 76 65 72 73 69 6F 6E 22 3A 22 31 2E 30 22 7D "version":"1.0"}
0x20: 0D 0A ..
```

20301 - VMware ESX/GSX Server Authentication Daemon Detection

Synopsis

The authentication daemon for VMware ESX or GSX was detected on the remote host.

Description

The authentication daemon for VMware ESX or GSX was detected on the remote host.

See Also

<https://www.vmware.com/>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2005/12/14, Modified: 2025/06/17

Plugin Output

tcp/902/vmware_auth

```
Service : vmware_auth
Version : unknown
```

20301 - VMware ESX/GSX Server Authentication Daemon Detection

Synopsis

The authentication daemon for VMware ESX or GSX was detected on the remote host.

Description

The authentication daemon for VMware ESX or GSX was detected on the remote host.

See Also

<https://www.vmware.com/>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2005/12/14, Modified: 2025/06/17

Plugin Output

tcp/912/vmware_auth

```
Service : vmware_auth
Version : unknown
```

135860 - WMI Not Available

Synopsis

WMI queries could not be made against the remote host.

Description

WMI (Windows Management Instrumentation) is not available on the remote host over DCOM. WMI queries are used to gather information about the remote host, such as its current state, network interface configuration, etc.

Without this information Nessus may not be able to identify installed software or security vulnerabilities that exist on the remote host.

See Also

<https://docs.microsoft.com/en-us/windows/win32/wmisdk/wmi-start-page>

Solution

n/a

Risk Factor

None

Plugin Information

Published: 2020/04/21, Modified: 2025/07/21

Plugin Output

tcp/445/cifs

```
Can't connect to the 'root\CIMV2' WMI namespace.
```

10150 - Windows NetBIOS / SMB Remote Host Information Disclosure

Synopsis

It was possible to obtain the network name of the remote host.

Description

The remote host is listening on UDP port 137 or TCP port 445, and replies to NetBIOS nbtscan or SMB requests.

Note that this plugin gathers information to be used in other plugins, but does not itself generate a report.

Solution

n/a

Risk Factor

None

Plugin Information

Published: 1999/10/12, Modified: 2021/02/10

Plugin Output

tcp/445/cifs

```
The following 2 NetBIOS names have been gathered :
```

```
ROHIT-KAJAL = Computer name
ROHIT-KAJAL = Workgroup / Domain name
```

© 2025 Tenable™, Inc. All rights reserved.