

```
SQL Plus
SQL*Plus: Release 21.0.0.0.0 - Production on Sun Aug 17 22:28:52 2025
Version 21.3.0.0.0

Copyright (c) 1982, 2021, Oracle. All rights reserved.

Enter user-name: system
Enter password:
Last Successful login time: Sun Aug 17 2025 22:10:24 +05:30

Connected to:
Oracle Database 21c Express Edition Release 21.0.0.0.0 - Production
Version 21.3.0.0.0

SQL> CREATE TABLE Customers
  2 (
  3 customer_id varchar (9) ,
  4 first_name varchar (30) ,
  5 last_name varchar (35) ,
  6 country varchar (40)
  7 ) ;

Table created.
```

```
SQL> CREATE TABLE Orders(customer_id varchar (9) ,amount number (5) ,country varchar (40));

Table created.

SQL> INSERT INTO Customers VALUES (1,'vithya','sathya','India') ;

1 row created.

SQL> INSERT INTO Customers VALUES (2,'nithu','jegan','USA') ;

1 row created.

SQL> INSERT INTO Customers VALUES (3,'MADHU','MITHA','France')
  2 INSERT INTO Customers VALUES (3,'MADHU','MITHA','France');
INSERT INTO Customers VALUES (3,'MADHU','MITHA','France')
*
ERROR at line 2:
ORA-00933: SQL command not properly ended

SQL> INSERT INTO Customers VALUES (3,'MADHU','MITHA','France');

1 row created.

SQL> INSERT INTO Orders VALUES (1,1500,'India') ;

1 row created.

SQL> INSERT INTO Orders VALUES (2,2000,'USA') ;

1 row created.

SQL> INSERT INTO Orders VALUES (3,'3000','France') ;
```

```
SQL> CREATE VIEW us_customer As SELECT customer_id, first_name FROM  
2 Customers WHERE country = 'USA' ;
```

View created.

```
SQL> CREATE OR REPLACE VIEW us_customers As SELECT * FROM Customers  
2 WHERE country = 'USA' ;
```

View created.

```
SQL> CREATE VIEW orders_details As SELECT Customers.customer_id,  
2 first_name, Orders.amount FROM Customers JOIN Orders ON  
3 Customers.customer_id = Orders.customer_id ;
```

View created.

```
SQL> DROP VIEW us_customers ;
```

View dropped.

```
SQL> |
```