REST API's

Representational State Transfer

REST API's is a way for different software system to communicate with each other over the HTTP.

☆ Rest API's are been presented inside the HTTP which is been used for the communicating.

→ It will allows a clients such on a browser (or) mobile application to request data (or) perform operation in a server

In a Rest API there system they are two components

client send request ↔ then requests & send responses.

" The communication typically over HTTP and data usually exchanged in JSON format.

☆☆

A Rest API works through endpoints. An endpoint simply an URL

HTTPS://youtube.com/nitheesh/

It will lives way about on the requested from the client end point so that server will respond.



* The REST API will be the core foundation of transferring data from the client & browser

→ when a client sends a request to that endpoint, the server responds with information related to users

& RESTAPI use HTTP Methods → GET
POST
PUT
PATCH
DELETE

Ex → GET/api/users

↳ It is asked by the client to the actual server the message which the server will response..

* Similarly server might respond with JSON Data such a list of users. JSON is the most common data format used in REST APIs because it is light weight & easy..

RESTFUL webserver → This are the webserver will use the RESTAPI for the communication

Benefits:
- simple/standard
- scalable/stateless
- PERFORMANCE
- CACHE

HTTP://YOUTUBE.COM/API/Playlists (get)
↳ resources..

HTTPS://youtube.com/API/Flavor

Request



HTTP method

C - Create → POST
R - Read → GET
U - Update data → PUT, PATCH
D - Delete → DELETE

Response



↓

along with it has Statuscode

↓

200 - Successful
201 - created
204 - Accepted
400 - Client mistake
401 → unauthorized access
403 → forbidden entry
404 → Page Not found
429 → Too many request
500 → Internal server error

REST API → statelessness ⇒ In REST Architecture,
Each request from the client must contain all information need to server to process it.
- The server doesnot store session information between requests.