

Major Project: Airbnb Clone

Model : Listing

→ place (apartment, flat, house, ...)

- title → String
- description — String
- image (URL) — ""
- price — number
- location — String
- country — String



Index Route

GET /listings → all listings
/listings/:id

Read : Show Route

GET /listings/:id → all data

num. toDoubleString()

let num = 12345

Create : New & Create Route

GET /listings/new → Form
↓
Submit
POST /listings ←

Update : Edit & Update Route

GET /listings/:id/edit → edit form
↓
submit
PUT /listings/:id

Delete : Delete Route

DELETE /listings/:id

What is Mate?

EJS vs EJS-Mate

Main Idea

EJS already allows code reuse using `include`.

But `ejs-mate` makes reuse easier by giving a **layout system**.

Normal EJS

```
<%- include("partials/navbar") %>

<h1>Home Page</h1>

<%- include("partials/footer") %>
```

Here, every page must manually include navbar and footer.

With `ejs-mate`

```
<% layout("layouts/boilerplate") %>

<h1>Home Page</h1>
```

The common HTML structure is written once in `boilerplate.ejs`.

Simple Understanding

EJS

Reuses small parts using `include`

Navbar/footer repeated in many pages

Good for small pages

ejs-mate

Reuses full page layout

Navbar/footer written once

Good for bigger projects

Easy Memory Line

EJS gives reusable pieces.

ejs-mate gives one common page frame.

Add NavBar and Footer

Transfrom listings into cards