```
<!doctype html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>AI Study Buddy</title>
<style>
  :root { --bg:#f6f7fb; --card:#fff; --ink:#111827; --accent:#4f46e5; --muted:#6b7280; }
  * { box-sizing: border-box; }
  body { margin:0; font-family: system-ui, sans-serif; background:var(--bg); color:var(--ink); }
  main { max-width:640px; margin:0 auto; padding:16px; }
  h1 { font-size:1.5rem; margin:8px 0 4px; }
  p.sub { color:var(--muted); margin:0 0 16px; }
  .card { background:var(--card); border-radius:14px; padding:16px; margin-bottom:14px; box-shadow:0 1px 4px rgba(0,0,0,.08); }
  label { font-weight:600; font-size:.9rem; display:block; margin-bottom:6px; }
  input, textarea, select { width:100%; padding:10px; border:1px solid #d1d5db; border-radius:10px; font-size:1rem; margin-bottom:12px; }
  textarea { min-height:90px; resize:vertical; }
  button { background:var(--accent); color:#fff; border:0; border-radius:10px; padding:12px 16px; font-size:1rem; font-weight:600; width:100%; cursor:pointer; }
  button:disabled { opacity:.6; }
  #out { white-space:pre-wrap; line-height:1.55; }
  small { color:var(--muted); }
</style>
</head>
<body>
<main>
  <h1>🎓 AI Study Buddy</h1>
  <p class="sub">Explain concepts, summarize notes, or quiz yourself, powered by Google Gemini.</p>
```

```
  <div class="card">
    <label for="key">Gemini API key</label>
    <input id="key" type="password" placeholder="Paste your key (stored only i
n your browser)">
    <small>Get a free key at aistudio.google.com. It is never sent anywhere exce
pt Google's API.</small>
  </div>

  <div class="card">
    <label for="mode">What do you need?</label>
    <select id="mode">
      <option value="explain">Explain like I'm a beginner</option>
      <option value="summarize">Summarize my notes</option>
      <option value="quiz">Make a 5-question quiz</option>
      <option value="code">Explain this code</option>
    </select>
    <label for="input">Topic, notes or code</label>
    <textarea id="input" placeholder="e.g. What is overfitting in machine learning
?"></textarea>
    <button id="go">Ask AI</button>
  </div>

  <div class="card" id="result" hidden>
    <div id="out"></div>
  </div>
</main>

<script>
const MODEL = "gemini-2.0-flash";
const prompts = {
  explain:   t => `Explain the following in simple terms with one analogy and one
short example:\n\n${t}`,
```

```
  summarize: t => `Summarize these notes into concise bullet points with a one-line takeaway:\n\n${t}`,
  quiz:      t => `Create a 5-question multiple-choice quiz (with answers at the end) on:\n\n${t}`,
  code:      t => `Explain what this code does step by step, and suggest one improvement:\n\n${t}`
};
const $ = id => document.getElementById(id);
try { $("key").value = localStorage.getItem("gemini_key") || ""; } catch (e) {}

$("go").onclick = async () => {
  const key = $("key").value.trim(), text = $("input").value.trim();
  if (!key || !text) return alert("Please enter your API key and some text.");
  try { localStorage.setItem("gemini_key", key); } catch (e) {}
  $("go").disabled = true; $("go").textContent = "Thinking...";
  $("result").hidden = false; $("out").textContent = "";
  try {
    const res = await fetch(
      `https://generativelanguage.googleapis.com/v1beta/models/${MODEL}:generateContent?key=${encodeURIComponent(key)}`,
      { method: "POST", headers: { "Content-Type": "application/json" },
        body: JSON.stringify({ contents: [{ parts: [{ text: prompts[$("mode").value](text) }] }] }) }
    );
    const data = await res.json();
    if (!res.ok) throw new Error(data.error?.message || res.statusText);
    $("out").textContent = data.candidates?.[0]?.content?.parts?.map(p => p.text).join("") || "No response.";
  } catch (err) {
    $("out").textContent = "Error: " + err.message;
  } finally {
    $("go").disabled = false; $("go").textContent = "Ask AI";
  }
```

```
};
</script>
</body>
</html>
```