







- 1 #write a python program to check whether an element exists within a tuple.
- 2 tuplex = ("w", 3, "r", "e", "s", "o", "u", "r", "c", "e")
- 3 print("r" in tuplex)
- 4 print(6 in tuplex)

5

```
1 #python program to create the colon of a
    tuple.|
2 from copy import deepcopy
3 tuplex = ("HELLO", 5, [], True)
4 print(tuplex)
5 tuplex_colon = deepcopy(tuplex)
6 tuplex_colon[2].append(50)
7 print(tuplex_colon)
8 print(tuplex)
```

```
#write a python program to remove an
   item of a tuple.
   tuplex = "w", 3, "r", "s", "o", "u", "r", "c", "e"
2
3
   print(tuplex)
4
   tuplex = tuplex[:2] + tuplex[3:]
5
   print(tuplex)
6
   listx = list(tuplex)
7
   listx.remove("c")
8
   tuplex = tuple(listx)
   print(tuplex)
```

```
#Program to find repeated items of a tuple.
tuplex = 2, 4, 5, 6, 2, 3, 4, 4, 7
print(tuplex)
count = tuplex.count(4)
print(count)
```

```
#write a program to get the 4th element
   and 4th element from last of a tuple.
   tuplex = ("w", 3, "r", "e", "s", "o", "u", "r", "c",
2
   "e")
3
   print(tuplex)
4
   item = tuplex[3]
5
   print(item)
6
   item1 = tuplex[-4]
7
   print(item1)
8
```