Ans 1>MKFS is the command to create file system , not a type of file system $% \left(1\right) =\left(1\right) \left(1\right$

```
unbound:x:992:987:Unbound DNS resolver:/etc/unbound:/sbin/nologin
radvd:x:75:75:radvd user:/:/sbin/nologin
tss:x:59:59:Account used by the trousers package to sandbox the tcsd daemon:/dev/null:/sbin/nolog
usbmuxd:x:113:113:usbmuxd user:/:/sbin/nologin
geoclue:x:991:985:User for geoclue:/var/lib/geoclue:/sbin/nologin
qemu:x:107:107:qemu user:/:/sbin/nologin
gluster:x:990:984:GlusterFS daemons:/run/gluster:/sbin/nologin
gdm:x:42:42::/var/lib/gdm:/sbin/nologin
rpcuser:x:29:29:RPC Service User:/var/lib/nfs:/sbin/nologin
nfsnobody:x:65534:65534:Anonymous NFS User:/var/lib/nfs:/sbin/nologin
gnome-initial-setup:x:989:983::/run/gnome-initial-setup/:/sbin/nologin
sshd:x:74:74:Privilege-separated SSH:/var/empty/sshd:/sbin/nologin
avahi:x:70:70:Avahi mDNS/DNS-SD Stack:/var/run/avahi-daemon:/sbin/nologin
postfix:x:89:89::/var/spool/postfix:/sbin/nologin
ntp:x:38:38::/etc/ntp:/sbin/nologin
tcpdump:x:72:72::/:/sbin/nologin
osboxes:x:1000:1000:osboxes.org:/home/osboxes:/bin/bash
edureka:x:1001:1001::/home/edureka:/bin/bash
[root@client ~] #
[root@client ~] # cat /etc/passwd | awk -F ":" '{print $1,$3}'
[root@client ~] # cat /etc/passwd | awk -F ":" '{print $1,$3}'
```

```
history
    2 ls -al /tmp
3 history
[root@client ~]#
        cat /etc/passwd
  672
  673 cat /etc/passwd | wc -1
  674 grep -v adm /etc/passwd | wc -l 675 ls -al /tmp
 676 ls -al /tmp | awk -F " " '{print $5,$9}' | sort -n 677 ls -al /tmp | awk -F " " '{print $5,$9}'
  678 ls -al /tmp | awk -F " " '{print $5,$9}' | sort -n
  679 history
[root@client ~] # history -c
 .esd-0
192 etc
.font-unix
9 hsperfdata root
24 .ICE-unix
1 lua_yDFiGJ
7 systemd-private-679e0837ld5e441bb96d3e5c9e60dd6d-bolt.service-YokrN9
7 systemd-private-679e08371d5e441bb96d3e5c9e60dd6d-chronyd.service-owM618
7 systemd-private-679e08371d5e441bb96d3e5c9e60dd6d-colord.service-ckfbrU
7 systemd-private-679e08371d5e441bb96d3e5c9e60dd6d-cups.service-1J8COH
7 systemd-private-679e08371d5e441bb96d3e5c9e60dd6d-rtkit-daemon.service-ZJpd6S
 .Test-unix
tracker-extract-files.0
65 users.txt
1 .X0-lock
6 .X11-unix
.XIM-unix
78803 yum_save_tx.2022-04-22.07-51.zn7iFk.yumtx
root@client ~]#
root@client ~]#
root@client ~] #
root@client ~] #
root@client ~]#
root@client ~]#
root@client ~1#
root@client ~]#
root@client ~]# ls -al /tmp | awk -F " " '{print $5,$9}' | sort -n
```

```
.font-unix
  .Test-unix
 .XIM-unix
 6 .X11-unix
  systemd-private-679e0837ld5e44lbb96d3e5c9e60dd6d-bolt.service-YokrN9
  systemd-private-679e0837ld5e441bb96d3e5c9e60dd6d-colord.service-ckFbrU
  systemd-private-679e0837ld5e44lbb96d3e5c9e60dd6d-cups.service-1J8COH
  systemd-private-679e0837ld5e441bb96d3e5c9e60dd6d-rtkit-daemon.service-ZJpd6S hsperfdata_root lua_yDFiGJ
24 ..
24 .ICE-unix
 096 .
 78803 yum_save_tx.2022-04-22.07-51.zn7iFk.yumtx
root@client ~]#
```

```
[root@client ~]#
[root@client ~]#
[root@client ~] #
[root@client -]#
[root@client ~]#
[root@client ~]#
[root@client ~]#
[root@client ~] # grep -v adm /etc/passwd | wc -1
43
[root@client ~]#
aslauth:x:995:76:Saslauthd user:/run/saslauthd:/sbin/nologin
brt:x:173:173::/etc/abrt:/sbin/nologin
etroubleshoot:x:994:991::/var/lib/setroubleshoot:/sbin/nologin
tkit:x:172:172:RealtimeKit:/proc:/sbin/nologin
ulse:x:171:171:PulseAudio System Daemon:/var/run/pulse:/sbin/nologin
chrony:x:993:988::/var/lib/chrony:/sbin/nologin
nbound:x:992:987:Unbound DNS resolver:/etc/unbound:/sbin/nologin
ss:x:59:59:Account used by the trousers package to sandbox the tosd daemon:/dev/null:/sbin/nologin
sbmuxd:x:113:113:usbmuxd user:/:/sbin/nologin
geoclue:x:991:985:User for geoclue:/var/lib/geoclue:/sbin/nologin
emu:x:107:107:qemu user:/:/sbin/nologin
luster:x:990:984:GlusterF5 daemons:/run/gluster:/sbin/nologin
dm:x:42:42::/var/lib/gdm:/sbin/nologin
pcuser:x:29:29:RPC Service User:/var/lib/nfs:/sbin/nologin
fsnobody:x:65534:65534:Anonymous NFS User:/var/lib/nfs:/sbin/nologin
nome-initial-setup:x:989:983::/run/gnome-initial-setup/:/sbin/nologin
shd:x:74:74:Privilege-separated SSH:/var/empty/sshd:/sbin/nologin
vahi:x:70:70:Avahi mDNS/DNS-SD Stack:/var/run/avahi-daemon:/sbin/nologin
ostfix:x:89:89::/var/spool/postfix:/sbin/nologin
cpdump:x:72:72::/:/sbin/nologin
sboxes:x:1000:1000:osboxes.org:/home/osboxes:/bin/bash
dureka:x:1001:1001::/home/edureka:/bin/bash
root@client ~] #
root@client ~] #
root@client ~] #
root@client ~] # cat /etc/passwd | wc -1
root@client ~]#
root@client ~] #
root@client -]#
root@client ~]#
root@client ~]#
root@client ~]#
root@client ~]#
```