/* TLF'S PROJECT */

/**********

Program Name : t_14_1_2_1_demographic_summary.sas

Purpose : Generate Table 14.1.2.1 – Subject Demographics
for the Safety Population.

Study : BP3304 Clinical Study
Sponsor : ABC Pharma

Author : Nithish M S
Date Created : 17MAR2026

Input Data : my_data.demog
Output Data : final_demog_table

Description :
This program generates summary statistics for subject demographic characteristics by treatment group.

The table includes the following variables:

1. Age (years)
- N
- Mean (Standard Deviation)
- Median
- Minimum and Maximum

2. Gender
- Male
- Female

Results displayed as n (%)

3. Ethnicity
- Hispanic or Latino
- Not Hispanic or Latino

Results displayed as n (%)

4. Race
- White
- Black or African American
- Asian
- American Indian / Other

Results displayed as n (%)

Treatment Groups:
0 = Placebo

1 = BP3304

Population:
Safety Population

Output Table:
CSR Table 14.1.2.1 – Subject Demographic Characteristics

**********/

```
PROC IMPORT
DATAFILE="/home/u64252598/SAS/clinical_demographics_tlf_practice.csv"
OUT=DM
DBMS=CSV REPLACE;
GETNAMES=YES;
QUIT;
```

Table: WORK.DM | View: Column names | Filter: (none)

Total rows: 500 Total columns: 6 | Rows 1-100

	subjid	trt	gender	race	age	ethn
1	1001	0	1	2	68	
2	1002	1	1	3	23	
3	1003	0	1	1	23	
4	1004	0	2	1	20	
5	1005	0	1	1	24	
6	1006	1	1	1	68	
7	1007	0	2	4	25	
8	1008	0	1	1	59	
9	1009	0	2	4	69	
10	1010	1	2	4	32	
11	1011	0	1	1	64	
12	1012	0	2	1	46	
13	1013	0	1	2	50	
14	1014	0	2	3	69	
15	1015	1	2	1	47	
16	1016	0	1	2	56	
17	1017	1	2	2	44	
18	1018	1	2	3	53	
19	1019	1	2	4	46	
20	1020	0	2	1	55	
21	1021	1	2	3	74	

```
PROC SORT DATA=DM OUT=DM1;
BY TRT;
QUIT;
```

CODE LOG RESULTS OUTPUT DATA

Table: WORK.DM1 | View: Column names | Filter: (none)

Total rows: 500 Total columns: 6 | Rows 1-100

	subjid	trt	gender	race	age	ethnic
1	1001	0	1	2	68	2
2	1003	0	1	1	23	2
3	1004	0	2	1	20	1
4	1005	0	1	1	24	2
5	1007	0	2	4	25	1
6	1008	0	1	1	59	2
7	1009	0	2	4	69	1
8	1011	0	1	1	64	2
9	1012	0	2	1	46	1
10	1013	0	1	2	50	2
11	1014	0	2	3	69	2
12	1016	0	1	2	56	1
13	1020	0	2	1	55	1
14	1022	0	1	1	50	2
15	1031	0	1	3	19	2
16	1032	0	2	4	27	2
17	1036	0	2	2	50	2
18	1038	0	1	3	55	2
19	1039	0	1	1	30	2
20	1040	0	2	3	48	1
21	1041	0	1	1	64	1
22	1042	0	2	2	53	2

```
DATA DM2;
SET DM1;OUTPUT;
TRT=2;OUTPUT;
RUN;

PROC SORT DATA=DM2;BY TRT;RUN;
```

/* SUMMARY STATISTICS */

```
PROC SUMMARY DATA=DM2 MAXDEC=0;
BY TRT;
VAR AGE;
OUTPUT OUT=AGE_1 N=_N MEAN=_MEAN STD=_STD MEDIAN=_MEDIAN MIN=_MIN
MAX=_MAX;
RUN;
```

Table: WORK.AGE_1 | View: Column names | Filter: (none)

Total rows: 3 Total columns: 9 Rows 1-3

	trt	_TYPE_	_FREQ_	_N	_MEAN	_STD	_MEDIAN	_MIN
1	0	0	244	244	47.909836066	17.054743182	48	18
2	1	0	256	256	50.28125	17.913928199	51	18
3	2	0	500	500	49.124	17.522634203	50	18

/* FROMATING VALUES */

```
DATA AGE_2;
SET AGE_1;
MEANSD=put(_MEAN,5.1)||"("||put(_STD,6.2)||")";
MINMAX=PUT(_MIN,4.0)||","||PUT(_MAX,4.0);
N=PUT(_N,4.0);
MEDIAN=PUT(_MEDIAN,5.1);
DROP _:;
RUN;
```

Total rows: 3 Total columns: 5 Rows 1-3

	trt	MEANSD	MINMAX	N	MEDIAN
1	0	47.9(17.05)	18, 79	244	48.0
2	1	50.3(17.91)	18, 79	256	51.0
3	2	49.1(17.52)	18, 79	500	50.0

/* TRANSPOSING THE VALUE */

```
PROC TRANSPOSE DATA=AGE_2 OUT=AGE_3 PREFIX=TREAT;
ID TRT;
VAR N MEANSD MEDIAN MINMAX;
```

```
QUIT;
```

Total rows: 4 Total columns: 4 Rows 1-4

	NAME	TREAT0	TREAT1	TREAT2
1	N	244	256	500
2	MEANSD	47.9(17.05)	50.3(17.91)	49.1(17.52)
3	MEDIAN	48.0	51.0	50.0
4	MINMAX	18, 79	18, 79	18, 79

```
DATA AGE_4;
LENGTH desc$ 80.;
SET AGE_3;
IF _NAME_="N" THEN desc="     N";
ELSE IF _NAME_="MEANSD" THEN desc="    MEAN(SD)";
ELSE IF _NAME_="MEDIAN" THEN desc="    MEDIAN";
ELSE IF _NAME_="MINMAX" THEN desc="    MIN,MAX";
DROP _NAME_;
RUN;
```

Total rows: 4 Total columns: 4 Rows 1-4

	desc	TREAT0	TREAT1	TREAT2
1	N	244	256	500
2	MEAN(SD)	47.9(17.05)	50.3(17.91)	49.1(17.52)
3	MEDIAN	48.0	51.0	50.0
4	MIN,MAX	18, 79	18, 79	18, 79

```
DATA MOCKDATA;
LENGTH desc$ 80.;
desc="Age(years)";
run;

DATA AGE;
LENGTH desc$ 80.;
SET MOCKDATA AGE_4;
order=1;
RUN;
```

Total rows: 5 Total columns: 5 Rows 1-5

	desc	TREAT0	TREAT1	TREAT2	order
1	Age(years)				1
2	N	244	256	500	1
3	MEAN(SD)	47.9(17.05)	50.3(17.91)	49.1(17.52)	1
4	MEDIAN	48.0	51.0	50.0	1
5	MIN,MAX	18, 79	18, 79	18, 79	1

/* GENDER STATISTICS */

```
PROC FREQ DATA=DM2;
BY TRT;
TABLES gender/OUT=GEN_1;
QUIT;
```

Total rows: 6 Total columns: 4 Rows 1-6

	trt	gender	COUNT	PERCENT
1	0	1	114	46.721311475
2	0	2	130	53.278688525
3	1	1	132	51.5625
4	1	2	124	48.4375
5	2	1	246	49.2
6	2	2	254	50.8

```
DATA GEN_2;
SET GEN_1;
NP=PUT(COUNT,4.0)||"("||PUT(PERCENT,4.1)||")";
RUN;
```

Total rows: 6 Total columns: 5 Rows 1-6

	trt	gender	COUNT	PERCENT	NP
1	0	1	114	46.721311475	114(46.7)
2	0	2	130	53.278688525	130(53.3)
3	1	1	132	51.5625	132(51.6)
4	1	2	124	48.4375	124(48.4)
5	2	1	246	49.2	246(49.2)
6	2	2	254	50.8	254(50.8)

```
PROC SORT DATA=GEN_2;BY GENDER;QUIT;

PROC TRANSPOSE DATA=GEN_2 OUT=GEN_3 (DROP=_NAME_) PREFIX=TREAT;
ID TRT;
VAR NP;
BY GENDER;
QUIT;
```

Total rows: 2 Total columns: 4 Rows 1-2

	gender	TREAT0	TREAT1	TREAT2
1	1	114(46.7)	132(51.6)	246(49.2)
2	2	130(53.3)	124(48.4)	254(50.8)

```
DATA GEN_4;
```

```
length desc$ 40.;
SET GEN_3;
IF GENDER=1 THEN DESC="     Male";
else if GENDER=2 THEN DESC="    Female";
drop GENDER;
run;
```

Total rows: 2 Total columns: 4 Rows 1-2

	desc	TREAT0	TREAT1	TREAT2
1	Male	114(46.7)	132(51.6)	246(49.2)
2	Female	130(53.3)	124(48.4)	254(50.8)

```
data dummy1;
desc="Gender[n(%)]^a";
run;

data gen;
set dummy1 gen_4;
order=2 ;
run;
```

Total rows: 3 Total columns: 5 Rows 1-3

	desc	TREAT0	TREAT1	TREAT2	order
1	Gender[n(%)]^a				2
2	Male	114(46.7)	132(51.6)	246(49.2)	2
3	Female	130(53.3)	124(48.4)	254(50.8)	2

/* ETHNIC STATAS */

```
PROC FREQ DATA=DM2;
BY TRT;
TABLES ETHNIC/OUT=ETH_1;
QUIT;
```

Total rows: 6 Total columns: 4 Rows 1-6

	trt	ethnic	COUNT	PERCENT
1	0	1	121	49.590163934
2	0	2	123	50.409836066
3	1	1	138	53.90625
4	1	2	118	46.09375
5	2	1	259	51.8
6	2	2	241	48.2

```
DATA ETH_2;
SET ETH_1;
NP=PUT(COUNT,4.0)||"("||PUT(PERCENT,4.1)||")";
```

```
RUN;
```

Total rows: 6 Total columns: 5 Rows 1-6

	trt	ethnic	COUNT	PERCENT	NP
1	0	1	121	49.590163934	121(49.6)
2	0	2	123	50.409836066	123(50.4)
3	1	1	138	53.90625	138(53.9)
4	1	2	118	46.09375	118(46.1)
5	2	1	259	51.8	259(51.8)
6	2	2	241	48.2	241(48.2)

```
PROC SORT DATA=ETH_2;BY ETHNIC;QUIT;

PROC TRANSPOSE DATA=ETH_2 OUT=ETH_3 (DROP=_NAME_) PREFIX=TREAT;
ID TRT;
VAR NP;
BY ETHNIC;
QUIT;
```

Total rows: 2 Total columns: 4 Rows 1-2

	ethnic	TREAT0	TREAT1	TREAT2
1	1	121(49.6)	138(53.9)	259(51.8)
2	2	123(50.4)	118(46.1)	241(48.2)

```
DATA ETH_4;
length desc$ 40.;
SET ETH_3;
IF ETHNIC=1 THEN DESC="     Hispanic or Latino";
else if ETHNIC=2 THEN DESC="    Not Hispanic or Latino";
drop ETHNIC;
run;
```

Total rows: 2 Total columns: 4 Rows 1-2

	desc	TREAT0	TREAT1	TREAT2
1	Hispanic or Latino	121(49.6)	138(53.9)	259(51.8)
2	Not Hispanic or Latino	123(50.4)	118(46.1)	241(48.2)

```
data dummy2;
desc="Ethnicity[n(%)]^a";
run;

data eth;
set dummy2 ETH_4;
order=3 ;
run;
```

Total rows: 3 Total columns: 5 Rows 1-3

	desc	TREAT0	TREAT1	TREAT2	order
1	Ethnicity[n(%)]^a				3
2	Hispanic or	121(49.6)	138(53.9)	259(51.8)	3
3	Not Hispanic	123(50.4)	118(46.1)	241(48.2)	3

/* Race status */

```
PROC FREQ DATA=DM2;
BY TRT;
TABLES race/OUT=race_1;
QUIT;
```

Total rows: 12 Total columns: 4 Rows 1-12

	trt	race	COUNT	PERCENT
1	0	1	67	27.459016393
2	0	2	70	28.68852459
3	0	3	67	27.459016393
4	0	4	40	16.393442623
5	1	1	69	26.953125
6	1	2	66	25.78125
7	1	3	60	23.4375
8	1	4	61	23.828125
9	2	1	136	27.2
10	2	2	136	27.2
11	2	3	127	25.4
12	2	4	101	20.2

```
DATA race_2;
SET race_1;
NP=PUT(COUNT,4.0)||"("||PUT(PERCENT,4.1)||")";
RUN;
```

Total rows: 12 Total columns: 5 Rows 1-12

	trt	race	COUNT	PERCENT	NP
1	0	1	67	27.459016393	67(27.5)
2	0	2	70	28.68852459	70(28.7)
3	0	3	67	27.459016393	67(27.5)
4	0	4	40	16.393442623	40(16.4)
5	1	1	69	26.953125	69(27.0)
6	1	2	66	25.78125	66(25.8)
7	1	3	60	23.4375	60(23.4)
8	1	4	61	23.828125	61(23.8)
9	2	1	136	27.2	136(27.2)
10	2	2	136	27.2	136(27.2)
11	2	3	127	25.4	127(25.4)
12	2	4	101	20.2	101(20.2)

```
PROC SORT DATA=race_2;BY race;QUIT;

PROC TRANSPOSE DATA=race_2 OUT=race_3 (DROP=_NAME_) PREFIX=TREAT;
ID TRT;
VAR NP;
BY race;
QUIT;
```

Total rows: 4 Total columns: 4 Rows 1-4

	race	TREAT0	TREAT1	TREAT2
1	1	67(27.5)	69(27.0)	136(27.2)
2	2	70(28.7)	66(25.8)	136(27.2)
3	3	67(27.5)	60(23.4)	127(25.4)
4	4	40(16.4)	61(23.8)	101(20.2)

```
DATA race_4;
length desc$ 40.;
SET race_3;
IF race=1 THEN DESC="     White";
else if race=2 THEN DESC="     Black";
else if race=3 THEN DESC="     Asian";
else if race=4 THEN DESC="     American Indian";
drop race;
run;
```

Total rows: 4 Total columns: 4 Rows 1-4

	desc	TREAT0	TREAT1	TREAT2
1	White	67(27.5)	69(27.0)	136(27.2)
2	Black	70(28.7)	66(25.8)	136(27.2)
3	Asian	67(27.5)	60(23.4)	127(25.4)
4	American Indian	40(16.4)	61(23.8)	101(20.2)

```
data dummy3;
desc="Race[n(%)]^a";
run;

data race;
set dummy3 race_4;
order=4 ;
run;
```

Total rows: 5 Total columns: 5 Rows 1-5

	desc	TREAT0	TREAT1	TREAT2	order
1	Race[n(%)]^a				4
2	White	67(27.5)	69(27.0)	136(27.2)	4
3	Black	70(28.7)	66(25.8)	136(27.2)	4
4	Asian	67(27.5)	60(23.4)	127(25.4)	4
5	America	40(16.4)	61(23.8)	101(20.2)	4

/* Generating the report as per the mockshell */

```
data final;
set age gen eth race;
```

```
run;
```

Total rows: 16 Total columns: 5 Rows 1-16

	desc	TREAT0	TREAT1	TREAT2	order
1	Age(years)				1
2	N	244	256	500	1
3	MEAN(SD)	47.9(17.05)	50.3(17.91)	49.1(17.52)	1
4	MEDIAN	48.0	51.0	50.0	1
5	MIN,MAX	18, 79	18, 79	18, 79	1
6	Gender[n(%)]^a				2
7	Male	114(46.7)	132(51.6)	246(49.2)	2
8	Female	130(53.3)	124(48.4)	254(50.8)	2
9	Ethnicity[n(%)]^a				3
10	Hispanic or	121(49.6)	138(53.9)	259(51.8)	3
11	Not Hispanic	123(50.4)	118(46.1)	241(48.2)	3
12	Race[n(%)]^a				4
13	White	67(27.5)	69(27.0)	136(27.2)	4
14	Black	70(28.7)	66(25.8)	136(27.2)	4
15	Asian	67(27.5)	60(23.4)	127(25.4)	4
16	America	40(16.4)	61(23.8)	101(20.2)	4

```
/*PROC REPORT*/
PROC REPORT DATA=FINAL nowd headline headskip SPLIT="*";
column(order desc treat1 treat0 treat2);
define order/group noprint;
define desc/"" width=40;
define treat1/"BP3304*(N=31)" ;
DEFINE treat0/"Placebo*(N=29)";
define treat2/"overall*(N=60)";

break after order/skip;
compute before _page_;
line "";
line @10 "14.1.2.1 Subject Demographics and Baseline Characteristics";
line @20 "Safety Population";
line  "";
endcomp;

compute after;
line @4 "Reference: Listing 16.2.4.1";
line @4 "Percentages are based on the number of subjects in the population.";
line @4 "Note: SD = standard deviation, Min = Minimum, Max = Maximum.";
endcomp;
run;
```

14.1.2.1 Subject Demographics and Baseline Characteristics
Safety Population

	BP3304 (N=31)	Placebo (N=29)	overall (N=60)
Age(years)			
N	256	244	500
MEAN(SD)	50.3(17.91)	47.9(17.05)	49.1(17.52)
MEDIAN	51.0	48.0	50.0
MIN,MAX	18, 79	18, 79	18, 79
Gender[n(%)]^a			
Male	132(51.6)	114(46.7)	246(49.2)
Female	124(48.4)	130(53.3)	254(50.8)
Ethnicity[n(%)]^a			
Hispanic or	138(53.9)	121(49.6)	259(51.8)
Not Hispanic	118(46.1)	123(50.4)	241(48.2)
Race[n(%)]^a			
White	69(27.0)	67(27.5)	136(27.2)
Black	66(25.8)	70(28.7)	136(27.2)
Asian	60(23.4)	67(27.5)	127(25.4)
America	61(23.8)	40(16.4)	101(20.2)

Reference: Listing 16.2.4.1
Percentages are based on the number of subjects in the population.
Note: SD = standard deviation, Min = Minimum, Max = Maximum.

14.1.2.1 Subject Demographics and Baseline Characteristics
Safety Population

	BP3304 (N =xx)	Placebo (N =xx)	Overall (N=xx)
Age (years)			
N	xx	xx	xx
Mean (SD)	xx,x (xx.xx)	xx,x (xx.xx)	xx,x (xx.xx)
Median	xx.x	xx.x	xx.x
Min, Max	xx, xx	xx, xx	xx, xx
Gender [n (%)][a]			
Male	xx (xx.x)	xx (xx.x)	xx (xx.x)
Female	xx (xx.x)	xx (xx.x)	xx (xx.x)
Ethnicity [n (%)][a]			
Hispanic or Latino	xx (xx.x)	xx (xx.x)	xx (xx.x)
Not Hispanic or Latino	xx (xx.x)	xx (xx.x)	xx (xx.x)
Race [n (%)][a]			
White	xx (xx.x)	xx (xx.x)	xx (xx.x)
Black or African American	xx (xx.x)	xx (xx.x)	xx (xx.x)
Asian	xx (xx.x)	xx (xx.x)	xx (xx.x)
American Indian or Alaskan Native	xx (xx.x)	xx (xx.x)	xx (xx.x)
Native Hawaiian or Other Pacific Islander	xx (xx.x)	xx (xx.x)	xx (xx.x)
Other	xx (xx.x)	xx (xx.x)	xx (xx.x)

Reference: Listing 16.2.4.1
[a] Percentages are based on the number of subjects in the population.
Note: SD = standard deviation, Min = Minimum, Max = Maximum.