Status	Finished
Started	Thursday, 8 October 2026, 7:15 PM
Completed	Thursday, 8 October 2026, 7:28 PM
Duration	13 mins
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which statement is used to create an empty dictionary?

a. d1 = 🪺

b. d1 = { } ✓

c. d1 = dict{ }

d. d1 = [ ]

Question **2**

Correct

Mark 1.00 out of 1.00

Both keys and values are unique in dictionary.

a. True

b. False ✓

Question **3**

Correct

Mark 1.00 out of 1.00

Choose the correct statement, in reference to the following code: D1.update(D2) #D1 and D2 are dictionaries

a. None of the mentioned

b. It will merge all the elements of dictionary ‘D2’ in dictionary ‘D1’. ✓

c. It will merge all the elements of dictionary ‘D1’ in dictionary ‘D2’.

d. It will create a new dictionary.

Question **4**

Correct

Mark 1.00 out of 1.00

_____ datatype fall under mapping.

- a. Dictionary ✓
- b. String
- c. List
- d. Tuple

Question **5**

Correct

Mark 1.00 out of 1.00

Keys in dictionary are _____.

- a. Mutable
- b. antique
- c. Immutable ✓
- d. integers

Question **6**

Correct

Mark 1.00 out of 1.00

We can repeat the values of Key in Dictionary?

- a. False
- b. True ✓

Question **7**

Correct

Mark 1.00 out of 1.00

All elements in dictionary are separated by _____.

- a. Comma(,) ✓
- b. Colon (
- c. dot(.)
- d. Semicolon(;)

Question **8**

Correct

Mark 1.00 out of 1.00

_____ function returns the value corresponding to the key passed as the argument.

- a. get ✓
- b. del
- c. update
- d. values

Question **9**

Correct

Mark 1.00 out of 1.00

Which function/statement delete the dictionary from the memory?

- a. clear
- b. pop
- c. delete
- d. del ✓

Question **10**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={}
a['a']=1
a['b']=[2,3,4]
print(a)
```

- a. {'b': [2], 'a': 1}
- b. ✓
  {'b': [2, 3, 4], 'a': 1}
- c. Error
- d. {'b': [2], 'a': [3]}

Question **11**

Correct

Mark 1.00 out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
list_o_names = []
names['Emily'] += 10
names['Erik'] = 22

for name in names:
    if names[name] > 5:
        list_o_names.append(name)
print(list_o_names)
```

a. ['Emily', 'John', 'Erik'] ✓

b. ['Janice', 'John', 'Erik']

c. ['Janice', 'Emily', 'John', 'Eleanor']

d. ['Janice', 'Emily', 'John']

Question **12**

Correct

Mark 1.00 out of 1.00

In dictionary Keys and values are separated by _____.

a. Comma(,)

b. Semicolon(;)

c. dot(.)

d. Colon (:) ✓

Question **13**

Correct

Mark 1.00 out of 1.00

Traversing a dictionary can be done using _____.

a. None of the mentioned

b. loop ✓

c. if statement

d. jump statement

Question **14**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={1:"A",2:"B",3:"C"}
print(a.get(5,4))
```

a. A

b. 4 ✓

c. 5

d. Invalid Synatx,Error

Question **15**

Correct

Mark 1.00 out of 1.00

To obtain the number of entries in dictionary which command is used?

a. len(d) ✓

b. size(d)

c. d.len()

d. d.size()