

Set - 2

Question: 1:

Regno: 19BCS0012

Name: Nithish G

Course: OSP

date: 14/12/22

index.php

Q1. PHP

<!DOCTYPE html>

<html>

<head>

<title> Display courses </title>

</head>

<frameset cols = "30%,*">

<frame name = "index" src = "index.php">

<frame name = "course" src = "course.php">

</frameset>

</html>

Index.php

<!DOCTYPE html>

<html>

<head>

<title> Index (form) </title>

</head>

<body>

<form action="Course.php" target="course" method="post">

<p> Select category to display Courses
offered by our University </p>

<select name='ctg'>

<option value='1'>UG Courses </option>

<option value='2'>PG Courses </option>

:

</select>

</form> </body>

</html>

Course.php:

<!DOCTYPE html>

<html>

<head>

<title> course display </title>

</head>

<?php

\$course = \$_POST['ctg'];

switch (\$sem)

{

case 1:

echo "<p> Bsc computers science </p>

<p> BCA </p>

<p> B.Com </p>
";

break;

case 2:

echo "<p> MCA </p>

<p> MTech </p>

<p> Data Science </p>

break;

default:

echo "<p>invalid input</p>";

}

}

</body>

</body>

</html>

Set - 2:

2)

Chess board

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title> Chess board </title>
```

```
<body>
```

```
<form action = "<?php echo htmlentities($_SERVER['PHP_SELF'])  
"; ?>" method = "post">
```

```
No. of rows <input type = "number" name = "row" />
```

```
No. of columns <input type = "number" name = "col" />
```

```
<input type = "submit" name = "submit" />
```

```
</form>
```

```
<table border = "1px">
```

<?php

```
if (isset($_POST['submit']))
```

```
{
```

```
for ($row=1; $row<=$_POST['row']; $row++)
```

```
{
```

```
echo "<tr>";
```

```
for ($col=1; $col<=$_POST['col']; $col++)
```

```
{
```

```
$tlt = $row + $col;
```

```
if ($tlt % 2 == 0)
```

```
{  
echo "<td height=20px width=20px
```

```
bgcolor=#FFFFFF></td>";
```

```
}
```

```
else
```

```
{
```

```
echo "<td height=30px width=30px bgcolor=#000000>
```

```
</td>";
```

```
}
```

}

echo "<tr>";

}

</table>

</html>

Question : 3: set-2:

<!DOCTYPE html>

<html>

<head>

<title> 3Q bus Booking </title>

</head>

<? PHP

\$fares = 0;

??>

<body>

<form action = "<php echo htmlentities(\$_SERVER.
['PHP_SELF']); ?>" method = "post">

<h1> Board point </h1>

<select name = 'BP'>

<option value = "C1"> C1 </option>

<option value = "C2"> C2 </option>

<option value = "C3"> C3 </option>

<option value = "C4"> C4 </option>

<option value = "C5"> C5 </option> </select>

C-city

<h1> Drop point </h1>

<select name='DP'>

<option value="c1"> c1 </option>

<option value="c2"> c2 </option>

⋮

⋮

⋮

⋮

⋮

<option value="c5"> c5 </option>

</select>

<h1> Route </h1>

<select name='R'>

<option value='r1'> R1 </option>

⋮

⋮

⋮

⋮

⋮

<option value='r5'> R5 </option>

<input type='submit' name='submit' />

<h1> Fares <?php ~~\$fares~~ echo \$fares; ?>

</h2> </form>