# Rajalakshmi Engineering College

Name: NITHISH RAJ L

Email: 240701366@rajalakshmi.edu.in

Roll no: 2116240701366 Phone: 8072719523

Branch: REC

Department: I CSE FD

Batch: 2028

Degree: B.E - CSE



# NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 6\_COD\_Question 1

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

#### 1. Problem Statement

John and Mary are collaborating on a project that involves data analysis. They each have a set of age data, one sorted in ascending order and the other in descending order. However, their analysis requires the data to be in ascending order.

Write a program to help them merge the two sets of age data into a single sorted array in ascending order using merge sort.

## **Input Format**

The first line of input consists of an integer N, representing the number of age values in each dataset.

The second line consists of N space-separated integers, representing the ages of participants in John's dataset (in ascending order).

The third line consists of N space-separated integers, representing the ages of participants in Mary's dataset (in descending order).

## **Output Format**

Sample Test Case

void mergeSort(int arr[], int size) {

int left[mid],right[size-mid];

if(size<=1) return:

int mid=size/2:

for(int i=0;i<mid;i++)

The output prints a single line containing space-separated integers, which represents the merged dataset of ages sorted in ascending order.

Refer to the sample output for formatting specifications.

```
Input: 5
13579
  108642
  Output: 1 2 3 4 5 6 7 8 9 10
  Answer
  #include <stdio.h>
  void merge(int arr[], int left[], int right[], int left_size, int right_size) {
     int i=0, j=0, k=0;
     while(i<left_size && j<right_size){
       if(left[i]<right[j])
         arr[k++]=left[i++];
       else
          arr[k++]=right[j++];
     while(i<left_size)
       arr[k++]=left[i++];
     while(j<right_size)
       arr[k++]=right[j++];
  }
```

2716240701366

```
reπ[i]=arr[i];
for(int i=mid;i<size;i++)
right[i-mid]=arr[i]
merαe<sup>©</sup>
            mergeSort(right,size-mid);
            merge(arr,left,right,mid,size-mid);
         }
         int main() {
            int n, m;
            scanf("%d", &n);
            int arr1[n], arr2[n];
o, i < n; i++) {
    scanf("%d", &arr1[i]);
}

for (int i = 0; i < n; i++) {
    scanf("%d", &arr2[:1);
}
            int merged[n + n];
            mergeSort(arr1, n);
            mergeSort(arr2, n);
            merge(merged, arr1, arr2, n, n);
            for (int i = 0; i < n + n; i++) {
               printf("%d ", merged[i]);
            }
            return 0;
Status : Correct
```

2116240101366

2116240101366

2176240701366

2116240701366

2176240701366

2176240701366

Marks: 10/10