

# DIGITAL NURTURE 5.0 DEEPSKILLING

## WEEK 5 – HANDS-ON

### GIT

#### 1. Git-HOL

```
GitDemo -- zsh -- 207x64
(base) nithishvar@Nithisha-MacBook-Air ~ % git config --global user.name "Nithishvar20"
(base) nithishvar@Nithisha-MacBook-Air ~ % git config --global user.email "nithishvar2006@gmail.com"
(base) nithishvar@Nithisha-MacBook-Air ~ % git config --global --list
http.postBuffer=524288000
http.lowSpeedLimit=0
http.lowSpeedTime=99999
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
filter.lfs.clean=git-lfs clean -- %f
core.compression=0
user.name=Nithishvar20
user.email=nithishvar2006@gmail.com
(base) nithishvar@Nithisha-MacBook-Air ~ % cd ~/Desktop
(base) nithishvar@Nithisha-MacBook-Air Desktop % git init GitDemo
Initialized empty Git repository in /Users/nithishvar/Desktop/GitDemo/.git/
(base) nithishvar@Nithisha-MacBook-Air Desktop % cd GitDemo
(base) nithishvar@Nithisha-MacBook-Air GitDemo % pwd
/Users/nithishvar/Desktop/GitDemo
(base) nithishvar@Nithisha-MacBook-Air GitDemo % echo "Welcome to the version control" > welcome.txt
(base) nithishvar@Nithisha-MacBook-Air GitDemo % ls
welcome.txt
(base) nithishvar@Nithisha-MacBook-Air GitDemo % git status
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    welcome.txt



nothing added to commit but untracked files present (use "git add" to track)
(base) nithishvar@Nithisha-MacBook-Air GitDemo % git add welcome.txt
(base) nithishvar@Nithisha-MacBook-Air GitDemo % git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   welcome.txt

(base) nithishvar@Nithisha-MacBook-Air GitDemo % git commit -m "Added welcome.txt"
[main (root-commit) 1388081] Added welcome.txt
1 file changed, 1 insertion(+)
create mode 100644 welcome.txt
(base) nithishvar@Nithisha-MacBook-Air GitDemo % git status
On branch main
nothing to commit, working tree clean
(base) nithishvar@Nithisha-MacBook-Air GitDemo % git remote add origin https://github.com/Nithishvar20/GitDemo.git
(base) nithishvar@Nithisha-MacBook-Air GitDemo % git remote -v
origin https://github.com/Nithishvar20/GitDemo.git (fetch)
origin https://github.com/Nithishvar20/GitDemo.git (push)
(base) nithishvar@Nithisha-MacBook-Air GitDemo % git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 337 bytes | 337.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Nithishvar20/GitDemo.git
 * [new branch]    main -> main
branch 'main' set up to track 'origin/main'.
(base) nithishvar@Nithisha-MacBook-Air GitDemo %
```

OUTPUT



## 2. Git-HOL

```
GitDemo -- zsh -- 207x64
(base) nithishvar@Nithisha-MacBook-Air ~ % cd ~/Desktop/GitDemo
(base) nithishvar@Nithisha-MacBook-Air GitDemo % touch error.log
(base) nithishvar@Nithisha-MacBook-Air GitDemo % mkdir log
(base) nithishvar@Nithisha-MacBook-Air GitDemo % touch log/output.txt
(base) nithishvar@Nithisha-MacBook-Air GitDemo % git status
On branch main
Your branch is up to date with 'origin/main'.



Untracked files:
  (use "git add <file>..." to include in what will be committed)
        error.log
        log/

nothing added to commit but untracked files present (use "git add" to track)
(base) nithishvar@Nithisha-MacBook-Air GitDemo % touch .gitignore
(base) nithishvar@Nithisha-MacBook-Air GitDemo % open -e .gitignore
(base) nithishvar@Nithisha-MacBook-Air GitDemo % git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore

nothing added to commit but untracked files present (use "git add" to track)
(base) nithishvar@Nithisha-MacBook-Air GitDemo % git add .gitignore
(base) nithishvar@Nithisha-MacBook-Air GitDemo % git commit -m "Added .gitignore"
[main b906c1d] Added .gitignore
 1 file changed, 2 insertions(+)
 create mode 100644 .gitignore
(base) nithishvar@Nithisha-MacBook-Air GitDemo % git push
Enumerating objects: 4, done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 480 bytes | 480.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Nithishvar20/GitDemo.git
 1b0682d..b906c1d  main -> main
(base) nithishvar@Nithisha-MacBook-Air GitDemo % x
```

OUTPUT





### 3. Git-HOL

```
GitDemo -- zsh -- 207x64
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git branch GitNewBranch
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git branch
* GitNewBranch
# main
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git checkout GitNewBranch
Switched to branch 'GitNewBranch'
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git branch
* GitNewBranch
# main
(base) nithishvar@Nithishs-MacBook-Air GitDemo % echo "This file is created in GitNewBranch" > branch.txt
(branch.txt) error.log log welcome.txt
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git add branch.txt
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git commit -m "Added branch.txt in GitNewBranch"
[GitNewBranch 237f34c] Added branch.txt in GitNewBranch
1 file changed, 1 insertion(+)
create mode 100644 branch.txt
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git status
On branch GitNewBranch
nothing to commit, working tree clean
(base) nithishvar@Nithishs-MacBook-Air GitDemo % On branch GitNewBranch
nothing to commit, working tree clean
zsh: command not found: On
zsh: command not found: nothing
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git switch main
[Switched to branch 'main']
Your branch is up to date with 'origin/main'.
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git diff main GitNewBranch
diff --git a/branch.txt b/branch.txt
new file mode 100644
index 0000000..d51d9d
--- /dev/null
+++ b/branch.txt
@@ -0,0 +1 @@
+This file is created in GitNewBranch
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git merge GitNewBranch
Updating b905c16..237f34c
Fast-forward
 branch.txt | 1
+ 1 file changed, 1 insertion(+)
create mode 100644 branch.txt
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git log --oneline --graph --decorate
* 237f34c (HEAD -> main, GitNewBranch) Added branch.txt in GitNewBranch
* b905c16 (origin/main) Added .gitignore
* 1386a01 Added welcome.txt
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git branch -d GitNewBranch
Deleted branch GitNewBranch (was 237f34c).
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git branch
# main
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 482 bytes | 482.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Nithishvar20/GitDemo.git
b905c16..237f34c main -> main
(base) nithishvar@Nithishs-MacBook-Air GitDemo %
```

OUTPUT



## 4. Git-HOL



```
GitDemo -- zsh -- 207x64
(base) nithishvar@Nithishs-MacBook-Air ~ % cd ~/Desktop/GitDemo
git switch main
git status
Already on 'main'
Your branch is up to date with 'origin/main'.
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git switch -c GitWork
Switched to a new branch 'GitWork'
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git branch
* GitWork
|
| main
| (base) nithishvar@Nithishs-MacBook-Air GitDemo % echo "<message>Hello from GitWork</message>" > hello.xml
(base) nithishvar@Nithishs-MacBook-Air GitDemo % cat hello.xml
<message>Hello from GitWork</message>
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git add hello.xml
git commit -m "Added hello.xml in GitWork"
[GitWork b3f783e] Added hello.xml in GitWork
1 file changed, 1 insertion(+)
create mode 100644 hello.xml
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git switch main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
(base) nithishvar@Nithishs-MacBook-Air GitDemo % echo "<message>Hello from Main Branch</message>" > hello.xml
(base) nithishvar@Nithishs-MacBook-Air GitDemo % cat hello.xml
<message>Hello from Main Branch</message>
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git add hello.xml
git commit -m "Added hello.xml in main"
[main 923ae27] Added hello.xml in main
1 file changed, 1 insertion(+)
create mode 100644 hello.xml
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git log --oneline --graph --decorate --all
* 923ae27 (HEAD -> main) Added hello.xml in main
| * b3f783e (GitWork) Added hello.xml in GitWork
|
| * 237f34c (origin/main) Added branch.txt in GitNewBranch
| * b985c16 Added .gitignore
| * 1368681 Added welcome.txt
| (base) nithishvar@Nithishs-MacBook-Air GitDemo % git diff main GitWork
diff --git a/hello.xml b/hello.xml
index 064b22b..84f3217 100644
--- a/hello.xml
+++ b/hello.xml
@@ -1,1 @@
-<message>Hello from Main Branch</message>
+<message>Hello from GitWork</message>
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git merge GitWork
Auto-merging hello.xml
CONFLICT (add/add): Merge conflict in hello.xml
Automatic merge failed; fix conflicts and then commit the result.
(base) nithishvar@Nithishs-MacBook-Air GitDemo % cat hello.xml
<<<<<< HEAD
<message>Hello from Main Branch</message>
=====
<message>Hello from GitWork</message>
>>>>>> GitWork
(base) nithishvar@Nithishs-MacBook-Air GitDemo % open -e hello.xml
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git add hello.xml
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git commit -m "Resolved merge conflict"
[main 3bed9f8] Resolved merge conflict
```

```
GitDemo -- zsh -- 207x64

1 file changed, 1 insertion(+)
create mode 100644 hello.xml
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git log --oneline --graph --decorate --all
* 923ae27 (HEAD -> main) Added hello.xml in main
| * b3f783e (GitWork) Added hello.xml in GitWork
|
| * 237f34c (origin/main) Added branch.txt in GitNewBranch
| * b985c16 Added .gitignore
| * 1368681 Added welcome.txt
| (base) nithishvar@Nithishs-MacBook-Air GitDemo % git diff main GitWork
diff --git a/hello.xml b/hello.xml
index 064b22b..84f3217 100644
--- a/hello.xml
+++ b/hello.xml
@@ -1,1 @@
-<message>Hello from Main Branch</message>
+<message>Hello from GitWork</message>
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git merge GitWork
Auto-merging hello.xml
CONFLICT (add/add): Merge conflict in hello.xml
Automatic merge failed; fix conflicts and then commit the result.
(base) nithishvar@Nithishs-MacBook-Air GitDemo % cat hello.xml
<<<<<< HEAD
<message>Hello from Main Branch</message>
=====
<message>Hello from GitWork</message>
>>>>>> GitWork
(base) nithishvar@Nithishs-MacBook-Air GitDemo % open -e hello.xml
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git add hello.xml
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git commit -m "Resolved merge conflict"
[main 3bed9f8] Resolved merge conflict
(base) nithishvar@Nithishs-MacBook-Air GitDemo % open -e .gitignore
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git add .gitignore
git commit -m "Ignored backup files"
[main 189ecdb] Ignored backup files
1 file changed, 2 insertion(+), 1 deletion(-)
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git branch
* GitWork
|
| main
| (base) nithishvar@Nithishs-MacBook-Air GitDemo % git branch -d GitWork
Deleted branch GitWork (was b3f783e).
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git log --oneline --graph --decorate
* 189ecdb (HEAD -> main) Ignored backup files
| * 3bed9f8 Resolved merge conflict
|
| | * b3f783e Added hello.xml in GitWork
| | | 923ae27 Added hello.xml in main
| | |
| | * 237f34c (origin/main) Added branch.txt in GitNewBranch
| | * b985c16 Added .gitignore
| | * 1368681 Added welcome.txt
| | (base) nithishvar@Nithishs-MacBook-Air GitDemo % git push origin main
Enumerating objects: 16, done.
Counting objects: 100% (14/14), done.
Delta compression using up to 8 threads
Compressing objects: 100% (9/9), done.
Writing objects: 100% (12/12), 1.58 KiB | 1.58 MiB/s, done.
Total 12 (delta 4), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (4/4), completed with 1 local object.
To https://github.com/Nithishvar20/GitDemo.git
237f34c..189ecdb main -> main
(base) nithishvar@Nithishs-MacBook-Air GitDemo % █
```

## OUTPUT





## 5. Git-HOL

```
Last login: Tue Jul 21 11:59:02 on ttys023
Error while loading conda entry point: anaconda-cloud-auth (cannot import name 'AliasGenerator' from 'pydantic' (/opt/anaconda3/lib/python3.12/site-packages/pydantic/__init__.cpython-312-darwin.so))
(base) nithishvar@Nithishs-MacBook-Air ~ % cd ~/Desktop/GitDemo
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git branch
* main
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git pull origin main
From https://github.com/Nithishvar20/GitDemo
| * branch      main       -> FETCH_HEAD
Already up to date.
(base) nithishvar@Nithishs-MacBook-Air GitDemo % git push origin main
Everything up-to-date
(base) nithishvar@Nithishs-MacBook-Air GitDemo %
```

OUTPUT

