```html
<!DOCTYPE html>
<html lang="en">
<title>Home – Natural Disasters
Database</title>
<meta charset="UTF-8">
<meta name="viewport"
content="width=device-width, initial-
scale=1">
<link rel="stylesheet" href=https://
www.w3schools.com/w3css/4/w3.css>
<link rel="stylesheet" href=https://
fonts.googleapis.com/css?family=Lato>
<link rel="stylesheet" href=https://
fonts.googleapis.com/css?
family=Montserrat>
<link rel="stylesheet" href=https://
cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-
awesome.min.css>
```

```html
<style>
Body,h1,h2,h3,h4,h5,h6 {font-family: "Lato",
sans-serif}
.w3-bar,h1,button {font-family:
"Montserrat", sans-serif}
.fa-anchor,.fa-coffee {font-size:200px}
</style>
<body>
<!—Navbar ⌗
<div class="w3-top">
  <div class="w3-bar w3-black w3-card w3-
left-align w3-large">
    <a class="w3-bar-item w3-button w3-
hide-medium w3-hide-large w3-right w3-
padding-large w3-hover-white w3-large w3-
red" href="javascript:void(0);"
onclick="myFunction()" title="Toggle
Navigation Menu"><i class="fa fa-bars"></
i></a>
    <a href="{% url 'home' %}" class="w3-bar-
item w3-button w3-hide-small w3-padding-
```

```
large w3-hover-white">Home</a>
  <a class="w3-bar-item w3-button w3-
padding-large w3-white">Earthquake</a>
  <a href="{%url 'tsunami'%}" class="w3-
bar-item w3-button w3-hide-small w3-
padding-large w3-hover-white">Tsunami</
a>
  <a href="{%url 'tornado'%}" class="w3-
bar-item w3-button w3-hide-small w3-
padding-large w3-hover-white">Tornado</
a>
  <a href="{%url 'volcano'%}" class="w3-
bar-item w3-button w3-hide-small w3-
padding-large w3-hover-white">Volcanic
Activity</a>
 </div>
 <!—Navbar on small screens ⬚
 <div id="navDemo" class="w3-bar-block
w3-white w3-hide w3-hide-large w3-hide-
medium w3-large">
  <a href="#" class="w3-bar-item w3-
```

```html
button w3-padding-large">Earthquake</a>
   <a href="#" class="w3-bar-item w3-button w3-padding-large">Tsunami</a>
   <a href="#" class="w3-bar-item w3-button w3-padding-large">Tornado</a>
   <a href="#" class="w3-bar-item w3-button w3-padding-large">Volcanic Activity</a>
  </div>
</div>
<!--Header ⬚
<header class="w3-container w3-grey w3-center" style="padding:128px 16px">
  <h1 class="w3-margin w3-jumbo">Earthquakes</h1>
  <p class="w3-xlarge">Natural Disasters Database</p>
</header>
<div class="w3-container">
  <h2>Earthquakes</h2>
  <table class="w3-table-all">
```

```html
  <tr>
    <th>Earthquake_id</th>
    <th>Intensity</th>
    <th>Date</th>
    <th>Country</th>
    <th>Place</th>
    <th>Latitude</th>
    <th>Longitude</th>
  {% for quake in all_quakes %}
    <tr>
      <td>{{quake.earthquake_id}}</td>
      <td>{{quake.intensity}}</td>
      <td>{{quake.date}}</td>
      <td>{{quake.country}}</td>
      <td>{{quake.place}}</td>
      <td>{{quake.latitude}}</td>
      <td>{{quake.longitude}}</td>
    </tr>
  {% endfor %}
  </table>
</div>
```

```html
<div class="w3-container">
  <h2>Damage caused by the quakes</h2>
  <table class="w3-table-all">
    <tr>
      <th>Earthquake_id</th>
      <th>Amount (in million)</th>
      <th>Deaths (in thousands)</th>
      <th>House_destroyed (in thousands)</th>
    </tr>
    {% for d in damage %}
    <tr>
      <td>{{d.earthquake_id}}</td>
      <td>{{d.amount}}</td>
      <td>{{d.deaths}}</td>
      <td>{{d.house_destroyed}}</td>
    </tr>
    {% endfor %}

  </table>
</div>
```

```html
<div class="w3-container w3-black w3-center w3-opacity w3-padding-50">
    <h1 class="w3-margin w3-xlarge">Thanks for visiting the website</h1>
</div>

<!--Footer 
<footer class="w3-container w3-padding-40 w3-center w3-opacity">
  <div class="w3-xlarge w3-padding-20">
    <h1>A Database project </h1>
</footer>

<script>
// Used to toggle the menu on small screens when clicking on the menu button
Function myFunction() {
  Var x = document.getElementById("navDemo");
```

```
 If (x.className.indexOf("w3-show") ==
-1) {
    x.className += " w3-show";
  } else {
    x.className = x.className.replace("
w3-show", "");
  }
}
</script>

</body>
</html>
```